

CITATION REPORT

List of articles citing

The thermal state of permafrost in the nordic area during the international polar year 20072009

DOI: 10.1002/ppp.687

Permafrost and Periglacial Processes, 2010, 21, 156-181.

Source: <https://exaly.com/paper-pdf/47763784/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
237	Permafrost thermal state in the polar Northern Hemisphere during the international polar year 2007-2009: a synthesis. <i>Permafrost and Periglacial Processes</i> , 2010 , 21, 106-116	4.2	506
236	Statistical analysis of seasonal displacements at the Nordnes rockslide, northern Norway. 2010 , 114, 228-237		18
235	NORPERM, the Norwegian Permafrost Database is TSP NORWAY IPY legacy. 2010 , 2, 235-246		14
234	Monitoring of active layer dynamics at a permafrost site on Svalbard using multi-channel ground-penetrating radar. 2010 , 4, 475-487		50
233	Mountain permafrost: development and challenges of a young research field. 2010 , 56, 1043-1058		113
232	Warming-induced destabilization of peat plateau/thermokarst lake complexes. 2011 , 116,		91
231	Polygon pattern geomorphometry on Svalbard (Norway) and western Utopia Planitia (Mars) using high-resolution stereo remote-sensing data. <i>Geomorphology</i> , 2011 , 134, 197-216	4.3	46
230	A 3000-year varved record of glacier activity and climate change from the proglacial lake Hvítvatn, Iceland. 2011 , 30, 2715-2731		88
229	Past and present permafrost temperatures in the Abisko area: redrilling of boreholes. 2011 , 40, 558-65		33
228	Alaskan Permafrost Groundwater Storage Changes Derived from GRACE and Ground Measurements. 2011 , 3, 378-397		47
227	A regional inventory of rock glaciers and ice-cored moraines in Norway. 2011 , 93, 175-191		63
226	The Role of Interannual Climate Variability in Controlling Solifluction Processes, Endalen, Svalbard. <i>Permafrost and Periglacial Processes</i> , 2011 , 22, n/a-n/a	4.2	12
225	Air and Ground Temperature Variations Observed along Elevation and Continentality Gradients in Southern Norway. <i>Permafrost and Periglacial Processes</i> , 2011 , 22, 343-360	4.2	48
224	Opportunities and limitations to detect climate-related regime shifts in inland Arctic ecosystems through eco-hydrological monitoring. <i>Environmental Research Letters</i> , 2011 , 6, 014015	6.2	38
223	Modeling the temperature evolution of Svalbard permafrost during the 20th and 21st century. 2011 , 5, 67-79		70
222	Permafrost degradation risk zone assessment using simulation models. 2011 , 5, 1043-1056		30
221	Modelling borehole temperatures in Southern Norway – insights into permafrost dynamics during the 20th and 21st century. 2012 , 6, 553-571		38

220	Development of Bearing Capacity of Fine Grained Permafrost Deposits in Western Greenland Urban Areas Subject to Soil Temperature Changes. 2012,		1
219	Response characteristics of vegetation and soil environment to permafrost degradation in the upstream regions of the Shule River Basin. <i>Environmental Research Letters</i> , 2012 , 7, 045406	6.2	34
218	Future vegetation changes in thawing subarctic mires and implications for greenhouse gas exchange – regional assessment. 2012 , 115, 379-398		27
217	Permafrost, Infrastructure, and Climate Change: A GIS-Based Landscape Approach to Geotechnical Modeling. 2012 , 44, 368-380		51
216	The relative age of mountain permafrost – Estimation of Holocene permafrost limits in Norway. 2012 , 92-93, 209-223		59
215	Greenland climate change: from the past to the future. 2012 , 3, 427-449		22
214	Rapid physicochemical changes in the high Arctic Lake Kongressvatn caused by recent climate change. 2012 , 74, 385-395		14
213	Permafrost changes and engineering stability in Qinghai-Xizang Plateau. 2013 , 58, 1079-1094		65
212	8.15 Permafrost: Formation and Distribution, Thermal and Mechanical Properties. 2013 , 202-222		4
211	8.28 The Glacial and Periglacial Research Frontier: Where from Here?. 2013 , 479-499		4
210	Influence of Meteorological Elements on Changes in Active-Layer Thickness in the Bellsund region, Svalbard. <i>Permafrost and Periglacial Processes</i> , 2013 , 24, 304-312	4.2	9
209	Central Svalbard 2000–2011 Meteorological Dynamics and Periglacial Landscape Response. 2013 , 45, 6-18		30
208	Climate warming and permafrost dynamics in the Antarctic Peninsula region. 2013 , 100, 215-223		98
207	Recent Advances in Mountain Permafrost Research. <i>Permafrost and Periglacial Processes</i> , 2013 , 24, 99-107.2	4.2	47
206	Using streamflow characteristics to explore permafrost thawing in northern Swedish catchments. 2013 , 21, 121-131		49
205	Permafrost and groundwater on the Qinghai-Tibet Plateau and in northeast China. 2013 , 21, 5-23		197
204	Transient thermal modeling of permafrost conditions in Southern Norway. 2013 , 7, 719-739		76
203	Simulating soil freeze/thaw dynamics with an improved pan-Arctic water balance model. 2013 , 5, 659-675		37

202	Ice- and Soil-Wedge Dynamics in the Kapp LinnĀrea, Svalbard, Investigated by Two- and Three-Dimensional GPR and Ground Thermal and Acceleration Regimes. <i>Permafrost and Periglacial Processes</i> , 2013 , 24, 39-55	4.2	23
201	Ground Thermal Regime and Permafrost Distribution under a Changing Climate in Northern Norway. <i>Permafrost and Periglacial Processes</i> , 2013 , 24, 20-38	4.2	45
200	CryoGRID 1.0: Permafrost Distribution in Norway estimated by a Spatial Numerical Model. <i>Permafrost and Periglacial Processes</i> , 2013 , 24, 2-19	4.2	48
199	Recent air and ground temperature increases at Tarfala Research Station, Sweden. 2013 , 32, 19807		12
198	Hydrological response of a High-Arctic catchment to changing climate over the past 35 years: a case study of Bayelva watershed, Svalbard. 2013 , 32, 19691		41
197	Influence of the physical terrestrial Arctic in the eco-climate system. 2013 , 23, 1778-97		16
196	Use of a multilayer snow model to assess grazing conditions for reindeer. 2013 , 54, 214-226		23
195	PERMAFROST AND PERIGLACIAL FEATURES Active Layer Processes. 2013 , 421-429		1
194	LGM permafrost distribution: how well can the latest PMIP multi-model ensembles perform reconstruction?. 2013 , 9, 1697-1714		32
193	Simulating high-latitude permafrost regions by the JSBACH terrestrial ecosystem model. 2014 , 7, 631-647		80
192	Surface kinematics of periglacial sorted circles using structure-from-motion technology. 2014 , 8, 1041-1056		42
191	Degradation of buried ice and permafrost in the Veleta cirque (Sierra Nevada, Spain) from 2006 to 2013 as a response to recent climate trends. 2014 , 5, 979-993		35
190	Sedimentological characteristics of ice-wedge polygon terrain in Adventdalen (Svalbard) □ environmental and climatic implications for the late Holocene. 2014 , 5, 901-914		18
189	Characteristics of summer-time energy exchange in a high Arctic tundra heath 2000□2010. 2014 , 66, 21631		25
188	Organic Carbon Pools and Genesis of Alpine Soils with Permafrost: A Review. 2014 , 46, 987-1006		51
187	Permafrost warming and vegetation changes in continental Antarctica. <i>Environmental Research Letters</i> , 2014 , 9, 045001	6.2	54
186	Application of 3D electrical resistivity imaging for mapping frozen ground conditions exemplified by three case studies. <i>Geomorphology</i> , 2014 , 210, 71-82	4.3	26
185	A field-based model of permafrost-controlled rockslide deformation in northern Norway. <i>Geomorphology</i> , 2014 , 208, 34-49	4.3	47

184	Which Environmental Factors Determine Recent Cryoturbation and Solifluction Activity in a Subarctic Landscape? A Comparison between Active and Inactive Features. <i>Permafrost and Periglacial Processes</i> , 2014 , 25, 136-143	4.2	11
183	Long-term soil temperature dynamics in the Sierra Nevada, Spain. 2014 , 235-236, 170-181		19
182	Late Mesozoic magmatism in Svalbard: A review. <i>Earth-Science Reviews</i> , 2014 , 139, 123-144	10.2	53
181	Transferability of geomorphological distribution models: Evaluation using solifluction features in subarctic and Arctic regions. <i>Geomorphology</i> , 2014 , 204, 165-176	4.3	13
180	Late season mobilization of trace metals in two small Alaskan arctic watersheds as a proxy for landscape scale permafrost active layer dynamics. 2014 , 381, 180-193		35
179	The first magnetotelluric image of the lithospheric-scale geological architecture in central Svalbard, Arctic Norway. 2015 , 34, 26766		9
178	Modelling transient ground surface temperatures of past rockfall events: towards a better understanding of failure mechanisms in changing periglacial environments. 2015 , 97, 753-767		17
177	Genesis, Morphology, Age and Distribution of Cryogenic Mounds on Kaffiøra and Hermansenøa, Northwest Svalbard. <i>Permafrost and Periglacial Processes</i> , 2015 , 26, 304-320	4.2	6
176	Noah Modelling of the Permafrost Distribution and Characteristics in the West Kunlun Area, Qinghai-Tibet Plateau, China. <i>Permafrost and Periglacial Processes</i> , 2015 , 26, 160-174	4.2	23
175	Remotely Sensed Active Layer Thickness (ReSALT) at Barrow, Alaska Using Interferometric Synthetic Aperture Radar. 2015 , 7, 3735-3759		46
174	A ground temperature map of the North Atlantic permafrost region based on remote sensing and reanalysis data. 2015 , 9, 1303-1319		62
173	Geophysical mapping of palsa peatland permafrost. 2015 , 9, 465-478		42
172	Warming permafrost and active layer variability at Cime Bianche, Western European Alps. 2015 , 9, 647-661		29
171	Size and Characteristics of the DOC Pool in Near-Surface Subarctic Mire Permafrost as a Potential Source for Nearby Freshwaters. 2015 , 47, 49-58		4
170	Reconstruction of Holocene patterns of change in a High Arctic coastal landscape, Southern Sassenfjorden, Svalbard. <i>Geomorphology</i> , 2015 , 234, 98-107	4.3	11
169	A 10,300-year-old permafrost core from the active rock glacier Lazaun, southern Eitzal Alps (South Tyrol, northern Italy). 2015 , 83, 324-335		72
168	Surface morphology of fans in the high-Arctic periglacial environment of Svalbard: Controls and processes. <i>Earth-Science Reviews</i> , 2015 , 146, 163-182	10.2	53
167	Impact of permafrost degradation on embankment deformation of Qinghai-Tibet Highway in permafrost regions. 2015 , 22, 1079-1086		24

166	Temperature-Dependent Adjustments of the Permafrost Thermal Profiles on the Qinghai-Tibet Plateau, China. 2015 , 47, 719-728		15
165	Permafrost Degradation. 2015 , 303-344		30
164	The changing cryosphere – implications for solute and sedimentary fluxes in cold climate environments. 13-29		3
163	Frozen debris lobe morphology and movement: an overview of eight dynamic features, southern Brooks Range, Alaska. 2016 , 10, 977-993		14
162	Thermo-erosion gullies boost the transition from wet to mesic tundra vegetation. 2016 , 13, 1237-1253		11
161	Microbial nutrient limitation in Arctic lakes in a permafrost landscape of southwest Greenland. 2016 , 13, 365-374		14
160	Permafrost Warming in a Subarctic Peatland – Which Meteorological Controls are Most Important?. <i>Permafrost and Periglacial Processes</i> , 2016 , 27, 177-188	4.2	31
159	Thermal effects of groundwater flow through subarctic fens: A case study based on field observations and numerical modeling. 2016 , 52, 1591-1606		60
158	The chemistry of river-lake systems in the context of permafrost occurrence (Mongolia, Valley of the Lakes). Part I. Analysis of ion and trace metal concentrations. 2016 , 340, 74-83		16
157	Recent changes in the active layer thickness across the northern hemisphere. 2016 , 75, 1		64
156	Over 400 previously undocumented Svalbard surge-type glaciers identified. <i>Geomorphology</i> , 2016 , 264, 52-60	4.3	47
155	Analysis and 3D inversion of magnetotelluric crooked profile data from central Svalbard for geothermal application. 2016 , 686, 98-115		9
154	Objective interpretation of induced polarization tomography using a quantitative approach for the investigation of periglacial environments. 2016 , 130, 218-233		2
153	Changes in surface area of the Bii Tsagaan and Orog lakes (Mongolia, Valley of the Lakes, 1974–2013) compared to climate and permafrost changes. 2016 , 340, 62-73		31
152	On the variability of cold region flooding. 2016 , 534, 669-679		18
151	Palaeotemperature reconstruction during the Last Glacial from δ ¹⁸ O of earthworm calcite granules from Nussloch loess sequence, Germany. 2016 , 442, 13-20		22
150	Economic impacts of carbon dioxide and methane released from thawing permafrost. 2016 , 6, 56-59		40
149	Discussion on Active Layer Thickness Prediction on the Western Antarctic Peninsula by Wilhelm et al. (). <i>Permafrost and Periglacial Processes</i> , 2017 , 28, 493-498	4.2	4

148	Freeze/thaw conditions at periglacial landforms in Kapp Linn�Svalbard, investigated using field observations, in situ, and radar satellite monitoring. <i>Geomorphology</i> , 2017 , 293, 433-447	4-3	11
147	Increased nitrous oxide emissions from Arctic peatlands after permafrost thaw. 2017 , 114, 6238-6243		87
146	Run-off modelling in an Arctic unglaciated catchment (Fuglebekken, Spitsbergen). 2017 , 58, 36-46		8
145	Flood seasonality across ScandinaviaEvidence of a shifting hydrograph?. 2017 , 31, 4354-4370		13
144	Debris flow recurrence periods and multi-temporal observations of colluvial fan evolution in central Spitsbergen (Svalbard). <i>Geomorphology</i> , 2017 , 296, 132-141	4-3	9
143	The Impact of Climate Change on an Archaeological Site in the Arctic. 2017 , 59, 1175-1189		17
142	On the potential for a bottom active layer below coastal permafrost: the impact of seawater on permafrost degradation imaged by electrical resistivity tomography (Hornsund, SW Spitsbergen). <i>Geomorphology</i> , 2017 , 293, 347-359	4-3	22
141	Permafrost Map for Norway, Sweden and Finland. <i>Permafrost and Periglacial Processes</i> , 2017 , 28, 359-378	4.2	64
140	Estimating Non-Conductive Heat Flow Leading to Intra-Permafrost Talik Formation at the Ritigraben Rock Glacier (Western Swiss Alps). <i>Permafrost and Periglacial Processes</i> , 2017 , 28, 183-194	4-2	22
139	Ground temperature and permafrost distribution in Hurd Peninsula (Livingston Island, Maritime Antarctic): An assessment using freezing indexes and TTOP modelling. 2017 , 149, 560-571		25
138	The Arctic in the Twenty-First Century: Changing Biogeochemical Linkages across a Paraglacial Landscape of Greenland. 2017 , 67, 118-133		45
137	Carbon stocks and fluxes in the high latitudes: using site-level data to evaluate Earth system models. 2017 , 14, 5143-5169		30
136	Response of seasonal soil freeze depth to climate change across China. 2017 , 11, 1059-1073		57
135	Strong degradation of palsas and peat plateaus in northern Norway during the last 60 years. 2017 , 11, 1-16		48
134	Late Quaternary sedimentation and permafrost development in a Svalbard fjord-valley, Norwegian high Arctic. 2018 , 65, 2531-2558		23
133	Variations in the northern permafrost boundary over the last four decades in the Xidatan region, QinghaiTibet Plateau. 2018 , 15, 765-778		4
132	Combined Geophysical Measurements Provide Evidence for Unfrozen Water in Permafrost in the Adventdalen Valley in Svalbard. 2018 , 45, 7606-7614		22
131	The origins of Antarctic rock glaciers: periglacial or glacial features?. 2018 , 43, 1390-1402		12

130	Detection of Ice Wedge Cracking in Permafrost Using Miniature Accelerometers. <i>Journal of Geophysical Research F: Earth Surface</i> , 2018 , 123, 642-657	3.8	11
129	The importance of understanding annual and shorter-term temperature patterns and variation in the surface levels of polar soils for terrestrial biota. 2018 , 41, 1587-1605		62
128	Quantifying air temperature evolution in the permafrost region from 1901 to 2014. 2018 , 38, 66-76		16
127	Short-term changes in thickness and temperature of the active layer in summer in the Kaffiør region, NW Spitsbergen, Svalbard. 2018 , 160, 141-153		4
126	Water chemistry of tundra lakes in the periglacial zone of the Bellsund Fiord (Svalbard) in the summer of 2013. 2018 , 624, 1669-1679		12
125	Comparison of hydrochemistry and organic compound transport in two non-glaciated high Arctic catchments with a permafrost regime (Bellsund Fjord, Spitsbergen). 2018 , 613-614, 1037-1047		9
124	Holocene development and permafrost history in sub-arctic peatlands in Tavvavuoma, northern Sweden. 2018 , 47, 454-468		6
123	Geomorphological and cryostratigraphical analyses of the Zackenberg Valley, NE Greenland and significance of Holocene alluvial fans. <i>Geomorphology</i> , 2018 , 303, 504-523	4.3	28
122	Ground thermal and geomechanical conditions in a permafrost-affected high-latitude rock avalanche site (Polvartinden, northern Norway). 2018 , 12, 1531-1550		10
121	Holocene permafrost history and cryostratigraphy in the High-Arctic Adventdalen Valley, central Svalbard. 2018 , 47, 423-442		15
120	Seismic survey on an open pingo system in Adventdalen Valley, Spitsbergen, Svalbard. 2018 , 16, 89-103		9
119	Elevation-dependent thermal regime and dynamics of frozen ground in the Bayan Har Mountains, northeastern Qinghai-Tibet Plateau, southwest China. <i>Permafrost and Periglacial Processes</i> , 2018 , 29, 257-270	4.2	33
118	Heterogeneous changes in the surface area of lakes in the Kangerlussuaq area of southwestern Greenland between 1995 and 2017. 2018 , 50, S100027		9
117	Paraglacial coasts responses to glacier retreat and associated shifts in river floodplains over decadal timescales (1966-2016), Kongsfjorden, Svalbard. 2018 , 29, 4173-4185		19
116	Li and U Isotopes as a Potential Tool for Monitoring Active Layer Deepening in Permafrost Dominated Catchments. <i>Frontiers in Earth Science</i> , 2018 , 6,	3.5	9
115	Thermal Characteristics and Recent Changes of Permafrost in the Upper Reaches of the Heihe River Basin, Western China. 2018 , 123, 7935		19
114	Holocene development of subarctic permafrost peatlands in Finnmark, northern Norway. 2018 , 28, 1855-1869		8
113	Winter Ecosystem Respiration and Sources of CO ₂ From the High Arctic Tundra of Svalbard: Response to a Deeper Snow Experiment. 2018 , 123, 2627-2642		10

112	Alpine soil microbial ecology in a changing world. 2018 , 94,		52
111	Effects of short-term variability of meteorological variables on soil temperature in permafrost regions. 2018 , 12, 741-757		9
110	Ice-wedge polygon dynamics in Svalbard: Lessons from a decade of automated multi-sensor monitoring. <i>Permafrost and Periglacial Processes</i> , 2018 , 29, 210-227	4.2	12
109	Hydrothermal variations in soils resulting from the freezing and thawing processes in the active layer of an alpine grassland in the Qilian Mountains, northeastern Tibetan Plateau. 2019 , 136, 929-941		8
108	Supervised classification of landforms in Arctic mountains. <i>Permafrost and Periglacial Processes</i> , 2019 , 30, 131	4.2	4
107	The ecological impact of mineral exploitation in the Russian Arctic: A field-scale study of polycyclic aromatic hydrocarbons (PAHs) in permafrost-affected soils and lichens of the Yamal-Nenets autonomous region. 2019 , 255, 113239		19
106	Diagnostics and Mapping of Geoecological Situations in the Permafrost Zone of Russia. 2019 , 9, 353		7
105	Keeping cool in the warming Arctic: thermoregulatory behaviour by Svalbard reindeer (<i>Rangifer tarandus platyrhynchus</i>). 2019 , 97, 1177-1185		2
104	Holocene environmental history in high-Arctic North Greenland revealed by a combined biomarker and macrofossil approach. 2019 , 48, 273-286		4
103	Radium isotope fingerprinting of permafrost - applications to thawing and intra-permafrost processes. <i>Permafrost and Periglacial Processes</i> , 2019 , 30, 104-112	4.2	
102	Seasonal dynamics of a permafrost landscape, Adventdalen, Svalbard, investigated by InSAR. 2019 , 231, 111236		46
101	Landslide response to climate change in permafrost regions. <i>Geomorphology</i> , 2019 , 340, 116-128	4.3	64
100	Northern Hemisphere permafrost map based on TTOP modelling for 2000-2016 at 1 km ² scale. <i>Earth-Science Reviews</i> , 2019 , 193, 299-316	10.2	203
99	Stability Conditions of Peat Plateaus and Palsas in Northern Norway. <i>Journal of Geophysical Research F: Earth Surface</i> , 2019 , 124, 705-719	3.8	15
98	The Permafrost Young Researchers Network (PYRN) is getting older: The past, present, and future of our evolving community. 2019 , 55, 216-219		1
97	Permafrost distribution in steep rock slopes in Norway: measurements, statistical modelling and implications for geomorphological processes. 2019 , 7, 1019-1040		16
96	Permafrost is warming at a global scale. 2019 , 10, 264		518
95	Spatiotemporal characteristics of hydrothermal processes of the active layer on the central and northern Qinghai-Tibet plateau. 2020 , 712, 136392		14

94	Bioclimatic gradients and soil property trends from northernmost mainland Norway to the Svalbard archipelago. Does the arctic biome extend into mainland Norway?. 2020 , 15, e0239183		
93	Biogeochemical Processes in the Active Layer and Permafrost of a High Arctic Fjord Valley. <i>Frontiers in Earth Science</i> , 2020 , 8,	3.5	1
92	Seawater Intrusion on the Arctic Coast (Svalbard): The Concept of Onshore-Permafrost Wedge. 2020 , 10, 349		2
91	Protection of Permafrost Soils from Thawing by Increasing Herbivore Density. 2020 , 10, 4170		10
90	Evolution of Near-Shore Outwash Fans and Permafrost Spreading Under Their Surface: A Case Study from Svalbard. 2020 , 12, 482		3
89	Holocene glacial history of Svalbard: Status, perspectives and challenges. <i>Earth-Science Reviews</i> , 2020 , 208, 103249	10.2	26
88	Spatial distribution and controls of permafrost development in non-glacial Arctic catchment over the Holocene, Fuglebekken, SW Spitsbergen. <i>Geomorphology</i> , 2020 , 358, 107128	4.3	7
87	Geochemical pollution of trace metals in permafrost-affected soil in the Russian Arctic marginal environment. 2020 , 42, 4407-4429		6
86	Potential Use of Time-Lapse Surface Seismics for Monitoring Thawing of the Terrestrial Arctic. 2020 , 10, 1875		2
85	Active layer thickening and controls on interannual variability in the Nordic Arctic compared to the circum-Arctic. <i>Permafrost and Periglacial Processes</i> , 2021 , 32, 47-58	4.2	13
84	Permafrost degradation. 2021 , 297-322		2
83	Mobilization of Geochemical Elements to Surface Water in the Active Layer of Permafrost in the Russian Arctic. 2021 , 57,		1
82	Significant shallow depth soil warming over Russia during the past 40 years. 2021 , 197, 103394		4
81	Permafrost Organic Carbon Turnover and Export Into a High-Arctic Fjord: A Case Study From Svalbard Using Compound-specific ¹⁴ C Analysis. 2021 , 126, e2020JG006008		4
80	Surface temperatures and their influence on the permafrost thermal regime in high-Arctic rock walls on Svalbard. 2021 , 15, 2491-2509		0
79	Geofysiske metoder kan fortelle oss hvordan de frosne landområdene i Arktis tiner. <i>Naturen</i> , 2021 , 145, 148-159	0.1	
78	Improved Simulation of Arctic Circumpolar Land Area Snow Properties and Soil Temperatures. <i>Frontiers in Earth Science</i> , 2021 , 9,	3.5	4
77	Environmental Controls of InSAR-Based Periglacial Ground Dynamics in a Sub-Arctic Landscape. <i>Journal of Geophysical Research F: Earth Surface</i> , 2021 , 126, e2021JF006175	3.8	1

76	Projections of surface air temperature required to sustain permafrost and importance of adaptation to climate change in the Daisetsu Mountains, Japan. 2021 , 11, 15518		5
75	Seasonal InSAR Displacements Documenting the Active Layer Freeze and Thaw Progression in Central-Western Spitsbergen, Svalbard. 2021 , 13, 2977		4
74	Seismic Monitoring of Permafrost in Svalbard, Arctic Norway. 2021 , 92, 2891-2904		4
73	Thermal Regime and Variations in the Island Permafrost Near the Northern Permafrost Boundary in Xidatan, Qinghai-Tibet Plateau. <i>Frontiers in Earth Science</i> , 2021 , 9,	3-5	0
72	South-Siberian mountain mires: Perspectives on a potentially vulnerable remote source of biodiversity. 2021 , 50, 1975-1990		2
71	Back analysis of a coastal cliff failure along the Forkastningsfjellet coastline, Svalbard: Implications for controlling and triggering factors. <i>Geomorphology</i> , 2021 , 389, 107850	4-3	0
70	Desorption kinetics of heavy metals in the gleyic layer of permafrost-affected soils in Arctic region assessed by geochemical fractionation and DGT/DIFS. 2021 , 206, 105539		1
69	Changes in permafrost extent and active layer thickness in the Northern Hemisphere from 1969 to 2018. 2022 , 804, 150182		2
68	Passive seismic recording of cryoseisms in Adventdalen, Svalbard. 2021 , 15, 283-302		2
67	Reconstruction of Quaternary climate in Svalbard: CRN as proxy. 2021 , 159-178		
66	Mass-Movements in Cold and Polar Climates. 2021 ,		0
65	From the Climates of the Past to the Climates of the Future. 2021 , 443-478		1
64	Future Trajectory of Arctic System Evolution. 2021 , 893-914		3
63	Twenty years of European mountain permafrost dynamics—the PACE legacy. <i>Environmental Research Letters</i> , 2020 , 15, 104070	6.2	22
62	Overlooked organic vapor emissions from thawing Arctic permafrost. <i>Environmental Research Letters</i> , 2020 , 15, 104097	6.2	6
61	Factors Controlling Methane in Arctic Lakes of Southwest Greenland. 2016 , 11, e0159642		10
60	Impact of climate change on land, water and ecosystem quality in polar and mountainous regions: gaps in our knowledge. 2019 , 77, 115-138		3
59	Terrestrial processes affecting un lithified coastal erosion disparities in central fjords of Svalbard. 2015 , 34, 24122		14

58	Air warming trends linked to permafrost warming in the sub-Arctic catchment of Tarfala, Sweden. 2016 , 35, 28978	3
57	Characterization of two sites for geotechnical testing in permafrost: Longyearbyen, Svalbard. 2019 , 5, 868-885	7
56	Active-Layer Soil Moisture Content Regional Variations in Alaska and Russia by Ground-Based and Satellite-Based Methods, 2002 through 2014. 2015 , 06, 12-41	3
55	Thermo-erosion gullies boost the transition from wet to mesic vegetation.	6
54	Methane dynamics in warming tundra of Northeast European Russia.	1
53	LGM permafrost distribution: how well can the latest PMIP multi-model ensembles reconstruct?.	1
52	A 20-year record (1998-2017) of permafrost, active layer and meteorological conditions at a high Arctic permafrost research site (Bayelva, Spitsbergen). 2018 , 10, 355-390	29
51	The new database of the Global Terrestrial Network for Permafrost (GTN-P). 2015 , 7, 245-259	70
50	NORPERM, the Norwegian Permafrost Database is TSP NORWAY IPY legacy.	9
49	The Global Terrestrial Network for Permafrost Database: metadata statistics and prospective analysis on future permafrost temperature and active layer depth monitoring site distribution.	3
48	Challenges and solutions for long-term permafrost borehole temperature monitoring and data interpretation. 2016 , 71, 121-131	11
47	Improved soil physics for simulating high latitude permafrost regions by the JSBACH terrestrial ecosystem model.	5
46	Spatiotemporal variability of oxygen isotope compositions in three contrasting glacier river catchments in Greenland.	2
45	Modelling past and future permafrost conditions in Svalbard.	1
44	Modelling the temperature evolution of permafrost and seasonal frost in southern Norway during the 20th and 21st century.	7
43	Modelling borehole temperatures in Southern Norway – insights into permafrost dynamics during the 20th and 21st century.	1
42	Surface kinematics of periglacial sorted circles using Structure-from-Motion technology.	4
41	Geophysical mapping of palsa peatland permafrost.	1

40	A ground temperature map of the North Atlantic permafrost region based on remote sensing and reanalysis data.		5
39	Transient thermal modeling of permafrost conditions in Southern Norway.		
38	Degradation of buried ice and permafrost in the Veleta Cirque (Sierra Nevada, Spain) from 2006-2013.		
37	Sedimentological characteristics of ice-wedge polygon terrain in Adventdalen (Svalbard). Environmental and climatic implications for the Late Holocene.		
36	Warming permafrost and active layer variability at Cime Bianche, Western Alps.		
35	Cryosols in a Changing Climate. 2015 , 157-164		
34	Environmental Impacts of Freshwater Biogeochemistry. <i>Regional Climate Studies</i> , 2015 , 307-336		1
33	Microbial nutrient limitation in arctic lakes in a permafrost landscape of southwest Greenland.		
32	References. 423-501		
31	Teleconnection. <i>Nature</i> , 2018 , 142, 275-281	0.1	1
30	Ground Temperature and Active Layer Regimes and Changes. 2021 , 441-470		
29	Elastic properties as indicators of heat flux into cold near-surface Arctic sediments. <i>Geophysics</i> , 2020 , 85, MR309-MR323	3.1	1
28	Post-1980s shift in the sensitivity of tundra vegetation to climate revealed by the first dendrochronological record from Bear Island (Bjørnøya), western Barents Sea. <i>Environmental Research Letters</i> , 2021 , 16, 014031	6.2	1
27	Introduction. 2020 , 1-50		1
26	Response of Periglacial Geomorphic Processes to Global Change. 2020 ,		
25	Regional Morpho-Kinematic Inventory of Slope Movements in Northern Norway. <i>Frontiers in Earth Science</i> , 2021 , 9,	3.5	1
24	Coupling Late Glacial Deglaciation and Paraglacial Dynamics in the Zackenberg Area, NE Greenland. <i>SSRN Electronic Journal</i> ,		1
23	The changing thermal state of permafrost. <i>Nature Reviews Earth & Environment</i> , 2022 , 3, 10-23	30.2	16

22	Permafrost Degradation and Its Hydrogeological Impacts. <i>Water (Switzerland)</i> , 2022 , 14, 372	3	2
21	Late Glacial deglaciation of the Zackenberg area, NE Greenland. <i>Geomorphology</i> , 2022 , 401, 108125	4.3	1
20	Seismic and Electrical Geophysical Characterization of an Incipient Coastal Open-System Pingo: Lagoon Pingo, Svalbard. <i>Earth and Space Science</i> , 2022 , 9,	3.1	
19	Variations of permafrost under freezing and thawing conditions in the coastal catchment Fuglebekken (Hornsund, Spitsbergen, Svalbard). <i>Permafrost and Periglacial Processes</i> ,	4.2	
18	Permafrost Thermal Dynamics and Cryostratigraphy at Villum Research Station, Station Nord, Eastern North Greenland (81°N). <i>Journal of Geophysical Research F: Earth Surface</i> , 2022 , 127,	3.8	
17	Image_1.JPEG. 2020 ,		
16	Permafrost: Formation and Distribution, Thermal and Mechanical Properties. 2013 , 346-366		
15	Landslides: An emerging model for ecosystem and soil chronosequence research. <i>Earth-Science Reviews</i> , 2022 , 231, 104064	10.2	0
14	TTOP-model-based maps of permafrost distribution in Northeast China for 1961-2020. <i>Permafrost and Periglacial Processes</i> ,	4.2	1
13	Ground warming and permafrost degradation in various terrestrial ecosystems in northcentral Mongolia.		0
12	Microbial iron reduction and greenhouse gas production in response to organic matter amendment and temperature increase of periglacial sediments, Bolterdalen, Svalbard. 2022 , 54, 314-334		
11	Impacts of snow cover on the pattern and velocity of air flow in air convection embankments of sub-Arctic regions. 2022 , 199, 1033-1046		2
10	Advances in operational permafrost monitoring on Svalbard and in Norway. 2022 , 17, 095012		0
9	Wildfire incidence in western Kalaallit Nunaat (Greenland) from 1995 to 2020. 2022 ,		0
8	Impact of tundra vegetation type on topsoil temperature in central Spitsbergen (Svalbard, High Arctic). 2022 , 116196		1
7	Proglacial lake expansion and glacier retreat in Arctic Sweden. 1-20		0
6	Litho-structural control on rock slope failures at Garmaksla, Billefjorden coastline, Svalbard..		0
5	Millennial-timescale quantitative estimates of climate dynamics in central Europe from earthworm calcite granules in loess deposits. 2022 , 3,		0

- 4 Scandinavia. **2022**, 365-426 ○
- 3 The Periglaciation of Europe. **2022**, 477-523 ○
- 2 Sedimentary record of climate change in a high latitude fjordKongsfjord. ○
- 1 The subsurface thermal state of Svalbard and implications for geothermal potential. **2023**, 111, 102702 ○