

CITATION REPORT

List of articles citing

Polymer gel dosimetry

DOI: 10.1088/0031-9155/55/5/r01

Physics in Medicine and Biology, 2010, 55, R1-63.

Source: <https://exaly.com/paper-pdf/47765214/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
702	Network dynamics of ongoing social relationships. 2003 , 64, 427-433		52
701	MAGAT gel dosimetry for its application in small field treatment techniques. 2010 , 250, 012061		2
700	Light scattering in optical CT scanning of Presage dosimeters. 2010 , 250, 012063		2
699	3D polymer gel dosimetry and Geant4 Monte Carlo characterization of novel needle based X-ray source. 2010 , 250, 012069		1
698	MAGIC-fGel in Nuclear Medicine Dosimetry: study in an external beam of Iodine-131. 2010 , 250, 012082		1
697	Tumor-tracking radiotherapy of moving targets; verification using 3D polymer gel, 2D ion-chamber array and biplanar diode array. 2010 , 250, 012051		5
696	Study of dosimetric water equivalency of PRESAGE [®] for megavoltage and kilovoltage x-ray beams. 2010 , 250, 012053		9
695	High resolution polymer gel dosimetry for small beam irradiation using a 7T micro-MRI scanner. 2010 , 250, 012094		4
694	An evaluation of Genipin gel as a water equivalent dosimeter for megavoltage electron beams and kilovoltage x-ray beams. 2010 , 250, 012036		4
693	How to perform dosimetry with Optical CT. 2010 , 250, 012044		1
692	Initial study of 3D dose verification of multi-field proton therapy treatment along match line with polymer gel detectors. 2010 , 250, 012033		2
691	Normoxic polymer gel dosimetry using less toxic monomer of N-isopropyl acrylamide and X-ray computed tomography for radiation therapy applications. 2010 , 15, 172-5		11
690	Polymer gel dosimetry. 2010 , 250, 012014		7
689	The characterisation of a genipin-gelatin gel dosimeter. 2010 , 250, 012008		4
688	Imaging and 3-D dosimetry: top tips for MRI and optical CT. 2010 , 250, 012086		6
687	ScanSim: A tool for simulating optical-CT imaging. 2010 , 250, 311-315		6
686	Water equivalency evaluation of PRESAGE [®] dosimeters for dosimetry of Cs-137 and Ir-192 brachytherapy sources. 2010 , 250, 012093		8

685	Dosimetric properties of MAGIC-fpolymer gel assessed to Radiotherapy clinical beams. 2010 , 250, 012012		0
684	On the Feasibility of Verification of 3D Dosimetry Near Brachytherapy Sources Using PRESAGE/Optical-CT. 2010 , 250, 120911-120915		6
683	Review of recent advances in radiochromic materials for 3D dosimetry. 2010 , 250, 012043		13
682	Improved dose sensitivity of normoxic polyacrylamide gelatin gel dosimeter with sucrose. 2010 , 250, 012016		8
681	Polymer gel dosimeters with enhanced sensitivity for use in x-ray CT polymer gel dosimetry. <i>Physics in Medicine and Biology</i> , 2010 , 55, 5269-81	3.8	60
680	Dosimetry tools and techniques for IMRT. 2011 , 38, 1313-38		280
679	Radiological characterization and water equivalency of genipin gel for x-ray and electron beam dosimetry. <i>Physics in Medicine and Biology</i> , 2011 , 56, 4685-99	3.8	28
678	Investigation of radiological properties and water equivalency of PRESAGE dosimeters. 2011 , 38, 2265-74		77
677	Hydration of gelatin molecules in glycerol-water solvent and phase diagram of gelatin organogels. 2011 , 115, 7332-40		29
676	Application of Optical CT Scanning in Three-Dimensional Radiation Dosimetry. 2011 ,		
675	MRI-based polymer gel dosimetry for validating plans with multiple matrices in Gamma Knife stereotactic radiosurgery. 2011 , 12, 3333		9
674	Temperature dependence of the dose response for a solid-state radiochromic dosimeter during irradiation and storage. 2011 , 38, 2806-11		16
673	3-D dosimetry with optical CT scanning of polymer gels and radiochromic plastic dosimeter. 2011 , 46, 1903-1907		11
672	How do monomeric components of a polymer gel dosimeter respond to ionising radiation: A steady-state radiolysis towards preparation of a 3D polymer gel dosimeter. 2011 , 80, 1419-1436		22
671	Biomedical applications of boronic acid polymers. 2011 , 52, 4631-4643		302
670	Cosolvent-free polymer gel dosimeters with improved dose sensitivity and resolution for x-ray CT dose response. <i>Physics in Medicine and Biology</i> , 2011 , 56, 2091-102	3.8	49
669	High-energy radiation monitoring based on radio-fluorogenic co-polymerization II: fixed fluorescent images of collimated x-ray beams using an RFCP gel. <i>Physics in Medicine and Biology</i> , 2011 , 56, 1487-508	3.8	21
668	Radio-physical properties of micelle leucodye 3D integrating gel dosimeters. <i>Physics in Medicine and Biology</i> , 2011 , 56, 627-51	3.8	45

667	A variable echo-number method for estimating R2 in MRI-based polymer gel dosimetry. 2011 , 38, 975-82		11
666	Commissioning and benchmarking a 3D dosimetry system for clinical use. 2011 , 38, 4846-57		75
665	Characterization of the optical properties and stability of Presage following irradiation with photons and carbon ions. 2011 , 50, 829-34		16
664	A hybrid radiation detector for simultaneous spatial and temporal dosimetry. 2011 , 34, 327-32		3
663	Mathematical Modeling of Depth-Dose Response of Polymer-Gel Dosimeters. 2011 , 20, 735-751		5
662	A radio-fluorogenic organic gel for real-time, 3D radiation dosimetry. 2011 , 23, 4953-5		10
661	Monochromatic minibeam radiotherapy: theoretical and experimental dosimetry for preclinical treatment plans. <i>Physics in Medicine and Biology</i> , 2011 , 56, 4465-80	3.8	7
660	Improved image quality for X-ray CT imaging of gel dosimeters. 2011 , 38, 5130-5		16
659	Dosimetric accuracy of a deterministic radiation transport based 192Ir brachytherapy treatment planning system. Part II: Monte Carlo and experimental verification of a multiple source dwell position plan employing a shielded applicator. 2011 , 38, 1981-92		59
658	Temperature and temporal dependence of the optical response for a radiochromic dosimeter. 2012 , 39, 7232-6		17
657	Commissioning a CT-compatible LDR tandem and ovoid applicator using Monte Carlo calculation and 3D dosimetry. 2012 , 39, 4515-23		8
656	Cancer radiotherapy based on femtosecond IR laser-beam filamentation yielding ultra-high dose rates and zero entrance dose. 2012 , 109, E2508-13		34
655	MAGAT gel and EBT2 film-based dosimetry for evaluating source plugging-based treatment plan in Gamma Knife stereotactic radiosurgery. 2012 , 13, 3877		14
654	Novel multicompart ment 3-dimensional radiochromic radiation dosimeters for nanoparticle-enhanced radiation therapy dosimetry. 2012 , 84, e549-55		18
653	An evaluation of dosimetric characteristics of MAGIC gel modified by adding formaldehyde (MAGIC-F). 2012 , 47, 1074-1082		32
652	Optimizing the sensitivity and radiological properties of the PRESAGE dosimeter using metal compounds. 2012 , 81, 1688-1695		17
651	Polymer gels impregnated with gold nanoparticles implemented for measurements of radiation dose enhancement in synchrotron and conventional radiotherapy type beams. 2012 , 35, 301-9		26
650	Eliminating the need for refractive index matching in optical CT scanners for radiotherapy dosimetry: I. Concept and simulations. <i>Physics in Medicine and Biology</i> , 2012 , 57, 665-83	3.8	23

649	A genipin-gelatin gel dosimeter for radiation processing. 2012 , 81, 1263-1265		16
648	Effect of inorganic salt on the dose sensitivity of polymer gel dosimeter. 2012 , 81, 884-888		27
647	Optimization of the sensitivity and stability of the PRESAGE(□) dosimeter using trihalomethane radical initiators. 2012 , 81, 867-873		33
646	Optical and NMR dose response of N-isopropylacrylamide normoxic polymer gel for radiation therapy dosimetry. 2012 , 17, 146-50		7
645	VMAT QA: measurement-guided 4D dose reconstruction on a patient. 2012 , 39, 4228-38		85
644	Water and tissue equivalence of a new PRESAGE(□) formulation for 3D proton beam dosimetry: a Monte Carlo study. 2012 , 39, 7071-9		28
643	Modelling the dynamic dose response of an nMAG polymer gel dosimeter. <i>Physics in Medicine and Biology</i> , 2012 , 57, 4845-53	3.8	2
642	Preliminary studies on the role and reactions of tetrakis(hydroxymethyl)phosphonium chloride in polyacrylamide gel dosimeters. <i>Physics in Medicine and Biology</i> , 2012 , 57, 5981-94	3.8	9
641	Monte Carlo verification of gel dosimetry measurements for stereotactic radiotherapy. <i>Physics in Medicine and Biology</i> , 2012 , 57, 3359-69	3.8	17
640	An x-ray CT polymer gel dosimetry prototype: II. Gel characterization and clinical application. <i>Physics in Medicine and Biology</i> , 2012 , 57, 3155-75	3.8	34
639	Water equivalence evaluation of PRESAGE(□) formulations for megavoltage electron beams: a Monte Carlo study. 2012 , 35, 455-63		4
638	Effect of composition interactions on the dose response of an N-isopropylacrylamide gel dosimeter. 2012 , 7, e44905		6
637	Optical CT scanner for in-air readout of gels for external radiation beam 3D dosimetry. <i>Physics in Medicine and Biology</i> , 2012 , 57, 3853-68	3.8	16
636	Tomotherapy dose distribution verification using MAGIC-f polymer gel dosimetry. 2012 , 39, 2877-84		23
635	A novel methodology for 3D deformable dosimetry. 2012 , 39, 2203-13		58
634	Investigation of the dose rate dependency of the PAGAT gel dosimeter at low dose rates. 2012 , 47, 139-144		15
633	Dose responses in a normoxic polymethacrylic acid gel dosimeter using optimal CT scanning parameters. 2012 , 675, 112-117		8
632	Mathematical Modeling of the Response of Polymer Gel Dosimeters to HDR and LDR Brachytherapy Radiation. 2012 , 21, 36-51		4

631	Fundamentals of gel dosimeters. 2013 , 444, 012001	5
630	Deformable gel dosimetry I: application to external beam radiotherapy and brachytherapy. 2013 , 444, 012032	1
629	High resolution dosimetry in monoenergetic proton beam therapy on a normoxic polymer gel: the importance of high spatial resolution for reduced Bragg-Peak-quenching. 2013 , 444, 012054	2
628	A software tool for 3D dose verification and analysis. 2013 , 444, 012087	
627	Polymer gel dosimetry utilizing a 2D (SE) and a 2D (HASTE) multiple echo sequences. 2013 , 444, 012088	1
626	NIPAM polymer gel dosimetry for IMRT four-field box irradiation using optical-CT scanner. 2013 , 444, 012030	3
625	Laser CT evaluation on normoxic PAGAT gel dosimeter. 2013 , 444, 012060	
624	A study on the reproducibility and spatial uniformity of N-isopropylacrylamide polymer gel dosimetry using a commercial 10X fast optical-computed tomography scanner. 2013 , 444, 012067	2
623	Comparison between polymer gel dosimetry and calculated dose with small field in stereotactic irradiation. 2013 , 444, 012031	1
622	Radiological properties of MAGIC normoxic polymer gel dosimetry. 2013 , 423, 012016	2
621	Water equivalence of NIPAM based polymer gel dosimeters with enhanced sensitivity for x-ray CT. 2013 , 91, 60-69	9
620	Dosimetric characteristics of a new polymer gel and their dependence on post-preparation and post-irradiation time: effect on X-ray beam profile measurements. 2013 , 29, 453-60	26
619	Dosimetric characteristics of N-vinylpyrrolidone based polymer gels: utilization depending on dose range. 2013 , 444, 012068	3
618	Low-density polymer gel dosimeters for 3D radiation dosimetry in the thoracic region: A preliminary study. 2013 , 444, 012026	2
617	High-energy radiation monitoring based on radio-fluorogenic co-polymerization III: Fluorescent images of the cross-section and depth-dose profile of a 3 MV electronbeam. 2013 , 84, 129-135	9
616	Near-catheter dosimetry of a HDR brachytherapy source using Gafchromic film. 2013 , 36, 159-66	4
615	Verification on the Dose Profile Variation of a 3-D-NIPAM Polymer Gel Dosimeter. 2013 , 60, 560-565	9
614	Dosimetric assessment of the PRESAGE dosimeter for a proton pencil beam. 2013 , 444, 012055	

613	Multicenter collaborative quality assurance program for the province of Ontario, Canada: first-year results. 2013 , 86, 164-9		5
612	Characterization of the chemical stability of irradiated N-isopropylacrylamide gel dosimeter. 2013 , 89, 76-82		6
611	Evaluation of radiochromic gel dosimetry and polymer gel dosimetry in a clinical dose verification. <i>Physics in Medicine and Biology</i> , 2013 , 58, 6241-62	3.8	47
610	Enhancement of radiation effects by bismuth oxide nanoparticles for kilovoltage x-ray beams: A dosimetric study using a novel multi-compartment 3D radiochromic dosimeter. 2013 , 444, 012025		16
609	Development and characterization of a three-dimensional film stack dosimeter. 2013 , 444, 012018		
608	Dosimetry aspects of a non-diffusing genipin-gelatin gel. 2013 , 83, 19-27		7
607	Evaluation of three-dimensional polymer gel dosimetry using X-ray CT and R2 MRI. 2013 , 77, 94-102		3
606	Water equivalence study of some phantoms based on effective photon energy, effective atomic numbers and electron densities for clinical MV X-ray and Co-60 γ beams. 2013 , 701, 268-272		19
605	Delivery quality assurance with ArcCHECK. 2013 , 38, 77-80		25
604	Optical computed tomography utilizing a rotating mirror and Fresnel lenses: operating principles and preliminary results. <i>Physics in Medicine and Biology</i> , 2013 , 58, 479-95	3.8	14
603	Evaluation of the potential for diacetylenes as reporter molecules in 3D micelle gel dosimetry. <i>Physics in Medicine and Biology</i> , 2013 , 58, 787-805	3.8	11
602	Comparison of methods for the measurement of radiation dose distributions in high dose rate (HDR) brachytherapy: Ge-doped optical fiber, EBT3 Gafchromic film, and PRESAGE \square radiochromic plastic. 2013 , 40, 061707		24
601	Microscopic SEM Texture Analysis of NIPAM Gel Dosimeters. 2013 , 60, 2155-2160		5
600	Evaluation of ultra-sensitive leucomalachite dye derivatives for use in the PRESAGE \square dosimeter. 2013 , 85, 204-209		18
599	Isotropic three-dimensional MRI-Fricke-infused gel dosimetry. 2013 , 40, 052101		3
598	Quantitative evaluation of polymer gel dosimeters by broadband ultrasound attenuation. 2013 , 444, 012084		2
597	Water and tissue equivalency of some gel dosimeters for photon energy absorption. 2013 , 82, 258-63		9
596	On the need for comprehensive validation of deformable image registration, investigated with a novel 3-dimensional deformable dosimeter. 2013 , 87, 414-21		35

595	3D tomodosimetry using long scintillating fibers: a feasibility study. 2013 , 40, 101703	9
594	A comprehensive investigation of the accuracy and reproducibility of a multitarget single isocenter VMAT radiosurgery technique. 2013 , 40, 121725	32
593	Recent developments with a prototype fan-beam optical CT scanner. 2013 , 444, 012066	1
592	Laser beam optical CT scanner for in-air gel readout: imaging artefacts. 2013 , 444, 012078	5
591	Development of a CCD-Based Optical Computed Tomography Scanner Used in 3D Gel Dosimetry. 2013 , 300-301, 1632-1635	3
590	Dosimetric verification of complex radiotherapy with a 3D optically based dosimetry system: dose painting and target tracking. 2013 , 52, 1445-50	16
589	Preliminary characterization of PRESAGE [®] for 3D dosimetry of 62 MeV proton beam. 2013 , 444, 012058	3
588	Photometric calibration of a radiochromic gel dosimeter. 2013 , 444, 012037	
587	Preliminary investigations on the determination of three-dimensional dose distributions using scintillator blocks and optical tomography. 2013 , 40, 082104	17
586	On the reliability of 3D gel dosimetry. 2013 , 444, 012015	11
585	Exploring the dose response of radiochromic dosimeters. 2013 , 444, 012036	3
584	Investigation of 3D dosimetry for an anthropomorphic spine phantom. 2013 , 444, 012020	1
583	Indigenously developed multipurpose acrylic head phantom for verification of IMRT using film and gel dosimetry. 2013 , 14, 4041	6
582	Basic investigations on LCV micelle gel. 2013 , 444, 012027	1
581	3-D dose verification by cone-beam optical CT scanning of PRESAGE dosimeter. 2013 , 444, 012044	2
580	Application of a PAGAT/MgCl ₂ gel for dose measurements in a 150 MeV proton beam. 2013 , 444, 012057	1
579	Array of square waveguides for scintillation dosimetry in external radiotherapy. 2013 , 444, 012061	
578	Characterization of a cone beam optical scanner. 2013 , 444, 012064	2

577	Monte Carlo water-equivalence study of two PRESAGE [®] formulations for proton beam dosimetry. 2013 , 444, 012090	0
576	Deformable gel dosimetry II: experimental validation of DIR-based dose-warping. 2013 , 444, 012107	1
575	Verification of a non-diffusing gel dosimeter. 2013 , 444, 012040	
574	Preliminary evaluation of diacetylene-based 3D micelle gel dosimeters. 2013 , 444, 012041	
573	Feasibility study using MRI and two optical CT scanners for readout of polymer gel and Presage [™] . 2013 , 444, 012079	2
572	Dosimetric quality assurance of highly conformal external beam treatments: from 2D phantom comparisons to 4D patient dose reconstruction. 2013 , 444, 012012	1
571	Customising PRESAGE for diverse applications. 2013 , 444, 012029	14
570	Response of aqueous dichromate and nanoclay dichromate gel dosimeters to carbon ion irradiation. 2013 , 444, 012033	3
569	Investigation of photon and proton overlapping fields in PRESAGE [®] dosimeters. 2013 , 444, 012059	1
568	Influence of preparation and calibration method of PAGAT dosimeter on TSE MR readout results. 2013 , 444, 012093	2
567	Review of recent advances in non 3D dosimeters. 2013 , 444, 012009	0
566	New polymer gel dosimeters consisting of less toxic monomers with radiation-crosslinked gel matrix. 2013 , 444, 012028	6
565	Comparison of the influence of inorganic salts on the NMR dose sensitivity of polyacrylamide-based gel dosimeter. 2013 , 444, 012094	9
564	Evaluation of breathing interplay effects during VMAT by using 3D gel measurements. 2013 , 444, 012098	8
563	Radiological characteristics of charged particle interactions in the first clay-nanoparticle dichromate gel dosimeter. 2013 , 444, 012110	1
562	Detecting VMAT delivery errors: A study on the sensitivity of the ArcCHECK-3D electronic dosimeter. 2013 , 444, 012019	5
561	Dose-response measurement in gel dosimeter using various imaging modalities. 2013 , 444, 012089	1
560	Reconstructing 3D x-ray CT images of polymer gel dosimeters using the zero-scan method. 2013 , 444, 012091	2

559	Diffusion properties of a radiochromic hydrogel dosimeter. 2013 , 444, 012038		1
558	An investigation into ultra-sensitive substituted leucomalachite dye derivatives for use in the PRESAGE [®] dosimeter. 2013 , 444, 012034		1
557	Laser cone beam computed tomography scanner geometry for large volume 3D dosimetry. 2013 , 444, 012062		5
556	Evaluation of a clinically intuitive quality assurance method. 2013 , 444, 12022		1
555	Water equivalence of micelle gels for x-ray beams. 2013 , 444, 012024		2
554	How effective can optical-CT 3D dosimetry be without refractive fluid matching?. 2013 , 444, 12065		
553	Application of MAGAT polymer gel dosimetry in breast balloon. 2013 , 444, 012103		1
552	Preliminary dosimetry investigation of Tc-99m diagnostic radionuclide by NIPAM gel dosimeter. 2013 , 444, 012106		1
551	Comprehensive quality assurance for base of skull IMRT. 2013 , 4444, 012050		1
550	Monomer consumption in MAGIC-type polymer gels in the Bragg-peak of proton beams observed by volume selective ¹ H MR-spectroscopy (MRS): proof of principle for high resolution MRS-methodology with a sensitive rf-detector. 2013 , 444, 012096		1
549	[Investigation of polymer gel dosimetry for small circular irradiated fields]. 2013 , 69, 933-43		2
548	The influence of antioxidant THPC on the properties of polymer gel dosimeter. <i>Physics in Medicine and Biology</i> , 2014 , 59, 5141-61	3.8	3
547	Raman study of lower toxicity polymer gel for radiotherapy dosimetry. 2014 , 546, 012011		2
546	Novel, full 3D scintillation dosimetry using a static plenoptic camera. 2014 , 41, 082101		25
545	On the feasibility of polyurethane based 3D dosimeters with optical CT for dosimetric verification of low energy photon brachytherapy seeds. 2014 , 41, 071705		4
544	Acoustic Evaluation of Hema Polymer Gel Dosimeter Phantoms. 2014 , 895, 169-173		3
543	Development and characterization of a three-dimensional radiochromic film stack dosimeter for megavoltage photon beam dosimetry. 2014 , 41, 052104		6
542	Dosimetric verification for intensity-modulated arc therapy plans by use of 2D diode array, radiochromic film and radiosensitive polymer gel. 2014 , 55, 541-52		10

541	A diffusion-free and linear-energy-transfer-independent nanocomposite Fricke gel dosimeter. 2014 , 96, 92-96		32
540	Application of optical methods for dose evaluation in normoxic polyacrylamide gels irradiated at two different geometries. 2014 , 741, 88-94		20
539	Characteristics of a normoxic polymethacrylic acid gel dosimeter for a 72-MeV proton beam. 2014 , 735, 314-318		1
538	Dosimetry study of diagnostic X-ray using doped iodide normoxic polymer gels. 2014 , 104, 414-419		2
537	Photon buildup factors in some dosimetric materials for heterogeneous radiation sources. 2014 , 53, 175-85		19
536	Best fit refractive index of matching liquid for 3D NIPAM gel dosimeters using optical CT. 2014 , 104, 192-197		8
535	Polymer-gel formation and reformation on irradiation of tertiary-butyl acrylate. 2014 , 97, 147-152		10
534	Dose calibration optimization and error propagation in polymer gel dosimetry. <i>Physics in Medicine and Biology</i> , 2014 , 59, 597-614	3.8	16
533	Advances in kilovoltage x-ray beam dosimetry. <i>Physics in Medicine and Biology</i> , 2014 , 59, R183-231	3.8	104
532	Review on the characteristics of radiation detectors for dosimetry and imaging. <i>Physics in Medicine and Biology</i> , 2014 , 59, R303-47	3.8	95
531	Tridimensional dosimetry for prostate IMRT treatments using MAGIC-f gel by MRI. 2014 , 71, 369-373		10
530	Investigation of nanoscale structures by small-angle X-ray scattering in a radiochromic dosimeter. 2014 , 4, 9152		3
529	Effect of solvent hydrophobicity on gelation kinetics and phase diagram of gelatin ionogels. 2014 , 10, 862-72		16
528	Ultrasound attenuation computed tomography assessment of PAGAT gel dose. <i>Physics in Medicine and Biology</i> , 2014 , 59, N129-37	3.8	3
527	Characterization of long-term dose stability of N-isopropylacrylamide polymer gel dosimetry. 2014 , 301, 765-780		9
526	Reduced dose uncertainty in MRI-based polymer gel dosimetry using parallel RF transmission with multiple RF sources. 2014 , 302, 533-541		2
525	Software for 3D radiotherapy dosimetry. Validation. <i>Physics in Medicine and Biology</i> , 2014 , 59, 4111-36	3.8	16
524	Correlation between ferrous ammonium sulfate concentration, sensitivity and stability of Fricke gel dosimeters exposed to clinical X-ray beams. 2014 , 335, 54-60		28

523	Dose evaluation of an NIPAM polymer gel dosimeter using gamma index. 2014 , 104, 180-187	11
522	Dose verification of a clinical intensity-modulated radiation therapy eye case by the magnetic resonance imaging of N-isopropylacrylamide gel dosimeters. 2014 , 104, 188-191	9
521	Radiation-induced change of optical property of hydroxypropyl cellulose hydrogel containing methacrylate compounds: As a basis for development of a new type of radiation dosimeter. 2014 , 101, 53-58	10
520	Comparison of 3D dose distributions for HDR 192Ir brachytherapy sources with normoxic polymer gel dosimetry and treatment planning system. 2014 , 39, 266-71	15
519	Characteristics of polyacrylamide gel with THPC and Turnbull Blue gel dosimeters evaluated using optical tomography. 2014 , 104, 283-286	5
518	[The use of polymer gel dosimetry to measure dose distribution around metallic implants]. 2014 , 70, 1160-5	4
517	A feasibility study of multislice X-ray CT imaging of gel dosimeters using the "zero scan" method. 2014 , 15, 4360	3
516	Comparison of an anthropomorphic PRESAGE [®] dosimeter and radiochromic film with a commercial radiation treatment planning system for breast IMRT: a feasibility study. 2014 , 15, 4531	11
515	Multi-directional radiation detector using photographic film. 2014 , 546, 012014	
514	Enhancement in dose sensitivity of polymer gel dosimeters composed of radiation-crosslinked gel matrix and less toxic monomers. 2015 , 573, 012028	4
513	Note: Utilization of polymer gel as a bolus compensator and a dosimeter in the near-surface buildup region for breast-conserving therapy. 2015 , 86, 096103	5
512	Incorporating multislice imaging into x-ray CT polymer gel dosimetry. 2015 , 42, 1666-77	9
511	Evaluation of the OSC-TV iterative reconstruction algorithm for cone-beam optical CT. 2015 , 42, 6376-86	9
510	Sensitivity and variability of Presage dosimeter formulations in sheet form with application to SBRT and SRS QA. 2015 , 42, 7138-43	6
509	3D dose verification with polymer gel detectors of brain-spine match line for proton pencil beam cranio-spinal: A preliminary study. 2015 , 573, 012020	1
508	Reproducibility assessment of dynamically deforming DEFGEL in a respiratory motion phantom. 2015 , 573, 012024	6
507	Do saccharide doped PAGAT dosimeters increase accuracy?. 2015 , 573, 012029	
506	Pushing the boundaries of spatial resolution in dosimetry using polymer gels and radiochromic films. 2015 , 573, 012034	5

505	Inclusion type radiochromic gel dosimeter for threedimensional dose verification. 2015 , 573, 012035	
504	Opportunities for improving the performance of LCV micelle gel dosimeters: I. Preliminary investigation. 2015 , 573, 012037	0
503	Implementation of an efficient workflow process for gel dosimetry using 3D Slicer. 2015 , 573, 012042	6
502	PAGAT gel dosimeters for dose distribution measurements in the vicinity of high-density implants: A preliminary study. 2015 , 573, 012061	1
501	Characterisation of the half-field beam penumbra for a variety of blocking set-ups. 2015 , 573, 012073	2
500	Sensitivity of collapsed arc QA method for delivery errors in Volumetric Modulated Arc Therapy (VMAT). 2015 , 573, 012021	1
499	Availability of a containerless polymer gel detector and a gelatin container. 2015 , 573, 012027	
498	NMR spectroscopy of saccharide-doped PAGAT dosimeters. 2015 , 573, 012031	
497	Stray light reduction in optical computed tomography using a convergent cone-beam source. 2015 , 573, 012033	
496	Opportunities for improving the performance of LCV micelle gel dosimeters: II. Recipe optimization. 2015 , 573, 012038	
495	Investigation of a low-cost optical-CT system with minimal refractive index-matching fluid. 2015 , 573, 012052	1
494	Feasibility of a dual wavelength laser optical CT scanner with in-air gel readout. 2015 , 573, 012057	1
493	Effect of bloom strength on radiochromic gel dosimeters. 2015 , 573, 012066	2
492	A new dosimeter formulation for deformable 3D dose verification. 2015 , 573, 012067	15
491	Is a quasi-3D dosimeter better than a 2D dosimeter for Tomotherapy delivery quality assurance?. 2015 , 573, 012077	2
490	Three dimensional dose verification of VMAT plans using the Octavius 4D dosimetric system. 2015 , 573, 012081	4
489	Effects of refractive index mismatch in optical CT imaging of polymer gel dosimeters. 2015 , 42, 750-9	7
488	True 3D chemical dosimetry (gels, plastics): Development and clinical role. 2015 , 573, 012003	53

487	Flexydos3D: A new deformable anthropomorphic 3D dosimeter readout with optical CT scanning. 2015 , 573, 012025		4
486	An investigation into the potential influence of oxygen on the efficiency of the PRESAGE [®] dosimeter. 2015 , 573, 012044		1
485	Feasibility on using composite gel-alanine dosimetry on the validation of a multiple brain metastasis radiosurgery VMAT technique. 2015 , 573, 012050		4
484	Particle size analysis of PAGAT gel dosimetry. 2015 , 573, 012064		1
483	Computational simulations of the influence of noise in optical CT reconstruction. 2015 , 573, 012076		1
482	Comparison between Monte Carlo simulation and measurement with a 3D polymer gel dosimeter for dose distributions in biological samples. <i>Physics in Medicine and Biology</i> , 2015 , 60, 6531-46	3.8	13
481	Audits for advanced treatment dosimetry. 2015 , 573, 012002		11
480	The quenching effect in PRESAGE [®] dosimetry of proton beams: Is an empirical correction feasible?. 2015 , 573, 012043		4
479	Validation of 3DVH estimated DVH metrics for prostate VMAT plans. 2015 , 573, 012053		
478	Dual wavelength optical CT scanning of anthropomorphic shaped 3D dosimeters. 2015 , 573, 012058		
477	Artifacts suppression in optical CT for gel dosimeters by iterative reconstruction. 2015 , 573, 012063		2
476	Assessment of the effects of CT dose in averaged x-ray CT images of a dose-sensitive polymer gel. 2015 , 573, 012075		1
475	Antioxidant effect of green tea on polymer gel dosimeter. 2015 , 573, 012065		1
474	Multicentre knowledge sharing and planning/dose audit on flattening filter free beams for SBRT lung. 2015 , 573, 012018		8
473	High resolution 3D dosimetry for microbeam radiation therapy using optical CT. 2015 , 573, 012032		1
472	Development of CCD-based optical computed tomography and comparison with single-beam optical CT scanner. 2015 , 573, 012060		1
471	Polymer gel dosimetry for neutron beam in the Neutron Exposure Accelerator System for Biological Effect Experiments (NASBEE). 2015 , 573, 012068		
470	Preliminary study of MAGAT polymer gel dosimetry for boron-neutron capture therapy. 2015 , 573, 012074		2

469	QA procedures needed for advanced RT techniques and its impact on treatment outcome. 2015 , 573, 012001		4
468	Feasibility of PET/CT 3-D dosimetry for proton-activated PRESAGE [®] dosimeters. 2015 , 573, 012071		1
467	The polyGeVero [®] software for fast and easy computation of 3D radiotherapy dosimetry data. 2015 , 573, 012070		
466	PRESAGE [®] as a new calibration method for high intensity focused ultrasound therapy. 2015 , 573, 012026		2
465	Leuco-crystal-violet micelle gel dosimeters: II. Recipe optimization and testing. <i>Physics in Medicine and Biology</i> , 2015 , 60, 4685-704	3.8	19
464	Comparison of 2D and 3D Gamma calculations for an IMRT QA phantom. 2015 , 573, 012055		4
463	Role of gel dosimeters in boron neutron capture therapy. 2015 , 103, 72-81		13
462	Leuco-crystal-violet micelle gel dosimeters: I. Influence of recipe components and potential sensitizers. <i>Physics in Medicine and Biology</i> , 2015 , 60, 4665-83	3.8	16
461	Dose rate properties of NIPAM-based x-ray CT polymer gel dosimeters. <i>Physics in Medicine and Biology</i> , 2015 , 60, 4399-411	3.8	7
460	WITHDRAWN: Dose enhancement in radiotherapy by novel application of gadolinium based MRI contrast agent nanomagnetic particles in gel dosimetry. 2015 ,		1
459	Implementation of a parallel-beam optical-CT apparatus for three-dimensional radiation dosimetry using a high-resolution CCD camera. 2015 , 784, 590-596		2
458	Verification of motion induced thread effect during tomotherapy using gel dosimetry. 2015 , 573, 012048		1
457	FlexyDos3D: a deformable anthropomorphic 3D radiation dosimeter: radiation properties. <i>Physics in Medicine and Biology</i> , 2015 , 60, 1543-63	3.8	48
456	Characterization of novel water-equivalent PRESAGE [®] dosimeters for megavoltage and kilovoltage x-ray beam dosimetry. 2015 , 74, 12-19		11
455	Preparation and characterization of novel Sulfosalicylic acid-Ferrous-PVA hydrogel as a 3D dosimeter. 2015 , 304, 481-487		8
454	Uncertainty in 3D gel dosimetry. 2015 , 573, 012008		13
453	Development of a 3D optical scanner for evaluating patient-specific dose distributions. 2015 , 31, 553-9		8
452	Molecular structure effects on the post irradiation diffusion in polymer gel dosimeters. 2015 , 100, 101-7		9

451	Eliminating the dose-rate effect in a radiochromic silicone-based 3D dosimeter. <i>Physics in Medicine and Biology</i> , 2015 , 60, 5557-70	3.8	21
450	Clinical applications of 3-D dosimeters. 2015 , 573, 012011		3
449	Quantification of the absorbed dose in 3D by means of advanced optical diagnostics based on structured illumination. 2015 , 573, 012010		1
448	Quantitative evaluation of an image registration method for a NIPAM gel dosimeter. 2015 , 784, 542-549		
447	Feasibility of polymer gel dosimetry measurements in a dynamic porcine lung phantom. 2015 , 573, 012079		3
446	Doped polyacrylonitrile fibres as UV radiation sensors. 2015 , 213, 234-243		23
445	Issues involved in the quantitative 3D imaging of proton doses using optical CT and chemical dosimeters. <i>Physics in Medicine and Biology</i> , 2015 , 60, 709-26	3.8	13
444	Radiochromic 3D Detectors. 2015 , 573, 012006		13
443	Destructive backscatter-based readout of polymer gel dosimeters: proof of principle. 2015 , 629-632		
442	Application of Dose Gels in HDR Brachytherapy. 2015 , 724-727		1
441	An anthropomorphic multimodality (CT/MRI) head phantom prototype for end-to-end tests in ion radiotherapy. 2015 , 25, 391-399		23
440	Determining the mass attenuation coefficient, effective atomic number, and electron density of raw wood and binderless particleboards of <i>Rhizophora</i> spp. by using Monte Carlo simulation. 2015 , 5, 228-234		15
439	Patient-specific quality assurance for the delivery of (60)Co intensity modulated radiation therapy subject to a 0.35-T lateral magnetic field. 2015 , 91, 65-72		55
438	Radiological characteristics of MRI-based VIP polymer gel under carbon beam irradiation. 2015 , 107, 7-11		12
437	Optical-CT 3D Dosimetry Using Fresnel Lenses with Minimal Refractive-Index Matching Fluid. 2016 , 11, e0152606		3
436	Dosimetry of ionising radiation in modern radiation oncology. <i>Physics in Medicine and Biology</i> , 2016 , 61, R167-205	3.8	61
435	Assessment of optical CT as a future QA tool for synchrotron x-ray microbeam therapy. <i>Physics in Medicine and Biology</i> , 2016 , 61, 320-37	3.8	16
434	What happens when spins meet for ionizing radiation dosimetry?. 2016 ,		

433	A phantom to study the effects of metallic prostheses in radiotherapy by gel dosimetry. 2016,		
432	Dosimetric validation for an automatic brain metastases planning software using single-isocenter dynamic conformal arcs. 2016, 17, 142-156		8
431	Polymer gel dosimetry for measuring the dose near thin high-Z materials irradiated with high energy photon beams. 2016, 43, 6525		3
430	Optical CT imaging of solid radiochromic dosimeters in mismatched refractive index solutions using a scanning laser and large area detector. 2016, 43, 4585		11
429	Gel dosimetry enables volumetric evaluation of dose distributions from an MR-guided linac. 2016,		3
428	Evaluation of hybrid SART + OS + TV iterative reconstruction algorithm for optical-CT gel dosimeter imaging. <i>Physics in Medicine and Biology</i> , 2016, 61, 8425-8439	3.8	18
427	Basic radiological characteristics of a non-scattering gel dosimeter for 3D dosimetry. 2016, 69, 1694-1699		0
426	Development and clinical evaluation of an ionization chamber array with 3.5 mm pixel pitch for quality assurance in advanced radiotherapy techniques. 2016, 43, 2283		3
425	Fricke and polymer gel 2D dosimetry validation using Monte Carlo simulation. 2016, 91, 54-64		17
424	High mobility AlGaIn/GaN devices for dosimetry. 2016, 819, 14-19		2
423	Current scenario of biomedical aspect of metal-based nanoparticles on gel dosimetry. 2016, 100, 4803-16		12
422	Abdo-Man: a 3D-printed anthropomorphic phantom for validating quantitative SIRT. 2016, 3, 17		36
421	Radiation-Induced Chemical Reactions in Hydrogel of Hydroxypropyl Cellulose (HPC): A Pulse Radiolysis Study. 2016, 186, 650-658		1
420	Review of ultrasound image guidance in external beam radiotherapy part II: intra-fraction motion management and novel applications. <i>Physics in Medicine and Biology</i> , 2016, 61, R90-137	3.8	63
419	Comparison of three commercial dosimetric systems in detecting clinically significant VMAT delivery errors. 2016, 32, 1238-1244		11
418	One dimensional spatial resolution optimization on a hybrid low field MRI-gamma detector. 2016,		
417	Dosimetric characteristics of intensity-modulated radiation therapy and RapidArc [®] therapy using a 3D N-isopropylacrylamide gel dosimeter. 2016, 44, 1660221		
416	Radiological properties of nanocomposite Fricke gel dosimeters for heavy ion beams. 2016, 57, 318-24		22

415	Formation of nanowires via single particle-triggered linear polymerization of solid-state aromatic molecules. 2016 , 8, 14925-31		10
414	Development and dosimetric evaluation of radiochromic PCDA vesicle gel dosimeters. 2016 , 85, 116-125		6
413	Measuring the photon depth dose distribution produced by a medical linear accelerator in a water-equivalent radio-fluorogenic gel. 2016 , 307, 2505-2508		5
412	Experimental determination of the influence of oxygen on the PRESAGE [®] dosimeter. <i>Physics in Medicine and Biology</i> , 2016 , 61, 813-24	3.8	5
411	Fully 3D refraction correction dosimetry system. <i>Physics in Medicine and Biology</i> , 2016 , 61, 1722-37	3.8	1
410	Effect of inorganic salts and glucose additives on dose-response, melting point and mass density of genipin gel dosimeters. 2016 , 32, 36-41		9
409	Developments in production of silica-based thermoluminescence dosimeters. 2017 , 137, 37-44		16
408	On the development of a VIPAR radiotherapy 3D polymer gel dosimeter. <i>Physics in Medicine and Biology</i> , 2017 , 62, 986-1008	3.8	39
407	3D dosimetric validation of motion compensation concepts in radiotherapy using an anthropomorphic dynamic lung phantom. <i>Physics in Medicine and Biology</i> , 2017 , 62, 573-595	3.8	26
406	Analysis of spatial diffusion of ferric ions in PVA-GTA gel dosimeters through magnetic resonance imaging. 2017 , 396, 50-55		24
405	Three-dimensional quality assurance of IMRT prostate plans using gel dosimetry. 2017 , 34, 1-6		24
404	Improving the quality of reconstructed X-ray CT images of polymer gel dosimeters: zero-scan coupled with adaptive mean filtering. 2017 , 40, 159-165		6
403	Scanning laser optical computed tomography system for large volume 3D dosimetry. <i>Physics in Medicine and Biology</i> , 2017 , 62, 2636-2657	3.8	8
402	Chemically tuned linear energy transfer dependent quenching in a deformable, radiochromic 3D dosimeter. <i>Physics in Medicine and Biology</i> , 2017 , 62, N73-N89	3.8	9
401	Detection of Therapeutic Levels of Ionizing Radiation Using Plasmonic Nanosensor Gels. 2017 , 27, 1606724		13
400	Dose verification of volumetric modulation arc therapy by using a NIPAM gel dosimeter combined with a parallel-beam optical computed tomography scanner. 2017 , 311, 1277-1286		9
399	Polymer gel dosimeters for pretreatment radiotherapy verification using the three-dimensional gamma evaluation and pass rate maps. 2017 , 37, 75-81		11
398	Measurement of skin surface dose distributions in radiation therapy using poly(vinyl alcohol) cryogel dosimeters. 2017 , 18, 153-162		12

397	Organic-Gelatin-Free Nanocomposite Fricke Gel Dosimeter. 2017 , 121, 4238-4246		18
396	Leuco-crystal-violet micelle gel dosimeters: Component effects on dose-rate dependence. 2017 , 847, 012041		3
395	Trends in gel dosimetry: Preliminary bibliometric overview of active growth areas, research trends and hot topics from Gore's 1984 paper onwards. 2017 , 847, 012072		2
394	Trends in Radiation Dosimetry: preliminary overview of active growth areas, research trends and hot topics from 2011-2015. 2017 , 777, 012030		1
393	A prototype optical-CT system for PRESAGE 3D dosimeter readout. 2017 , 847, 012026		1
392	Cerium nanoparticle effect on sensitivity of Fricke gel dosimeter: Initial investigation. 2017 , 847, 012053		1
391	Evaluation of a composite Gel-Alanine phantom on an end-to-end test to treat multiple brain metastases by a single isocenter VMAT technique. 2017 , 44, 4869-4879		10
390	Determining the mechanical properties of a radiochromic silicone-based 3D dosimeter. <i>Physics in Medicine and Biology</i> , 2017 , 62, 5612-5622	3.8	12
389	TTC-Pluronic 3D radiochromic gel dosimetry of ionizing radiation. <i>Physics in Medicine and Biology</i> , 2017 , 62, 5668-5690	3.8	19
388	PRESAGE [®] as a solid 3-D radiation dosimeter: A review article. 2017 , 141, 88-97		27
387	Radiochromic and radiofluorogenic 3D solid polymer dosimeter; effect of the photoinitiator. 2017 , 106, 192-195		6
386	Fricke-gel dosimeter: overview of Xylenol Orange chemical behavior. 2017 , 140, 74-77		18
385	Stereotactic radiosurgery delivery verification using tetrazolium salt-based gel as a dosimeter. 2017 , 95, 725-730		4
384	Review of gel dosimetry: a personal reflection. 2017 , 777, 012029		4
383	A 2D silicon detector array for quality assurance in small field dosimetry: DUO. 2017 , 44, 628-636		20
382	Evaluation of accuracy and precision in polymer gel dosimetry. 2017 , 44, 736-746		12
381	Non-diffusing radiochromic leuco-crystal violet hydrogel dosimeter. 2017 , 847, 012009		1
380	Investigation of magnetic field effects on the dose-response of 3D dosimeters for magnetic resonance - image guided radiation therapy applications. 2017 , 125, 426-432		31

379	Characterization of novel preclinical dose distributions for micro irradiator. 2017 , 847, 012054		1
378	Dosimetric validation study of a flattening filter free SABR treatment by use of a normoxic PAG gel dosimeter with MRI readout. 2017 , 847, 012039		
377	Preliminary investigation of the dosimetric properties of ClearView [®] dosimeter. 2017 , 847, 012015		2
376	Innovation and the future of advanced dosimetry: 2D to 5D. 2017 , 847, 012006		3
375	Radiation dose enhancement of gold nanoparticle on different polymer gel dosimeters. 2017 , 847, 012065		2
374	Introducing dynamic dosimaging: potential applications for MRI-linac. 2017 , 777, 012007		1
373	Dose integration and dose rate characteristics of a NiPAM polymer gel MRI dosimeter system. 2017 , 847, 012063		6
372	Advanced Radiation DOSimetry phantom (ARDOS): a versatile breathing phantom for 4D radiation therapy and medical imaging. <i>Physics in Medicine and Biology</i> , 2017 , 62, 8136-8153	3.8	8
371	Measurements of superficial dose distributions in radiation therapy using translucent cryogel dosimeters. 2017 , 847, 012035		0
370	Clinical experience with Mobius FX software for 3D dose verification for prostate VMAT plans and comparison with physical measurements. 2017 , 847, 012060		1
369	Measurement of tissue-radiation dosage using a thermal steady-state elastic shear wave. 2017 , 22, 85001		1
368	First 3D measurements of proton beams in a deformable silicone-based dosimeter. 2017 , 847, 012021		6
367	Characterization of a radiochromic silicone dosimeter. 2017 , 847, 012052		2
366	EPID-based dosimetry and its relation to other 2D and 3D dose measurement techniques in radiation therapy. 2017 , 847, 012024		2
365	Comparative study of nuclear magnetic resonance and UV-visible spectroscopy dose-response of polymer gel based on N-(Isobutoxymethyl) acrylamide. 2017 , 413, 42-50		11
364	A tomographic UV-sheet scanning technique for producing 3D fluorescence images of x-ray beams in a radio-fluorogenic gel. 2017 , 3, 027004		7
363	Evaluation of the Accuracy of Polymer Gels for Determining Electron Dose Distributions in the Presence of Small Heterogeneities. 2017 , 113, 444-451		1
362	Silver nitrate based gel dosimeter. 2017 , 847, 012066		2

361	Measurement of dose distribution from treatment of shallow brain tumors in BNCT by NIPAM polymer gel. 2017 , 100, 292-296	2
360	Online Combination of EPID & Cherenkov Imaging for 3-D Dosimetry in a Liquid Phantom. 2017 , 36, 2099-2103	18
359	Evaluation of the respiratory motion influence in the 3D dose distribution of IMRT breast radiation therapy treatments. 2017 , 847, 012031	
358	Computational investigation of suitable polymer gel composition for the QA of the beam components of a BNCT irradiation field. 2017 , 127, 253-259	1
357	Investigation of Dose Distribution in Mixed Neutron-Gamma Field of Boron Neutron Capture Therapy using N-Isopropylacrylamide Gel. 2017 , 49, 189-195	5
356	Development of 3D Slicer based film dosimetry analysis. 2017 , 847, 012061	
355	A preliminary study on the use of FX-Glycine gel and an in-house optical cone beam CT readout for IMRT and RapidArc verification. 2017 , 847, 012003	
354	Characterisation of TruView [®] a new 3-D reusable radiochromic MethylThymolBlue based gel dosimeter for ionising radiations. 2017 , 847, 012017	8
353	Validation of 4D dose calculation using an independent motion monitoring by the calypso tracking system and 3D polymer gel dosimetry. 2017 , 847, 012040	1
352	Treatment planning and 3D dose verification of whole brain radiation therapy with hippocampal avoidance in rats. 2017 , 847, 012004	
351	Using 3D dosimetry to quantify the Electron Return Effect (ERE) for MR-image-guided radiation therapy (MR-IGRT) applications. 2017 , 847, 012057	6
350	Radiochromic and radiofluorogenic 3D solid polymer dosimeter: initial results for high doses. 2017 , 847, 012016	1
349	Quantifying refractive index mismatch effects on cone beam optical CT scanner measurements. 2017 , 847, 012007	
348	Characteristics of modified radiochromic gel Turnbull-Blue. 2017 , 847, 012018	1
347	Workflow and Quality Assurance in Altered Fractionation. 2017 , 31-39	
346	3D Dosimetry based on a new optical approach for dosimetry gels: Use of the polarisation ratio of the scattering light. 2017 , 847, 012010	2
345	Optical and X-ray computed tomography scanning of 3D dosimeters. 2017 , 847, 012019	2
344	Radiological properties of plastics and TLD materials its application in radiation dosimetry. 2017 , 847, 012064	1

343	Gamma analysis with a gamma criterion of 2%/1 mm for stereotactic ablative radiotherapy delivered with volumetric modulated arc therapy technique: a single institution experience. 2017 , 8, 76076-76084	5
342	Clinical management of tumour volume changes in VMAT head & neck radiation treatment. 2017 , 847, 012038	1
341	Radiation response and basic dosimetric characterisation of the Magic Plate [®] 2017 , 777, 012034	
340	An efficient and robust MRI-guided radiotherapy planning approach for targeting abdominal organs and tumours in the mouse. 2017 , 12, e0176693	11
339	Three-dimensional radiation dosimetry using polymer gel and solid radiochromic polymer: From basics to clinical applications. 2017 , 9, 112-125	41
338	Dosimetric characteristics of a reusable 3D radiochromic dosimetry material. 2017 , 12, e0180970	1
337	3D dose computation algorithms. 2017 , 847, 012037	0
336	How feasible is remote 3D dosimetry for MR guided Radiation Therapy (MRgRT)? 2017 , 847, 012056	1
335	Dynamic 3D measurement of modulated radiotherapy: a scintillator-based approach. 2017 , 847, 012023	
334	Convergence of SART + OS + TV iterative reconstruction algorithm for optical CT imaging of gel dosimeters. 2017 , 847, 012025	
333	Reduction of artefacts caused by missing ray-sum data in optical-CT imaging of implants in gel dosimeters. 2017 , 847, 012070	1
332	The potential of polymer gel dosimeters for 3D MR-IGRT quality assurance. 2017 , 847, 012059	6
331	Tetrazolium salt monomers for gel dosimetry II: Dosimetric characterization of the ClearView [®] BD dosimeter. 2017 , 847, 012049	7
330	Can a commercial gel dosimetry system be used to verify stereotactic spinal radiotherapy treatment dose distributions?. 2017 , 847, 012071	1
329	Computational simulations of the influence of background noise removal in optical-CT imaging of gel dosimeters. 2017 , 847, 012068	
328	The effect of THPS concentration on nPAG microstructure. 2017 , 847, 012062	1
327	Computational simulations of the influence of angular rotation deviations in optical CT imaging of gel dosimeters. 2017 , 847, 012069	
326	Fan-beam scanning laser optical computed tomography for large volume dosimetry. 2017 , 847, 012008	0

325	Accuracy and reproducibility in x-ray computed tomography polymer gel dosimetry. 2017 , 847, 012047		
324	Dosimetry using MRI: can it really be that difficult?. 2017 , 847, 012051		
323	Development of a liquid scintillator-based 3D detector for range measurements of spot-scanned proton beams. 2017 , 847, 012020		
322	Evaluating analytical ionization quenching correction models for 3D liquid organic scintillator detector. 2017 , 847, 012022		2
321	Dosimetric comparison of DEFGEL and PAGAT formulae paired with an MRI acquisition. 2017 , 847,		3
320	Is there a role for 3D dosimetry in low- and middle-income countries?. 2017 , 847, 012011		
319	Active heating of large gel dosimeters. 2017 , 847, 012050		
318	A comparison of the dose-response behavior of AQUAJOINT [®] -based polymer gel and PAGAT gel dosimeters measured using Optical CT and MRI. 2017 , 847, 012013		6
317	In situ assessment of X-ray induced changes in polymerized gels using surface plasmon resonance detector. 2018 , 435, 236-241		2
316	Dosimetric characteristics of PASSAG as a new polymer gel dosimeter with negligible toxicity. 2018 , 147, 91-100		23
315	Integration of Fricke gel dosimetry with Ag nanoparticles for experimental dose enhancement determination in theranostics. 2018 , 141, 182-186		7
314	Feasibility of dose enhancement assessment: Preliminary results by means of Gd-infused polymer gel dosimeter and Monte Carlo study. 2018 , 141, 210-218		9
313	Characterization of ferrous-methylthymol blue-polyvinyl alcohol gel dosimeters using nuclear magnetic resonance and optical techniques. 2018 , 148, 25-32		20
312	Polymer gel dosimeter with AQUAJOINT [®] as hydrogel matrix. 2018 , 146, 121-125		27
311	A fast dual wavelength laser beam fluid-less optical CT scanner for radiotherapy 3D gel dosimetry I: design and development. <i>Physics in Medicine and Biology</i> , 2018 , 63, 045019	3.8	2
310	Real-time volumetric relative dosimetry for magnetic resonance-image-guided radiation therapy (MR-IGRT). <i>Physics in Medicine and Biology</i> , 2018 , 63, 045021	3.8	14
309	First approach to ionizing radiation based 3D printing: fabrication of free standing dose gels using high energy gamma photons. 2018 , 435, 246-250		7
308	Dose and slice thickness evaluation with nMAG gel dosimeters in computed tomography. 2018 , 8, 2632		2

307	On the use of a novel Ferrous Xylenol-orange gelatin dosimeter for HDR brachytherapy commissioning and quality assurance testing. 2018 , 45, 162-169		12
306	Tetrazolium salts-Pluronic F-127 gels for 3D radiotherapy dosimetry. <i>Physics in Medicine and Biology</i> , 2018 , 63, 095012	3.8	22
305	Remote Cherenkov imaging-based quality assurance of a magnetic resonance image-guided radiotherapy system. 2018 , 45, 2647-2659		15
304	Fixed, object-specific intensity compensation for cone beam optical CT radiation dosimetry. <i>Physics in Medicine and Biology</i> , 2018 , 63, 06NT02	3.8	1
303	Water-equivalence of gel dosimeters for radiology medical imaging. 2018 , 141, 193-198		12
302	The impact of the oxygen scavenger on the dose-rate dependence and dose sensitivity of MAGIC type polymer gels. <i>Physics in Medicine and Biology</i> , 2018 , 63, 06NT01	3.8	6
301	Radiochromic gels for UV radiation measurements in 3D. 2018 , 351, 197-207		16
300	Comparison of the Convolution algorithm with TMR10 for Leksell Gamma knife and dosimetric verification with radiochromic gel dosimeter. 2018 , 19, 138-144		5
299	Dosimetric characterisation of anthropomorphic PRESAGE [®] dosimeter and EBT2 film for partial breast radiotherapy. 2018 , 17, 96-103		4
298	Evaluation of ferrous Methylthymol blue gelatin gel dosimeters using nuclear magnetic resonance and optical techniques. 2018 , 108, 26-33		24
297	A Polymer-Gel Eye-Phantom for 3D Fluorescent Imaging of Millimetre Radiation Beams. 2018 , 10,		6
296	Preliminary analysis of N-vinylpyrrolidone based polymer gel dosimeter. 2018 , 28, 433-439		1
295	A Radio-Fluorogenic Polymer-Gel Makes Fixed Fluorescent Images of Complex Radiation Fields. 2018 , 10,		6
294	Physico-chemical properties and optimization of the deformable FlexyDos3D radiation dosimeter. <i>Physics in Medicine and Biology</i> , 2018 , 63, 215028	3.8	4
293	Investigation of a novel chemically cross-linked fricke-Methylthymol blue-synthetic polymer gel dosimeter with glutaraldehyde cross-linker. 2018 , 118, 77-85		13
292	Alternatives to patient specific verification measurements in proton therapy: a comparative experimental study with intentional errors. <i>Physics in Medicine and Biology</i> , 2018 , 63, 205014	3.8	16
291	Xylenol orange functionalised polymers to overcome diffusion in Fricke gel radiation dosimeters. 2018 , 132, 81-88		13
290	Australasian recommendations for quality assurance in kilovoltage radiation therapy from the Kilovoltage Dosimetry Working Group of the Australasian College of Physical Scientists and Engineers in Medicine. 2018 , 41, 781-808		6

289	Characterization of PAGAT dose response upon different irradiation conditions. 2018 , 173, 784-793		3
288	Influence of magnesium chloride on the dose-response of polyacrylamide-type gel dosimeters. 2018 , 11, 375-381		16
287	A new less toxic polymer gel dosimeter: Radiological characteristics and dosimetry properties. 2018 , 53, 137-144		13
286	Strahlenphysik. 2018 , 3-35		
285	A novel method for increasing the sensitivity of NIPAM polymer gel dosimeter. 2018 , 153, 35-43		13
284	Dosimetry Evolution in Teletherapy: Polimer Gel. 2018 , 975, 012048		1
283	Substituting gelatine with Pluronic F-127 matrix in 3D polymer gel dosimeters can improve nuclear magnetic resonance, thermal and optical properties. <i>Physics in Medicine and Biology</i> , 2018 , 63, 175010	3.8	22
282	Study of the effect of laponite on Fricke xylenol orange gel dosimeter by optical techniques. 2018 , 272, 618-625		16
281	Polymer Gels. 2018 ,		2
280	Radiation Dosimetry: A Different Perspective of Polymer Gel. 2018 , 309-341		1
279	Polymer gel dosimetry by nuclear Overhauser enhancement (NOE) magnetic resonance imaging. <i>Physics in Medicine and Biology</i> , 2018 , 63, 15NT03	3.8	3
278	Effect of inorganic salts and matrix crosslinking on the dose response of polymer gel dosimeters based on acrylamide. 2018 , 117, 7-18		13
277	Feasibility of polymer gel-based measurements of radiation isocenter accuracy in magnetic fields. <i>Physics in Medicine and Biology</i> , 2018 , 63, 11NT02	3.8	12
276	Characterisation of two new radiochromic gel dosimeters TruView and ClearView in combination with the Vista optical CT scanner: A feasibility study. 2018 , 52, 154-164		18
275	A hybrid volumetric dose verification method for single-isocenter multiple-target cranial SRS. 2018 , 19, 651-658		7
274	A systematic review of clinical applications of polymer gel dosimeters in radiotherapy. 2019 , 143, 47-59		37
273	3D printable inter cross-linking network (ICN) gels for reversible transparency control with water content. 2019 , 1		0
272	Monte Carlo simulation of some gel dosimeters' behaviour in photonic radiation field: research on attenuation coefficient. 2019 , 14, P08001-P08001		1

271	Dose-rate-independent and diffusion-free nanoclay-based radio-fluorogenic gel dosimeter. 2019 , 298, 111435		8
270	A nanogel sensor for colorimetric fluorescence measurement of ionizing radiation doses. 2019 , 55, 9614-9617	10	
269	Ge-doped silica fibre for proton beam dosimetry. 2019 , 165, 108390		1
268	Leuco crystal violet-Pluronic F-127 3D radiochromic gel dosimeter. <i>Physics in Medicine and Biology</i> , 2019 , 64, 175017	3.8	12
267	Measurement of isocenter alignment accuracy and image distortion of an 0.35 T MR-Linac system. <i>Physics in Medicine and Biology</i> , 2019 , 64, 205011	3.8	17
266	Radiotherapy in the presence of magnetic fields: a brief review of detector response characteristics and the contribution of 3-D measurements to the study of dose distributions at interfaces. 2019 , 1305, 012006		2
265	MRI-based iPAGAT polymer gel dosimetry using fast recovery spin echo sequences. 2019 , 1305, 012013		
264	Measurement of build-up region dose with optical cone-beam computed tomography scanner. 2019 , 1305, 012017		
263	Cause of cupping artifacts from radiochromic micelle gel dosimeters used in optical CT scanner measurement. 2019 , 1305, 012020		1
262	Influence of angular mismatch between pre- and post-irradiation scans for optical-CT gel readout: simulation based study. 2019 , 1305, 012021		
261	Pre-clinical and small field dosimetry. 2019 , 1305, 012023		0
260	Optimization for stability of the deformable FlexyDos3D radiation dosimeter and curing effects. 2019 , 1305, 012030		1
259	Preliminary investigation of a reusable radiochromic sheet for radiation dosimetry. 2019 , 1305, 012032		1
258	Comparison of low dose proton and photon irradiation induced polymerization processes in advanced nMAG gels using Raman spectroscopy. 2019 , 1305, 012039		0
257	Radiation induced degradation of rhodamine 6G and 7-Diethylamino-4-methylcoumarin in nano-clay gel for use in dosimeter. 2019 , 1305, 012045		3
256	High dose rate brachytherapy three-dimensional gel dosimetry using optical computed tomography readout. 2019 , 1305, 012051		1
255	A chemical evolution of NVP-containing VIPAR-family 3D polymer gel dosimeters – a brief overview. 2019 , 1305, 012067		4
254	Dose verification of dynamic MLC-tracked radiotherapy using small PRESAGE [®] 3D dosimeters and a motion phantom. 2019 , 1305, 012068		0

253	A benchtop UV irradiator for 3D dosimetry laboratories with dose considerations in a spinning NMR test tube. 2019 , 1305, 012069	
252	Investigation of lung tumour peripheral doses using normoxic polymer gel and film dosimetry techniques. 2019 , 1305, 012003	2
251	Feasibility of radiosurgery dosimetry using NIPAM 3D dosimeters and x-ray CT. 2019 , 1305, 012004	
250	Polymer gel-based measurements of the isocenter accuracy in an MR-LINAC. 2019 , 1305, 012007	2
249	Dose rate and fractionation dependence of methacrylic acid based polymer gels using optical and MRI techniques. 2019 , 1305, 012008	1
248	The MD Anderson experience with 3D dosimetry and an MR-linac. 2019 , 1305, 012011	4
247	Evaluation of a lung-equivalent gel dosimeter for MR image-guided radiation therapy. 2019 , 1305, 012012	0
246	Polymer gel dosimetry in the presence of a strong magnetic field. 2019 , 1305, 012014	0
245	Fundamentals of 3D dosimetry. 2019 , 1305, 012022	1
244	Assessing CBCT-based patient positioning accuracy on the Gamma Knife Icon TM via Presage [®] 3D absolute dosimetry. 2019 , 1305, 012026	0
243	3-D dosimetry readout techniques. 2019 , 1305, 012029	
242	Three-dimensional radiochromic and polymer gel dosimeters with Pluronic F-127 matrix [a review of current research. 2019 , 1305, 012035	4
241	Making and assessing 3D dosimeters. 2019 , 1305, 012037	0
240	Clear micelle gel dosimeter with nanoclay. 2019 , 1305, 012040	2
239	Iodine contrast nPAG for radiologically visible target region in deformable dosimeters. 2019 , 1305, 012048	
238	Validation of an ultrasound-guided prostate HDR brachytherapy dose delivery. 2019 , 1305, 012050	
237	Basic Properties of a New Polymer Gel for 3D-Dosimetry at High Dose-Rates Typical for FFF Irradiation Based on Dithiothreitol and Methacrylic Acid (MAGADIT): Sensitivity, Range, Reproducibility, Accuracy, Dose Rate Effect and Impact of Oxygen Scavenger. 2019 , 11,	6
236	FluoroTome 1: An Apparatus for Tomographic Imaging of Radio-Fluorogenic (RFG) Gels. 2019 , 11,	4

235	Dosimetric performance of the Elekta Unity MR-linac system: 2D and 3D dosimetry in anthropomorphic inhomogeneous geometry. <i>Physics in Medicine and Biology</i> , 2019 , 64, 225009	3.8	18
234	A study of dose verification and comparison for complex irradiation field with high dose rate radiation by using a 3D N-isopropylacrylamide gel dosimeter. 2019 , 322, 1287-1297		2
233	Comprehensive evaluation of the high-resolution diode array for SRS dosimetry. 2019 , 20, 13-23		20
232	Novel dual-wavelength optical-CT imaging method for gel dosimeter readout. 2019 , 1305, 012043		
231	Spatial dose distribution analysis of Co-60 HDR brachytherapy of cervical cancer using an AQUAJOINT [®] -based VIPET polymer gel dosimeter. 2019 , 1305, 012052		1
230	Radiation-induced changes on poly(methyl methacrylate) (PMMA)/lead oxide (PbO) composite nanostructure. 2019 , 94, 115302		10
229	Response overshoot: a challenge for the application of polymer gel dosimeters. 2019 , 321, 885-893		6
228	Cyclosiloxane polymer bearing dynamic boronic acid: synthesis and bottom-up nanocoating. 2019 , 10, 5228-5235		8
227	Examination of THPC as an oxygen scavenger impacting VIC dosimeter thermal stability and comparison of NVP-containing polymer gel dosimeters. <i>Physics in Medicine and Biology</i> , 2019 , 64, 035019 ^{3.8}		11
226	High dose sensitivity of N-(isobutoxymethyl)acrylamide polymer gel dosimeters with improved monomer solubility using acetone co-solvent. 2019 , 442, 67-72		13
225	Sensitivity enhancement of methacrylic acid gel dosimeters by incorporating iodine for computed tomography scans. 2019 , 63, 1-6		2
224	Study of the formulation optimization and reusability of a MAGAT gel dosimeter. 2019 , 63, 105-111		2
223	Transit and non-transit 3D EPID dosimetry versus detector arrays for patient specific QA. 2019 , 20, 79-90		15
222	Design and characteristics of an agar additive polymer gel dosimeter. 2019 , 151, 62-66		4
221	Parameter estimation and mathematical modeling of the diffusion process of a benzoic acid infused Fricke gel dosimeter. 2019 , 151, 89-95		10
220	Raman spectroscopy as a tool to evaluate oxygen effects on the response of polymer gel dosimetry. 2019 , 150, 43-52		4
219	3D optical detection in radiodosimetry: EasyDosit hydrogel characterization. 2019 , 220, 117124		4
218	Phantom gels towards medicine improvement: uses for magnetic device tests and enhancements on magnetic-dependent clinical techniques. 2019 , 435-456		2

217	Quantitative magnetic resonance elastography for polymer-gel dosimetry phantoms. 2019 , 66, 102-106		2
216	Delivered Dose Distribution Visualized Directly With Onboard kV-CBCT: Proof of Principle. 2019 , 103, 1271-1279		9
215	3-D Quality Assurance in CyberKnife Radiotherapy Using a Novel N-(3-methoxypropyl) Acrylamide Polymer Gel Dosimeter and Optical CT. 2019 , 161, 34-41		15
214	Absolute dosimetry with polymer gels-a TLD reference system. <i>Physics in Medicine and Biology</i> , 2019 , 64, 045010	3.8	12
213	Three-Dimensional Dose Verification of High-Dose-Rate (HDR) Flattening Filter Free (FFF) Radiation Therapy by Using NIPAM Gel Dosimetry. 2019 ,		0
212	Optical CT scanning for experimental demonstration of medical x-ray CT and SPECT. 2019 , 40, 024001		5
211	Compatibility of 3D printing materials and printing techniques with PAGAT gel dosimetry. <i>Physics in Medicine and Biology</i> , 2019 , 64, 04NT02	3.8	9
210	Dose distribution verification in high-dose-rate brachytherapy using a highly sensitive normoxic N-vinylpyrrolidone polymer gel dosimeter. 2019 , 57, 72-79		15
209	Gel dosimetry for three dimensional proton range measurements in anthropomorphic geometries. 2019 , 29, 162-172		10
208	Fricke xlenol glycine gel dosimeter for in vivo dosimetry at extended treatment distance. 2019 , 145, 217-222		4
207	Feasibility of Two-Dimensional Radiation Dose Distribution Simulation Through Ultrasound Tracking of Respiratory Motion. 2019 , 39, 480-489		
206	Radiation sensitive polyacrylonitrile microfibrils doped with PDA nano-particles. 2020 , 169, 107751		5
205	Polyphenolic extracts from the xerophyte <i>Rhamnus lycioides</i> as a radiation biodosimeter. 2020 , 27, 5661-5669		2
204	Characterization of the chemical and structural modifications induced by gamma rays on the MAGIC polymer gel. 2020 , 166, 108451		1
203	Tetrakis(hydroxymethyl)phosphonium salts: Their properties, hazards and toxicities. 2020 , 195, 263-279		15
202	The effect of bismuth nanoparticles in kilovoltage and megavoltage radiation therapy using magnetic resonance imaging polymer gel dosimetry. 2020 , 170, 108573		9
201	The effect of advance payment with discount facility on supply decisions of deteriorating products whose demand is both price and stock dependent. 2020 , 27, 1343-1367		45
200	Dose response and stability of silicone-based deformable radiochromic dosimeters (FlexyDos3D) using spectrophotometer and flatbed scanner. 2020 , 168, 108574		4

199	Improvement of sensitivity of X-ray CT reading method for polymer gel in radiation therapy. 2020 , 25, 100-103	2
198	Clinical radiotherapy application of N-vinylpyrrolidone-containing 3D polymer gel dosimeters with remote external MR-reading. 2020 , 69, 134-146	13
197	Optical imaging method to quantify spatial dose variation due to the electron return effect in an MR-linac. 2020 , 47, 1258-1267	4
196	Novel radiochromic gel dosimeter based on a polyvinyl alcohol Iodide complex. 2020 , 131, 106226	14
195	New application of polymer gels in medical radiation dosimetry: Plasmonic sensors. 2020 , 168, 108609	5
194	Comprehensive radiation and imaging isocenter verification using NIPAM kV-CBCT dosimetry. 2020 , 47, 927-936	7
193	Patient-specific dose quality assurance of single-isocenter multiple brain metastasis stereotactic radiosurgery using PTW Octavius 4D. 2020 , 21, 107-115	3
192	Characterization of novel polydiacetylene gel dosimeter for radiotherapy. 2020 , 6, 055017	3
191	The role of polymers in analytical medical applications. A review. 2020 , 159, 105366	7
190	Characterization of a new N-vinylpyrrolidone-containing polymer gel dosimeter with Pluronic F-127 gel matrix. 2020 , 177, 109125	4
189	Dosimetric properties of sulfosalicylic acid-ferrous-polyvinyl alcohol-glutaraldehyde hydrogel dosimeters using magnetic and optical techniques. 2020 , 177, 109106	3
188	Sensitivity enhancement of DHR123 radio-fluorogenic nanoclay gel dosimeter by incorporating surfactants and halogenides.. 2020 , 10, 28798-28806	3
187	Dosimetry for FLASH Radiotherapy: A Review of Tools and the Role of Radioluminescence and Cherenkov Emission. 2020 , 8,	23
186	Dose response of three-dimensional silicone-based radiochromic dosimeters for photon irradiation in the presence of a magnetic field. 2020 , 16, 81-84	2
185	Preparation of W1/O/W2 emulsion to limit the diffusion of Fe ³⁺ in the Fricke gel 3D dosimeter. 2020 , 31, 2127	2
184	Determination of paramagnetic ferrous gel sensitivity in low energy x-ray beam produced by a miniature accelerator. 2020 , 15, e0232315	
183	Gel dosimetry provides the optimal end-to-end quality assurance dosimetry for MR-linacs. 2020 , 47, 3259-32625	
182	Characterization of an organic semiconductor diode for dosimetry in radiotherapy. 2020 , 47, 3658-3668	6

181	Bulk-density controlled thermoluminescence dosimeters based on Al ₂ O ₃ :Cr ceramics as anthropomorphic phantom dosimeters for photon therapy. 2020 , 136, 106348		
180	Influence of the components of a radiochromic PVA-Iodide gel dosimeter on the thermal and spatial stability. 2020 , 135, 106338		4
179	Verification of dose distribution in high-dose-rate brachytherapy using a nanoclay-based radio-fluorogenic gel dosimeter. <i>Physics in Medicine and Biology</i> , 2020 , 65, 175008	3.8	8
178	Edge effects in 3D dosimetry: characterisation and correction of the non-uniform dose response of PRESAGE. <i>Physics in Medicine and Biology</i> , 2020 , 65, 095003	3.8	1
177	Dose distribution verification in intraoperative radiation therapy using an N-isopropyl acrylamide-based polymer gel dosimeter. 2020 , 324, 481-488		4
176	Polymer gel 3D dosimetry in radiotherapy. 2020 , 30, 171-172		3
175	Application of polymer dose gels for millimeter scale target/tumor pre-treatment imitation using gamma knife facility. 2020 , 470, 56-60		1
174	Feasibility of markerless fluoroscopic real-time tumor detection for adaptive radiotherapy: development and end-to-end testing. <i>Physics in Medicine and Biology</i> , 2020 , 65, 115002	3.8	0
173	Applicability of 2,3-dihydro-2-spiro-4[8?-aminonaphtalen-1?(4?H)-on]perimidine to dosimeters. 2020 , 135, 106343		0
172	Effect of the glucono- δ -lactone concentration on the sensitivity and stability of PVA-GTA-I radiochromic gel dosimeter. 2020 , 134, 106311		4
171	Technical Note: Radiotherapy dose characterization of gel dosimetry using shear wave elasticity imaging. 2020 , 47, 1404-1410		1
170	Assessment of photon energy and dose rate dependence of U-NIPAM polymer gel dosimeter. 2020 , 172, 108784		6
169	An innovative Fe ³⁺ selective ligand for Fricke-gel dosimeter. 2020 , 171, 108733		8
168	Dose uncertainty and resolution of polymer gel dosimetry using an MRI guided radiation therapy system's onboard 0.35T scanner. 2020 , 73, 8-12		5
167	Processing and characterization of MAGIC-f gel with ultraviolet/visible light spectrophotometry. 2020 , 36, 99-105		
166	Facile synthesis of Bi ₂ S ₃ -MoS ₂ heterogeneous nanoagent as dual functional radiosensitizer for triple negative breast cancer theranostics. 2020 , 395, 125032		12
165	A new formulation of polymer gel dosimeter with reduced toxicity: Dosimetric characteristics and radiological properties. 2020 , 30, 185-193		8
164	Isomerization behavior of diarylethene-type photochromic compounds under X-ray irradiation: application to dosimetry. 2020 , 59, 046004		1

163	Experimental verification of consistency of micro-silica glass bead thermoluminescent detectors for mixed gamma/neutron irradiation. 2021 , 179, 109210		1
162	LCV-Pluronic F-127 dosimeter for UV light dose distribution measurements. 2021 , 405, 112930		3
161	and biocompatibility study of polyacrylate TiO@Ag coated nanoparticles for the radiation dose enhancement. 2021 , 49, 185-193		1
160	[Investigation of Verification Methods of Field Matching Using Polymer Gel Dosimeter in Proton Therapy]. 2021 , 77, 811-820		
159	An end-to-end assessment on the accuracy of adaptive radiotherapy in an MR-linac. <i>Physics in Medicine and Biology</i> , 2021 , 66, 055021	3.8	3
158	Application of radiochromic gel dosimetry to commissioning of a megavoltage research linear accelerator for small-field animal irradiation studies. 2021 , 48, 1404-1416		1
157	The influence of gamma radiation on organic compounds having carbon ring and its application in dosimetry. 2021 , 109, 407-418		0
156	Synthesis of a metal chelating monomer for radiation polymer dosimetry. 2021 , 180, 109295		0
155	Investigation of a modified radiochromic genipin-gel dosimeter: Dosimetric characteristics and radiological properties. 2021 , 328, 19-31		2
154	Development of radiochromic dosimeters based on polyvinyl chloride films containing 2?-anilino-6?-di-n-pentylamino-3?-methylfluoran (Black305). 2021 , 60, 036003		0
153	Improved performance of N-(Hydroxymethyl)acrylamide gel dosimeter using potassium chloride for radiotherapy. 2021 , 142, 106542		5
152	Validation of a secondary dose check tool against Monte Carlo and analytical clinical dose calculation algorithms in VMAT. 2021 , 22, 52-62		3
151	The H2AX DSB marker may not be a suitable biodosimeter to measure the biological MRT valley dose. 2021 , 97, 642-656		3
150	Fiducial detection and registration for 3D IMRT QA with organ-specific dose information. 2021 , 22, 24-35		
149	Kilovoltage therapy is well and truly alive and needed in a modern radiotherapy centre. 2021 , 44, 341-345		0
148	Dose-response of Fricke- and PAGAT-dosimetry gels in kilovoltage and megavoltage photon beams: Impact of LET on sensitivity. 2021 , 84, 41-49		1
147	Empirical quenching correction in radiochromic silicone-based three-dimensional dosimetry of spot-scanning proton therapy. 2021 , 18, 11-18		3
146	Performance of a new commercial high-definition 3D patient specific quality assurance system for CyberKnife robotic radiotherapy and radiosurgery. 2021 , 143, 106568		2

145	3D dosimetric validation of ultrasound-guided radiotherapy with a dynamically deformable abdominal phantom. 2021 , 84, 159-167		2
144	A benchmark for gel structures: bond percolation enables the fabrication of extremely homogeneous gels.		1
143	Technical Note: Three-dimensional QA of simultaneous integrated boost radiotherapy treatments by a dose-volume histogram methodology and its comparison with 3D gamma results. 2021 , 48, 3208-3215		0
142	Properties and Applications of Stimuli-Responsive Diacetylenes. 2021 , 21, 3614-3638		7
141	Hydrogels for Three-Dimensional Ionizing-Radiation Dosimetry. 2021 , 7,		3
140	The Effect of N, N'-Methylene-bis-acrylamide Removal from a Polymer Gel Dosimeter Formulation: SpinSpin Relaxation Rate Investigation and Post-irradiation Time Instability. 2021 , 52, 1159		
139	Medical application of particle and heavy ion transport code system PHITS. 2021 , 14, 215-225		2
138	A new formulation for polymer fricke dosimeter and an innovative application of neural network to study dose profile from spin-echo NMR data. 2021 , 184, 109444		0
137	Anisotropic diffusion of Fe ions in Fricke-XO-Pluronic F-127 and Fricke-XO-gelatine 3D radiotherapy dosimeters. <i>Physics in Medicine and Biology</i> , 2021 , 66,	3.8	1
136	Report of AAPM Task Group 155: Megavoltage photon beam dosimetry in small fields and non-equilibrium conditions. 2021 , 48, e886-e921		10
135	PAGAT gel dosimetry for everyone: gel production, measurement and evaluation. 2021 , 7,		1
134	Laser Light Trapping Phenomenon in a 3D Radiotherapy Polymer Gel Dosimeter. 2021 , 14,		0
133	First measured optical image of Cerenkov-light in water during irradiation of neutron beam from boron neutron capture therapy (BNCT) system. 2021 , 146, 106633		1
132	Synchrotron X-ray Irradiation of a Rat Head Model: Monte Carlo Study of Chromatic Gel Dosimetry. 2021 , 11, 7389		1
131	Preliminary study on a 3D lung mimicking dosimeter based on Pluronic F-127 matrix. 2021 , 185, 109479		2
130	Development and Application of MAGIC-f Gel in Cancer Research and Medical Imaging. 2021 , 11, 7783		2
129	Technical Note: On the feasibility of performing dosimetry in target and organ at risk using polymer dosimetry gel and thermoluminescence detectors in an anthropomorphic, deformable, and multimodal pelvis phantom. 2021 , 48, 5501-5510		0
128	Preliminary study on a new 3D radiochromic KI-Pluronic F-127 gel dosimeter for radiotherapy. 2021 , 185, 109507		3

127	Application of the oxidation of iodide by organic halogen peroxide for a new 3D gel dosimeter. 2021 , 329, 1491-1496		0
126	Gel and thermoluminescence dosimetry for dose verifications of a real anatomy simulated prostate conformal radiation treatment in the presence of metallic femoral prosthesis. 2021 , 22, 278-287		1
125	Evaluation of two calibration methods for MRI-based polymer gel dosimetry. 2021 , 174, 109754		1
124	Experimental characterization and Monte Carlo simulations of the dose enhancement on the millimeter scale of PAGAT infused with gadolinium. 2021 , 186, 109533		1
123	Three-dimensional Winston-Lutz test using reusable polyvinyl alcohol-iodide (PVA-I) radiochromic gel dosimeter. <i>Physics in Medicine and Biology</i> , 2021 , 66,	3.8	0
122	The Effect of MRI Parameters on the Sensitivity and Dose Resolution of PASSAG Polymer Gel Dosimeter. 2021 , 52, 1671		1
121	Three-dimensional IMRT QA of Monte Carlo and full scatter convolution algorithms based on 3D film dosimetry. 2021 , 186, 109528		3
120	The impact of various amounts of fabricating components on the response of PASSAG polymer gel dosimeter: An optimization study. 2021 , 190, 109804		1
119	Improvement of light stability of DHR123 radio fluorogenic nano clay gel dosimeter by incorporating a new dispersant. 2021 , 418, 113423		1
118	1,10-Bis(diphenylamino)-4,6-decadiyne as an active component of a radiochromic film dosimeter. 2021 , 189, 109714		0
117	Basic features of VIC-T dosimeter with spiral CT readout, CT scanning conditions and data processing with a new polyGeVero-CT software package. 2021 , 189, 109730		1
116	Fricke gel xylene orange dosimeter layers for stereotactic radiosurgery: A preliminary approach. 2021 , 178, 109936		2
115	Radiotherapy dosimetry parameters intercomparison among eight gel dosimeters by Monte Carlo simulation. 2022 , 190, 109782		0
114	Tridimensional dose evaluation of the respiratory motion influence on breast radiotherapy treatments using conformal radiotherapy, forward IMRT, and inverse IMRT planning techniques. 2021 , 81, 60-68		1
113	Nanoclay gel-based radio-fluorogenic gel dosimeters using various fluorescence probes. 2018 , 151, 42-46		13
112	Chapter 9:Gel-based Radiation Dosimetry Using Quantitative MRI. 2020 , 275-357		3
111	On the feasibility of absolute 3D dosimetry using LiF thermoluminescence detectors and polymer gels on a 0.35T MR-LINAC. <i>Physics in Medicine and Biology</i> , 2020 , 65, 215002	3.8	2
110	Towards real-time 4D radiation dosimetry on an MRI-Linac. <i>Physics in Medicine and Biology</i> , 2020 , 65, 225031	3.8	6

109	Linac-integrated kV-cone beam CT polymer gel dosimetry. <i>Physics in Medicine and Biology</i> , 2020 , 65, 2250330	1
108	Basic quality assurance: Profiles and depth dose curves. 2016 , 87-104	1
107	A novel thin NIPAM gel cassette dosimeter for photon-beam radiotherapy. 2012 , 7, e31836	6
106	A Comprehensive Evaluation of NIPAM Polymer Gel Dosimeters on Three Orthogonal Planes and Temporal Stability Analysis. 2016 , 11, e0155797	6
105	Dosimetric comparison among different head and neck radiotherapy techniques using PRESAGE [®] dosimeter. 2015 , 3, 349	2
104	Development of radiochromic dosimeters based on polyvinyl chloride films containing leuco crystal violet. 2020 , 59, 096001	2
103	Three-dimensional polymer gel dosimetry using an onboard 0.35 T magnetic resonance imaging scanner: A simulation study. 2015 , 40, 176-80	5
102	Does nitrogen gas bubbled through a low density polymer gel dosimeter solution affect the polymerization process?. 2015 , 4, 88	1
101	Patient-Specific Quality Assurance Protocol for Volumetric Modulated Arc Therapy using Dose Volume Histogram. 2018 , 43, 112-118	5
100	Investigation of Temperature Dependence of Polymer Gels for Use with Scanning Magnetic Resonance Imaging. 2018 , 07, 261-272	1
99	Annealing properties of the PVA-GTA-I gel dosimeter. 2021 , 149, 106674	1
98	Effect of lithium chloride inorganic salt on the performance of N-(Hydroxymethyl)acrylamide polymer-gel dosimeter in radiation therapy. 2021 , 330, 1255	2
97	Phantoms in Brachytherapy. 2014 , 77-87	
96	Correction of refraction distortion due to boundary mismatch in optical ct of gel dosimeters. 2016 ,	
95	Small field and radiosurgery dosimetry. 2016 , 105-134	
94	25 Development and Clinical Application of Three-dimensional Gel Dosimeter for Radiotherapy Treatment. 2017 , 66, 595-600	
93	3 Radiation DosimetryExperimental Methods in Radiation Chemistry [®] 2017 , 66, 407-416	
92	Light-Ion Beam Dosimetry. 2017 , 301-328	

91	Evaluation of Spatial Resolution of MRI, Optical CT and X-Ray CT Using MTF for Gel Dosimeter. 2019 , 35-38		1
90	3.2.5 Development of LET-independent Gel DosimeterMRI (magnetic resonance imaging)-based Fricke Gel Dosimeter 2019 , 68, 267-276		
89	Design of a Reconfigurable Quality Assurance Phantom for Verifying the Spatial Accuracy of Radiosurgery Treatments for Multiple Brain Metastases. 2019 , 13,		0
88	Optimization of solid tank design for fan-beam optical CT based 3D radiation dosimetry. <i>Physics in Medicine and Biology</i> , 2020 , 65, 245012	3.8	1
87	A review study on application of gel dosimeters in low energy radiation dosimetry. 2022 , 179, 110015		2
86	Radiochromic Fricke gels with eriochrome cyanine R for radiotherapy dosimetry. 2022 , 191, 109830		0
85	Chapter 1:Gels. 2020 , 1-44		
84	Spectrophotometric Study of Polymeric DyesGels After a Gamma Irradiation Process for its Possible Use as a Radiation Dosimeter. 2020 , 7, 77-81		
83	Yüksek Doz Hızlı Brakiterapi Cihazın Kalite Kontrol Testlerinde 2D-Array İyon Odası Sisteminin Kullanılabilirliği Dozimetrik Fizibilite Bilgisi		
82	Influencing Factors on Reproducibility and Stability of MRI NIPAM Polymer Gel Dosimeter. 2013 , 3, 163-8		1
81	Design and construction of an optical computed tomography scanner for polymer gel dosimetry application. 2014 , 4, 130-8		1
80	Validation of a Prototype Optical Computed Tomography System. 2015 , 5, 123-30		
79	Uncertainty Analysis in MRI-based Polymer Gel Dosimetry. 2017 , 7, 299-304		4
78	Pencil-Beam Fluence Evaluation Based on Monte Carlo Simulations Algorithm of High Energetic Treatment Photons. 2018 , 8, 81-86		
77	Evaluation of Gold Nanoparticle Size Effect on Dose Enhancement Factor in Megavoltage Beam Radiotherapy Using MAGICA Polymer Gel Dosimeter. 2019 , 9, 89-96		4
76	Dosimetry and Radioenhancement Comparison of Gold Nanoparticles in Kilovoltage and Megavoltage Radiotherapy using MAGAT Polymer Gel Dosimeter. 2019 , 9, 199-210		3
75	A Novel Adjustable Anthropomorphic Head Phantom for Verifying the Dose of Radiation Therapy. 2020 , 10, 663-668		
74	Robustness of single-isocenter multiple-metastasis stereotactic radiosurgery end-to-end testing across institutions. 2021 , 7, 223-232		

73	Theoretical and Monte Carlo-based Kerma factor evaluation for various thermoluminescence (TL) dosimetry materials over a wide range of photon energies. 2021 , 136, 1		0
72	End-to-end test for fractionated online adaptive MR-guided radiotherapy using a deformable anthropomorphic pelvis phantom. <i>Physics in Medicine and Biology</i> , 2021 ,	3.8	2
71	Whole Three-Dimensional Dosimetry of Carbon Ion Beams with an MRI-Based Nanocomposite Fricke Gel Dosimeter Using Rapid Mapping Method.. 2021 , 7,		0
70	Fluorescent organic particle doped polymer-based gel dosimeter for neutron detection.. 2021 , 180, 110067		
69	A Novel Adjustable Anthropomorphic Head Phantom for Verifying the Dose of Radiation Therapy. 2020 , 10, 663-668		
68	Rapid manufacture of patient-specific, elastomeric, three-dimensional dosimeters using the FlexyDos3D dosimeter. 2022 , 2167, 012010		0
67	Real time 4D Radiation Gel Dosimetry on the Australian MRI-Linac. 2022 , 2167, 012029		
66	Improvement on the performance N-(3-methoxypropyl)acrylamide polymer-gel dosimeter by the addition of inorganic salt for application in radiotherapy dosimetry. 2022 , 331, 1343		0
65	Simulated design optimization of a prototype solid tank optical CT scanner for 3D radiation dosimetry. 2022 , 2167, 012009		
64	RSC: Gel dosimetry as a tool for clinical implementation of image-guided radiotherapy. 2022 , 2167, 012020		0
63	End-to-End Quality Assurance of Stereotactic Radiation Therapy Using an Anthropomorphic Head Phantom. 2022 , 2167, 012022		1
62	Investigation of target dose conformity using normoxic polymer gel dosimetry techniques: A clinical example of 12th thoracic vertebrae SBRT treatment with VMAT. 2022 , 2167, 012016		0
61	A normoxic acrylic acid polymer gel for dosimetry in radiation therapy. 2022 , 331, 665		0
60	Development of a practical clinical application of NIPAM kV-CBCT dosimetry. 2022 , 2167, 012007		
59	Improved Dose Response of -(hydroxymethyl)acrylamide Gel Dosimeter with Calcium Chloride for Radiotherapy.. 2022 , 8,		1
58	Impact of curing conditions on basic dosimetric properties of silicone-based radiochromic dosimeters for photon and proton irradiation.. 2022 , 1-5		1
57	Further investigation of lung tumour peripheral doses using normoxic polymer gel dosimetry techniques. 2022 , 2167, 012025		
56	Study of the Optimal Composition and Storage Conditions of the Fricke-XO-Pluronic F-127 Radiochromic Dosimeter.. 2022 , 15,		1

55	An abdominal phantom with anthropomorphic organ motion and multimodal imaging contrast for MR-guided radiotherapy.. <i>Physics in Medicine and Biology</i> , 2022 ,	3.8	1
54	Characterization of Improved PASSAG Polymer Gel Dosimeter Using Magnetic Resonance Imaging. 2022 , 53, 441-455		0
53	Technical Note: Toward implementation of MR-guided radiation therapy for Laryngeal cancer with healthy volunteer imaging and a custom MR-CT larynx phantom.. 2022 ,		0
52	Flexible radiochromic dosimeters development for complex irradiation beams. 2022 , 2167, 012002		0
51	A Novel Nanocomposite Material for Optically Stimulated Luminescence Dosimetry.. 2022 ,		3
50	Evaluation of MAGIC-f polymer gel dosimeter for dose profile measurement in small fields and stereotactic irradiation. 2022 , 194, 109991		1
49	Features of PABIG 3D Polymer Gel as an Ionising Radiation Dosimeter.. 2022 , 15,		1
48	Induced Radionuclides and Their Activity Concentration in Gel Dosimeters Irradiated by Carbon Ion Beam.. 2022 , 8,		0
47	Thermally Controllable Decolorization of Reusable Radiochromic Complex of Polyvinyl Alcohol, Iodine and Silica Nanoparticles (PAISiN) Irradiated with Brays. 2022 , 12, 2959		
46	Gafchromic EBT3 Film Measurements of Dose Enhancement Effects by Metallic Nanoparticles for 192Ir Brachytherapy, Proton, Photon and Electron Radiotherapy. 2022 , 2, 130-148		2
45	Evaluation of an anthropomorphic ion chamber and 3D gel dosimetry head phantom at a 0.35 T MR-linac using separate 1.5 T MR-scanners for gel readout.. 2022 ,		0
44	Target localization accuracy in frame-based stereotactic radiosurgery: Comparison between MR-only and MR/CT co-registration approaches.. 2022 , e13580		0
43	Polymer-Gel Radiation Dosimetry of Laser-Based Relativistic Electron Sources for Biomedical Applications: First Qualitative Results and Experimental Challenges. 2022 , 10,		0
42	A multi-modality medical imaging head and neck phantom: Part 1. Design and fabrication.. 2022 ,		0
41	Introducing a chemical-based gel dosimeter for radiation measurement. 2022 , 196, 110104		
40	Dosimetric Study Using Patient-Specific Three-Dimensional-Printed Head Phantom with Polymer Gel in Radiation Therapy. 2021 , 32, 99-106		
39	Recent Advances in Hydrogel-Based Sensors Responding to Ionizing Radiation.. 2022 , 8,		2
38	Development and Evaluation of Cone-Beam Optical Ct Based on the Convergent Light Source for Larger Volumes.		

37	Pilot Study of Polymerization Dynamics in nMAG Dose Gel. 2022 , 8, 288	1
36	Nanomaterials Based on Functional Polymers for Sensitizing Cancer Radiotherapy.. 2022 , e2200194	0
35	Optical properties of polymerization N-(3-methoxypropyl) acrylamide polymer gel dosimeters for radiotherapy. 2022 , ahead-of-print,	
34	Global and spatial dosimetric characteristics of N-vinylpyrrolidone-based polymer gel dosimeters as a function of medium-term post-preparation and post-irradiation time. 2022 , 110280	
33	Influence of Poly(Vinyl Alcohol)/Poly(N-Vinyl-2-Pyrrolidone) Polymer Matrix Composition on the Bonding Environment and Characteristics of Ag Nanoparticles Produced by Gamma Irradiation.	
32	Novel Application of Ferrous-Methylthymol Blue- Polyvinyl Alcohol- Glutaraldehyde Gel Dosimeter as a Bolus.	
31	High optical stability of reusable radiochromic polyvinyl alcohol-iodine gel dosimeter for radiotherapy. 2022 , 199, 110338	0
30	Application of Polarization-sensitive Optical Coherence Tomography in Measurement of Gel Dosimeters.	
29	A Review of PRESAGE Radiochromic Polymer and the Compositions for Application in Radiotherapy Dosimetry. 2022 , 14, 2887	0
28	HyperArc™ Dosimetric Validation for Multiple Targets Using Ionization Chamber and RT-100 Polymer Gel. 2022 , 8, 481	0
27	Influence of poly(vinyl alcohol)/poly(N-vinyl-2-pyrrolidone) polymer matrix composition on the bonding environment and characteristics of Ag nanoparticles produced by gamma irradiation. 2023 , 202, 110564	1
26	Development of radiochromic dosimeters based on polymer films with fluoran and divinyl phthalide dyes. 2022 , 33, 21472-21481	1
25	Verification of dose distribution in high dose-rate brachytherapy for cervical cancer using a normoxic N-vinylpyrrolidone polymer gel dosimeter.	0
24	Radiation Dosimetry by Use of Radiosensitive Hydrogels and Polymers: Mechanisms, State-of-the-Art and Perspective from 3D to 4D. 2022 , 8, 599	3
23	Relative dose-response from solid-state and gel dosimeters through Monte Carlo simulations. 2022 , 10,	0
22	Three-Dimensional Dosimetry by Optical-CT and Radiochromic Gel Dosimeter of a Multiple Isocenter Craniospinal Radiation Therapy Procedure. 2022 , 8, 582	1
21	3D Proton Bragg Peak Visualization and Spot Shape Measurement with Polymer Gel Dosimeters. 2022 , 12, 9839	0
20	Fast Isocenter Determination Using 3D Polymer Gel Dosimetry with Kilovoltage Cone-Beam CT Reading and the PolyGeVero-CT Software Package for Linac Quality Assurance in Radiotherapy. 2022 , 15, 6807	2

19	Chemical Overview of Gel Dosimetry Systems: A Comprehensive Review. 2022 , 8, 663	1
18	The Impact of Temporal Changes in Irradiated nMAG Polymer Gels on Their Applicability in Small Field Dosimetry in Radiotherapy. 2022 , 8, 629	1
17	A novel anthropomorphic breathing phantom with a pneumatic MR-safe actuator for tissue deformation studies during MRI and radiotherapy. 2022 , 104, 43-55	0
16	Features of 2Day.QA ² as a 2D radiation dosimeter. 2022 , 104, 23-31	0
15	Investigation on the long-term storage condition of the PVA-GTA-I gel dosimeter. 2022 , 106879	1
14	Small field output factor measurement and verification for CyberKnife robotic radiotherapy and radiosurgery system using 3D polymer gel, ionization chamber, diode, diamond and scintillator detectors, Gafchromic film and Monte Carlo simulation. 2023 , 192, 110576	0
13	Dose sensitivity of MAGIC-f polymer gel using different MRI sequences. 2022 , 10, 1-15	0
12	Preparation of polymer gel dosimeters for low gamma irradiation dose. 2022 ,	0
11	An investigation into the dose rate and photon energy dependence of the GENA gel dosimeter in the MeV range. 2023 , 106, 102522	0
10	Dose-response dependencies of Turnbull blue, modified Fricke, VIPET, and Presage ² gel dosimeters in high-dose-rate radiation fields. 2023 , 161, 106910	0
9	[Radiation Therapy] 3. Fabrication and Evaluation of Gel Dosimeters as 3D-Dose Distribution Phantom. 2023 , 79, 65-70	0
8	Detecting ionizing radiation dose using composite hydrogel-based sensors. 2023 , 459, 141547	0
7	First Combined, Double-Density LCV-Pluronic F-127 Radiochromic Dosimeter Mimicking Lungs and Muscles. 2023 , 8, 2201023	0
6	End-to-End QA with Polymer Gel Dosimeter for Photon Beam Radiation Therapy. 2023 , 9, 212	0
5	Enhanced X-ray Dose Response of Radio-fluorescent Hydrogels Enabled by Persulfate Salts.	0
4	Sensitivity of a bone-equivalent polymer gel dosimeter for measuring the dose to bone during radiation therapy.	0
3	Gel Dosimetry. 2023 , 9, 311	0
2	Optimization of the Dose Rate Effect in Tetrazolium Gellan Gel Dosimeters. 2023 , 9, 334	0

- 1 Iterative image reconstruction with polar coordinate discretized system matrix for optical CT radiochromic gel dosimetry.

o