

CITATION REPORT

List of articles citing

Sarcopenia: European consensus on definition and diagnosis: Report of the European Working Group on Sarcopenia in Older People

DOI: 10.1093/ageing/afq034
Age and Ageing, 2010, 39, 412-23.

Source: <https://exaly.com/paper-pdf/47803057/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2202	Frailty Clinical Phenotype: A Physical and Cognitive Point of View. 2015 , 83, 55-63		18
2201	Historic Sketches of the Cattle Trade of the West and Southwest. 1940 , 27, 304		
2200	Anaerobic glycolysis in normal human erythrocytes incubated in vitro with sodium salicylate. 1975 , 49, 375-84		2
2199	Frailty, Nutrition, and Sarcopenia in the Geriatric Patient With Dysphagia. 2010 , 15, 35-41		1
2198	Moving against frailty: does physical activity matter?. 2010 , 11, 537-45		156
2197	Frailty and muscle metabolism dysregulation in the elderly. 2010 , 11, 527-36		115
2196	Krank oder nur alt? Frailty – Ein neues Konzept in der Klinischen Praxis. 2010 , 5, 181-193		3
2195	An overview of sarcopenia: facts and numbers on prevalence and clinical impact. 2010 , 1, 129-133		466
2194	Hertfordshire sarcopenia study: design and methods. 2010 , 10, 43		34
2193	Recent advances in the biology and therapy of muscle wasting. 2010 , 1211, 25-36		92
2192	The success story of the European Union Geriatric Medicine Society (EUGMS). 2010 , 1, 137-140		7
2191	Commentary on frailty and vulnerability by Carlos Montes Paixao Junior and Alexandra Prufer de Queiroz Campos Araujo. 2010 , 1, 170		
2190	Professor Jean-Pierre Baeyens. 2010 , 1, 317-319		
2189	Bedding aids. 2010 , 1, 385-390		1
2188	Regulation of devices. 2010 , 341, c5730		8
2187	Arthrose und Sport. 2010 , 26, 236-241		
2186	[Frailty: from the epidemiology to the clinic]. 2010 , 45, 250-1		4

2185	[Nutritional assessment in oncogeriatrics]. 2010 , 41, 214-20	5
2184	Age differences in the relation between ACTN3 R577X polymorphism and thigh-muscle cross-sectional area in women. 2011 , 15, 639-43	11
2183	Physical training modulates structural and functional features of cell nuclei in type II myofibers of old mice. 2011 , 14, 543-52	12
2182	Clinical update on nursing home medicine: 2011. 2011 , 12, 615-626.e6	5
2181	Sarcopenia with limited mobility: an international consensus. 2011 , 12, 403-9	648
2180	Quelles sont les relations entre sarcop ^h ie et fragilit ^é ?. 2011 , 11, 229-231	1
2179	Clinical trials on sarcopenia: methodological issues regarding phase 3 trials. 2011 , 27, 471-82	24
2178	Body mass index and mortality in institutionalized elderly. 2011 , 12, 174-8	53
2177	Toward a definition of sarcopenia. 2011 , 27, 341-53	48
2176	Variability of nutritional practice by geriatricians across Europe. 2011 , 2, 67-70	1
2175	Frailty in older people. 2011 , 2, 344-355	37
2174	The epidemiology of sarcopenia. 2011 , 27, 355-63	119
2173	Physical activity and sarcopenia. 2011 , 27, 449-70	47
2172	Poor physical function in elderly women in low-level aged care is related to muscle strength rather than to measures of sarcopenia. 2011 , 6, 67-76	38
2171	Repeatability and validity of a standardised maximal step-up test for leg function--a diagnostic accuracy study. 2011 , 12, 191	10
2170	Low appendicular muscle mass is correlated with femoral neck bone mineral density loss in postmenopausal women. 2011 , 12, 225	25
2169	Sarcopenia and obesity. 2011 , 27, 401-21	120
2168	Force-velocity characteristics of the knee extensors: an indication of the risk for physical frailty in elderly women. 2011 , 92, 1827-32	46

2167	Resistance exercise for the aging adult: clinical implications and prescription guidelines. 2011 , 124, 194-8	69
2166	Stroke, obesity and gender. Is there actually any relation regardless of age?. 2011 , 70, 92-3	
2165	Ob ^o sit ^o 'sarcop ^o hique et alt ^o fations du m ^o tabolisme prot ^o lque musculaire. 2011 , 25, 138-151	9
2164	[The emergent role of sarcopenia: Preliminary Report of the Observatory of Sarcopenia of the Spanish Society of Geriatrics and Gerontology]. 2011 , 46, 100-10	15
2163	[Hand grip strength: can this be a prognostic factor for mortality in palliative care patients?]. 2011 , 46, 265-7	
2162	[Useful and practical tests for the early detection of sarcopenia in older adults]. 2011 , 46, 330-1; author reply 331	0
2161	Respuesta de los autores. 2011 , 46, 331	
2160	Inducible nitric oxide synthase (iNOS) in muscle wasting syndrome, sarcopenia, and cachexia. 2011 , 3, 702-15	58
2159	Association of Nutrition Status and Rehabilitation Outcome in the Disuse Syndrome: a Retrospective Cohort Study. 2011 , 12, 69-74	14
2158	3 Definitionen. 2011 ,	
2157	Identification of sarcopenic obesity in postmenopausal women: a cutoff proposal. 2011 , 44, 1171-6	38
2156	Similarities in acquired factors related to postmenopausal osteoporosis and sarcopenia. 2011 , 2011, 536735	42
2155	Sarcopenia, Sarcopenic Obesity and Insulin Resistance. 2011 ,	
2154	Cultured myoblasts from patients affected by myotonic dystrophy type 2 exhibit senescence-related features: ultrastructural evidence. 2011 , 55, e26	19
2153	The challenge of appropriate identification and treatment of starvation, sarcopenia, and cachexia: a survey of Australian dietitians. 2011 , 2011, 603161	10
2152	For ^o m ^o muscular e densidade mineral ^o bsea em idosos eutr ^o ficos e desnutridos. 2011 , 24, 845-852	2
2151	[Nutritional and pharmacological intervention for sarcopenia]. 2011 , 48, 55-6	1
2150	Sarcopenic obesity: satellite cells in the aging muscle. 2011 , 14, 22-7	53

2149	Protein metabolism in women and men: similarities and disparities. 2011 , 14, 93-7	27
2148	Cachexia versus sarcopenia. 2011 , 14, 15-21	93
2147	Effects of body composition and menopause characteristics on maximal oxygen uptake of postmenopausal women. 2011 , 18, 1191-7	5
2146	A reference base for age-related decrease in lean tissue mass: whole body and segmental lean tissue mass in healthy young Irish men and women. 2011 , 70,	
2145	Diet quality is positively associated with indexes of muscle mass. 2011 , 70,	
2144	The Relationship between Peak Power of Isokinetic Exercise on a Step Ergometer and Physical Function of Community-dwelling Elderly. 2011 , 26, 139-142	
2143	A prospective study of the associations between 25-hydroxyvitamin D, sarcopenia progression and physical activity in older adults. 2011 , 74, 138; author reply 139	3
2142	âGradingâ subclinical thyroid disease may be misleading Authorsâ response to Goichot, Vinzio and Luca. 2011 , 74, 137-138	
2141	Differential influence of peripheral and systemic sex steroids on skeletal muscle quality in pre- and postmenopausal women. 2011 , 10, 650-60	71
2140	Relevant outcomes in intervention trials for sarcopenia. 2011 , 59, 1566-7	6
2139	Language change with aging in Pelham Grenville Wodehouse and George Bernard Shaw. 2011 , 59, 1567-8	2
2138	Association between insomnia symptoms and weight change in older women: caregiver--study of osteoporotic fractures study. 2011 , 59, 1697-704	1
2137	Prevalence of malnutrition in Parkinson's disease: a systematic review. 2011 , 69, 520-32	77
2136	PP130-SUN INFLAMMATORY NUTRITIONAL INDEX AND ITS ASSOCIATION WITH NUTRITIONAL STATUS IN CANCER PATIENTS. 2011 , 6, 73-74	
2135	PP131-SUN LEAN TISSUE INDEX, PREDICTOR FOR SURVIVAL IN AGED PATIENTS. 2011 , 6, 74	
2134	PP132-SUN CHOICE OF NUTRITION SCREENING TOOL AND CONTINUITY OF CARE. 2011 , 6, 74	2
2133	PP133-SUN WEIGHT LOSS AND ITS ASSOCIATION WITH BODY COMPOSITION AND WORSENING FUNCTIONAL CLASS IN PATIENTS WITH COMPENSATED HEART FAILURE. 2011 , 6, 74-75	
2132	Blunting of adaptive responses to resistance exercise training in women over 75y. 2011 , 46, 884-90	72

2131	A review of the measurement of grip strength in clinical and epidemiological studies: towards a standardised approach. <i>Age and Ageing</i> , 2011 , 40, 423-9	3	1285
2130	Associations between objectively assessed physical activity levels and fitness and self-reported health-related quality of life in community-dwelling older adults. 2011 , 20, 1371-8		53
2129	RNA processing is altered in skeletal muscle nuclei of patients affected by myotonic dystrophy. 2011 , 135, 419-25		17
2128	[Evidence-based medicine: implications from the guideline "non-invasive ventilation" in critically ill elderly patients]. 2011 , 44, 103-8		3
2127	Reference values for hand grip strength, muscle mass, walking time, and one-leg standing time as indices for locomotive syndrome and associated disability: the second survey of the ROAD study. 2011 , 16, 768-77		71
2126	Physical activity, exercise, and sarcopenia - future challenges. 2011 , 161, 416-25		50
2125	Sarcopenia - pathophysiology and clinical relevance. 2011 , 161, 402-8		31
2124	The role of nutrition in the prevention of sarcopenia. 2011 , 161, 409-15		64
2123	Presence of age-associated low-grade inflammation does not worsen the body response to bacterial infection in old male rats. 2011 , 12, 133-45		1
2122	[Nutrition in older persons. Basis for functionality and quality of life]. 2011 , 52, 946-54		6
2121	Myopenia-a new universal term for muscle wasting. 2011 , 2, 1-3		104
2120	The epidemiology of sarcopenia in community living older adults: what role does lifestyle play?. 2011 , 2, 125-134		46
2119	Valutazione dello stato di nutrizione. 2011 , 7, 73-79		
2118	Designing Phase II B trials in sarcopenia: the best target population. 2011 , 15, 725-30		7
2117	Are current definitions of sarcopenia applicable for older Chinese adults?. 2011 , 15, 847-51		36
2116	Physical frailty predicts future cognitive decline - a four-year prospective study in 2737 cognitively normal older adults. 2011 , 15, 690-4		171
2115	Pro-dromal sarcopenia. 2011 , 15, 832-3		0
2114	Difficult� s de la prise en charge du patient � g� 'en m� decine d'urgence. 2011 , 3, 43-47		

2113	Altersgebrechlichkeit und Schlafapnoe. 2011 , 15, 141-147	
2112	Growing muscle has different sarcolemmal properties from adult muscle: a proposal with scientific and clinical implications: reasons to reassess skeletal muscle molecular dynamics, cellular responses and suitability of experimental models of muscle disorders. 2011 , 33, 458-68	31
2111	Skeletal muscle amino acid transporter expression is increased in young and older adults following resistance exercise. 2011 , 111, 135-42	83
2110	Aging, sarcopenia and store-operated calcium entry: a common link?. 2011 , 10, 4201-2	18
2109	[Malnutrition in the elderly]. 2011 , 136, 176-8	8
2108	The frailty syndrome. 2011 , 11, 72-5	96
2107	Frailty: joining the giants. 2011 , 183, 889-90	32
2106	Challenges and new opportunities for clinical nutrition interventions in the aged. 2011 , 141, 535-41	16
2105	Whey protein stimulates postprandial muscle protein accretion more effectively than do casein and casein hydrolysate in older men. 2011 , 93, 997-1005	435
2104	Treatment and Prevention of Osteoarthritis through Exercise and Sports. 2010 , 2011, 374653	33
2103	Proteomic Profiling of Mitochondrial Enzymes during Skeletal Muscle Aging. 2011 , 2011, 908035	22
2102	Influence of resistance exercise on lean body mass in aging adults: a meta-analysis. 2011 , 43, 249-58	341
2101	Sarcopenia and some simple approaches to modifying the consequence of ageing. 2011 , 11, 170-2	
2100	Complications of Oropharyngeal Dysphagia: Malnutrition and Aspiration Pneumonia. 2011 , 575-599	
2099	Lifestyle and sarcopenia-etiology, prevention, and treatment. 2012 , 3, e0024	51
2098	Nutrition and sarcopenia: a review of the evidence and implications for preventive strategies. 2012 , 2012, 510801	127
2097	Sarcopenia, dynapenia, and the impact of advancing age on human skeletal muscle size and strength; a quantitative review. 2012 , 3, 260	618
2096	Leg strength is associated with ventilatory efficiency in older women. 2012 , 33, 537-42	3

2095	A moderate acute increase in physical activity enhances nutritive flow and the muscle protein anabolic response to mixed nutrient intake in older adults. 2012 , 95, 1403-12	101	
2094	Prevalence and risk factors of sarcopenia among nursing home older residents. 2012 , 67, 48-55	198	
2093	Malnutrition, fatigue, frailty, vulnerability, sarcopenia and cachexia: overlap of clinical features. 2012 , 15, 213-9	124	
2092	Identifying sarcopenia. 2012 , 15, 436-41	32	
2091	Sarcopenic indices in community-dwelling older adults. 2012 , 35, 118-25	20	
2090	Chronic low-grade inflammation and age-related sarcopenia. 2012 , 15, 12-22	245	
2089	Bedrest and sarcopenia. 2012 , 15, 7-11	33	
2088	Sarcopenia in older adults. 2012 , 24, 623-7	267	
2087	Sex hormones and sarcopenia in older persons. 2013 , 16, 3-13	51	
2086	Mini nutritional assessment. 2012 , 15, 29-41	132	
2085	Sarcopenia during androgen-deprivation therapy for prostate cancer. 2012 , 30, 3271-6	98	
2084	The effects of exercise on strength and physical performance in frail older people: a systematic review. 2012 , 22, 274-285	10	
2083	[Inflammatory rheumatic diseases in the elderly]. 2012 , 137, 793-8	2	
2082	Alterstraumatologie. 2012 , 7, 187-205	2	
2081	Health-care and home-care utilization among frail elderly persons in Belgium. 2012 , 22, 671-7	54	
2080	Reduced exercise capacity in early-stage amyotrophic lateral sclerosis: Role of skeletal muscle. 2012 , 13, 87-94	9	
2079	Frailty in the older surgical patient: a review. <i>Age and Ageing</i> , 2012 , 41, 142-7	3	414
2078	Sarcopenia in the elderly. 2012 , 29 Suppl 1, i44-i48	140	

2077	Sarcopenia: pharmacology of today and tomorrow. 2012 , 343, 540-6	52
2076	Low-grade chronic inflammation and superoxide anion production by NADPH oxidase are the main determinants of physical frailty in older adults. 2012 , 46, 1108-14	34
2075	Prevalence of sarcopenia and sarcopenic obesity in the Korean population based on the Fourth Korean National Health and Nutritional Examination Surveys. 2012 , 67, 1107-13	207
2074	Exercise training attenuates MuRF-1 expression in the skeletal muscle of patients with chronic heart failure independent of age: the randomized Leipzig Exercise Intervention in Chronic Heart Failure and Aging catabolism study. 2012 , 125, 2716-27	133
2073	Fat Modulates the Relationship between Sarcopenia and Physical Function in Nonobese Older Adults. 2012 , 2012, 216185	12
2072	Intramuscular adipose tissue, sarcopenia, and mobility function in older individuals. 2012 , 2012, 629637	172
2071	Malnutrition-sarcopenia syndrome: is this the future of nutrition screening and assessment for older adults?. 2012 , 2012, 651570	105
2070	Aging, neuromuscular decline, and the change in physiological and behavioral complexity of upper-limb movement dynamics. 2012 , 2012, 891218	37
2069	Developmental influences, muscle morphology, and sarcopenia in community-dwelling older men. 2012 , 67, 82-7	41
2068	Usefulness of preclinical models for assessing the efficacy of late-life interventions for sarcopenia. 2012 , 67, 17-27	33
2067	Nutrition, Resistance Training, and Sarcopenia. 2012 , 27, 114-123	2
2066	The additional value of bioelectrical impedance analysis-derived muscle mass as a screening tool in geriatric assessment for fall prevention. 2012 , 58, 407-12	15
2065	Spurious inferences about long-term outcomes: the case of severe sepsis and geriatric conditions. 2012 , 185, 835-41	101
2064	Longitudinal changes in body composition associated with healthy ageing: men, aged 20-96 years. 2012 , 107, 1085-91	84
2063	Mass spectrometry-based proteomic analysis of middle-aged vs. aged vastus lateralis reveals increased levels of carbonic anhydrase isoform 3 in senescent human skeletal muscle. 2012 , 30, 723-33	57
2062	Nutrition, Protein Turnover and Muscle Mass. 2012 , 59-73	0
2061	Subproteomic analysis of basic proteins in aged skeletal muscle following offgel pre-fractionation. 2012 , 5, 993-1000	11
2060	Assessing muscle disease related to aging using ambient videogames. 2012 ,	2

2059	Insulinotropic and muscle protein synthetic effects of branched-chain amino acids: potential therapy for type 2 diabetes and sarcopenia. 2012 , 4, 1664-78	49
2058	The Relationship between Peak Power of Isokinetic Exercise on a Step Ergometer and Muscle Activity Characteristics. 2012 , 27, 411-415	
2057	Sarcopenic obesity and its association with dietary intake among Brazilian adults clinically screened to participate in a lifestyle changing program. 2012 , 71,	
2056	Instrumental activities of daily living performance in healthy and cognitively intact seniors from a Brazilian sample and its relation to age and other socio-demographic variables. 2012 , 24, 784-93	9
2055	Consensus statement: Academy of Nutrition and Dietetics and American Society for Parenteral and Enteral Nutrition: characteristics recommended for the identification and documentation of adult malnutrition (undernutrition). 2012 , 36, 275-83	630
2054	Mitochondria as sources and targets of damage in cellular aging. 2012 , 50, 1287-95	56
2053	Clinical observations in total body DXA: technical aspects of positioning and analysis. 2012 , 15, 282-9	26
2052	Definitions of Sarcopenia. 2012 , 8-19	5
2051	Development and application of biological age prediction models with physical fitness and physiological components in Korean adults. 2012 , 58, 344-53	24
2050	Cachexia and sarcopenia: emerging syndromes of importance in dogs and cats. 2012 , 26, 3-17	106
2049	Identification of possible cigarette smoke constituents responsible for muscle catabolism. 2012 , 33, 199-208	40
2048	Nutritional problems, overhydration and the association with quality of life in elderly dialysis patients. 2012 , 44, 1885-92	4
2047	Identification of high risk fallers among older people living in residential care facilities: a simple screen based on easily collectable measures. 2012 , 55, 690-5	38
2046	Association between sarcopenia and higher-level functional capacity in daily living in community-dwelling elderly subjects in Japan. 2012 , 55, e9-13	149
2045	The impact of mRNA turnover and translation on age-related muscle loss. 2012 , 11, 432-41	16
2044	Molecular and cellular mechanisms of skeletal muscle atrophy: an update. 2012 , 3, 163-79	190
2043	Biomarkers of sarcopenia in clinical trials-recommendations from the International Working Group on Sarcopenia. 2012 , 3, 181-90	175
2042	From muscle wasting to sarcopenia and myopenia: update 2012. 2012 , 3, 213-7	95

2041	A prospective study of frailty in nephrology-referred patients with CKD. 2012 , 60, 912-21		178
2040	Muscle wasting is associated with mortality in patients with cirrhosis. 2012 , 10, 166-73, 173.e1		523
2039	Sarcopenia: a novel clinical condition or still a matter for research?. 2012 , 13, 766-7		29
2038	The frequency of low muscle mass and its overlap with low bone mineral density and lipodystrophy in individuals with HIV--a pilot study using DXA total body composition analysis. 2012 , 15, 224-32		26
2037	Muscle and mortality in cirrhosis. 2012 , 10, 100-2		20
2036	Impact of a new sarco-osteopenia definition on health-related quality of life in a population-based cohort in Northern Europe. 2012 , 15, 32-8		34
2035	Sarcopenia and mortality among older nursing home residents. 2012 , 13, 121-6		201
2034	Total body DXA: on the cusp of clinical care. 2012 , 15, 387-388		3
2033	Analysis of Muscle Force-Velocity Parameter Changes in Elderly Women Resulting from Physical Activity in Continuous Examinations. 2012 , 38, 867-876		
2032	Defining Akt actions in muscle differentiation. 2012 , 303, C1292-300		36
2031	Adverse effects of coexistence of sarcopenia and metabolic syndrome in Japanese women. 2012 , 66, 1093-8		41
2030	Effects of estrogen replacement and lower androgen status on skeletal muscle collagen and myofibrillar protein synthesis in postmenopausal women. 2012 , 67, 1005-13		33
2029	Dynapenia and aging: an update. 2012 , 67, 28-40		456
2028	Respiratory impairment and the aging lung: a novel paradigm for assessing pulmonary function. 2012 , 67, 264-75		88
2027	Is grip strength associated with length of stay in hospitalised older patients admitted for rehabilitation? Findings from the Southampton grip strength study. <i>Age and Ageing</i> , 2012 , 41, 641-6	3	46
2026	Vitamin D and osteoporosis-related fracture. 2012 , 523, 115-22		13
2025	Sarcopenia is more prevalent in men than in women after hip fracture: a cross-sectional study of 591 inpatients. 2012 , 55, e48-52		80
2024	Chronology of age-related disease definitions: osteoporosis and sarcopenia. 2012 , 11, 320-4		46

2023	Age, weight and obesity. 2012 , 71, 115-9	22
2022	Fatal cases of aortic dissection: an autopsy study. 2012 , 158, 148-9	3
2021	Arterial stiffness in sarcopenic visceral obesity in the elderly: J-SHIPP study. 2012 , 158, 146-8	45
2020	Consensus statement of the Academy of Nutrition and Dietetics/American Society for Parenteral and Enteral Nutrition: characteristics recommended for the identification and documentation of adult malnutrition (undernutrition). 2012 , 112, 730-8	396
2019	Sarcopenia and predictors of the fat free mass index in community-dwelling and assisted-living older men and women. 2012 , 35, 180-5	21
2018	Relationship between muscle mass and physical performance: is it the same in older adults with weak muscle strength?. <i>Age and Ageing</i> , 2012 , 41, 799-803	3 42
2017	Contrarily to whey and high protein diets, dietary free leucine supplementation cannot reverse the lack of recovery of muscle mass after prolonged immobilization during ageing. 2012 , 590, 2035-49	49
2016	Resolving candidate genes of mouse skeletal muscle QTL via RNA-Seq and expression network analyses. 2012 , 13, 592	17
2015	Australian and New Zealand Society for Geriatric Medicine: position statement - obesity and the older person. 2012 , 31, 261-7	9
2014	Sarcopenia as a risk factor for falls in elderly individuals: results from the iLSIRENTE study. 2012 , 31, 652-8	513
2013	Prevalence and associated factors of sarcopenia in older adults with intellectual disabilities. 2012 , 33, 2004-12	59
2012	Prevalence of sarcopenia in Mexico City. 2012 , 3, 157-160	48
2011	Whey protein supplementation in nursing home residents. A randomized controlled trial. 2012 , 3, 161-166	17
2010	Handgrip strength predicts pressure ulcers in patients with hip fractures. 2012 , 28, 874-8	24
2009	Ageing, adiposity indexes and low muscle mass in a clinical sample of overweight and obese women. 2012 , 6, e1-e90	14
2008	Apoptosis in skeletal myocytes: a potential target for interventions against sarcopenia and physical frailty - a mini-review. 2012 , 58, 99-106	100
2007	Protein supplementation increases muscle mass gain during prolonged resistance-type exercise training in frail elderly people: a randomized, double-blind, placebo-controlled trial. 2012 , 13, 713-9	363
2006	Musculoskeletal frailty: a geriatric syndrome at the core of fracture occurrence in older age. 2012 , 91, 161-77	71

2005	Nutrition and Aging. 2012 , 654-668	1
2004	Tongue Structure and Function. 2012 , 207-227	2
2003	Association between gait speed and bone strength in community-dwelling postmenopausal Japanese women. 2012 , 17, 394-400	10
2002	Predicting cause-specific mortality of older men living in the Veterans home by handgrip strength and walking speed: a 3-year, prospective cohort study in Taiwan. 2012 , 13, 517-21	47
2001	Emergent cardiovascular risk factors in the very elderly. 2012 , 10, 1221-5	5
2000	Prevalence and prognostic effect of sarcopenia in breast cancer survivors: the HEAL Study. 2012 , 6, 398-406	167
1999	Sarcopenia and its determinants among Iranian elderly (SARIR): study protocol. 2012 , 11, 23	15
1998	Association between obesity and asthma in the elderly population: potential roles of abdominal subcutaneous adiposity and sarcopenia. 2012 , 109, 243-8	51
1997	Personnes âgées et réanimation. 2012 ,	
1996	Effects of meal frequency on metabolic profiles and substrate partitioning in lean healthy males. 2012 , 7, e38632	45
1995	The potential of classic and specific bioelectrical impedance vector analysis for the assessment of sarcopenia and sarcopenic obesity. 2012 , 7, 585-91	56
1994	Evaluation of factors influencing grip strength in elderly koreans. 2012 , 19, 103-10	23
1993	[Interventions for frailty and sarcopenia in community-dwelling elderly women]. 2012 , 49, 726-30	5
1992	Prevalence rate and associated factors of sarcopenic obesity in korean elderly population. 2012 , 27, 748-55	48
1991	[Physical exercise as an efficient intervention in frail elderly persons]. 2012 , 35, 69-85	21
1990	Massa muscular de idosos do município de São Paulo - Estudo SABE: Saúde, Bem-estar e Envelhecimento. DOI: 10.5007/1980-0037.2012v14n1p1. 2012 , 14,	
1989	Last Word on Viewpoint: Muscle atrophy is not always sarcopenia. 2012 , 113, 685	3
1988	Commentaries on Viewpoint: Muscle atrophy is not always sarcopenia. 2012 , 113, 680-4	7

1987	The physiology of age-related and lifestyle-related decline. 2012 , 27-37	
1986	[Association of daily physical performance with muscle volume and strength]. 2012 , 49, 195-8	14
1985	[Sarcopenia in community-dwelling elderly subjects in Japan: assessing muscle mass using bioimpedance analysis]. 2012 , 49, 718-20	1
1984	Envelhecimento, estresse oxidativo e sarcopenia: uma abordagem sist [^] mica. 2012 , 15, 365-380	19
1983	[Sarcopenia and its risk factors in epidemiological study]. 2012 , 49, 721-5	8
1982	Skeletal muscle features in myotonic dystrophy and sarcopenia: do similar nuclear mechanisms lead to skeletal muscle wasting?. 2012 , 56, e36	12
1981	Differences in muscle strength depend on age, gender and muscle functions. 2012 , 20, 229-235	4
1980	[Relationship between sarcopenic obesity or sarcopenia and insulin resistance or functional disability]. 2012 , 49, 210-3	4
1979	Validade de equa [^] ões antropom [^] tricas para estimar a massa muscular em idosos. DOI:10.5007/1980-0037.2012v14n1p23. 2012 , 14,	12
1978	Automated rodent in situ muscle contraction assay and myofiber organization analysis in sarcopenia animal models. 2012 , 112, 2087-98	13
1977	Age-related changes in speed and mechanism of adult skeletal muscle stem cell migration. 2012 , 30, 1182-95	54
1976	Plasma heat shock protein 72 as a biomarker of sarcopenia in elderly people. 2012 , 17, 349-59	37
1975	Gut microbiota composition correlates with diet and health in the elderly. 2012 , 488, 178-84	1987
1974	Sex-specific associations between soft tissue body composition and bone mineral density among older adults. 2012 , 39, 206-13	20
1973	Update in geriatric medicine. 2012 , 27, 371-5	1
1972	Exercise and nutritional interventions for improving aging muscle health. 2012 , 42, 29-38	88
1971	Prevalence of sarcopenia in healthy community-dwelling elderly in an urban area of Barcelona (Spain). 2012 , 16, 184-7	87
1970	Efficacy of a home-based intervention programme on the physical activity level and functional ability of older people using domestic services: a randomised study. 2012 , 16, 370-7	31

1969	Frailty and aging. 2012 , 16, 283-4	17
1968	Frailty and sarcopenia: definitions and outcome parameters. 2012 , 23, 1839-48	214
1967	Muscle strength and body composition are clinical indicators of osteoporosis. 2012 , 91, 131-8	62
1966	Beta-alanine (Carnosyn®) supplementation in elderly subjects (60-80 years): effects on muscle carnosine content and physical capacity. 2012 , 43, 49-56	90
1965	Development of a screening tool for risk of locomotive syndrome in the elderly: the 25-question Geriatric Locomotive Function Scale. 2012 , 17, 163-72	207
1964	Sarcopenic obesity in the elderly and strategies for weight management. 2012 , 70, 57-64	71
1963	Effects of exercise and amino acid supplementation on body composition and physical function in community-dwelling elderly Japanese sarcopenic women: a randomized controlled trial. 2012 , 60, 16-23	319
1962	Maximum occlusal force and physical performance in the oldest old: the Tokyo oldest old survey on total health. 2012 , 60, 68-76	67
1961	Cellular adaptation contributes to calorie restriction-induced preservation of skeletal muscle in aged rhesus monkeys. 2012 , 47, 229-36	43
1960	[Normal data of functional assessment tools of the elderly in Spain: the FRADEA study]. 2012 , 44, 162-71	13
1959	Association between muscle mass and disability in performing instrumental activities of daily living (IADL) in community-dwelling elderly in Japan. 2012 , 54, e230-3	78
1958	Frailty and disability in older adults with intellectual disabilities: results from the healthy ageing and intellectual disability study. 2012 , 60, 934-8	86
1957	Sarcopenia and smoking: a possible cellular model of cigarette smoke effects on muscle protein breakdown. 2012 , 1259, 47-53	58
1956	Nutritional risk as predictor for healthcare-associated infection among hospitalized elderly patients in the acute care setting. 2012 , 80, 168-72	15
1955	Sarcopenia in the elderly: basic and clinical issues. 2012 , 12, 388-96	98
1954	How to assess functional status: a new muscle quality index. 2012 , 16, 67-77	126
1953	Molecular genetic studies of gene identification for sarcopenia. 2012 , 131, 1-31	69
1952	High prevalence of sarcopenia and reduced leg muscle mass in Japanese patients immediately after a hip fracture. 2013 , 13, 413-20	109

1951	Low appendicular skeletal muscle mass (ASM) with limited mobility and poor health outcomes in middle-aged African Americans. 2013 , 4, 179-86	50
1950	Temporal development of muscle atrophy in murine model of arthritis is related to disease severity. 2013 , 4, 231-8	23
1949	Toward a sex-specific relationship between muscle strength and appendicular lean body mass index?. 2013 , 4, 137-44	17
1948	Effect of including historical height and radius BMD measurement on sarco-osteoporosis prevalence. 2013 , 4, 47-54	13
1947	What's in a name revisited: should osteoporosis and sarcopenia be considered components of "dysmobility syndrome?". 2013 , 24, 2955-9	86
1946	Impact of nutrition on muscle mass, strength, and performance in older adults. 2013 , 24, 1555-66	189
1945	Differential features of muscle fiber atrophy in osteoporosis and osteoarthritis. 2013 , 24, 1095-100	43
1944	Tools in the assessment of sarcopenia. 2013 , 93, 201-10	155
1943	Physical Therapy, Physical Modalities, and Exercise Regimens in the Management of Osteoporosis. 2013 , 1667-1689	
1942	Mitochondrial dysfunction and sarcopenia of aging: from signaling pathways to clinical trials. 2013 , 45, 2288-301	295
1941	Quality of life in sarcopenia and frailty. 2013 , 93, 101-20	235
1940	Infections in the elderly. 2013 , 29, 757-74	60
1939	Promoting access to innovation for frail old persons. IAGG (International Association of Gerontology and Geriatrics), WHO (World Health Organization) and SFGG (Soci�t� Fran�aise de G�riatrie et de G�rontologie) Workshop--Athens January 20-21, 2012. 2013 , 17, 688-93	39
1938	Nutritional status of community-dwelling elderly with newly diagnosed Alzheimer's disease: prevalence of malnutrition and the relation of various factors to nutritional status. 2013 , 17, 606-10	48
1937	Frailty prevalence and slow walking speed in persons age 65 and older: implications for primary care. 2013 , 14, 86	141
1936	Neck muscle cross-sectional area, brain volume and cognition in healthy older men: a cohort study. 2013 , 13, 20	14
1935	Development and validation of anthropometric equations to estimate appendicular muscle mass in elderly women. 2013 , 12, 92	17
1934	Association of frailty with body composition among patients on hemodialysis. 2013 , 23, 356-62	34

1933	Validity and reliability of tools to measure muscle mass, strength, and physical performance in community-dwelling older people: a systematic review. 2013 , 14, 170-8	249
1932	Sarcopenia: A useful paradigm for physical frailty. 2013 , 4, 102-105	43
1931	[Nutritional assessment and treatment of sarcopenia]. 2013 , 48, 153-4	3
1930	Sarcopenic obesity as an independent risk factor of hypertension. 2013 , 7, 420-5	70
1929	Sarcopenic obesity is closely associated with metabolic syndrome. 2013 , 7, e301-7	109
1928	Comparison of three BIA muscle indices for sarcopenia screening in old adults. 2013 , 4, 145-149	17
1927	Ability of different screening tools to predict positive effect on nutritional intervention among the elderly in primary health care. 2013 , 29, 993-9	18
1926	Evidence-based recommendations for optimal dietary protein intake in older people: a position paper from the PROT-AGE Study Group. 2013 , 14, 542-59	1257
1925	Diagnostic criteria for sarcopenia relate differently to insulin resistance. 2013 , 35, 2367-75	41
1924	Predicting fat-free mass index and sarcopenia: a pilot study in community-dwelling older adults. 2013 , 35, 2423-34	28
1923	The impact of obesity on balance control in community-dwelling older women. 2013 , 35, 883-90	66
1922	Fitness, fatness and survival in elderly populations. 2013 , 35, 973-84	19
1921	[Translational research in geriatrics? A plea based on current biomedical key publications]. 2013 , 46, 569-75	
1920	The usefulness of anthropometric measures. 2013 , 52, 1683	5
1919	Comment on "association of anorexia with sarcopenia in a community-dwelling elderly population: results from the iLSIRENTE study". 2013 , 52, 1681-2	
1918	Association of anorexia with sarcopenia in a community-dwelling elderly population: results from the iLSIRENTE study. 2013 , 52, 1261-8	86
1917	Clinical outcomes related to muscle mass in humans with cancer and catabolic illnesses. 2013 , 45, 2302-8	93
1916	Normal weight obesity and mortality in United States subjects ≥80 years of age (from the Third National Health and Nutrition Examination Survey). 2013 , 112, 1592-8	63

1915	Relationships between sarcopenic obesity and insulin resistance, inflammation, and vitamin D status: the Korean Sarcopenic Obesity Study. 2013 , 78, 525-32	122
1914	Muscle atrophy in aging and chronic diseases: is it sarcopenia or cachexia?. 2013 , 8, 553-60	36
1913	Nonsteroidal anti-inflammatory drug (NSAID) use and sarcopenia in older people: results from the iSIRENTE study. 2013 , 14, 626.e9-13	32
1912	Simplified method of clinical phenotyping for older men and women using established field-based measures. 2013 , 48, 1479-88	3
1911	Dietary intake and physical performance in healthy elderly women: a 3-year follow-up. 2013 , 48, 250-4	16
1910	Physical inactivity and insufficient dietary intake are associated with the frequency of sarcopenia in patients with compensated viral liver cirrhosis. 2013 , 43, 1264-75	77
1909	Associations between diet-related diseases and impaired physiological mechanisms: a holistic approach based on meta-analyses to identify targets for preventive nutrition. 2013 , 71, 643-56	25
1908	Low skeletal muscle mass and risk of functional decline in elderly community-dwelling women: the prospective EPIDOS study. 2013 , 14, 352-7	31
1907	Marine n-3 polyunsaturated fatty acids: a potential role in the treatment of sarcopenia. 2013 , 8, 187-194	4
1906	Prevalence of sarcopenia in community-dwelling Japanese older adults. 2013 , 14, 911-5	209
1905	Minced beef is more rapidly digested and absorbed than beef steak, resulting in greater postprandial protein retention in older men. 2013 , 98, 121-8	106
1904	Malnutrition in older adults - urgent need for action: a plea for improving the nutritional situation of older adults. 2013 , 59, 328-33	93
1903	The prevalence of sarcopenia in very old individuals according to the European consensus definition: insights from the BELFRAIL study. <i>Age and Ageing</i> , 2013 , 42, 727-34	3 81
1902	A best practice fall prevention exercise program to improve balance, strength / power, and psychosocial health in older adults: study protocol for a randomized controlled trial. 2013 , 13, 105	78
1901	Murine models of atrophy, cachexia, and sarcopenia in skeletal muscle. 2013 , 1832, 1410-20	63
1900	Body composition in sarcopenic obesity: systematic review of the literature. 2013 , 6, 191-198	10
1899	Land-based versus aquatic resistance therapeutic exercises for older women with sarcopenic obesity: study protocol for a randomised controlled trial. 2013 , 14, 296	11
1898	Low dynamic muscle strength and its associations with fatigue, functional performance, and quality of life in premenopausal patients with systemic lupus erythematosus and low disease activity: a case-control study. 2013 , 14, 263	33

1897	The physical capability of community-based men and women from a British cohort: the European Prospective Investigation into Cancer (EPIC)-Norfolk study. 2013 , 13, 93		22
1896	Seropositivity for CMV and IL-6 levels are associated with grip strength and muscle size in the elderly. 2013 , 10, 33		22
1895	[Physical and cognitive capabilities among persons aged 65-79 years in Germany: results of the German Health Interview and Examination Survey for Adults (DEGS1)]. 2013 , 56, 723-32		11
1894	Nutritional intervention and physical training in malnourished frail community-dwelling elderly persons carried out by trained lay "buddies": study protocol of a randomized controlled trial. 2013 , 13, 1232		38
1893	Usefulness and limitations of single-slice computed tomography analysis at the third lumbar region in the assessment of sarcopenia. 2013 , 17, 466		14
1892	Porvoo sarcopenia and nutrition trial: effects of protein supplementation on functional performance in home-dwelling sarcopenic older people - study protocol for a randomized controlled trial. 2013 , 14, 387		15
1891	Malnutrition in the elderly: a narrative review. 2013 , 76, 296-302		264
1890	Low vitamin D status is associated with reduced muscle mass and impaired physical performance in frail elderly people. 2013 , 67, 1050-5		68
1889	Muscle size, strength, and physical performance and their associations with bone structure in the Hertfordshire Cohort Study. 2013 , 28, 2295-304		100
1888	The paradox of overnutrition in aging and cognition. 2013 , 1287, 31-43		19
1887	Comment on "Impact of sarcopenia on survival in patients undergoing living donor liver transplantation". 2013 , 13, 2505		2
1886	Thigh muscle attenuation measured by computed tomography was associated with the risk of low bone density in community-dwelling elderly population. 2013 , 78, 512-7		14
1885	New horizons in the pathogenesis, diagnosis and management of sarcopenia. <i>Age and Ageing</i> , 2013 , 42, 145-50	3	171
1884	Muscle wasting is associated with reduced exercise capacity and advanced disease in patients with chronic heart failure. 2013 , 9, 767-70		12
1883	Mechanisms of skeletal muscle aging: insights from Drosophila and mammalian models. 2013 , 6, 1339-52		153
1882	Body composition and its association with cardiometabolic risk factors in the elderly: a focus on sarcopenic obesity. 2013 , 56, 270-8		165
1881	Grip strength in a cohort of older medical inpatients in Malaysia: a pilot study to describe the range, determinants and association with length of hospital stay. 2013 , 56, 155-9		18
1880	Dysregulation of the hypothalamic pituitary adrenal (HPA) axis and physical performance at older ages: an individual participant meta-analysis. 2013 , 38, 40-9		52

1879	Effects of exercise and tea catechins on muscle mass, strength and walking ability in community-dwelling elderly Japanese sarcopenic women: a randomized controlled trial. 2013 , 13, 458-65	72
1878	Discriminating sarcopenia in community-dwelling older women with high frequency of overweight/obesity: the S ^ˆ ˆ Paulo Ageing & Health Study (SPAH). 2013 , 24, 595-603	51
1877	Sarcopenia and its relationship with bone mineral density in middle-aged and elderly European men. 2013 , 24, 87-98	190
1876	Cross-sectional studies and methodology: reply to comment by Erkoyun. 2013 , 24, 743	
1875	Genes and the ageing muscle: a review on genetic association studies. 2013 , 35, 207-33	62
1874	Sarcopenia: Test it, even in the absence of complains. 2013 , 4, 183-184	1
1873	Effectiveness of nutritional supplementation on muscle mass in treatment of sarcopenia in old age: a systematic review. 2013 , 14, 10-7	150
1872	A plea for an early mobilization after hip fractures. The geriatric point of view. 2013 , 4, 40-42	3
1871	The Official Positions of the International Society for Clinical Densitometry: body composition analysis reporting. 2013 , 16, 508-19	88
1870	Study protocol: High-protein nutritional intervention based on ̢hydroxy-̢methylbutirate, vitamin D3 and calcium on obese and lean aged patients with hip fractures and sarcopenia. The HIPERPROT-GER study. 2013 , 76, 123-8	6
1869	Muscle strength rather than muscle mass is associated with standing balance in elderly outpatients. 2013 , 14, 493-8	43
1868	Le processus de fragilit ^ˆ ˆ: que comprendre de la physiopathologie?. 2013 , 13, 28-34	1
1867	L ^ˆ bb ^ˆ sit ^ˆ 'du sujet ^ˆ ˆ ˆ ! 2013 , 27, 95-101	2
1866	Accurate diagnosis of sarcopenia in the elderly requires correct measurement of muscle mass. 2013 , 32, 662	6
1865	Undernutrition in community dwelling elderly. 2013 , 8, e213-e215	18
1864	Prevalence and determinants for malnutrition in geriatric outpatients. 2013 , 32, 1007-11	101
1863	Fighting sarcopenia in older frail subjects: protein fuel for strength, exercise for mass. 2013 , 14, 140-3	28
1862	Maximising functional recovery following hip fracture in frail seniors. 2013 , 27, 771-88	85

1861	Perspective: Protein and exercise for frailty and sarcopenia: still learning. 2013 , 14, 69-71	14
1860	Endothelial function and the regulation of muscle protein anabolism in older adults. 2013 , 23 Suppl 1, S44-50	32
1859	Protein redistribution from skeletal muscle to splanchnic tissue on fasting and refeeding in young and older healthy individuals. 2013 , 14, 696-704	17
1858	Evidence-based criteria for sarcopenia with clinically important weakness. 2013 , 42, 447-9	7
1857	D ⁺ nutrition, cachexie et ost ⁺ oporose. 2013 , 80, 100-104	1
1856	Limb/trunk lean mass ratio as a risk factor for mortality in peritoneal dialysis patients. 2013 , 23, 315-23	13
1855	Comment on "Comparison of three BIA muscle indices for sarcopenia screening in old adults" 2013 , 4, 280	5
1854	The effect of handedness on grip strength in older adults with intellectual disabilities. 2013 , 34, 1623-9	13
1853	SARC-F: a simple questionnaire to rapidly diagnose sarcopenia. 2013 , 14, 531-2	371
1852	Elevated levels of a C-terminal agrin fragment identifies a new subset of sarcopenia patients. 2013 , 48, 69-75	67
1851	Comparisons of sarcopenia defined by IWGS and EWGSOP criteria among older people: results from the I-Lan longitudinal aging study. 2013 , 14, 528.e1-7	157
1850	Sarcop ⁺ hie et cachexie ⁺ : approche m ⁺ dicamenteuse. 2013 , 27, 69-73	2
1849	The relationship between grip strength and muscle mass (MM), inflammatory biomarkers and physical performance in community-dwelling very old persons. 2013 , 57, 345-51	59
1848	Comparison of two European Working Group on Sarcopenia in Older People (EWGSOP) handgrip strength cutoffs on a series of acute hip fracture patients. 2013 , 4, S57	
1847	Frailty consensus: a call to action. 2013 , 14, 392-7	1930
1846	Frailty in people with COPD, using the National Health and Nutrition Evaluation Survey dataset (2003-2006). 2013 , 42, 163-70	78
1845	Handgrip strength as a predictor of higher-level competence decline among community-dwelling Japanese elderly in an urban area during a 4-year follow-up. 2013 , 57, 319-24	24
1844	Response to letter to the editor: Accurate diagnosis of sarcopenia in elderly requires correct measurement of muscle mass. 2013 , 32, 663	2

1843	Digit (2D:4D) ratio is associated with muscle mass (MM) and strength (MS) in older adults: possible effect of in utero androgen exposure. 2013 , 56, 358-63	21
1842	Une nouvelle straté gie nutritionnelle pour lutter contre la dê hnutrition et la sarcopê hie: le rê gime protê lque pulsê ! 2013 , 48, 33-40	
1841	Handgrip strength predicts persistent walking recovery after hip fracture surgery. 2013 , 126, 1068-75.e1	71
1840	C-terminal Agrin Fragment as a potential marker for sarcopenia caused by degeneration of the neuromuscular junction. 2013 , 48, 76-80	82
1839	Chronic disease risk among adults with cerebral palsy: the role of premature sarcopenia, obesity and sedentary behaviour. 2013 , 14, 171-82	108
1838	The effect of electrical muscle stimulation on the prevention of disuse muscle atrophy in patients with consciousness disturbance in the intensive care unit. 2013 , 28, 536.e1-7	37
1837	Prevalence of sarcopenia in Japanese women with osteopenia and osteoporosis. 2013 , 31, 556-61	76
1836	Novel aspects of health promoting compounds in meat. 2013 , 95, 904-11	55
1835	Nutrition, Aging, and Chronic Low-Grade Systemic Inflammation in Relation to Osteoporosis and Sarcopenia. 2013 , 1-18	2
1834	Nutritionally essential amino acids and metabolic signaling in aging. 2013 , 45, 431-41	47
1833	Investigation of changes in body composition, metabolic profile and skeletal muscle functional capacity in ischemic stroke patients: the rationale and design of the Body Size in Stroke Study (BoSSS). 2013 , 4, 199-207	21
1832	Sarcopenia: what's in a name?. 2013 , 14, 80-2	13
1831	Frailty in elderly people. 2013 , 381, 752-62	4163
1830	Sarcopenia is related to increased risk for low bone mineral density. 2013 , 16, 98-103	35
1829	Sarcopenia: prevalence and prognostic significance in hospitalized patients. 2013 , 32, 772-6	184
1828	Diagnostic measures for sarcopenia and bone mineral density. 2013 , 24, 2681-91	47
1827	Variation in the prevalence of sarcopenia and sarcopenic obesity in older adults associated with different research definitions: dual-energy X-ray absorptiometry data from the National Health and Nutrition Examination Survey 1999-2004. 2013 , 61, 974-80	186
1826	Relationship between postmenopausal osteoporosis and the components of clinical sarcopenia. 2013 , 75, 175-80	135

1825	Sarcopenia prevalence and associated factors in an elderly Taiwanese metropolitan population. 2013 , 61, 459-62	37
1824	Age-related skeletal muscle mass loss and physical performance in Taiwan: implications to diagnostic strategy of sarcopenia in Asia. 2013 , 13, 964-71	62
1823	Prevalence of sarcopenia and associated factors among Thai population. 2013 , 31, 346-50	31
1822	Sarcopenia prevalence: reply to comment by Perez-Zepeda et al. 2013 , 24, 799	
1821	Sarcopenia and osteopenia among 70-80-year-old home-dwelling Finnish women: prevalence and association with functional performance. 2013 , 24, 787-96	55
1820	Defining sarcopenia: the impact of different diagnostic criteria on the prevalence of sarcopenia in a large middle aged cohort. 2013 , 35, 871-81	160
1819	Association of sarcopenia with functional decline in community-dwelling elderly subjects in Japan. 2013 , 13, 958-63	78
1818	Association between ultrasound measurements of muscle thickness, pennation angle, echogenicity and skeletal muscle strength in the elderly. 2013 , 35, 2377-88	216
1817	Adiposity to muscle ratio predicts incident physical limitation in a cohort of 3,153 older adults--an alternative measurement of sarcopenia and sarcopenic obesity. 2013 , 35, 1377-85	47
1816	Mortality as an adverse outcome of sarcopenia. 2013 , 17, 259-62	160
1815	Frailty, sarcopenia, and hormones. 2013 , 42, 391-405	84
1814	The relationship of physical activity (PA) and walking with sarcopenia in Korean males aged 60 years and older using the Fourth Korean National Health and Nutrition Examination Survey (KNHANES IV-2, 3), 2008-2009. 2013 , 56, 472-7	50
1813	Genes, physical fitness and ageing. 2013 , 12, 90-102	30
1812	Effects of high-resistance circuit training in an elderly population. 2013 , 48, 334-40	47
1811	Geriatric syndromes--vascular disorders?. 2013 , 45, 265-73	39
1810	Obesity in the ageing man. 2013 , 62, 1341-9	59
1809	Prevalence of sarcopenia based on different diagnostic criteria using DEXA and appendicular skeletal muscle mass reference values in an Italian population aged 20 to 80. 2013 , 14, 507-12	52
1808	Designing pharmaceutical trials for sarcopenia in frail older adults: EU/US Task Force recommendations. 2013 , 17, 612-8	32

1807	Population Aging, Longevity, and the Diverse Contexts of the Oldest Old. 2013 , 23, 18-25	6
1806	The role of dietary protein intake in the prevention of sarcopenia of aging. 2013 , 28, 684-90	101
1805	Myostatin--the holy grail for muscle, bone, and fat?. 2013 , 11, 407-14	45
1804	Reference values for vastus lateralis fiber size and type in healthy subjects over 40 years old: a systematic review and metaanalysis. 2013 , 115, 346-54	28
1803	Handgrip force offers a measure of physical function in individuals living with HIV/AIDS. 2013 , 63, e30-2	11
1802	Under-representation of older adults in pharmacokinetic and pharmacodynamic studies: a solvable problem?. 2013 , 6, 35-9	13
1801	Body composition in older community-dwelling adults with hip fracture: portable field methods validated by dual-energy X-ray absorptiometry. 2013 , 109, 1219-29	10
1800	Nutritional risk, functional status and mortality in newly institutionalised elderly. 2013 , 110, 1903-9	43
1799	Leitlinie der Deutschen Gesellschaft für Ernährungsmedizin (DGEM). 2013 , 38, 97-111	57
1798	Leitlinie der Deutschen Gesellschaft für Ernährungsmedizin (DGEM) in Zusammenarbeit mit der GESKES, der AKE und der DGG. 2013 , 38, e1-e48	70
1797	Association between -308 G/A TNF- β polymorphism and appendicular skeletal muscle mass index as a marker of sarcopenia in normal weight obese syndrome. 2013 , 35, 615-23	29
1796	Can failure on adaptive locomotor tasks independently predict incident mobility disability?. 2013 , 92, 704-9	3
1795	Sarcopenia and cognitive impairment in elderly women: results from the EPIDOS cohort. <i>Age and Ageing</i> , 2013 , 42, 196-202	3 80
1794	Development and validation of anthropometric prediction equations for estimation of lean body mass and appendicular lean soft tissue in Indian men and women. 2013 , 115, 1156-62	31
1793	Age-related changes of grip force control in physically active adults. 2013 , 116, 859-71	5
1792	Predictors of functional capacity in younger and elderly chronic heart failure patients: an observational study. 2013 , 13, 778-83	1
1791	Exercise as a remedy for sarcopenia. 2014 , 17, 25-31	117
1790	Ageing: biology and nutrition. 2013 , 16, 1-2	5

1789	Sarcopenia as a prognostic index of nutritional status in concurrent cirrhosis and hepatocellular carcinoma. 2013 , 47, 861-70		171
1788	Exercise and nutrition to target protein synthesis impairments in aging skeletal muscle. 2013 , 41, 216-23		92
1787	Prevalence of sarcopenia in community-dwelling older people in the UK using the European Working Group on Sarcopenia in Older People (EWGSOP) definition: findings from the Hertfordshire Cohort Study (HCS). <i>Age and Ageing</i> , 2013 , 42, 378-84	3	243
1786	Sarcopenia: a clinical review. 2013 , 23, 267-274		9
1785	Nutritional Influences on Bone Health. 2013 ,		3
1784	Muscular volume or fatigue: which is the most important feature for the evaluation of muscular performance in elderly adults?. 2013 , 61, 834-5		2
1783	Tongue strength is associated with jumping mechanography performance and handgrip strength but not with classic functional tests in older adults. 2013 , 61, 418-22		57
1782	Severe acute leukopenia due to <i>Candida parapsilosis</i> in an old comorbid woman: a case report. 2013 , 61, 835-7		1
1781	Body composition, muscle strength and quality of active elderly women according to the distance covered in the 6-minute walk test. 2013 , 17, 289-96		9
1780	Sarcopenia as a predictor of prognosis in patients following hepatectomy for hepatocellular carcinoma. 2013 , 100, 1523-30		332
1779	Sarcopenia and mortality risk in frail older persons aged 80 years and older: results from the SIRENTE study. <i>Age and Ageing</i> , 2013 , 42, 203-9	3	387
1778	Towards a Sustainable Dairy Sector: The underappreciated role of dairy protein in the preservation of lean tissue mass in the elderly. 2013 , 66, 317-320		1
1777	Nutritional approaches to the management of sarcopenia. 2013 , 38, 344-348		7
1776	Accuracy of segmental multi-frequency bioelectrical impedance analysis for assessing whole-body and appendicular fat mass and lean soft tissue mass in frail women aged 75 years and older. 2013 , 67, 395-400		85
1775	Association of androgen with skeletal muscle mass and muscle function among men and women aged 50 years and older in Taiwan: results from the I-Lan longitudinal aging study. 2013 , 16, 453-9		13
1774	The prevalence of presarcopenia in Asian Indian individuals with and without type 2 diabetes. 2013 , 15, 768-75		27
1773	Sarcopenia and body mass index predict sunitinib-induced early dose-limiting toxicities in renal cancer patients. 2013 , 108, 1034-41		160
1772	Dietary patterns and sarcopenia in an urban African American and White population in the United States. 2013 , 32, 291-316		35

1771	The association of low serum alanine aminotransferase activity with mortality in the US population. 2013 , 178, 1702-11	39
1770	Exercise for older cancer patients: feasible and helpful?. 2013 , 38, 146-57	25
1769	Reconsideration of Calf Circumference as an Item of Physical Therapy Evaluation Indicating Muscle Histology. 2013 , 28, 21-26	
1768	Relationship between low free testosterone levels and loss of muscle mass. 2013 , 3, 1818	37
1767	Body composition in sarcopenic obesity: systematic review of the literature. 2013 , 6, 191-198	9
1766	Physical activity in daily life is associated with lower adiposity values than doing weekly sports in Lc65+ cohort at baseline. 2013 , 13, 1175	4
1765	Lean body mass: the development and validation of prediction equations in healthy adults. 2013 , 14, 53	16
1764	Skeletal muscle predicts ventilator-free days, ICU-free days, and mortality in elderly ICU patients. 2013 , 17, R206	278
1763	Screening for sarcopenia in obesity. 2013 , 434, 012044	
1762	Bioelectrical impedance analysis (BIA) for sarcopenic obesity (SO) diagnosis in young female subjects. 2013 , 434, 012061	
1761	A comparison between handgrip strength, upper limb fat free mass by segmental bioelectrical impedance analysis (SBIA) and anthropometric measurements in young males. 2013 , 434, 012067	
1760	Comparison of single- or multifrequency bioelectrical impedance analysis and spectroscopy for assessment of appendicular skeletal muscle in the elderly. 2013 , 115, 812-8	62
1759	Influence of diet, exercise, and serum vitamin d on sarcopenia in postmenopausal women. 2013 , 45, 607-14	26
1758	Water- versus land-based exercise in elderly subjects: effects on physical performance and body composition. 2013 , 8, 1109-17	50
1757	Echo intensity obtained from ultrasonography images reflecting muscle strength in elderly men. 2013 , 8, 993-8	165
1756	Skeletal muscle: an endocrine organ. 2013 , 10, 11-4	91
1755	Sarcopenia and sarcopenic obesity. 2013 , 28, 86-9	63
1754	Variation in serum creatinine level is correlated to risk of type 2 diabetes. 2013 , 28, 207-13	15

1753	Insufficient amounts and inadequate distribution of dietary protein intake in apparently healthy older adults in a developing country: implications for dietary strategies to prevent sarcopenia. 2013 , 8, 1143-8	37
1752	Diet, Social Inequalities, and Physical Capability in Older People. 2013 , 71-81	
1751	[Clinical aspect of sarcopenic obesity]. 2013 , 50, 773-5	
1750	Association of body composition with sarcopenic obesity in elderly women. 2013 , 6, 25-9	21
1749	Physical Activity for Health and Longevity. 2013 ,	
1748	Influence of sarcopenia and functionality indicators on the frailty profile of community-dwelling elderly subjects: a cross-sectional study. 2013 , 17, 373-381	21
1747	Muscleblind-like1 undergoes ectopic relocation in the nuclei of skeletal muscles in myotonic dystrophy and sarcopenia. 2013 , 57, e15	14
1746	Unilateral hindlimb casting induced a delayed generalized muscle atrophy during rehabilitation that is prevented by a whey or a high protein diet but not a free leucine-enriched diet. 2013 , 8, e70130	8
1745	Effects of resveratrol on the recovery of muscle mass following disuse in the plantaris muscle of aged rats. 2013 , 8, e83518	75
1744	Sarcopenia and physical function in overweight patients with advanced cancer. 2013 , 74, 69-74	50
1743	Sarcopenia: definition, epidemiology, and pathophysiology. 2013 , 20, 1-10	223
1742	Whole-body electromyostimulation as a means to impact muscle mass and abdominal body fat in lean, sedentary, older female adults: subanalysis of the TEST-III trial. 2013 , 8, 1353-64	50
1741	IGF-1, the cross road of the nutritional, inflammatory and hormonal pathways to frailty. 2013 , 5, 4184-205	75
1740	Sarcopenia and obesity: gender-different relationship with functional limitation in older persons. 2013 , 28, 1041-7	29
1739	Anthropometric changes in the Brazilian cohort of older adults: SABE survey (health, well-being, and aging). 2013 , 2013, 695496	14
1738	Role of Sarcopenia in Diabetes Mellitus. 2013 , 14, 178	1
1737	Consequences of age-related splanchnic sequestration of leucine on interorgan glutamine metabolism in old rats. 2013 , 115, 229-34	7
1736	Anabolic/Androgenic Steroids in Skeletal Muscle and Cardiovascular Diseases. 2013 ,	

- 1735 CELL NUCLEAR ALTERATIONS IN MYOTONIC DYSTROPHY. **2014**, 25-40
- 1734 COMPOSIÇÃO CORPORAL DE PACIENTES COM DOENÇA RENAL CRÔNICA EM TRATAMENTO CONSERVADOR. **2014**, 1, 47
- 1733 Applying theory of planned behavior to predict exercise maintenance in sarcopenic elderly. **2014**, 9, 1551-61 15
- 1732 Sarcopenia. **2014**, 58, 464-9 11
- 1731 Masseter muscle tension, chewing ability, and selected parameters of physical fitness in elderly care home residents in Lodz, Poland. **2014**, 9, 1197-203 38
- 1730 Clinical effectiveness of grip strength in predicting ambulation of elderly inpatients. **2014**, 9, 1873-7 17
- 1729 Metabolic syndrome, sarcopenia and role of sex and age: cross-sectional analysis of Kashiwa cohort study. **2014**, 9, e112718 61
- 1728 A quantitative method to monitor reactive oxygen species production by electron paramagnetic resonance in physiological and pathological conditions. **2014**, 2014, 306179 38
- 1727 The significance of body mass index in calculating the cut-off points for low muscle mass in the elderly: methodological issues. **2014**, 2014, 450396 7
- 1726 Vitamin E in sarcopenia: current evidences on its role in prevention and treatment. **2014**, 2014, 914853 41
- 1725 Skeletal muscle mass indices in healthy young Mexican adults aged 20-40 years: implications for diagnoses of sarcopenia in the elderly population. **2014**, 2014, 672158 12
- 1724 The association between the low muscle mass and osteoporosis in elderly Korean people. **2014**, 29, 995-1000 50
- 1723 Geriatric medicine in an aging society: up for a challenge?. **2014**, 1, 10 10
- 1722 Degeneration of neuromuscular junction in age and dystrophy. **2014**, 6, 99 106
- 1721 New molecular targets and lifestyle interventions to delay aging sarcopenia. **2014**, 6, 156 16
- 1720 Quantitative ultrasound: measurement considerations for the assessment of muscular dystrophy and sarcopenia. **2014**, 6, 172 45
- 1719 Sarcopenia and physical frailty: two sides of the same coin. **2014**, 6, 192 249
- 1718 RNA Transcription and Maturation in Skeletal Muscle Cells are Similarly Impaired in Myotonic Dystrophy and Sarcopenia: The Ultrastructural Evidence. **2014**, 6, 196 9

1717	Shorter telomeres in peripheral blood mononuclear cells from older persons with sarcopenia: results from an exploratory study. 2014 , 6, 233	37
1716	Borderlines between Sarcopenia and Mild Late-Onset Muscle Disease. 2014 , 6, 267	7
1715	Sarcopenia and sarcopenic obesity in patients with muscular dystrophy. 2014 , 6, 274	10
1714	Qualitative alteration of peripheral motor system begins prior to appearance of typical sarcopenia syndrome in middle-aged rats. 2014 , 6, 296	15
1713	Oculopharyngeal muscular dystrophy as a paradigm for muscle aging. 2014 , 6, 317	20
1712	Rheumatoid cachexia revisited: a metabolic co-morbidity in rheumatoid arthritis. 2014 , 1, 20	52
1711	Quedas: revisão de novos conceitos. 2014 , 13,	1
1710	Sustained effect of resistance training on blood pressure and hand grip strength following a detraining period in elderly hypertensive women: a pilot study. 2014 , 9, 219-25	21
1709	Estimation of thigh muscle cross-sectional area by single- and multifrequency segmental bioelectrical impedance analysis in the elderly. 2014 , 116, 176-82	40
1708	Nutrient-rich dairy proteins improve appendicular skeletal muscle mass and physical performance, and attenuate the loss of muscle strength in older men and women subjects: a single-blind randomized clinical trial. 2014 , 9, 1517-25	46
1707	Mãtodos de análise da composição corporal em adultos obesos. 2014 , 27, 569-583	11
1706	Sociodemographic correlates of meeting US Department of Health and Human Services muscle strengthening recommendations in middle-aged and older adults. 2014 , 11, E162	11
1705	Changes in nutritional status after liver transplantation. 2014 , 20, 10682-90	34
1704	Nutrition and exercise in the management of liver cirrhosis. 2014 , 20, 7286-97	55
1703	Comparative study of anthropometric and body composition variables, and functionality between elderly that perform regular or irregular physical activity. 2014 , 17, 27-37	1
1702	[Gait speed, grip strength and self-rated health among the elderly: data from the FIBRA Campinas network, São Paulo, Brazil]. 2014 , 19, 3343-53	6
1701	Nutrition and Lifelong Wellbeing. 2014 , 1-13	
1700	Physical Activity, Exercise, and Aging. 2014 , 1-19	

1699	Counteracting the Trajectory of Frailty and Sarcopenia in Older Adults. 2014 , 29, 428-434	11
1698	Gender-specific associations of appendicular muscle mass with BMD in elderly Italian subjects. 2014 , 95, 340-8	6
1697	Specific bioelectrical impedance vector analysis (BIVA) is more accurate than classic BIVA to detect changes in body composition and in nutritional status in institutionalised elderly with dementia. 2014 , 57, 264-71	17
1696	Inflammation, functional status, and weight loss during recovery from cardiac surgery in older adults: a pilot study. 2014 , 16, 344-52	17
1695	Prevalence, incidence, and clinical impact of sarcopenia: facts, numbers, and epidemiology-update 2014. 2014 , 5, 253-9	322
1694	Sarcopenia: describing rather than defining a condition. 2014 , 5, 265-8	20
1693	European Instructional Lectures. 2014 ,	2
1692	Relationship between respiratory muscle strength and physical performance in elderly hospitalized patients. 2014 , 17, 366-71	17
1691	Geriatrische Aspekte bei betagten Notfallpatienten. 2014 , 17, 484-487	2
1690	Impact of quality as well as quantity of skeletal muscle on outcomes after liver transplantation. 2014 , 20, 1413-9	154
1689	Handgrip strength and balance in older adults following withdrawal from long-term use of temazepam, zopiclone or zolpidem as hypnotics. 2014 , 14, 121	15
1688	Is er nieuws over ondervoeding?. 2014 , 30, 42-49	1
1687	The influence of systemic inflammation on skeletal muscle in physically active elderly women. 2014 , 36, 9718	33
1686	Nutritional influences on age-related skeletal muscle loss. 2014 , 73, 16-33	78
1685	Cutpoints for low appendicular lean mass that identify older adults with clinically significant weakness. 2014 , 69, 567-75	227
1684	Sarcopenia assessment project in the nursing homes in Turkey. 2014 , 68, 690-4	32
1683	Birth weight and growth from infancy to late adolescence in relation to fat and lean mass in early old age: findings from the MRC National Survey of Health and Development. 2014 , 38, 69-75	36
1682	Endocrine, metabolic, nutritional and body composition abnormalities are common in advanced intensively-treated (transplanted) multiple myeloma. 2014 , 49, 907-12	28

1681	Assessment and management of older people with sarcopenia. 2014 , 26, 18, 20-2	3
1680	Sarcopenia, sarcopenic obesity and mortality in older adults: results from the National Health and Nutrition Examination Survey III. 2014 , 68, 1001-7	285
1679	Assessment and definition of lean body mass deficiency in the elderly. 2014 , 68, 1220-7	49
1678	Relationship between history of smoking, metabolic and inflammatory markers, parameters of body composition and muscle strength. 2015 , 849, 49-56	7
1677	Lean mass, muscle strength and gene expression in community dwelling older men: findings from the Hertfordshire Sarcopenia Study (HSS). 2014 , 95, 308-16	48
1676	Associa ^ç ões entre for ^ç as, sarcopenia e obesidade sarcop ^h ica com o desempenho funcional de idosos. 2014 , 10,	4
1675	Individually tailored screening of susceptibility to sarcopenia using p53 codon 72 polymorphism, phenotypes, and conventional risk factors. 2014 , 2014, 743634	16
1674	Sarcopenia and Androgens: A Link between Pathology and Treatment. 2014 , 5, 217	36
1673	[Role of primary care professionals in the management of sarcopenia]. 2014 , 46, 455-6	
1672	Vitamin D signaling in myogenesis: potential for treatment of sarcopenia. 2014 , 2014, 121254	50
1671	Nutrition as a part of healthy aging and reducing cardiovascular risk: improving functionality in later life using quality protein, with optimized timing and distribution. 2014 , 40, 695-703	6
1670	Sarcopenia in older people. 2014 , 12, 227-43	19
1669	The impact of low muscle mass definition on the prevalence of sarcopenia in older Australians. 2014 , 2014, 361790	19
1668	The Interplay between Magnesium and Testosterone in Modulating Physical Function in Men. 2014 , 2014, 525249	12
1667	Socioeconomic position across life and body composition in early old age: findings from a British birth cohort study. 2014 , 68, 516-23	29
1666	Abdominal Fat and Sarcopenia in Women Significantly Alter Osteoblasts Homeostasis In Vitro by a WNT/ β Catenin Dependent Mechanism. 2014 , 2014, 278316	10
1665	Age-related impact of depressive symptoms on functional capacity measured with 6-minute walking test in coronary artery disease. 2014 , 21, 647-54	3
1664	Effects of exercise on cardiovascular performance in the elderly. 2014 , 5, 51	45

1663	Skeletal muscle function deficit: a new terminology to embrace the evolving concepts of sarcopenia and age-related muscle dysfunction. 2014 , 69, 591-4	50
1662	Disparities in the consequences of sarcopenia: implications for African American Veterans. 2014 , 5, 250	11
1661	The assessment and impact of sarcopenia in lung cancer: a systematic literature review. 2014 , 4, e003697	71
1660	An evaluation system of high risk factors for daily motions using force sensors. 2014 ,	0
1659	Physical performance and disability in schizophrenia. 2014 , 1, 112-121	38
1658	Diet-induced and age-related changes in the quadriceps muscle: MRI and MRS in a rat model of sarcopenia. 2014 , 60, 530-8	14
1657	Sarcopenia, cachexia and aging: diagnosis, mechanisms and therapeutic options - a mini-review. 2014 , 60, 294-305	241
1656	Survey on Dietary Counselling in German Ambulatory Orthopaedic Rehabilitation Centres: is there a Focus on Sarcopenia Prevention?. 2014 , 39, 309-311	
1655	Ern�hrungstherapie bei Kachexie und Sarkopenie. 2014 , 39, 117-126	1
1654	Comment on the association between sarcopenia and the risk of serious infection among adults undergoing liver transplantation. 2014 , 20, 250	
1653	Biomechanics of Musculoskeletal Adaptation. 2014 , 1-37	1
1652	Sarcopenic obesity and risk of cardiovascular disease and mortality: a population-based cohort study of older men. 2014 , 62, 253-60	262
1651	Relation between hand grip strength, respiratory muscle strength and spirometric measures in male nursing home residents. 2014 , 17, 136-40	57
1650	Lean tissue imaging: a new era for nutritional assessment and intervention. 2014 , 38, 940-53	302
1649	Salud del hombre mayor: m�ltiples aspectos de la urolog�a. 2014 , 25, 100-105	
1648	Estimating site-specific muscle loss: a valuable tool for early sarcopenia detection?. 2014 , 17, 496-8	24
1647	Prevalence and associated factors of sarcopenia and severe sarcopenia in older Taiwanese living in rural community: the Tianliao Old People study 04. 2014 , 14 Suppl 1, 69-75	50
1646	Lack of association of body composition and functionality variables with metabolic syndrome in the elderly. 2014 , 12, 397-401	6

1645	Association between insulin resistance and low relative appendicular skeletal muscle mass: evidence from a cohort study in community-dwelling older men and women participants. 2014 , 69, 871-7	36
1644	Rehabilitation nutrition for sarcopenia with disability: a combination of both rehabilitation and nutrition care management. 2014 , 5, 269-77	214
1643	Incidence, reversibility, risk factors and the protective effect of high body mass index against sarcopenia in community-dwelling older Chinese adults. 2014 , 14 Suppl 1, 15-28	91
1642	Response to the letter entitled "Comment on the impacts of sarcopenia and obesity on physical performance in the elderly". 2014 , 8, e624-5	3
1641	Activit� physique et sant� chez la personne � g� e� : � vidences et recommandations. 2014 , 28, 263-271	1
1640	Frailty, sarcopenia and diabetes. 2014 , 15, 853-9	154
1639	Facteurs influen� ant la prescription d�activit� s physiques dans la prise en charge th�rapeutique du patient diab� tique de type 2. 2014 , 28, 310-320	
1638	Type 2 diabetes is associated with low muscle mass in older adults. 2014 , 14 Suppl 1, 115-21	100
1637	Arterial stiffness is associated with low skeletal muscle mass in Japanese community-dwelling older adults. 2014 , 14 Suppl 1, 109-14	56
1636	Activit� physique et nutrition dans la broncho-pneumopathie chronique obstructive. 2014 , 28, 336-347	2
1635	Comment on "Sarcopenic obesity and risk of cardiovascular disease and mortality: a population-based cohort study of older men". 2014 , 62, 1208	
1634	Age-related changes in skeletal muscle mass among community-dwelling Japanese: a 12-year longitudinal study. 2014 , 14 Suppl 1, 85-92	63
1633	Sarcopenia and sarcopenic obesity among men aged 80 years and older in Beijing: prevalence and its association with functional performance. 2014 , 14 Suppl 1, 29-35	35
1632	Comparison of quadriceps strength and handgrip strength in their association with health outcomes in older adults in primary care. 2014 , 36, 9714	44
1631	Age-associated decline of muscle mass, grip strength and gait speed: a 4-year longitudinal study of 3018 community-dwelling older Chinese. 2014 , 14 Suppl 1, 76-84	100
1630	Incidence of certified need of care in the long-term care insurance system and its risk factors in the elderly of Japanese population-based cohorts: the ROAD study. 2014 , 14, 695-701	46
1629	Respiratory impairment and dyspnea and their associations with physical inactivity and mobility in sedentary community-dwelling older persons. 2014 , 62, 622-8	26
1628	Response to Safer et al. 2014 , 62, 1208-9	

1627	Age-dependent changes in skeletal muscle mass and visceral fat area in Japanese adults from 40 to 79 years-of-age. 2014 , 14 Suppl 1, 8-14	67
1626	Place de lâ€™éducation th�rapeutique dans la prise en charge actuelle du sujet �g� fragile. 2014 , 6, 187-190	
1625	Epidemiology of sarcopenia among community-dwelling older adults in Taiwan: a pooled analysis for a broader adoption of sarcopenia assessments. 2014 , 14 Suppl 1, 52-60	80
1624	Association of cognitive impairment, depressive symptoms and sarcopenia among healthy older men in the veterans retirement community in southern Taiwan: a cross-sectional study. 2014 , 14 Suppl 1, 102-8	108
1623	Sarcopenia, and its association with cardiometabolic and functional characteristics in Taiwan: results from I-Lan Longitudinal Aging Study. 2014 , 14 Suppl 1, 36-45	44
1622	Is muscle strength ratio a criterion for diagnosis of site-specific muscle loss?. 2014 , 14, 837-44	17
1621	Response to Bahat. 2014 , 62, 1207-8	
1620	Uncomplicated diabetes does not accelerate age-related sarcopenia. 2014 , 17, 205-10	10
1619	The effect of a diet containing 70% protein from plants on mineral metabolism and musculoskeletal health in chronic kidney disease. 2014 , 40, 582-91	52
1618	Influence of muscle mass and bone mass on the mobility of elderly women: an observational study. 2014 , 14, 13	16
1617	Prevalence and clinical correlates of sarcopenia in community-dwelling older people: application of the EWGSOP definition and diagnostic algorithm. 2014 , 69, 438-46	165
1616	Frailty status can predict further lean body mass decline in older adults. 2014 , 62, 2110-7	24
1615	Criteria for clinically relevant weakness and low lean mass and their longitudinal association with incident mobility impairment and mortality: the foundation for the National Institutes of Health (FNIH) sarcopenia project. 2014 , 69, 576-83	278
1614	Frailty in relation to sedentary behaviours and moderate-vigorous intensity physical activity. 2014 , 24, 239-254	7
1613	Sarcopenia according to the European Working Group on Sarcopenia in Older People (EWGSOP) versus dynapenia as a risk factor for mortality in the elderly. 2014 , 18, 751-6	89
1612	A positive association between stroke risk and sarcopenia in men aged �50 years, but not women: results from the Korean National Health and Nutrition Examination Survey 2008-2010. 2014 , 18, 806-12	27
1611	Grip strength cutpoints for the identification of clinically relevant weakness. 2014 , 69, 559-66	300
1610	The impact of waist circumference on function and physical activity in older adults: longitudinal observational data from the osteoarthritis initiative. 2014 , 13, 81	34

1609	It is not just muscle mass: a review of muscle quality, composition and metabolism during ageing as determinants of muscle function and mobility in later life. 2014 , 3, 9	227
1608	Sarcopenia: burden and challenges for public health. 2014 , 72, 45	211
1607	C677T gene polymorphism of MTHFR and metabolic syndrome: response to dietary intervention. 2014 , 12, 329	14
1606	Perioperative frailty. 2014 , 52, 26-41	13
1605	Life satisfaction and bone mineral density among postmenopausal women: cross-sectional and longitudinal associations. 2014 , 76, 709-15	21
1604	Sarcopenia is an independent prognostic factor in elderly patients with diffuse large B-cell lymphoma treated with immunochemotherapy. 2014 , 55, 817-23	90
1603	Jump test performance and sarcopenia status in men and women, 55 to 75 years of age. 2014 , 37, 76-82	30
1602	Skeletal muscle troponin as a novel biomarker to enhance assessment of the impact of strength training on fall prevention in the older adults. 2014 , 63, 75-82	21
1601	Omega-3 fatty acids and protein metabolism: enhancement of anabolic interventions for sarcopenia. 2014 , 17, 145-50	67
1600	ACE inhibitors, statins and thiazides: no association with change in grip strength among community dwelling older men and women from the Hertfordshire Cohort Study. <i>Age and Ageing</i> , 2014 , 43, 661-6	3 21
1599	Association of vitamin D deficiency with muscle strength and quality of life in postmenopausal women. 2014 , 17, 472-7	11
1598	A diagnosis of dismobility--giving mobility clinical visibility: a Mobility Working Group recommendation. 2014 , 311, 2061-2	154
1597	High prevalence of low skeletal muscle mass associated with male gender in midlife and older HIV-infected persons despite CD4 cell reconstitution and viral suppression. 2014 , 13, 145-52	31
1596	Nutrition and Decision Making in the Elderly People: A Preliminary Study. 2014 , 59, 231-235	1
1595	Dietary fat and fatty acid profile are associated with indices of skeletal muscle mass in women aged 18-79 years. 2014 , 144, 327-34	37
1594	Transition to sarcopenia and determinants of transitions in older adults: a population-based study. 2014 , 69, 751-8	56
1593	An evidence-based comparison of operational criteria for the presence of sarcopenia. 2014 , 69, 584-90	250
1592	Managing sarcopenia and its related-fractures to improve quality of life in geriatric populations. 2014 , 5, 226-37	42

1591	Cardiac autonomic responses during upper versus lower limb resistance exercise in healthy elderly men. 2014 , 18, 9-18		24
1590	Physical performance in relation to body composition and bone mineral density in healthy, overweight, and obese postmenopausal women. 2014 , 37, 7-16		24
1589	The application of different appendicular skeletal muscle cutoff points and research definitions associated with health-related quality of life in Korean older people: data from KNHANES 2008-2011. 2014 , 14, 144		12
1588	Cusp catastrophe model: a nonlinear model for health outcomes in nursing research. 2014 , 63, 211-20		15
1587	Grip strength and its determinants among older people in different healthcare settings. <i>Age and Ageing</i> , 2014 , 43, 241-6	3	47
1586	Positive predictive values of 320-slice coronary computed tomography angiography with respect to multiple confounders in clinical routine. 2014 , 174, 217-9		1
1585	A 360-degree overview of body composition in healthy people: relationships among anthropometry, ultrasonography, and dual-energy x-ray absorptiometry. 2014 , 30, 696-701		40
1584	Coexistence de facteurs de risque d'â€scarres et de marqueurs de fragilit' ' un stade s' ' e chez des patients en unit' 'de soin de longue dur' e. 2014 , 14, 150-156		
1583	Prevalence of sarcopenia in a media and long stay unit. 2014 , 214, 303-308		0
1582	Specific bioelectrical impedance vector reference values for assessing body composition in the Italian elderly. 2014 , 50, 52-6		43
1581	Prevalence of sarcopenia in a media and long stay Unit. 2014 , 214, 303-8		9
1580	Sarcopenia and sarcopenic obesity classifications and cardiometabolic risks in older women. 2014 , 59, 56-61		39
1579	Response to the letter to the editor: "Frailty consensus: a call to action". 2014 , 15, 145-7		
1578	La l-citrulline, un nouveau candidat dans la prise en charge du sujet ' g' ' d' hutri?. 2014 , 49, 44-48		1
1577	Nutrition and oral status in elderly people. 2014 , 50, 9-14		22
1576	Sarcopenia: there is a need for some steps forward. 2014 , 15, 379-80		12
1575	Molecular analyses provide insight into mechanisms underlying sarcopenia and myofibre denervation in old skeletal muscles of mice. 2014 , 53, 174-85		47
1574	Ethnic and geographic variations in muscle mass, muscle strength and physical performance measures. 2014 , 5, 155-164		36

1573	Interrelated factors favoring physical performance and activity in older adults from the NuAge cohort study. 2014 , 55, 37-43	5
1572	Motoneuron loss is associated with sarcopenia. 2014 , 15, 435-9	69
1571	Sarcopenia and falls in community-dwelling elderly subjects in Japan: Defining sarcopenia according to criteria of the European Working Group on Sarcopenia in Older People. 2014 , 59, 295-9	118
1570	Additional role of sarcopenia to waist circumference in predicting the odds of metabolic syndrome. 2014 , 33, 668-72	31
1569	Prevalence of sarcopenia and associated risk factors by two diagnostic criteria in community-dwelling older men: the S ^ˆ ˆ Paulo Ageing & Health Study (SPAH). 2014 , 25, 589-96	44
1568	Operational definitions of sarcopenia and their associations with 5-year changes in falls risk in community-dwelling middle-aged and older adults. 2014 , 25, 187-93	96
1567	A path model of sarcopenia on bone mass loss in elderly subjects. 2014 , 18, 15-21	14
1566	Low muscle mass in older men: the role of lifestyle, diet and cardiovascular risk factors. 2014 , 18, 26-33	31
1565	A cross-sectional assessment of oxidative DNA damage and muscle strength among elderly people living in the community. 2014 , 19, 21-9	9
1564	Sarcopenic obesity in aging population: current status and future directions for research. 2014 , 45, 15-25	116
1563	Bearing arms against osteoarthritis and sarcopenia: when cartilage and skeletal muscle find common interest in talking together. 2014 , 19, 305-11	25
1562	Diagnostic criteria for sarcopenia and physical performance. 2014 , 36, 275-85	44
1561	Availability and use of dual energy X-ray absorptiometry (DXA) and bio-impedance analysis (BIA) for the evaluation of sarcopenia by Belgian and Latin American geriatricians. 2014 , 5, 79-81	18
1560	Relationship of lean body mass with bone mass and bone mineral density in the general Korean population. 2014 , 47, 234-43	11
1559	Sarcopenia and sarcopenic obesity and their association with dyslipidemia in Korean elderly men: the 2008-2010 Korea National Health and Nutrition Examination Survey. 2014 , 37, 247-60	70
1558	Total and appendicular lean mass reference ranges for Australian men and women: the Geelong osteoporosis study. 2014 , 94, 363-72	92
1557	Impact of whole-body electromyostimulation on body composition in elderly women at risk for sarcopenia: the Training and ElectroStimulation Trial (TEST-III). 2014 , 36, 395-406	61
1556	Accuracy of three novel predictive methods for measurements of fat mass in healthy older subjects. 2014 , 26, 319-25	6

1555	Steroid myopathy in patients with chronic respiratory diseases. 2014 , 338, 96-101	21
1554	Site-specific thigh muscle loss as an independent phenomenon for age-related muscle loss in middle-aged and older men and women. 2014 , 36, 9634	33
1553	From sarcopenia to frailty: a road less traveled. 2014 , 5, 5-8	81
1552	Muscle-bone interactions: basic and clinical aspects. 2014 , 45, 165-77	99
1551	Exercise habits during middle age are associated with lower prevalence of sarcopenia: the ROAD study. 2014 , 25, 1081-8	83
1550	Neuromechanics of repeated stepping with external loading in young and older women. 2014 , 114, 983-94	9
1549	Postprandial muscle protein synthesis is higher after a high whey protein, leucine-enriched supplement than after a dairy-like product in healthy older people: a randomized controlled trial. 2014 , 13, 9	53
1548	Sarcopenia and its relationship with osteoarthritis: risk factor or direct consequence?. 2014 , 98, 9-14	34
1547	Impact of nutrition on muscle mass, strength, and performance in older adults. 2014 , 25, 791-2	7
1546	A new predictive equation for evaluating women body fat percentage and obesity-related cardiovascular disease risk. 2014 , 37, 511-24	11
1545	Correlates of perceived health related quality of life in obese, overweight and normal weight older adults: an observational study. 2014 , 14, 35	35
1544	A pilot study of the SARC-F scale on screening sarcopenia and physical disability in the Chinese older people. 2014 , 18, 277-83	78
1543	Evaluation of accelerometer based multi-sensor versus single-sensor activity recognition systems. 2014 , 36, 779-85	171
1542	The combined effects of diet quality and physical activity on maintenance of muscle strength among diabetic older adults from the NuAge cohort. 2014 , 49, 40-6	15
1541	Effect of very low-intensity resistance training with slow movement on muscle size and strength in healthy older adults. 2014 , 34, 463-70	58
1540	Prise en charge nutritionnelle d'un patient atteint d'une insuffisance cardiaque. 2014 , 28, 59-63	
1539	Interrelationship among muscle, fat, and bone: connecting the dots on cellular, hormonal, and whole body levels. 2014 , 15, 51-60	153
1538	Protein intake and exercise for optimal muscle function with aging: recommendations from the ESPEN Expert Group. 2014 , 33, 929-36	771

1537	Sarcopenia, physical rehabilitation and functional outcomes of patients in a subacute geriatric care unit. 2014 , 59, 39-43	57
1536	[Prevalence of sarcopenia in geriatric outpatients and nursing homes. The ELLI study]. 2014 , 49, 72-6	5
1535	Sarcopenia in solid organ transplantation. 2014 , 29, 159-70	20
1534	Muscle quality index improves with resistance exercise training in older adults. 2014 , 53, 1-6	54
1533	Disability associated with obesity, dynapenia and dynapenic-obesity in Chinese older adults. 2014 , 15, 150.e11-6	22
1532	Muscle strength and physical performance as predictors of mortality, hospitalization, and disability in the oldest old. 2014 , 62, 1030-8	131
1531	Association of lean body mass with cardiometabolic risk factors in healthy postmenopausal women. 2014 , 22, 828-35	17
1530	Effect of physical activity at midlife on skeletal muscle mass in old age in community-dwelling older women: A cross-sectional study. 2014 , 5, 18-22	14
1529	The prevalence of sarcopenia in patients with respiratory failure classified as normally nourished using computed tomography and subjective global assessment. 2014 , 38, 873-9	93
1528	Creatine supplementation and aging musculoskeletal health. 2014 , 45, 354-61	50
1527	A positive association of vitamin D deficiency and sarcopenia in 50 year old women, but not men. 2014 , 33, 900-5	60
1526	Propeptide-mediated inhibition of myostatin increases muscle mass through inhibiting proteolytic pathways in aged mice. 2014 , 69, 1049-59	16
1525	Frailty and anaesthesia: what we need to know. 2014 , 14, 273-277	17
1524	Muscle strength, power and cardiorespiratory fitness are associated with bone mineral density in men aged 31-60 years. 2014 , 42, 773-9	10
1523	Nutritional status and pressure ulcers. Risk assessment and estimation in older adults. 2014 , 62, 1209-10	4
1522	Poor correlation between handgrip strength and isokinetic performance of knee flexor and extensor muscles in community-dwelling elderly women. 2014 , 14, 185-9	31
1521	Cut-off points of quadriceps strength, declines and relationships of sarcopenia-related variables among Thai community-dwelling older adults. 2014 , 14 Suppl 1, 61-8	18
1520	Growing research on sarcopenia in Asia. 2014 , 14 Suppl 1, 1-7	44

1519	Development of a simple screening test for sarcopenia in older adults. 2014 , 14 Suppl 1, 93-101	161
1518	Large-scale analysis reveals a functional single-nucleotide polymorphism in the 5'-flanking region of PRDM16 gene associated with lean body mass. 2014 , 13, 739-43	29
1517	Association of grip strength and related indices with independence of activities of daily living in older adults, investigated by a newly-developed grip strength measuring device. 2014 , 14 Suppl 2, 77-86	18
1516	When can nutritional therapy impact liver disease?. 2014 , 16, 411	1
1515	[Allopurinol and its role in the treatment of sarcopenia]. 2014 , 49, 292-8	8
1514	Low serum selenium level is associated with low muscle mass in the community-dwelling elderly. 2014 , 15, 807-11	25
1513	Clinical update on nursing home medicine: 2014. 2014 , 15, 786-801	7
1512	Inflammatory mediators, muscle and functional performance of community-dwelling elderly women. 2014 , 59, 549-53	12
1511	PP056-SUN: Post-Discharge Dietary Counselling in Nutritionally At-Risk Elderly Patients â Systematic Review and Meta-Analysis. 2014 , 33, S40	
1510	Valoracin del paciente geritrico. 2014 , 11, 3641-3658	0
1509	PP057-SUN: âPre-Dehydrationâ is a Clinical Condition Present Prior to âMorbid Dehydrationâ Clinical Observations in 391 Elderly Individuals and Suggestions for Diagnostic Variables and Risk Factors for Dehydration. 2014 , 33, S40	0
1508	Top 10 research questions related to body composition. 2014 , 85, 38-48	7
1507	Six-year longitudinal changes in body composition of middle-aged and elderly Japanese: age and sex differences in appendicular skeletal muscle mass. 2014 , 14, 354-61	31
1506	Ageing and the border between health and disease. 2014 , 44, 1332-52	67
1505	Sarcopenia combined with FRAX probabilities improves fracture risk prediction in older Chinese men. 2014 , 15, 918-23	45
1504	Using two different algorithms to determine the prevalence of sarcopenia. 2014 , 14 Suppl 1, 46-51	96
1503	Leucine-enriched amino acid ingestion after resistance exercise prolongs myofibrillar protein synthesis and amino acid transporter expression in older men. 2014 , 144, 1694-702	71
1502	Label-free quantitative protein profiling of vastus lateralis muscle during human aging. 2014 , 13, 283-94	37

1501	Associations of BMI and adipose tissue area and density with incident mobility limitation and poor performance in older adults. 2014 , 99, 1059-65	45
1500	Sarcopenia: an independent predictor of mortality in community-dwelling older Korean men. 2014 , 69, 1244-52	116
1499	Keeping older muscle <i>young</i> through dietary protein and physical activity. 2014 , 5, 599S-607S	51
1498	High-speed circuit training vs hypertrophy training to improve physical function in sarcopenic obese adults: a randomized controlled trial. 2014 , 60, 64-71	66
1497	What the 4-metre gait speed measures and why it cannot replace functional capacity tests. 2014 , 43, 1820-2	5
1496	Sarcopenia risk screening tool: a new strategy for clinical practice. 2014 , 15, 613-4	18
1495	Obesity paradox in cancer: new insights provided by body composition. 2014 , 99, 999-1005	181
1494	Serum levels of C-terminal agrin fragment (CAF) are associated with sarcopenia in older hip fractured patients. 2014 , 60, 79-82	42
1493	Research in sarcopenia: Importance of methodology. Reply. 2014 , 214, 486	
1492	Extensively drug-resistant tuberculosis. The way out from the alley: «Tuberculosis ultrarresistente». 2014 , 214, 484-5	
1491	Sarcopenia research: Relevance of methodology. 2014 , 214, 485-6	
1490	Predicting muscle mass from anthropometry using magnetic resonance imaging as reference: a systematic review. 2014 , 72, 113-26	19
1489	Adipokines: a link between obesity and dementia?. 2014 , 13, 913-23	150
1488	PP168-SUN: Nutrition Impact Symptoms and Body Composition in Patients with COPD. 2014 , 33, S82-S83	
1487	Sarcopenia and nutrition. 2014 , 71, 101-36	21
1486	Enfermedad <i>Bea</i> de Paget, osteomalacia y sarcopenia. 2014 , 11, 3555-3566	1
1485	Cardiometabolic implication of sarcopenia: The Korea National Health and Nutrition Examination Study (KNHANES) 2008-2010. 2014 , 4, 63-69	31
1484	Appendicular skeletal muscle in hospitalised hip-fracture patients: development and cross-validation of anthropometric prediction equations against dual-energy X-ray absorptiometry. <i>Age and Ageing</i> , 2014 , 43, 857-62	3 9

1483	Association of sarcopenia with short- and long-term mortality in older adults admitted to acute care wards: results from the CRIME study. 2014 , 69, 1154-61	121
1482	Reliability and relationships among handgrip strength, leg extensor strength and power, and balance in older men. 2014 , 58, 47-50	34
1481	Sarcopenia: A condition in need for identification in different health care settings. 2014 , 214, 313-4	
1480	Phase angle as bioelectrical marker to identify elderly patients at risk of sarcopenia. 2014 , 58, 43-6	85
1479	Genetics of osteoporosis. 2014 , 452, 287-93	30
1478	Gait speed and risk assessment for falls among men aged 80 years and older: A prospective cohort study in Taiwan. 2014 , 5, 298-302	7
1477	Body mass index from age 15 years onwards and muscle mass, strength, and quality in early old age: findings from the MRC National Survey of Health and Development. 2014 , 69, 1253-9	37
1476	International Society of Geriatric Oncology consensus on geriatric assessment in older patients with cancer. 2014 , 32, 2595-603	959
1475	The role of dietary protein and vitamin D in maintaining musculoskeletal health in postmenopausal women: a consensus statement from the European Society for Clinical and Economic Aspects of Osteoporosis and Osteoarthritis (ESCEO). 2014 , 79, 122-32	169
1474	Evidence-based recommendations for addressing malnutrition in health care: an updated strategy from the feedM.E. Global Study Group. 2014 , 15, 544-50	84
1473	Association between forearm muscle thickness and age-related loss of skeletal muscle mass, handgrip and knee extension strength and walking performance in old men and women: a pilot study. 2014 , 40, 2069-75	29
1472	Measurement of a MMP-2 degraded Titin fragment in serum reflects changes in muscle turnover induced by atrophy. 2014 , 58, 83-9	15
1471	Treatment of body composition changes in obese and overweight older adults: insight into the phenotype of sarcopenic obesity. 2014 , 47, 699-716	46
1470	Effect of oral magnesium supplementation on physical performance in healthy elderly women involved in a weekly exercise program: a randomized controlled trial. 2014 , 100, 974-81	81
1469	Assessment of lean (muscle) mass and its distribution by dual energy X-ray absorptiometry in healthy Indian females. 2014 , 9, 186	13
1468	ICT-based system to predict and prevent falls (iStoppFalls): study protocol for an international multicenter randomized controlled trial. 2014 , 14, 91	46
1467	Age-associated differences in triceps surae muscle composition and strength - an MRI-based cross-sectional comparison of contractile, adipose and connective tissue. 2014 , 15, 209	56
1466	Body composition in adults with newly diagnosed type 2 diabetes: effects of metformin. 2014 , 13, 88	26

1465	Sarcopenia the new geriatric giant: time to translate research findings into clinical practice. <i>Age and Ageing</i> , 2014 , 43, 736-7	3	19
1464	Derivation and validation of simple equations to predict total muscle mass from simple anthropometric and demographic data. 2014 , 100, 1041-51		42
1463	Nutritional assessment and therapy in COPD: a European Respiratory Society statement. 2014 , 44, 1504-20		158
1462	Identification and treatment of older persons with sarcopenia. 2014 , 17, 199-204		21
1461	The influence of strength training on muscle activation in elderly persons: a systematic review and meta-analysis. 2014 , 58, 58-68		50
1460	PP055-SUN: Ultrasonographic Evaluation of Muscle Architecture in Older Adults with Sarcopenia. 2014 , 33, S39-S40		
1459	Malnutrition as a Precursor of Pressure Ulcers. 2014 , 3, 54-63		23
1458	Early-stage chronic kidney disease, insulin resistance, and osteoporosis as risk factors of sarcopenia in aged population: the fourth Korea National Health and Nutrition Examination Survey (KNHANES IV), 2008-2009. 2014 , 25, 2189-98		30
1457	Inflammation, telomere length, and grip strength: a 10-year longitudinal study. 2014 , 95, 54-63		47
1456	Adverse outcomes of frailty in the elderly: the Rotterdam Study. 2014 , 29, 419-27		70
1455	Association of lower limb muscle mass and energy expenditure with visceral fat mass in healthy men. 2014 , 6, 27		16
1454	Investigating the predictive ability of gait speed and quadriceps strength for incident falls in community-dwelling older women at high risk of fracture. 2014 , 58, 308-13		38
1453	Predicting fat-free mass index and sarcopenia in assisted-living older adults. 2014 , 36, 9674		16
1452	Comparison of explosive force between young and elderly women: evidence of an earlier decline from explosive force. 2014 , 36, 893-8		15
1451	Frailty in heart failure. 2014 , 11, 266-73		66
1450	Evidence for an interaction between exercise and nutrition for improving bone and muscle health. 2014 , 12, 219-26		43
1449	Clinical Outcomes of Impaired Muscle and Bone Interactions. 2014 , 12, 86-92		25
1448	The selection of a screening test for frailty identification in community-dwelling older adults. 2014 , 18, 199-203		35

1447	Sarcopenia according to the european working group on sarcopenia in older people (EWGSOP) versus Dynapenia as a risk factor for disability in the elderly. 2014 , 18, 547-53	69
1446	Malnutrition and risk of falling among elderly without home-help service--a cross sectional study. 2014 , 18, 905-11	26
1445	Total management of diabetes mellitus in the elderly. 2014 , 5, 155-157	1
1444	Assessing sarcopenic prevalence and risk factors in residential aged care: methodology and feasibility. 2014 , 5, 229-36	20
1443	Osteosarcopenic obesity: the role of bone, muscle, and fat on health. 2014 , 5, 183-92	126
1442	Are we closer to having drugs to treat muscle wasting disease?. 2014 , 5, 83-7	51
1441	Prevalence of sarcopenia among healthy ambulatory subjects: the sarcopenia begins from 45 years. 2014 , 26, 137-46	59
1440	Effects of Italian Mediterranean organic diet vs. low-protein diet in nephropathic patients according to MTHFR genotypes. 2014 , 27, 529-36	29
1439	Gluteal muscle composition differentiates fallers from non-fallers in community dwelling older adults. 2014 , 14, 37	52
1438	The combination of vitamin D deficiency and mild to moderate chronic kidney disease is associated with low bone mineral density and deteriorated femoral microarchitecture: results from the KNHANES 2008-2011. 2014 , 99, 3879-88	58
1437	Nutrici ³ y enfermedades metab ³ licas en el anciano. Estrategias alimentarias. 2014 , 11, 3691-3704	
1436	Sarcopenia. 2014 , 14, 183-6	57
1435	Analytic morphomics corresponds to functional status in older patients. 2014 , 192, 19-26	21
1434	The FNIH sarcopenia project: rationale, study description, conference recommendations, and final estimates. 2014 , 69, 547-58	1125
1433	PP181-SUN: Association Between Dysphagia Assessed by the 10-Item Eating Assessment Tool and Malnutrition in Frail Elderly. 2014 , 33, S87-S88	
1432	Can sarcopenia be diagnosed without measurements?. 2014 , 5, 291-293	10
1431	Prevalence of sarcopenia in elderly maintenance hemodialysis patients: the impact of different diagnostic criteria. 2014 , 18, 710-7	82
1430	Validating the SARC-F: a suitable community screening tool for sarcopenia?. 2014 , 15, 630-4	200

1429	Nutrition and protein energy homeostasis in elderly. 2014 , 136-137, 76-84	52
1428	Cancer cachexia and diabetes: similarities in metabolic alterations and possible treatment. 2014 , 39, 643-53	17
1427	Prevalence and associated factors of sarcopenia among elderly in Brazil: findings from the SABE study. 2014 , 18, 284-90	102
1426	Responsiveness of muscle size and strength to physical training in very elderly people: a systematic review. 2014 , 24, e1-10	79
1425	Risk of malnutrition (over and under-nutrition): validation of the JaNuS screening tool. 2014 , 33, 1087-94	8
1424	Age-related and disease-related muscle loss: the effect of diabetes, obesity, and other diseases. 2014 , 2, 819-29	486
1423	Is it possible to prevent injurious falls?. 2014 , 5, 75-77	4
1422	And the winner is geriatric medicine: Highlights from the 9th Congress of the EUGMS in Venice Lido, Italy. 2014 , 5, 225-231	
1421	Ability of existing Malnutrition Screening Tools to identify risk of starvation, sarcopenia and cachexia: A systematic review. 2014 , 9, e109-e122	7
1420	Handgrip strength but not appendicular lean mass is an independent predictor of functional outcome in hip-fracture women: a short-term prospective study. 2014 , 95, 1719-24	25
1419	Obesity misclassification and the metabolic syndrome in adults with functional mobility impairments: Nutrition Examination Survey 2003-2006. 2014 , 60, 71-6	30
1418	Assessment of appendicular skeletal muscle mass by bioimpedance in older community-dwelling Korean adults. 2014 , 58, 303-7	34
1417	Sarcopenic obesity and arterial stiffness, pressure wave reflection and central pulse pressure: the J-SHIP study. 2014 , 174, 214-7	16
1416	Dual-energy X-ray absorptiometry measured regional body composition least significant change: effect of region of interest and gender in athletes. 2014 , 17, 121-8	26
1415	Muscle contractile and metabolic dysfunction is a common feature of sarcopenia of aging and chronic diseases: from sarcopenic obesity to cachexia. 2014 , 33, 737-48	219
1414	Effect of interaction between dynapenic component of the European working group on sarcopenia in older people sarcopenia criteria and obesity on activities of daily living in the elderly. 2014 , 15, 371.e1-5	14
1413	Incremental predictive value of sarcopenia for incident fracture in an elderly Chinese cohort: results from the Osteoporotic Fractures in Men (MrOs) Study. 2014 , 15, 551-8	109
1412	The abridged patient-generated subjective global assessment is a useful tool for early detection and characterization of cancer cachexia. 2014 , 114, 1088-1098	63

1411	Mise en place d'une consultation «vieillir avec succ [^] È». 2014 , 14, 23-25	
1410	Predictive parameters of accelerated muscle loss in men-MINOS study. 2014 , 127, 554-61	33
1409	Sarcopenia as a predictor of complications and survival following radical cystectomy. 2014 , 191, 1714-20	114
1408	Role of microRNAs in the age-related changes in skeletal muscle and diet or exercise interventions to promote healthy aging in humans. 2014 , 17, 25-33	40
1407	Sarcopenia in Asia: consensus report of the Asian Working Group for Sarcopenia. 2014 , 15, 95-101	2215
1406	Balance control in elderly people with osteoporosis. 2014 , 113, 334-9	50
1405	Comparison of self-report-based and physical performance-based frailty definitions among patients receiving maintenance hemodialysis. 2014 , 64, 600-7	62
1404	Sarcopenia, but not sarcopenic obesity, predicts mortality for older old men: A 3-year prospective cohort study. 2014 , 5, 42-46	12
1403	Prevalence of sarcopenia in geriatric hospitalized patients. 2014 , 15, 267-72	86
1402	Muscle dysfunction in cancer patients. 2014 , 25, 947-58	112
1401	Sarcopenic obesity and dynapenic obesity: 5-year associations with falls risk in middle-aged and older adults. 2014 , 22, 1568-74	77
1400	Relationship between mortality and BMI after fracture: a population-based study of men and women aged ≥70 years. 2014 , 29, 1737-44	38
1399	Paraspinous muscle as a predictor of surgical outcome. 2014 , 192, 76-81	25
1398	A healthy body habitus is more than just a normal BMI: implications of sarcopenia and sarcopenic obesity. 2014 , 78, 243-4	6
1397	Age and gender, two key factors in the associations between physical activity and strength during the ageing process. 2014 , 78, 106-12	27
1396	Clinical characteristics of high plasma adiponectin and high plasma leptin as risk factors for arterial stiffness and related end-organ damage. 2014 , 235, 424-9	16
1395	Muscle mass, visceral fat, and plasma levels of B-type natriuretic peptide in healthy individuals (from the J-SHIP Study). 2014 , 114, 635-40	12
1394	Transcriptional regulation of myotrophic actions by testosterone and trenbolone on androgen-responsive muscle. 2014 , 87, 59-66	21

1393	Normal weight obesity and functional outcomes in older adults. 2014 , 25, 517-22	23
1392	Sarcopenia in lung transplantation: a systematic review. 2014 , 33, 1203-12	42
1391	Applicability and agreement of different diagnostic criteria for sarcopenia estimation in the elderly. 2014 , 59, 288-94	40
1390	Skeletal muscle mass in hospitalized elderly patients: comparison of measurements by single-frequency BIA and DXA. 2014 , 33, 426-31	49
1389	Identifying sarcopenia in acute care setting patients. 2014 , 15, 303.e7-12	62
1388	Prevalence of and factors associated with sarcopenia in elderly patients with end-stage renal disease. 2014 , 33, 64-8	154
1387	[111th Scientific Meeting of the Japanese Society of Internal Medicine: Educational Lecture: 13. Comorbidities in patients with COPD]. 2014 , 103, 2314-20	
1386	The obese or thin patient. 137-153	1
1385	Weight loss. 484-489	
1384	Frailty and cardiovascular risk in community-dwelling elderly: a population-based study. 2014 , 9, 1677-85	42
1383	Methods, diagnostic criteria, cutoff points, and prevalence of sarcopenia among older people. 2014 , 2014, 231312	58
1382	Malnutrition is associated with poor rehabilitation outcome in elderly inpatients with hospital-associated deconditioning a prospective cohort study. 2014 , 46, 277-82	69
1381	Mitochondrial DNA mutations in ageing and disease: implications for HIV?. 2015 , 20, 109-20	11
1380	[The measureable clinical signs of malnutrition: the clinical significance of body composition - bioimpedance - analysis]. 2014 , 155, 2016-20	1
1379	Serum Albumin is a Marker of Physical Function in Perioperative Gastrointestinal Cancer Patients. 2014 , 29, 973-978	1
1378	Reliability of Isometric Knee Extension Muscle Strength Measurements of Healthy Elderly Subjects Made with a Hand-held Dynamometer and a Belt. 2014 , 26, 1855-9	37
1377	Physical performance, balance, mobility, and muscle strength decline at different rates in elderly people. 2014 , 26, 583-6	26
1376	Force capacity of back extensor muscles in healthy males: effects of age and recovery time. 2014 , 30, 713-21	3

1375	Age-related muscle loss of the anterior and posterior thigh assessed by means of MRI/CT and ultrasound. 2014 , 3, 47-52	1
1374	Phenotypic characteristics associated with reduced short physical performance battery score in COPD. 2014 , 145, 1016-1024	47
1373	The relationship of the skeletal muscle index and nutritional status in frail older hospital patients. 2015 , 74,	
1372	Higher levels of fatigue are associated with poorer functional status in healthy community dwelling older adults. 2015 , 74,	
1371	Exploring the barriers and facilitators to the consumption of eggs and other protein rich foods using focus groups. 2015 , 74,	5
1370	Sarcopenia: What Every NP Needs to Know. 2015 , 11, 753-760	5
1369	Ageing well: a review of sarcopenia and frailty. 2015 , 74, 337-47	58
1368	Association of protein intake with the change of lean mass among elderly women: The Osteoporosis Risk Factor and Prevention - Fracture Prevention Study (OSTPRE-FPS). 2015 , 4, e41	43
1367	Relation of serum 25-hydroxyvitamin D status with skeletal muscle mass by sex and age group among Korean adults. 2015 , 114, 1838-44	13
1366	The effect of sarcopenic obesity on cardiovascular disease and all-cause mortality in older people. 2015 , 25, 86-97	14
1365	Screening for sarcopenia and sarcopenic obesity in community-dwelling older adults. 2015 , 74,	
1364	Prevalence of sarcopenia in a Scottish cohort with chronic kidney disease (CKD) receiving haemodialysis and its association with clinical parameters. 2015 , 74,	
1363	The impact of body composition on skeletal muscle strength in Caucasian women: implications for sarcopenia screening. 2015 , 74,	1
1362	JAMDA: The Journal Continues to Have a High Impact. 2015 , 16, 804-807	0
1361	Malnutrition in hospitalized Asian seniors: An issue that calls for action. 2015 , 6, 73-77	15
1360	Identification of gait domains and key gait variables following hip fracture. 2015 , 15, 150	32
1359	Collagen peptide supplementation in combination with resistance training improves body composition and increases muscle strength in elderly sarcopenic men: a randomised controlled trial. 2015 , 114, 1237-45	120
1358	Life-course approach to nutrition. 2015 , 26, 2723-42	31

1357	Exceptional longevity and potential determinants of successful ageing in a cohort of 39 Labrador retrievers: results of a prospective longitudinal study. 2016 , 58, 29	22
1356	Diagnosing options in patient with sarcopenia. 2015 , 17, 743	
1355	Factors associated with malnutrition in hospitalized cancer patients: a cross-sectional study. 2015 , 14, 123	57
1354	Sarcopenia and frailty: new challenges for clinical practice. 2015 , 15 Suppl 6, s88-91	20
1353	FHL1 activates myostatin signalling in skeletal muscle and promotes atrophy. 2015 , 5, 753-62	19
1352	Sarcopenia, obesity and sarcopenic obesity: effects on liver function and volume in patients scheduled for major liver resection. 2015 , 6, 155-63	13
1351	Behavioural changes are a major contributing factor in the reduction of sarcopenia in caloric-restricted ageing mice. 2015 , 6, 253-68	32
1350	Reversible sarcopenia in patients with gastrointestinal stromal tumor treated with imatinib. 2015 , 6, 343-50	24
1349	Skeletal muscle mass is associated with severe dysphagia in cancer patients. 2015 , 6, 351-7	45
1348	Skeletal muscle atrophy in advanced interstitial lung disease. 2015 , 20, 953-9	45
1347	Muscle mass, structural and functional investigations of senescence-accelerated mouse P8 (SAMP8). 2015 , 64, 425-33	34
1346	Passive and active exercises are similarly effective in elderly nursing home residents. 2015 , 27, 2895-900	8
1345	Gamma-glutamyl transferase is associated with sarcopenia and sarcopenic obesity in community-dwelling older adults: results from the Fifth Korea National Health and Nutrition Examination Survey, 2010-2011. 2015 , 62, 585-92	11
1344	Recent genetic discoveries in osteoporosis, sarcopenia and obesity. 2015 , 62, 475-84	40
1343	Prevalence of Sarcopenia and Related Factors of Skeletal Muscle Mass in Community-dwelling Frail Elderly People. 2015 , 30, 793-796	
1342	Aerobic Fitness and Habitual Physical Activity in Frail and Nonfrail Community-Dwelling Elderly. 2015 , 12, 1304-11	23
1341	Sarcopenia and diabetes: Hyperglycemia is a risk factor for age-associated muscle mass and functional reduction. 2015 , 6, 623-4	66
1340	A Novel Device to Preserve Physical Activities of Daily Living in Healthy Older People. 2015 , 23, 569-79	3

1339	Sarcopenia Defined by Combining Height- and Weight-Adjusted Skeletal Muscle Indices is Closely Associated With Poor Physical Performance. 2015 , 23, 597-606	15
1338	Establishment of the Prediction Equations of 1RM Skeletal Muscle Strength in 60- to 75-Year-Old Chinese Men and Women. 2015 , 23, 640-6	5
1337	Japanese elderly persons walk faster than non-Asian elderly persons: a meta-regression analysis. 2015 , 27, 3481-5	8
1336	Association of sarcopenia with swallowing problems, related to nutrition and activities of daily living of elderly individuals. 2015 , 27, 393-6	47
1335	Measurement of Skeletal Muscle mass of Japanese Men and Women Aged 18-84 by Bioelectrical Impedance Analysis Focusing on the Difference in Measured Values Produced by Different Equipment. 2015 , 30, 265-271	0
1334	Adherence to a standardized protocol for measuring grip strength and appropriate cut-off values in adults over 65 years with sarcopenia: a systematic review protocol. 2015 , 13, 50-9	14
1333	Fetuin-A as a predictor of sarcopenic left ventricular dysfunction. 2015 , 5, 12078	9
1332	Impact of physical frailty on disability in community-dwelling older adults: a prospective cohort study. 2015 , 5, e008462	136
1331	[Quality of life of sarcopenic patients: contribution of the SarcoPhAge study]. 2015 , 13, 391-5	5
1330	[What are the effects of the aging of the neuromuscular system on postural stability?]. 2015 , 13, 363-80	0
1329	Osteoporosis in chronic obstructive pulmonary disease. 2015 , 9, 5-21	37
1328	Frailty in Advanced Heart Failure: A Consequence of Aging or a Separate Entity?. 2015 , 9, 39-46	24
1327	Reply from Ross D. Pollock, Norman R. Lazarus, Janet M. Lord and Stephen D. R. Harridge. 2015 , 593, 3221-2	
1326	Measuring body composition using the bioelectrical impedance method can predict the outcomes of gemcitabine-based chemotherapy in patients with pancreaticobiliary tract cancer. 2015 , 10, 3535-3541	4
1325	Overlaps between Frailty and Sarcopenia Definitions. 2015 , 83, 65-9	43
1324	Obesity in Older Adults: Prevalence, Health Risk and Management of Care Among Nursing Home Residents. 2015 , 4, 211-220	
1323	Was Sie ^ber Neurogeriatrie wissen sollten. 2015 , 17, 40-47	
1322	Higher free thyroxine levels are associated with sarcopenia in elderly Koreans. 2015 , 1, 127-133	4

1321	Skeletal muscle morphology in sarcopenia defined using the EWGSOP criteria: findings from the Hertfordshire Sarcopenia Study (HSS). 2015 , 15, 171	16
1320	Response to letter to editor by Safer et al. 2015 , 112, 117	1
1319	Systematic review of sarcopenia in patients operated on for gastrointestinal and hepatopancreatobiliary malignancies. 2015 , 102, 1448-58	173
1318	Sarcopenia, as defined by low muscle mass, strength and physical performance, predicts complications after surgery for colorectal cancer. 2015 , 17, O256-64	127
1317	Early Commencement of Oral Intake and Physical Function are Associated with Early Hospital Discharge with Oral Intake in Hospitalized Elderly Individuals with Pneumonia. 2015 , 63, 2183-5	27
1316	ICT-based system to predict and prevent Falls (iStoppFalls): results from an international multicenter randomized controlled trial. 2015 , 12, 10	59
1315	Effects of protein-rich nutritional supplementation and bisphosphonates on body composition, handgrip strength and health-related quality of life after hip fracture: a 12-month randomized controlled study. 2015 , 15, 149	24
1314	Sarcopenic obesity and physical performance in middle aged women: a cross-sectional study in Northeast Brazil. 2016 , 16, 43	41
1313	Osteoarthritis and frailty in elderly individuals across six European countries: results from the European Project on OsteoArthritis (EPOSA). 2015 , 16, 359	69
1312	The effects of a protein enriched diet with lean red meat combined with a multi-modal exercise program on muscle and cognitive health and function in older adults: study protocol for a randomised controlled trial. 2015 , 16, 339	23
1311	A cluster randomised feasibility trial evaluating nutritional interventions in the treatment of malnutrition in care home adult residents. 2015 , 16, 433	33
1310	The impact of sarcopenia on survival and complications in surgical oncology: A review of the current literature. 2015 , 112, 503-9	114
1309	How common is frailty in older Australians?. 2015 , 34, 247-51	9
1308	Inverse relationship between body mass index and mortality in older nursing home residents: a meta-analysis of 19,538 elderly subjects. 2015 , 16, 1001-15	92
1307	Skeletal Muscle Abnormalities in Heart Failure. 2015 , 56, 475-84	74
1306	Limitations of the definition of sarcopenia in cancer surgery. 2015 , 112, 116	7
1305	Sarcopenia is highly prevalent in patients undergoing surgery for gastric cancer but not associated with worse outcomes. 2015 , 112, 403-7	89
1304	Effect of the overlap syndrome of depressive symptoms and delirium on outcomes in elderly adults with hip fracture: a comment. 2015 , 63, 1051-3	2

1303	Independent association between serum C-peptide levels and fat mass-to-lean mass ratio in the aging process. 2015 , 15, 918-26	2
1302	Effects of Eight Months of Whole-Body Vibration Training on the Muscle Mass and Functional Capacity of Elderly Women. 2015 , 29, 1863-9	9
1301	Sarcopenic Obesity. 2015 , 37, 72-77	
1300	Sarcopenia in liver cirrhosis: the role of computed tomography scan in the assessment of muscle mass compared with dual-energy X-ray absorptiometry and anthropometry. 2015 , 27, 1228	5
1299	Sarcopenia impairs survival in patients with potentially curable hepatocellular carcinoma. 2015 , 112, 208-13	57
1298	Sarcopenic Obesity. 2015 , 37, 78-83	1
1297	Neuromuscular junction fragmentation and muscle wasting in heart failure: a sharp cut from a Sica sword?. 2015 , 17, 1216-8	3
1296	Relationship between sarcopenia, six-minute walk distance and health-related quality of life in liver transplant candidates. 2015 , 29, 134-41	79
1295	Low bone mineral density and fat-free mass in younger patients with a femoral neck fracture. 2015 , 45, 800-6	5
1294	Association between level of brachial-ankle pulse wave velocity and onset of activities of daily living impairment in community-dwelling older individuals. 2015 , 15, 840-7	3
1293	Relationship between chewing ability and sarcopenia in Japanese community-dwelling older adults. 2015 , 15, 1007-12	92
1292	Association between healthy diet and exercise and greater muscle mass in older adults. 2015 , 63, 886-92	26
1291	Risk of Nonspine Fractures in Older Adults with Sarcopenia, Low Bone Mass, or Both. 2015 , 63, 1733-40	70
1290	Evaluation of the Usefulness of Consensus Definitions of Sarcopenia in Older Men: Results from the Observational Osteoporotic Fractures in Men Cohort Study. 2015 , 63, 2247-59	73
1289	Test-retest reliability and agreement of physical fall risk assessment tools in adults with intellectual disabilities. 2015 , 59, 1121-9	18
1288	Reply: To PMID 23996808. 2015 , 61, 1764-5	
1287	Imbalance and Falls in Older Cancer Survivors. 2015 , 31, E1-E19	1
1286	Normal Weight with Central Obesity, Physical Activity, and Functional Decline: Data from the Osteoarthritis Initiative. 2015 , 63, 1552-60	20

1285	Low free testosterone is associated with loss of appendicular muscle mass in Japanese community-dwelling women. 2015 , 15, 326-33	16
1284	Lower Extremity Proximal Muscle Function and Dyspnea in Older Persons. 2015 , 63, 1628-33	14
1283	Body mass index continues to accurately predict percent body fat as women age despite changes in muscle mass and height. 2015 , 22, 727-30	13
1282	Muscle strength: clinical and prognostic value of hand-grip dynamometry. 2015 , 18, 465-70	241
1281	Sarcopenia in liver cirrhosis: the role of computed tomography scan for the assessment of muscle mass compared with dual-energy X-ray absorptiometry and anthropometry. 2015 , 27, 328-34	121
1280	Body composition in chronic kidney disease. 2015 , 24, 268-75	47
1279	Prevalência e fatores associados a sarcopenia em mulheres idosas residentes em comunidade. 2015 , 17, 460	2
1278	. 2015 ,	3
1277	Medidas antropométricas em idosos assistidos na atenção básica e sua associação com gênero, idade e síndrome da fragilidade: dados do EMI-SUS. 2015 , 25, 21176	2
1276	Prevalence of sarcopenia in Germany and the corresponding effect of osteoarthritis in females 70 years and older living in the community: results of the FORMoSA study. 2015 , 10, 1565-73	34
1275	Malnutrition: Causes and Strategies. 2015 , 06,	5
1274	Isokinetic performance of knee flexor and extensor muscles in community-dwelling elderly women. 2015 , 28, 555-562	2
1273	Factors associated with sarcopenia in subjects aged 80 years and over. 2015 , 28, 319-326	5
1272	Dizziness and Unstable Gait in Old Age: Etiology, Diagnosis and Treatment. 2015 , 112, 387-93	39
1271	Epidemiology of sarcopenia in elderly Japanese. 2015 , 4, 111-115	28
1270	Relationship between Low Muscle Mass and Metabolic Syndrome in Elderly People with Normal Body Mass Index. 2015 , 22, 99-106	14
1269	Is dynamometry able to infer the risk of muscle mass loss in patients with COPD?. 2015 , 10, 1403-7	1
1268	Comparison of Multi-Echo Dixon Methods with Volume Interpolated Breath-Hold Gradient Echo Magnetic Resonance Imaging in Fat-Signal Fraction Quantification of Paravertebral Muscle. 2015 , 16, 1086-95	29

1267	Elderly women who received Helicobacter pylori-eradicating therapy have reduced risk of low skeletal muscle mass. 2015 , 10, 1771-7	5
1266	Impact of First 10 Years of Post Menopause on Muscle Function, Muscle Mass and Bone Mineral Density in Adult Women. 2015 , 03,	1
1265	Implication of Sarcopenia and Sarcopenic Obesity on Lung Function in Healthy Elderly: Using Korean National Health and Nutrition Examination Survey. 2015 , 30, 1682-8	32
1264	Strength Loss Counteracts Age-related Improvements in Muscle Fatigue Properties when Considering Functional Task Endurance A Modeling Study. 2015 , 04,	0
1263	[Association of grip strength with gender age and handedness in 116 older people]. 2015 , 143, 995-1000	4
1262	New approach focused on muscle cell mass and muscle composition for the definition of skeletal muscle mass and sarcopenia. 2015 , 64, 461-472	1
1261	Prevalence of Sarcopenia in Healthy Korean Elderly Women. 2015 , 22, 191-5	15
1260	Relationships among the Y balance test, Berg Balance Scale, and lower limb strength in middle-aged and older females. 2015 , 19, 227-34	35
1259	The Effect of a 12-Week Omega-3 Supplementation on Body Composition, Muscle Strength and Physical Performance in Elderly Individuals with Decreased Muscle Mass. 2015 , 12, 10558-74	50
1258	Focus on Pivotal Role of Dietary Intake (Diet and Supplement) and Blood Levels of Tocopherols and Tocotrienols in Obtaining Successful Aging. 2015 , 16, 23227-49	20
1257	Transcultural Diabetes Nutrition Algorithm: Brazilian Application. 2015 , 7, 7358-80	9
1256	Consumption of Milk Protein or Whey Protein Results in a Similar Increase in Muscle Protein Synthesis in Middle Aged Men. 2015 , 7, 8685-99	51
1255	Classifying aging as a disease in the context of ICD-11. 2015 , 6, 326	33
1254	Insights into muscle degeneration from heritable inclusion body myopathies. 2015 , 7, 13	7
1253	Enhanced L-citrulline in parboiled paddy rice with watermelon (Citrullus lanatus) juice for preventing Sarcopenia: A preliminary study. 2015 , 9, 508-513	2
1252	Prevalência de sarcopenia em idosos: resultados de estudos transversais amplos em diferentes países. 2015 , 18, 665-678	8
1251	Possibility of small-molecule-based pharmacotherapy for sarcopenia. 2015 , 4, 73-82	2
1250	Effects of free leucine supplementation and resistance training on muscle strength and functional status in older adults: a randomized controlled trial. 2015 , 10, 713-23	30

1249	Relationship between sarcopenic obesity and cardiovascular disease risk as estimated by the Framingham risk score. 2015 , 30, 264-71	71
1248	Sarcopenia in COPD: relationship with COPD severity and prognosis. 2015 , 41, 415-21	59
1247	Effects of exercise and milk fat globule membrane (MFGM) supplementation on body composition, physical function, and hematological parameters in community-dwelling frail Japanese women: a randomized double blind, placebo-controlled, follow-up trial. 2015 , 10, e0116256	99
1246	Relationship between Stage of Chronic Kidney Disease and Sarcopenia in Korean Aged 40 Years and Older Using the Korea National Health and Nutrition Examination Surveys (KNHANES IV-2, 3, and V-1, 2), 2008-2011. 2015 , 10, e0130740	77
1245	Association between Frailty, Osteoporosis, Falls and Hip Fractures among Community-Dwelling People Aged 50 Years and Older in Taiwan: Results from I-Lan Longitudinal Aging Study. 2015 , 10, e0136968	51
1244	Electrically Stimulated Antagonist Muscle Contraction Increased Muscle Mass and Bone Mineral Density of One Astronaut - Initial Verification on the International Space Station. 2015 , 10, e0134736	16
1243	Relationship between Blood Myostatin Levels and Kidney Function:Shimane CoHRE Study. 2015 , 10, e0141035	29
1242	Newly Developed Sarcopenia as a Prognostic Factor for Survival in Patients who Underwent Liver Transplantation. 2015 , 10, e0143966	31
1241	Collagen Type III and VI Turnover in Response to Long-Term Immobilization. 2015 , 10, e0144525	63
1240	The Association between Parameters of Malnutrition and Diagnostic Measures of Sarcopenia in Geriatric Outpatients. 2015 , 10, e0135933	40
1239	Therapeutic isolation and expansion of human skeletal muscle-derived stem cells for the use of muscle-nerve-blood vessel reconstitution. 2015 , 6, 165	21
1238	Diagnostic ultrasound estimates of muscle mass and muscle quality discriminate between women with and without sarcopenia. 2015 , 6, 302	50
1237	Sarcopenia and Osteoporosis. 2015 , 27, 72-6	11
1236	Accuracy of the Timed Up and Go test for predicting sarcopenia in elderly hospitalized patients. 2015 , 70, 369-72	29
1235	Assessment of muscle mass, risk of falls and fear of falling in elderly people with diabetic neuropathy. 2015 , 28, 677-683	2
1234	Sarcopenic obesity and complex interventions with nutrition and exercise in community-dwelling older persons--a narrative review. 2015 , 10, 1267-82	75
1233	Sarco-Osteoporosis: Prevalence and Association with Frailty in Chinese Community-Dwelling Older Adults. 2015 , 2015, 482940	50
1232	Novel insights on nutrient management of sarcopenia in elderly. 2015 , 2015, 524948	48

1231	Association of Sasang Constitutional Type with Sarcopenia. 2015 , 2015, 651090	2
1230	Sarcopenia Is Associated with High Pulse Pressure in Older Women. 2015 , 2015, 109824	32
1229	Liver Cirrhosis: Evaluation, Nutritional Status, and Prognosis. 2015 , 2015, 872152	58
1228	Effects of High-speed Elastic Band Training on Physical Fitness and Muscle Function in Rural Community-dwelling Elderly: a Single-blinded Randomized Controlled Trial. 2015 , 15, 254	1
1227	Sarcopenia and frailty in super-aged society. 2015 , 104, 2602-7	4
1226	Sarcopenia and aspartic acid magnesium. 2015 , 4, 287-294	1
1225	Metabolic plasticity in sarcopenia. 2015 , 4, 347-350	
1224	Aging of skeletal muscle fibers. 2015 , 39, 155-62	141
1223	The pathogenetic bases of sarcopenia. 2015 , 12, 22-6	75
1222	Sarcopenia: evaluation of different diagnostic criteria and its association with muscle strength and functional capacity. 2015 , 18, 285-294	4
1221	Supportive Care and Geriatric Assessment in Older Cancer Patients. 2015 , 05,	
1220	Handgrip strength is an independent predictor of functional outcome in hip-fracture women: a prospective study with 6-month follow-up. 2015 , 94, e542	46
1219	Muscle loss and obesity: the health implications of sarcopenia and sarcopenic obesity. 2015 , 74, 405-12	151
1218	Re: Issues concerning sarcopenia in ageing adults. <i>Age and Ageing</i> , 2015 , 44, 343-4	3 1
1217	Association of Low Lean Mass With Frailty and Physical Performance: A Comparison Between Two Operational Definitions of Sarcopenia-Data From the Berlin Aging Study II (BASE-II). 2015 , 70, 779-84	48
1216	Development of conversion formulae between 4-m, 5-m and 6-m gait speed. 2015 , 15, 233-4	
1215	Frailty, Exercise and Nutrition. 2015 , 31, 375-87	42
1214	Sarcopenia as the Biological Substrate of Physical Frailty. 2015 , 31, 367-74	145

1213	Body weight status and onset of cognitive impairment among U.S. middle-aged and older adults. 2015 , 60, 394-400	28
1212	Mitochondrial dysfunction in aging: Much progress but many unresolved questions. 2015 , 1847, 1347-53	202
1211	Fall and Fracture Risk in Sarcopenia and Dynapenia With and Without Obesity: the Role of Lifestyle Interventions. 2015 , 13, 235-44	54
1210	Vitamin D serum levels are associated with handgrip strength but not with muscle mass or length of hospital stay after hip fracture. 2015 , 31, 931-4	24
1209	Associations between Handgrip Strength and Ultrasound-Measured Muscle Thickness of the Hand and Forearm in Young Men and Women. 2015 , 41, 2125-30	26
1208	Nutritional assessment and factors associated to malnutrition in older adults: a cross-sectional study in Bogotá (Colombia). 2015 , 27, 304-19	28
1207	Sarcopenia is an independent predictor of complications following pancreatectomy for adenocarcinoma. 2015 , 111, 771-5	178
1206	How Do Skeletal Muscles Die? An Overview. 2015 , 861, 99-111	9
1205	Environmental Biomedicine. 2015 ,	
1204	Mail-Based Intervention for Sarcopenia Prevention Increased Anabolic Hormone and Skeletal Muscle Mass in Community-Dwelling Japanese Older Adults: The INE (Intervention by Nutrition and Exercise) Study. 2015 , 16, 654-60	44
1203	Sarcopenia as a predictor of complications in penile cancer patients undergoing inguinal lymph node dissection. 2015 , 33, 1585-92	21
1202	Factors that characterize bone health with aging in healthy postmenopausal women. 2015 , 33, 440-7	6
1201	The role of sarcopenia in the risk of osteoporotic hip fracture. 2015 , 34, 1673-80	69
1200	ATP citrate lyase improves mitochondrial function in skeletal muscle. 2015 , 21, 868-76	54
1199	Instruments to assess sarcopenia and physical frailty in older people living in a community (care) setting: similarities and discrepancies. 2015 , 16, 301-8	85
1198	Stroke-related sarcopenia: specific characteristics. 2015 , 16, 272-6	81
1197	Texture modification of food for elderly people. 2015 , 163-185	3
1196	Update on osteoporosis from the 2014 Santa Fe Bone symposium. 2015 , 40, 106-19	5

1195	Fish oil-derived n-3 PUFA therapy increases muscle mass and function in healthy older adults. 2015 , 102, 115-22	231
1194	Television viewing, walking speed, and grip strength in a prospective cohort study. 2015 , 47, 735-42	16
1193	The role of computed tomography in evaluating body composition and the influence of reduced muscle mass on clinical outcome in abdominal malignancy: a systematic review. 2015 , 69, 1079-86	71
1192	Sarcopenia in chronic kidney disease on conservative therapy: prevalence and association with mortality. 2015 , 30, 1718-25	173
1191	Relation of physical function and physical activity to sarcopenia in hemodialysis patients: A preliminary study. 2015 , 191, 198-200	13
1190	Prevalence and risk factors of sarcopenia in elderly nursing home residents. 2015 , 6, 214-219	15
1189	Quality of life and physical components linked to sarcopenia: The SarcoPhAge study. 2015 , 69, 103-10	141
1188	Nutritional status assessment in geriatrics: Consensus declaration by the Spanish Society of Geriatrics and Gerontology Nutrition Work Group. 2015 , 81, 414-9	25
1187	Response to Dr Khursheed Jeejeebhoy. 2015 , 39, 271-2	
1186	Citrulline Supplementation Induces Changes in Body Composition and Limits Age-Related Metabolic Changes in Healthy Male Rats. 2015 , 145, 1429-37	32
1185	The effects of intermittent vitamin D3 supplementation on muscle strength and metabolic parameters in postmenopausal women with type 2 diabetes: a randomized controlled study. 2015 , 6, 149-54	10
1184	Comparative performance of current definitions of sarcopenia against the prospective incidence of falls among community-dwelling seniors age 65 and older. 2015 , 26, 2793-802	146
1183	Gender-specific differences in the development of sarcopenia in the rodent model of the ageing high-fat rat. 2015 , 6, 181-91	27
1182	Endocrine determinants of incident sarcopenia in middle-aged and elderly European men. 2015 , 6, 242-52	49
1181	Rapid screening for sarcopenia. 2015 , 6, 312-4	35
1180	Neuromuscular electrical stimulation leads to physiological gains enhancing postural balance in the pre-frail elderly. 2015 , 3, e12471	15
1179	Patient Psoas Muscle Mass as a Predictor of Complications and Survival After Radical Cystectomy. 2015 , 16, 79	12
1178	Prognostic value of sarcopenia in liver surgery. 2015 , 152, 297-304	21

1177	Effect of alendronate on muscle mass: Investigation in patients with osteoporosis. 2015 , 1, 53-58	10
1176	The Association of Grip Strength With Severity and Duration of Parkinson's: A Cross-Sectional Study. 2015 , 29, 889-96	15
1175	The impact of abdominal aortic aneurysm on muscle mass and energy expenditure: A novel preliminary investigation. 2015 , 23, 602-6	3
1174	Sarcopenia, sarcopenic obesity, and functional impairments in older adults: National Health and Nutrition Examination Surveys 1999-2004. 2015 , 35, 1031-9	102
1173	Ethnic-specific cut-points for sarcopenia: evidence from black South African women. 2015 , 69, 843-9	13
1172	The relationships between body composition characteristics and cognitive functioning in a population-based sample of older British men. 2015 , 15, 172	33
1171	Effect of Angiotensin-Converting Enzyme Inhibitors on Physical Function in Elderly Subjects: A Systematic Review and Meta-Analysis. 2015 , 32, 727-35	22
1170	Effects of sex steroids on bones and muscles: Similarities, parallels, and putative interactions in health and disease. 2015 , 80, 67-78	83
1169	Dynapenic obesity and the effect on long-term physical function and quality of life: data from the osteoarthritis initiative. 2015 , 15, 118	23
1168	Does gait speed contribute to sarcopenia case-finding in a postacute rehabilitation setting?. 2015 , 61, 176-81	15
1167	Sarcopenia and body composition in diabetic Charcot osteoarthropathy. 2015 , 29, 937-42	3
1166	Frailty. 2015 , 8, 547-554	1
1165	Sarcopenia in Asia. 2015 , 1, 92-97	17
1164	The Relationship between Diet Quality and Falls Risk, Physical Function and Body Composition in Older Adults. 2015 , 19, 1037-42	21
1163	Acromegaly and aging: a comparative cross-sectional study. 2015 , 25, 47-52	14
1162	Body mass index and other anthropometric parameters in patients with diffuse large B-cell lymphoma: physiopathological significance and predictive value in the immunochemotherapy era. 2015 , 56, 1959-68	13
1161	Go-sha-jinki-Gan (GJG), a traditional Japanese herbal medicine, protects against sarcopenia in senescence-accelerated mice. 2015 , 22, 16-22	32
1160	Is knee extension strength a better predictor of functional performance than handgrip strength among older adults in three different settings?. 2015 , 60, 252-8	43

1159	Influence of cachexia and sarcopenia on survival in pancreatic ductal adenocarcinoma: a systematic review. 2015 , 15, 19-24	106
1158	Are sarcopenia, obesity and sarcopenic obesity predictive of outcome in patients with colorectal liver metastases?. 2015 , 17, 438-46	79
1157	Low skeletal muscle mass associates with low femoral neck strength, especially in older Korean women: the Fourth Korea National Health and Nutrition Examination Survey (KNHANES IV). 2015 , 26, 737-47	24
1156	Defining sarcopenia in terms of incident adverse outcomes. 2015 , 16, 247-52	134
1155	The Importance of Nutritional Assessment in Institutionalized Elderly with Dementia. 2015 , 1083-1096	
1154	Association between sarcopenia and metabolic syndrome in chronic obstructive pulmonary disease: the Korea National Health and Nutrition Examination Survey (KNHANES) from 2008 to 2011. 2015 , 12, 82-9	25
1153	Functional assessment of nutrition status. 2015 , 30, 211-8	24
1152	An investigation into the relationship between age and physiological function in highly active older adults. 2015 , 593, 657-80; discussion 680	67
1151	Physical and functional implications of aquatic exercise for nursing home residents with dementia. 2015 , 36, 35-9	20
1150	Secondary hyperparathyroidism and its relationship with sarcopenia in elderly women. 2015 , 60, 349-53	17
1149	Integrated therapies for osteoporosis and sarcopenia: from signaling pathways to clinical trials. 2015 , 96, 243-55	22
1148	Too Fit To Fracture: outcomes of a Delphi consensus process on physical activity and exercise recommendations for adults with osteoporosis with or without vertebral fractures. 2015 , 26, 891-910	68
1147	Effect of resistance training using bodyweight in the elderly: Comparison of resistance exercise movement between slow and normal speed movement. 2015 , 15, 1270-7	31
1146	Sarcopenia is a risk factor for elevated aminotransferase in men independently of body mass index, dietary habits, and physical activity. 2015 , 47, 303-8	4
1145	Influence of adipose tissue mass on DXA-derived lean soft tissue mass in middle-aged and older women. 2015 , 37, 9741	15
1144	Calf circumference as a surrogate marker of muscle mass for diagnosing sarcopenia in Japanese men and women. 2015 , 15, 969-76	166
1143	Osteosarcopenic obesity and fall prevention strategies. 2015 , 80, 126-32	54
1142	Diagnostic test accuracy of simple instruments for identifying frailty in community-dwelling older people: a systematic review. <i>Age and Ageing</i> , 2015 , 44, 148-52	3 220

1141	Body composition in dialysis patients: a functional assessment of bioimpedance using different prediction models. 2015 , 25, 121-8		21
1140	Sarcopenia in COPD: prevalence, clinical correlates and response to pulmonary rehabilitation. 2015 , 70, 213-8		232
1139	Presarcopenia and sarcopenia in hip-fracture women: prevalence and association with ability to function in activities of daily living. 2015 , 27, 465-72		40
1138	The implications of sarcopenia and sarcopenic obesity on cardiometabolic disease. 2015 , 116, 1171-8		116
1137	Sarcopenia and critical illness: a deadly combination in the elderly. 2015 , 39, 273-81		47
1136	Subjective physical and cognitive age among community-dwelling older people aged 75 years and older: differences with chronological age and its associated factors. 2015 , 19, 756-61		11
1135	Loss of muscle mass in the end of life in patients with advanced cancer. 2015 , 23, 79-86		48
1134	Bone is Not Alone: the Effects of Skeletal Muscle Dysfunction in Chronic Kidney Disease. 2015 , 13, 173-9		31
1133	Changes in oxidized low-density lipoprotein cholesterol are associated with changes in handgrip strength in Japanese community-dwelling persons. 2015 , 48, 871-7		7
1132	Performance of the European Working Group on Sarcopenia in Older People algorithm in screening older adults for muscle mass assessment. <i>Age and Ageing</i> , 2015 , 44, 334-8	3	38
1131	Challenges with the Medicare obesity benefit: practical concerns & proposed solutions. 2015 , 30, 118-22		29
1130	Cross-sectional associations between different measures of obesity and muscle strength in men and women in a British cohort study. 2015 , 19, 3-11		48
1129	Effects of the daily consumption of protein enriched bread and protein enriched drinking yoghurt on the total protein intake in older adults in a rehabilitation centre: a single blind randomised controlled trial. 2015 , 19, 525-30		20
1128	Dysmobility syndrome and mortality risk in US men and women age 50 years and older. 2015 , 26, 93-102		25
1127	Comparisons of sarcopenia prevalence based on different diagnostic criteria in Chinese older adults. 2015 , 19, 342-7		17
1126	Therapeutic alternatives and palliative care for advanced renal disease in the very elderly: a review of the literature. 2015 , 47, 647-54		12
1125	Strategic creatine supplementation and resistance training in healthy older adults. 2015 , 40, 689-94		39
1124	Preoperative sarcopenia negatively impacts postoperative outcomes following major hepatectomy with extrahepatic bile duct resection. 2015 , 39, 1494-500		74

1123	Differential expression of perilipin 2 and 5 in human skeletal muscle during aging and their association with atrophy-related genes. 2015 , 16, 329-40	14
1122	[Physical exercise in the frail elderly: an update]. 2015 , 50, 74-81	26
1121	The health impact of nighttime eating: old and new perspectives. 2015 , 7, 2648-62	51
1120	Association between clinical measures of sarcopenia in a sample of community-dwelling women. 2015 , 23, 41-44	3
1119	Reference Values of Grip Strength Measured with a Jamar Dynamometer in 1526 Adults with Intellectual Disabilities and Compared to Adults without Intellectual Disability. 2015 , 10, e0129585	22
1118	Sarcopenia definitions: where to draw the line? Response to Scarlata et al. 2015 , 70, 694	1
1117	Prevention and optimal management of sarcopenia: a review of combined exercise and nutrition interventions to improve muscle outcomes in older people. 2015 , 10, 859-69	177
1116	The role of muscle mass and body fat on disability among older adults: A cross-national analysis. 2015 , 69, 27-35	55
1115	Sarcopenia, the Next Frontier in Fracture Prevention: Introduction From the Guest Editors. 2015 , 18, 459-60	5
1114	Lean mass and fat mass have differing associations with bone microarchitecture assessed by high resolution peripheral quantitative computed tomography in men and women from the Hertfordshire Cohort Study. 2015 , 81, 145-151	31
1113	Evaluation of older Adults with obesity for bariatric surgery: Geriatricians' perspective. 2015 , 6, 45-53	22
1112	The relationship between diet quality and falls risk, physical function and body composition in older adults. 2015 ,	
1111	Relationship between Plasma Ghrelin Levels and Sarcopenia in Elderly Subjects: A Cross-Sectional Study. 2015 , 19, 669-72	24
1110	Accuracy of a predictive bioelectrical impedance analysis equation for estimating appendicular skeletal muscle mass in a non-Caucasian sample of older people. 2015 , 61, 39-43	21
1109	Muscle mass and muscle function over the adult life span: a cross-sectional study in Flemish adults. 2015 , 61, 161-7	38
1108	17 β Estradiol and testosterone in sarcopenia: Role of satellite cells. 2015 , 24, 166-77	36
1107	Weight Management in Older Adults. 2015 , 4, 379-88	45
1106	Bio-impedance analysis for appendicular skeletal muscle mass assessment in (pre-) frail elderly people. 2015 , 10, e147-e153	7

1105	Sarcopenia evaluated by fat-free mass index in patients with chronic heart failure. 2015 , 26, e34		6
1104	An Overview of Sarcopenic Obesity. 2015 , 18, 499-505		81
1103	Association of vegetables and fruits consumption with sarcopenia in older adults: the Fourth Korea National Health and Nutrition Examination Survey. <i>Age and Ageing</i> , 2015 , 44, 96-102	3	58
1102	Myostatin Gene Polymorphism in an Elderly Sarcopenic Turkish Population. 2015 , 19, 457-60		5
1101	"Skeletal muscle function deficit" in a nationally representative British birth cohort in early old age. 2015 , 70, 604-7		27
1100	Quantitative analysis of skeletal muscle mass in patients with rheumatic diseases under glucocorticoid therapy--comparison among bioelectrical impedance analysis, computed tomography, and magnetic resonance imaging. 2015 , 25, 257-63		14
1099	Antagonistic implications of sarcopenia and abdominal obesity on physical performance in COPD. 2015 , 46, 336-45		43
1098	Physical Activity, Exercise, Sedentary Behavior and Health. 2015 ,		7
1097	The Role of Sarcopenia and Frailty in Hepatic Encephalopathy Management. 2015 , 19, 507-28		26
1096	Body composition and survival in dialysis patients: results from an international cohort study. 2015 , 10, 1192-200		104
1095	The impacts of sarcopenia and obesity on physical performance in the elderly. 2015 , 9, 256-65		31
1094	Impact of preoperative quality as well as quantity of skeletal muscle on survival after resection of pancreatic cancer. 2015 , 157, 1088-98		154
1093	Skeletal muscle depletion predicts the prognosis of patients with hepatocellular carcinoma treated with sorafenib. 2015 , 16, 9612-24		41
1092	Nutritional Status, Body Surface, and Low Lean Body Mass/Body Mass Index Are Related to Dose Reduction and Severe Gastrointestinal Toxicity Induced by Afatinib in Patients With Non-Small Cell Lung Cancer. 2015 , 20, 967-74		53
1091	Reply to sarcopenia is more than simply documenting low skeletal muscle mass. 2015 , 121, 159-60		
1090	Combined intervention of protein supplementation and resistance training in medical patients. 2015 , 34, 1033-4		
1089	Current Clinical Care of Older Adults With Sarcopenia. 2015 , 18, 493-8		7
1088	Novel Approaches to the Diagnosis of Sarcopenia. 2015 , 18, 472-7		29

1087	Assessment of Lean Mass and Physical Performance in Sarcopenia. 2015 , 18, 467-71	55
1086	The Association Between the Probability of Sarcopenia and Functional Outcomes in Older Patients Undergoing In-Hospital Rehabilitation. 2015 , 16, 951-6	35
1085	The Reference Value of Skeletal Muscle Mass Index for Defining the Sarcopenia of Women in Korea. 2015 , 22, 71-5	20
1084	The Epidemiology of Sarcopenia. 2015 , 18, 461-6	62
1083	Sarcopenia and impairment in cognitive and physical performance. 2015 , 10, 663-71	68
1082	Sarcopenia is more than simply documenting low skeletal muscle mass. 2015 , 121, 159	6
1081	Mechanisms Regulating Neuromuscular Junction Development and Function and Causes of Muscle Wasting. 2015 , 95, 809-52	185
1080	Sarcopenia: Current Concepts and Imaging Implications. 2015 , 205, W255-66	162
1079	Phenotype of osteosarcopenia in older individuals with a history of falling. 2015 , 16, 290-5	130
1078	Comparative study of four physical performance measures as predictors of death, incident disability, and falls in unselected older persons: the insufficienza Cardiaca negli Anziani Residenti a Dicomano Study. 2015 , 63, 136-41	47
1077	Nutritional interventions in sarcopenia: a critical review. 2015 , 74, 378-86	40
1076	Diagnostic criteria for malnutrition - An ESPEN Consensus Statement. 2015 , 34, 335-40	858
1075	The Impact of Different Diagnostic Criteria on the Prevalence of Sarcopenia in Healthy Elderly Participants and Geriatric Outpatients. 2015 , 61, 491-6	57
1074	The elderly patient with cancer: a holistic view. 2015 , 31, 587-9	12
1073	Self-reported walking speed: a useful marker of physical performance among community-dwelling older people?. 2015 , 16, 323-8	30
1072	Leptin, adiposity, and mortality: results from the National Health and Nutrition Examination Survey III, 1988 to 1994. 2015 , 90, 481-91	15
1071	Association between Angiotensin-converting enzyme insertion/deletion polymorphisms and frailty among chinese older people. 2015 , 16, 438.e1-6	6
1070	Sarcopenia evaluated by fat-free mass index is an important prognostic factor in patients with chronic heart failure. 2015 , 26, 118-22	60

1069	D ^e nutrition du sujet ob ^e se. 2015 , 29, 50-53	1
1068	Sarcopenia is a prognostic factor for overall survival in patients with critical limb ischemia. 2015 , 61, 945-50	83
1067	Insulinlike Growth Factor-1 and Its Binding Protein-3 Polymorphisms Predict Circulating IGF-1 Level and Appendicular Skeletal Muscle Mass in Chinese Elderly. 2015 , 16, 365-70	9
1066	Nutrition artificielle apr ^e s ^u court circuit gastrique. 2015 , 29, 115-120	
1065	Skeletal muscle mass and quality: evolution of modern measurement concepts in the context of sarcopenia. 2015 , 74, 355-66	195
1064	Preoperative intramuscular adipose tissue content is a novel prognostic predictor after hepatectomy for hepatocellular carcinoma. 2015 , 22, 475-85	71
1063	Muscle Quality and Muscle Fat Infiltration in Relation to Incident Mobility Disability and Gait Speed Decline: the Age, Gene/Environment Susceptibility-Reykjavik Study. 2015 , 70, 1030-6	41
1062	[Sarcopenia and frailty in neurology]. 2015 , 86, 420-30	9
1061	Reproducibility of jumping mechanography and traditional measures of physical and muscle function in older adults. 2015 , 26, 819-25	38
1060	Preoperative Sarcopenia Negatively Impacts Postoperative Outcomes Following Major Hepatectomy with Extrahepatic Bile Duct Resection. 2015 , 39, 2368-9	7
1059	Ageing influence in the evolution of strength and muscle mass in women with fibromyalgia: the al ^e ndalus project. 2015 , 35, 1243-50	6
1058	Urinary incontinence and poor functional status in fragility fracture patients: an underrecognized and underappreciated association. 2015 , 135, 59-67	17
1057	Effect of muscle mass on toxicity and survival in patients with colon cancer undergoing adjuvant chemotherapy. 2015 , 23, 687-94	128
1056	Muscle atrophy as pre-sarcopenia in Japanese patients with chronic liver disease: computed tomography is useful for evaluation. 2015 , 50, 1206-13	74
1055	Biological characteristics of muscle-derived satellite cells isolated from rats at different postnatal days. 2015 , 67, 397-408	2
1054	Optimal cutoffs for low skeletal muscle mass related to cardiovascular risk in adults: The Korea National Health and Nutrition Examination Survey 2009-2010. 2015 , 50, 424-33	23
1053	Higher levels of physical fitness are associated with a reduced risk of suffering sarcopenic obesity and better perceived health among the elderly: the EXERNET multi-center study. 2015 , 19, 211-7	38
1052	Obesity, Muscular Strength, Muscle Composition and Physical Performance in an Elderly Population. 2015 , 19, 785-91	29

1051	Combined Effects of Diet and Exercise or Diet Alone to Improve Physical Function in Community-Dwelling Older Adults: A Systematic Review of the Literature. 2015 , 4, 164-175	2
1050	Lean mass in obese adult subjects correlates with higher levels of vitamin D, insulin sensitivity and lower inflammation. 2015 , 38, 367-72	36
1049	Nutrition impact symptoms, handgrip strength and nutritional risk in hospitalized patients with gastroenterological and liver diseases. 2015 , 50, 1191-8	17
1048	Gait Speed and Mortality, Hospitalization, and Functional Status Change Among Hemodialysis Patients: A US Renal Data System Special Study. 2015 , 66, 297-304	95
1047	Concordance between muscle mass assessed by bioelectrical impedance analysis and by dual energy X-ray absorptiometry: a cross-sectional study. 2015 , 16, 60	95
1046	Validation of hepatectomy for elderly patients with hepatocellular carcinoma. 2015 , 22, 3094-101	33
1045	Sarcopenia is a Predictor of Postoperative Respiratory Complications in Patients with Esophageal Cancer. 2015 , 22, 4432-7	124
1044	Osteoporosis and sarcopenia in older age. 2015 , 80, 126-130	162
1043	Relationship between low muscle mass and anemia in Korean elderly men: Using the Korea National Health and Nutrition Examination Survey (KNHANES IV&V). 2015 , 6, 115-119	7
1042	Sarcopenia Is Associated With Incident Disability, Institutionalization, and Mortality in Community-Dwelling Older Men: The Concord Health and Ageing in Men Project. 2015 , 16, 607-13	121
1041	Mini nutritional assessment test long and short form are valid screening tools in Turkish older adults. 2015 , 61, 56-60	52
1040	Cachexia and sarcopenia: mechanisms and potential targets for intervention. 2015 , 22, 100-6	178
1039	Sarcopenia is associated with autologous transplant-related outcomes in patients with lymphoma. 2015 , 56, 2855-62	20
1038	Effect of vitamin D supplementation alone on muscle function in postmenopausal women: a randomized, double-blind, placebo-controlled clinical trial. 2015 , 26, 2413-21	66
1037	Comment on "Decreased Tongue Pressure is Associated with Sarcopenia and Sarcopenic Dysphagia in the Elderly". 2015 , 30, 373-4	1
1036	Decreased muscle mass is not an independent risk factor for metabolic syndrome in Korean population aged 70 or older. 2015 , 82, 509-16	13
1035	Muscle function-dependent sarcopenia and cut-off values of possible predictors in community-dwelling Turkish elderly: calf circumference, midarm muscle circumference and walking speed. 2015 , 69, 1087-90	29
1034	Physical methods for evaluating the nutrition status of hemodialysis patients. 2015 , 28, 523-30	15

1033	Sarcopenia--The search for emerging biomarkers. 2015 , 22, 58-71	107
1032	Pro-Insulin-Like Growth Factor-II Ameliorates Age-Related Inefficient Regenerative Response by Orchestrating Self-Reinforcement Mechanism of Muscle Regeneration. 2015 , 33, 2456-68	17
1031	Relationship between pre-sarcopenia, sarcopenia and bone mineral density in elderly men. 2015 , 59, 59-65	63
1030	Fragilit� et nutrition, �tat des lieux et perspectives. 2015 , 7, 8-12	
1029	Understanding and reducing disability in older adults following critical illness. 2015 , 43, 1265-75	78
1028	Protein supplementation with aging. 2015 , 18, 24-31	11
1027	Sarcopenia: the new definitions. 2015 , 18, 1-4	46
1026	Portable indices for sarcopenia are associated with pressure wave reflection and central pulse pressure: the J-SHIPP study. 2015 , 33, 314-22	18
1025	Sarcopenia among hospitalized patients - A cross-sectional study. 2015 , 34, 1239-44	47
1024	Nutritional advances in patients with respiratory diseases. 2015 , 24, 17-22	9
1023	Serum concentrations of insulin-like growth factor-1, members of the TGF-beta superfamily and follistatin do not reflect different stages of dynapenia and sarcopenia in elderly women. 2015 , 64, 35-45	41
1022	The role of nutrition for pressure ulcer management: national pressure ulcer advisory panel, European pressure ulcer advisory panel, and pan pacific pressure injury alliance white paper. 2015 , 28, 175-88; quiz 189-90	77
1021	Validating the absolute reliability of a fat free mass estimate equation in hemodialysis patients using near-infrared spectroscopy. 2015 , 19, 220-4	
1020	Developing consensus criteria for sarcopenia: an update. 2015 , 30, 588-92	79
1019	Reduction in Endogenous Insulin Secretion is a Risk Factor of Sarcopenia in Men with Type 2 Diabetes Mellitus. 2015 , 97, 385-90	34
1018	Sarcopenia and fragility fractures: molecular and clinical evidence of the bone-muscle interaction. 2015 , 97, 429-37	81
1017	Comprehensive nutritional status in sarco-osteoporotic older fallers. 2015 , 19, 474-80	60
1016	Muscle stem cell aging: regulation and rejuvenation. 2015 , 26, 287-96	95

1015	Age-related change in H2AX of Drosophila muscle: its significance as a marker for muscle damage and longevity. 2015 , 16, 503-16	7
1014	Reference values for hand grip strength in Japanese community-dwelling elderly: a meta-analysis. 2015 , 20, 441-6	23
1013	Prevalence and risk factors of sarcopenia among adults living in nursing homes. 2015 , 82, 418-23	82
1012	Frailty phenotype and chronic kidney disease: a review of the literature. 2015 , 47, 1801-7	60
1011	Prevalence of Sarcopenia and Associated Factors in Chinese Community-Dwelling Elderly: Comparison Between Rural and Urban Areas. 2015 , 16, 1003.e1-6	52
1010	Wie viel Bizeps soll es sein?. 2015 , 40, S14-S16	
1009	Welche Kost für wen?. 2015 , 40, S32-S35	3
1008	Managing frailty as a long-term condition. <i>Age and Ageing</i> , 2015 , 44, 732-5	3 40
1007	Identification of biological markers for better characterization of older subjects with physical frailty and sarcopenia. 2015 , 6, 103-110	17
1006	Sarcopenic obesity and risk of new onset depressive symptoms in older adults: English Longitudinal Study of Ageing. 2015 , 39, 1717-20	48
1005	Understanding sarcopenia as a predictor of response to autologous hematopoietic stem cell transplant. 2015 , 56, 3456	2
1004	Valeur pronostique de la sarcopénie dans la chirurgie des tumeurs du foie. 2015 , 152, 307-315	
1003	Imaging body composition in cancer patients: visceral obesity, sarcopenia and sarcopenic obesity may impact on clinical outcome. 2015 , 6, 489-97	104
1002	Habitual Physical Activity, Sedentary Behaviour and Bone Health in Rheumatoid Arthritis. 2015 , 36, 1021-6	10
1001	Association of sarcopenia and observed physical performance with attainment of multidisciplinary team planned treatment in non-small cell lung cancer: an observational study protocol. 2015 , 15, 544	8
1000	Frequency of sarcopenia and associated factors among hospitalized elderly patients. 2015 , 16, 108	40
999	Re: Growing research on sarcopenia in Asia. 2015 , 15, 238-9	1
998	Small Group Teaching in a psychiatric hospital for dementia patients. 2015 , 15, 239-40	0

997	Response to safer and kulcu. 2015 , 63, 1051	
996	Head lifting strength is associated with dysphagia and malnutrition in frail older adults. 2015 , 15, 410-6	27
995	Effects of a vitamin D and leucine-enriched whey protein nutritional supplement on measures of sarcopenia in older adults, the PROVIDE study: a randomized, double-blind, placebo-controlled trial. 2015 , 16, 740-7	350
994	Development and psychometric validation of a brief comprehensive health status assessment scale in older patients with hematological malignancies: The GAH Scale. 2015 , 6, 353-61	34
993	Sarcopenia is an independent prognostic factor in male patients with diffuse large B-cell lymphoma. 2015 , 94, 2043-53	54
992	Successful aging: Advancing the science of physical independence in older adults. 2015 , 24, 304-27	107
991	Low pulmonary function is related with a high risk of sarcopenia in community-dwelling older adults: the Korea National Health and Nutrition Examination Survey (KNHANES) 2008-2011. 2015 , 26, 2423-9	45
990	Relationship of anabolic and catabolic biomarkers with muscle strength and physical performance in older adults: a population-based cross-sectional study. 2015 , 16, 202	18
989	Effective Exercise Programs Among Frail Elderly People. 2015 , 299-305	
988	Does functional fitness decline in accordance with our expectation? - a pilot study in healthy female. 2015 , 7, 17	3
987	Searching for a relevant definition of sarcopenia: results from the cross-sectional EPIDOS study. 2015 , 6, 144-54	42
986	Sex- and age-related differences in mid-thigh composition and muscle quality determined by computed tomography in middle-aged and elderly Japanese. 2015 , 15, 700-6	21
985	Age-Related Ultrasound Changes in Muscle Quantity and Quality in Women. 2015 , 41, 3013-7	59
984	Favorable effect of sympathetic nervous activity on rehabilitation outcomes in frail elderly. 2015 , 16, 799.e7-799.e12	4
983	Sarcopenia in post-menopausal women: Is there any role for vitamin D?. 2015 , 82, 56-64	39
982	Definitions of Sarcopenia: Associations with Previous Falls and Fracture in a Population Sample. 2015 , 97, 445-52	78
981	Prevalence of sarcopenia in patients attending outpatient geriatric clinics: the ELLI study. <i>Age and Ageing</i> , 2015 , 44, 807-9	3 20
980	Impact of the Macronutrient Composition of a Nutritional Supplement on Muscle Protein Synthesis Rates in Older Men: A Randomized, Double Blind, Controlled Trial. 2015 , 100, 4124-32	22

979	Age-Related Differences in Muscle Shear Moduli in the Lower Extremity. 2015 , 41, 2906-12	52
978	Physical performance and life quality in postmenopausal women supplemented with vitamin D: a two-year prospective study. 2015 , 36, 1065-73	12
977	Body Composition Tools for Assessment of Adult Malnutrition at the Bedside: A Tutorial on Research Considerations and Clinical Applications. 2015 , 39, 787-822	107
976	Effects of Three Types of Exercise Interventions on Healthy Old Adults' Gait Speed: A Systematic Review and Meta-Analysis. 2015 , 45, 1627-43	99
975	Hypovitaminosis D and frailty: Epiphenomenon or causal?. 2015 , 82, 328-35	18
974	Nutrition Risk Screening and Stratification. 2015 , 3, 1	
973	Measurement of gait speed in older adults to identify complications associated with frailty: A systematic review. 2015 , 6, 484-96	99
972	Micronucleus frequency in peripheral blood lymphocytes and frailty status in elderly. A lack of association with clinical features. 2015 , 780, 47-54	5
971	Cachexia, sarcopenia, inflammaging and outcomes in hospitalised older people (the CaSIO study): Study protocol and preliminary results. 2015 , 6, 495-501	
970	Frailty Phenotypes, Disability, and Outcomes in Adult Candidates for Lung Transplantation. 2015 , 192, 1325-34	124
969	microRNAs: Modulators of the underlying pathophysiology of sarcopenia?. 2015 , 24, 263-73	45
968	Dietary L-Lysine Suppresses Autophagic Proteolysis and Stimulates Akt/mTOR Signaling in the Skeletal Muscle of Rats Fed a Low-Protein Diet. 2015 , 63, 8192-8	28
967	Prevalence and Risk Factors for Low Habitual Walking Speed in Nursing Home Residents: An Observational Study. 2015 , 96, 1993-9	18
966	Bioelectrical impedance vector analysis as an auxiliary method in diagnosing of sarcopenia among hospitalized older patients – preliminary report. 2015 , 6, 422-426	2
965	Development of a self-administrated quality of life questionnaire for sarcopenia in elderly subjects: the SarQoL. <i>Age and Ageing</i> , 2015 , 44, 960-6	3 60
964	Association between retinal vasculature and muscle mass in older people. 2015 , 61, 425-8	4
963	A comment on "Improving rehabilitation following critical illness through outpatient physiotherapy classes and essential amino acid supplement: a randomised, controlled trial". 2015 , 30, 1135	
962	Sarcopenia as a predictor of overall survival after cytoreductive nephrectomy for metastatic renal cell carcinoma. 2015 , 33, 339.e17-23	67

961	Lean body mass index prognostic value for cardiovascular events in patients with coronary artery disease. 2015 , 7, 12-18		17
960	Association between low muscle mass, functional limitations and hospitalisation in heart failure: NHANES 1999-2004. <i>Age and Ageing</i> , 2015 , 44, 948-54	3	6
959	Prevalent fragility fractures as risk factor for skeletal muscle function deficit and dysmobility syndrome in post-menopausal women. 2015 , 27 Suppl 1, S11-6		18
958	Prospective observational study to evaluate risk factors for falls in institutionalized elderly people: the role of cystatin C. 2015 , 27, 419-24		5
957	Decreased tongue pressure is associated with sarcopenia and sarcopenic dysphagia in the elderly. 2015 , 30, 80-7		139
956	Peak muscle mass in young men and sarcopenia in the ageing male. 2015 , 26, 749-56		11
955	Common physical and functional changes associated with aging in dogs. 2015 , 246, 67-75		30
954	Interactions between muscle tissues and bone metabolism. 2015 , 116, 687-95		117
953	An anthropometric prediction equation for appendicular skeletal muscle mass in combination with a measure of muscle function to screen for sarcopenia in primary and aged care. 2015 , 16, 25-30		34
952	Exercise attenuates the major hallmarks of aging. 2015 , 18, 57-89		181
951	Losing grip: Senescent decline in physical strength in a small-bodied primate in captivity and in the wild. 2015 , 61, 54-61		13
950	The role of leptin in regulating bone metabolism. 2015 , 64, 105-13		144
949	Assessing appendicular skeletal muscle mass with bioelectrical impedance analysis in free-living Caucasian older adults. 2015 , 34, 667-73		140
948	Differential association of frailty with cognitive decline and sarcopenia in community-dwelling older adults. 2015 , 16, 120-4		58
947	Differences in body composition and physical functions associated with sarcopenia in Chinese elderly: reference values and prevalence. 2015 , 60, 118-23		37
946	Incidence and predictors of sarcopenia onset in community-dwelling elderly Japanese women: 4-year follow-up study. 2015 , 16, 85.e1-8		59
945	Relative differences in strength and power from slow to fast isokinetic velocities may reflect dynapenia. 2015 , 52, 120-30		16
944	Bioimpedance vector analysis and conventional bioimpedance to assess body composition in older adults with dementia. 2015 , 31, 155-9		11

943	Hyperinsulinemia is associated with the loss of appendicular skeletal muscle mass at 4.6 year follow-up in older men and women. 2015 , 34, 931-6	11
942	Obesity in the Context of Aging: Quality of Life Considerations. 2015 , 33, 655-72	23
941	Multidisciplinary Approach to Obesity. 2015 ,	6
940	Estimation of sarcopenia prevalence using various assessment tools. 2015 , 61, 31-7	92
939	Smoking cessation-related weight gain--beneficial effects on muscle mass, strength and bone health. 2015 , 110, 326-35	18
938	Preliminary evaluation of the prevalence of sarcopenia in obese patients from Southern Italy. 2015 , 31, 79-83	11
937	A comparison of the malnutrition screening tools, MUST, MNA and bioelectrical impedance assessment in frail older hospital patients. 2015 , 34, 296-301	27
936	Negative effect of clenbuterol on physical capacities and neuromuscular control of muscle atrophy in adult rats. 2015 , 52, 1078-87	
935	Diet and its relationship to sarcopenia in community dwelling Iranian elderly: a cross sectional study. 2015 , 31, 97-104	82
934	Malnutrition and inflammation-"burning down the house": inflammation as an adaptive physiologic response versus self-destruction?. 2015 , 39, 56-62	21
933	Comparison of height- and weight-adjusted sarcopenia in a Taiwanese metropolitan older population. 2015 , 15, 45-53	33
932	[Calf circumference and its association with gait speed in elderly participants at Peruvian Naval Medical Center]. 2015 , 50, 22-5	5
931	Interrelationships between obesity and bone markers in post-menopausal women with either obesity or osteoporosis. 2015 , 6, 15-20	4
930	Food and addiction among the ageing population. 2015 , 20, 79-85	49
929	Sarcopenic obesity: molecular clues to a better understanding of its pathogenesis?. 2015 , 16, 15-29	81
928	Changes in gait performance over several years are associated with recurrent falls status in community-dwelling older women at high risk of fracture. <i>Age and Ageing</i> , 2015 , 44, 287-93	3 15
927	Associations between sedentary behaviour and body composition, muscle function and sarcopenia in community-dwelling older adults. 2015 , 26, 571-9	142
926	Malnutrition in the Elderly. 2015 , 211-222	

925	Sarcopenia: a predictor of mortality and the need for early diagnosis and intervention. 2015 , 27, 249-54	41
924	Sarcopenia-related parameters and incident disability in older persons: results from the "invecchiare in Chianti" study. 2015 , 70, 457-63	47
923	Dynapenic obesity and lower extremity function in elderly adults. 2015 , 16, 31-6	22
922	Sarcopenia impairs prognosis of patients with liver cirrhosis. 2015 , 31, 193-9	232
921	Simple psoas cross-sectional area measurement is a quick and easy method to assess sarcopenia and predicts major surgical complications. 2015 , 17, O20-6	185
920	Identification of skeletal muscle mass depletion across age and BMI groups in health and disease--there is need for a unified definition. 2015 , 39, 379-86	72
919	Sarcopenia and malnutrition in acutely ill hospitalized elderly: Prevalence and outcomes. 2015 , 34, 745-51	125
918	Automatic and quantitative assessment of regional muscle volume by multi-atlas segmentation using whole-body water-fat MRI. 2015 , 41, 1558-69	112
917	Strength and function response to clinical interventions of older women categorized by weakness and low lean mass using classifications from the Foundation for the National Institute of Health sarcopenia project. 2015 , 70, 202-9	34
916	Protein ingestion to stimulate myofibrillar protein synthesis requires greater relative protein intakes in healthy older versus younger men. 2015 , 70, 57-62	433
915	Skeletal muscle: a brief review of structure and function. 2015 , 96, 183-95	453
914	Skeletal muscle depletion is an independent prognostic factor for hepatocellular carcinoma. 2015 , 50, 323-32	148
913	Atualidades sobre o tratamento da Sarcopenia revis ^ˆ ˆ de literatura. 2016 , 09, 254-271	
912	Sex-differences in age-related grip strength decline: A 10-year longitudinal study of community-living middle-aged and older Japanese. 2016 , 5, 87-94	12
911	Improving Outcome in Gastrointestinal and Hepatopancreaticobiliary Surgical Oncology by Preoperative Risk Assessment and Optimization of Perioperative Care. 2016 ,	
910	The Level of Serum Cholesterol is Negatively Associated with Lean Body Mass in Korean non-Diabetic Cancer Patients. 2016 , 5, 126-36	4
909	Prevalence of Sarcopenia and Its Association with Socioeconomic Status among the Elderly in Tehran. 2016 , 26, 389-96	13
908	Effects of short-term Nordic walking training on sarcopenia-related parameters in women with low bone mass: a preliminary study. 2016 , 11, 1763-1771	22

907	Viability of gait speed test in hospitalized elderly patients. 2016 , 42, 196-202	12
906	Factors associating with oxygenation of lower-limb muscle tissue in hemodialysis patients. 2016 , 5, 524-530	4
905	Association between leg strength and muscle cross-sectional area of the quadriceps femoris with the physical activity level in octogenarians. 2016 , 36, 258-64	3
904	Loss of follow-up and associated factors in patients enrolled in the HIV/AIDS program of the Hospital Universitario San Ignacio, Colombia, 2012-2013. 2016 , 36, 265-75	4
903	High Prevalence of Sarcopenia in Women with Osteoporotic Fractures. 2016 , 4,	2
902	Dietary protein intake in sarcopenic obese older women. 2016 , 11, 133-40	37
901	Letter: Hyperglycemia Is Associated with Impaired Muscle Quality in Older Men with Diabetes: The Korean Longitudinal Study on Health and Aging (Diabetes Metab J 2016;40:140-6). 2016 , 40, 248-9	
900	[Association between handgrip strength and functional performance in Chilean older people]. 2016 , 144, 598-603	11
899	Sarcopenia and chemotherapy-mediated toxicity. 2016 , 14, 580-584	23
898	Prevalence of Sarcopenia in Cancer Patients: Review and Future Directions. 2016 , 04,	9
897	Protein Metabolism in the Elderly: Molecular and Cellular Aspects. 2016 , 79-97	
896	New obesity classification criteria as a tool for bariatric surgery indication. 2016 , 22, 681-703	132
895	Current Nutritional Recommendations. 2016 , 723-733	0
894	[In Process Citation]. 2016 , 33, 100	2
893	Prevalence of Sarcopenia Adjusted Body Mass Index in the Korean Woman Based on the Korean National Health and Nutritional Examination Surveys. 2016 , 23, 243-247	12
892	Existe associa^ õ entre massa e for^ ã muscular esquel^ tica em idosos hospitalizados?. 2016 , 19, 257-264	2
891	Evaluaci^ õ del ^ ndice de masa corporal con factores cl^ nicos-nutricionales en ancianos institucionalizados sin deterioro cognitivo. 2016 , 20, 298	
890	Handgrip dynamometry: a surrogate marker of malnutrition to predict the prognosis in alcoholic liver disease. 2016 , 29, 509-514	10

889	The Role of Physical Activity and Nutrition in the Sarcopenia of Cirrhosis. 2016 , 1, 118-125	7
888	Risk of falls in Brazilian elders with and without low back pain assessed using the Physiological Profile Assessment: BACE study. 2016 , 20, 502-509	18
887	Analysis of the relationships between edentulism, periodontal health, body composition, and bone mineral density in elderly women. 2016 , 11, 351-6	7
886	Teeth and physical fitness in a community-dwelling 40 to 79-year-old Japanese population. 2016 , 11, 873-8	13
885	Sarcopenia and sarcopenic obesity. 2016 , 31, 1054-1060	128
884	Low Lean Tissue Mass and Physical Performance as Markers of Sarcopenia in Older Men and Women. 2016 , 5,	6
883	Malnutrition and Sarcopenia in Advanced Liver Disease. 2016 , 06,	1
882	Sarcopenia and Physical Inactivity in Patients With Chronic Kidney Disease. 2016 , 8, e37443	33
881	Sarcopenia of thoracic muscle mass is not a risk factor for survival in lung transplant recipients. 2016 , 8, 2011-7	15
880	Indicators of sarcopenia and their relation to intrinsic and extrinsic factors relating to falls among active elderly women. 2016 , 19, 399-414	9
879	Associations of Sarcopenia and Sarcopenic Obesity With Metabolic Syndrome Considering Both Muscle Mass and Muscle Strength. 2016 , 49, 35-44	60
878	The association of muscle mass and muscle strength with mobility limitation and history of falls in older adults -focusing on sarcopenia and dynapenia-. 2016 , 65, 491-501	1
877	Evaluaci3n de la ingesta proteica y la actividad f3sica asociadas con la sarcopenia del adulto mayor. 2016 , 20, 16	0
876	Inflammatory Mechanisms Associated with Skeletal Muscle Sequelae after Stroke: Role of Physical Exercise. 2016 , 2016, 3957958	19
875	Clinical Screening Tools for Sarcopenia and Its Management. 2016 , 2016, 5978523	40
874	Differences in Ventilatory Threshold for Exercise Prescription in Outpatient Diabetic and Sarcopenic Obese Subjects. 2016 , 2016, 6739150	18
873	Morphological and Biochemical Effects on the Skeletal Muscle of Ovariectomized Old Female Rats Submitted to the Intake of Diets with Vegetable or Animal Protein and Resistance Training. 2016 , 2016, 9251064	7
872	Osteosarcopenic Obesity Syndrome: What Is It and How Can It Be Identified and Diagnosed?. 2016 , 2016, 7325973	63

871	Melatonin as a Potential Agent in the Treatment of Sarcopenia. 2016 , 17,	28
870	Prevalence of Sarcopenia in the Korean Woman Based on the Korean National Health and Nutritional Examination Surveys. 2016 , 23, 23-6	16
869	Anthropometric measurements may be informative for nursing home-acquired pneumonia. 2016 , 32, 694-9	6
868	[Handgrip strength and physical activity in frail elderly]. 2016 , 50, 88-94	13
867	Análise de métodos para detectar sarcopenia em idosos independentes da comunidade. 2016 , 19, 235-246	5
866	A Systematic Review on the Effects of Botanicals on Skeletal Muscle Health in Order to Prevent Sarcopenia. 2016 , 2016, 5970367	18
865	Sarcopenia and Sarcopenic Obesity in Patients Undergoing Orthopedic Surgery. 2016 , 8, 194-202	22
864	Sarcopenia, Frailty, and Diabetes in Older Adults. 2016 , 40, 182-9	65
863	Improved muscle function and quality after diet intervention with leucine-enriched whey and antioxidants in antioxidant deficient aged mice. 2016 , 7, 17338-55	17
862	Improving Awareness, Identification, and Management of Sarcopenic Obesity in Cancer Survivors: An Evidence-Based Toolbox. 2016 , 20, E132-8	0
861	Morphological and Functional Aspects of Human Skeletal Muscle. 2016 , 1, 289-302	19
860	Nitrogen Balance and Protein Requirements for Critically Ill Older Patients. 2016 , 8, 226	33
859	The Association between Total Protein and Vegetable Protein Intake and Low Muscle Mass among the Community-Dwelling Elderly Population in Northern Taiwan. 2016 , 8,	27
858	Association Between Sarcopenia and Nutritional Status in Older Adults: A Systematic Literature Review. 2016 , 42, 33-41	17
857	Association between the nutritional status and the severity of sarcopenia among community-dwelling elderly Japanese people. 2016 , 53, 387-395	9
856	Cardiac Senescence, Heart Failure, and Frailty: A Triangle in Elderly People. 2016 , 65, 25-32	37
855	Effect of a simple and adherent home exercise program on the physical function of community dwelling adults sixty years of age and older with pre-sarcopenia or sarcopenia. 2016 , 28, 3183-3188	29
854	Systematic review and meta-analysis of the association between frailty and outcome in surgical patients. 2016 , 98, 80-5	64

853	Strong or Weak Handgrip? Normative Reference Values for the German Population across the Life Course Stratified by Sex, Age, and Body Height. 2016 , 11, e0163917	55
852	Predictive Values of the New Sarcopenia Index by the Foundation for the National Institutes of Health Sarcopenia Project for Mortality among Older Korean Adults. 2016 , 11, e0166344	29
851	A New Equation to Estimate Muscle Mass from Creatinine and Cystatin C. 2016 , 11, e0148495	41
850	Serum Creatinine Modifies Associations between Body Mass Index and Mortality and Morbidity in Prevalent Hemodialysis Patients. 2016 , 11, e0150003	15
849	Effects of an Exercise Programme on Functional Capacity, Body Composition and Risk of Falls in Patients with Cirrhosis: A Randomized Clinical Trial. 2016 , 11, e0151652	88
848	Association between Thigh Muscle Volume and Leg Muscle Power in Older Women. 2016 , 11, e0157885	19
847	Heavy Alcohol Consumption with Alcoholic Liver Disease Accelerates Sarcopenia in Elderly Korean Males: The Korean National Health and Nutrition Examination Survey 2008-2010. 2016 , 11, e0163222	17
846	Time Course Analysis of Skeletal Muscle Pathology of GDE5 Transgenic Mouse. 2016 , 11, e0163299	3
845	Association of Fluid Status and Body Composition with Physical Function in Patients with Chronic Kidney Disease. 2016 , 11, e0165400	8
844	Handgrip Strength and Factors Associated in Poor Elderly Assisted at a Primary Care Unit in Rio de Janeiro, Brazil. 2016 , 11, e0166373	40
843	Low Skeletal Muscle Mass in the Lower Limbs Is Independently Associated to Knee Osteoarthritis. 2016 , 11, e0166385	27
842	N-Terminal Pro-B-Type Natriuretic Peptide as a Biomarker for Loss of Muscle Mass in Prevalent Hemodialysis Patients. 2016 , 11, e0166804	15
841	Oropharyngeal dysphagia in older persons - from pathophysiology to adequate intervention: a review and summary of an international expert meeting. 2016 , 11, 189-208	201
840	Biomarkers of Aging: From Function to Molecular Biology. 2016 , 8,	125
839	A robust neuromuscular system protects rat and human skeletal muscle from sarcopenia. 2016 , 8, 712-29	59
838	European Society for Swallowing Disorders - European Union Geriatric Medicine Society white paper: oropharyngeal dysphagia as a geriatric syndrome. 2016 , 11, 1403-1428	265
837	The Performance of Five Bioelectrical Impedance Analysis Prediction Equations against Dual X-ray Absorptiometry in Estimating Appendicular Skeletal Muscle Mass in an Adult Australian Population. 2016 , 8, 189	19
836	Nutritional evaluation in cirrhosis: Emphasis on the phase angle. 2016 , 8, 1205-1211	25

835	Association between sarcopenia and quality of life in quilombola elderly in Brazil. 2016 , 9, 89-97	18
834	Protein-based dietary supplements as nutraceuticals. 2016 , 761-781	1
833	Sarcopenia: a potential cause and consequence of type 2 diabetes in Australia's ageing population?. 2016 , 205, 329-33	46
832	Hyperglycemia Is Associated with Impaired Muscle Quality in Older Men with Diabetes: The Korean Longitudinal Study on Health and Aging. 2016 , 40, 140-6	64
831	[The association between cognition and handgrip strength among the elderly: an integrative review]. 2016 , 21, 3611-3620	2
830	Cardiovascular risk factors associated with frailty syndrome among hospitalized elderly people: a cross-sectional study. 2016 , 134, 393-399	8
829	Rela ^ç õ entre alto comportamento sedent ^â rio no lazer e baixa funcionalidade de idosos. 2016 , 18, 713	3
828	Differences among skeletal muscle mass indices derived from height-, weight-, and body mass index-adjusted models in assessing sarcopenia. 2016 , 31, 643-50	142
827	Prediction of Fat-Free Mass in Kidney Transplant Recipients. 2016 , 38, 439-46	3
826	Impact of resistance and aerobic exercise on sarcopenia and dynapenia in breast cancer patients receiving adjuvant chemotherapy: a multicenter randomized controlled trial. 2016 , 158, 497-507	85
825	Suggestions on sarcopenia-related trials. 2016 , 28, 1029-30	2
824	Effect of Structured Physical Activity on Respiratory Outcomes in Sedentary Elderly Adults with Mobility Limitations. 2016 , 64, 501-9	6
823	Resistance Exercise Impacts Lean Muscle Mass in Women with Polycystic Ovary Syndrome. 2016 , 48, 589-98	29
822	Muscle Size Not Density Predicts Variance in Muscle Strength and Neuromuscular Performance in Healthy Adult Men and Women. 2016 , 30, 1577-84	10
821	Low Lean Mass Predicts Incident Fractures Independently From FRAX: a Prospective Cohort Study of Recent Retirees. 2016 , 31, 2048-2056	65
820	Swallowing Dysfunction and Postoperative Pneumonia in Elderly Patients Undergoing Transcatheter Aortic Valve Implantation. 2016 , 32, 114-118	1
819	Sarcopenia prevalence and factors associated with sarcopenia in older people living in a nursing home in Ankara Turkey. 2016 , 16, 903-10	28
818	Prevalence of sarcopenia in acute hip fracture patients and its influence on short-term clinical outcome. 2016 , 16, 1021-7	70

817	Rapid skeletal muscle wasting predicts worse survival in patients with liver cirrhosis. 2016 , 46, 743-51	99
816	Response to Sumer and Colleagues. 2016 , 64, 457-8	
815	Sarcopenia in critically ill patients. 2016 , 30, 884-90	56
814	Associations between daily physical activity, handgrip strength, muscle mass, physical performance and quality of life in prefrail and frail community-dwelling older adults. 2016 , 25, 3129-3138	44
813	Response to Aycicek and Colleagues. 2016 , 64, 458-9	
812	Adapted physical exercise enhances activation and differentiation potential of satellite cells in the skeletal muscle of old mice. 2016 , 228, 771-83	22
811	Diaphragm muscle sarcopenia in Fischer 344 and Brown Norway rats. 2016 , 101, 883-94	24
810	The ageing neuromuscular system and sarcopenia: a mitochondrial perspective. 2016 , 594, 4499-512	66
809	Dietary Magnesium Is Positively Associated With Skeletal Muscle Power and Indices of Muscle Mass and May Attenuate the Association Between Circulating C-Reactive Protein and Muscle Mass in Women. 2016 , 31, 317-25	48
808	Evaluation of sarcopenia in small-cell lung cancer patients by routine chest CT. 2016 , 24, 4721-6	40
807	Sarcopenia in Patients with Chronic Liver Disease: Can It Be Altered by Diet and Exercise?. 2016 , 18, 43	26
806	Sarcopenia and sarcopenic obesity in patients with complex abdominal wall hernias. 2016 , 212, 903-911	13
805	Sex differences in the response to resistance exercise training in older people. 2016 , 4, e12834	31
804	Association of sarcopenic obesity with the risk of all-cause mortality: A meta-analysis of prospective cohort studies. 2016 , 16, 155-66	113
803	Spatial and temporal gait characteristics in pre-frail community-dwelling older adults. 2016 , 16, 1102-1108	16
802	Sarcopenia and frailty in older patients with diabetes mellitus. 2016 , 16, 293-9	60
801	Relationship between underweight, bone mineral density and skeletal muscle index in premenopausal Korean women. 2016 , 70, 462-8	13
800	Predictive factors for oral intake after aspiration pneumonia in older adults. 2016 , 16, 556-60	21

799	Hospitalizations During a Physical Activity Intervention in Older Adults at Risk of Mobility Disability: Analyses from the Lifestyle Interventions and Independence for Elders Randomized Clinical Trial. 2016 , 64, 933-43	8
798	Individualised dietary counselling for nutritionally at-risk older patients following discharge from acute hospital to home: a systematic review and meta-analysis. 2016 , 29, 196-208	39
797	Gait speed in older people: an easy test for detecting cognitive impairment, functional independence, and health state. 2016 , 16, 165-71	25
796	Systematic Literature Review and Meta-Analysis of the Association of Sarcopenia With Mortality. 2016 , 13, 153-62	52
795	Aging in cats: Common physical and functional changes. 2016 , 18, 533-50	24
794	Sensory-motor training targeting motor dysfunction and muscle weakness in long-term care elderly combined with motivational strategies: a single blind randomized controlled study. 2016 , 13, 4	10
793	Association Between Protein Intake, Occlusal Force, and Walking Speed in Older Adults. 2016 , 64, 1381-2	
792	Rehabilitation Nutrition for Possible Sarcopenic Dysphagia After Lung Cancer Surgery: A Case Report. 2016 , 95, e84-9	36
791	Recent Advances in Sarcopenia Research in Asia: 2016 Update From the Asian Working Group for Sarcopenia. 2016 , 17, 767.e1-7	174
790	The association of lean and fat mass with all-cause mortality in older adults: The Cardiovascular Health Study. 2016 , 26, 1039-1047	55
789	Dentition, nutritional status and adequacy of dietary intake among older residents in assisted living facilities. 2016 , 33, 225-32	23
788	Prevalence of and factors associated with prolonged length of stay in older hospitalized medical patients. 2016 , 16, 314-21	45
787	Sarcopenia is a risk factor for the recurrence of hepatocellular carcinoma after curative treatment. 2016 , 46, 201-8	59
786	Effect of Multimodal Exercise Program on Physical Function, Falls, and Injuries in Older Women. 2016 , 64, 458	2
785	A practical measurement of thoracic sarcopenia: correlation with clinical parameters and outcomes in advanced lung cancer. 2016 , 2,	5
784	White Matter Lesions: Prevalence and Clinical Phenotype in Asymptomatic Individuals Aged ≥50 Years. 2016 , 42, 159-168	10
783	Selection Criteria and Current Issues in Liver Transplantation for Hepatocellular Carcinoma. 2016 , 5, 121-7	14
782	Physical Activity Protects Men but Not Women for Sarcopenia Development. 2016 , 2, 2333721416667879	7

781	Physical exercise in aging human skeletal muscle increases mitochondrial calcium uniporter expression levels and affects mitochondria dynamics. 2016 , 4, e13005	56
780	Association of older women's limb circumferences and muscle mass as estimated with bioelectrical impedance. 2016 , 28, 1016-9	1
779	The long-term prognosis of cardiovascular disease and all-cause mortality for metabolically healthy obesity: a systematic review and meta-analysis. 2016 , 70, 1024-31	98
778	Living well after breast cancer randomized controlled trial protocol: evaluating a telephone-delivered weight loss intervention versus usual care in women following treatment for breast cancer. 2016 , 16, 830	13
777	La nutrition dans le parcours de soins des personnes ^ g^ es. 2016 , 30, 340-346	1
776	Welcome to the ICD-10 code for sarcopenia. 2016 , 7, 512-514	323
775	Serum betaine is inversely associated with low lean mass mainly in men in a Chinese middle-aged and elderly community-dwelling population. 2016 , 115, 2181-8	8
774	Electrical Properties Assessed by Bioelectrical Impedance Spectroscopy as Biomarkers of Age-related Loss of Skeletal Muscle Quantity and Quality. 2017 , 72, 1180-1186	40
773	Sarcopenia and Sarcopenic Obesity Are Prognostic Factors for Overall Survival in Patients with Cirrhosis. 2016 , 55, 855-6	5
772	Knee extension strength and post-operative functional prediction in quadriceps resection for soft-tissue sarcoma of the thigh. 2016 , 5, 232-8	5
771	Progesterone therapy for the treatment of non-cancer cachexia: a systematic review. 2016 , 6, 276-86	8
770	Physical frailty and pulmonary rehabilitation in COPD: a prospective cohort study. 2016 , 71, 988-995	145
769	The PLE(2)NO self-management and exercise program for knee osteoarthritis: Study Protocol for a Randomized Controlled Trial. 2016 , 17, 250	1
768	Mobility and Muscle Strength Together are More Strongly Correlated with Falls in Suburb-Dwelling Older Chinese. 2016 , 6, 25420	24
767	Associations of sit-up ability with sarcopenia classification measures in Japanese older women. 2016 , 8, 152-157	8
766	Special nutrition intervention is required for muscle protective efficacy of physical exercise in elderly people at highest risk of sarcopenia. 2016 , 103, 368-376	11
765	The relationship between pre-defined Mediterranean dietary patterns and musculoskeletal health in all age groups: a systematic review. 2016 , 75,	
764	HIV and Aging. 2016 , 53, 59-60	5

763	Estimation of prevalence of sarcopenia by using a new bioelectrical impedance analysis in Chinese community-dwelling elderly people. 2016 , 16, 216	55
762	Poor maternal nutrition and accelerated postnatal growth induces an accelerated aging phenotype and oxidative stress in skeletal muscle of male rats. 2016 , 9, 1221-1229	31
761	The prevalence and impact of sarcopenia on degenerative lumbar spinal stenosis. 2016 , 98-B, 1093-8	48
760	Sarcopenia in Orthopedic Surgery. 2016 , 39, e295-300	30
759	Type 2 diabetes mellitus is associated with increased risks of sarcopenia and pre-sarcopenia in Chinese elderly. 2016 , 6, 38937	91
758	Sarcopenia and two types of presarcopenia in Japanese patients with chronic liver disease. 2016 , 28, 940-7	40
757	Sarcopenia is an Independent Predictor of Severe Postoperative Complications and Long-Term Survival After Radical Gastrectomy for Gastric Cancer: Analysis from a Large-Scale Cohort. 2016 , 95, e3164	221
756	Frailty. 2016 , 97-106	0
755	Dietary vitamin E intake is associated with greater fat-free mass and percentage fat-free mass in the EPIC-Norfolk cohort. 2016 , 75,	3
754	Age-related fragmentation of the motor endplate is not associated with impaired neuromuscular transmission in the mouse diaphragm. 2016 , 6, 24849	65
753	Proposal of Muscle-MELD Score, Including Muscularity, for Prediction of Mortality After Living Donor Liver Transplantation. 2016 , 100, 2416-2423	19
752	A Comparison of Muscle Function, Mass, and Quality in Liver Transplant Candidates: Results From the Functional Assessment in Liver Transplantation Study. 2016 , 100, 1692-8	77
751	12.9 VENTRICULAR ARTERIAL COUPLING IN ISOMETRIC HANDGRIP TEST IN UNTREATED HYPERTENSIVE PATIENTS. 2016 , 16, 79	
750	12.10 REDUCED VENTRICULAR-ARTERIAL COUPLING AS AN EARLY MARKER OF CARDIOVASCULAR REMODELING IN HYPERTENSIVE MEN. 2016 , 16, 79	
749	12.11 SARCOPENIA AND VASCULAR RISK IN A HEALTHY ELDERLY UK POPULATION (BRAVES STUDY). 2016 , 16, 79	
748	12.8 VENTRICULAR-ARTERIAL UNCOUPLING DOES NOT DEPEND ON ARTERIAL ELASTANCE AFTER MYOCARDIAL INFARCTION. 2016 , 16, 78	
747	Clinical trials for conditions of low muscle mass and strength. 2016 , 197-218	
746	Clinical trials in older adults. 2016 , 23-43	

745	Exercise training for adult lung transplant recipients. 2016,	1
744	A feasibility study of implementing grip strength measurement into routine hospital practice (GRIMP): study protocol. 2016, 2, 27	41
743	Esercizio fisico, nutrizione e ormoni: il contrasto alla sarcopenia dell'anziano. 2016, 17, 155-161	
742	Weight and Body Composition Compartments do Not Predict Therapeutic Thiopurine Metabolite Levels in Inflammatory Bowel Disease. 2016, 7, e199	4
741	Serum levels of C-terminal agrin fragment (CAF) are associated with sarcopenia in older multimorbid community-dwellers: Results from the iSIRENTE study. 2016, 79, 31-6	35
740	Role of Nutrition and Muscle in Cirrhosis. 2016, 14, 257-73	34
739	Exercise training as a drug to treat age associated frailty. 2016, 98, 159-164	17
738	Age-related neuromuscular changes affecting human vastus lateralis. 2016, 594, 4525-36	80
737	Re: Prognostic Significance of Sarcopenia in Patients with Metastatic Renal Cell Carcinoma: H. Fukushima, Y. Nakanishi, M. Kataoka, K. Tobisu and F. Koga J Urol 2016;195:26-32. 2016, 195, 1951-2	
736	Mediterranean Diet. 2016,	2
735	Regenerative function of immune system: Modulation of muscle stem cells. 2016, 27, 67-76	48
734	Muscle analysis using pQCT, DXA and MRI. 2016, 85, 1505-11	80
733	Association between leukocyte count and sarcopenia in postmenopausal women: The Korean National Health and Nutrition Examination Survey. 2016, 84, 89-93	8
732	Laparoscopic Colorectal Resection in Patients with Sarcopenia: A Retrospective Case-Control Study. 2016, 26, 366-70	14
731	A Neurogenic Perspective of Sarcopenia: Time Course Study of Sciatic Nerves From Aging Mice. 2016, 75, 464-78	24
730	Elevated Serum Pentosidine and Decreased Serum IGF-I Levels are Associated with Loss of Muscle Mass in Postmenopausal Women with Type 2 Diabetes Mellitus. 2016, 124, 163-6	17
729	Yoga reduces perceived stress and exhaustion levels in healthy elderly individuals. 2016, 24, 50-6	9
728	Cancer cachexia, sarcopenia and biochemical markers in patients with advanced non-small cell lung cancer-chemotherapy toxicity and prognostic value. 2016, 24, 4495-502	55

727	Rehabilitation Nutrition for Acute Heart Failure on Inotropes with Malnutrition, Sarcopenia, and Cachexia: A Case Report. 2016 , 116, 765-8	6
726	Low skeletal muscle mass index is associated with function and nutritional status in residents in a Turkish nursing home. 2016 , 19, 182-186	10
725	Sarcopenia and its associated factors in Iranian older individuals: Results of SARIR study. 2016 , 66, 18-22	23
724	Association between myocyte quality control signaling and sarcopenia in old hip-fractured patients: Results from the Sarcopenia in Hip FracTure (SHIFT) exploratory study. 2016 , 80, 1-5	33
723	Financial impact of sarcopenia on hospitalization costs. 2016 , 70, 1046-51	79
722	Free 25-hydroxyvitamin D is low in obesity, but there are no adverse associations with bone health. 2016 , 103, 1465-71	76
721	Hand grip strength as a screening tool for frailty in older patients with haematological malignancies. 2016 , 71, 227-30	22
720	Muscle Steatosis is an Independent Predictor of Postoperative Complications in Patients with Hepatocellular Carcinoma. 2016 , 40, 1959-68	28
719	Critical analytical evaluation of promising markers for sarcopenia. 2016 , 7, 239-242	5
718	Burden-of-illness of Dutch community-dwelling older adults with sarcopenia: Health related outcomes and costs. 2016 , 7, 276-284	24
717	Systematic review: Prevalence of sarcopenia in ageing people using bioelectrical impedance analysis to assess muscle mass. 2016 , 7, 256-261	16
716	A simple sarcopenia screening test predicts future adverse events in patients with heart failure. 2016 , 215, 301-6	35
715	Dietary protein intake and sarcopenia risk factors in Nordic and regular walkers. 2016 , 75,	
714	Microbial translocation and skeletal muscle in young and old vervet monkeys. 2016 , 38, 58	10
713	Effects of antidepressants on postmenopausal bone loss - A 5-year longitudinal study from the OSTPRE cohort. 2016 , 89, 25-31	41
712	Assessment of muscle mass, muscle strength and physical performance in clinical practice: An international survey. 2016 , 7, 243-246	53
711	Physical activity and incidence of sarcopenia: the population-based AGES-Reykjavik Study. <i>Age and Ageing</i> , 2016 , 45, 614-20	3 65
710	As we grow old: nutritional considerations for older patients on dialysis. 2017 , 32, 1127-1136	15

709	Bidirectional association between physical activity and muscular strength in older adults: Results from the UK Biobank study. 2017 , 46, 141-148	28
708	Effects of resistance training on sarcopenic obesity index in older women: A randomized controlled trial. 2016 , 65, 168-73	34
707	Calf circumference and risk of falls among Peruvian older adults. 2016 , 7, 543-546	8
706	Age-Related Changes in Skeletal Muscle of Cattle. 2016 , 53, 436-46	13
705	Relationship Between Low Relative Muscle Mass and Coronary Artery Calcification in Healthy Adults. 2016 , 36, 1016-21	52
704	Unsatisfactory knowledge and use of terminology regarding malnutrition, starvation, cachexia and sarcopenia among dietitians. 2016 , 35, 1450-1456	21
703	"Chair Stand Test" as Simple Tool for Sarcopenia Screening in Elderly Women. 2016 , 20, 56-9	44
702	Impact of malnutrition on clinical outcomes in patients diagnosed with COVID-19.	2
701	Clinical Impact of Sarcopenia 1 Year After Surgery for Patients with Early-Stage Non-small Cell Lung Cancer.	0
700	Trends in prevalence of hip osteoarthritis over a 10-year period in Japan: The ROAD study 2005-2015. 2022 , 100285	
699	Handgrip strength to screen early-onset sarcopenia in heart failure. 2022 ,	1
698	Cognitive Frailty as a Predictor of Mortality in Older Adults: A Longitudinal Study in Peru. 9,	
697	Diabetic neuropathy is a generalized phenomenon with impact on hand functional performance and quality of life.	0
696	Increased Omega-3 Fatty Acid Intake Is Associated with Low Grip Strength in Elderly Korean Females. 2022 , 14, 2374	0
695	Intestinal Permeability Associated with the Loss of Skeletal Muscle Strength in Middle-Aged and Older Adults in Rural Area of Beijing, China. 2022 , 10, 1100	1
694	Impact of sarcopenia on intertrochanteric femoral fracture in the elderly. 10, e13445	0
693	Total Psoas Area is a Measure for Deconditioning in Colorectal Surgery Patients. 000313482211055	
692	Neutrophil-lymphocyte Ratio and C-Reactive Protein Levels are not Associated with Strength, Muscle Mass, and Functional Capacity in Kidney Transplant Patients.	

- 691 HR-pQCT for the Evaluation of Muscle Quality and Intramuscular Fat Infiltration in Ageing Skeletal Muscle. **2022**, 12, 1016 ○
- 690 Clinical outcomes of multidimensional association of type 2 diabetes mellitus, COVID-19 and sarcopenia: an algorithm and scoping systematic evaluation. 1-19 ○
- 689 Screening for frailty and sarcopenia in community-dwelling older adults: a cross-sectional study from the Eastern Black Sea region of Turkey.
- 688 The Association Between Grip Strength and Depression Among Adults Aged 60 Years and Older: A Large-Scaled Population-Based Study From the Longitudinal Aging Study in India. 14, 1 ○
- 687 Natural aging course of lumbar extensor muscle mass and strength in community-dwelling older women: a 1-year prospective observational study.
- 686 Prehabilitation prior to intestinal resection in Crohn's disease patients: An opinion review. **2022**, 28, 2403-2416
- 685 Turkish Calf Circumference Cut-offs Derived from Normative Values of Young Reference Population. **2022**, 4, 103-107
- 684 Hand-grip strength as a screening tool for sarcopenia in males with decompensated cirrhosis. 1
- 683 Decreased peak expiratory flow rate associated with mortality in idiopathic pulmonary fibrosis: A preliminary report. **2022**, 19, 147997312211141 ○
- 682 Linking Biomarkers with Causes, Lifestyle Factors, and Management of Sarcopenia. **2022**, 1-31
- 681 Anthropometric indicators as predictors of dynapenia in postmenopausal women. 28,
- 680 Hemodynamics and functional outcomes after resistance training in hypertensive and normotensive elderly: An experimental study. 28,
- 679 Malnutrition and Sarcopenia.
- 678 Applying classification and regression tree analysis to identify risks of developing sarcopenia in the older population.
- 677 Preoperative nutrition and exercise intervention in frailty patients with gastric cancer undergoing gastrectomy. ○
- 676 The Differential Clinical Impacts of Cachexia and Sarcopenia on the Prognosis of Advanced Pancreatic Cancer. **2022**, 14, 3137 1
- 675 Impact of phase angle and sarcopenia estimated by bioimpedance analysis on clinical prognosis in patients undergoing hemodialysis. **2022**, 101, e29375 1
- 674 Establish a New Diagnosis of Sarcopenia Based on Extracted Radiomic Features to Predict Prognosis of Patients With Gastric Cancer. 9, ○

- 673 Causal linkage of tobacco smoking with ageing traits: a Mendelian randomization analysis towards telomere attrition and frailty.
- 672 Use of Dual-Energy X-ray Absorptiometry for Body Composition in Chronic Disease Management. **2022**, 23, 97-105
- 671 A Polygenic Risk Score for Hand Grip Strength Predicts Muscle Strength and Proximal and Distal Functional Outcomes among Older Women. Publish Ahead of Print, 0
- 670 Association of Neck Circumference with Handgrip Strength and Metabolic Syndrome in Older Adults. **2022**, 23, 51-58
- 669 Prognostic values of muscle mass assessed by dual-energy X-ray absorptiometry and bioelectrical impedance analysis in older patients with heart failure.
- 668 Evaluation of different tools for body composition assessment in colorectal cancer - a systematic review. **2022**, 59, 296-303
- 667 Assessment of Regional Body Composition, Physical Function and Sarcopenia among Peruvian women aging with HIV.
- 666 Prevalence of and factors associated with sarcopenia among elderly individuals with hypertension. **2022**, 50, 030006052211104 0
- 665 Non-alcoholic fatty liver disease-related fibrosis and sarcopenia: an altered liver-muscle crosstalk leading to increased mortality risk. **2022**, 101696 0
- 664 Sarcopenia: Body Composition and Gait Analysis. 14, 0
- 663 Sarcopenia and nervous system disorders. 1
- 662 Protein Intake and Sarcopenia in Older Adults: A Systematic Review and Meta-Analysis. **2022**, 19, 8718 1
- 661 Short physical performance battery as a predictor of mortality in community-dwelling older adults: a longitudinal study in the Brazilian Amazon region. 10, e13630 0
- 660 Effect of Pre-Existing Sarcopenia on Oncological Outcomes for Oral Cavity Squamous Cell Carcinoma Undergoing Curative Surgery: A Propensity Score-Matched, Nationwide, Population-Based Cohort Study. **2022**, 14, 3246 0
- 659 Optimal Cutoffs for the Diagnosis of Sarcopenia in Older Chinese Adults. 9, 0
- 658 Prevalencia de sarcopenia en pacientes mayores de 75 años ingresados por fractura de cadera. **2022**, 0
- 657 Randomised Controlled Trial of Fish Oil Supplementation on Responsiveness to Resistance Exercise Training in Sarcopenic Older Women. **2022**, 14, 2844 2
- 656 Correlation Between Bioelectrical Impedance Analysis and Chest CT-Measured Erector Spinae Muscle Area: A Cross-Sectional Study. 13, 0

- 655 Sarcopenia Determined by Skeletal Muscle Index Predicts Overall Survival, Disease-free Survival, and Postoperative Complications in Resectable Esophageal Cancer. Publish Ahead of Print, 0
- 654 Physical activity program for the survival of elderly patients with lymphoma (PHARAOM): a study protocol for a randomized phase III trial (Preprint).
- 653 Relationship between sarcopenia classification and thigh muscle mass, fat area, muscle CT value and osteoporosis in middle-aged and older Japanese adults. **2022**, 116487
- 652 TNF- β Suppresses Apelin Receptor Expression in Mouse Quadriceps Femoris-Derived Cells. **2022**, 44, 3146-3155
- 651 β -Sitosterol Attenuates Dexamethasone-Induced Muscle Atrophy via Regulating FoxO1-Dependent Signaling in C2C12 Cell and Mice Model. **2022**, 14, 2894 0
- 650 Could sarcopenia-related mortality in end-stage renal disease be underpinned by the number of hospitalizations and cardiovascular diseases? 0
- 649 A bi-directional Mendelian randomization study of the sarcopenia-related traits and osteoporosis. 0
- 648 The Impact of Physical Activity Levels and Functional Fitness Status on the Quality of Life Perceived by Older Adults Living in Rural and Urban Areas: The Portuguese Inland Case. **2022**, 10, 1266 0
- 647 Poor glycemic control rather than types of diabetes is a risk factor for sarcopenia in diabetes mellitus: The MUSCLES-DM study. 1
- 646 Geriatric nutritional risk index is associated with retinopathy in patients with type 2 diabetes. **2022**, 12,
- 645 SarQoL Questionnaire in Community-Dwelling Older Adults under EWGSOP2 Sarcopenia Diagnosis Algorithm: A New Screening Method?. **2022**, 19, 8473
- 644 Sarcopenia Was a Poor Prognostic Predictor for Patients With Advanced Lung Cancer Treated With Immune Checkpoint Inhibitors. 9, 1
- 643 Prevalence and associated factors of possible sarcopenia and sarcopenia: findings from a Chinese community-dwelling old adults cross-sectional study. **2022**, 22,
- 642 Independent and joint associations of skeletal muscle mass and physical performance with all-cause mortality among older adults: a 12-year prospective cohort study. **2022**, 22,
- 641 Nutritional ultrasound \square : Conceptualisation, technical considerations and standardisation. **2022**, 0
- 640 Importance of skeletal muscle lipid levels for muscle function and physical function in older individuals.
- 639 Sarcopenia and Risk of Pancreatic Fistula after Pancreatic Surgery: A Systematic Review. **2022**, 11, 4144 0
- 638 The Effect of Leucine Supplementation on Sarcopenia-Related Measures in Older Adults: A Systematic Review and Meta-Analysis of 17 Randomized Controlled Trials. 9,

- 637 A national study of 23 major trauma centres to investigate the effect of frailty on clinical outcomes in older people admitted with serious injury in England (FiTR 1): a multicentre observational study. **2022,** 0
- 636 A Preclinical Systematic Review of the Effects of Chronic Exercise on Autophagy-Related Proteins in Aging Skeletal Muscle. 13,
- 635 Effect of β-hydroxy-β-methylbutyrate (HMB) on the Muscle Strength in the Elderly Population: A Meta-Analysis. 9, 0
- 634 Prevalence and Clinical Conditions Related to Sarcopaenia among Older Persons Living in the Community. **2022,** 11, 3814
- 633 Changes in neuromuscular function in elders: Novel techniques for assessment of motor unit loss and motor unit remodeling with aging. **2022,**
- 632 Use of antipsychotics is negatively associated with muscle strength in older adults with sarcopenia after stroke. **2022,** 31, 106587 0
- 631 Lenvatinib causes reduced expression of carnitine/organic cation transporter 2 and carnitine deficiency in the skeletal muscle of rats. **2022,** 366, 17-25 1
- 630 Interaction between geriatric syndromes in predicting three months mortality risk. **2022,** 103, 104774 1
- 629 Sarcopenia in Elderly Surgery. **2019,** 48, 363-369 3
- 628 Muscle metabolism in older adults. **2022,** 96-102 2
- 627 Association between sarcopenia and respiratory function in elderly orthopedic outpatients. **2022,** 101, e29365
- 626 Implication of diet and exercise on the management of age-related sarcopenic obesity in Asians.
- 625 Phase Angle, a Cornerstone of Outcome in Head and Neck Cancer. **2022,** 14, 3030 0
- 624 Relationship between hyperhomocysteinemia and coexisting obesity with low skeletal muscle mass in asymptomatic adult population. **2022,** 12, 0
- 623 Effect of a multicomponent exercise program and cognitive stimulation (VIVIFRAIL-COGN) on falls in frail community older persons with high risk of falls: study protocol for a randomized multicenter control trial. **2022,** 22, 0
- 622 Bibliometric Analysis of the Knowledge Base and Future Trends on Sarcopenia from 1999â2021. **2022,** 19, 8866 0
- 621 Impact of sarcopenia on daily functioning: a cross-sectional study among older inpatients. 1
- 620 Outcomes addressed in randomized controlled lifestyle intervention trials in community-dwelling older people with (sarcopenic) obesityâAn evidence map. 0

- 619 Exercise and physical performance in older adults with sarcopenic obesity: A systematic review. 13,
- 618 Association between changes in working status and hand-grip strength among Korean middle-aged and older adults: a longitudinal panel study. **2022**, 12,
- 617 Pre-sarcopenia and Mac-2 binding protein glycosylation isomer as predictors of recurrence and prognosis of early-stage hepatocellular carcinoma. **2022**, 14, 1480-1494
- 616 Association of SARC-F Score and Rockwood Clinical Frailty Scale with CT-Derived Muscle Mass in Patients with Aortic Aneurysms.
- 615 Surgical Stress Evaluation of Left Lateral Sectionectomy Based on Skeletal Muscle Catabolism. Publish Ahead of Print,
- 614 High-density surface electromyography as biomarker of muscle aging.
- 613 Deep learning auto-segmentation of cervical skeletal muscle for sarcopenia analysis in patients with head and neck cancer. 12, ○
- 612 Exploring the association between handgrip, lower limb muscle strength, and physical function in older adults: A narrative review. **2022**, 167, 111902 1
- 611 Frequency and impact on clinical outcomes of sarcopenia in patients with idiopathic pulmonary fibrosis. **2022**, 19, 147997312211172 ○
- 610 Sarcopenic osteoporosis, sarcopenic obesity, and sarcopenic osteoporotic obesity in the Camargo cohort (Cantabria, Spain). **2022**, 17, ○
- 609 Acceptability of smart eyeglasses to detect and prevent falls among the elderly: applying the UTAUT2 model and examining associations with fall-related functional physical capacities (Preprint).
- 608 Jintiange combined with alfacalcidol improves muscle strength and balance in primary osteoporosis: A randomized, double-blind, double-dummy, positive-controlled, multicenter clinical trial. **2022**, 35, 53-61 ○
- 607 Correlation between Glycation-Related Biomarkers and Quality of Life in the General Japanese Population: The Iwaki Cross-Sectional Research Study. **2022**, 19, 9391
- 606 European Working Group on Sarcopenia in Older People 2010 (EWGSOP1) and 2019 (EWGSOP2) criteria or slowness: which is the best predictor of mortality risk in older adults?. **2022**, 51, 2
- 605 Serum Retinol Binding Protein 4 as a Potential Biomarker for Sarcopenia in Older Adults.
- 604 Muscle Weakness and Walking Slowness for the Identification of Sarcopenia in the Older Adults from Northern Brazil: A Cross-Sectional Study. **2022**, 19, 9297
- 603 Progress in Research on Antitumor Drugs and Dynamic Changes in Skeletal Muscles. 13, ○
- 602 Thresholds for clinical practice that directly link handgrip strength to remaining years of life: estimates based on longitudinal observational data. **2022**, 12, e058489 ○

601	Putative Candidate Drug Targets for Sarcopenia-Related Traits Identified Through Mendelian Randomization Analysis of the Blood Proteome. 13,	1
600	Effect of Sarcopenia on Mortality in Type 2 Diabetes: A Long-Term Follow-Up Propensity Score-Matched Diabetes Cohort Study. 2022 , 11, 4424	0
599	Sarcopenia as a Predictor of Short- and Long-Term Outcomes in Patients Surgically Treated for Malignant Pleural Mesothelioma. 2022 , 14, 3699	
598	Plant Bioactives in the Treatment of Inflammation of Skeletal Muscles: A Molecular Perspective. 2022 , 2022, 1-18	4
597	Low muscle mass and mortality risk later in life: A 10-year follow-up study. 2022 , 17, e0271579	1
596	Relationship between the creatinine/cystatin C ratio and muscle mass measured by CT-scan in cancer patients. 2022 ,	0
595	MRI thigh measurements predict whole-body skeletal muscle mass in patients with type 2 diabetes: a comparison with DXA. 2022 , 5, 149-153	
594	Evaluation of SARC-F and SARC-CalF for sarcopenia screening in patients with chronic musculoskeletal pain: A prospective cross-sectional study. 2022 , 101, e29568	
593	Prospective Association between Multimorbidity and Falls and Its Mediators: Findings from the Irish Longitudinal Study on Ageing. 2022 , 11, 4470	
592	Weight and skeletal muscle loss with cabozantinib in metastatic renal cell carcinoma.	0
591	Modulation of Neuroendocrine and Immunological Biomarkers Following Rehabilitation in Sarcopenic Patients. 2022 , 11, 2477	
590	Inflammaging, a Common Factor in the Development of Sarcopenia and Metabolic-Associated Liver Disease (MAFLD). 2022 , 2, 116-118	
589	Impact of Sarcopenia on Clinical Outcomes in a Cohort of Caucasian Active Crohn's Disease Patients Undergoing Multidetector CT-Enterography. 2022 , 14, 3460	0
588	CT-derived body composition analysis could possibly replace DXA and BIA to monitor NET-patients. 2022 , 12,	0
587	The association between lumbar paraspinal muscle functional cross-sectional area on MRI and regional volumetric bone mineral density measured by quantitative computed tomography.	
586	Sex-Specific Cut-Off Values for Low Skeletal Muscle Mass to Identify Patients at Risk for Treatment-Related Adverse Events in Head and Neck Cancer. 2022 , 11, 4650	1
585	Prognostic Value of [18F]-FDG PET/CT Radiomics combined with Sarcopenia Status among Patients with Advanced Gastroesophageal Cancer.	1
584	Inflammation and loss of skeletal muscle mass in chronic limb threatening ischemia. 2022 ,	0

- 583 Serum type I collagen carboxyl-terminal peptide (CTx) glypeptide was positively associated with osteoporosis and skeletal muscle loss.
- 582 Association between serum insulin-like growth factor 1 and locomotive syndrome in community-dwelling older people. **2022**, 23, 0
- 581 Prescription of Resistance Training for Sarcopenic Older Adults: Does it Require Specific Attention?. **2022**, 101720 2
- 580 Prevalence of sarcopenia using different methods in patients with non-alcoholic fatty liver disease. **2022**, 14, 1643-1651 1
- 579 Contribution of muscle satellite cells to sarcopenia. 13, 1
- 578 Association of Handgrip Strength in Various Disabilities in Korean Adults over 50 Years Old: A Nationwide Cross-Sectional Study. **2022**, 19, 9745
- 577 Muscle strength is a stronger prognostic factor than muscle mass in patients with gastrointestinal and hepatobiliary-pancreatic cancers. **2022**, 111826 0
- 576 Promoting independence in Lewy body dementia through exercise: the PRIDE study. **2022**, 22,
- 575 The top 100 most-cited articles on exercise therapy for sarcopenia: A bibliometric analysis. 9,
- 574 Cluster analysis unveils a severe persistent respiratory impairment phenotype 3-months after severe COVID-19. **2022**, 23, 0
- 573 Effects of lifelong spontaneous exercise on skeletal muscle and angiogenesis in super-aged mice. **2022**, 17, e0263457
- 572 Antioxidant-rich foods, antioxidant supplements, and sarcopenia in old-young adults ≥5 years old: A systematic review and meta-analysis of observational studies and randomized controlled trials. **2022**,
- 571 Patterns of Muscle-Related Risk Factors for Sarcopenia in Older Mexican Women. **2022**, 19, 10239 0
- 570 The Validity of Ultrasonographic Measurements of the Rectus Femoris Muscle in Older Adults with Sarcopenia in Thai Population. Volume 17, 1249-1259 0
- 569 Clinical utility of psoas muscle volume in assessment of sarcopenia in patients with early-stage non-small cell lung cancer.
- 568 The dark side of Tregs during aging. 13, 0
- 567 Functional clinical impairments and frailty in interstitial lung diseases patients. 00144-2022
- 566 Diagnostic and prognostic value of the Creatinine/Cystatin C ratio for low muscle mass evaluation among US adults. 9,

- 565 Age- and sex-specific analysis of gait parameters in a wide age-ranged population in Korea: a cross-sectional study. 1-11
- 564 Possibility for Visualizing the Muscle Microstructure by q-Space Imaging Technique. **2022**, 2022, 1-10
- 563 The Effect of Diet and Exercise Interventions on Body Composition in Liver Cirrhosis: A Systematic Review. **2022**, 14, 3365 2
- 562 Biomarkers associated with lower limb muscle function in individuals with sarcopenia: a systematic review. 0
- 561 Editorial: The relationship between sarcopenia and metabolic diseases: Its formation mechanism and intervention means. 13,
- 560 Probable sarcopenia: associations with common geriatric syndromes and comorbidities in Turkish geriatric patients from a university hospital. 0
- 559 Home-based physical activity after treatment for esophageal cancer—a randomized controlled trial.
- 558 Cognitive reserve and risk of mobility impairment in older adults. 0
- 557 Relationship between tongue pressure and handgrip strength: A systematic review and meta-analysis. 0
- 556 Reference ranges of body composition using dual-energy X-ray absorptiometry and its relation to tri-ponderal mass index. **2022**,
- 555 Effectiveness of a complex intervention of group-based nutrition and physical activity to prevent frailty in pre-frail older adults (SUPER): a randomised controlled trial. **2022**, 3, e519-e530 0
- 554 Chair stand test as a proxy for physical performance and muscle strength in sarcopenia diagnosis: the Korean frailty and aging cohort study. 0
- 553 The Effect of Metabolites on Mitochondrial Functions in the Pathogenesis of Skeletal Muscle Aging. Volume 17, 1275-1295
- 552 Prevalence of sarcopenia among Saudis and its association with lifestyle behaviors: Protocol for cross-sectional study. **2022**, 17, e0271672
- 551 What contributes most to the SPPB and its subscores in hospitalized geriatric patients: an ICF model-based approach. **2022**, 22,
- 550 Effects of sarcopenia and sarcopenic obesity on joint pain and degenerative osteoarthritis in postmenopausal women. **2022**, 12,
- 549 Influence of protein intake on the changes in skeletal muscle mass after kidney transplantation. **2022**, 41, 1881-1888 0
- 548 Changement de paradigme concernant le diagnostic de la d' nutrition chez l'adulte de moins de 70 ans (HAS 2019) et la personne ^ g^ e de 70 ans et plus (HAS 2021). **2022**, 16, 400-410

- 547 Re-assessing the importance of linear type traits in predicting genetic merit for survival in an aging Holstein-Friesian dairy cow population. **2022**, 105, 7550-7563 ○
- 546 The prevalence of sarcopenia in patients with chronic intestinal failure – how are SARC-F and the EWGSOP algorithm associated before and after a physical exercise intervention. ○
- 545 The Utility of Grip Strength as a Simplified Measure of Frailty in the Older Adult in the Preoperative Clinic. **2022**, ○
- 544 A Proposed Method of Converting Gait Speed and TUG Test in Older Subjects. **2022**, 19, 12145 ○
- 543 Neither myonuclear accretion nor a myonuclear domain size ceiling is a feature of the attenuated hypertrophic potential of aged human skeletal muscle. 1
- 542 Sarcopenia. **2022**, 13, 3643-3648 ○
- 541 The non-modifiable factors age, gender, and genetics influence resistance exercise. 3, ○
- 540 Impact of Sarcopenic obesity on body composition, physical performance and fall risk in community dwelling older adults. **2022**, 4, 100074 ○
- 539 Sex differences in the relationship of serum creatinine to cystatin C ratio and depressive symptoms among middle-aged and older adults in China. **2022**, 319, 57-61 ○
- 538 Resistance training of peripheral muscles benefits respiratory parameters in older women with sarcopenia: Randomized controlled trial. **2023**, 104, 104799 1
- 537 Musculoskeletal physiological changes in aging. **2023**, 83-108 ○
- 536 Effect of Dapagliflozin in Combination with Lobeglitazone and Metformin in Korean Patients with Type 2 Diabetes in Real-World Clinical Practice. **2022**, 63, 825 ○
- 535 An autopsy case report of a patient with frontotemporal dementia with motor neuron disease in totally locked-in state showing hyperosmolar hyperosmotic state. **2022**, 62, 595-601 ○
- 534 Strength and Balance in Recreational Golfers and Non-Golfers Aged 65–79 Years in Community Settings. **2022**, 1-8 ○
- 533 Provêl sarcopenia e obesidade em mulheres com incontinêcia urinâria no climatêrio. **2022**, 35, ○
- 532 Osteosarcopenia and Fragility Fracture: A Community Perspective. **2022**, 257-275 ○
- 531 Correlation of skeletal muscle depletion with acute toxicities for cervical cancer patients undergoing concurrent chemoradiation: A prospective study. **2022**, 0 ○
- 530 Research Progress of Body Composition Changes in Type 2 Diabetes Patients. **2022**, 12, 7181-7188 ○

- 529 Sarcopenia: An Overview. **2022**, 145-163 ○
- 528 Probable sarcopenia and obesity in women with urinary incontinence in the climacteric period. **2022**, 35, ○
- 527 The latest research progress on the diagnosis of sarcopenia in the elderly and the intervention of nutrition and exercise. **2022**, ○
- 526 Effect of Foot Orthosis Treatment on Quality of Life in Secondary Sarcopenia Patients with Rheumatoid Arthritis-Related Foot Impairment. **2022**, 7, n/a ○
- 525 Spinal Cord Physiology: Neuromotor Control of Diaphragm Muscle. **2022**, 17-40 ○
- 524 Interventions for Sarcopenic Dysphagia: A Systematic Review. **2022**, 12, 96-104 ○
- 523 New Developments in Targeting Cancer Cachexia. **2022**, 171-192 ○
- 522 Diagnostic accuracy of calf circumference for decreased muscle mass in older adults with sarcopenia. **2022**, 1, 1-6 ○
- 521 Peri-operative Rehabilitation for Patients Undergoing Liver Transplantation. **2022**, 59, 583-589 ○
- 520 ALGORITHM OF APPLICATION OF THE INDIVIDUAL & GROUP PROTOCOL IN THE COMPLEX REHABILITATION OF PATIENTS WITH SARCOPENIA. 44-53 2
- 519 Obesity, inflammation and muscle weakness. **2023**, 153-174 ○
- 518 Physical activity program for the survival of elderly patients with lymphoma (PHARAOM): a study protocol for a randomized phase III trial (Preprint). ○
- 517 Perioperative Oral β-Hydroxy-β-Methylbutyrate Supplementation Ameliorates Sarcopenia in Rats Undergoing Major Hepatectomy. **2022**, 68, 276-283 ○
- 516 Effects of nutritional supplement and resistance training for sarcopenia in patients with inflammatory bowel disease: A randomized controlled trial. **2022**, 101, e30386 ○
- 515 Incidence of Coronavirus Infection in Patients Undergoing Kidney Transplant During the Pandemic Period in Uzbekistan. **2022**, 20, 74-79 ○
- 514 Functional prognosis in patients with sarcopenic dysphagia: An observational cohort study from the Japanese sarcopenic dysphagia database. **2022**, 22, 839-845 ○
- 513 Development of a Novel Diagnostic Support Tool for Degenerative Cervical Myelopathy Combining 10-s Grip and Release Test and Grip Strength: A Pilot Study. **2022**, 12, 2108 ○
- 512 Effects of three modes of physical activity on physical fitness and hematological parameters in older people with sarcopenic obesity: A systematic review and meta-analysis. 13, ○

511	Leucine and perindopril to improve physical performance in people over 70 years with sarcopenia: the LACE factorial RCT. 2022 , 9, 1-82	0
510	Preoperative Multifidus Muscle Quality is Associated With Patient Reported Outcomes After Lateral Lumbar Interbody Fusion. 219256822211204	0
509	Associations of Nutrition-Related, Physical, and Social Factors and Their Combinations with Sarcopenia in Community-Dwelling Older Adults: Kashiwa Cohort Study. 2022 , 14, 3544	1
508	Longitudinal associations of sedentary behavior and physical activity with body composition in colorectal cancer survivors up to 2 years post treatment.	0
507	Established risk prediction models for the incidence of a low lean tissue index in patients with peritoneal dialysis. 2022 , 44, 1417-1425	0
506	Are vertical jumps able to predict 24-month follow-up functional geriatric assessment in a healthy community-dwelling older cohort?.	0
505	Association between lower parity and low muscle mass in postmenopausal women: data from KNHANES (2010-2011). 2022 , 29, 1137-1144	0
504	Diagnostic Value of Inflammatory Markers in Elderly Arab Women with Sarcopenia. 2022 , 12, 2293	0
503	Impact of muscle loss in children with hematologic malignancies undergoing allogeneic hematopoietic cell transplantation.	0
502	Prevalence of sarcopenia in Chinese community-dwelling elderly: a systematic review. 2022 , 22,	1
501	Effect of Pre-Existent Sarcopenia on Oncological Outcome of Advanced Thyroid Cancer Patients Treated with Tyrosine Kinase Inhibitors. 2022 , 14, 4569	0
500	Sex Differences of Sarcopenia in an Elderly Asian Population: The Prevalence and Risk Factors. 2022 , 19, 11980	1
499	Sarcopenia screening in elderly with Alzheimer's disease: performances of the SARC-F-3 and MSRA-5 questionnaires. 2022 , 22,	0
498	Association between Grip Strength, Obesity, and Cardiometabolic Risk Factors among the Community-Dwelling Elderly Population in Taiwan. 2022 , 19, 11359	0
497	Association between masseter muscle sarcopenia and postoperative pneumonia in patients with esophageal cancer. 2022 , 12,	0
496	Osteoporosis and sarcopenia are associated with each other and reduced IGF1 levels are a risk for both diseases in the very old elderly. 2022 , 116570	0
495	Sarcopenia in people living with HIV in Hong Kong: which definition correlates with health outcomes?. 2022 , 25,	1
494	Effects of changes in skeletal muscle mass on the prognosis of pediatric malignant solid tumors.	0

493	Association between phase angle and functional disability among patients with lumbar spinal stenosis: The SPSS-OK study. 2022 , 1-7	0
492	Association of body composition with clinical outcome in Chinese women diagnosed with breast cancer. 12,	0
491	Do body composition parameters correlate with response to targeted therapy in ER+/HER2-metastatic breast cancer patients? Role of sarcopenia and obesity. 12,	0
490	Nutritional assessment in patients with liver cirrhosis. 14, 1694-1703	0
489	Effects of changes in skeletal muscle mass on the prognosis of pediatric malignant solid tumors.	0
488	Measurement of skeletal muscle volume is useful for predicting prognosis in patients with liver cirrhosis. 2022 , 34, 1151-1157	0
487	Association between classic and specific bioimpedance vector analysis and sarcopenia in older adults: a cross-sectional study. 2022 , 14,	1
486	Diagnostic significance of calf circumference in sarcopenia of healthy Korean adult males. 13,	0
485	Accurate estimation of skeletal muscle mass by comparison of computed tomographic images of the third lumbar and third cervical vertebrae in Japanese patients with oral squamous cell carcinoma.	0
484	Development and validation of a diagnostic nomogram for sarcopenia in Chinese hemodialysis patients.	0
483	Current Clinical Implications of Frailty and Sarcopenia in Vascular Surgery: A Comprehensive Review of the Literature and Consideration of Perioperative Management. 2022 , 15, 165-174	0
482	Ultrasound and magnetic resonance imaging as diagnostic tools for sarcopenia in immune-mediated rheumatic diseases (IMRDs).	4
481	Weight Gain in Midlife Women: Understanding Drivers and Underlying Mechanisms. 2022 , 100406	0
480	CT-Diagnosed Sarcopenia and Cardiovascular Biomarkers in Patients Undergoing Transcatheter Aortic Valve Replacement: Is It Possible to Predict Muscle Loss Based on Laboratory Tests?â Multicentric Retrospective Analysis. 2022 , 12, 1453	0
479	Pectoralis muscle area estimation on MRI in newly diagnosed Turkish female breast cancer patients: the measurement and prevalence of sarcopenia.	0
478	Development of a risk prediction nomogram for sarcopenia in hemodialysis patients. 2022 , 23,	0
477	Use of handgrip strength measurement as an alternative for assessing chewing function in people with dementia. 2022 , 22,	0
476	Serum creatinine to cystatin C ratio and cognitive function among middle-aged and older adults in China. 14,	0

- 475 Effects of dietary protein sources and their adequacy on muscle function, body composition, and risk of sarcopenic obesity in South Korean populations: A cross-sectional study. ○
- 474 Analysis of the Accuracy of the Ishii Test in Diagnosing Severe Sarcopenia among Multi- ethnic Middle-aged to Older Adults: Results From the West China Health and Aging Trend Study. ○
- 473 Physical performance reference values for Japanese oldest old: a SONIC study. **2022**, 22, ○
- 472 Association of sarcopenia with survival in advanced NSCLC patients receiving concurrent immunotherapy and chemotherapy. 12, 1
- 471 The Association of Low Skeletal Muscle Mass with Complex Distal Radius Fracture. **2022**, 11, 5581 1
- 470 Psoas muscle index predicts time to rehospitalization in liver cirrhosis: An observational study. **2022**, 101, e30259 1
- 469 Psoas Muscle Area as a Prognostic Factor for Survival in Patients Undergoing Endovascular Aneurysm Repair Conversion. **2022**, ○
- 468 The efficacy and safety of Codonopsis lanceolata water extract for sarcopenia: A study protocol for randomized, double-blind, placebo-controlled clinical trial. **2022**, 101, e30773 ○
- 467 Sarcopenia and falls in older adults. **2022**, 4, 70-75 ○
- 466 Very low calorie ketogenic diet combined with physical interval training for preserving muscle mass during weight loss in sarcopenic obesity: A pilot study. 9, ○
- 465 Gait Characteristics of Dynapenia, Sarcopenia, and Presarcopenia in Community-Dwelling Japanese Older Women: A Cross-Sectional Study. **2022**, 10, 1905 1
- 464 Comparison of Short-Term Surgical Outcomes According to Immediately Postoperative Serum Glucose Level in Non-Diabetic Pancreatic Resection Patients. **2022**, 10, 2427 ○
- 463 Impact of Using Population-Specific Cut-Points, Self-Reported Health, and Socio-Economic Parameters to Predict Sarcopenia: A Cross-Sectional Study in Community-Dwelling Kosovans Aged 60 Years and Older. **2022**, 11, 5579 ○
- 462 Lean mass and strength profile of women submitted to bariatric surgery: comparison of the EWGSOP2 and FNIH classification for sarcopenia âASBS program phase II. 1-6 1
- 461 ECCO Topical Review: Roadmap to optimal peri-operative care in IBD. 1
- 460 Prognostic significance of osteosarcopenia in older adults with colorectal cancer. ○
- 459 Prognostic significance of sarcopenia as determined by bioelectrical impedance analysis in patients with advanced pancreatic cancer receiving gemcitabine plus nab-paclitaxel: A retrospective study. **2022**, 24, ○
- 458 Evaluation of Geriatric Sarcopenia and Nutrition in the Case of Cachexia before Exitus: An Observational Study for Health Professionals. **2022**, 7, 102 ○

457	Reduction of care-relevant risks to older patients during and after acute hospital care (ReduRisk) – study protocol of a cluster randomized efficacy trial in a stepped wedge design. 2022 , 22,	0
456	Sarcopenia in knee osteoarthritis: the association with clinical and sonographic findings, physical function, and nutrition.	1
455	Sarcopenia Is an Independent Risk Factor for Subsequent Osteoporotic Vertebral Fractures Following Percutaneous Cement Augmentation in Elderly Patients. 2022 , 11, 5778	0
454	The combination of sarcopenia and biochemical factors can predict the survival of hepatocellular carcinoma patients receiving transarterial chemoembolization. 12,	1
453	The time course of disuse muscle atrophy of the lower limb in health and disease.	1
452	Evaluation of sarcopenia biomarkers in older patients undergoing major surgery for digestive cancer. SAXO prospective cohort study. 2022 ,	0
451	Effect of low skeletal muscle mass and sarcopenic obesity on chronic kidney disease in patients with type 2 diabetes. 2022 , 30, 2034-2043	1
450	Prevalence of sarcopenia in patients with rheumatoid arthritis using the revised EWGSOP2 and the FNIH definition. 2022 , 8, e002600	0
449	Fetal muscle extract improves muscle function and performance in aged mice. 13,	1
448	The significance of the osteosarcopenia as a predictor of the long-term outcomes in hepatocellular carcinoma after hepatic resection.	0
447	Translation and validation of the Taiwanese SarQoL, a quality of life questionnaire specific to sarcopenia. 2022 ,	0
446	A continuous muscle-sparing advantage of pylorus-preserving gastrectomy for older patients with cT1N0M0 gastric cancer in the middle third of the stomach.	0
445	Estimation of Appendicular Skeletal Muscle Mass for Women Aged 60-70 Years Using a Machine Learning Approach. 2022 ,	0
444	Deletion of skeletal muscle Akt1/2 causes osteosarcopenia and reduces lifespan in mice. 2022 , 13,	0
443	Diabetic kidney disease progression is associated with decreased lower-limb muscle mass and increased visceral fat area in T2DM patients. 13,	0
442	Nutrition in Critical Care Hepatology.	0
441	The prevalence and risk factors of sarcopenia among Thai community-dwelling older adults as defined by the Asian Working Group for Sarcopenia (AWGS-2019) criteria: a cross-sectional study. 2022 , 22,	0
440	Definition of an adapted cut-off for determining low lean tissue mass in older women with obesity: a comparison to current cut-offs. 2022 , 12,	1

- 439 Preoperative psoas muscle index a modern prognostic factor in the follow-up of patients with rectal cancer who underwent surgery. **2021**, 94, 107-117 ○
- 438 Therapies for Alcohol-Related Liver Disease and for Non-Alcoholic Fatty Liver Disease. **2022**, 221-238 ○
- 437 Metode za postavljanje dijagnoze sarkopenije i njen značaj kod hirurških bolesnika - sarkopenija kod hirurških bolesnika. **2022**, 44, 73-80 ○
- 436 Candidate Biomarkers for Sarcopenia and Relationship with Nutrition. **2022**, 1043-1066 ○
- 435 Current methods for sarcopenia diagnosis in patients with impaired carbohydrate metabolism. **2022**, 25, 116 ○
- 434 Factors affecting lower limb muscle mass in pregnant women. **2022**, ○
- 433 Prevalence and factors associated with dynapenia in older women using different diagnostic criteria. 28, ○
- 432 Linking Biomarkers with Causes, Lifestyle Factors, and Management of Sarcopenia. **2022**, 1085-1114 ○
- 431 Prevalence of Sarcopenia and Its Impact on Cardiovascular Events and Mortality among Dialysis Patients: A Systematic Review and Meta-Analysis. **2022**, 14, 4077 1
- 430 Body composition reference values in Singaporean adults using dual-energy X-ray absorptiometryâ€”the Yishun study. **2022**, 17, e0276434 ○
- 429 Detecting Sarcopenic Obesity in Survivors of Pediatric Acute Lymphoblastic Leukemia: An Exploration of Body Mass Index and Triponderal Mass Index as Potential Surrogate Markers. Publish Ahead of Print, ○
- 428 Association between oral intake magnesium and sarcopenia: a cross-sectional study. **2022**, 22, ○
- 427 O uso do escore SARC-F como auxiliar na prevençãõ de fraturas por fragilidade. ○
- 426 Trends in Nutrition Research for Sarcopenia: A Bibliometric Analysis. **2022**, 14, 4262 ○
- 425 Perspectives on Sarcopenia as a Predictor for Outcomes in Pediatric Patients with Chronic Liver Disease. Volume 14, 173-183 ○
- 424 Comparison of three nutritional screening tools for detecting sarcopenia in patients with maintenance hemodialysis. 10, ○
- 423 Impact of Low Skeletal Muscle Mass and Obesity on Hearing Loss in Asymptomatic Individuals: A Population-Based Study. **2022**, 10, 2022 ○
- 422 Intramuscular Adipose Tissue Content as a Predictor of Incisional Hernia after Hepatic Resection. ○

421	Association between vertebral compression fractures and hand grip strength in geriatric patients. 2022 , 18, 72-77	0
420	Sarcopenia among people living with HIV and the effect of antiretroviral therapy on body composition. 2022 , 101, e31349	0
419	Effects of Concurrent Strength and Endurance Training on Measures of Physical Fitness in Healthy Middle-Aged and Older Adults: A Systematic Review with Meta-Analysis.	0
418	Portable Digital Monitoring System for Sarcopenia Screening and Diagnosis. 2022 , 7, 121	1
417	Effect of Intake of Leucine-Rich Protein Supplement in Parallel with Resistance Exercise on the Body Composition and Function of Healthy Adults. 2022 , 14, 4501	0
416	Preoperative skeletal muscle fat infiltration is a strong predictor of poorer survival in gallbladder cancer underwent surgery. 2022 ,	0
415	Risk Factors of Muscle Wasting in Women with Rheumatoid Arthritis: Relevance of the Persistent Failure of Conventional Combination Therapy. 2022 , 10, 2004	0
414	Frequency and risk factors of sarcopenia in the elderly people. 2022 , 16, 40-47	0
413	Surface Electromyographic Activity of Submental Muscles During Swallow of Masticated Bolus Across Age and Gender.	0
412	Relationship between Testosterone and Sarcopenia in Older-Adult Men: A Narrative Review. 2022 , 11, 6202	1
411	Physical Activity in the Elderly and Frailty Syndrome: A Retrospective Study in Primary Care. 2022 , 9, 51	0
410	Evolving concepts on perioperative nutrition of sarcopenic cancer patients. 2022 ,	0
409	Metabolic Disorders in Menopause. 2022 , 12, 954	1
408	Nutrition and sarcopenia: Current knowledge domain and emerging trends. 9,	0
407	Sex- and age-related differences in body composition of healthy aging men and women. 2022 , 181,	0
406	Untargeted muscle tissue metabolites profiling in young, adult, and old rats supplemented with tocotrienol-rich fraction. 9,	0
405	Does Human Papillomavirus Infection Influence the Frequency and Severity of Nutritional Disorders in Head and Neck Cancer?. 2022 , 14, 4528	0
404	Nomogram to predict postoperative cognitive dysfunction in elderly patients undergoing gastrointestinal tumor resection. 14,	0

403	Neuronal Agrin Promotes Proliferation of Primary Human Myoblasts in an Age-Dependent Manner. 2022 , 23, 11784	1
402	The Involvement of Smooth Muscle, Striated Muscle, and the Myocardium in Scleroderma: A Review. 2022 , 23, 12011	1
401	Review of protein intake and suitability of foods for protein-fortification in older adults in the UK. 1-18	0
400	Comparing Even with Skewed Dietary Protein Distribution Shows No Difference in Muscle Protein Synthesis or Amino Acid Utilization in Healthy Older Individuals: A Randomized Controlled Trial. 2022 , 14, 4442	0
399	De-Training Effects Following Leucine-Enriched Whey Protein Supplementation and Resistance Training in Older Adults with Sarcopenia: A Randomized Controlled Trial with 24 Weeks of Follow-Up.	1
398	Ultrasonographic changes in quadriceps femoris thickness in women with normal pregnancy and women on bed rest for threatened preterm labor. 2022 , 12,	0
397	Approaching Sarcopenic Obesity in Young and Middle-Aged Female Adults in Weight Management Settings: A Narrative Review. 2022 , 10, 2042	0
396	Introductory Chapter: Frailty and Sarcopenia –Recent Evidence and New Perspectives.	0
395	Exploration of mitochondrial defects in sarcopenic hip fracture patients. 2022 , 8, e11143	0
394	Sarcopenia and mortality risk in community-dwelling Brazilian older adults. 2022 , 12,	0
393	Aging and Possible Benefits or Negatives of Lifelong Endurance Running: How Master Male Athletes Differ from Young Athletes and Elderly Sedentary?. 2022 , 19, 13184	0
392	Osteosarcopenia and type 2 diabetes mellitus in post-menopausal women: a case-control study. 2022 , 14,	0
391	Relationship between handgrip strength and endogenous hormones in postmenopausal women. Publish Ahead of Print,	0
390	Clinical Perspectives on Cardiac Rehabilitation After Heart Failure in Elderly Patients with Frailty: A Narrative Review. Volume 18, 1009-1028	1
389	Associations of physical activity participation trajectories with subsequent motor function declines and incident frailty: A population-based cohort study. 13,	2
388	De kwetsbare oudere met voedingsproblemen en spierzwakte. 2023 , 85-102	0
387	Applicability of the SARC-F questionnaire by remote interview. 2022 , 111871	0
386	Association of Low Handgrip Strength with Chemotherapy Toxicity in Digestive Cancer Patients: A Comprehensive Observational Cohort Study (FIGHTDIGOTOX). 2022 , 14, 4448	0

385	Association between Normal Weight Obesity and Skeletal Muscle Mass Index in Female University Students with Past Exercise Habituation. 2022 , 7, 92	0
384	Preoperative computed tomography-determined sarcopenia is a reliable prognostic factor in patients with gastric cancer after radical gastrectomy: A sex-specific analysis. 9,	0
383	Prognostic Value of [18F]-FDG PET/CT Radiomics Combined with Sarcopenia Status among Patients with Advanced Gastroesophageal Cancer. 2022 , 14, 5314	1
382	Comparison between frail and non-frail older adultsâgut microbiota: A systematic review and meta-analysis. 2022 , 101773	0
381	The Prevalence of Sarcopenia among Hunan Province Community-Dwelling Adults Aged 60 Years and Older and Its Relationship with Lifestyle: Diagnostic Criteria from the Asian Working Group for Sarcopenia 2019 Update. 2022 , 58, 1562	0
380	Sarcopenia is associated with oncological prognosis and the incidence of secondary cancer in patients with middle/lower rectal cancer. 2022 ,	0
379	Validation of a multi-frequency bioelectrical impedance analysis device for the assessment of body composition in older adults with type 2 diabetes. 2022 , 12,	3
378	L-Carnitine Combined with Leucine Supplementation Does Not Improve the Effectiveness of Progressive Resistance Training in Healthy Aged Women. 2022 , 26, 945-953	0
377	The Relationship between Sarcopenia and Injury Events: A Systematic Review and Meta-Analysis of 98,754 Older Adults. 2022 , 11, 6474	0
376	Subjective voice change was associated with appendicular skeletal muscle mass in elderly men, but not in women: a cross-sectional study.	0
375	Association Between Motoric Cognitive Risk Syndrome and Risk of Mortality in Older Adults: Results of a 5-year Retrospective Cohort.	0
374	Fat infiltration and muscle hydration improve after high-intensity resistance training in women with sarcopenia. A randomized clinical trial. 2022 ,	0
373	The Prevalence Rate of Adult Sarcopenic Obesity and Correlation of Appendicular Skeletal Muscle Mass Index with Body Mass Index, Percent Body Fat, WaistâHip Ratio, Basal Metabolic Rate, and Visceral Fat Area.	0
372	Physical Activity as the Best Supportive Care in Cancer: The Clinicianâand the Researcherâ Perspectives. 2022 , 14, 5402	2
371	Ferroptosis and its role in skeletal muscle diseases. 9,	0
370	Association between serum uric acid and relative hand grip strength in comparison with metabolic syndrome components. 2022 ,	0
369	Osteosarcopenia in Patients with Chronic Obstructive Pulmonary Diseases: Which Pathophysiologic Implications for Rehabilitation?. 2022 , 19, 14314	0
368	Sarcopenia in Immune-Mediated Rheumatic DiseasesâReview. Publish Ahead of Print,	0

367	Association between dietary inflammatory potential and the probable sarcopenia among community-dwelling older adults: a cross-sectional study. 2022 , 22,	0
366	Screening Tools for Sarcopenia in Community-Dwellers: A Scoping Review. 2019 , 48, 201-216	16
365	NON-ALCOHOLIC FATTY LIVER DISEASE AND SARCOOPENIA. 2022 , 1, 79	0
364	Perioperative Medicine: Technical and Organizational Issues. 2022 , 49-61	0
363	Impairment in muscle strength and its determinants in primary hyperparathyroidism: A study in postmenopausal women. 2023 , 166, 116604	0
362	The effect of different exercise programs on sarcopenia criteria in older people: A systematic review of systematic reviews with meta-analysis. 2023 , 105, 104868	3
361	Effects of age simulation and age on motor sequence learning: Interaction of age-related cognitive and motor decline. 2023 , 87, 103025	0
360	?????. 2022 , 56, 186-191	0
359	Hand grip strength and risk of incident venous thromboembolism: The Troms ^ø Study. 2022 , 6,	0
358	Effect of supplementation with leucine alone, with other nutrients or with physical exercise in older people with sarcopenia: a systematic review. 2022 ,	0
357	Association of sex-specific donor skeletal muscle index with surgical outcomes in living-donor liver transplantation recipients.	0
356	Everything You Always Wanted to Know about Sarcopenia but Were Afraid to Ask: A Quick Guide for Radiation Oncologists (impAct of saRcopeniA In raDiotherapy: The AFRAID Project). 2022 , 29, 8513-8528	1
355	Sex-specific associations between cardiovascular risk factors and physical function: the Gambian Bone and Muscle Ageing Study.	0
354	Thickness of Biceps and Quadriceps Femoris Muscle Measured Using Point-of-Care Ultrasound as a Representation of Total Skeletal Muscle Mass. 2022 , 11, 6606	3
353	Physical and Quality of Life Changes in Elderly Patients after Laparoscopic Surgery for Colorectal CancerâA Prospective Cohort Study. 2022 , 19, 14711	1
352	Relationship Between Plasma Homocysteine and Bone Density, Lean Mass, Muscle Strength and Physical Function in 1480 Middle-Aged and Older Adults: Data from NHANES.	0
351	Changes of sarcopenia case finding by different Asian Working Group for Sarcopenia in community indwelling middle-aged and old people. 9,	0
350	Association between oral health markers and decline in muscle strength and physical performance in later life: longitudinal analyses of two prospective cohorts from the UK and the USA. 2022 , 3, e777-e788	1

349	Consensus guidelines for sarcopenia prevention, diagnosis and management in Australia and New Zealand.	2
348	Musculoskeletal Ultrasound Shows Muscle Mass Changes during Post-Acute Care Hospitalization in Older Men: A Prospective Cohort Study. 2022 , 19, 15150	1
347	Nutrition in Alcohol-Related Liver Disease.	0
346	Lowering of Electrostatic Actuator Driving Voltage and Increasing Generated Force Using Spontaneous Polarization of Ferroelectric Nematic Liquid Crystals. 2200017	1
345	Impact of sarcopenia and phase angle on mortality of the very elderly.	0
344	Robotic Esophagectomy Compared with Open Esophagectomy Reduces Sarcopenia within the First Postoperative Year: A Propensity Score-matched Analysis. 2022 ,	0
343	Organokines, Sarcopenia, and Metabolic Repercussions: The Vicious Cycle and the Interplay with Exercise. 2022 , 23, 13452	0
342	Optimal body composition indices cutoff values based on all-cause mortality in the elderly. 2022 , 112026	0
341	Circulating microRNA responses to acute whole-body vibration and resistance exercise in postmenopausal women. 13,	0
340	Stato nutrizionale e risposta al trattamento con inibitori tirosino-chinasici nel carcinoma tiroideo avanzato.	0
339	Comparison of nutritional risk screening with NRS2002 and the GLIM diagnostic criteria for malnutrition in hospitalized patients. 2022 , 12,	1
338	Diagnosis and Treatment of Sarcopenic Dysphagia. 2022 , 59, 888-896	0
337	Effect of combined Japanese traditional medicines, keishibukuryogan and jidabokuippo, on postoperative soft tissue swelling in adult patients undergoing revascularization surgery for ischemic moyamoya disease: A comparison of two prospective cohort studies.	0
336	Mitochondrial function, grip strength, and activity are related to recovery of mobility after a total knee arthroplasty.	0
335	Association between sarcopenia and symptomatic knee osteoarthritis in middle-aged and elderly adults: data from CHARLS.	0
334	Prevalence Of Sarcopenic Obesity in Various Comorbidities, Diagnostic Markers and Therapeutic Approaches: A Review.	0
333	Prevalence of sarcopenia in Parkinson's disease: A systematic review and meta-analysis. 2023 , 49, 44-49	0
332	Diagnosis, prevalence, and outcomes of sarcopenia in kidney transplantation recipients: A systematic review and meta-analysis.	0

- 331 Avalia^o \bar{n} nutricional de idosos. **2021**, 67-92 0
- 330 Lack of significant seasonal association between serum 25(OH)D concentration, muscle mass and strength in postmenopausal women from the D-FINES longitudinal study. **2022**, 11, 0
- 329 Malnutrition management of hospitalized patients with diabetes/hyperglycemia and sarcopenia. **2022**, 0
- 328 Reduced muscle strength in patients with long-COVID-19 syndrome is mediated by limb muscle mass. **2023**, 134, 50-58 0
- 327 Sarcopenia and Myositis Revisited. **2023**, 18, 31-38 0
- 326 Cross-cultural adaptation and validation of Sarcopenia and Quality of Life (SarQoL) in Brazil. **2023**, 141, 30-35 0
- 325 Impact of simple equation for estimating appendicular skeletal muscle mass in patients with stable coronary artery disease undergoing percutaneous coronary intervention. **2023**, 44, 101163 0
- 324 Which intervention is more effective in improving sarcopenia in older adults? A systematic review with meta-analysis of randomized controlled trials. **2023**, 210, 111773 2
- 323 Low muscle mass is associated with a higher risk of all-cause and cardiovascular disease-specific mortality in cancer survivors. **2023**, 107, 111934 0
- 322 Is dexamethasone-induced muscle atrophy an alternative model for naturally aged sarcopenia model?. **2023**, 39, 12-20 0
- 321 Factors Associated with Falls Among Community-Dwelling Older People in Taiwan. **2013**, 42, 320-327 1
- 320 The Adverse Impact of Sarcopenia and Visceral Fat Deposition on the Course of Hepatocellular Carcinoma and the Role of Nutritional Interventions. 126-134 1
- 319 Sarcopenia associated with COVID-19. **2022**, 25, 105 0
- 318 Demographic and Genome Wide Association Analyses According to Muscle Mass Using Data of the Korean Genome and Epidemiology Study. **2022**, 37, 1
- 317 Resistance training as a tool for changing muscle mass and frailty status in sarcopenic older women: a quasi-experimental study. **2022**, 29, 224-229 0
- 316 Effects of hydrolysed meat on dietary intake and nutritional status in aged care residents requiring pureed diets: a crossover randomised controlled trial. **2022**, 22, 0
- 315 Grip Strength and Sarcopenia Predict 2-Year Cognitive Impairment in Community-Dwelling Older Adults. **2022**, 0
- 314 Causal effects of homocysteine levels on the components of sarcopenia: A two-sample mendelian randomization study. 13, 0

313	What Exactly Makes Age a Risk Factor for an Unfavorable Outcome after Mitral Valve Surgery?. 2022 , 11, 6907	2
312	Stroke-Related Sarcopenia among Two Different Developing Countries with Diverse Ethnic Backgrounds (Cross-National Study in Egypt and China). 2022 , 10, 2336	0
311	Inflammatory geriatric nutritional risk index stratified the survival of older adults with cancer sarcopenia.	0
310	Sarcopenia in head and neck cancer: A scoping review. 2022 , 17, e0278135	0
309	Reduction in Skeletal Muscle Mass in Progressive Supranuclear Palsy in Comparison with Parkinson's Disease: A Preliminary Retrospective Longitudinal Study. 2022 , 1, 143-151	0
308	Motor Activity Sensorics for mHealth Support of Human Resilience in Daily Life. 2022 ,	0
307	Home-care nursing controlled mobile robot with vital signal monitoring.	0
306	Low Preoperative Serum Creatinine is Common and Associated with Poor outcomes following Non-emergent Inpatient Surgery. Publish Ahead of Print,	0
305	Sarcopenia as a predictor of outcome after transcatheter aortic valve implantation: protocol for systematic review and meta-analysis. 2022 , 12, e067461	0
304	The Impact of Computed Tomography Measurements of Sarcopenia on Postoperative and Oncologic Outcomes in Patients Undergoing Cytoreductive Surgery and Hyperthermic Intraperitoneal Chemotherapy. 2022 , 29, 9314-9324	0
303	Deciphering the "obesity paradox" in the elderly: A systematic review and meta-analysis of sarcopenic obesity.	1
302	Aging and Mesenchymal Stem Cells: Basic Concepts, Challenges and Strategies. 2022 , 11, 1678	0
301	Review of Sarcopenia and Testosterone Deficiency With Chronic Liver Disease and Postoperative Liver Transplant Utility of Short-Term Testosterone Replacement Therapy. 2022 , 20, 1000-1008	0
300	Preventive effects of the butanol fraction of <i>Justicia procumbens</i> L. against dexamethasone-induced muscle atrophy in C2C12 myotubes. 2022 , 8, e11597	0
299	The influence of serum cholinesterase levels and sarcopenia on postoperative infectious complications in colorectal cancer surgery.	0
298	Are sociodemographic and anthropometric variables effective in screening probable and confirmed sarcopenia in community-dwelling older adults? A cross-sectional study.	0
297	Association between serum homocysteine and sarcopenia among hospitalized older Chinese adults: a cross-sectional study. 2022 , 22,	0
296	Prevalence of sarcopenia under different diagnostic criteria and the changes in muscle mass, muscle strength, and physical function with age in Chinese old adults. 2022 , 22,	0

295	Possible-sarcopenic Screening with Disturbed Plasma Amino Acid Profile in the Elderly.	0
294	Different assessment tools to detect sarcopenia in patients with Parkinson's disease. 13,	1
293	A pooled analysis of the association between sarcopenia and osteoporosis. 2022 , 101, e31692	0
292	Impact of Preoperative Handgrip Strength on Postoperative Outcome after Radical Gastrectomy for Gastric Cancer Patients. 2022 , 11, 7129	0
291	Combined assessment of muscle quality and quantity predicts oncological outcome in patients with esophageal cancer. 2022 ,	1
290	Defining terms commonly used in sarcopenia research: a glossary proposed by the Global Leadership in Sarcopenia (GLIS) Steering Committee. 2022 , 13, 1239-1244	1
289	Nuclear corepressor SMRT acts as a strong regulator of both Eoxidation and suppressor of fibrosis in the differentiation process of mouse skeletal muscle cells. 2022 , 17, e0277830	0
288	Knowledge of Nutrition and Physical Activity Guidelines is Not Associated with Physical Function in Dutch Older Adults Attending a Healthy Ageing Public Engagement Event. Volume 17, 1769-1778	0
287	Effect of psychosocial motivations and technology on physical activity behaviours among community older men and women. 2022 , 22,	0
286	Impact of combined resection of the internal iliac artery on loss of volume of the gluteus muscles after pelvic exenteration.	0
285	Difference of the association between low muscle mass and physical inactivity by sex resulting from the choice of the diagnostic criterion for low muscle mass in elderly Koreans.	0
284	Low muscle strength and low phase angle predicts greater risk to mortality than severity scales (APACHE, SOFA, and CURB-65) in adults hospitalized for SARS-CoV-2 pneumonia. 9,	1
283	Screening for Sarcopenia - Performance of SARC-F and SARC-CalF in Older Adults from Northern Brazil.	0
282	A new fistula risk score using sarcopenic obesity and subcutaneous fat area for predicting postoperative pancreatic fistula after pancreaticoduodenectomy.	0
281	Prevalence of possible sarcopenia in community-dwelling older Chinese adults: a cross-sectional study. 2022 , 12, e067425	0
280	Diagnostic and prognostic utility of phase angle in patients with cancer.	0
279	What is the overlap between malnutrition, frailty and sarcopenia in the older population? Study protocol for cross-sectional study using UK Biobank. 2022 , 17, e0278371	0
278	JCS/JACR 2021 Guideline on Rehabilitation in Patients With Cardiovascular Disease. 2022 , 87, 155-235	4

277	Significance of preoperative evaluation of skeletal muscle index and immune-nutritional status for patients with early-stage non-small cell lung cancer.	0
276	Resistance Training Improves Sleep and Anti-Inflammatory Parameters in Sarcopenic Older Adults: A Randomized Controlled Trial. 2022 , 19, 16322	1
275	Zebrafish Models for Skeletal Muscle Senescence: Lessons from Cell Cultures and Rodent Models. 2022 , 27, 8625	0
274	Nutritional Status and Sarcopenia in Nursing Home Residents: A Cross-Sectional Study. 2022 , 19, 17013	0
273	Clinical impact of pre- and postoperative sarcopenia on oncological outcomes in non-metastatic colorectal cancer.	0
272	Age-specific reference values for low psoas muscle index at the L3 vertebra level in healthy populations: A multicenter study. 9,	0
271	GLIM diagnosed malnutrition predicts clinical outcomes and Quality of Life in patients with non-small cell lung cancer. 2022 ,	0
270	Influencing factors of weak grip strength and fall: a study based on the China Health and Retirement Longitudinal Study (CHARLS). 2022 , 22,	0
269	Lower SMI is a risk factor for dysphagia in Japanese hospitalized patients with osteoporotic vertebral and hip fracture: A retrospective study. 2022 , 8, 152-157	0
268	The interplay between sarcopenia and portal hypertension predicts ascites and mortality in cirrhosis. 2022 ,	1
267	Sarcopenia in pancreatic cancer: Effect on patient outcomes. 14, 2302-2312	0
266	Laparoscopic liver resection is associated with less significant muscle loss than the conventional open approach. 2022 , 20,	0
265	Association of CT-based diagnosis of sarcopenia with prognosis and treatment response in patients at risk of malnutrition – A secondary analysis of the EFFORT trial. 2022 ,	1
264	Prevalence risk of sarcopenia in older Brazilian adults during the pandemic: A cross-sectional analysis of the Remobilize Study.	0
263	Weight Loss in Older Overweight Persons – Effects on Body Composition and Physical Function. 2022 , 20, 3-19	0
262	A Computed Tomography-based Radiomics Nomogram for Predicting Osteoporotic Vertebral Fractures: A Longitudinal Study.	0
261	Effects of biologic and target synthetic disease-modifying anti-rheumatic drugs on sarcopenia in spondyloarthritis and rheumatoid arthritis: a systematic review and meta-analysis.	0
260	Imaging based body composition profiling and outcomes after oncologic liver surgery. 12,	0

- 259 Detection of Physical Frailty Status of Middle-Aged and Elderly People Using Gait Features Based on 3-Axis Acceleration Sensors. **2022**, 142, 1262-1268 ○
- 258 A New, Alternative Risk Score for Sarcopenia in Chinese Patients with Type 2 Diabetes Mellitus. ○
- 257 Multifaceted Nutritional Disorders in Elderly Patients Undergoing Dialysis. **2023**, 3, 1-23 ○
- 256 Evaluation of muscle loss by ultrasonography in critically ill patients. ○
- 255 Respiratory sarcopenia: A position paper by four professional organizations. ○
- 254 Prevalence of sarcopenia in heart failure: A systematic review. **2022**, ○
- 253 Diagnostic Value of Sarcopenia Computed Tomography Metrics for Older Patients with or without Cancers with Gastrointestinal Disorders. **2022**, ○
- 252 Trajectories of the Prevalence of Sarcopenia in the Pre- and Post-Stroke Periods: A Systematic Review. **2023**, 15, 113 ○
- 251 Effect of Sarcopenia on Survival and Health-Related Quality of Life in Patients with Hepatocellular Carcinoma after Hepatectomy. **2022**, 14, 6144 ○
- 250 MicroRNA profiling of different exercise interventions for alleviating skeletal muscle atrophy in naturally aging rats. ○
- 249 The methods of prophylaxis of the pancreatic fistula occurrence after pancreatoâduodenectomy. **2022**, 89, 18-24 ○
- 248 Prognostic significance of sarcopenia and systemic inflammation for patients with renal cell carcinoma following nephrectomy. 12, ○
- 247 Psoas Muscle Index: A Simple and Reliable Method of Sarcopenia Assessment on Computed Tomography Scan in Chronic Liver Disease and its Impact on Mortality. **2022**, ○
- 246 Recent Updates on Associations among Various Obesity Metrics and Cognitive Impairment: from Body Mass Index to Sarcopenic Obesity. **2022**, ○
- 245 Bibliometric and visualized analysis of exercise and osteoporosis from 2002 to 2021. 9, ○
- 244 Effects of soy protein hydrolysates on antioxidant activity and inhibition of muscle loss. **2022**, 29, 1458-1467 ○
- 243 Development of an approach for identifying overnutrition among older adults in community health care settings: - an opinion paper. **2022**, ○
- 242 Sarcopenia, osteoporosis, and fractures: what we see mainly depends on how we look?. ○

- 241 Dp-ucMGP as a Biomarker in Sarcopenia. **2022**, 14, 5400 ○
- 240 The association of sarcopenia and central obesity with mortality risk in patients with chronic kidney disease – a two-year observational study. **2022**, 100014 ○
- 239 Sarcopenia Predicts Prognosis of Patients Undergoing Liver Resection for Hepatocellular Carcinoma: A Systematic Review and Meta-Analysis. 1-9 ○
- 238 The Muscle Thickness Assessment Using Ultrasonography is a Useful Alternative to Skeletal Muscle Mass by Bioelectrical Impedance Analysis. Volume 17, 1851-1861 ○
- 237 Association of muscle mass measured by D3-Creatine (D3Cr), sarcopenic obesity, and insulin-glucose homeostasis in postmenopausal women. **2022**, 17, e0278723 ○
- 236 A New, Alternative Risk Score for Sarcopenia in Chinese Patients with Type 2 Diabetes Mellitus. ○
- 235 Sarcopenia as a risk factor of progression-free survival in patients with metastases: a systematic review and meta-analysis. ○
- 234 Using exergame-based exercise to prevent and postpone the loss of muscle mass, muscle strength, cognition, and functional performance among elders in rural long-term care facilities: A protocol for a randomized controlled trial. 9, ○
- 233 Efficacy of traditional Chinese exercise for sarcopenia: A systematic review and meta-analysis of randomized controlled trials. 16, ○
- 232 Prognostic impact of preoperative skeletal muscle change from diagnosis to surgery in patients with perihilar cholangiocarcinoma. ○
- 231 Assessment and prediction of malnutrition and sarcopenia in liver cirrhosis patients. **2023**, 48, ○
- 230 Muscle strength trajectories and their association with postoperative health-related quality of life in patients undergoing coronary artery bypass grafting surgery: a prospective cohort study. **2023**, 23, ○
- 229 Exercise Protocols for Counteracting Cancer Cachexia-Related Declines in Muscle Mass and Strength and the Clinical Assessment of Skeletal Muscle. **2022**, 215-251 ○
- 228 Sarcopenia and Physical Performance in Patients with Cancer. **2022**, 513-533 ○
- 227 Postoperative Complications in Patients with Esophageal Cancer. **2022**, 335-353 ○
- 226 Screening efficacy of PhA and MNA-SF in different stages of sarcopenia in the older adults in community. **2023**, 23, ○
- 225 Assessment of angiotensin converting enzyme inhibitory activity and quality attributes of yoghurt enriched with Cinnamomum verum, Elettaria cardamomum, Beta vulgaris and Brassica oleracea. **2023**, 103556 ○
- 224 Association between Dietary Inflammatory Index and Sarcopenia: A Meta-Analysis. **2023**, 15, 219 ○

- 223 Sarcopenic Obesity, the Possible Culprit for Nonalcoholic Fatty Liver Disease or Fibrosis. **2023**, 17, 8-9 ○
- 222 Frailty phenotype in heart failure: A condition that transcends age. **2023**, ○
- 221 Performance assessment and external validation of specific thresholds of total psoas muscle cross-sectional area as predictors of mortality in oncologic spine surgery for spinal metastases. ○
- 220 Urinary titin is not an early biomarker of skeletal muscle atrophy induced by muscle denervation in mice. ○
- 219 Investigation of case findings for sarcopenia using comparative measurements of the iliopsoas muscle and rectus abdominis on CT. ○
- 218 Diabetes and cirrhosis: Current concepts on diagnosis and management. Publish Ahead of Print, ○
- 217 A systematic review and meta-analysis of the association between sarcopenia and myocardial infarction. **2023**, 23, ○
- 216 Survival and cognitive deterioration in elderly patients undergoing hemodialysis. ○
- 215 Preoperative frailty assessment in older patients with colorectal cancer: use of clinical and radiological tool. **2024**, 408, ○
- 214 Recent sarcopenia definitionsâprevalence, agreement and mortality associations among men: Findings from population-based cohorts. ○
- 213 Anti-aging effects of dietary phytochemicals: From Caenorhabditis elegans, Drosophila melanogaster, rodents to clinical studies. 1-26 ○
- 212 Hand grip strength: A reliable assessment tool of frailty status on the person with type 2 diabetes Mellitus. **2023**, ○
- 211 A Systematic Review of Isokinetic Muscle Strength in a Healthy Population With Special Reference to Age and Gender. 194173812211462 ○
- 210 Relationship between healthy eating index and sarcopenia in elderly people. **2023**, 23, ○
- 209 Bibliometric analysis of research trends in relationship between sarcopenia and surgery. 9, ○
- 208 Frailty status improvement after kidney transplantation. ○
- 207 Sarcopenia âDefinition, Radiological Diagnosis, Clinical Significance. ○
- 206 Effects of water exercise on body composition and components of metabolic syndrome in older females with sarcopenic obesity. **2023**, 35, 24-30 ○

- 205 Nutrition in Chronic Liver Disease. **2023**, 177-184 ○
- 204 Effects of periodontal pathogen-induced intestinal dysbiosis on transplant immunity in an allogenic skin graft model. **2023**, 13, ○
- 203 Effects of different intervention combined with resistance training on musculoskeletal health in older male adults with sarcopenia: A systematic review. 10, 1
- 202 Preoperative Serum Cortisol Level Is Predictive of Weight Loss After Laparoscopic Sleeve Gastrectomy in Men with Severe Obesity but Not Women. ○
- 201 Oxylipin status, before and after LC n-3 PUFA supplementation, has little relationship with skeletal muscle biology in older adults at risk of sarcopenia. **2023**, 189, 102531 ○
- 200 Interactive effect of serum uric acid and handgrip strength on all-cause mortality among Japanese community-dwelling people. **2023**, 17, 100227 ○
- 199 The sirtuin family in health and disease. **2022**, 7, 1
- 198 Relaci³n entre fibromialgia y sarcopenia; el papel del abordaje nutricional. **2022**, 42, ○
- 197 C-C motif chemokine ligand 2 promotes myogenesis of myoblasts via the AKT-mTOR pathway. **2022**, 14, 9860-9876 ○
- 196 Ultrasound-derived muscle assessment system for older adults: a promising muscle mass estimation tool. **2022**, 51, ○
- 195 Usefulness of the skeletal muscle index in postoperative ileus of colorectal cancer patients: a retrospective cohort study. **2022**, 22, ○
- 194 Variation in Body Mass and Skeletal Muscle Indices in Head and Neck Cancer Patients Undergoing (Chemo)Radiotherapy and Nutritional Intervention. **2023**, 30, 250-260 ○
- 193 Preoperative diagnosis of sarcopenia and postoperative outcome in patients with non-small-cell lung cancer. **2022**, 63, ○
- 192 Aging of balance and risk of falls in elderly. **2019**, 4, 255-257 ○
- 191 Sarcopenia: From clinical aspects to therapeutic possibilities. **2022**, 3, 436-445 ○
- 190 Protocol for Shenzhen Ageing Cohort Study (SZ-ageing): a prospective observational cohort study of elderly disability and cognitive impairment. **2023**, 13, e065761 ○
- 189 Strength gains after 12 weeks of resistance training correlate with neurochemical markers of brain health in older adults: a randomized control 1H-MRS study. ○
- 188 Body impedance analysis to estimate malnutrition in Inflammatory Bowel Disease patients: a cross-sectional study. ○

- 187 Comparative analysis of the relationship between four hepatic steatosis indices and muscle mass. **2023**, 13, ○
- 186 Ultrasonographic monitoring of feline epaxial muscle height as part of an annual wellness examination to assess for the development of sarcopenia. **2023**, 25, 1098612X2211400 ○
- 185 Relationship between age and handgrip strength: Proposal of reference values from infancy to senescence. 10, ○
- 184 Sarcopenia in Men with Bone-Predominant Metastatic Castration-Resistant Prostate Cancer Undergoing Ra-223 Therapy. **2023**, ○
- 183 Elderly Patients and Management in Intensive Care Units (ICU): Clinical Challenges. Volume 18, 93-112 ○
- 182 Effects of High-Intensity Resistance Training on Visceral Adipose Tissue and Abdominal Aortic Calcifications in Older Men with Osteosarcopenia âResults from the FrOST Study. Volume 18, 71-80 ○
- 181 The Impact of Sarcopenia Risk on Postoperative Walking Independence in Older Adults Undergoing Total Joint Arthroplasty. Publish Ahead of Print, ○
- 180 Extensive and Differential Deterioration of Hip Muscles May Preexist in Older Adults with Hip Fractures: Evidence from a Cross-Sectional Study. ○
- 179 Cut-off values of geriatric nutritional risk index for cardiovascular events in acute myocardial infarction patients. ○
- 178 Changes in physical function over time in rheumatoid arthritis patients: A cohort study. **2023**, 18, e0280846 ○
- 177 Sarcopenia: investigation of metabolic changes and its associated mechanisms. **2023**, 13, ○
- 176 Causal linkage of tobacco smoking with ageing: Mendelian randomization analysis towards telomere attrition and sarcopenia. ○
- 175 Evaluation of sarcopenia and sarcopenic obesity in patients affected by oral squamous cell carcinoma: A retrospective single-center study. **2023**, ○
- 174 Skeletal muscle area predicts the outcomes of non-small-cell lung cancer after trimodality therapy. **2023**, 36, ○
- 173 Interaction Between Sarcopenic Obesity and Nonlocomotive Physical Activity on the Risk of Depressive Symptoms in Community-Dwelling Older Adult Japanese Women. **2023**, 1-7 ○
- 172 AI-based opportunistic CT screening of incidental cardiovascular disease, osteoporosis, and sarcopenia: cost-effectiveness analysis. ○
- 171 Letter to the editor: âImpact of sarcopenia on daily functioning: a cross-sectional study among older inpatientsâ ○
- 170 Lifestyle Factors Supporting and Maintaining Sexual Activity in Older Adults. **2023**, 119-138 ○

- 169 Effects of a 2-year exercise training on neuromuscular system health in older individuals with low muscle function. ○
- 168 Association between Regional Body Muscle Mass and Non-Alcoholic Fatty Liver Disease: An Observational Study Using Data from the REACTION Study. **2023**, 13, 209 ○
- 167 Association of Body Mass Index and Acute Kidney Injury Incidence and Outcome: A Systematic Review and Meta-Analysis. **2023**, 1 ○
- 166 Validity Properties of a Self-reported Modified Frailty Phenotype Among People With HIV in Clinical Care in the United States. **2023**, Publish Ahead of Print, ○
- 165 The association between sleep parameters and sarcopenia in Japanese community-dwelling older adults. **2023**, 109, 104948 ○
- 164 The role of inflammation in homocysteine-related muscle weakness in relatively healthy Japanese men and women. **2023**, ○
- 163 Paraconduit hernia after minimally invasive esophagectomy –incidence and risk factors. 1-7 ○
- 162 Dietary phosphate restriction prevents the appearance of sarcopenia signs in old mice. **2023**, 14, 1060-1074 ○
- 161 Impact of Sarcopenia on Non-Alcoholic Fatty Liver Disease. **2023**, 15, 891 ○
- 160 Potential therapeutic targets for sarcopenia identified by Mendelian randomisation. **2023**, 52, ○
- 159 Post-discharge consequences of protein-energy malnutrition, sarcopenia, and frailty in older adults admitted to rehabilitation: A systematic review. **2023**, 54, 382-397 ○
- 158 Association of Alpha-Actinin-3 Polymorphism With Sarcopenia in Kidney Transplant Recipients. **2023**, ○
- 157 –Nutritional management of a liver transplant candidate–**2023**, ○
- 156 Skeletal muscle aging and sarcopenia: Perspectives from mechanical studies of single permeabilized muscle fibers. **2023**, 152, 111559 ○
- 155 Normal values for body composition in adults are better represented by continuous reference ranges dependent on age and BMI. **2023**, 42, 644-652 ○
- 154 Genetic variants of the vitamin D receptor are related to dynapenia in postmenopausal women. **2023**, 171, 40-44 ○
- 153 Simple clinical tools improve ability-to-work predictions for individuals 3–4 months after upper limb injury. **2023**, 66, 101747 ○
- 152 Skeletal muscle changes in older patients undergoing online hemodiafiltration. **2023**, 55, 200-207 ○

- 151 Measurement of sarcopenia in lung cancer inpatients and its association with frailty, nutritional risk, and malnutrition. 10, ○
- 150 Early changes in elderly food habits related to reduced protein intake. **2023**, 108, 104862 ○
- 149 Predictive influence of artificial intelligence-based body composition analysis in trauma patients with pelvic injuries. ○
- 148 Defining and diagnosing sarcopenia: Is the glass now half full?. **2023**, 143, 155558 ○
- 147 Muscle strength and physical performance contribute to and improve fracture risk prediction in older people: A narrative review. **2023**, 172, 116755 ○
- 146 Nutrition and Daily Activities in Older Patients After Gastrectomy. **2022**, 397-416 ○
- 145 Potential of whole-body dual-energy X-ray absorptiometry to predict muscle volume of psoas major, gluteus maximus and back muscles. ○
- 144 Forearm Muscle Activity During the Handgrip Test in Breast Cancer Survivors: A Cross-Sectional Study. **2023**, ○
- 143 Luteolin Protects Against Obese Sarcopenia in Mice with High-Fat Diet-Induced Obesity by Ameliorating Inflammation and Protein Degradation in Muscles. **2023**, 67, 2200729 ○
- 142 Association of sarcopenia with important health conditions among community-dwelling Asian women. **2023**, 18, e0281144 ○
- 141 The Efficacy of Biological Disease-modifying Antirheumatic Drugs on Sarcopenia in Patients with Rheumatoid Arthritis. **2023**, 62, 373-379 1
- 140 Handgrip strength in older adults from Antioquia-Colombia and comparison of cutoff points for dynapenia. **2023**, 13, ○
- 139 P^ordida muscular aguda y primeros efectos de la COVID-19 en el m^odulo esquel^etico de pacientes adultos: estudio de cohortes retrospectivo. **2023**, ○
- 138 Sarcopenic obesity â current problem of modern geriatrics. **2023**, 228-235 ○
- 137 Sarcopenia: Molecular regulatory network for loss of muscle mass and function. 10, ○
- 136 Symptoms of Sarcopenia and Physical Fitness through the Senior Fitness Test. **2023**, 20, 2711 ○
- 135 The Effect of Sarcopenia on Survival in Patients with Metastatic Colon Cancer. ○
- 134 Prevalence and Mechanisms of Skeletal Muscle Atrophy in Metabolic Conditions. **2023**, 24, 2973 ○

- 133 Comparing D3-Creatine Dilution and Dual-Energy X-ray Absorptiometry Muscle Mass Responses to Strength Training in Low-Functioning Older Adults. ○
- 132 Musculus psoas major morphology - a novel predictor of mortality in elderly polytraumatized patients. **2023**, 23, ○
- 131 Sarcopenia as a risk factor of progression-free survival in patients with metastases: a systematic review and meta-analysis. **2023**, 23, ○
- 130 Prognostic Value of Sarcopenia in Older Adults with Transcatheter Aortic Valve Implantation: A Systematic Review and Meta-Analysis. ○
- 129 Listing Dilemmas. **2023**, 44, 35-46 ○
- 128 Multicompartment body composition analysis in older adults: a cross-sectional study. **2023**, 23, ○
- 127 GLIM Criteria for Assessment of Malnutrition in Saudi Patients with Type 2 Diabetes. **2023**, 15, 897 ○
- 126 Sarcopenia prevalence and incidence in older men - a MrOs Sweden study. **2023**, 50, 102-108 ○
- 125 C-terminal agrin fragment as a biomarker of muscle wasting and weakness: a narrative review. **2023**, 14, 730-744 ○
- 124 Prognostic value of preoperative CT scan derived body composition measures in resected pancreatic cancer. **2023**, ○
- 123 Implication of Skeletal Muscle Loss in the Prognosis of Patients with Pancreatic Ductal Adenocarcinoma Receiving Chemotherapy. **2023**, ○
- 122 Crucial Regulatory Role of Organokines in Relation to Metabolic Changes in Non-Diabetic Obesity. **2023**, 13, 270 ○
- 121 An elusive consensus definition of sarcopenia impedes research and clinical treatment: A narrative review. **2023**, 86, 101883 ○
- 120 Hierarchically Injectable Hydrogel Sequentially Delivers AntagomiR-467a-3p-Loaded and AntagomiR-874-5p-Loaded Satellite-Cell-Targeting Bioengineered Extracellular Vesicles Attenuating Sarcopenia. ○
- 119 Association of osteoporosis and skeletal muscle loss with serum type I collagen carboxyl-terminal peptide glypeptide: A cross-sectional study in elder Chinese population. **2023**, 18, ○
- 118 Handgrip strength is associated with 12-month survival in male patients suffering with advanced chronic liver disease. ○
- 117 Sarcopenia. **2023**, 1-21 ○
- 116 Prevalence of sarcopenia in patients with COPD through different musculature measurements: An updated meta-analysis and meta-regression. 10, ○

- 115 Systemic lupus erythematosus: a systematic review with meta-analysis on muscle strength, muscle mass, and physical function. **2023**, 42, 1237-1248 ○
- 114 Higher dietary protein intake is associated with sarcopenia in older British twins. **2023**, 52, ○
- 113 Sarcopenia Predicts Disease Progression in Patients with T1 High-grade Non-muscle-invasive Bladder Cancer Treated with Adjuvant Intravesical Bacillus Calmette-Guérin: Implications for Decision-making?. **2023**, 50, 17-23 ○
- 112 A novel digital biomarker of sarcopenia in frail elderly: New combination of gait parameters under dual-task walking. 15, ○
- 111 Associations of Mutually Exclusive Categories of Physical Activity and Sedentary Behavior with Body Composition and Fall Risk in Older Women: A Cross-Sectional Study. **2023**, 20, 3595 ○
- 110 Predictors of Health Satisfaction in Spanish Physically Active Older Adults: A Cross-Sectional Observational Study. **2023**, 8, 27 ○
- 109 Prognostic significance of osteosarcopenia in older adults with colorectal cancer. ○
- 108 Health maintenance through home-based interventions for community-dwelling older people with sarcopenia during and after the COVID-19 pandemic: A systematic review and meta-analysis. **2023**, 174, 112128 ○
- 107 A preliminary study on degenerate characteristics of lumbar and abdominal muscles in middle-aged and elderly people with varying bone mass. **2023**, 24, ○
- 106 A Sarcopenia Index Derived from Malnutrition Parameters in Elderly Haemodialysis Patients. **2023**, 15, 1115 ○
- 105 Association of phase angle values and sarcopenia in older patients with heart failure. ○
- 104 Sarcopenia, obesity, and their association with selected behavioral factors in active older adults. 14, ○
- 103 Prognostic Value of Sarcopenia and Metabolic Parameters of 18F-FDG-PET/CT in Patients with Advanced Gastroesophageal Cancer. **2023**, 13, 838 ○
- 102 High Sarcopenia Awareness Contrasts a Lack of Clinical Implementation Among Geriatric Rehabilitation Health Care Professionals in the Netherlands: EMPOWER-GR. Publish Ahead of Print, ○
- 101 Ultra-processed food consumption and nutritional frailty in older age. ○
- 100 Anthropometric equations to estimate appendicular muscle mass from dual-energy X-ray absorptiometry (DXA): A scoping review. **2023**, 110, 104972 ○
- 99 Impact of Sarcopenic Obesity on Long-term Outcome After Curative Colorectal Cancer Surgery. **2023**, 76, 261-270 ○
- 98 Incorporating handgrip strength examination into dietetic practice: A quality improvement project. ○

- 97 Does an Association among Sarcopenia and Metabolic Risk Factors Exist in People Older Than 65 Years? A Systematic Review and Meta-Analysis of Observational Studies. **2023**, 13, 648 ○
- 96 Perioperative nutrition for gastrointestinal surgery: On the cutting edge. ○
- 95 Differences in nutritional risk assessment between NRS2002, RFH-NPT and LDUST in cirrhotic patients. **2023**, 13, ○
- 94 A Sensitive and Practical Evaluation to Detect Lower-Limb Strength Changes in Geriatrics: The Isometric Knee Extension Test. **2023**, 13, 2946 ○
- 93 Age-associated risk of sarcopenia, falls and fractures: results of Ukrainian cohort study. ○
- 92 Sex Differences in Inflammation and Muscle Wasting in Aging and Disease. **2023**, 24, 4651 ○
- 91 Decrements of mobility and power in recreationally active septuagenarians is related to loss of force, but not slowing of the muscle: a 5-year longitudinal study. ○
- 90 Body Composition in Geriatric Patients. **2023**, 397-426 ○
- 89 Subjective age and the association with intrinsic capacity, functional ability, and health among older adults in Norway. **2023**, 20, ○
- 88 Impact of osteosarcopenia on disability and mortality among Japanese older adults. **2023**, 14, 1107-1116 ○
- 87 Positive Correlation between Relative Concentration of Spermine to Spermidine in Whole Blood and Skeletal Muscle Mass Index: A Possible Indicator of Sarcopenia and Prognosis of Hemodialysis Patients. **2023**, 11, 746 ○
- 86 The Impact of Sarcopenia Onset Prior to Cancer Diagnosis on Cancer Survival: A National Population-Based Cohort Study Using Propensity Score Matching. **2023**, 15, 1247 ○
- 85 Greek Translation, Cultural Adaptation and Validation of the Mini Sarcopenia Risk Assessment Questionnaire, to Evaluate Sarcopenia in Greek Elderly at a Hospital Setting. **2023**, 13, 404-411 ○
- 84 The Health-Promoting Effects and the Mechanism of Intermittent Fasting. **2023**, 2023, 1-15 ○
- 83 The effect of combining nutrient intake and physical activity levels on central obesity, sarcopenia, and sarcopenic obesity: a population-based cross-sectional study in South Korea. **2023**, 23, ○
- 82 A review of radiological definitions of sarcopenia in cancer. **2023**, 8, 36-45 ○
- 81 Pre-Therapeutic Sarcopenia among Cancer Patients: An Up-to-Date Meta-Analysis of Prevalence and Predictive Value during Cancer Treatment. **2023**, 15, 1193 ○
- 80 H^o rfigkeit und Schweregrad von Sarkopenie bei Patient*innen mit entz^o ndlichen und nichtentz^o ndlichen muskuloskeletalen Erkrankungen. ○

- 79 The Effect of Low Intensity Resistance Training with Blood Flow Restriction on Fall Resistance in Middle-Aged and Older Adults: A Meta-Analysis. **2023**, 20, 4723 ○
- 78 Application of a new frailty care model. Publish Ahead of Print, ○
- 77 Research hotspots and trends of exercise for sarcopenia: A bibliometric analysis. 11, ○
- 76 Prognostic value of sarcopenia in patients with lung cancer treated with epidermal growth factor receptor tyrosine kinase inhibitors or immune checkpoint inhibitors. 10, ○
- 75 Prediction of the sarcopenia in peritoneal dialysis using simple clinical information: A machine learning-based model. ○
- 74 Antarctic krill extracts enhance muscle regeneration and muscle function via mammalian target of rapamycin regulation. **2023**, 103, 105483 ○
- 73 Sarcopenia and COVID-19 Outcomes. Volume 18, 359-373 ○
- 72 Capacidad física de trabajo y composición corporal. **2023**, 32, 61-70 ○
- 71 Effect of sarcopenia on postoperative ICU admission and length of stay after hepatic resection for Klatskin tumor. 13, ○
- 70 1) Comprehensive Assessment of Geriatric Syndromes. **2022**, 111, 407-411 ○
- 69 Total hip arthroplasty improves systemic muscle atrophy in patients with hip osteoarthritis. **2023**, ○
- 68 Impact of skeletal muscle mass evaluating methods on severity of metabolic associated fatty liver disease in non-elderly adults. 1-12 ○
- 67 Association between Nutritional Intake Status and Appendicular Muscle Mass in Female University Students with a High Physical Activity Level*. **2023**, 21, 9-21 ○
- 66 Prevalence of sarcopenia indicators and sub-optimal protein intake among elective total joint replacement patients. ○
- 65 The Function of Body Mass Index in the Older with Osteosarcopenia: A Systematic Review and Meta-analysis. **2023**, 32, 77-86 ○
- 64 The evolution of nutritional care in surgical oncology. **2023**, ○
- 63 Epidemiology of sarcopenia: Prevalence, risk factors, and consequences. **2023**, 155533 ○
- 62 Applying the UTAUT2 model to smart eyeglasses to detect and prevent falls among older adults and examination of associations with fall-related functional physical capacities: Survey Study (Preprint). ○

- 61 Bibliometrics Analysis and Visualization of Sarcopenia Associated with Osteoporosis from 2000 to 2022. Volume 16, 821-837
- 60 Appendicular Skeletal Muscle Mass Prediction in People Living With HIV: A Cross-Sectional Study. **2023**, Publish Ahead of Print,
- 59 Albumin α 2-Globulin Score Combined with Skeletal Muscle Index as a Novel Prognostic Marker for Hepatocellular Carcinoma Patients Undergoing Liver Transplantation. **2023**, 12, 2237
- 58 Challenges in the Management of Sarcopenia in the Primary Care Setting: A Scoping Review. **2023**, 20, 5179
- 57 The effect of virtual visual scene inclination transitions on gait modulation in healthy young vs older adults - a virtual reality study.
- 56 Current Understanding of Sarcopenia and Malnutrition in Geriatric Rehabilitation. **2023**, 15, 1426
- 55 A Multivariable Model Based on Ultrasound Imaging Features of Gastrocnemius Muscle to Identify Patients With Sarcopenia.
- 54 Clinical and Therapeutic Considerations for Older Adults with Head and Neck Cancer. Volume 18, 409-422
- 53 A systematic review of sarcopenia prevalence and associated factors in people living with human immunodeficiency virus.
- 52 Nutritional ultrasound \square : Conceptualisation, technical considerations and standardisation. **2023**, 70, 74-84
- 51 Spondyloarthritis and Sarcopenia: Prevalence of Probable Sarcopenia and its Impact on Disease Burden: The Saspar Study.
- 50 Rehabilitation \square possibility of the patients with severe Parkinson \square disease. **2023**, 123, 56
- 49 Combinatory Effects of Training and Nutritive Administration of Carbohydrates and Protein via Food on Strength in Postmenopausal Women, and Old Men and Women. **2023**, 15, 1531
- 48 Pharmacokinetics and effect of maslinic acid with physical exercise on grip strength and trunk muscle mass in healthy Japanese individuals. **2023**,
- 47 Impact of presarcopenic dysphagia on 1-year mortality after videofluoroscopic swallowing study in patients with cancer.
- 46 Evaluation of Sit-to-Stand Movement in Older Adults with Locomotive Syndrome Using the Nintendo Wii Balance Board. **2023**, 23, 3368
- 45 Korean Working Group on Sarcopenia Guideline: Expert Consensus on Sarcopenia Screening and Diagnosis by the Korean Society of Sarcopenia, the Korean Society for Bone and Mineral Research, and the Korean Geriatrics Society. **2023**, 27, 9-21
- 44 Prehabilitation in Adult Solid Organ Transplant Candidates.

- 43 Usefulness of the Measurement of Psoas Muscle Volume for Sarcopenia Diagnosis in Patients with Liver Disease. **2023**, 13, 1245 ○
- 42 Association between Sarcopenia and Cognitive Trajectories among Middle-Aged and Older Adults in China: A Nationally Representative Cohort Study. ○
- 41 Sarcopenia: prevalence and its main risk factors in older women. **2023**, 86, 51-66 ○
- 40 Temporal Muscle Thickness Correlates with Sarcopenia in Parkinson's Disease. **2023**, 1-10 ○
- 39 The accuracy of body mass index and calf circumference values when assessing sarcopenia in a multi-ethnic cohort of middle-aged and older adults: West China health and aging trend study results. **2023**, 9, e15027 ○
- 38 Potential of Food Protein-Derived Bioactive Peptides against Sarcopenia: A Comprehensive Review. **2023**, 71, 5419-5437 ○
- 37 The combined role of diabetes and obesity in susceptibility to musculoskeletal disorders and its subtypes in older men and women in India. ○
- 36 Genome-wide polygenic risk score for muscle strength predicts lower risk for common diseases and longer life span among the Finnish population: a prospective population based cohort study of the 342 443 FinnGen participants. ○
- 35 Normative values of hand grip strength in a large unselected Chinese population: Evidence from the China National Health Survey. ○
- 34 The Relationship Between Sarcopenia, Cognitive Impairment, and Cerebral White Matter Hyperintensity in the Elderly. Volume 18, 547-555 ○
- 33 Sarcopenia and cardiovascular diseases: A systematic review and meta-analysis. ○
- 32 Association between the sarcopenia index and the risk of stroke in elderly patients with hypertension: a cohort study. **2023**, 15, 2005-2032 ○
- 31 Incremental Health Care Costs of Self-Reported Functional Impairments and Phenotypic Frailty in Community-Dwelling Older Adults. **2023**, 176, 463-471 ○
- 30 The Modulation of Adipokines, Adipomyokines, and Sleep Disorders on Carcinogenesis. **2023**, 12, 2655 ○
- 29 Phase Angle, Handgrip Strength, and Other Indicators of Nutritional Status in Cancer Patients Undergoing Different Nutritional Strategies: A Systematic Review and Meta-Analysis. **2023**, 15, 1790 ○
- 28 Investigation of frailty markers including a novel biomarker panel in emergency laparotomy: protocol of a prospective cohort study. ○
- 27 Effects of Fall Prevention Elastic Band Exercise on Physical Function Test, Grasp Power, Flexibility, and Muscle Volume in Older Women. **2023**, 37, 37-51 ○
- 26 An Integrated Approach to Skeletal Muscle Health in Aging. **2023**, 15, 1802 ○

- 25 I.?????????????????????. **2022**, 111, 724-731 ○
- 24 Even or skewed dietary protein distribution is reflected in the whole-body protein net-balance in healthy older adults: A randomized controlled trial. **2023**, 42, 899-908 ○
- 23 Comparison of Strength, Assistance in Walking, Rise from a Chair, Climb Stairs, and Falls Questionnaire and Asian Working Group for Sarcopenia in sensitivity and specificity diagnosing sarcopenia: a cross-sectional study. **2023**, 182, ○
- 22 Person-centered Geriatric Medicine. **2023**, 407-417 ○
- 21 Exercise for sarcopenia in older people: A systematic review and network meta-analysis. ○
- 20 A Machine-Learning Approach to Target Clinical and Biological Features Associated with Sarcopenia: Findings from Northern and Southern Italian Aging Populations. **2023**, 13, 565 ○
- 19 Identification of novel pathways and immune profiles related to sarcopenia. 10, ○
- 18 Physical Activity and Alterations of Bone Metabolism and Sarcopenia. **2023**, 119-127 ○
- 17 Sarcopenia in youth. **2023**, 144, 155557 ○
- 16 Establishment and evaluation of a novel practical tool for the diagnosis of Pre-Sarcopenia in young people with Diabetes Mellitus. ○
- 15 Low rectus femoris mass index is closely associated with diabetic peripheral neuropathy. 14, ○
- 14 Proteomic profiling of protein expression changes after 3 months-exercise in ESRD patients on hemodialysis. **2023**, 24, ○
- 13 Adipopenia in body composition analysis: a promising imaging biomarker and potential predictive factor for patients undergoing transjugular intrahepatic portosystemic shunt placement. ○
- 12 Skeletal muscle mass and quality before preoperative chemotherapy influence postoperative long-term outcomes in esophageal squamous cell carcinoma patients. 15, 621-633 ○
- 11 Geriatriische Aspekte bei Diabetes mellitus (Update 2023). **2023**, 135, 307-318 ○
- 10 Adipositas und Typ-2-Diabetes (Update 2023). **2023**, 135, 91-97 ○
- 9 Chinese expert consensus on prevention and intervention for elderly with sarcopenia (2023). ○
- 8 Evaluation of the sarcopenia quality of life (SarQoL) questionnaire in community dwelling outpatient postmenopausal hungarian women. **2023**, 24, ○

- 7 Ultrasonography for assessment of sarcopenia: A primer. **2022**, 13, 269
- 6 ??????????. **2023**, 135, 43-48
- 5 The frequency of sarcopenia has increased in patients with glomerulonephritis.
- 4 Diet, exercise, and pharmacotherapy for sarcopenia in people with diabetes. **2023**, 144, 155585
- 3 Brief Lower Body Functional Performance Questionnaire (Brief-LBFPQ) for independent older adults. 36,
- 2 Demographic and clinical factors associated with recovery of poststroke dysphagia: A meta-analysis.
- 1 Can artificial intelligence simplify the screening of muscle mass loss?. **2023**, 9, e16323