

# CITATION REPORT

List of articles citing

## Nanoscale memristor device as synapse in neuromorphic systems

DOI: 10.1021/nl904092h  
Nano Letters, 2010, 10, 1297-301.

**Source:** <https://exaly.com/paper-pdf/47804439/citation-report.pdf>

**Version:** 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2302	Atomic Scale Dynamics Drive Brain-like Avalanches in Percolating Nanostructured Networks.		
2301	Programmable Synaptic Metaplasticity and below Femtojoule Spiking Energy Realized in Graphene-Based Neuromorphic Memristor.		
2300	Discussion on Origins of load losses in induction motors with cast-aluminium rotors. 1966, 113, 1207-1212		0
2299	A behavioral model of unipolar resistive RAMs and its application to HSPICE integration. 2010, 7, 1467-1473		7
2298	A review on memristive devices and applications. 2010,		33
2297	Session 20: Research in progress. 2010,		
2296	Memristor-based pattern recognition for image processing: an adaptive coded aperture imaging and sensing opportunity. 2010,		4
2295	The static and dynamic behaviors of resistive random access memory and its potential applications as a memristor. 2010,		2
2294	Towards reverse engineering the brain: Modeling abstractions and simulation frameworks. 2010,		3
2293	Memristor-based arithmetic. 2010,		36
2292	Controllable growth of nanoscale conductive filaments in solid-electrolyte-based ReRAM by using a metal nanocrystal covered bottom electrode. 2010, 4, 6162-8		371
2291	Modeling the switching dynamics of programmable-metallization-cell (PMC) memory and its application as synapse device for a neuromorphic computation system. 2010,		27
2290	Configurable Neural Phase Shifter With Spike-Timing-Dependent Plasticity. 2010, 31, 716-718		10
2289	Challenges and Perspectives of Computer Architecture at the Nano Scale. 2010,		5
2288	Artificial neural network performance degradation under network damage: Stuck-at faults. 2011,		10
2287	A neuromorphic architecture from single transistor neurons with organic bistable devices for weights. 2011,		6
2286	Memristor Logic Operation Gate With Share Contact RRAM Cell. 2011, 32, 1650-1652		5

2285	Towards evolving spiking networks with memristive synapses. <b>2011,</b>		8
2284	Spike timing-dependent synaptic plasticity using memristors and nano-crystalline silicon TFT memories. <b>2011,</b>		6
2283	Sensory and short-term memory formations observed in a Ag <sub>2</sub> S gap-type atomic switch. <b>2011,</b> 99, 203108		60
2282	Instar and outstar learning with memristive nanodevices. <b>2011,</b> 22, 015201		29
2281	Learning with memristive devices: How should we model their behavior?. <b>2011,</b>		29
2280	An Approach to Tolerate Process Related Variations in Memristor-Based Applications. <b>2011,</b>		25
2279	Piezotronic nanowire-based resistive switches as programmable electromechanical memories. <i>Nano Letters</i> , <b>2011,</b> 11, 2779-85	11.5	122
2278	Improved Resistive Switching Properties of Solution-Processed TiO <sub>x</sub> Film by Incorporating Atomic Layer Deposited TiO <sub>2</sub> layer. <b>2011,</b> 50, 046504		5
2277	Si-based flexible memristive systems constructed using top-down methods. <b>2011,</b> 3, 3957-61		8
2276	Reconfigurable N-level memristor memory design. <b>2011,</b>		21
2275	TiO <sub>2</sub> memristor devices. <b>2011,</b>		
2274	Fabrication and modeling of Ag/TiO <sub>2</sub> /ITO memristor. <b>2011,</b>		9
2273	Nonlinear Dynamics of Memristor Oscillators. <b>2011,</b> 58, 1323-1336		244
2272	Solving mazes with memristors: a massively parallel approach. <b>2011,</b> 84, 046703		110
2271	Dynamic conductivity of ferroelectric domain walls in BiFeO <sub>3</sub> <i>Nano Letters</i> , <b>2011,</b> 11, 1906-12	11.5	204
2270	Device and SPICE modeling of RRAM devices. <b>2011,</b> 3, 3833-40		72
2269	A Memristor Device Model. <b>2011,</b> 32, 1436-1438		182
2268	Oxide Electronics Utilizing Ultrafast Metal-Insulator Transitions. <b>2011,</b> 41, 337-367		684

2267	Flexible memristive memory array on plastic substrates. <i>Nano Letters</i> , <b>2011</b> , 11, 5438-42	11.5	227
2266	Short-term memory to long-term memory transition in a nanoscale memristor. <b>2011</b> , 5, 7669-76		645
2265	Analog memory and spike-timing-dependent plasticity characteristics of a nanoscale titanium oxide bilayer resistive switching device. <b>2011</b> , 22, 254023		192
2264	Evolving spiking networks with variable memristors. <b>2011</b> ,		1
2263	The memristor as an electric synapse - synchronization phenomena. <b>2011</b> ,		9
2262	Hebbian Learning in Spiking Neural Networks With Nanocrystalline Silicon TFTs and Memristive Synapses. <b>2011</b> , 10, 1066-1073		119
2261	Phase change memory for synaptic plasticity application in neuromorphic systems. <b>2011</b> ,		12
2260	Phase change memory as synapse for ultra-dense neuromorphic systems: Application to complex visual pattern extraction. <b>2011</b> ,		138
2259	A non-volatile memory array based on nano-ionic Conductive Bridge Memristors. <b>2011</b> ,		4
2258	Robust neural logic block (NLB) based on memristor crossbar array. <b>2011</b> ,		54
2257	Parallel memristors: Improving variation tolerance in memristive digital circuits. <b>2011</b> ,		3
2256	Two-terminal resistive switches (memristors) for memory and logic applications. <b>2011</b> ,		68
2255	Analysis of a memristor based 1T1M crossbar architecture. <b>2011</b> ,		13
2254	Memristor-based synaptic networks and logical operations using in-situ computing. <b>2011</b> ,		12
2253	Simulation of a memristor-based spiking neural network immune to device variations. <b>2011</b> ,		114
2252	Impact of imprecise programming of memristor on building hardware neural network. <b>2011</b> ,		
2251	Nanotechnology: Smart connections. <b>2011</b> , 476, 403-5		52
2250	New directions in spintronics. <b>2011</b> , 369, 3027-36		28

2249	Self-Controlled Writing and Erasing in a Memristor Crossbar Memory. <b>2011</b> , 10, 1454-1463	53
2248	Solving mazes with memristors: a massively-parallel approach. <b>2011</b> ,	3
2247	A Biomimetic Model of the Outer Plexiform Layer by Incorporating Memristive Devices. <b>2011</b> ,	
2246	Neuromorphic silicon neurons and large-scale neural networks: challenges and opportunities. <b>2011</b> , 5, 108	126
2245	A neural network circuit using persistent interfacial conducting heterostructures. <b>2011</b> , 110, 086104	7
2244	On spike-timing-dependent-plasticity, memristive devices, and building a self-learning visual cortex. <b>2011</b> , 5, 26	283
2243	Redox-controlled memristive switching in the junctions employing Ti reactive electrodes. <b>2011</b> , 1, 032141	3
2242	. <b>2011</b> , 58, 1809-1812	47
2241	An Electronic Synapse Device Based on Metal Oxide Resistive Switching Memory for Neuromorphic Computation. <b>2011</b> , 58, 2729-2737	563
2240	A Versatile Memristor Model With Nonlinear Dopant Kinetics. <b>2011</b> , 58, 3099-3105	302
2239	Solution-Processed Memristive Junctions Used in a Threshold Indicator. <b>2011</b> , 58, 3435-3443	33
2238	Understanding the Charge Transport Mechanism in VRS and BRS States of Transition Metal Oxide Nanoelectronic Memristor Devices. <b>2011</b> , 58, 3912-3919	7
2237	Short-term plasticity and long-term potentiation mimicked in single inorganic synapses. <b>2011</b> , 10, 591-5	1159
2236	A biophysically-based neuromorphic model of spike rate- and timing-dependent plasticity. <b>2011</b> , 108, E1266-74	113
2235	Memory effects in complex materials and nanoscale systems. <b>2011</b> , 60, 145-227	567
2234	Polymeric ferroelectric and oxide semiconductor-based fully transparent memristor cell. <b>2011</b> , 102, 983-990	10
2233	Synaptic behaviors of a single metal oxide metal resistive device. <b>2011</b> , 102, 1019-1025	39
2232	Materials, technologies, and circuit concepts for nanocrossbar-based bipolar RRAM. <b>2011</b> , 102, 791-809	42

2231	Synaptic behaviors and modeling of a metal oxide memristive device. <b>2011</b> , 102, 857-863	271
2230	Artificial cognitive memory—changing from density driven to functionality driven. <b>2011</b> , 102, 865-875	17
2229	Chaotic memristor. <b>2011</b> , 102, 885-889	46
2228	Electrical properties of an organic memristive system. <b>2011</b> , 104, 1039-1046	25
2227	Self-learning ability realized with a resistive switching device based on a Ni-rich nickel oxide thin film. <b>2011</b> , 105, 855-860	9
2226	Material Memristive Device Circuits with Synaptic Plasticity: Learning and Memory. <b>2011</b> , 1, 24-30	80
2225	Resistive-switching crossbar memory based on Ni-NiO core-shell nanowires. <b>2011</b> , 7, 2899-905	66
2224	In situ observation of voltage-induced multilevel resistive switching in solid electrolyte memory. <b>2011</b> , 23, 3272-7	149
2223	Arithmetic and biologically-inspired computing using phase-change materials. <b>2011</b> , 23, 3408-13	199
2222	Towards all-soft matter circuits: prototypes of quasi-liquid devices with memristor characteristics. <b>2011</b> , 23, 3559-64	164
2221	Anatomy of a nanoscale conduction channel reveals the mechanism of a high-performance memristor. <b>2011</b> , 23, 5633-40	338
2220	Memristor as an archetype of dynamic data-driven systems and applications to sensor networks. <b>2011</b> , 4, 1782-1787	3
2219	Sensitivity of neuromorphic circuits using nanoelectronic resistive switches to pulse synchronization. <b>2011</b> ,	2
2218	Evolving spiking networks with variable memristors. <b>2011</b> , 5, 9-20	1
2217	Memristor device based on carbon nanotubes decorated with gold nanoislands. <b>2011</b> , 99, 093102	19
2216	Neuromorphic modeling abstractions and simulation of large-scale cortical networks. <b>2011</b> ,	2
2215	Multiple memristor read and write circuit for neuromorphic applications. <b>2011</b> ,	8
2214	Astrophysics: The awakening of a cosmic monster. <b>2011</b> , 476, 405-6	

2213	Energy efficient programming of nanoelectronic synaptic devices for large-scale implementation of associative and temporal sequence learning. <b>2011,</b>	34
2212	Memristors. <b>2011,</b> 54, 22-24	20
2211	Modelling of calcium ion (Ca <sup>2+</sup> ) conductance in nerve membrane protein channel as memristive circuit element. <b>2011,</b> 47, 1361-1363	3
2210	Memristive Multilevel Memory with Applications in Audio Signal Storage. <b>2011,</b> 228-235	4
2209	A Novel Chaotic Neural Network Using Memristive Synapse with Applications in Associative Memory. <b>2012,</b> 2012, 1-19	11
2208	Forming mechanism of the bipolar resistance switching in double-layer memristive nanodevices. <b>2012,</b> 23, 315202	17
2207	High precision tuning of state for memristive devices by adaptable variation-tolerant algorithm. <b>2012,</b> 23, 075201	359
2206	An Expanded HP Memristor Model for Memristive Neural Network. <b>2012,</b> 647-653	1
2205	A Monte Carlo analysis of a write method used in passive nanoelectronic crossbars. <b>2012,</b>	2
2204	Bioinspired networks with nanoscale memristive devices that combine the unsupervised and supervised learning approaches. <b>2012,</b>	30
2203	Non-Hebbian learning implementation in light-controlled resistive memory devices. <b>2012,</b> 7, e52042	2
2202	Memristive operation mode of floating gate transistors: A two-terminal MemFlash-cell. <b>2012,</b> 101, 263504	30
2201	Resistive switching and activity-dependent modifications in Ni-doped graphene oxide thin films. <b>2012,</b> 101, 063104	28
2200	A Kondo insulating memristor. <b>2012,</b> 101, 013505	11
2199	Aging process of unipolar resistive switching in microscale cylindrical Fe-base alloy/TiO <sub>2</sub> /Au-cells. <b>2012,</b> 112, 034507	2
2198	Memristor behavioural modeling and simulations using Verilog-AMS. <b>2012,</b>	3
2197	Fourier Response of a Memristor: Generation of High Harmonics With Increasing Weights. <b>2012,</b> 59, 830-834	8
2196	Memristor-based relaxation oscillators using digital gates. <b>2012,</b>	8

2195 . 2012,

2194	Biologically-inspired learning device using three-terminal ferroelectric memristor. <b>2012</b> ,	4
2193	Effect of hydrogen/deuterium incorporation on electroforming voltage of SiO <sub>x</sub> resistive random access memory. <b>2012</b> , 101, 183505	19
2192	Physical aspects of low power synapses based on phase change memory devices. <b>2012</b> , 112, 054904	97
2191	Resistive switching phenomena in thin films: Materials, devices, and applications. <b>2012</b> , 37, 108-114	121
2190	High-Speed Endurance and Switching Measurements for Memristive Switches. <b>2012</b> , 15, H173	7
2189	Piezotronic Electromechanical Memories. <b>2012</b> , 111-126	
2188	Switching mechanisms in flexible solution-processed TiO <sub>2</sub> memristors. <b>2012</b> , 23, 305206	11
2187	Analog-input analog-weight dot-product operation with Ag/a-Si/Pt memristive devices. <b>2012</b> ,	5
2186	Neuromorphic adaptive plastic scalable electronics: analog learning systems. <b>2012</b> , 3, 51-6	35
2185	Energy-efficient neuron, synapse and STDP integrated circuits. <b>2012</b> , 6, 246-56	118
2184	Spike-timing-dependent plasticity with weight dependence evoked from physical constraints. <b>2012</b> , 6, 385-98	33
2183	Neural Synaptic Weighting With a Pulse-Based Memristor Circuit. <b>2012</b> , 59, 148-158	254
2182	Memristor Bridge Synapses. <b>2012</b> , 100, 2061-2070	186
2181	Leveraging Memristive Systems in the Construction of Digital Logic Circuits. <b>2012</b> , 100, 2033-2049	87
2180	Science and Engineering Beyond Moore's Law. <b>2012</b> , 100, 1720-1749	160
2179	Visualization of the conductive channel in a planar resistance switching device based on electrochromic materials. <b>2012</b> , 111, 053504	9
2178	Virtues, Pitfalls, and Methodology of Neuronal Network Modeling and Simulations on Supercomputers. <b>2012</b> , 283-315	12



2177	On-demand nanodevice with electrical and neuromorphic multifunction realized by local ion migration. <b>2012</b> , 6, 9515-21	153
2176	Non-volatile spin switch for Boolean and non-Boolean logic. <b>2012</b> , 101, 252411	88
2175	. <b>2012</b> , 100, 1938-1950	16
2174	Neuromorphic, Digital, and Quantum Computation With Memory Circuit Elements. <b>2012</b> , 100, 2071-2080	156
2173	Memristive Device Fundamentals and Modeling: Applications to Circuits and Systems Simulation. <b>2012</b> , 100, 1991-2007	81
2172	Memristors: Devices, Models, and Applications. <b>2012</b> , 100, 1911-1919	107
2171	Memristive crossbar array with applications in image processing. <b>2012</b> , 55, 461-472	44
2170	Analog-input analog-weight dot-product operation with Ag/a-Si/Pt memristive devices. <b>2012</b> ,	13
2169	Memristive-biosensors: A new detection method by using nanofabricated memristors. <b>2012</b> , 171-172, 449-457	86
2168	Memristor-based information gathering approaches, both ant-inspired and hypothetical. <b>2012</b> , 3, 203-216	6
2167	Engineering nonlinearity into memristors for passive crossbar applications. <b>2012</b> , 100, 113501	162
2166	Multi-Resistance States Through Electrically Driven Phase Transitions in $\text{VO}_2/\text{HfO}_2/\text{VO}_2$ Heterostructures on Silicon. <b>2012</b> , 33, 101-103	9
2165	RRAM-based synapse for neuromorphic system with pattern recognition function. <b>2012</b> ,	85
2164	Nonvolatile bistable resistive switching in a new polyimide bearing 9-phenyl-9H-carbazole pendant. <b>2012</b> , 22, 520-526	69
2163	Novel highly nonlinear memristive circuit elements for neural networks. <b>2012</b> ,	4
2162	Fast computation with memory circuit elements. <b>2012</b> ,	2
2161	Quantitative measure of hysteresis for memristors through explicit dynamics. <b>2012</b> , 468, 2210-2229	22
2160	Synaptic weighting circuits for Cellular Neural Networks. <b>2012</b> ,	8

2159	Spin transport in memristive devices. <b>2012</b> , 100, 043510		12
2158	Manipulating connectivity and electrical conductivity in metallic nanowire networks. <i>Nano Letters</i> , <b>2012</b> , 12, 5966-71	11.5	65
2157	. <b>2012</b> ,		5
2156	Fabrication and characterization of the ZnO-based Memristor. <b>2012</b> ,		7
2155	Hardware spiking neurons design: Analog or digital?. <b>2012</b> ,		71
2154	Discovery and Design of Functional Materials: Integration of Database Searching and First Principles Calculations. <b>2012</b> , 34, 14-23		22
2153	A ferroelectric memristor. <b>2012</b> , 11, 860-4		745
2152	Stochastic hybrid 3D matrix: learning and adaptation of electrical properties. <b>2012</b> , 22, 22881		46
2151	A Feedback Spin-Valve Memristive System. <b>2012</b> , 59, 2405-2412		1
2150	Memristor Emulator for Memristor Circuit Applications. <b>2012</b> , 59, 2422-2431		245
2149	Stochastic Gradient Descent Inspired Training Technique for a CMOS/Nano Memristive Trainable Threshold Gate Array. <b>2012</b> , 59, 1051-1060		19
2148	Catecholate and 2,3-acenediolate complexes of d0 ions as prospective materials for molecular electronics and spintronics. <b>2012</b> , 256, 1706-1731		20
2147	Phase-change processors, memristors and memflectors. <b>2012</b> , 249, 1978-1984		16
2146	SPICE simulator for hybrid CMOS memristor circuit and system. <b>2012</b> ,		8
2145	Memristor emulator with off-the-shelf solid state components for memristor application circuits. <b>2012</b> ,		1
2144	Why Are Memristor and Memistor Different Devices?. <b>2012</b> , 59, 2611-2618		10
2143	Programming time-multiplexed reconfigurable hardware using a scalable neuromorphic compiler. <b>2012</b> , 23, 889-901		14
2142	Memristor bridge synapse-based neural network and its learning. <b>2012</b> , 23, 1426-35		246

2141	Persuading Computers to Act More Like Brains. <b>2012</b> , 37-61	4
2140	Prolog: Memristor Minds. <b>2012</b> , 3-7	1
2139	Biologically-Inspired Electronics with Memory Circuit Elements. <b>2012</b> , 15-36	5
2138	Reconfigurable Memristor Fabrics for Heterogeneous Computing. <b>2012</b> , 89-106	5
2137	Phase Change Memory and Chalcogenide Materials for Neuromorphic Applications: Emphasis on Synaptic Plasticity. <b>2012</b> , 155-178	3
2136	Adaptive Resonance Theory Design in Mixed Memristive-Fuzzy Hardware. <b>2012</b> , 133-153	4
2135	Memristor SPICE Modeling. <b>2012</b> , 211-244	28
2134	Stochastic memory: memory enhancement due to noise. <b>2012</b> , 85, 011116	45
2133	Implementation of an analogue model of a memristor based on a light-dependent resistor. <b>2012</b> , 21, 108501	40
2132	HYPERCHAOS IN A MEMRISTOR-BASED MODIFIED CANONICAL CHUA'S CIRCUIT. <b>2012</b> , 22, 1250133	101
2131	. <b>2012</b> , 12, 64-74	16
2130	Electrically tailored resistance switching in silicon oxide. <b>2012</b> , 23, 455201	84
2129	Memory switching properties of e-beam evaporated SiOx on N++ Si substrate. <b>2012</b> , 100, 083502	41
2128	The influences of model parameters on the characteristics of memristors. <b>2012</b> , 21, 048401	18
2127	. <b>2012</b> , 16, 711-729	48
2126	Design Exploration of Hybrid CMOS and Memristor Circuit by New Modified Nodal Analysis. <b>2012</b> , 20, 1012-1025	56
2125	. <b>2012</b> ,	29
2124	Electrochemical metallization cellsBlending nanoionics into nanoelectronics?. <b>2012</b> , 37, 124-130	96

2123	Three-terminal ferroelectric synapse device with concurrent learning function for artificial neural networks. <b>2012</b> , 111, 124108		135
2122	Piezotronics and Piezo-Phototronics. <b>2012</b> ,		46
2121	A functional hybrid memristor crossbar-array/CMOS system for data storage and neuromorphic applications. <i>Nano Letters</i> , <b>2012</b> , 12, 389-95	11.5	639
2120	Biomimetic model of the outer plexiform layer by incorporating memristive devices. <b>2012</b> , 85, 041918		30
2119	Modeling and implementation of oxide memristors for neuromorphic applications. <b>2012</b> ,		8
2118	Memristor-based synapse design and training scheme for neuromorphic computing architecture. <b>2012</b> ,		1
2117	. <b>2012</b> ,		123
2116	Low-cost, CMOS compatible, Ta2O5-based hemi-memristor for neuromorphic circuits. <b>2012</b> , 48, 1451		7
2115	A digital neuromorphic VLSI architecture with memristor crossbar synaptic array for machine learning. <b>2012</b> ,		44
2114	Neuromorphic atomic switch networks. <b>2012</b> , 7, e42772		100
2113	A Radial Basis Function Spike Model for Indirect Learning via Integrate-and-Fire Sampling and Reconstruction Techniques. <b>2012</b> , 2012, 1-16		13
2112	. <b>2012</b> , 100, 1920-1927		180
2111	Resistive switching characteristics of maghemite nanoparticle assembly on Al and Pt electrodes on a flexible substrate. <b>2012</b> , 45, 225304		13
2110	Observation of conducting filament growth in nanoscale resistive memories. <b>2012</b> , 3, 732		782
2109	Lagrange formalism of memory circuit elements: Classical and quantum formulations. <b>2012</b> , 85,		20
2108	Nanoelectronic programmable synapses based on phase change materials for brain-inspired computing. <i>Nano Letters</i> , <b>2012</b> , 12, 2179-86	11.5	836
2107	3D THz metamaterials from micro/nanomanufacturing. <b>2012</b> , 6, 219-244		56
2106	Memristors With Flexible Electronic Applications. <b>2012</b> , 100, 1971-1978		26

2105	Synaptic Learning and Memory Functions Achieved Using Oxygen Ion Migration/Diffusion in an Amorphous InGaZnO Memristor. <b>2012</b> , 22, 2759-2765	477
2104	An Electronic Version of Pavlov's Dog. <b>2012</b> , 22, 2744-2749	132
2103	Controlling the Synaptic Plasticity of a Cu <sub>2</sub> S Gap-Type Atomic Switch. <b>2012</b> , 22, 3606-3613	132
2102	A light-controlled resistive switching memory. <b>2012</b> , 24, 2496-500	122
2101	Analysis of current-voltage characteristics for memristive elements in pattern recognition systems. <b>2012</b> , 40, 1277-1320	70
2100	Memristor-based RRAM with applications. <b>2012</b> , 55, 1446-1460	40
2099	Non linear dynamics of memristor based 3rd order oscillatory system. <b>2012</b> , 43, 169-175	64
2098	Design of a memcapacitor emulator based on a memristor. <b>2012</b> , 376, 394-399	63
2097	. <b>2012</b> , 61, 474-487	61
2096	Visual Pattern Extraction Using Energy-Efficient $\sigma$ -PCM Synapse-Neuromorphic Architecture. <b>2012</b> , 59, 2206-2214	180
2095	Neural learning circuits utilizing nano-crystalline silicon transistors and memristors. <b>2012</b> , 23, 565-73	96
2094	Versatile resistive switching (memristive) behavior in an ITO/ZrO <sub>2</sub> /AG sandwich fabricated using electrohydrodynamic printing. <b>2012</b> , 61, 119-123	12
2093	A Memristive Nanoparticle/Organic Hybrid Synapstor for Neuroinspired Computing. <b>2012</b> , 22, 609-616	140
2092	The memristive magnetic tunnel junction as a nanoscopic synapse-neuron system. <b>2012</b> , 24, 762-6	153
2091	Tunable electroluminescence in planar graphene/SiO <sub>2</sub> memristors. <b>2013</b> , 25, 5593-8	56
2090	Nano-solenoid: helicoid carbon-boron nitride hetero-nanotube. <b>2013</b> , 5, 11902-9	12
2089	Features of memristor emulator-based artificial neural synapses. <b>2013</b> ,	1
2088	A Compact SPICE Model of Unipolar Memristive Devices. <b>2013</b> , 12, 843-850	11

2087	Associative Learning of Integrate-and-Fire Neurons with Memristor-Based Synapses. <b>2013</b> , 38, 69-80	19
2086	Generalized Memristive Device SPICE Model and its Application in Circuit Design. <b>2013</b> , 32, 1201-1214	143
2085	Memristive Neuro-Fuzzy System. <b>2013</b> , 43, 269-85	25
2084	Immunity to Device Variations in a Spiking Neural Network With Memristive Nanodevices. <b>2013</b> , 12, 288-295	234
2083	Tunable threshold resistive switching characteristics of Pt-Fe <sub>2</sub> O <sub>3</sub> core-shell nanoparticle assembly by space charge effect. <b>2013</b> , 5, 772-9	28
2082	Analog and bipolar resistive switching in pn junction of n-type ZnO nanowires on p-type Si substrate. <b>2013</b> , 114, 064502	18
2081	A Proposal for Hybrid Memristor-CMOS Spiking Neuromorphic Learning Systems. <b>2013</b> , 13, 74-88	48
2080	Memristor-Based Neural Logic Blocks for Nonlinearly Separable Functions. <b>2013</b> , 62, 1597-1606	27
2079	Memristive device with threshold for synaptic application in Neuromorphic hardwares. <b>2013</b> ,	
2078	Spike-Timing-Dependent Plasticity Using Biologically Realistic Action Potentials and Low-Temperature Materials. <b>2013</b> , 12, 450-459	26
2077	One-dimensional ZnO nanostructures: fabrication, optoelectronic properties, and device applications. <b>2013</b> , 48, 6849-6877	134
2076	Associate learning and correcting in a memristive neural network. <b>2013</b> , 22, 1071-1076	38
2075	Current self-complianced and self-rectifying resistive switching in Ag-electroded single Na-doped ZnO nanowires. <b>2013</b> , 5, 2651-4	37
2074	Laser annealing of nanocrystalline gold nanowires. <b>2013</b> , 5, 6808-14	6
2073	Synaptic plasticity and learning behaviours mimicked through Ag interface movement in an Ag/conducting polymer/Ta memristive system. <b>2013</b> , 1, 5292	185
2072	Ultrafast synaptic events in a chalcogenide memristor. <b>2013</b> , 3, 1619	256
2071	Domain Wall Conduction and Polarization-Mediated Transport in Ferroelectrics. <b>2013</b> , 23, 2592-2616	96
2070	Comparison of Two Memristor Based Neural Network Learning Schemes for Crossbar Architecture. <b>2013</b> , 492-499	1

2069	Nanoscale resistive switching devices: mechanisms and modeling. <b>2013</b> , 5, 10076-92	197
2068	Memristor-based memory: The sneak paths problem and solutions. <b>2013</b> , 44, 176-183	251
2067	Nanoscale electronic synapses using phase change devices. <b>2013</b> , 9, 1-20	105
2066	Radiation Effects on LiNbO <sub>3</sub> Memristors for Neuromorphic Computing Applications. <b>2013</b> , 60, 4555-4562	12
2065	Retention of resistance states in ferroelectric tunnel memristors. <b>2013</b> , 103, 142908	24
2064	Artificial intelligence in nanotechnology. <b>2013</b> , 24, 452002	43
2063	Analog memristors based on thickening/thinning of Ag nanofilaments in amorphous manganite thin films. <b>2013</b> , 5, 11258-64	71
2062	A correlated nickelate synaptic transistor. <b>2013</b> , 4, 2676	330
2061	Adaptation controls synchrony and cluster states of coupled threshold-model neurons. <b>2013</b> , 88, 042713	20
2060	Integration of nanoscale memristor synapses in neuromorphic computing architectures. <b>2013</b> , 24, 384010	356
2059	Spatiotemporal drift-diffusion simulations of analog ionic memristors. <b>2013</b> , 114, 034504	7
2058	Memory and learning behaviors mimicked in nanogranular SiO <sub>2</sub> -based proton conductor gated oxide-based synaptic transistors. <b>2013</b> , 5, 10194-9	59
2057	Bipolar switching polarity reversal by electrolyte layer sequence in electrochemical metallization cells with dual-layer solid electrolytes. <b>2013</b> , 5, 12598-606	8
2056	Spin-neurons: A possible path to energy-efficient neuromorphic computers. <b>2013</b> , 114, 234906	52
2055	Design exploration methodology for memristor-based spiking neuromorphic architectures with the Xnet event-driven simulator. <b>2013</b> ,	12
2054	Temporal Perspectives of the Nanotechnological Challenge to Regulation: How Human Rights Can Contribute to the Present and Future of Nanotechnologies. <b>2013</b> , 7, 201-215	10
2053	Variable conductivity of nanocomposite nickel oxide/porous silicon. <b>2013</b> , 88,	11
2052	Synaptic electronics: materials, devices and applications. <b>2013</b> , 24, 382001	789

2051	Interference and memory capacity effects in memristive systems. <b>2013</b> , 102, 083106	15
2050	Emulation of analog memristors using low yield digital switching memristors. <b>2013</b> ,	
2049	On the mathematical modeling of series and parallel memcapacitors. <b>2013</b> ,	4
2048	BSB training scheme implementation on memristor-based circuit. <b>2013</b> ,	3
2047	Multi-level cell Spin Transfer Torque MRAM based on stochastic switching. <b>2013</b> ,	14
2046	Is spiking logic the route to memristor-based computers?. <b>2013</b> ,	8
2045	Digital versus analog resistive switching depending on the thickness of nickel oxide nanoparticle assembly. <b>2013</b> , 3, 20978	43
2044	Feedback stabilization of memristor-based hyperchaotic systems. <b>2013</b> ,	0
2043	Logic computation in phase change materials by threshold and memory switching. <b>2013</b> , 25, 5975-80	115
2042	Synaptic Behaviors Mimicked in Flexible Oxide-Based Transistors on Plastic Substrates. <b>2013</b> , 34, 1433-1435	64
2041	Building Neuromorphic Circuits with Memristive Devices. <b>2013</b> , 13, 56-73	76
2040	Memristors for digital, memory and neuromorphic circuits. <b>2013</b> ,	1
2039	Role of oxadiazole moiety in different DA polyazothines and related resistive switching properties. <b>2013</b> , 1, 4556	39
2038	Synaptic behavior and STDP of asymmetric nanoscale memristors in biohybrid systems. <b>2013</b> , 5, 7297-303	24
2037	The memristive properties of a single VO <sub>2</sub> nanowire with switching controlled by self-heating. <b>2013</b> , 25, 5098-103	92
2036	. <b>2013</b> ,	9
2035	Memristors: Going active. <b>2013</b> , 12, 93-4	22
2034	Memristive devices for computing. <b>2013</b> , 8, 13-24	2406



2033	Analytical investigation of self-organized criticality in neural networks. <b>2013</b> , 10, 20120558	31
2032	ZrO <sub>2</sub> flexible printed resistive (memristive) switch through electrohydrodynamic printing process. <b>2013</b> , 536, 308-312	42
2031	Global exponential dissipativity and stabilization of memristor-based recurrent neural networks with time-varying delays. <b>2013</b> , 48, 158-72	164
2030	Realization of biquadratic filter by using memristor. <b>2013</b> ,	4
2029	Specifications of Nanoscale Devices and Circuits for Neuromorphic Computational Systems. <b>2013</b> , 60, 246-253	111
2028	A Comprehensive Crossbar Array Model With Solutions for Line Resistance and Nonlinear Device Characteristics. <b>2013</b> , 60, 1318-1326	123
2027	Pulse Operation of a Floating-Electrode Memristive Device. <b>2013</b> , 60, 1476-1479	1
2026	. <b>2013</b> , 60, 2402-2409	236
2025	Memristive behavior of ZnO/NiO stacked heterostructure. <b>2013</b> , 112, 31-34	15
2024	Towards artificial neurons and synapses: a materials point of view. <b>2013</b> , 3, 3169	135
2023	Memristor-based neural networks. <b>2013</b> , 46, 093001	214
2022	Local probing of electrochemically induced negative differential resistance in TiO <sub>2</sub> memristive materials. <b>2013</b> , 24, 085702	17
2021	A carbon nanotube synapse with dynamic logic and learning. <b>2013</b> , 25, 1693-8	205
2020	The parallel approach. <b>2013</b> , 9, 200-202	161
2019	Nonvolatile analog memory transistor based on carbon nanotubes and C <sub>60</sub> molecules. <b>2013</b> , 9, 2283-7	30
2018	. <b>2013</b> ,	4
2017	. <b>2013</b> , 60, 1241-1249	40
2016	. <b>2013</b> , 60, 2701-2708	37

2015	Elastic resistance change and action potential generation of non-faradaic Pt/TiO <sub>2</sub> /Pt capacitors. <b>2013</b> , 5, 6363-71	14
2014	Polarization Dynamics in Ferroelectric Capacitors: Local Perspective on Emergent Collective Behavior and Memory Effects. <b>2013</b> , 23, 2490-2508	21
2013	Effect of voltage polarity and amplitude on electroforming of TiO <sub>2</sub> based memristive devices. <b>2013</b> , 5, 3257-61	16
2012	Stabilization of a memristor-based chaotic system by intermittent control and fuzzy processing. <b>2013</b> , 11, 643-647	30
2011	HARDWARE MEMRISTOR EMULATORS. <b>2013</b> , 540-547	0
2010	Emulating the paired-pulse facilitation of a biological synapse with a NiO <sub>x</sub> -based memristor. <b>2013</b> , 102, 183510	72
2009	AgInSbTe memristor with gradual resistance tuning. <b>2013</b> , 102, 183513	55
2008	Reconfigurable resistive switching devices based on individual tungsten trioxide nanowires. <b>2013</b> , 3, 042137	13
2007	Improved memristor-based relaxation oscillator. <b>2013</b> , 44, 814-820	28
2006	. <b>2013</b> , 13, 42-55	32
2005	Fractional generalization of memristor and higher order elements. <b>2013</b> , 18, 264-275	59
2004	Fabrication of ZrO <sub>2</sub> layer through electrohydrodynamic atomization for the printed resistive switch (memristor). <b>2013</b> , 103, 167-172	39
2003	Design study of efficient digital order-based STDP neuron implementations for extracting temporal features. <b>2013</b> ,	6
2002	Memristor-based approximated computation. <b>2013</b> ,	30
2001	Neuromorphic function learning with carbon nanotube based synapses. <b>2013</b> , 24, 384013	33
2000	A supervised spiking time dependant plasticity network based on memristors. <b>2013</b> ,	7
1999	Bottleneck of using a single memristive device as a synapse. <b>2013</b> , 115, 166-168	8
1998	Memristive devices in computing system. <b>2013</b> , 9, 1-20	38

1997	Energy efficient perceptron pattern recognition using segmented memristor crossbar arrays. <b>2013,</b>	19
1996	A scalable neural chip with synaptic electronics using CMOS integrated memristors. <b>2013, 24, 384011</b>	41
1995	Spike-timing dependent plasticity in a transistor-selected resistive switching memory. <b>2013, 24, 384012</b>	71
1994	Organic memristive devices: Architecture, properties and applications in neuromorphic networks. <b>2013,</b>	5
1993	. <b>2013,</b>	5
1992	Pattern classification by memristive crossbar circuits using ex situ and in situ training. <b>2013, 4, 2072</b>	399
1991	A compiler for scalable placement and routing of brain-like architectures. <b>2013,</b>	
1990	A generic simulator for large networks of memristive elements. <b>2013, 24, 384007</b>	4
1989	Digital-assisted noise-eliminating training for memristor crossbar-based analog neuromorphic computing engine. <b>2013,</b>	40
1988	Experimental implementation of a biometric laser synaptic sensor. <b>2013, 13, 17322-31</b>	11
1987	SPICE Mutator Model for Transforming Memristor into Meminductor. <b>2013, 2013, 1-5</b>	4
1986	Nanoscale RRAM-based synaptic electronics: toward a neuromorphic computing device. <b>2013, 24, 384009</b>	78
1985	Nano-scale memristor SPICE implementation using ideal operational amplifier model. <b>2013,</b>	4
1984	Inkjet-Printed Memristor: Printing Process Development. <b>2013, 52, 05DB21</b>	6
1983	SPICE modeling of flux-controlled unipolar memristive devices. <b>2013, 22, 078901</b>	7
1982	Dynamic Observation of Brain-Like Learning in a Ferroelectric Synapse Device. <b>2013, 52, 04CE06</b>	45
1981	Memristor crossbar memory for hybrid ultra low power hearing aid speech processor. <b>2013,</b>	1
1980	Multimode threshold and bipolar resistive switching in bi-layered Pt-Fe <sub>2</sub> O <sub>3</sub> core-shell and Fe <sub>2</sub> O <sub>3</sub> nanoparticle assembly. <b>2013, 102, 122111</b>	21

1979	Memristor SPICE model and crossbar simulation based on devices with nanosecond switching time. <b>2013,</b>	49
1978	Associate learning law in a memristive neural network. <b>2013,</b>	
1977	Memristor-based synapse design and a case study in reconfigurable systems. <b>2013,</b>	2
1976	Pavlov's dog associative learning demonstrated on synaptic-like organic transistors. <b>2013, 25, 549-66</b>	61
1975	$I\text{-}V$ Characteristics of Antiparallel Resistive Switches Observed in a Single $\text{Cu/TaO}_x/\text{Pt}$ Cell. <b>2013, 34, 108-110</b>	15
1974	Intrinsic memristance mechanism of crystalline stoichiometric $\text{Ge}_2\text{Sb}_2\text{Te}_5$ . <b>2013, 103, 043501</b>	21
1973	Resistive switching of oxygen enhanced $\text{TiO}_2$ thin-film devices. <b>2013, 102, 013506</b>	49
1972	Digital-to-analog and analog-to-digital conversion with metal oxide memristors for ultra-low power computing. <b>2013,</b>	25
1971	Investigation of analog memristive switching of iron oxide nanoparticle assembly between Pt electrodes. <b>2013, 114, 224505</b>	21
1970	Cross point arrays of 8 nm $\times$ 8 nm memristive devices fabricated with nanoimprint lithography. <b>2013, 31, 06FA02</b>	56
1969	. <b>2013,</b>	6
1968	Conclusion and Future Work. <b>2013, 113-120</b>	
1967	Study of Synaptic Behavior in Doped Transition Metal Oxide-Based Reconfigurable Devices. <b>2013, 60, 4219-4225</b>	6
1966	Temporal processing with volatile memristors. <b>2013,</b>	5
1965	Pulse-induced resistive and capacitive switching in $\text{TiO}_2$ thin film devices. <b>2013, 103, 233513</b>	29
1964	Self-organization and solution of shortest-path optimization problems with memristive networks. <b>2013, 88, 013305</b>	35
1963	A memristor oscillator based on a twin-T network. <b>2013, 22, 040502</b>	38
1962	Dynamic switching mechanism of conduction/set process in $\text{Cu/a-Si/Si}$ memristive device. <b>2013, 103, 043503</b>	12

1961	Spike-based indirect training of a spiking neural network-controlled virtual insect. <b>2013,</b>	20
1960	Polynomial Metamodel integrated Verilog-AMS for memristor-based mixed-signal system design. <b>2013,</b>	6
1959	Emulating the Ebbinghaus forgetting curve of the human brain with a NiO-based memristor. <b>2013,</b> 103, 133701	59
1958	Improvement of resistive switching uniformity for TiO <sub>2</sub> -based memristive devices by introducing a thin HfO <sub>2</sub> layer. <b>2013,</b> 31, 06FA04	12
1957	Synaptic plasticity and memory functions achieved in a WO <sub>3</sub> -x-based nanoionics device by using the principle of atomic switch operation. <b>2013,</b> 24, 384003	92
1956	Mimic synaptic behavior with a single floating gate transistor: A MemFlash synapse. <b>2013,</b> 114, 194506	19
1955	Short-term memory of TiO <sub>2</sub> -based electrochemical capacitors: empirical analysis with adoption of a sliding threshold. <b>2013,</b> 24, 384005	27
1954	A practical low-power memristor-based analog neural branch predictor. <b>2013,</b>	6
1953	TOWARDS THE IMPLEMENTATION OF MEMRISTOR: A STUDY OF THE ELECTRIC PROPERTIES OF Ba <sub>0.77</sub> Sr <sub>0.23</sub> TiO <sub>3</sub> MATERIAL. <b>2013,</b> 23, 1350204	11
1952	MEMRISTOR MODELS IN A CHAOTIC NEURAL CIRCUIT. <b>2013,</b> 23, 1350052	18
1951	Volatile and nonvolatile selective switching of a photo-assisted initialized atomic switch. <b>2013,</b> 24, 384006	20
1950	Memristor PUFs: A new generation of memory-based Physically Unclonable Functions. <b>2013,</b>	50
1949	Vacancy breathing by grain boundaries mechanism of memristive switching in polycrystalline oxides. <b>2013,</b> 3, 167-170	9
1948	Resistance switching in oxides with inhomogeneous conductivity. <b>2013,</b> 22, 067202	30
1947	Hamming network circuits based on CMOS/memristor hybrid design. <b>2013,</b> 10, 20130404-20130404	8
1946	Nanosession: Valence Change Memories - Redox Mechanism and Modelling. <b>2013,</b> 219-231	
1945	The chemically driven phase transformation in a memristive abacus capable of calculating decimal fractions. <b>2013,</b> 3, 1230	13
1944	Correlative multimodal probing of ionically-mediated electromechanical phenomena in simple oxides. <b>2013,</b> 3, 2924	32

1943	A low energy oxide-based electronic synaptic device for neuromorphic visual systems with tolerance to device variation. <b>2013</b> , 25, 1774-9	380
1942	Multilayer memristive/memcapacitive devices with engineered conduction fronts. <b>2013</b> , 62, 30102	2
1941	Stochastic learning in oxide binary synaptic device for neuromorphic computing. <b>2013</b> , 7, 186	108
1940	Variability of multilevel switching in scaled hybrid RS/CMOS nanoelectronic circuits: theory. <b>2013</b> , 63, 14404	
1939	Reconfigurable Threshold Logic Gates using Memristive Devices. <b>2013</b> , 3, 174-193	19
1938	Back-propagation operation for analog neural network hardware with synapse components having hysteresis characteristics. <b>2014</b> , 9, e112659	5
1937	ICE: Inline calibration for memristor crossbar-based computing engine. <b>2014</b> ,	2
1936	A novel memristive multilayer feedforward small-world neural network with its applications in PID control. <b>2014</b> , 2014, 394828	10
1935	Configurable analog-digital conversion using the neural engineering framework. <b>2014</b> , 8, 201	7
1934	. <b>2014</b> ,	25
1933	Chitosan-based biopolysaccharide proton conductors for synaptic transistors on paper substrates. <b>2014</b> , 2, 6249-6255	58
1932	Attractor flow analysis for recurrent neural network with back-to-back memristors. <b>2014</b> ,	
1931	Synaptic long-term potentiation realized in Pavlov's dog model based on a NiOx-based memristor. <b>2014</b> , 116, 214502	38
1930	Comparison on TiO2 and TaO2 based bipolar resistive switching devices. <b>2014</b> ,	0
1929	Polymer-Based Memory Structures on Copper Substrates. <b>2014</b> , 161, D367-D371	2
1928	Building memristive neurons and synapses. <b>2014</b> ,	1
1927	An integrated active-pixel-sensor and memristive platform for neural-inspired image learning and recognition. <b>2014</b> ,	1
1926	Experimental study for selection of electrode material for ZnO-based memristors. <b>2014</b> , 50, 1547-1549	24

1925	Architectural design exploration for neuromorphic processors with memristive synapses. <b>2014,</b>	2
1924	Memristors in the Venus flytrap. <b>2014, 9, e29204</b>	16
1923	Neuromorphic opto-electronic integrated circuits for optical signal processing. <b>2014,</b>	
1922	Hardware implementation of associative memory characteristics with analogue-type resistive-switching device. <b>2014, 25, 495204</b>	22
1921	Logic with memory: and gates made of organic and inorganic memristive devices. <b>2014, 29, 104009</b>	21
1920	Orientation classification by a winner-take-all network with oxide RRAM based synaptic devices. <b>2014,</b>	8
1919	Population representation of artificial neural network. <b>2014,</b>	
1918	Research on a chaotic circuit based on an active TiO <sub>2</sub> memristor. <b>2014, 2, 740-744</b>	4
1917	Memristive Devices: Switching Effects, Modeling, and Applications. <b>2014, 195-221</b>	4
1916	Design of Neuromorphic Architectures with Memristors. <b>2014, 93-103</b>	2
1915	Spike-Timing-Dependent-Plasticity in Hybrid Memristive-CMOS Spiking Neuromorphic Systems. <b>2014, 353-377</b>	1
1914	A tantalum oxide memristor for artificial synapse applications. <b>2014,</b>	1
1913	Neurophysics-inspired parallel architecture with resistive crosspoint array for dictionary learning. <b>2014,</b>	9
1912	A heterogeneous computing system with memristor-based neuromorphic accelerators. <b>2014,</b>	
1911	On-chip supervised learning rule for ultra high density neural crossbar using memristor for synapse and neuron. <b>2014,</b>	1
1910	SPINDLE. <b>2014,</b>	54
1909	On the influence of synaptic weight states in a locally competitive algorithm for memristive hardware. <b>2014,</b>	1
1908	Single- and bi-layer memristive devices with tunable properties using TiO <sub>x</sub> switching layers deposited by reactive sputtering. <b>2014, 104, 153505</b>	12

1907	Memristive Threshold Logic Face Recognition. <b>2014</b> , 41, 98-103	8
1906	Multiprotocol-induced plasticity in artificial synapses. <b>2014</b> , 6, 15151-60	14
1905	Tolerance to defective memristors in a neuromorphic learning circuit. <b>2014</b> ,	9
1904	CMOS compatible generic batch process towards flexible memory on bulk monocrystalline silicon (100). <b>2014</b> ,	1
1903	A CMOS-memristive self-learning neural network for pattern classification applications. <b>2014</b> ,	1
1902	Flexible non-volatile Cu/Cu <sub>x</sub> O/Ag ReRAM memory devices fabricated using ink-jet printing technology. <b>2014</b> ,	3
1901	Voltage-dependent resistive switching characteristics in mixed layer consisting of EFe <sub>2</sub> O <sub>3</sub> and Pt-Fe <sub>2</sub> O <sub>3</sub> core-shell nanoparticles. <b>2014</b> , 104, 093514	7
1900	Three-terminal resistive switching memory in a transparent vertical-configuration device. <b>2014</b> , 104, 013503	4
1899	Sequential injection of domain walls into ferroelectrics at different bias voltages: Paving the way for domain wall memristors□ <b>2014</b> , 116, 066813	18
1898	Novel implementation of memristive systems for data encryption and obfuscation. <b>2014</b> , 115, 124501	8
1897	Optimal condition of memristance enhancement circuit using external voltage source. <b>2014</b> , 4, 057117	2
1896	Foldable neuromorphic memristive electronics. <b>2014</b> ,	
1895	Resistive switching characteristics of indium-tin-oxide thin film devices. <b>2014</b> , 211, 1194-1199	3
1894	Neuromorphic crossbar circuit with nanoscale filamentary-switching binary memristors for speech recognition. <b>2014</b> , 9, 629	49
1893	High-performance ferroelectric memory based on fully patterned tunnel junctions. <b>2014</b> , 104, 052909	80
1892	Bipolar resistance switching in Pt/CuO <sub>x</sub> /Pt via local electrochemical reduction. <b>2014</b> , 104, 242902	16
1891	Origin of stochastic resistive switching in devices with phenomenologically identical initial states. <b>2014</b> ,	
1890	Redox-Based Resistive Switching Memories (ReRAMs): Electrochemical Systems at the Atomic Scale. <b>2014</b> , 1, 26-36	119



1889	Bipolar electric-field enhanced trapping and detrapping of mobile donors in BiFeO <sub>3</sub> memristors. <b>2014</b> , 6, 19758-65	52
1888	Memristive Circuits for LDPC Decoding. <b>2014</b> , 4, 412-426	2
1887	Memristors and Memristive Systems. <b>2014</b> ,	79
1886	Spiking neuro-fuzzy clustering system and its memristor crossbar based implementation. <b>2014</b> , 45, 1450-1462	6
1885	. <b>2014</b> ,	1
1884	An analytical model of memristors in plants. <b>2014</b> , 9, e972887	20
1883	Neuromorphic Character Recognition System With Two PCMO Memristors as a Synapse. <b>2014</b> , 61, 2933-2941	43
1882	Modeling of filamentary resistive memory by concentric cylinders with variable conductivity. <b>2014</b> , 105, 183511	4
1881	Leakage analysis of crossbar memristor arrays. <b>2014</b> ,	1
1880	Energy-efficient STDP-based learning circuits with memristor synapses. <b>2014</b> ,	1
1879	Memristor-based ternary content addressable memory (mTCAM) for data-intensive computing. <b>2014</b> , 29, 104010	19
1878	MemFlash device: floating gate transistors as memristive devices for neuromorphic computing. <b>2014</b> , 29, 104011	25
1877	Explorations in Morphic Architectures. <b>2014</b> , 443-455	
1876	Memristors in the electrical network of Aloe vera L. <b>2014</b> , 9, e29056	32
1875	The Neuro-Fuzzy Computing System With the Capacity of Implementation on a Memristor Crossbar and Optimization-Free Hardware Training. <b>2014</b> , 22, 1272-1287	24
1874	. <b>2014</b> ,	63
1873	Frequency selectivity in pulse responses of Pt/poly(3-hexylthiophene-2,5-diyl)/polyethylene oxide +Li+/Pt hetero-junction. <b>2014</b> , 9, e108316	19
1872	Memristor-Based Addition and Multiplication. <b>2014</b> , 473-486	1

1871	Parallel Programming of Resistive Cross-point Array for Synaptic Plasticity. <b>2014</b> , 41, 126-133	12
1870	If It's Pinched It's a Memristor. <b>2014</b> , 17-90	41
1869	Memristor Device Engineering and CMOS Integration for Reconfigurable Logic Applications. <b>2014</b> , 327-351	3
1868	Fabrication, characterization, and modeling of memristor devices. <b>2014</b> ,	6
1867	Memristor Bridge-Based Artificial Neural Weighting Circuit. <b>2014</b> , 249-265	2
1866	Spontaneous Synchronization in Two Mutually Coupled Memristor-Based Chua's Circuits: Numerical Investigations. <b>2014</b> , 2014, 1-15	6
1865	Synchronization and Lag Synchronization of Hyperchaotic Memristor-Based Chua's Circuits. <b>2014</b> , 2014, 1-7	1
1864	Nanoelectronic synaptic devices and materials for brain-inspired computational architectures. <b>2014</b> ,	1
1863	Bio-inspired computing with resistive memories [models, architectures and applications]. <b>2014</b> ,	6
1862	Network Science and Cybersecurity. <b>2014</b> ,	1
1861	Expanded HP memristor model and simulation in STDP learning. <b>2014</b> , 24, 51-57	2
1860	An electronic implementation of amoeba anticipation. <b>2014</b> , 114, 565-570	9
1859	Analog memristive memory with applications in audio signal processing. <b>2014</b> , 57, 1-15	22
1858	Meminductor Response Under Periodic Current Excitations. <b>2014</b> , 33, 1573-1583	17
1857	Artificial synapse network on inorganic proton conductor for neuromorphic systems. <b>2014</b> , 5, 3158	495
1856	Compact modelling of ferroelectric tunnel memristor and its use for neuromorphic simulation. <b>2014</b> , 104, 053505	25
1855	Tunable, ultralow-power switching in memristive devices enabled by a heterogeneous graphene-oxide interface. <b>2014</b> , 26, 3275-81	62
1854	Learning processes modulated by the interface effects in a Ti/conducting polymer/Ti resistive switching cell. <b>2014</b> , 4, 14822	45

1853	Unravelling the nature of unipolar resistance switching in organic devices by utilizing the photovoltaic effect. <b>2014</b> , 26, 2508-13	48
1852	. <b>2014</b> , 102, 699-716	596
1851	. <b>2014</b> , 102, 843-859	45
1850	Reactive sputtering of substoichiometric Ta <sub>2</sub> O <sub>x</sub> for resistive memory applications. <b>2014</b> , 32, 021501	28
1849	Spike-Based Synaptic Plasticity in Silicon: Design, Implementation, Application, and Challenges. <b>2014</b> , 102, 717-737	82
1848	Memristor: Part II DC, Transient, and RF Analysis. <b>2014</b> , 61, 1062-1070	14
1847	Relative refractory period in an excitable semiconductor laser. <b>2014</b> , 112, 183902	91
1846	3-D Vertical Dual-Layer Oxide Memristive Devices. <b>2014</b> , 61, 2581-2583	5
1845	Spin-torque building blocks. <b>2014</b> , 13, 11-20	411
1844	Macromodeling of the memristor using piecewise volterra series. <b>2014</b> , 45, 325-329	6
1843	Drop-coated titanium dioxide memristors. <b>2014</b> , 143, 524-529	40
1842	. <b>2014</b> ,	3
1841	Building Memristor Applications: From Device Model to Circuit Design. <b>2014</b> , 13, 1154-1162	15
1840	A CMOS-memristive self-learning neural network for pattern classification applications. <b>2014</b> ,	5
1839	Memristor crossbar-based neuromorphic computing system: a case study. <b>2014</b> , 25, 1864-78	235
1838	Advanced technologies for brain-inspired computing. <b>2014</b> ,	13
1837	ICE: Inline calibration for memristor crossbar-based computing engine. <b>2014</b> ,	8
1836	Spiking brain models: Computation, memory and communication constraints for custom hardware implementation. <b>2014</b> ,	4

1835	Recent progress in resistive random access memories: Materials, switching mechanisms, and performance. <b>2014</b> , 83, 1-59	950
1834	3D integration of planar crossbar memristive devices with CMOS substrate. <b>2014</b> , 25, 405202	22
1833	Phase change memory (PCM) materials and devices. <b>2014</b> , 161-199	6
1832	Implementation of memristive neural networks with spike-rate-dependent plasticity synapses. <b>2014</b> ,	10
1831	Linearly separable pattern classification using memristive crossbar circuits. <b>2014</b> ,	1
1830	ReRAM-based synaptic device for neuromorphic computing. <b>2014</b> ,	20
1829	Memristive switching: physical mechanisms and applications. <b>2014</b> , 28, 1430003	19
1828	Memristive learning and memory functions in polyvinyl alcohol polymer memristors. <b>2014</b> , 4, 077105	18
1827	Robust learning approach for neuro-inspired nanoscale crossbar architecture. <b>2014</b> , 10, 1-20	23
1826	A scalable custom simulation machine for the Bayesian Confidence Propagation Neural Network model of the brain. <b>2014</b> ,	8
1825	Observation of long term potentiation in papain-based memory devices. <b>2014</b> ,	
1824	Inorganic proton conducting electrolyte coupled oxide-based dendritic transistors for synaptic electronics. <b>2014</b> , 6, 4491-7	48
1823	Fabrication and characterization of tungsten-oxide-based memristors for neuromorphic circuits. <b>2014</b> ,	1
1822	Multi-level control of conductive nano-filament evolution in HfO <sub>2</sub> ReRAM by pulse-train operations. <b>2014</b> , 6, 5698-702	113
1821	On-chip supervised learning rule for ultra high density neural crossbar using memristor for synapse and neuron. <b>2014</b> ,	5
1820	Memristive behaviors in Pt/BaTiO <sub>3</sub> /Nb:SrTiO <sub>3</sub> ferroelectric tunnel junctions. <b>2014</b> , 105, 052910	35
1819	Tuning resistive switching characteristics of tantalum oxide memristors through Si doping. <b>2014</b> , 8, 10262-9	85
1818	Evolving spiking networks with variable resistive memories. <b>2014</b> , 22, 79-103	19

1817	Product and technology innovation: what can biomimicry inspire?. <b>2014</b> , 32, 1494-505	82
1816	A phenomenological memristor model for short-term/long-term memory. <b>2014</b> , 378, 2924-2930	25
1815	Organic memristive devices based on silver nanoparticles and DNA. <b>2014</b> , 15, 3476-3481	27
1814	Ferroelectric tunnel memristor-based neuromorphic network with 1T1R crossbar architecture. <b>2014</b> ,	13
1813	Design considerations of synaptic device for neuromorphic computing. <b>2014</b> ,	17
1812	Integrated one diode-one resistor architecture in nanopillar SiOx resistive switching memory by nanosphere lithography. <i>Nano Letters</i> , <b>2014</b> , 14, 813-8	11.5 85
1811	New materials for memristive switching. <b>2014</b> ,	3
1810	Ionic field effect and memristive phenomena in single-point ferroelectric domain switching. <b>2014</b> , 5, 4545	41
1809	Ferroelectric tunnel junctions for information storage and processing. <b>2014</b> , 5, 4289	464
1808	Applicability of Well-Established Memristive Models for Simulations of Resistive Switching Devices. <b>2014</b> , 61, 2402-2410	66
1807	Artificial synapses using ferroelectric memristors embedded with CMOS Circuit for image recognition. <b>2014</b> ,	4
1806	Hysteresis loop and cross-talk of organic memristive devices. <b>2014</b> , 45, 1396-1400	9
1805	Memristors in plants. <b>2014</b> , 9, e28152	40
1804	Noise cancellation of memristive neural networks. <b>2014</b> , 60, 74-83	23
1803	Scalable hydrothermal synthesis of free-standing VO <sub>2</sub> nanowires in the M1 phase. <b>2014</b> , 6, 15726-32	40
1802	Synchronization and Waves in a Ring of Diffusively Coupled Memristor-Based Chua's Circuits. <b>2014</b> , 132, 83-94	11
1801	Observer-based synchronization of memristive systems with multiple networked input and output delays. <b>2014</b> , 78, 541-554	15
1800	Ion transport-related resistive switching in film sandwich structures. <b>2014</b> , 59, 2363-2382	9

1799	Brains Are Made of Memristors. <b>2014</b> , 14, 12-36	83
1798	Ultra-low-energy three-dimensional oxide-based electronic synapses for implementation of robust high-accuracy neuromorphic computation systems. <b>2014</b> , 8, 6998-7004	148
1797	Exponential Adaptive Lag Synchronization of Memristive Neural Networks via Fuzzy Method and Applications in Pseudorandom Number Generators. <b>2014</b> , 22, 1704-1713	212
1796	A Review of Three-Dimensional Resistive Switching Cross-Bar Array Memories from the Integration and Materials Property Points of View. <b>2014</b> , 24, 5316-5339	259
1795	A robust and scalable neuromorphic communication system by combining synaptic time multiplexing and MIMO-OFDM. <b>2014</b> , 25, 585-608	1
1794	Passivity and passification of memristor-based recurrent neural networks with time-varying delays. <b>2014</b> , 25, 2099-109	95
1793	Large-Scale Memristive Associative Memories. <b>2014</b> , 22, 562-574	21
1792	Bivariate-continuous-tunable interface memristor based on Bi2S3 nested nano-networks. <b>2014</b> , 7, 953-962	22
1791	. <b>2014</b> , 61, 1390-1399	8
1790	Isothermal switching and detailed filament evolution in memristive systems. <b>2014</b> , 26, 4486-90	47
1789	Towards neuromorphic electronics: Memristors on foldable silicon fabric. <b>2014</b> , 45, 1392-1395	18
1788	Memristor Multiport Readout: A Closed-Form Solution for Sneak Paths. <b>2014</b> , 13, 274-282	60
1787	Negative differential conductance materials for flexible electronics. <b>2014</b> , 131, n/a-n/a	4
1786	A Universal Mutator for Transformations Among Memristor, Memcapacitor, and Meminductor. <b>2014</b> , 61, 758-762	50
1785	Deep data analysis of conductive phenomena on complex oxide interfaces: physics from data mining. <b>2014</b> , 8, 6449-57	63
1784	Comprehensive physical model of dynamic resistive switching in an oxide memristor. <b>2014</b> , 8, 2369-76	301
1783	The adaptive coupling scheme and the heterogeneity in intrinsic frequency and degree distributions of the complex networks. <b>2014</b> , 378, 139-146	5
1782	Attractivity analysis of memristor-based cellular neural networks with time-varying delays. <b>2014</b> , 25, 704-17	144

1781	Bulk mixed ion electron conduction in amorphous gallium oxide causes memristive behaviour. <b>2014</b> , 5, 3473	99
1780	Memristor Crossbar Architecture for Synchronous Neural Networks. <b>2014</b> , 61, 2390-2401	37
1779	Two-terminal protonic devices with synaptic-like short-term depression and device memory. <b>2014</b> , 26, 4986-90	77
1778	Brain-like associative learning using a nanoscale non-volatile phase change synaptic device array. <b>2014</b> , 8, 205	147
1777	A compound memristive synapse model for statistical learning through STDP in spiking neural networks. <b>2014</b> , 8, 412	69
1776	Emergence of synchronization in bio-inspired memristor-coupled oscillatory cells. <b>2014</b> , 5, 292-308	2
1775	Ultra low power of artificial cognitive memory for brain-like computation. <b>2014</b> ,	
1774	Resistive-Switching Memory. <b>2014</b> , 1-32	2
1773	. <b>2015</b> ,	110
1772	Structural and Chemical Analysis of Nanoscale Resistive Switching Devices: Assessment on Nonlinear Properties. <b>2015</b> , 1805, 1	1
1771	High Roff/Ron ratio liquid based memristor sensor using sol gel spin coating technique. <b>2015</b> ,	1
1770	SPICE analysis of dense memristor crossbars for low power neuromorphic processor designs. <b>2015</b> ,	11
1769	Methods for reducing memristor crossbar simulation time. <b>2015</b> ,	8
1768	Dynamic adaptive neural network arrays. <b>2015</b> ,	6
1767	Memristive based device arrays combined with Spike based coding can enable efficient implementations of embedded neuromorphic circuits. <b>2015</b> ,	3
1766	Prospective of Semiconductor Memory Devices: from Memory System to Materials. <b>2015</b> , 1, 1400056	108
1765	How the aggregation of oxygen vacancies in rutile-based TiO <sub>2</sub> phases causes memristive behavior. <b>2015</b> , 92,	11
1764	Neuromorphic behavior in percolating nanoparticle films. <b>2015</b> , 92, 052134	17

1763	. 2015,	1
1762	Atomic View of Filament Growth in Electrochemical Memristive Elements. 2015, 5, 13311	65
1761	Spatially-resolved mapping of history-dependent coupled electrochemical and electrical behaviors of electroresistive NiO. 2014, 4, 6725	10
1760	Utilizing multiple state variables to improve the dynamic range of analog switching in a memristor. 2015, 107, 173105	67
1759	Temporal information encoding in dynamic memristive devices. 2015, 107, 193101	11
1758	Engineering ferroelectric tunnel junctions through potential profile shaping. 2015, 3, 061101	25
1757	Optimized learning scheme for grayscale image recognition in a RRAM based analog neuromorphic system. 2015,	34
1756	Influence of ionic size to the pulse responses of semiconducting polymer/electrolyte hetero-junctions. 2015,	
1755	7-Transistor 2-memristor based non-volatile static random access memory cell design. 2015,	1
1754	Excitatory post-synaptic current and synaptic plasticity of semiconducting polymer/electrolyte system. 2015,	
1753	Scaling-up resistive synaptic arrays for neuro-inspired architecture: Challenges and prospect. 2015,	98
1752	Synaptic learning behaviors achieved by metal ion migration in a Cu/PEDOT:PSS/Ta memristor. 2015,	3
1751	Exponential flux-controlled memristor model and its floating emulator. 2015, 24, 118401	13
1750	Biorealistic Implementation of Synaptic Functions with Oxide Memristors through Internal Ionic Dynamics. 2015, 25, 4290-4299	270
1749	Pt/Ta <sub>2</sub> O <sub>5</sub> /HfO <sub>2</sub> -x/Ti resistive switching memory competing with multilevel NAND flash. 2015, 27, 3811-6	134
1748	Associative Learning with Temporal Contiguity in a Memristive Circuit for Large-Scale Neuromorphic Networks. 2015, 1, 1500125	57
1747	Simple square pulses for implementing spike-timing-dependent plasticity in phase-change memory. 2015, 9, 414-419	23
1746	Spintronic devices as key elements for energy-efficient neuroinspired architectures. 2015,	16



1745	Memristive Physically Evolving Networks Enabling the Emulation of Heterosynaptic Plasticity. <b>2015</b> , 27, 7720-7	110
1744	Implementation of adaptive coupling through memristor. <b>2015</b> , 12, 206-210	4
1743	In situ TEM study of reversible and irreversible electroforming in Pt/Ti:NiO/Pt heterostructures. <b>2015</b> , 9, 301-306	9
1742	Modeling the AgInSbTe Memristor. <b>2015</b> , 24, 808-813	1
1741	Review on Physically Flexible Nonvolatile Memory for Internet of Everything Electronics. <b>2015</b> , 4, 424-479	97
1740	A 2-transistor/1-resistor artificial synapse capable of communication and stochastic learning in neuromorphic systems. <b>2014</b> , 8, 438	60
1739	Plasticity in memristive devices for spiking neural networks. <b>2015</b> , 9, 51	148
1738	Single pairing spike-timing dependent plasticity in BiFeO <sub>3</sub> memristors with a time window of 25 ms to 125 $\mu$ s. <b>2015</b> , 9, 227	44
1737	Tunnel junction based memristors as artificial synapses. <b>2015</b> , 9, 241	25
1736	Implementation of a spike-based perceptron learning rule using TiO <sub>2-x</sub> memristors. <b>2015</b> , 9, 357	28
1735	A memristive spiking neuron with firing rate coding. <b>2015</b> , 9, 376	31
1734	Generalized reconfigurable memristive dynamical system (MDS) for neuromorphic applications. <b>2015</b> , 9, 409	2
1733	. <b>2015</b> ,	40
1732	Optimal Design of FPGA Switch Matrix with Ion Mobility Based Nonvolatile ReRAM. <b>2015</b> , 2015, 1-6	
1731	Enabling an integrated rate-temporal learning scheme on memristor. <b>2014</b> , 4, 4755	49
1730	Memristive operation mode of a site-controlled quantum dot floating gate transistor. <b>2015</b> , 106, 203501	12
1729	Characterization and Modeling of Nonfilamentary Ta/TaO <sub>x</sub> /TiO <sub>2</sub> /Ti Analog Synaptic Device. <b>2015</b> , 5, 10150	122
1728	Non-volatile memory as hardware synapse in neuromorphic computing: A first look at reliability issues. <b>2015</b> ,	9

1727	Homogeneous Spiking Neuromorphic System for Real-World Pattern Recognition. <b>2015</b> , 5, 254-266	47
1726	Parallel Architecture With Resistive Crosspoint Array for Dictionary Learning Acceleration. <b>2015</b> , 5, 194-204	45
1725	An optoelectronic resistive switching memory with integrated demodulating and arithmetic functions. <b>2015</b> , 27, 2797-803	131
1724	Computational Intelligence, Medicine and Biology. <b>2015</b> ,	
1723	On-Chip Universal Supervised Learning Methods for Neuro-Inspired Block of Memristive Nanodevices. <b>2015</b> , 11, 1-20	6
1722	Memristive Hebbian plasticity model: device requirements for the emulation of Hebbian plasticity based on memristive devices. <b>2015</b> , 9, 197-206	34
1721	A Study of Gamma-Ray Exposure of CuBiO <sub>2</sub> Programmable Metallization Cells. <b>2015</b> , 62, 2404-2411	21
1720	Quasi-Ideal Memory System. <b>2015</b> , 45, 1353-62	36
1719	Analysis of CMOS synapse generating excitatory postsynaptic potential using DC control voltages. <b>2015</b> ,	3
1718	Efficient training algorithms for neural networks based on memristive crossbar circuits. <b>2015</b> ,	55
1717	Voltage controlled equivalent circuit of a nanowire memristor. <b>2015</b> , 67, 1930-1936	1
1716	The energy scaling advantages of RRAM crossbars. <b>2015</b> ,	5
1715	Development of Ag/WO <sub>3</sub> /ITO thin film memristor using spray pyrolysis method. <b>2015</b> , 11, 944-948	28
1714	Mapping weight matrix of a neural network layer onto memristor crossbar. <b>2015</b> , 24, 109-115	12
1713	Characterization of single and composites thin films memristive device. <b>2015</b> ,	
1712	Effect of heavy-ion on frequency selectivity of semiconducting polymer/electrolyte heterojunction. <b>2015</b> , 5, 98110-98117	5
1711	Increasing reconfigurability with memristive interconnects. <b>2015</b> ,	2
1710	Controllability of multi-level states in memristive device models using a transistor as current compliance during SET operation. <b>2015</b> ,	

1709	Electromechanical Emulator of Memristive Systems and Devices. <b>2015</b> , 62, 3678-3684	7
1708	Memristor model based on fuzzy window function. <b>2015</b> ,	2
1707	Synchronization properties of a bio-inspired neural network. <b>2015</b> ,	1
1706	STT-SNN: A Spin-Transfer-Torque Based Soft-Limiting Non-Linear Neuron for Low-Power Artificial Neural Networks. <b>2015</b> , 14, 1013-1023	37
1705	. <b>2015</b> , 14, 945-953	11
1704	A CMOS spiking neuron for dense memristor-synapse connectivity for brain-inspired computing. <b>2015</b> ,	3
1703	An overview on memristor crossbar based neuromorphic circuit and architecture. <b>2015</b> ,	7
1702	Fully parallel write/read in resistive synaptic array for accelerating on-chip learning. <b>2015</b> , 26, 455204	78
1701	An Electronic Synapse Device Based on Solid Electrolyte Resistive Random Access Memory. <b>2015</b> , 36, 772-774	22
1700	Threshold Logic Computing: Memristive-CMOS Circuits for Fast Fourier Transform and Vedic Multiplication. <b>2015</b> , 23, 2690-2694	16
1699	Emulation of spike-timing dependent plasticity in nano-scale phase change memory. <b>2015</b> , 155, 153-158	12
1698	Activity-dependent synaptic plasticity of a chalcogenide electronic synapse for neuromorphic systems. <b>2014</b> , 4, 4906	174
1697	Non-exponential resistive switching in Ag2S memristors: a key to nanometer-scale non-volatile memory devices. <b>2015</b> , 7, 4394-9	27
1696	Dual conical conducting filament model in resistance switching TiO2 thin films. <b>2015</b> , 5, 7844	40
1695	Nonlinear behavior of memristive devices during tuning process and its impact on STDP learning rule in memristive neural networks. <b>2015</b> , 26, 67-75	5
1694	Self-Limited Switching in Ta2O5/TaOx Memristors Exhibiting Uniform Multilevel Changes in Resistance. <b>2015</b> , 25, 1527-1534	93
1693	Filamentary switching: synaptic plasticity through device volatility. <b>2015</b> , 9, 941-9	153
1692	What are Memristor, Memcapacitor, and Meminductor?. <b>2015</b> , 62, 402-406	28

1691	Memristive devices based on graphene oxide. <b>2015</b> , 85, 383-396	103
1690	Memristive and neuromorphic behavior in a Li(x)CoO <sub>2</sub> nanobattery. <b>2015</b> , 5, 7761	24
1689	Towards Analog Memristive Controllers. <b>2015</b> , 62, 205-214	2
1688	A memristive diode for neuromorphic computing. <b>2015</b> , 138, 7-11	4
1687	Inkjet-Printed Resistive Switching Memory Based on Organic Dielectric Materials: From Single Elements to Array Technology. <b>2015</b> , 1, 1400003	17
1686	A memristor emulator as a replacement of a real memristor. <b>2015</b> , 30, 015007	39
1685	Exploring resistive switching in poly(4-vinylphenol)/graphene nano-composite films. <b>2015</b> , 54, 035103	10
1684	Novel design for the odd-symmetric memristor from asymmetric switches. <b>2015</b> , 3, 2768-2772	6
1683	Nanoimprint lithography enables memristor crossbars and hybrid circuits. <b>2015</b> , 121, 467-479	7
1682	Slime Mould Memristors. <b>2015</b> , 5, 1-8	47
1681	Experimental demonstration of a second-order memristor and its ability to biorealistically implement synaptic plasticity. <i>Nano Letters</i> , <b>2015</b> , 15, 2203-11	11.5 356
1680	Bioinspired neuromorphic module based on carbon nanotube/C60/polymer composite. <b>2015</b> , 49, 1809-1822	3
1679	. <b>2015</b> , 5, 5-16	15
1678	Skeleton-supported stochastic networks of organic memristive devices: Adaptations and learning. <b>2015</b> , 5, 027129	8
1677	Fabrication of graphene-nanoflake/poly(4-vinylphenol) polymer nanocomposite thin film by electrohydrodynamic atomization and its application as flexible resistive switching device. <b>2015</b> , 475, 148-155	12
1676	Complex Learning in Bio-plausible Memristive Networks. <b>2015</b> , 5, 10684	31
1675	Bipolar resistive switching from liquid helium to room temperature. <b>2015</b> , 48, 345101	15
1674	Memristors Empower Spiking Neurons With Stochasticity. <b>2015</b> , 5, 242-253	74

1673	Inherently stochastic spiking neurons for probabilistic neural computation. <b>2015,</b>	9
1672	Mapping neural network computations onto memristor crossbar. <b>2015,</b>	7
1671	Memristive behavior in a junctionless flash memory cell. <b>2015,</b> 106, 233506	16
1670	Memristor based digital-to-analog convertor and its programming. <b>2015,</b>	
1669	Optimization of Conductance Change in Pr <sub>1-x</sub> CaxMnO <sub>3</sub> -Based Synaptic Devices for Neuromorphic Systems. <b>2015,</b> 36, 457-459	166
1668	Analog Memristive and Memcapacitive Characteristics of Pt-Fe <sub>2</sub> O <sub>3</sub> Core-Shell Nanoparticles Assembly on p+-Si Substrate. <b>2015,</b> 14, 798-805	17
1667	Ab Initio Molecular-Dynamics Simulation of Neuromorphic Computing in Phase-Change Memory Materials. <b>2015,</b> 7, 14223-30	22
1666	Advances in Neural Networks: Computational and Theoretical Issues. <b>2015,</b>	2
1665	Neural Net to Neuronal Network Memristor Interconnects. <b>2015,</b> 153-168	
1664	Memristor Based Adaptive Coupling for Synchronization of Two Rössler Systems. <b>2015,</b> 395-400	3
1663	Nanoscale memristive radiofrequency switches. <b>2015,</b> 6, 7519	76
1662	Spin-orbit torque induced spike-timing dependent plasticity. <b>2015,</b> 106, 093704	65
1661	Development of Ag/ZnO/FTO thin film memristor using aqueous chemical route. <b>2015,</b> 40, 523-526	44
1660	Slime mould processors, logic gates and sensors. <b>2015,</b> 373,	18
1659	Emerging Trends in Design and Applications of Memory-Based Computing and Content-Addressable Memories. <b>2015,</b> 103, 1311-1330	83
1658	. <b>2015,</b> 62, 3477-3481	78
1657	Neurodynamics. <b>2015,</b> 607-648	3
1656	Toward the complete relational graph of fundamental circuit elements. <b>2015,</b> 24, 068402	21

1655	Reconfigurable Memristive Device Technologies. <b>2015</b> , 103, 1004-1033	56
1654	Coupled Spin Torque Nano Oscillators for Low Power Neural Computation. <b>2015</b> , 51, 1-9	39
1653	An Associative Memory Device Using a Magnetic Tunnel Junction. <b>2015</b> , 51, 1-4	7
1652	A would-be nervous system made from a slime mold. <b>2015</b> , 21, 73-91	9
1651	. <b>2015</b> , 14, 954-962	32
1650	Associative memory realized by a reconfigurable memristive Hopfield neural network. <b>2015</b> , 6, 7522	144
1649	A Reconfigurable Digital Neuromorphic Processor with Memristive Synaptic Crossbar for Cognitive Computing. <b>2015</b> , 11, 1-25	43
1648	Low Variability Resistor-Memristor Circuit Masking the Actual Memristor States. <b>2015</b> , 1, 1500095	25
1647	A Cell Classifier for RRAM Process Development. <b>2015</b> , 62, 676-680	17
1646	Synaptic potentiation and depression in Al:HfO <sub>2</sub> -based memristor. <b>2015</b> , 147, 41-44	37
1645	Spin-transfer torque magnetic memory as a stochastic memristive synapse for neuromorphic systems. <b>2015</b> , 9, 166-74	233
1644	Memristor-Based Adaptive Coupling for Consensus and Synchronization. <b>2015</b> , 62, 1175-1184	44
1643	Photoreduction of Ag <sup>+</sup> in Ag/Ag <sub>2</sub> S/Au memristor. <b>2015</b> , 340, 138-142	9
1642	Stateful-NOR based reconfigurable architecture for logic implementation. <b>2015</b> , 46, 551-562	6
1641	Memristor: Models, Types, and Applications. <b>2015</b> , 13-49	10
1640	Supervised Learning Using Spike-Timing-Dependent Plasticity of Memristive Synapses. <b>2015</b> , 26, 2999-3008	37
1639	Synchronization of Hyperchaotic Memristor-Based Chua's Circuits. <b>2015</b> , 523-527	1
1638	Anti-synchronization for stochastic memristor-based neural networks with non-modeled dynamics via adaptive control approach. <b>2015</b> , 88, 1	20

1637	Memcomputing with membrane memcapacitive systems. <b>2015</b> , 26, 225201	19
1636	Electric field-assisted metal insulator transition in vanadium dioxide (VO <sub>2</sub> ) thin films: optical switching behavior and anomalous far-infrared emissivity variation. <b>2015</b> ,	7
1635	A Family of Memristive-Transfer Functions of Negative-Feedback Nullor-Based Amplifiers. <b>2015</b> , 34, 3431-3447	1
1634	2D Nanovaristors at Grain Boundaries Account for Memristive Switching in Polycrystalline BiFeO <sub>3</sub> . <b>2015</b> , 1, 1500019	10
1633	Comparison of Off-Chip Training Methods for Neuromemristive Systems. <b>2015</b> ,	9
1632	Training and operation of an integrated neuromorphic network based on metal-oxide memristors. <b>2015</b> , 521, 61-4	1643
1631	Implementation of Short-Term Plasticity and Long-Term Potentiation in a Synapse Using Si-Based Type of Charge-Trap Memory. <b>2015</b> , 62, 569-573	21
1630	BACK MATTER. <b>2015</b> , 111-118	
1629	Modelling of nanostructured TiO <sub>2</sub> -based memristors. <b>2015</b> , 36, 034001	23
1628	Optical spike-timing-dependent plasticity with weight-dependent learning window and reward modulation. <b>2015</b> , 23, 25247-58	32
1627	Frequency-dependent learning achieved using semiconducting polymer/electrolyte composite cells. <b>2015</b> , 7, 16880-9	25
1626	Inkjet-printing of non-volatile organic resistive devices and crossbar array structures. <b>2015</b> ,	
1625	On-Chip Sparse Learning Acceleration With CMOS and Resistive Synaptic Devices. <b>2015</b> , 14, 969-979	18
1624	Hybrid crossbar architecture for a memristor based cache. <b>2015</b> , 46, 1020-1032	21
1623	A multilevel memristor CMOS memory cell as a ReRAM. <b>2015</b> , 46, 1283-1290	27
1622	Transient Circuit Model of Memristors. <b>2015</b> , 24, 1520007	2
1621	Graphene Dynamic Synapse with Modulatable Plasticity. <i>Nano Letters</i> , <b>2015</b> , 15, 8013-9	11.5 180
1620	Modelling of nanostructured memristor device characteristics using Artificial Neural Network (ANN). <b>2015</b> , 11, 82-90	13

1619	Carbon Nanotube Synaptic Transistor Network for Pattern Recognition. <b>2015</b> , 7, 25479-86	93
1618	Programming Protocol Optimization for Analog Weight Tuning in Resistive Memories. <b>2015</b> , 36, 1157-1159	52
1617	A spiking neuromorphic design with resistive crossbar. <b>2015</b> ,	62
1616	Nanoengineered polymeric capsules for bio-computing. <b>2015</b> ,	
1615	Polymeric systems for bio-inspired information processing. <b>2015</b> ,	2
1614	Spin orbit torque based electronic neuron. <b>2015</b> , 106, 143701	62
1613	Resistive switching in a few nanometers thick tantalum oxide film formed by a metal oxidation. <b>2015</b> , 106, 173110	19
1612	Memristors: Memory elements in potato tubers. <b>2015</b> , 10, e1071750	14
1611	Memory and Information Processing in Neuromorphic Systems. <b>2015</b> , 103, 1379-1397	386
1610	Memristive behaviour in inkjet printed graphene oxide thin layers. <b>2015</b> , 5, 68565-68570	42
1609	Titanium oxide vertical resistive random-access memory device. <b>2015</b> , 10, 321-323	4
1608	Single-crystalline metal filament-based resistive switching in a nitrogen-doped carbon film containing conical nanopores. <b>2015</b> , 106, 083104	17
1607	Memristor-based Willshaw network: Capacity and robustness to noise in the presence of defects. <b>2015</b> , 106, 223505	11
1606	Finite-Time Stabilizability and Instabilizability of Delayed Memristive Neural Networks With Nonlinear Discontinuous Controller. <b>2015</b> , 26, 2914-24	59
1605	RRAM-Based Analog Approximate Computing. <b>2015</b> , 34, 1905-1917	69
1604	Exploiting local connectivity of CMOL architecture for highly parallel orientation selective neuromorphic chips. <b>2015</b> ,	2
1603	Experimental Evidence of Chaos from Memristors. <b>2015</b> , 25, 1550101	22
1602	Neuron Model with Simplified Memristive Ionic Channels. <b>2015</b> , 25, 1530017	10



1601	Spiking-based matrix computation by leveraging memristor crossbar array. <b>2015,</b>	1
1600	Organic memristive device as key element for neuromorphic networks. <b>2015,</b>	
1599	Memristor-based synapses and neurons for neuromorphic computing. <b>2015,</b>	5
1598	. <b>2015,</b> 103, 1398-1416	90
1597	Supervised learning with organic memristor devices and prospects for neural crossbar arrays. <b>2015,</b>	9
1596	Vertical integration of memristors onto foundry CMOS dies using wafer-scale integration. <b>2015,</b>	6
1595	The effect of changing electrode metal on solution-processed flexible titanium dioxide memristors. <b>2015,</b> 162, 20-30	28
1594	Memristor-based cellular nanoscale networks: Theory, circuits, and applications. <b>2015,</b>	3
1593	New Twin Crossbar Architecture of Binary Memristors for Low-Power Image Recognition With Discrete Cosine Transform. <b>2015,</b> 14, 1104-1111	26
1592	Thermal transport in tantalum oxide films for memristive applications. <b>2015,</b> 107, 023108	17
1591	Analysis of CMOS inhibitory synapse with varying neurotransmitter concentration, reuptake time and spread delay. <b>2015,</b>	
1590	Memristors based on lithium doped ZnO films. <b>2015,</b> 50, 277-281	2
1589	Memristor memory element based on ZnO thin film structures. <b>2015,</b>	1
1588	Memristor panic [A survey of different device models in crossbar architectures. <b>2015,</b>	10
1587	An extendable multi-purpose 3D neuromorphic fabric using nanoscale memristors. <b>2015,</b>	3
1586	A high reliable design of memristor-based multilevel memory. <b>2015,</b>	1
1585	Gradient-descent-based learning in memristive crossbar arrays. <b>2015,</b>	15
1584	Memristor-based cellular nonlinear/neural network: design, analysis, and applications. <b>2015,</b> 26, 1202-13	173

1583	Organic non-volatile memory cell based on resistive elements through electro-hydrodynamic technique. <b>2015</b> , 17, 121-128	25
1582	Highly compact (4F2) and well behaved nano-pillar transistor controlled resistive switching cell for neuromorphic system application. <b>2014</b> , 4, 6863	12
1581	Fractional order junctions. <b>2015</b> , 20, 1-8	10
1580	Adaptive Synchronization of Memristor-Based Neural Networks with Time-Varying Delays. <b>2015</b> , 26, 2033-42	143
1579	A Circuit-Based Learning Architecture for Multilayer Neural Networks With Memristor Bridge Synapses. <b>2015</b> , 62, 215-223	93
1578	Power Profile Obfuscation Using Nanoscale Memristive Devices to Counter DPA Attacks. <b>2015</b> , 14, 26-35	10
1577	Novel synaptic memory device for neuromorphic computing. <b>2014</b> , 4, 5333	65
1576	. <b>2015</b> , 45, 235-249	143
1575	Neuronal synapse as a memristor: modeling pair- and triplet-based STDP rule. <b>2015</b> , 9, 87-95	28
1574	A unified cubic flux-controlled memristor: theoretical analysis, simulation and circuit experiment. <b>2015</b> , 28, 335-345	19
1573	. <b>2015</b> , 64, 733-746	23
1572	Behavior characteristics of a cap-resistor, memcapacitor, and a memristor from the response obtained of RC and RL electrical circuits described by fractional differential equations. <b>2016</b> , 24, 1421-1433	42
1571	Nanoscale Memristor. <b>2016</b> ,	
1570	Anodic oxidation as a means to produce memristive films. <b>2016</b> , 14, e290-5	4
1569	TG based 2T2M RRAM using Memristor as Memory Element. <b>2016</b> , 9,	9
1568	Pulse Shape and Timing Dependence on the Spike-Timing Dependent Plasticity Response of Ion-Conducting Memristors as Synapses. <b>2016</b> , 4, 97	12
1567	Linearized Programming of Memristors for Artificial Neuro-Sensor Signal Processing. <b>2016</b> , 16,	1
1566	Hierarchical Chunking of Sequential Memory on Neuromorphic Architecture with Reduced Synaptic Plasticity. <b>2016</b> , 10, 136	4

1565	Energy Scaling Advantages of Resistive Memory Crossbar Based Computation and Its Application to Sparse Coding. <b>2015</b> , 9, 484	61
1564	Unsupervised Learning by Spike Timing Dependent Plasticity in Phase Change Memory (PCM) Synapses. <b>2016</b> , 10, 56	149
1563	Emulating the Electrical Activity of the Neuron Using a Silicon Oxide RRAM Cell. <b>2016</b> , 10, 57	77
1562	Editorial: Synaptic Plasticity for Neuromorphic Systems. <b>2016</b> , 10, 214	5
1561	Acceleration of Deep Neural Network Training with Resistive Cross-Point Devices: Design Considerations. <b>2016</b> , 10, 333	227
1560	Stochastic-Based Spin-Programmable Gate Array with Emerging MTJ Device Technology. <b>2016</b> , 6, 15	3
1559	TaOx based memristors with recessed bottom electrodes and built-in ion concentration gradient as electronic synapses. <b>2016</b> ,	
1558	Laterally configured resistive switching device based on transition-metal nano-gap electrode on Gd oxide. <b>2016</b> , 108, 023101	1
1557	Development of three-dimensional synaptic device and neuromorphic computing hardware. <b>2016</b> ,	
1556	A synaptic device built in one diode-resistor (1D1R) architecture with intrinsic SiOx-based resistive switching memory. <b>2016</b> , 1,	
1555	Nanoscale Hafnium Oxide RRAM Devices Exhibit Pulse Dependent Behavior and Multi-level Resistance Capability. <b>2016</b> , 1, 3355-3360	38
1554	High On/Off Ratio Memristive Switching of Manganite/Cuprate Bilayer by Interfacial Magnetoelectricity. <b>2016</b> , 3, 1600086	5
1553	Millionfold Resistance Change in Ferroelectric Tunnel Junctions Based on Nickelate Electrodes. <b>2016</b> , 2, 1500245	31
1552	Alcohol-Mediated Resistance-Switching Behavior in Metal-Organic Framework-Based Electronic Devices. <b>2016</b> , 128, 9030-9034	16
1551	Hopfield Network with Interneuronal Connections Based on Memristor Bridges. <b>2016</b> , 196-203	1
1550	Realization of a flux-driven memtransistor at room temperature. <b>2016</b> , 25, 027703	7
1549	Window functions and sigmoidal behaviour of memristive systems. <b>2016</b> , 44, 1685-1696	16
1548	Organic Biomimicking Memristor for Information Storage and Processing Applications. <b>2016</b> , 2, 1500298	130

1547	An Energy-Efficient, BiFeO <sub>3</sub> -Coated Capacitive Switch with Integrated Memory and Demodulation Functions. <b>2016</b> , 2, 1500352	16
1546	Cyclic voltammetry of apple fruits: Memristors in vivo. <b>2016</b> , 112, 9-15	19
1545	Alcohol-Mediated Resistance-Switching Behavior in Metal-Organic Framework-Based Electronic Devices. <b>2016</b> , 55, 8884-8	50
1544	Memristor-Based Neuromorphic System with Content Addressable Memory Structure. <b>2016</b> , 681-690	
1543	Fabrications, Applications and Challenges of Solid-State Nanopores: A Mini Review. <b>2016</b> , 6, 35	18
1542	A low-computation-complexity, energy-efficient, and high-performance linear program solver using memristor crossbars. <b>2016</b> ,	3
1541	A Vision for All-Spin Neural Networks: A Device to System Perspective. <b>2016</b> , 63, 2267-2277	44
1540	Magnetic Tunnel Junction Mimics Stochastic Cortical Spiking Neurons. <b>2016</b> , 6, 30039	93
1539	Design techniques of eNVM-enabled neuromorphic computing systems. <b>2016</b> ,	2
1538	Resistive switching in sol-gel derived microscale memristors. <b>2016</b> ,	5
1537	Novel microscale memristor with uniqueness property for securing communications. <b>2016</b> ,	5
1536	Single-Readout High-Density Memristor Crossbar. <b>2016</b> , 6, 18863	36
1535	An Artificial Brain Mechanism to Develop a Learning Paradigm for Robot Navigation. <b>2016</b> ,	3
1534	A nonlinear HP-type complementary resistive switch. <b>2016</b> , 6, 055119	4
1533	Orientation selectivity with organic photodetectors and an organic electrochemical transistor. <b>2016</b> , 6, 111307	28
1532	The realization of optical switching generated from the combination of Ag/a-Si/p-Si memristor and silicon waveguide. <b>2016</b> ,	
1531	Self-Adaptive Spike-Time-Dependent Plasticity of Metal-Oxide Memristors. <b>2016</b> , 6, 21331	120
1530	Spiking neural network (SNN) control of a flapping insect-scale robot. <b>2016</b> ,	21

1529	Electrical properties of a TiN/Ti x Al1 k O y /TiN memristor device manufactured by magnetron sputtering. <b>2016</b> , 45, 396-401	16
1528	Memristor and selector devices fabricated from HfO2Nx. <b>2016</b> , 108, 143504	24
1527	Simulation of synaptic short-term plasticity using Ba(CF3SO3)2-doped polyethylene oxide electrolyte film. <b>2016</b> , 6, 18915	12
1526	Device nonideality effects on image reconstruction using memristor arrays. <b>2016</b> ,	9
1525	. <b>2016</b> ,	
1524	Hybrid Spintronic-CMOS Spiking Neural Network with On-Chip Learning: Devices, Circuits, and Systems. <b>2016</b> , 6,	55
1523	Multilevel resistance in ZnO nanowire memristors enabled by hydrogen annealing treatment. <b>2016</b> , 6, 125010	17
1522	HfO2-based memristors for neuromorphic applications. <b>2016</b> ,	22
1521	Investigation and Manipulation of Different Analog Behaviors of Memristor as Electronic Synapse for Neuromorphic Applications. <b>2016</b> , 6, 22970	56
1520	Anomalous rectification in a purely electronic memristor. <b>2016</b> , 109, 143505	14
1519	Beyond spike-timing dependent plasticity in memristor crossbar arrays. <b>2016</b> ,	9
1518	Fabrication of sub-10 nm metal nanowire arrays with sub-1 nm critical dimension control. <b>2016</b> , 27, 464004	10
1517	Emulating short-term synaptic dynamics with memristive devices. <b>2016</b> , 6, 18639	84
1516	Interplay of multiple synaptic plasticity features in filamentary memristive devices for neuromorphic computing. <b>2016</b> , 6, 39216	19
1515	Modelling the generation of Joule heating in defective thin oxide films. <b>2016</b> ,	
1514	Optimization of chitosan gated electric double layer transistors by combining nanoparticle incorporation and acid doping. <b>2016</b> , 6, 109803-109808	3
1513	Memristor-based neural networks: Synaptic versus neuronal stochasticity. <b>2016</b> , 6, 111304	25
1512	A biologically plausible spiking model for interaural level difference processing auditory pathway in human brain. <b>2016</b> ,	2

1511	A magnetic synapse: multilevel spin-torque memristor with perpendicular anisotropy. <b>2016</b> , 6, 31510	141
1510	Metal oxide resistive random access memory based synaptic devices for brain-inspired computing. <b>2016</b> , 55, 04EA06	23
1509	Voltage divider effect for the improvement of variability and endurance of TaO(x) memristor. <b>2016</b> , 6, 20085	70
1508	A sub-1-volt analog metal oxide memristive-based synaptic device with large conductance change for energy-efficient spike-based computing systems. <b>2016</b> , 109, 223501	53
1507	A light-stimulated synaptic transistor with synaptic plasticity and memory functions based on InGaZnOx/Al <sub>2</sub> O <sub>3</sub> thin film structure. <b>2016</b> , 119, 244505	105
1506	Mimicking of pulse shape-dependent learning rules with a quantum dot memristor. <b>2016</b> , 120, 134503	5
1505	Synaptic devices based on purely electronic memristors. <b>2016</b> , 108, 013504	52
1504	3D Ta/TaO <sub>x</sub> /TiO <sub>2</sub> /Ti synaptic array and linearity tuning of weight update for hardware neural network applications. <b>2016</b> , 27, 365204	101
1503	Oscillatory neural associative memories with synapses based on memristor bridges. <b>2016</b> , 25, 219-227	11
1502	An optimization-theoretic approach for attacking physical unclonable functions. <b>2016</b> ,	4
1501	Sub-10 nm Ta Channel Responsible for Superior Performance of a HfO <sub>2</sub> Memristor. <b>2016</b> , 6, 28525	128
1500	Toward a spintronic deep learning spiking neural processor. <b>2016</b> ,	8
1499	Memristor circuits and systems for future computing and bio-inspired information processing. <b>2016</b> ,	6
1498	. <b>2016</b> ,	9
1497	. <b>2016</b> ,	4
1496	Hyperdimensional computing with 3D VRRAM in-memory kernels: Device-architecture co-design for energy-efficient, error-resilient language recognition. <b>2016</b> ,	63
1495	Enhanced Model of Conductive Filament-Based Memristor via Including Trapezoidal Electron Tunneling Barrier Effect. <b>2016</b> , 15, 484-491	19
1494	The architecture of a branching prediction module based on a memristor and spintronic units with ultra-low power consumption. <b>2016</b> , 45, 142-152	

1493	Resistive switching memories based on metal oxides: mechanisms, reliability and scaling. <b>2016</b> , 31, 063002	460
1492	. <b>2016</b> , 15, 675-686	24
1491	Neuromorphic Processors with Memristive Synapses. <b>2016</b> , 12, 1-22	13
1490	Ag <sub>2</sub> S atomic switch-based 'tug of war' for decision making. <b>2016</b> , 8, 14031-6	21
1489	Co-Design of ReRAM Passive Crossbar Arrays Integrated in 180 nm CMOS Technology. <b>2016</b> , 6, 339-351	8
1488	Logic Design Within Memristive Memories Using Memristor-Aided loGIC (MAGIC). <b>2016</b> , 15, 635-650	168
1487	Study on the bio-functionalization of memristive nanowires for optimum memristive biosensors. <b>2016</b> , 4, 2153-2162	16
1486	Relaxation oscillator-realized artificial electronic neurons, their responses, and noise. <b>2016</b> , 8, 9629-40	31
1485	Atomistic simulations of electrochemical metallization cells: mechanisms of ultra-fast resistance switching in nanoscale devices. <b>2016</b> , 8, 14037-47	17
1484	Engineering incremental resistive switching in TaOx based memristors for brain-inspired computing. <b>2016</b> , 8, 14015-22	189
1483	Pt/WO <sub>3</sub> /FTO memristive devices with recoverable pseudo-electroforming for time-delay switches in neuromorphic computing. <b>2016</b> , 18, 9338-43	26
1482	Adaptive exponential synchronization of memristive neural networks with mixed time-varying delays. <b>2016</b> , 201, 40-50	33
1481	Deterministic Role of Concentration Surplus of Cation Vacancy over Anion Vacancy in Bipolar Memristive NiO. <b>2016</b> , 8, 11583-91	18
1480	Global synchronization of stochastically disturbed memristive neurodynamics via discontinuous control laws. <b>2016</b> , 3, 121-131	25
1479	Recent progress in tungsten oxides based memristors and their neuromorphological applications. <b>2016</b> , 12, 715-731	24
1478	Multiscale Investigation of Oxygen Vacancies in TiO <sub>2</sub> Anatase and Their Role in Memristor Behavior. <b>2016</b> , 120, 22045-22053	16
1477	Large-scale neuromorphic computing systems. <b>2016</b> , 13, 051001	194
1476	Fabrication of a W/CuxO/Cu memristor with sub-micron holes for passive sensing of oxygen. <b>2016</b> , 164, 48-52	7

1475	New results on exponential synchronization of memristor-based neural networks with discontinuous neuron activations. <b>2016</b> , 84, 161-171	47
1474	Sol-gel/drop-coated micro-thick TiO <sub>2</sub> memristors for F <sub>2</sub> sensing. <b>2016</b> , 184, 72-81	25
1473	Impact of Etch Process on Hafnium Dioxide Based Nanoscale RRAM Devices. <b>2016</b> , 75, 93-99	1
1472	Analog memory characteristics of 1T1R MoO <sub>x</sub> resistive random access memory. <b>2016</b> ,	2
1471	A polynomial fractional-order charge-controlled memristor model. <b>2016</b> ,	1
1470	Memristive GaN ultrathin suspended membrane array. <b>2016</b> , 27, 295204	8
1469	Computing with dynamical systems in the post-CMOS era. <b>2016</b> ,	4
1468	Ta <sub>2</sub> O <sub>5</sub> -memristor synaptic array with winner-take-all method for neuromorphic pattern matching. <b>2016</b> , 69, 640-646	12
1467	Reliable Memristive Switching Memory Devices Enabled by Densely Packed Silver Nanocone Arrays as Electric-Field Concentrators. <b>2016</b> , 10, 9478-9488	71
1466	New pulse amplitude modulation for fine tuning of memristor synapses. <b>2016</b> , 55, 162-168	10
1465	Expression of emotion using a system combined artificial neural network and memristor-based crossbar array. <b>2016</b> ,	2
1464	FPGA-based training and recalling system for memristor synapses. <b>2016</b> ,	0
1463	Sequential Memristor Crossbar for Neuromorphic Pattern Recognition. <b>2016</b> , 15, 922-930	12
1462	Synaptic learning behavior based on a Ag/PEDOT:PSS/Ta memristor. <b>2016</b> ,	1
1461	Memristor-Based Discrete Fourier Transform for Improving Performance and Energy Efficiency. <b>2016</b> ,	5
1460	High plasticity reversible resistive switching in heteroepitaxial metal/CeO <sub>2-x</sub> /Nb:SrTiO <sub>3</sub> /Ti/Pt structures. <b>2016</b> , 27, 375705	6
1459	A Memristor Crossbar Based Computing Engine Optimized for High Speed and Accuracy. <b>2016</b> ,	24
1458	A Mini Review of Neuromorphic Architectures and Implementations. <b>2016</b> , 63, 3819-3829	95



1457	Low-Power, Self-Rectifying, and Forming-Free Memristor with an Asymmetric Programming Voltage for a High-Density Crossbar Application. <i>Nano Letters</i> , <b>2016</b> , 16, 6724-6732	11.5	131
1456	Electrocatalytic Nanostructured Ferric Tannates: Characterization and Application of a Polyphenol Nanosensor. <b>2016</b> , 17, 3196-3203		13
1455	Synaptic electronics and neuromorphic computing. <b>2016</b> , 59, 1		58
1454	Proton exchange reactions in SiO <sub>x</sub> -based resistive switching memory: Review and insights from impedance spectroscopy. <b>2016</b> , 44, 75-85		42
1453	Flexible Proton-Gated Oxide Synaptic Transistors on Si Membrane. <b>2016</b> , 8, 21770-5		41
1452	Chameleonic electrochemical metallization cells: dual-layer solid electrolyte-inducing various switching behaviours. <b>2016</b> , 8, 15621-8		5
1451	Repeatable, accurate, and high speed multi-level programming of memristor 1T1R arrays for power efficient analog computing applications. <b>2016</b> , 27, 365202		84
1450	Class A and Class AB CMOS-Only Nanopower Memristive Dynamics Emulators. <b>2016</b> , 26, 1650127		1
1449	Hybrid control of stochastic chaotic system based on memristive Lorenz system with discrete and distributed time-varying delays. <b>2016</b> , 10, 1513-1523		7
1448	A review of emerging non-volatile memory (NVM) technologies and applications. <b>2016</b> , 125, 25-38		282
1447	H state estimation for memristive neural networks with time-varying delays: The discrete-time case. <b>2016</b> , 84, 47-56		37
1446	On-printed circuit board emulator with controllability of pinched hysteresis loop for nanoscale ( $\text{TiO}_2$ ) thin-film memristor device. <b>2016</b> , 15, 993-1002		8
1445	. <b>2016</b> , 63, 1997-2009		79
1444	Low-power approximate convolution computing unit with domain-wall motion based "spin-memristor" for image processing applications. <b>2016</b> ,		8
1443	. <b>2016</b> , 2, 257-264		26
1442	. <b>2016</b> , 21, 442-448		3
1441	Turing Patterns in Memristive Cellular Nonlinear Networks. <b>2016</b> , 63, 1222-1230		23
1440	Memristors for Energy-Efficient New Computing Paradigms. <b>2016</b> , 2, 1600090		188

1439	Dot-product engine for neuromorphic computing. <b>2016,</b>	303
1438	Exploiting the short-term to long-term plasticity transition in memristive nanodevice learning architectures. <b>2016,</b>	5
1437	Realization of Functional Complete Stateful Boolean Logic in Memristive Crossbar. <b>2016,</b> 8, 34559-34567	42
1436	Spintronic Nanodevices for Bioinspired Computing. <b>2016,</b> 104, 2024-2039	254
1435	Coexistence of analog and digital resistive switching in BiFeO <sub>3</sub> -based memristive devices. <b>2016,</b> 296, 114-119	41
1434	Brain-like synaptic operations of thin-film transistors using In-Ga-Zn-O active channel and PVP-SBA electrolytic gate insulator. <b>2016,</b>	
1433	A Digital Memristor Emulator for FPGA-Based Artificial Neural Networks. <b>2016,</b>	14
1432	. <b>2016,</b> 63, 1454-1463	53
1431	An Improved Approach for the Synthesis of Boolean Functions Using Memristor Based IMPLY and INVERSE-IMPLY Gates. <b>2016,</b>	10
1430	Stability analysis of multimode oscillations in three coupled memristor-based circuits. <b>2016,</b> 70, 1569-1579	11
1429	Improved Synaptic Behavior Under Identical Pulses Using AlO <sub>x</sub> /HfO <sub>2</sub> Bilayer RRAM Array for Neuromorphic Systems. <b>2016,</b> 37, 994-997	253
1428	Comparison between Pt/TiO <sub>2</sub> /Pt and Pt/TaOX/TaOY/Pt based bipolar resistive switching devices. <b>2016,</b> 37, 064001	10
1427	Introduction to Nanoionic Elements for Information Technology. <b>2016,</b> 1-30	9
1426	Bottom-Up Approaches for Resistive Switching Memories. <b>2016,</b> 661-694	1
1425	ReRAM-Based Neuromorphic Computing. <b>2016,</b> 715-736	15
1424	Short-Term Plasticity and Long-Term Potentiation in Magnetic Tunnel Junctions: Towards Volatile Synapses. <b>2016,</b> 5,	31
1423	Electro-Photo-Sensitive Memristor for Neuromorphic and Arithmetic Computing. <b>2016,</b> 5,	30
1422	EU COST action IC1401 [Pushing the frontiers of memristive devices to systems. <b>2016,</b>	

1421	Nonvolatile Bipolar Resistive Switching Behavior in the Perovskite-like (CH <sub>3</sub> NH <sub>3</sub> ) <sub>2</sub> FeCl <sub>4</sub> . <b>2016</b> , 8, 18985-90	15
1420	Multistate Resistive Switching Memory for Synaptic Memory Applications. <b>2016</b> , 3, 1600192	17
1419	Novel memory devices based on nanostructured carbon materials. <b>2016</b> ,	
1418	Multiferroics for Spintronics. <b>2016</b> , 139-162	
1417	Unsupervised learning in probabilistic neural networks with multi-state metal-oxide memristive synapses. <b>2016</b> , 7, 12611	216
1416	Orientation selectivity in a multi-gated organic electrochemical transistor. <b>2016</b> , 6, 27007	63
1415	Physical Realization of a Supervised Learning System Built with Organic Memristive Synapses. <b>2016</b> , 6, 31932	41
1414	Microstructure and dynamics of vacancy-induced nanofilamentary switching network in donor doped SrTiO memristors. <b>2016</b> , 27, 505210	33
1413	Double barrier memristive devices for neuromorphic computing. <b>2016</b> ,	3
1412	Neural processor design enabled by memristor technology. <b>2016</b> ,	3
1411	Demonstration of Synaptic Behaviors and Resistive Switching Characterizations by Proton Exchange Reactions in Silicon Oxide. <b>2016</b> , 6, 21268	73
1410	Spatially resolved TiO <sub>x</sub> phases in switched RRAM devices using soft X-ray spectromicroscopy. <b>2016</b> , 6, 21525	19
1409	Advancements in Automation, Robotics and Sensing. <b>2016</b> ,	0
1408	Regenerative memory in time-delayed neuromorphic photonic resonators. <b>2016</b> , 6, 19510	75
1407	Neuromorphic computing with hybrid memristive/CMOS synapses for real-time learning. <b>2016</b> ,	5
1406	Optimized Programming Scheme Enabling Linear Potentiation in Filamentary HfO <sub>2</sub> RRAM Synapse for Neuromorphic Systems. <b>2016</b> , 63, 5064-5067	53
1405	Artificial Synaptic Devices Based on Natural Chicken Albumen Coupled Electric-Double-Layer Transistors. <b>2016</b> , 6, 23578	72
1404	Proton Conducting Graphene Oxide/Chitosan Composite Electrolytes as Gate Dielectrics for New-Concept Devices. <b>2016</b> , 6, 34065	26

1403	Resistive memory device requirements for a neural algorithm accelerator. <b>2016,</b>	91
1402	Magnetic Tunnel Junction Based Long-Term Short-Term Stochastic Synapse for a Spiking Neural Network with On-Chip STDP Learning. <b>2016, 6, 29545</b>	119
1401	A low-voltage, low power STDP synapse implementation using domain-wall magnets for spiking neural networks. <b>2016,</b>	4
1400	Long-Term Homeostatic Properties Complementary to Hebbian Rules in CuPc-Based Multifunctional Memristor. <b>2016, 6, 35273</b>	18
1399	Artificial synapses based on biopolymer electrolyte-coupled SnO <sub>2</sub> nanowire transistors. <b>2016, 4, 11110-11117</b>	39
1398	Mimicking the brain functions of learning, forgetting and explicit/implicit memories with SrTiO <sub>3</sub> -based memristive devices. <b>2016, 18, 31796-31802</b>	31
1397	Memristor crossbar deep network implementation based on a Convolutional neural network. <b>2016,</b>	46
1396	Cyclical sensing integrate-and-fire circuit for memristor array based neuromorphic computing. <b>2016</b>	8
1395	Stochastic synaptic plasticity with memristor crossbar arrays. <b>2016,</b>	0
1394	Organic core-sheath nanowire artificial synapses with femtojoule energy consumption. <b>2016, 2, e1501326</b>	296
1393	Electrical 1D tomography of nanofilaments using in-operando electrical characterization of Pt/NiO/Pt resistive memory cells during FIB milling. <b>2016, 156, 78-81</b>	0
1392	High level abstraction of memristor model for neural network simulation. <b>2016,</b>	1
1391	Forward table-based presynaptic event-triggered spike-timing-dependent plasticity. <b>2016,</b>	8
1390	A Bamboo-Like GaN Microwire-Based Piezotronic Memristor. <b>2016, 26, 5307-5314</b>	15
1389	Synaptic Metaplasticity Realized in Oxide Memristive Devices. <b>2016, 28, 377-84</b>	164
1388	Associative Enhancement of Time Correlated Response to Heterogeneous Stimuli in a Neuromorphic Nanowire Device. <b>2016, 2, 1500458</b>	29
1387	The $\gamma$ -Fe <sub>2</sub> O <sub>3</sub> Nanoparticle Assembly-Based Memristor Ratioed Logic and Its Optical Tuning. <b>2016, 37, 986-989</b>	4
1386	Analog Synapse Device With 5-b MLC and Improved Data Retention for Neuromorphic System. <b>2016, 37, 1067-1070</b>	32

1385	Harmonica: A Framework of Heterogeneous Computing Systems With Memristor-Based Neuromorphic Computing Accelerators. <b>2016</b> , 63, 617-628	35
1384	Proposal for an All-Spin Artificial Neural Network: Emulating Neural and Synaptic Functionalities Through Domain Wall Motion in Ferromagnets. <b>2016</b> , 10, 1152-1160	109
1383	Short-term and long-term memory operations of synapse thin-film transistors using an InGaZnO active channel and a poly(4-vinylphenol) sodium alumina electrolytic gate insulator. <b>2016</b> , 6, 52913-52919	7
1382	Resistive hysteresis in flexible nanocomposites and colloidal suspensions: interfacial coupling mechanism unveiled. <b>2016</b> , 6, 56661-56667	40
1381	Thresholds of frequency selectivity of Pt/poly(3-hexylthiophene-2,5-diyl)/polyethylene oxide + Mg <sup>2+</sup> /Pt heterojunctions. <b>2016</b> , 287, 42-47	4
1380	Resistive Switching and Synaptic Behaviors of TaN/Al <sub>2</sub> O <sub>3</sub> /ZnO/ITO Flexible Devices With Embedded Ag Nanoparticles. <b>2016</b> , 37, 878-881	52
1379	Probabilistic Deep Spiking Neural Systems Enabled by Magnetic Tunnel Junction. <b>2016</b> , 63, 2963-2970	73
1378	A CMOS-compatible electronic synapse device based on Cu/SiO <sub>2</sub> /W programmable metallization cells. <b>2016</b> , 27, 255202	48
1377	Memristive nanodevices: CMOS compatibility and novel applications. <b>2016</b> ,	2
1376	Skin-Inspired Haptic Memory Arrays with an Electrically Reconfigurable Architecture. <b>2016</b> , 28, 1559-66	135
1375	Organometal Halide Perovskite Artificial Synapses. <b>2016</b> , 28, 5916-22	221
1374	Anisotropic Black Phosphorus Synaptic Device for Neuromorphic Applications. <b>2016</b> , 28, 4991-7	217
1373	Energy-Efficient Hybrid Perovskite Memristors and Synaptic Devices. <b>2016</b> , 2, 1600100	215
1372	On the Memristive Properties of Slime Mould. <b>2016</b> , 75-90	
1371	Energy consumption analysis for various memristive networks under different learning strategies. <b>2016</b> , 380, 903-909	13
1370	Fabrication of a resistive switching gallium oxide thin film with a tailored gallium valence state and oxygen deficiency by rf cosputtering process. <b>2016</b> , 6, 8964-8970	17
1369	Investigation of the ferroelectric switching behavior of P(VDF-TrFE)-PMMA blended films for synaptic device applications. <b>2016</b> , 49, 075105	35
1368	Fabrication of zinc stannate based all-printed resistive switching device. <b>2016</b> , 166, 311-316	22

1367	Revival of "dead" memristive devices: case of WO <sub>3</sub> -x. <b>2016</b> , 18, 1392-6	5
1366	A Novel Window Function for Memristor Model With Application in Programming Analog Circuits. <b>2016</b> , 63, 423-427	50
1365	Volatile and Non-Volatile Switching in Cu-SiO <sub>2</sub> Programmable Metallization Cells. <b>2016</b> , 37, 580-583	81
1364	Short-Term Synaptic Plasticity Regulation in Solution-Gated Indium-Gallium-Zinc-Oxide Electric-Double-Layer Transistors. <b>2016</b> , 8, 9762-8	63
1363	Memristive Switching in Bi(1-x)Sb(x) Nanowires. <b>2016</b> , 8, 9224-30	7
1362	Prospects of efficient neural computing with arrays of magneto-metallic neurons and synapses. <b>2016</b> ,	1
1361	Magnetization switching by spin-orbit torque in an antiferromagnet-ferromagnet bilayer system. <b>2016</b> , 15, 535-41	534
1360	Silicon-Based Floating-Body Synaptic Transistor With Frequency-Dependent Short- and Long-Term Memories. <b>2016</b> , 37, 249-252	52
1359	Design of Non-volatile SRAM Cell Using Memristor. <b>2016</b> , 175-183	
1358	Niobium oxides and niobates physical properties: Review and prospects. <b>2016</b> , 80, 1-37	244
1357	Neuromorphic Computing Based on Emerging Memory Technologies. <b>2016</b> , 6, 198-211	67
1356	An organic terpyridyl-iron polymer based memristor for synaptic plasticity and learning behavior simulation. <b>2016</b> , 6, 25179-25184	37
1355	Tuning Ionic Transport in Memristive Devices by Graphene with Engineered Nanopores. <b>2016</b> , 10, 3571-9	106
1354	Complementary Floating Gate Transistors With Memristive Operation Mode. <b>2016</b> , 37, 186-189	4
1353	Cluster and Group Synchrony: The Theory. <b>2016</b> , 61-94	
1352	Exponential stability of memristor-based synchronous switching neural networks with time delays. <b>2016</b> , 09, 1650016	2
1351	Raman micro-spectroscopy study of living SH-SY5Y cells adhering on different substrates. <b>2016</b> , 208, 48-53	10
1350	Nanoscale cation motion in TaO(x), HfO(x) and TiO(x) memristive systems. <b>2016</b> , 11, 67-74	419

1349	Spin-Transfer Torque Devices for Logic and Memory: Prospects and Perspectives. <b>2016</b> , 35, 1-22	114
1348	Exponential Synchronization of Coupled Stochastic Memristor-Based Neural Networks With Time-Varying Probabilistic Delay Coupling and Impulsive Delay. <b>2016</b> , 27, 190-201	165
1347	Bio-hybrid interfaces to study neuromorphic functionalities: New multidisciplinary evidences of cell viability on poly(aniiline) (PANI), a semiconductor polymer with memristive properties. <b>2016</b> , 208, 40-7	20
1346	Synchronization Control of Neural Networks With State-Dependent Coefficient Matrices. <b>2016</b> , 27, 2440-2447	13
1345	Feature Extraction Using Memristor Networks. <b>2016</b> , 27, 2327-2336	54
1344	. <b>2016</b> , 24, 678-691	2
1343	Relaxed dissipativity criteria for memristive neural networks with leakage and time-varying delays. <b>2016</b> , 171, 708-718	19
1342	Pavlov associative memory in a memristive neural network and its circuit implementation. <b>2016</b> , 171, 23-29	53
1341	Realistic Hodgkin-Huxley Axons Using Stochastic Behavior of Memristors. <b>2017</b> , 45, 1-14	18
1340	Transient response characteristic of memristor circuits and biological-like current spikes. <b>2017</b> , 28, 3295-3305	6
1339	Modular neuron comprises of memristor-based synapse. <b>2017</b> , 28, 1-11	16
1338	Generalized two-port elements. <b>2017</b> , 42, 451-455	8
1337	Exponential Synchronization of Memristive Neural Networks With Delays: Interval Matrix Method. <b>2017</b> , 28, 1878-1888	155
1336	Multiple memristor series-parallel connections with use in synaptic circuit design. <b>2017</b> , 11, 123-134	12
1335	Gap junctional signaling in pattern regulation: Physiological network connectivity instructs growth and form. <b>2017</b> , 77, 643-673	50
1334	Freeform Compliant CMOS Electronic Systems for Internet of Everything Applications. <b>2017</b> , 64, 1894-1905	12
1333	Self-directed channel memristor for high temperature operation. <b>2017</b> , 59, 10-14	35
1332	Forgetting memristor based neuromorphic system for pattern training and recognition. <b>2017</b> , 222, 47-53	26

1331	Finite-time synchronization of memristor-based neural networks with mixed delays. <b>2017</b> , 235, 83-89	53
1330	Electrochemically Modulated Luminescence in Nanophotonic Structures. <b>2017</b> , 79-104	
1329	A historical survey of algorithms and hardware architectures for neural-inspired and neuromorphic computing applications. <b>2017</b> , 19, 49-64	29
1328	Magnetic skyrmion-based synaptic devices. <b>2017</b> , 28, 08LT02	152
1327	Efficient Memristor Model Implementation for Simulation and Application. <b>2017</b> , 36, 1226-1230	17
1326	Reconfiguration on nanocrossbar using material implication. <b>2017</b> , 42, 33-44	
1325	A Leaky-Integrate-and-Fire Neuron Analog Realized with a Mott Insulator. <b>2017</b> , 27, 1604740	126
1324	Memristor-Based Low-Power High-Speed Nonvolatile Hybrid Memory Array Design. <b>2017</b> , 36, 3585-3597	7
1323	A flexible memristive model with simplex basis function. <b>2017</b> , 30, e2183	1
1322	The development of sol-gel derived TiO <sub>2</sub> thin films and corresponding memristor architectures. <b>2017</b> , 7, 1654-1663	16
1321	Compact Model of HfOX-Based Electronic Synaptic Devices for Neuromorphic Computing. <b>2017</b> , 64, 614-621	38
1320	Nonvolatile Memory Crossbar Arrays for Non-von Neumann Computing. <b>2017</b> , 129-149	0
1319	Reinterpretation of Magnetic Tunnel Junctions as Stochastic Memristive Devices. <b>2017</b> , 81-107	
1318	Memristive-Based Neuromorphic Applications and Associative Memories. <b>2017</b> , 305-342	5
1317	Organic electronics: Battery-like artificial synapses. <b>2017</b> , 16, 396-397	24
1316	An efficient analog Hamming distance comparator realized with a unipolar memristor array: a showcase of physical computing. <b>2017</b> , 7, 40135	22
1315	A Dual-Organic-Transistor-Based Tactile-Perception System with Signal-Processing Functionality. <b>2017</b> , 29, 1606088	154
1314	Pattern Recognition Using Carbon Nanotube Synaptic Transistors with an Adjustable Weight Update Protocol. <b>2017</b> , 11, 2814-2822	192



1313	Origins and mechanisms of hysteresis in organometal halide perovskites. <b>2017</b> , 29, 193001	35
1312	Synaptic Plasticity and Learning Behaviors Mimicked in Single Inorganic Synapses of Pt/HfO/ZnO/TiN Memristive System. <b>2017</b> , 12, 65	33
1311	FALCON: Feature Driven Selective Classification for Energy-Efficient Image Recognition. <b>2017</b> , 36, 2017-2029	9
1310	Synchronization and chaos in coupled memristor-based FitzHugh-Nagumo circuits with memristor synapse. <b>2017</b> , 75, 82-90	67
1309	A multiply-add engine with monolithically integrated 3D memristor crossbar/CMOS hybrid circuit. <b>2017</b> , 7, 42429	46
1308	Cathodic arc sputtering of functional titanium oxide thin films, demonstrating resistive switching. <b>2017</b> , 513, 15-20	3
1307	Bipolar resistive switching in Si/Ag nanostructures. <b>2017</b> , 424, 122-126	10
1306	Fractional-order charge-controlled memristor: theoretical analysis and simulation. <b>2017</b> , 87, 2625-2634	22
1305	Gate-tunable, normally-on to normally-off memristance transition in patterned LaAlO <sub>3</sub> /SrTiO <sub>3</sub> interfaces. <b>2017</b> , 110, 093506	5
1304	Mimicking Neurotransmitter Release in Chemical Synapses via Hysteresis Engineering in MoS Transistors. <b>2017</b> , 11, 3110-3118	155
1303	Probing electrochemistry at the nanoscale: in situ TEM and STM characterizations of conducting filaments in memristive devices. <b>2017</b> , 39, 73-93	22
1302	Spatially-correlated neuron transistors with ion-gel gating for brain-inspired applications. <b>2017</b> , 44, 25-31	36
1301	Ultrasensitive Memristive Synapses Based on Lightly Oxidized Sulfide Films. <b>2017</b> , 29, 1606927	127
1300	Pulse Responses of the Conducting Polymer Poly(3,4-ethylenedioxythiophene): Poly(styrenesulfonate)-Based Junctions. <b>2017</b> , 46, 1849-1854	1
1299	Region stability analysis for switched discrete-time recurrent neural network with multiple equilibria. <b>2017</b> , 249, 182-190	16
1298	Single target sputter deposition of alloy nanoparticles with adjustable composition via a gas aggregation cluster source. <b>2017</b> , 28, 175703	38
1297	Neuro-inspired Computing Using Resistive Synaptic Devices. <b>2017</b> ,	36
1296	Arbitrary Spike Time Dependent Plasticity (STDP) in Memristor by Analog Waveform Engineering. <b>2017</b> , 38, 740-743	38

1295	Zero-static-power nonvolatile logic-in-memory circuits for flexible electronics. <b>2017</b> , 10, 2459-2470	31
1294	Memcomputing (Memristor + Computing) in Intrinsic SiO <sub>x</sub> -Based Resistive Switching Memory: Arithmetic Operations for Logic Applications. <b>2017</b> , 64, 2977-2983	28
1293	Nanoionics-Enabled Memristive Devices: Strategies and Materials for Neuromorphic Applications. <b>2017</b> , 3, 1600510	123
1292	Long-term synaptic plasticity simulated in ionic liquid/polymer hybrid electrolyte gated organic transistors. <b>2017</b> , 47, 126-132	48
1291	Transporting an ionic-liquid/water mixture in a conical nanochannel: a nanofluidic memristor. <b>2017</b> , 53, 6125-6127	37
1290	Analysis of loss mechanisms in Ag <sub>2</sub> ZnSnSe <sub>4</sub> Schottky barrier photovoltaics. <b>2017</b> , 121, 174501	12
1289	Synaptic transistor with a reversible and analog conductance modulation using a Pt/HfO <sub>x</sub> /n-IGZO memcapacitor. <b>2017</b> , 28, 225201	15
1288	Tolerance of intrinsic device variation in fuzzy restricted Boltzmann machine network based on memristive nano-synapses. <b>2017</b> , 1, 015003	9
1287	A Synaptic Transistor based on Quasi-2D Molybdenum Oxide. <b>2017</b> , 29, 1700906	231
1286	Weight Tuning of Resistive Synaptic Devices and Convolution Kernel Operation on 12 × 12 Cross-Point Array. <b>2017</b> , 135-151	
1285	Electrical characteristics of nanocrystalline silicon resistive memory devices. <b>2017</b> ,	
1284	Multifunctional Nanoionic Devices Enabling Simultaneous Heterosynaptic Plasticity and Efficient In-Memory Boolean Logic. <b>2017</b> , 3, 1700032	43
1283	A MoS <sub>2</sub> -based coplanar neuron transistor for logic applications. <b>2017</b> , 28, 214001	9
1282	Probing nanoscale oxygen ion motion in memristive systems. <b>2017</b> , 8, 15173	112
1281	Pavlovian conditioning demonstrated with neuromorphic memristive devices. <b>2017</b> , 7, 713	38
1280	Intrinsic resistance switching in amorphous silicon oxide for high performance SiO <sub>x</sub> ReRAM devices. <b>2017</b> , 178, 98-103	45
1279	Rectification-Regulated Memristive Characteristics in Electron-Type CuPc-Based Element for Electrical Synapse. <b>2017</b> , 3, 1700063	20
1278	Primary cortical neurons on PMCS TiO <sub>2</sub> films towards bio-hybrid memristive device: A morpho-functional study. <b>2017</b> , 229, 115-122	8

1277	Experimental Demonstration of Feature Extraction and Dimensionality Reduction Using Memristor Networks. <i>Nano Letters</i> , <b>2017</b> , 17, 3113-3118	11.5	128
1276	Characteristics and transport mechanisms of triple switching regimes of TaOx memristor. <b>2017</b> , 110, 173504		20
1275	Introduction to Neuro-Inspired Computing Using Resistive Synaptic Devices. <b>2017</b> , 1-15		5
1274	Training and Inference in Hopfield Network Using 10 × 10 Phase Change Synaptic Array. <b>2017</b> , 99-111		1
1273	2D Nanoelectronics. <b>2017</b> ,		11
1272	Emulation of synaptic metaplasticity in memristors. <b>2017</b> , 9, 45-51		56
1271	Group Scissor. <b>2017</b> ,		19
1270	Brain-Inspired Photonic Neuromorphic Devices using Photodynamic Amorphous Oxide Semiconductors and their Persistent Photoconductivity. <b>2017</b> , 29, 1700951		227
1269	Neuromorphic device architectures with global connectivity through electrolyte gating. <b>2017</b> , 8, 15448		182
1268	Recent Advances on Neuromorphic Systems Using Phase-Change Materials. <b>2017</b> , 12, 347		43
1267	Hybrid spiking-based multi-layered self-learning neuromorphic system based on memristor crossbar arrays. <b>2017</b> ,		8
1266	Magnetic tunnel junction enabled all-spin stochastic spiking neural network. <b>2017</b> ,		22
1265	Nonvolatile processors: Why is it trending?. <b>2017</b> ,		9
1264	Circuit Techniques for Online Learning of Memristive Synapses in CMOS-Memristor Neuromorphic Systems. <b>2017</b> ,		3
1263	Robust neuromorphic computing in the presence of process variation. <b>2017</b> ,		9
1262	Fabrication and characterisation of fluidic based memristor sensor for liquid with hydroxyl group. <b>2017</b> , 14, 21-29		4
1261	Modeling resistive switching materials and devices across scales. <b>2017</b> , 39, 39-60		11
1260	Magnetic skyrmion-based artificial neuron device. <b>2017</b> , 28, 31LT01		105

1259	Experimental demonstration of sequence recognition of serial memristors. <b>2017</b> , 13, 86-90	0
1258	Nanogenerator-induced synaptic plasticity and metaplasticity of bio-realistic artificial synapses. <b>2017</b> , 9, e381-e381	43
1257	Three-dimensional crossbar arrays of self-rectifying Si/SiO/Si memristors. <b>2017</b> , 8, 15666	115
1256	A novel artificial synapse with dual modes using bilayer graphene as the bottom electrode. <b>2017</b> , 9, 9275-9283	55
1255	Temporal Learning Using Second-Order Memristors. <b>2017</b> , 16, 721-723	24
1254	On-chip training of memristor crossbar based multi-layer neural networks. <b>2017</b> , 66, 31-40	55
1253	Sparse coding with memristor networks. <b>2017</b> , 12, 784-789	388
1252	A memristor crossbar array of titanium oxide for non-volatile memory and neuromorphic applications. <b>2017</b> , 32, 065014	30
1251	Synaptic plasticity and learning behavior in transparent tungsten oxide-based memristors. <b>2017</b> , 129, 173-179	21
1250	Postsynthetic Route for Modifying the Metal/Insulator Transition of VO <sub>2</sub> by Interstitial Dopant Incorporation. <b>2017</b> , 29, 5401-5412	28
1249	Master-slave exponential synchronization of delayed complex-valued memristor-based neural networks via impulsive control. <b>2017</b> , 93, 165-175	71
1248	Bridging electrochemical and electron devices: fast resistive switching based on polyaniline from one pot synthesis using FeCl <sub>3</sub> as oxidant and co-doping agent. <b>2017</b> , 229, 72-81	18
1247	Controllable memristive patterns in poly(9,9-dioctylfluorene)-based sandwich device. <b>2017</b> , 49, 313-320	1
1246	2D MoS <sub>2</sub> Neuromorphic Devices for Brain-Like Computational Systems. <b>2017</b> , 13, 1700933	200
1245	Magnetization switching schemes for nanoscale three-terminal spintronics devices. <b>2017</b> , 56, 0802A1	36
1244	High-Density and Near-Linear Synaptic Device Based on a Reconfigurable Gated Schottky Diode. <b>2017</b> , 38, 1153-1156	38
1243	Finite-Time Lag Synchronization for Memristive Mixed Delays Neural Networks with Parameter Mismatch. <b>2017</b> , 47, 365	1
1242	BaTiO <sub>3</sub> thin films on platinized silicon: Growth, characterization and resistive memory behavior. <b>2017</b> , 628, 208-213	6

1241	Learning through ferroelectric domain dynamics in solid-state synapses. <b>2017</b> , 8, 14736	300
1240	Fusion of Image Storage and Operation Based on Ag-Chalcogenide Memristor with Synaptic Plasticity. <b>2017</b> , 26, 1750161	3
1239	Associative learning with Y-shaped floating gate transistors operated in memristive modes. <b>2017</b> , 110, 053503	6
1238	Voltage-polarity dependent multi-mode resistive switching on sputtered MgO nanostructures. <b>2017</b> , 19, 10898-10904	10
1237	Pulse area dependent gradual resistance switching characteristics of CMOS compatible SiNx-based resistive memory. <b>2017</b> , 132, 109-114	10
1236	Diverse Synaptic Plasticity Induced by the Interplay of Ionic Polarization and Doping at Salt-Doped Electrolyte/Semiconducting Polymer Interface. <b>2017</b> , 2, 746-754	5
1235	Spectroscopy: Mapping spins in flatland. <b>2017</b> , 16, 397-398	
1234	The basic $I-V$ characteristics of memristor model: simulation and analysis. <b>2017</b> , 123, 1	6
1233	Oxide-based synaptic transistors gated by solution-processed gelatin electrolytes. <b>2017</b> , 123, 1	14
1232	Origin of multistate resistive switching in Ti/manganite/SiO <sub>x</sub> /Si heterostructures. <b>2017</b> , 110, 053501	21
1231	Synaptic plasticity and oscillation at zinc tin oxide/silver oxide interfaces. <b>2017</b> , 121, 054104	5
1230	Atomic crystals resistive switching memory. <b>2017</b> , 26, 033201	
1229	Memristive Devices with Highly Repeatable Analog States Boosted by Graphene Quantum Dots. <b>2017</b> , 13, 1603435	36
1228	Black Phosphorus Quantum Dots with Tunable Memory Properties and Multilevel Resistive Switching Characteristics. <b>2017</b> , 4, 1600435	135
1227	Nanoscale Tipping Bucket Effect in a Quantum Dot Transistor-Based Counter. <i>Nano Letters</i> , <b>2017</b> , 17, 2273-2279	11.5 5
1226	Electronic Devices Based on Atomically Thin Materials. <b>2017</b> , 161-196	
1225	Nonequilibrium response of a voltage gated sodium ion channel and biophysical characterization of dynamic hysteresis. <b>2017</b> , 415, 113-124	2
1224	DNA-based nanowires and nanodevices. <b>2017</b> , 2, 22-34	1

1223	A Hybrid CMOS-Memristor Neuromorphic Synapse. <b>2017</b> , 11, 434-445	73
1222	Total-Ionizing-Dose Effects on Resistance Stability of Programmable Metallization Cell Based Memory and Selectors. <b>2017</b> , 64, 269-276	10
1221	Modeling and character analyzing of current-controlled memristors with fractional kinetic transport. <b>2017</b> , 48, 224-235	7
1220	The RFET $\bar{B}$ reconfigurable nanowire transistor and its application to novel electronic circuits and systems. <b>2017</b> , 32, 043001	50
1219	3-D Memristor Crossbars for Analog and Neuromorphic Computing Applications. <b>2017</b> , 64, 312-318	126
1218	Resistive switching of Pt/TiO <sub>2</sub> /Pt devices fabricated on flexible Parylene-C substrates. <b>2017</b> , 28, 025303	14
1217	Floating memristor emulator with subthreshold region. <b>2017</b> , 90, 471-475	52
1216	Atomic origin of the traps in memristive interface. <b>2017</b> , 10, 1924-1931	4
1215	Mimicking Classical Conditioning Based on a Single Flexible Memristor. <b>2017</b> , 29, 1602890	93
1214	Printed Neuromorphic Devices Based on Printed Carbon Nanotube Thin-Film Transistors. <b>2017</b> , 27, 1604447	112
1213	Bond graph and memristor approach to DNA analysis. <b>2017</b> , 88, 1051-1057	6
1212	Memristive stochastic plasticity enables mimicking of neural synchrony: Memristive circuit emulates an optical illusion. <b>2017</b> , 3, e1700849	43
1211	Flexible three-dimensional artificial synapse networks with correlated learning and trainable memory capability. <b>2017</b> , 8, 752	176
1210	A programming framework for neuromorphic systems with emerging technologies. <b>2017</b> ,	3
1209	Hierarchical nanoporous metals as a path toward the ultimate three-dimensional functionality. <b>2017</b> , 18, 724-740	37
1208	Multiple Physical Time Scales and Dead Time Rule in Few-Nanometers Sized Graphene-SiO <sub>2</sub> -Graphene Memristors. <i>Nano Letters</i> , <b>2017</b> , 17, 6783-6789	11.5 15
1207	Ferroelectric-Like Charge Trapping Thin-Film Transistors and Their Evaluation as Memories and Synaptic Devices. <b>2017</b> , 3, 1700309	27
1206	A High-On/Off-Ratio Floating-Gate Memristor Array on a Flexible Substrate via CVD-Grown Large-Area 2D Layer Stacking. <b>2017</b> , 29, 1703363	68

1205	Planar and 3D fibrous polyaniline-based materials for memristive elements. <b>2017</b> , 13, 7300-7306	9
1204	Stochastic dynamics of resistive switching: fluctuations lead to optimal particle number. <b>2017</b> , 19, 093007	2
1203	On-chip photonic synapse. <b>2017</b> , 3, e1700160	226
1202	Synchronization between neurons coupled by memristor. <b>2017</b> , 104, 435-442	84
1201	Light-Gated Memristor with Integrated Logic and Memory Functions. <b>2017</b> , 11, 11298-11305	116
1200	Bio-mimicking the synaptic weights, analog memory, and forgetting effect using spray deposited WO <sub>3</sub> memristor device. <b>2017</b> , 183-184, 12-18	22
1199	Multi-physics transient simulation of monolithic niobium dioxide-tantalum dioxide memristor-selector structures. <b>2017</b> , 111, 153107	9
1198	Atomically Thin Femtojoule Memristive Device. <b>2017</b> , 29, 1703232	95
1197	Reversible optical switching memristors with tunable STDP synaptic plasticity: a route to hierarchical control in artificial intelligent systems. <b>2017</b> , 9, 17091-17098	38
1196	Artificial Synapses with Short- and Long-Term Memory for Spiking Neural Networks Based on Renewable Materials. <b>2017</b> , 11, 8962-8969	204
1195	Aging Effect of the Resistive Switching in ZnO Thin Film. <b>2017</b> , 254, 1700208	4
1194	Double quantum dot memristor. <b>2017</b> , 96,	9
1193	Customized binary and multi-level HfO <sub>2</sub> -based memristors tuned by oxidation conditions. <b>2017</b> , 7, 10070	30
1192	NbO <sub>x</sub> based oscillation neuron for neuromorphic computing. <b>2017</b> , 111, 103503	77
1191	Memristive computing devices and applications. <b>2017</b> , 39, 4-20	30
1190	Electronic imitation of behavioral and psychological synaptic activities using TiO <sub>2</sub> /AlO <sub>x</sub> -based memristor devices. <b>2017</b> , 9, 14442-14450	76
1189	Fixed-time synchronization of memristor-based BAM neural networks with time-varying discrete delay. <b>2017</b> , 96, 47-54	67
1188	Tuning analog resistive switching and plasticity in bilayer transition metal oxide based memristive synapses. <b>2017</b> , 7, 43132-43140	21

1187	Flexible frequency selective passive circuits based on memristor and capacitor. <b>2017</b> , 51, 119-127	13
1186	Alloy multilayers and ternary nanostructures by direct-write approach. <b>2017</b> , 28, 415302	7
1185	Implications of the Use of Magnetic Tunnel Junctions as Synapses in Neuromorphic Systems. <b>2017</b> ,	
1184	Synchronization Control of Coupled Memristor-Based Neural Networks with Mixed Delays and Stochastic Perturbations. <b>2017</b> , 47, 679	5
1183	A low-cost copper oxide thin film memristive device based on successive ionic layer adsorption and reaction method. <b>2017</b> , 71, 102-108	19
1182	Hardware implementation of echo state networks using memristor double crossbar arrays. <b>2017</b> ,	12
1181	Memristive neural network for on-line learning and tracking with brain-inspired spike timing dependent plasticity. <b>2017</b> , 7, 5288	113
1180	MNSIM: Simulation Platform for Memristor-Based Neuromorphic Computing System. <b>2017</b> , 1-1	12
1179	Hard and soft excitation of oscillations in memristor-based oscillators with a line of equilibria. <b>2017</b> , 89, 2829-2843	11
1178	Memristor emulator with tunable characteristic and its experimental results. <b>2017</b> , 81, 99-104	63
1177	Low-VDD Operation of SRAM Synaptic Array for Implementing Ternary Neural Network. <b>2017</b> , 25, 2962-2965	13
1176	Quantum neuristor: From theory to experiment. <b>2017</b> , 62, 1131-1133	
1175	Organic electronic synapses with pinched hystereses based on graphene quantum-dot nanocomposites. <b>2017</b> , 9, e413-e413	26
1174	Multi-level switching in TiOx/Fyfilm with nanoparticles. <b>2017</b> , 50, 385106	
1173	EnsembleSNN: Distributed assistive STDP learning for energy-efficient recognition in spiking neural networks. <b>2017</b> ,	2
1172	A light-stimulated synaptic device based on graphene hybrid phototransistor. <b>2017</b> , 4, 035022	132
1171	Single DVCCTA based high frequency incremental/decremental memristor emulator and its application. <b>2017</b> , 82, 177-190	44
1170	Scalability of voltage-controlled filamentary and nanometallic resistance memory devices. <b>2017</b> , 9, 12690-12697	1



1169	Multiple resistive switching in core-shell ZnO nanowires exhibiting tunable surface states. <b>2017</b> , 5, 10517-10523	33
1168	Truly Electroforming-Free and Low-Energy Memristors with Preconditioned Conductive Tunneling Paths. <b>2017</b> , 27, 1702010	56
1167	Performance analysis and benchmarking of all-spin spiking neural networks (Special session paper). <b>2017</b> ,	9
1166	Synthesis of multi-layer graphene films on silica using physical vapour deposition. <b>2017</b> , 123, 683-687	6
1165	A Versatile and Accurate Compact Model of Memristor With Equivalent Resistor Topology. <b>2017</b> , 38, 1367-1370	8
1164	General decay synchronization of memristor-based Cohen-Crossberg neural networks with mixed time-delays and discontinuous activations. <b>2017</b> , 354, 7028-7052	26
1163	Memristive Behavior Based on Ba-Doped SrTiO <sub>3</sub> Films. <b>2017</b> , 34, 038502	16
1162	Three-terminal resistive switch based on metal/metal oxide redox reactions. <b>2017</b> , 7, 7452	6
1161	Light-activated resistance switching in SiO <sub>x</sub> RRAM devices. <b>2017</b> , 111, 233502	34
1160	Implementing p-bits With Embedded MTJ. <b>2017</b> , 38, 1767-1770	58
1159	Memristor crossbar-based ultra-efficient next-generation baseband processors. <b>2017</b> ,	10
1158	Piecewise empirical model (PEM) of resistive memory for pulsed analog and neuromorphic applications. <b>2017</b> , 16, 1144-1153	2
1157	Low-Temperature-Grown KNbO <sub>3</sub> Thin Films and Their Application to Piezoelectric Nanogenerators and Self-Powered ReRAM Device. <b>2017</b> , 9, 43220-43229	16
1156	A differential memristive synapse circuit for on-line learning in neuromorphic computing systems. <b>2017</b> , 1, 035003	27
1155	Bioinspired Tribotronic Resistive Switching Memory for Self-Powered Memorizing Mechanical Stimuli. <b>2017</b> , 9, 43822-43829	32
1154	Synapse-Inspired Variable Conductance in Biomembranes: A Preliminary Study. <b>2017</b> ,	
1153	Delay dynamics of neuromorphic optoelectronic nanoscale resonators: Perspectives and applications. <b>2017</b> , 27, 114323	17
1152	Memristor interpretations based on constitutive relations. <b>2017</b> , 38, 104005	1

1151	Multilevel storage device based on domain-wall motion in a magnetic tunnel junction. <b>2017</b> , 111, 182410	36
1150	Reliability analysis of MTJ-based functional module for neuromorphic computing. <b>2017</b> ,	3
1149	Memristive device based learning for navigation in robots. <b>2017</b> , 12, 066011	1
1148	Spike timing dependent plasticity based enhanced self-learning for efficient pattern recognition in spiking neural networks. <b>2017</b> ,	11
1147	The memristive artificial neuron high level architecture for biologically inspired robotic systems. <b>2017</b> ,	3
1146	On-chip training of memristor based deep neural networks. <b>2017</b> ,	23
1145	Emulating Short-Term and Long-Term Plasticity of Bio-Synapse Based on Cu/a-Si/Pt Memristor. <b>2017</b> , 38, 1208-1211	89
1144	P-type polymer-based Ag <sub>2</sub> S atomic switch for Bug of war operation. <b>2017</b> , 56, 06GF03	5
1143	Imitating the brain with neurocomputer a New way towards artificial general intelligence. <b>2017</b> , 14, 520-531	31
1142	Emulating Bilingual Synaptic Response Using a Junction-Based Artificial Synaptic Device. <b>2017</b> , 11, 7156-7163	75
1141	Artificial synaptic characteristics with strong analog memristive switching in a Pt/CeO/Pt structure. <b>2017</b> , 28, 285203	28
1140	Methods for high resolution programming in lithium niobate memristors for neuromorphic hardware. <b>2017</b> ,	3
1139	Integrated Circuit with Memristor Emulator Array and Neuron Circuits for Biologically Inspired Neuromorphic Pattern Recognition. <b>2017</b> , 26, 1750183	7
1138	Compliance-Free ZrO/ZrO <sub>2</sub> /ZrO Resistive Memory with Controllable Interfacial Multistate Switching Behaviour. <b>2017</b> , 12, 384	21
1137	Ultra-fast robust compressive sensing based on memristor crossbars. <b>2017</b> ,	2
1136	Improving Analog Switching in HfO <sub>x</sub> -Based Resistive Memory With a Thermal Enhanced Layer. <b>2017</b> , 38, 1019-1022	136
1135	A Compact Memristor-Based Dynamic Synapse for Spiking Neural Networks. <b>2017</b> , 36, 1353-1366	59
1134	Controllable Multiple Depression in a Graphene Oxide Artificial Synapse. <b>2017</b> , 3, 1600244	25

1133	An approximate backpropagation learning rule for memristor based neural networks using synaptic plasticity. <b>2017</b> , 237, 193-199	27
1132	Effect of surfactants on the data directionality and learning behaviour of Al/TiO <sub>2</sub> /FTO thin film memristor-based electronic synapse. <b>2017</b> , 21, 2753-2757	16
1131	Electrochemical-reaction-induced synaptic plasticity in MoO-based solid state electrochemical cells. <b>2017</b> , 19, 4190-4198	46
1130	A novel memristive Hopfield neural network with application in associative memory. <b>2017</b> , 227, 142-148	96
1129	Energy Efficient RRAM Crossbar-Based Approximate Computing for Smart Cameras. <b>2017</b> , 109-133	1
1128	Steep sub-threshold current slope (~2 mV/dec) Pt/Cu <sub>2</sub> S/Pt gated memristor with I <sub>on</sub> /I <sub>off</sub> > 100. <b>2017</b> , 127, 20-25	10
1127	Organic Memristor Based Elements for Bio-inspired Computing. <b>2017</b> , 469-496	8
1126	Memristors in Unconventional Computing: How a Biomimetic Circuit Element Can be Used to Do Bioinspired Computation. <b>2017</b> , 497-542	
1125	Memristors with diffusive dynamics as synaptic emulators for neuromorphic computing. <b>2017</b> , 16, 101-108	1201
1124	Relaxed exponential passivity criteria for memristor-based neural networks with leakage and time-varying delays. <b>2017</b> , 8, 1875-1886	3
1123	Zinc Oxide Thin Films for Memristive Devices: A Review. <b>2017</b> , 42, 153-172	64
1122	A general overview of memristor devices. <b>2017</b> ,	
1121	2D molybdenum disulfide (MoS <sub>2</sub> ) transistors driving RRAMs with 1T1R configuration. <b>2017</b> ,	4
1120	Chaotic synchronization in coupled neuronal circuits via a memristor. <b>2017</b> ,	0
1119	Simulating and Estimating the Behavior of a Neuromorphic Co-Processor. <b>2017</b> ,	3
1118	. <b>2017</b> ,	2
1117	Gate-tunable memristors from monolayer MoS <sub>2</sub> . <b>2017</b> ,	4
1116	Characterization, and modeling of memristor devices. <b>2017</b> ,	0

1115	Ferroelectric FET analog synapse for acceleration of deep neural network training. <b>2017,</b>	181
1114	Resistive switching effects in nanomaterials based memristors. <b>2017,</b>	
1113	A Drift-Tolerant Read/Write Scheme for Multilevel Memristor Memory. <b>2017, 16, 1016-1027</b>	12
1112	Fully-connected single-layer STT-MTJ-based spiking neural network under process variability. <b>2017,</b>	6
1111	Observation of Conductive Filament in CBRAM at Switching Moment. <b>2017, 80, 895-902</b>	5
1110	New design of a three-terminal memristor emulator. <b>2017,</b>	2
1109	Encoding neural and synaptic functionalities in electron spin: A pathway to efficient neuromorphic computing. <b>2017, 4, 041105</b>	71
1108	Stochastic Spiking Neural Networks Enabled by Magnetic Tunnel Junctions: From Nontelegraphic to Telegraphic Switching Regimes. <b>2017, 8,</b>	33
1107	Reservoir computing using dynamic memristors for temporal information processing. <b>2017, 8, 2204</b>	277
1106	Threshold switching in SiGeAsTeN chalcogenide glass prepared by As ion implantation into sputtered SiGeTeN film. <b>2017, 111, 252102</b>	10
1105	Dynamic Analysis of a Physical SBT Memristor-Based Chaotic Circuit. <b>2017, 27, 1730047</b>	22
1104	Scalable excitatory synaptic circuit design using floating gate based leaky integrators. <b>2017, 7, 17579</b>	3
1103	Modeling biochemical reactions and gene networks with memristors. <b>2017,</b>	2
1102	System-level benchmark of synaptic device characteristics for neuro-inspired computing. <b>2017,</b>	1
1101	Level-shifted neural encoded analog-to-digital converter. <b>2017,</b>	4
1100	STDP synapse with outstanding stability based on a novel insulator-to-metal transition FET. <b>2017,</b>	3
1099	Spiking neural networks [Algorithms, hardware implementations and applications]. <b>2017,</b>	6
1098	Programmable delay element using memristor and case study in delay lock loop. <b>2017,</b>	2

1097	Learning method for ex-situ training of memristor crossbar based multi-layer neural network. <b>2017,</b>	3
1096	Memristor crossbar based implementation of a multilayer perceptron. <b>2017,</b>	5
1095	Cognitive domain ontologies in a memristor crossbar architecture. <b>2017,</b>	2
1094	NeuroSim+: An integrated device-to-algorithm framework for benchmarking synaptic devices and array architectures. <b>2017,</b>	121
1093	Statistical analysis on variation tolerance of time-shared Twin Memristor Crossbar for pattern matching. <b>2017,</b>	
1092	A Unified Hardware/Software Co-Design Framework for Neuromorphic Computing Devices and Applications. <b>2017,</b>	8
1091	Finite-time synchronization of memristive hyperchaotic systems. <b>2017,</b>	
1090	New synchronization criteria for memristor-based recurrent neural networks with mixed delays. <b>2017,</b>	0
1089	TraNNsformer: Neural network transformation for memristive crossbar based neuromorphic system design. <b>2017,</b>	24
1088	Energy-efficient hybrid CMOS-NEMS LIF neuron circuit in 28 nm CMOS process. <b>2017,</b>	6
1087	Challenges for advanced end of the roadmap, beyond Si and beyond CMOS technologies. <b>2017,</b>	1
1086	Implementation of pulse timing discriminator functionality into a GeSbTe/GeCuTe double layer structure. <b>2017, 25, 26825-26831</b>	1
1085	Coupling Resistive Switching Devices with Neurons: State of the Art and Perspectives. <b>2017, 11, 70</b>	38
1084	Double-Barrier Memristive Devices for Unsupervised Learning and Pattern Recognition. <b>2017, 11, 91</b>	26
1083	Nanowire FET Based Neural Element for Robotic Tactile Sensing Skin. <b>2017, 11, 501</b>	67
1082	Stabilization and Synchronization of Memristive Chaotic Circuits by Impulsive Control. <b>2017, 2017, 1-10</b>	10
1081	Emulation with Organic Memristive Devices of Impairment of LTP Mechanism in Neurodegenerative Disease Pathology. <b>2017, 2017, 6090312</b>	8
1080	Electro-magnetic interpretation of four-element torus. <b>2017, 38, 114008</b>	

1079	Three-dimensional emerging nonvolatile memory for the high-density and neuromorphic applications. <b>2017,</b>	
1078	Dissipation in neuromorphic computing: Fundamental bounds for feedforward networks. <b>2017,</b>	2
1077	Impact of increasing number of neurons on performance of neuromorphic architecture. <b>2017,</b>	0
1076	Neuromorphic device specifications for unsupervised learning in robots. <b>2017,</b>	
1075	Impact of Linearity and Write Noise of Analog Resistive Memory Devices in a Neural Algorithm Accelerator. <b>2017,</b>	8
1074	Multi-bit memories fabricated through mechanical and plasma induced deformation of layered semiconductors. <b>2017,</b>	
1073	Habituation/Fatigue behavior of a synapse memristor based on IGZO-HfO thin film. <b>2017, 7, 9354</b>	32
1072	Neuromorphic computing for temporal scientific data classification. <b>2017,</b>	2
1071	A compact skyrmionic leaky-integrate-fire spiking neuron device. <b>2018, 10, 6139-6146</b>	57
1070	Multi-terminal memtransistors from polycrystalline monolayer molybdenum disulfide. <b>2018, 554, 500-504</b>	469
1069	Synchronous dynamics in neural system coupled with memristive synapse. <b>2018, 92, 1395-1402</b>	54
1068	Full imitation of synaptic metaplasticity based on memristor devices. <b>2018, 10, 5875-5881</b>	75
1067	Multilevel resistive switching in TiO <sub>2</sub> /Al <sub>2</sub> O <sub>3</sub> bilayers at low temperature. <b>2018, 8, 025208</b>	13
1066	Oxide-based RRAM materials for neuromorphic computing. <b>2018, 53, 8720-8746</b>	107
1065	Bidirectional Non-Filamentary RRAM as an Analog Neuromorphic Synapse, Part II: Impact of Al/Mo/Pr <sub>0.7</sub> Ca <sub>0.3</sub> MnO <sub>3</sub> Device Characteristics on Neural Network Training Accuracy. <b>2018, 6, 169-178</b>	18
1064	The rate limiting process and its activation energy in the forming process of a Cu/Ta <sub>2</sub> O <sub>5</sub> /Pt gapless-type atomic switch. <b>2018, 57, 035202</b>	3
1063	Oxygen vacancy migration/diffusion induced synaptic plasticity in a single titanate nanobelt. <b>2018, 10, 6069-6079</b>	23
1062	Bidirectional Non-Filamentary RRAM as an Analog Neuromorphic Synapse, Part I: Al/Mo/Pr <sub>0.7</sub> Ca <sub>0.3</sub> MnO <sub>3</sub> Material Improvements and Device Measurements. <b>2018, 6, 146-155</b>	36

1061	Short-Term and Long-Term Plasticity Mimicked in Low-Voltage Ag/GeSe/TiN Electronic Synapse. <b>2018</b> , 39, 492-495	46
1060	Optimized pulsed write schemes improve linearity and write speed for low-power organic neuromorphic devices. <b>2018</b> , 51, 224002	39
1059	Bipolar resistive switching and memristive properties of hydrothermally synthesized TiO <sub>2</sub> nanorod array: Effect of growth temperature. <b>2018</b> , 151, 37-47	42
1058	Nonvolatile Memory Materials for Neuromorphic Intelligent Machines. <b>2018</b> , 30, e1704729	121
1057	Synapse-Like Organic Thin Film Memristors. <b>2018</b> , 28, 1800854	114
1056	Synaptic devices based on two-dimensional layered single-crystal chromium thiophosphate (CrPS <sub>4</sub> ). <b>2018</b> , 10, 23-30	35
1055	Analysis of Ti valence states in resistive switching regions of a rutile TiO <sub>2</sub> four-terminal memristive device. <b>2018</b> , 57, 06KB02	3
1054	Passivity and Passification of Fuzzy Memristive Inertial Neural Networks on Time Scales. <b>2018</b> , 26, 3342-3355	48
1053	Numerical Simulation Research of Fracmemristor Circuit Based on HP Memristor. <b>2018</b> , 27, 1850227	2
1052	A Hardware Architecture for Columnar-Organized Memory Based on CMOS Neuron and Memristor Crossbar Arrays. <b>2018</b> , 26, 2795-2805	14
1051	Emulating homeoplasticity phenomena with organic electrochemical devices. <b>2018</b> , 8, 493-497	15
1050	Synaptic characteristics with strong analog potentiation, depression, and short-term to long-term memory transition in a Pt/CeO/Pt crossbar array structure. <b>2018</b> , 29, 265204	8
1049	A low-computation-complexity, energy-efficient, and high-performance linear program solver based on primal-dual interior point method using memristor crossbars. <b>2018</b> , 18, 62-71	2
1048	PHAX: Physical Characteristics Aware Ex-Situ Training Framework for Inverter-Based Memristive Neuromorphic Circuits. <b>2018</b> , 37, 1602-1613	17
1047	Novel discontinuous control for exponential synchronization of memristive recurrent neural networks with heterogeneous time-varying delays. <b>2018</b> , 355, 2826-2848	25
1046	An Ultra Low-Power Memristive Neuromorphic Circuit for Internet of Things Smart Sensors. <b>2018</b> , 5, 1011-1022	22
1045	Mimicking Synaptic Plasticity and Neural Network Using Memtransistors. <b>2018</b> , 30, e1706717	47
1044	Memristive Mixed-Signal Neuromorphic Systems: Energy-Efficient Learning at the Circuit-Level. <b>2018</b> , 8, 125-136	17

1043	Neuro-inspired computing with emerging nonvolatile memories. <b>2018</b> , 106, 260-285	498
1042	Transcritical Bifurcation without Parameters in Memristive Circuits. <b>2018</b> , 78, 395-417	9
1041	From biomaterial-based data storage to bio-inspired artificial synapse. <b>2018</b> , 21, 537-552	159
1040	A Data-Driven Verilog-A ReRAM Model. <b>2018</b> , 37, 3151-3162	38
1039	Experimental Study of Artificial Neural Networks Using a Digital Memristor Simulator. <b>2018</b> , 29, 5098-5110	26
1038	Robust memristors based on layered two-dimensional materials. <b>2018</b> , 1, 130-136	348
1037	A Memristor-Based Optimization Framework for Artificial Intelligence Applications. <b>2018</b> , 18, 29-44	15
1036	Non-Boolean Computing with Spintronic Devices. <b>2018</b> , 12, 1-123	2
1035	Resistance Switching and Memristive Hysteresis in Visible-Light-Activated Adsorbed ZnO Thin Films. <b>2018</b> , 8, 2184	20
1034	Impact of Synaptic Device Variations on Pattern Recognition Accuracy in a Hardware Neural Network. <b>2018</b> , 8, 2638	43
1033	TIME-Tunable Inductors Using MEMristors. <b>2018</b> , 65, 1505-1515	13
1032	An artificial nociceptor based on a diffusive memristor. <b>2018</b> , 9, 417	183
1031	Memristive Synapses with Photoelectric Plasticity Realized in ZnO/AlO Heterojunction. <b>2018</b> , 10, 6463-6470	73
1030	Hodgkin-Huxley Artificial Synaptic Membrane Based on Protonic/Electronic Hybrid Neuromorphic Transistors. <b>2018</b> , 2, 1700198	30
1029	Investigation of resistance switching in SiO RRAM cells using a 3D multi-scale kinetic Monte Carlo simulator. <b>2018</b> , 30, 084005	16
1028	Parasitic Effect Analysis in Memristor-Array-Based Neuromorphic Systems. <b>2018</b> , 17, 184-193	46
1027	Light-controlled stateful logic operations using optoelectronic switches based on p-Si/HfO <sub>2</sub> heterostructures. <b>2018</b> , 112, 063503	11
1026	Fully memristive neural networks for pattern classification with unsupervised learning. <b>2018</b> , 1, 137-145	511



1025	Parameter Exploration to Improve Performance of Memristor-Based Neuromorphic Architectures. <b>2018</b> , 4, 833-846	2
1024	SiGe epitaxial memory for neuromorphic computing with reproducible high performance based on engineered dislocations. <b>2018</b> , 17, 335-340	368
1023	Conducting mechanism of Ag-diffused BiTe based resistive switching devices. <b>2018</b> , 124, 1	2
1022	Optogenetics-Inspired Tunable Synaptic Functions in Memristors. <b>2018</b> , 12, 1242-1249	142
1021	Compliance-Free, Digital SET and Analog RESET Synaptic Characteristics of Sub-Tantalum Oxide Based Neuromorphic Device. <b>2018</b> , 8, 1228	63
1020	DIDACTIC: A Data-Intelligent Digital-to-Analog Converter with a Trainable Integrated Circuit using Memristors. <b>2018</b> , 8, 146-158	14
1019	Short-Term Plasticity and Long-Term Potentiation in Artificial Biosynapses with Diffusive Dynamics. <b>2018</b> , 12, 1680-1687	134
1018	In Situ Electrical Properties Investigation and Nanofabrication of Ag/Sb <sub>2</sub> Te <sub>3</sub> Assembled Multilayers Film. <b>2018</b> , 5, 1701210	5
1017	Rare-earth nickelates RNiO: thin films and heterostructures. <b>2018</b> , 81, 046501	170
1016	Threshold Switching of Ag or Cu in Dielectrics: Materials, Mechanism, and Applications. <b>2018</b> , 28, 1704862	168
1015	Unsupervised heart-rate estimation in wearables with Liquid states and a probabilistic readout. <b>2018</b> , 99, 134-147	36
1014	NeuroSim: A Circuit-Level Macro Model for Benchmarking Neuro-Inspired Architectures in Online Learning. <b>2018</b> , 37, 3067-3080	170
1013	Effect of conductance linearity and multi-level cell characteristics of TaO-based synapse device on pattern recognition accuracy of neuromorphic system. <b>2018</b> , 29, 115203	28
1012	An Artificial Flexible Visual Memory System Based on an UV-Motivated Memristor. <b>2018</b> , 30, 1705400	189
1011	The future of electronics based on memristive systems. <b>2018</b> , 1, 22-29	813
1010	Real-Time Modelling and Processing for Communication Systems. <b>2018</b> ,	
1009	Brain-inspired computing with resistive switching memory (RRAM): Devices, synapses and neural networks. <b>2018</b> , 190, 44-53	143
1008	Nociceptive Memristor. <b>2018</b> , 30, 1704320	69

1007	Modeling of Memristive Devices for Neuromorphic Application. <b>2018</b> , 175-202	1
1006	Global stabilization analysis of inertial memristive recurrent neural networks with discrete and distributed delays. <b>2018</b> , 105, 65-74	53
1005	A graphene integrated highly transparent resistive switching memory device. <b>2018</b> , 6, 058503	17
1004	Improved quasi-synchronization criteria for delayed fractional-order memristor-based neural networks via linear feedback control. <b>2018</b> , 306, 68-79	29
1003	Resistive switching and transport characteristics of an all-carbon memristor. <b>2018</b> , 136, 280-285	23
1002	Light Stimulated IGZO-Based Electric-Double-Layer Transistors For Photoelectric Neuromorphic Devices. <b>2018</b> , 39, 897-900	61
1001	Synaptic behaviors of thin-film transistor with a Pt/HfO <sub>2</sub> /n-type indium-gallium-zinc oxide gate stack. <b>2018</b> , 29, 295201	2
1000	High-Level Simulation for Spiking Neuromorphic Computing Systems. <b>2018</b> ,	0
999	Flux-Charge Description of Circuits With Non-Volatile Switching Memristor Devices. <b>2018</b> , 65, 642-646	9
998	Bio-mimicked atomic-layer-deposited iron oxide-based memristor with synaptic potentiation and depression functions. <b>2018</b> , 57, 060303	3
997	Floating Point Multiplication Mapping on ReRAM Based In-memory Computing Architecture. <b>2018</b> ,	4
996	On Synthesizing Memristor-Based Logic Circuits With Minimal Operational Pulses. <b>2018</b> , 26, 2842-2852	10
995	Hybrid piezoelectric-magnetic neurons. <b>2018</b> ,	2
994	Global exponential synchronization of inertial memristive neural networks with time-varying delay via nonlinear controller. <b>2018</b> , 102, 138-148	49
993	Control of Synaptic Plasticity Learning of Ferroelectric Tunnel Memristor by Nanoscale Interface Engineering. <b>2018</b> , 10, 12862-12869	69
992	Memristive Ion Channel-Doped Biomembranes as Synaptic Mimics. <b>2018</b> , 12, 4702-4711	62
991	Nonlinear dynamics and chaos in a simplified memristor-based fractional-order neural network with discontinuous memductance function. <b>2018</b> , 93, 611-627	87
990	Ultrasensitive artificial synapse based on conjugated polyelectrolyte. <b>2018</b> , 48, 575-581	64

989	Effect of Ag doping on hydrothermally grown ZnO thin-film electronic synapse device. <b>2018</b> , 7, 82-89	6
988	Fault Modeling and Parallel Testing for 1T1M Memory Array. <b>2018</b> , 17, 437-451	10
987	A Novel Memristor-Based Circuit Implementation of Full-Function Pavlov Associative Memory Accorded With Biological Feature. <b>2018</b> , 65, 2210-2220	34
986	Current voltage perspective of an organic electronic device. <b>2018</b> , 382, 1413-1418	2
985	Memristive behaviour of Si-Al oxynitride thin films: the role of oxygen and nitrogen vacancies in the electroforming process. <b>2018</b> , 29, 235702	9
984	. <b>2018</b> , 17, 482-491	13
983	Predicting House Price With a Memristor-Based Artificial Neural Network. <b>2018</b> , 6, 16523-16528	22
982	Trap-assisted transition between Schottky emission and Fowler-Nordheim tunneling in the interfacial-memristor based on Bi2S3 nano-networks. <b>2018</b> , 8, 035105	10
981	Flexible memristor based neuromorphic system for implementing multi-layer neural network algorithms. <b>2018</b> , 33, 408-429	13
980	Parameters self-tuning PID controller circuit with memristors. <b>2018</b> , 46, 138-154	10
979	A Scalable Weight-Free Learning Algorithm for Regulatory Control of Cell Activity in Spiking Neuronal Networks. <b>2018</b> , 28, 1750015	24
978	Field-Programmable Crossbar Array (FPCA) for Reconfigurable Computing. <b>2018</b> , 4, 698-710	24
977	A full-function Pavlov associative memory implementation with memristance changing circuit. <b>2018</b> , 272, 513-519	28
976	A Combined Optimization-Theoretic and Side- Channel Approach for Attacking Strong Physical Unclonable Functions. <b>2018</b> , 26, 73-81	16
975	Effect of oxygen content of the LaAlO <sub>3</sub> layer on the synaptic behavior of Pt/LaAlO <sub>3</sub> /Nb-doped SrTiO <sub>3</sub> memristors for neuromorphic applications. <b>2018</b> , 140, 139-143	16
974	Exploring a Novel Methodology for DC Analysis in Memristive Circuits with Multiple Operating Points. <b>2018</b> , 37, 2227-2249	0
973	On-Demand Reconfiguration of Nanomaterials: When Electronics Meets Ionics. <b>2018</b> , 30, 1702770	116
972	Memristor Technology: Synthesis and Modeling for Sensing and Security Applications. <b>2018</b> ,	10

971	Memristor Device Overview. <b>2018</b> , 1-29	2
970	Flexible memristors as electronic synapses for neuro-inspired computation based on scotch tape-exfoliated mica substrates. <b>2018</b> , 11, 1183-1192	69
969	CMOS Circuits for Biological Sensing and Processing. <b>2018</b> ,	0
968	Very Large-Scale Neuromorphic Systems for Biological Signal Processing. <b>2018</b> , 315-340	8
967	Memristor with Ag-Cluster-Doped TiO <sub>2</sub> Films as Artificial Synapse for Neuroinspired Computing. <b>2018</b> , 28, 1705320	221
966	Online Supervised Learning for Hardware-Based Multilayer Spiking Neural Networks Through the Modulation of Weight-Dependent Spike-Timing-Dependent Plasticity. <b>2018</b> , 29, 4287-4302	26
965	Adaptive synchronization of memristor-based BAM neural networks with mixed delays. <b>2018</b> , 322, 100-110	41
964	Realization of synaptic learning and memory functions in YO based memristive device fabricated by dual ion beam sputtering. <b>2018</b> , 29, 055203	30
963	Image Edge Detection Based on Swarm Intelligence Using Memristive Networks. <b>2018</b> , 37, 1774-1787	30
962	Circuit-level simulation of resistive-switching random-access memory cross-point array based on a highly reliable compact model. <b>2018</b> , 17, 273-278	3
961	Memristor-enhanced humanoid robot control system [Part I: Theory behind the novel memcomputing paradigm. <b>2018</b> , 46, 155-183	13
960	Bipolar resistive switching with coexistence of mem-elements in the spray deposited CoFe <sub>2</sub> O <sub>4</sub> thin film. <b>2018</b> , 29, 3231-3238	16
959	Generalized modeling of the fractional-order memcapacitor and its character analysis. <b>2018</b> , 59, 177-189	8
958	Memristive properties of transparent oxide semiconducting (Ti,Cu)O <sub>x</sub> -gradient thin film. <b>2018</b> , 33, 015002	5
957	Multi-Bit RRAM Transient Modelling and Analysis. <b>2018</b> ,	1
956	A Memristive Activation Circuit for Deep Learning Neural Networks. <b>2018</b> ,	2
955	Global Mittag-Leffler synchronization of delayed fractional-order memristive neural networks. <b>2018</b> , 2018,	12
954	Contrrollable Synaptic Behavior in Photonic Neuromorphic Transistor. <b>2018</b> ,	1

953	A Data erasing Writing technique based 1T1M Quaternary Memory Circuit Design. <b>2018,</b>	0
952	Diode Polarization and Resistive Switching in Metal/TlGaSe <sub>2</sub> Semiconductor/Metal Devices. <b>2018,</b> 52, 2007-2016	3
951	Neuromorphic Properties of Memristor towards Artificial Intelligence. <b>2018,</b>	1
950	A Twin Memristor Synapse for Spike Timing Dependent Learning in Neuromorphic Systems. <b>2018,</b>	4
949	A Circuit Implementation Method for Memristor Crossbar with On-chip Training. <b>2018,</b>	1
948	A new hardware implementation approach of BNNs based on nonlinear 2T2R synaptic cell. <b>2018,</b>	14
947	Resistive switching of the HfO <sub>2</sub> /HfO bilayer heterostructure and its transmission characteristics as a synapse.. <b>2018,</b> 8, 41884-41891	18
946	Improving Noise Tolerance of Hardware Accelerated Artificial Neural Networks. <b>2018,</b>	1
945	An exploration of neuromorphic systems and related design issues/challenges in dark silicon era. <b>2018,</b> 331, 012003	
944	An Artificial Bio-Synapse Based on Ag/a-Si:Ag/a-Si/X Memristors With Different Bottom Electrode X. <b>2018,</b> 452, 042160	
943	Analytical Estimation of Power Reduction in Memristor Based Analog Circuits. <b>2018,</b> 11, 1-6	
942	Memristors as Artificial Biochemical Reactions in Cytomorphic Systems. <b>2018,</b>	2
941	Towards Neuromorphic Learning Machines Using Emerging Memory Devices with Brain-Like Energy Efficiency. <b>2018,</b> 8, 34	17
940	Security aspects of neuromorphic MPSoCs. <b>2018,</b>	1
939	Emulating dynamic synaptic plasticity over broad timescales with memristive device. <b>2018,</b> 113, 203102	15
938	Highly Compact Artificial Memristive Neuron with Low Energy Consumption. <b>2018,</b> 14, e1802188	61
937	. <b>2018,</b>	
936	Analog high resistance bilayer RRAM device for hardware acceleration of neuromorphic computation. <b>2018,</b> 124, 202101	9

935	STDP-based Unsupervised Feature Learning using Convolution-over-time in Spiking Neural Networks for Energy-Efficient Neuromorphic Computing. <b>2018</b> , 14, 1-12	12
934	Experimental Verification of Triple Lobes Generation in Fractional Memristive Circuits. <b>2018</b> , 6, 75169-75180	7
933	Notice of Retraction: Analysis of CMOS-Memristive Analog Multiplier Design. <b>2018</b> ,	
932	Multifunctional Optoelectronic Device Based on Resistive Switching Effects. <b>2018</b> ,	2
931	Semi-Trained Memristive Crossbar Computing Engine with In Situ Learning Accelerator. <b>2018</b> , 14, 1-16	1
930	A new modeled fractional-order memristor and its analysis in series circuit. <b>2018</b> ,	
929	Neuromorphic Computing Across the Stack: Devices, Circuits and Architectures. <b>2018</b> ,	3
928	Large-Scale Neuromorphic Spiking Array Processors: A Quest to Mimic the Brain. <b>2018</b> , 12, 891	95
927	A self-rectifying TaO <sub>y</sub> /nanoporous TaO <sub>x</sub> memristor synaptic array for learning and energy-efficient neuromorphic systems. <b>2018</b> , 10, 1097-1106	46
926	Control of Leakage Current through BaTiO <sub>3</sub> Film by Cumulative Cycle of Applied Voltage Scanning for ReRAM or Neuromorphic Application. <b>2018</b> ,	1
925	Brain-Inspired Computing with Spintronics Devices. <b>2018</b> ,	1
924	Spike-timing-dependent plasticity learning of coincidence detection with passively integrated memristive circuits. <b>2018</b> , 9, 5311	90
923	Non-filamentary Pd/Al <sub>2</sub> O <sub>3</sub> /TaO <sub>x</sub> /Ta Memristor as Artificial Synapse for Neuromorphic Computing. <b>2018</b> ,	
922	Nanoscale Ring-Shaped Conduction Channels with Memristive Behavior in BiFeO <sub>3</sub> Nanodots. <b>2018</b> , 8,	5
921	A New Memristor-Based 5D Chaotic System and Circuit Implementation. <b>2018</b> , 2018, 1-12	9
920	Hopfield Neural Network with Double-Layer Amorphous Metal-Oxide Semiconductor Thin-Film Devices as Crosspoint-Type Synapse Elements and Working Confirmation of Letter Recognition. <b>2018</b> , 637-646	1
919	A Compact Model of Drift and Diffusion Memristor Applied in Neuron Circuits Design. <b>2018</b> ,	
918	Design of a Simple Readout Circuit for Resistive Switching Memristors Based on CMOS Inverters. <b>2018</b> ,	

917	Self-limited single nanowire systems combining all-in-one memristive and neuromorphic functionalities. <b>2018</b> , 9, 5151	83
916	Memristive behavior of field-driven domain-wall motion in a width-modulated structure with multiple Hall crosses. <b>2018</b> , 124, 193902	1
915	Transient electrical behavior of an electrode/electrolyte interface based on a surface micro-structured with gold mushroom shapes. <b>2018</b> , 124, 214902	1
914	Challenges in materials and devices for resistive-switching-based neuromorphic computing. <b>2018</b> , 124, 211101	92
913	Investigating the Electronic Properties of Oxygen Vacancies in Anatase TiO <sub>2</sub> : An Ab Initio Study. <b>2018</b> ,	1
912	Perspective: Uniform switching of artificial synapses for large-scale neuromorphic arrays. <b>2018</b> , 6, 120901	20
911	Coexistence of filamentary and homogeneous resistive switching with memristive and meminductive memory effects in Al/MnO <sub>2</sub> /SS thin film metal-insulator-metal device. <b>2018</b> , 8, 263-275	15
910	Gradual switching and self-rectifying characteristics of Cu/HfZrO <sub>2</sub> /p+-Si RRAM for synaptic device application. <b>2018</b> , 150, 60-65	12
909	Perspective: Organic electronic materials and devices for neuromorphic engineering. <b>2018</b> , 124, 151902	33
908	The Future of CMOS: More Moore or a New Disruptive Technology?. <b>2018</b> , 1-31	2
907	Perspective: A review on memristive hardware for neuromorphic computation. <b>2018</b> , 124, 151903	82
906	Optoelectronic Synapse Based on HfZrO <sub>2</sub> -Alkylated Graphene Oxide Hybrid Structure. <b>2018</b> , 28, 1804397	171
905	Passive memristor synaptic circuits with multiple timing dependent plasticity mechanisms. <b>2018</b> , 96, 252-259	6
904	A multi-level memristor based on atomic layer deposition of iron oxide. <b>2018</b> , 29, 495201	20
903	Towards Accurate and High-Speed Spiking Neuromorphic Systems with Data Quantization-Aware Deep Networks. <b>2018</b> ,	
902	Insect-inspired neuromorphic computing. <b>2018</b> , 30, 59-66	14
901	Memristive Fractional-Order Nonlinear Model for Circuit Design. <b>2018</b> , 421-449	
900	Ultrafast collective oxygen-vacancy flow in Ca-doped BiFeO <sub>3</sub> . <b>2018</b> , 10, 943-955	9

- 899 Physical Issues and Applications of Resistive Switching Phenomena. **2018**, 73, 852-857
- 898 Bipolar to unipolar mode transition and imitation of metaplasticity in oxide based memristors with enhanced ionic conductivity. **2018**, 124, 152103 13
- 897 Bipolar resistive switching device based on N,N'-bis(3-methylphenyl)-N,N'-diphenylbenzidine and poly(3,4-ethylenedioxythiophene):poly(styrene sulfonate)/poly(vinyl alcohol) bilayer stacked structure. **2018**, 124, 1 17
- 896 Development of a molecular gap-type atomic switch and its stochastic operation. **2018**, 124, 152114 9
- 895 Suppress variations of analog resistive memory for neuromorphic computing by localizing Vo formation. **2018**, 124, 152108 11
- 894 Memristive Fully Convolutional Network: An Accurate Hardware Image-Segmentor in Deep Learning. **2018**, 2, 324-334 42
- 893 Technology Aware Training in Memristive Neuromorphic Systems for Nonideal Synaptic Crossbars. **2018**, 2, 335-344 39
- 892 Mimicking synaptic functionality with an InAs nanowire phototransistor. **2018**, 29, 464004 24
- 891 A radiation-hardening Ta/Ta<sub>2</sub>O<sub>5-x</sub>/Al<sub>2</sub>O<sub>3</sub>/InGaZnO<sub>4</sub> memristor for harsh electronics. **2018**, 113, 122907 7
- 890 Towards accurate and high-speed spiking neuromorphic systems with data quantization-aware deep networks. **2018**,
- 889 (Invited) High-Speed Analog Resistance Change in TaOx Synthesized by Reactive Sputtering. **2018**, 86, 3-10
- 888 Learning mechanisms in memristor networks based on GaN nanomembranes. **2018**, 124, 152110 6
- 887 Theoretical investigation of the Ag filament morphology in conductive bridge random access memories. **2018**, 124, 152125 11
- 886 Mott insulators: A large class of materials for Leaky Integrate and Fire (LIF) artificial neuron. **2018**, 124, 152124 14
- 885 The non-linear electrical properties of human skin make it a generic memristor. **2018**, 8, 15806 19
- 884 Relaxation of a Spiking Mott Artificial Neuron. **2018**, 10, 7
- 883 Rectifying Resistive Memory Devices as Dynamic Complementary Artificial Synapses. **2018**, 12, 755 6
- 882 Tutorial: Concepts for closely mimicking biological learning with memristive devices: Principles to emulate cellular forms of learning. **2018**, 124, 152003 31



881	Transferable and Flexible Artificial Memristive Synapse Based on WOx Schottky Junction on Arbitrary Substrates. <b>2018</b> , 4, 1800373	36
880	Self-consistent continuum-based transient simulation of electroformation of niobium oxide-tantalum dioxide selector-memristor structures. <b>2018</b> , 124, 164501	3
879	Dynamical Behaviors of Coupled Memristor-Based Oscillators with Identical and Different Nonlinearities. <b>2018</b> , 2018, 1-20	0
878	A Flexible Memristor-Based Neural Network. <b>2018</b> , 263-272	
877	Perspective: Spintronic synapse for artificial neural network. <b>2018</b> , 124, 151904	45
876	Deep Learning With Spiking Neurons: Opportunities and Challenges. <b>2018</b> , 12, 774	180
875	Stochastic learning in deep neural networks based on nanoscale PCMO device characteristics. <b>2018</b> , 321, 227-236	9
874	Notice of Retraction: Analysis of Multilayer Perceptron with Rectifier Linear Unit Activation Function. <b>2018</b> ,	2
873	Optimization of non-linear conductance modulation based on metal oxide memristors. <b>2018</b> , 7, 443-468	19
872	Conductance fluctuation in NiO-based resistive switching memory. <b>2018</b> , 124, 152134	9
871	Efficient learning and crossbar operations with atomically-thin 2-D material compound synapses. <b>2018</b> , 124, 152133	9
870	Analytic variability study of inference accuracy in RRAM arrays with a binary tree winner-take-all circuit for neuromorphic applications. <b>2018</b> ,	3
869	Hardware implementation of classical conditioning with iron-oxide-based memristors. <b>2018</b> , 11, 114601	3
868	Memory effects in the ion conductor Rb <sub>2</sub> Ti <sub>2</sub> O <sub>5</sub> . <b>2018</b> , 124, 152104	1
867	A Methodology to Improve Linearity of Analog RRAM for Neuromorphic Computing. <b>2018</b> ,	71
866	A case for multiple and parallel RRAMs as synaptic model for training SNNs. <b>2018</b> ,	3
865	Bipolar Analog Memristors as Artificial Synapses for Neuromorphic Computing. <b>2018</b> , 11,	32
864	Resistive switching and charge transport mechanisms in ITO/ZnO/p-Si devices. <b>2018</b> , 113, 183502	12

863	Performance enhancement of TaOx resistive switching memory using graded oxygen content. <b>2018</b> , 113, 183501	22
862	Collective capacitive and memristive responses in random nanowire networks: Emergence of critical connectivity pathways. <b>2018</b> , 124, 152118	21
861	Magnetic domain wall neuron with lateral inhibition. <b>2018</b> , 124, 152127	34
860	MASTISK: Simulation Framework For Design Exploration Of Neuromorphic Hardware. <b>2018</b> ,	1
859	Memristor Emulator Circuit Design and Applications. <b>2018</b> ,	1
858	Emulator Circuits and Resistive Switching Parameters of Memristor. <b>2018</b> ,	3
857	Artificial neuron operations and spike-timing-dependent plasticity using memristive devices for brain-inspired computing. <b>2018</b> , 57, 04FK06	4
856	Characterization of spin-orbit torque-controlled synapse device for artificial neural network applications. <b>2018</b> , 57, 1002B2	12
855	When Memristance Crosses the Path with Humidity Sensing About the Importance of Protons and Its Opportunities in Valence Change Memristors. <b>2018</b> , 4, 1800282	17
854	Effects of single-pulse Al <sub>2</sub> O <sub>3</sub> insertion in TiO <sub>2</sub> oxide memristors by low temperature ALD. <b>2018</b> , 124, 1	15
853	Global exponential synchronization of multiple coupled inertial memristive neural networks with time-varying delay via nonlinear coupling. <b>2018</b> , 108, 260-271	44
852	Development of self-rectifying ZnO thin film resistive switching memory device using successive ionic layer adsorption and reaction method. <b>2018</b> , 29, 18733-18741	23
851	Biological Band-Pass Filtering Emulated by Oxide-Based Neuromorphic Transistors. <b>2018</b> , 39, 1764-1767	5
850	Memristor Neural Network Design. <b>2018</b> ,	7
849	Sign backpropagation: An on-chip learning algorithm for analog RRAM neuromorphic computing systems. <b>2018</b> , 108, 217-223	28
848	Electrochemical metallization cell with solid phase tunable GeSbTe electrolyte. <b>2018</b> , 8, 12101	12
847	Simulation of the Spiking Neural Network based on Practical Memristor. <b>2018</b> , 173, 01025	1
846	SpiLinC: Spiking Liquid-Ensemble Computing for Unsupervised Speech and Image Recognition. <b>2018</b> , 12, 524	9

845	Reduced Graphene Oxide-Based Artificial Synapse Yarns for Wearable Textile Device Applications. <b>2018</b> , 28, 1804123	30
844	Direct writing of anodic oxides for plastic electronics. <b>2018</b> , 2,	12
843	Electrochemical metallization cell with anion supplying active electrode. <b>2018</b> , 8, 12617	7
842	A Compact Model for Drift and Diffusion Memristor Applied in Neuron Circuits Design. <b>2018</b> , 65, 4290-4296	14
841	Interactive Classification Using Spectrograms and Audio Glyphs. <b>2018</b> ,	
840	Ground Vehicles Cooperative Route Planning for Survivability Improvement. <b>2018</b> ,	
839	Automation Control of Thermal Conductivity Measurement Process Based on LabVIEW. <b>2018</b> ,	
838	Ocular Artifact Detection in EEG using Wavelet Analysis. <b>2018</b> ,	
837	[Title page iii]. <b>2018</b> ,	
836	The Visual Positioning Method of Substation Robot Busbars fittings. <b>2018</b> ,	
835	A bi-memristor synapse with spike-timing-dependent plasticity for on-chip learning in memristive neuromorphic systems. <b>2018</b> ,	4
834	RRAM fabric for neuromorphic and reconfigurable compute-in-memory systems. <b>2018</b> ,	3
833	First demonstration of Leaky Integrate and Fire Artificial neuron behavior on (V <sub>0.95</sub> Cr <sub>0.05</sub> ) <sub>2</sub> O <sub>3</sub> thin film. <b>2018</b> , 8, 835-841	7
832	Neuromorphic Computing with Memristor Crossbar. <b>2018</b> , 215, 1700875	31
831	Implementation of adaptive neuron based on memristor and memcapacitor emulators. <b>2018</b> , 309, 157-167	30
830	Nanoscale Conductive Filament with Alternating Rectification as an Artificial Synapse Building Block. <b>2018</b> , 12, 5946-5955	24
829	Engineering the Synaptic Kinetic Process into Memristive Device. <b>2018</b> , 4, 1800096	2
828	Diverse spike-timing-dependent plasticity based on multilevel HfO <sub>x</sub> memristor for neuromorphic computing. <b>2018</b> , 124, 1	18

827	Neuromorphic computing with memristive devices. <b>2018</b> , 61, 1	18
826	Biological Spiking Synapse Constructed from Solution Processed Bimetal Core-Shell Nanoparticle Based Composites. <b>2018</b> , 14, e1800288	54
825	. <b>2018</b> ,	1
824	OTA based high frequency tunable resistorless grounded and floating memristor emulators. <b>2018</b> , 92, 124-145	33
823	. <b>2018</b> , 18, 10-13	7
822	Signal and noise extraction from analog memory elements for neuromorphic computing. <b>2018</b> , 9, 2102	60
821	Adaptive Crystallite Kinetics in Homogenous Bilayer Oxide Memristor for Emulating Diverse Synaptic Plasticity. <b>2018</b> , 28, 1706927	90
820	Organic-Inorganic Hybrid Halide Perovskites for Memories, Transistors, and Artificial Synapses. <b>2018</b> , 30, e1704002	149
819	Probing memristive switching in nanoionic devices. <b>2018</b> , 1, 274-287	89
818	Brain-inspired recurrent neural network with plastic RRAM synapses. <b>2018</b> ,	8
817	Feature extraction and analysis using memristor networks. <b>2018</b> ,	2
816	Atomically Thin CBRAM Enabled by 2-D Materials: Scaling Behaviors and Performance Limits. <b>2018</b> , 65, 4160-4166	15
815	Neuromorphic Vision Hybrid RRAM-CMOS Architecture. <b>2018</b> , 26, 2816-2829	24
814	. <b>2018</b> , 65, 192-199	3
813	A 4-Transistors/1-Resistor Hybrid Synapse Based on Resistive Switching Memory (RRAM) Capable of Spike-Rate-Dependent Plasticity (SRDP). <b>2018</b> , 26, 2806-2815	20
812	Taming Spatiotemporal Chaos in Forced Memristive Arrays. <b>2018</b> , 26, 2947-2954	8
811	Artificial Synapses Emulated by an Electrolyte-Gated Tungsten-Oxide Transistor. <b>2018</b> , 30, e1801548	186
810	Proposal, analysis and demonstration of Analog/Digital-mixed Neural Networks based on memristive device arrays. <b>2018</b> ,	5

809	A novel structure ZnO-Fe-ZnO thin film memristor. <b>2018</b> , 86, 43-48	11
808	Aligned Carbon Nanotube Synaptic Transistors for Large-Scale Neuromorphic Computing. <b>2018</b> , 12, 7352-7361	89
807	. <b>2018</b> ,	
806	Silicon Oxide (SiO <sub>2</sub> ): A Promising Material for Resistance Switching?. <b>2018</b> , 30, e1801187	105
805	A memristive plasticity model of voltage-based STDP suitable for recurrent bidirectional neural networks in the hippocampus. <b>2018</b> , 8, 9367	11
804	Unidirectional synapse-like behavior of Zr/ZrO <sub>2</sub> -NT/Au layered structure. <b>2018</b> ,	1
803	Kinetic mechanism for reversible structural transition in MoTe <sub>2</sub> induced by excess charge carriers. <b>2018</b> , 97,	3
802	Multi-State Magnetic Tunnel Junction Programmable by Nanosecond Spin-Orbit Torque Pulse Sequence. <b>2021</b> , 7, 2001133	1
801	Bipolar Resistive Switching in Junctions of Gallium Oxide and p-type Silicon. <i>Nano Letters</i> , <b>2021</b> , 21, 2666-2674	8
800	Application of a Simple, Spiking, Locally Competitive Algorithm to Radionuclide Identification. <b>2021</b> , 68, 292-304	0
799	Multi-Level Switching of Al-Doped HfO <sub>2</sub> RRAM with a Single Voltage Amplitude Set Pulse. <b>2021</b> , 10, 731	7
798	Emulation of synaptic behavior by organic ferroelectric tunnel junctions. <b>2021</b> , 392, 127138	5
797	EqSpike: spike-driven equilibrium propagation for neuromorphic implementations. <b>2021</b> , 24, 102222	4
796	Effect of Ag source layer thickness on the switching mechanism of TiN/Ag/SiN <sub>x</sub> /TiN conductive bridging random access memory observed at sub- $\mu$ A current. <b>2021</b> , 36, 055014	2
795	Excellent Pattern Recognition Accuracy of Neural Networks Using Hybrid Synapses and Complementary Training. <b>2021</b> , 42, 609-612	4
794	Resistive and synaptic properties modulation by electroforming polarity in CMOS-compatible Cu/HfO <sub>2</sub> /Si device. <b>2021</b> , 145, 110783	11
793	Novel Finite-Time Reliable Control Design for Memristor-Based Inertial Neural Networks With Mixed Time-Varying Delays. <b>2021</b> , 68, 1599-1609	49
792	Global stabilization of fractional-order memristor-based neural networks with incommensurate orders and multiple time-varying delays: a positive-system-based approach. <b>2021</b> , 104, 2303-2329	3

791	Bio-inspired synaptic functions from a transparent zinc-tin-oxide-based memristor for neuromorphic engineering. <b>2021</b> , 544, 148796	15
790	High-Stability Memristive Devices Based on Pd Conductive Filaments and Its Applications in Neuromorphic Computing. <b>2021</b> , 13, 17844-17851	8
789	Giant Ferroelectric Resistance Switching Controlled by a Modulatory Terminal for Low-Power Neuromorphic In-Memory Computing. <b>2021</b> , 33, e2008709	20
788	Memory-centric neuromorphic computing for unstructured data processing. <b>2021</b> , 14, 3126-3142	2
787	New Silk Road: From Mesoscopic Reconstruction/Functionalization to Flexible Meso-Electronics/Photonics Based on Cocoon Silk Materials. <b>2021</b> , e2005910	11
786	New tunable resistorless grounded meminductor emulator. <b>2021</b> , 20, 1452-1460	4
785	Dielectric Engineered Two-Dimensional Neuromorphic Transistors. <i>Nano Letters</i> , <b>2021</b> , 21, 3557-3565	11.5 2
784	Memristors Based on (Zr, Hf, Nb, Ta, Mo, W) High-Entropy Oxides. <b>2021</b> , 7, 2001258	9
783	Effects of memristive synapse radiation interactions on learning in spiking neural networks. <b>2021</b> , 3, 1	1
782	Non-Volatile In-Ga-Zn-O Transistors for Neuromorphic Computing. <b>2021</b> , 127, 1	0
781	Selection of Switching Layer Materials for Memristive Devices: from Traditional Oxide to 2D Materials. 1027, 107-114	
780	A New Memristive Chaotic System with a Plane and Two Lines of Equilibria. <b>2021</b> , 31, 2150066	1
779	Modeling-Based Design of Memristive Devices for Brain-Inspired Computing. 3,	2
778	Negative effect of cations out-diffusion and auto-doping on switching mechanisms of transparent memristor devices employing ZnO/ITO heterostructure. <b>2021</b> , 118, 173502	2
777	In-Memory Computing with Resistive Memory Circuits: Status and Outlook. <b>2021</b> , 10, 1063	13
776	Computational Capacity of Complex Memcapacitive Networks. <b>2021</b> , 17, 1-25	3
775	CsFAMAPbIBr Photoelectric Memristor Based on Ion-Migration Induced Memristive Behavior. <b>2021</b> , 7, 2100014	4
774	All-Solid-State Oxygen Ion Electrochemical Random-Access Memory for Neuromorphic Computing. <b>2021</b> , 7, 2100142	13

773	Low-Temperature Photothermal Therapy: Strategies and Applications. <b>2021</b> , 2021, 9816594	24
772	Bipolar, complementary resistive switching and synaptic properties of sputtering deposited ZnSnO-based devices for electronic synapses. <b>2021</b> , 862, 158416	10
771	Brain-inspired computing via memory device physics. <b>2021</b> , 9, 050702	16
770	Nanoscale wedge resistive-switching synaptic device and experimental verification of vector-matrix multiplication for hardware neuromorphic application. <b>2021</b> , 60, 050905	6
769	Multistate Magnetic Domain Wall Devices for Neuromorphic Computing. <b>2021</b> , 15, 2100125	1
768	Hybrid oxide brain-inspired neuromorphic devices for hardware implementation of artificial intelligence. <b>2021</b> , 22, 326-344	7
767	A True Random Number Generator Based on Ionic Liquid Modulated Memristors. <b>2021</b> , 3, 2380-2388	6
766	Memcapacitor and Meminductor Circuit Emulators: A Review. <b>2021</b> , 10, 1225	8
765	Memristor-based Hopfield network circuit for recognition and sequencing application. <b>2021</b> , 134, 153698	9
764	Modeling and Character Analyzing of Multiple Fractional-order Memcapacitors in Parallel Connection.	
763	A Flux Controlled Memristor using 90nm Technology. <b>2021</b> , 1, 1-6	
762	First Experimental Demonstration of Robust HZO/ $\Gamma$ GaO $\Gamma$ Ferroelectric Field-Effect Transistors as Synaptic Devices for Artificial Intelligence Applications in a High-Temperature Environment. <b>2021</b> , 68, 2515-2521	3
761	Artificial Synapses Based on Atomic/Molecular Layer Deposited Bilayer-Structured Memristive Thin Films.	
760	Electronic phase separation induced non-volatile bi-polar resistive switching in spatially confined manganite microbridges.	1
759	HPM: High-Precision Modeling of a Low-Power Inverter-Based Memristive Neural Network. 2150274	0
758	Neural Functional Connectivity Reconstruction with Second-Order Memristor Network. <b>2021</b> , 3, 2000276	2
757	An electroforming-free, analog interface-type memristor based on a SrFeOx epitaxial heterojunction for neuromorphic computing. <b>2021</b> , 18, 100392	12
756	Design and implementation of memristive neuron leakage integrator, and learning feedback. <b>2021</b> ,	

755	Recent Progress on Emerging Transistor-Based Neuromorphic Devices. <b>2021</b> , 3, 2000210	14
754	Light-Assisted Resistive Switching Memory Device with Reduced SET/RESET Voltage Using Sol-gel TiO <sub>2</sub> on Al-Doped ZnO Electrode. <b>2021</b> , 218, 2100112	1
753	Synaptic devices based neuromorphic computing applications in artificial intelligence. <b>2021</b> , 18, 100393	31
752	Adaptive Extreme Edge Computing for Wearable Devices. <b>2021</b> , 15, 611300	14
751	Artificial Optoelectronic Synapses Based on TiN <sub>x</sub> O <sub>2</sub> /MoS <sub>2</sub> Heterojunction for Neuromorphic Computing and Visual System. <b>2021</b> , 31, 2101201	22
750	Total Ionizing Dose Effects on Multistate HfO <sub>x</sub> -Based RRAM Synaptic Array. <b>2021</b> , 68, 756-761	2
749	Flexible Ta/TiO/TaO/Ru memristive synaptic devices on polyimide substrates. <b>2021</b> , 32,	1
748	1S1R-Based Stable Learning through Single-Spike-Encoded Spike-Timing-Dependent Plasticity. <b>2021</b> ,	
747	Memristor-based synaptic plasticity and unsupervised learning of spiking neural networks. <b>2021</b> , 20, 1625-1636	1
746	A memristor-based neuromodulation device for real-time monitoring and adaptive control of in vitro neuronal populations.	
745	Simulation of memristive synapses and neuromorphic computing on a quantum computer. <b>2021</b> , 3,	2
744	Practical demonstration of a RRAM memory fuse. <b>2021</b> , 49, 2363	0
743	The Origin of CBRAM With High Linearity, On/Off Ratio, and State Number for Neuromorphic Computing. <b>2021</b> , 68, 2568-2571	5
742	Double-layer ReRAM with In-Ga-Zn-O thin film for neuromorphic. <b>2021</b> ,	
741	Comparison of the Performance of the Memristor Models in 2D Cellular Nonlinear Network. <b>2021</b> , 10, 1577	0
740	Emerging 2D Memory Devices for In-Memory Computing. <b>2021</b> , 33, e2007081	30
739	Memristor Circuits for Simulating Neuron Spiking and Burst Phenomena. <b>2021</b> , 15, 681035	3
738	In Situ Observation of Low-Power Nano-Synaptic Response in Graphene Oxide Using Conductive Atomic Force Microscopy. <b>2021</b> , 17, e2101100	11



737	Phase field study on the performance of artificial synapse device based on the motion of domain wall in ferroelectric thin films. <b>2021</b> , 118, 242902	1
736	Recent progress on 2D materials-based artificial synapses. 1-26	5
735	Infochemistry and the Future of Chemical Information Processing. <b>2021</b> , 12, 63-95	1
734	Multi-Level Control of Conductive Filament Evolution and Enhanced Resistance Controllability of the Cu-Cone Structure Embedded Conductive Bridge Random Access Memory. 2100209	2
733	The Role of the Internal Capacitance in Organic Memristive Device for Neuromorphic and Sensing Applications. 2100494	8
732	Lead-free halide perovskites, beyond solar cells and LEDs. <b>2021</b> , 3, 032014	3
731	Electroforming-free nonvolatile resistive switching of redox-exfoliated MoS <sub>2</sub> nanoflakes loaded polystyrene thin film with synaptic functionality. <b>2021</b> , 32,	4
730	Bio-Inspired Artificial Vision and Neuromorphic Image Processing Devices. 2100144	12
729	Memristor models for synapse component. <b>2021</b> ,	
728	Integration of Ferroelectric Materials: An Ultimate Solution for Next-Generation Computing and Storage Devices. <b>2021</b> , 3, 2862-2897	8
727	Stable and compact design of Memristive GoogLeNet Neural Network. <b>2021</b> , 441, 52-63	2
726	Enhancement of Synaptic Characteristics Achieved by the Optimization of Proton-Electron Coupling Effect in a Solid-State Electrolyte-Gated Transistor. <b>2021</b> , 17, e2100242	3
725	Fractional-order memristive neural synaptic weighting achieved by pulse-based fracmemristor bridge circuit. <b>2021</b> , 22, 862-876	1
724	The impact of memristive coupling initial states on travelling waves in an ensemble of the FitzHugh-Nagumo oscillators. <b>2021</b> , 147, 110923	0
723	TSSM: Three-State Switchable Memristor Model Based on Ag/TiO <sub>x</sub> Nanobelt/Ti Configuration. <b>2021</b> , 31, 2130020	1
722	The optimized memristor performance by utilizing the constrained domain wall motion in Pt/Co <sub>2</sub> B/Ta structure. <b>2021</b> , 129, 223901	1
721	Progress and Benchmark of Spiking Neuron Devices and Circuits. <b>2021</b> , 3, 2100007	10
720	Analytical model for memristive systems for neuromorphic computation. <b>2021</b> , 54, 355101	0

719	Noise and Memristance Variation Tolerance of Single Crossbar Architectures for Neuromorphic Image Recognition. <b>2021</b> , 12,	1
718	Neuromorphic Devices for Bionic Sensing and Perception. <b>2021</b> , 15, 690950	6
717	Information dynamics in neuromorphic nanowire networks. <b>2021</b> , 11, 13047	9
716	Solid-state nanopore systems: from materials to applications. <b>2021</b> , 13,	11
715	Photoactive Electro-Controlled Visual Perception Memory for Emulating Synaptic Metaplasticity and Hebbian Learning. <b>2021</b> , 31, 2105345	4
714	Global exponential synchronization via nonlinear feedback control for delayed inertial memristor-based quaternion-valued neural networks with impulses. <b>2021</b> , 401, 126093	10
713	Memristive Crossbar Arrays for Storage and Computing Applications. <b>2021</b> , 3, 2100017	18
712	Reconfigurable MoS Memtransistors for Continuous Learning in Spiking Neural Networks. <i>Nano Letters</i> , <b>2021</b> , 21, 6432-6440	11.5 7
711	Polarity Reversal Effect of a Memristor From the Circuit Point of View and Insights Into the Memristor Fuse. <b>2021</b> , 2,	0
710	Complementary study of anisotropic ion conduction in (110)-oriented Ca-doped BiFeO <sub>3</sub> films using electrochromism and impedance spectroscopy. <b>2021</b> , 119, 022902	0
709	Complementary switching in single Nb <sub>3</sub> O <sub>7</sub> (OH) nanowires. <b>2021</b> , 9, 071105	0
708	Introducing $\square$ Neuromorphic Computing and Engineering $\square$ <b>2021</b> , 1, 010401	2
707	RRAM for Compute-in-Memory: From Inference to Training. <b>2021</b> , 68, 2753-2765	14
706	Memristive behaviour of electrodeposited bismuth selenide.	
705	Synaptic Plasticity in Memristive Artificial Synapses and Their Robustness Against Noisy Inputs. <b>2021</b> , 15, 660894	7
704	Enhanced resistance switching in ultrathin Ag/SrTiO <sub>3</sub> /(La,Sr)MnO <sub>3</sub> memristors and their long-term plasticity for neuromorphic computing. <b>2021</b> , 119, 023502	3
703	Highly sensitive flexible tactile perceptual interactive platform with functions of Braille code recognition. <b>2021</b> , 54, 375102	0
702	Engineering Anisotropic Klein Tunneling in Black Phosphorene through Elemental Substitution. <b>2021</b> , 258, 2100071	1

701	Gradually Modified Conductance in the Self-Compliance Region of an Atomic-Layer-Deposited Pt/TiO <sub>2</sub> /HfAlO <sub>x</sub> /TiN RRAM Device. <b>2021</b> , 11, 1199	4
700	Memristor-CMOS Hybrid Neuron Circuit with Nonideal-Effect Correction Related to Parasitic Resistance for Binary-Memristor-Crossbar Neural Networks. <b>2021</b> , 12,	5
699	Graphene-Based Artificial Synapses with Tunable Plasticity. <b>2021</b> , 17, 1-21	1
698	Comparative Study on Quantization-Aware Training of Memristor Crossbars for Reducing Inference Power of Neural Networks at The Edge. <b>2021</b> ,	0
697	A Marr's Three-Level Analytical Framework for Neuromorphic Electronic Systems. <b>2021</b> , 3, 2100054	0
696	Effects of Ar <sup>+</sup> irradiation on the performance of memristor based on single-crystalline LiNbO <sub>3</sub> thin film. <b>2021</b> , 32, 20817-20826	4
695	Architecting for Artificial Intelligence with Emerging Nanotechnology. <b>2021</b> , 17, 1-33	1
694	Effects of Oxygen Precursor on Resistive Switching Properties of CMOS Compatible HfO <sub>2</sub> -Based RRAM. <b>2021</b> , 11, 1350	0
693	A Dynamic System Approach to Spiking Memristor Network Investigation. <b>2021</b> ,	1
692	Low voltage and robust InSe memristor using van der Waals electrodes integration.	4
691	Photonic Synaptic Transistor Based on P-Type Organic Semiconductor Blending With N-Type Organic Semiconductor. <b>2021</b> , 42, 1180-1183	3
690	Ameliorate Performance of Memristor-Based ANNs in Edge Computing. <b>2021</b> , 70, 1299-1310	3
689	An Optogenetics-Inspired Flexible van der Waals Optoelectronic Synapse and its Application to a Convolutional Neural Network. <b>2021</b> , 33, e2102980	14
688	Neuromorphic Character Recognition using The Single Memristor Crossbar Array. <b>2021</b> ,	
687	Recent advances in solid electrolytes for synaptic transistors. <b>2021</b> , 95, 106196	4
686	Insights from Adsorption and Electron Modification Studies of Polyoxometalates on Surfaces for Molecular Memory Applications. <b>2021</b> , 54, 3377-3389	3
685	A Cu/HZO/GeS/Pt Memristor for Neuroinspired Computing. 2100072	1
684	Electronically controllable neuristor based logic gates and their applications. <b>2021</b> , 138, 153834	1

683	Simple Grounded Meminductor Emulator using Transconductance Amplifier. <b>2021</b> ,	
682	High-Speed and Low-Power Superconducting Neuromorphic Circuits Based on Quantum Phase-Slip Junctions. <b>2021</b> , 31, 1-8	1
681	Improvement on synaptic properties of WO <sub>x</sub> -based memristor by doping Ti into WO <sub>x</sub> . <b>2021</b> , 54, 455107	1
680	A Memristor-Based Silicon Carbide for Artificial Nociceptor and Neuromorphic Computing. 2100373	8
679	Memristor-based circuit implementation of Competitive Neural Network based on online unsupervised Hebbian learning rule for pattern recognition. 1	4
678	Highly-stable memristive devices with synaptic characteristics based on hydrothermally synthesized MnO <sub>2</sub> active layers. <b>2021</b> , 872, 159653	5
677	Impedance Spectroscopy Dynamics of Biological Neural Elements: From Memristors to Neurons and Synapses. <b>2021</b> , 125, 9934-9949	11
676	Memristors Based on an Iridium(III) Complex Containing Viologen for Advanced Synaptic Bionics. <b>2021</b> , 60, 13021-13028	0
675	UV light modulated synaptic behavior of MoTe <sub>2</sub> /BN heterostructure. <b>2021</b> , 32,	0
674	Synthesis of an Equivalent Circuit for Spike-Timing-Dependent Axon Growth: What Fires Together Now Really Wires Together. <b>2021</b> , 68, 3656-3667	0
673	Stochastic binary synapses having sigmoidal cumulative distribution functions for unsupervised learning with spike timing-dependent plasticity. <b>2021</b> , 11, 18282	0
672	Nonlinearity in Memristors for Neuromorphic Dynamic Systems. 2100049	12
671	To the Issue of the Memristor's HRS and LRS States Degradation and Data Retention Time. <b>2021</b> , 50, 311-325	2
670	Thickness-dependent monochalcogenide GeSe-based CBRAM for memory and artificial electronic synapses. 1	5
669	Large-Area MoS <sub>2</sub> via Colloidal Nanosheet Ink for Integrated Memtransistor.. <b>2021</b> , 5, e2100558	3
668	Demonstration of intrinsic STDP learning capability in all-2D multi-state MoS <sub>2</sub> memory and its application in modelling neuromorphic speech recognition. <b>2021</b> , 8, 045031	2
667	Optoelectronic synapses using vertically aligned graphene/diamond heterojunctions. <b>2021</b> , 182, 669-676	3
666	HfO <sub>2</sub> -Based Memristor as an Artificial Synapse for Neuromorphic Computing with Tri-Layer HfO <sub>2</sub> /BiFeO <sub>3</sub> /HfO <sub>2</sub> Design. 2107131	16

665	Memristive DeepLab: A hardware friendly deep CNN for semantic segmentation. <b>2021</b> , 451, 181-191	5
664	E-Synapse Based on Lead-Free Organic Halide Perovskite (CH <sub>3</sub> NH <sub>3</sub> ) <sub>3</sub> Sb <sub>2</sub> Cl <sub>9</sub> for Neuromorphic Computing. <b>2021</b> , 68, 4425-4430	0
663	A binary classifier based on a reconfigurable dense network of metallic nanojunctions.	1
662	Intrinsic synaptic plasticity of ferroelectric field effect transistors for online learning. <b>2021</b> , 119, 133701	5
661	Reconfigurable photovoltaic effect for optoelectronic artificial synapse based on ferroelectric p-n junction. <b>2021</b> , 14, 4328	4
660	An electric field-assisted photochemical metal-organic deposition allowing control of oxygen content for resistive switching in directly patterned TiO <sub>x</sub> films. <b>2021</b> , 58, 672	0
659	Anti-synchronization of delayed memristive neural networks with leakage term and reaction-diffusion terms. <b>2021</b> , 233, 107539	3
658	Compensated Ferrimagnet Based Artificial Synapse and Neuron for Ultrafast Neuromorphic Computing. 2107870	9
657	Biocompatible and Biodegradable Neuromorphic Device Based on Hyaluronic Acid for Implantable Bioelectronics. 2107074	3
656	Review on chaotic dynamics of memristive neuron and neural network. <b>2021</b> , 106, 959-973	24
655	Multideck light-induced reset in a transparent bilayer synaptic device. <b>2021</b> , 39, 053202	1
654	Voltage-dependent plasticity of spin-polarized conductance in phenyl-based single-molecule magnetic tunnel junctions. <b>2021</b> , 16, e0257228	3
653	Flexible artificial synapse based on single-crystalline BiFeO <sub>3</sub> thin film. 1	4
652	Neuromorphic electronics based on copying and pasting the brain. <b>2021</b> , 4, 635-644	31
651	Recent advances on crystalline materials-based flexible memristors for data storage and neuromorphic applications. 1	4
650	New results on synchronization for second-order fuzzy memristive neural networks with time-varying and infinite distributed delays. <b>2021</b> , 230, 107397	3
649	Finite-time stabilization of memristor-based inertial neural networks with time-varying delays combined with interval matrix method. <b>2021</b> , 230, 107395	5
648	The Rise of Ferroelectricity at Nanoscale: Nanoelectronics is rediscovering the ferroelectricity. <b>2021</b> , 15, 8-19	1

647	Memristive devices based on Cu-doped NbO films with large self-rectifying ratio. <b>2021</b> , 369, 115732	1
646	Nonlinear analysis and minimum L2-norm control in memcapacitor-based hyperchaotic system via online particle swarm optimization. <b>2021</b> , 151, 111214	3
645	The nonvolatile resistive switching memristor with Co-Ni layered double hydroxide hybrid nanosheets and its application as a artificial synapse. <b>2021</b> , 564, 150452	7
644	Fixed-time synchronization of fuzzy neutral-type BAM memristive inertial neural networks with proportional delays. <b>2021</b> , 576, 522-541	6
643	SPICE modeling of cycle-to-cycle variability in RRAM devices. <b>2021</b> , 185, 108040	4
642	Emulation of multiple-functional synapses using V2C memristors with coexistence of resistive and threshold switching. <b>2021</b> , 135, 106123	4
641	Using volatile/non-volatile memristor for emulating the short-and long-term adaptation behavior of the biological neurons. <b>2021</b> , 465, 157-166	3
640	Switching dynamics of a non-autonomous FitzHugh-Nagumo circuit with piecewise-linear flux-controlled memristor. <b>2021</b> , 152, 111369	6
639	Plasticity and learning behavior emulated in a ZnO based transparent artificial synapse. <b>2021</b> , 737, 138924	5
638	Ion beam-assisted solid phase epitaxy of SiGe and its application for analog memristors. <b>2021</b> , 884, 161086	0
637	Oxygen atmosphere-independent resistive switching effect at the CoCr <sub>2</sub> O <sub>4</sub> (001) surface. <b>2022</b> , 890, 161851	
636	Improving the Performance of Charge Trapping Memtransistor as Synaptic Device by Ti-Doped HfO <sub>2</sub> . <b>2021</b> , 9, 137-143	
635	Operation of Neuronal Membrane Simulator Circuit for Tests with Memristor Based on Graphene and Graphene Oxide. <b>2021</b> , 93-102	
634	Fuzzy memristive networks. <b>2021</b> , 461-483	0
633	Towards engineering in memristors for emerging memory and neuromorphic computing: A review. <b>2021</b> , 42, 013101	15
632	Nanoscale Memristor. <b>2021</b> , 444-444	
631	Neuromorphic Computing in Speech Recognition Using Nano-devices. <b>2021</b> , 45-53	
630	RRAM-Based Neuromorphic Computing Systems. <b>2021</b> , 383-414	1

629	Electrochemical reaction in memristor devices in a set state. <b>2021</b> , 11, 015302	0
628	Emulation of Synaptic Scaling Based on MoS2 Neuristor for Self-Adaptative Neuromorphic Computing. <b>2021</b> , 7, 2001104	
627	Run-off election-based decision method for the training and inference process in an artificial neural network. <b>2021</b> , 11, 895	
626	Memristor-Based Edge Computing of Blaze Block for Image Recognition. <b>2020</b> , PP,	6
625	Design guidelines for physical implementation of fractional-order integrators and its application in memristive systems. <b>2021</b> , 225-248	
624	Lagrange Stability of Fuzzy Memristive Neural Networks on Time Scales With Discrete Time-Varying and Infinite Distributed Delays. <b>2021</b> , 1-1	1
623	Spatiotemporal signal processing and device stability based on bi-layer biomimetic memristor. <b>2021</b> , 70, 178504-178504	2
622	Multiply accumulate operations in memristor crossbar arrays for analog computing. <b>2021</b> , 42, 013104	7
621	Viewpoint: Pavlovian Materials-Functional Biomimetics Inspired by Classical Conditioning. <b>2020</b> , 32, e1906619	15
620	Bioinspired Prosthetic Interfaces. <b>2020</b> , 5, 1900856	21
619	Enhancing composition control of alloy nanoparticles from gas aggregation source by in operando optical emission spectroscopy. <b>2021</b> , 18, 2000208	5
618	Observation of Resistive Switching Behavior in Crossbar Core-Shell Ni/NiO Nanowires Memristor. <b>2018</b> , 14, 1703153	40
617	Memristor-Based Resistive Computing. <b>2014</b> , 301-325	2
616	Nonvolatile State Identification and NVM SPICE. <b>2014</b> , 45-83	4
615	Kinetic Monte Carlo Analysis of the Operation and Reliability of Oxide Based RRAMs. <b>2020</b> , 429-437	1
614	Nanoelectronic Devices Enriching Moore's Law. <b>2021</b> , 67-156	1
613	Convergence Platforms: Foundational Science and Technology Tools. <b>2013</b> , 1-52	3
612	The Fourth Element. <b>2014</b> , 1-13	4

611	Cellular Nonlinear Networks with Memristor Synapses. <b>2014</b> , 267-291	5
610	Memristive in Situ Computing. <b>2014</b> , 413-428	2
609	Computing Shortest Paths in 2D and 3D Memristive Networks. <b>2014</b> , 537-552	10
608	Why Are Memristor and Memistor Different Devices?. <b>2014</b> , 95-112	6
607	Memristors and Memristive Devices for Neuromorphic Computing. <b>2014</b> , 129-149	6
606	Bio-inspired Neural Networks. <b>2014</b> , 151-172	1
605	An Energy-Efficient Computing Approach by Filling the Connectome Gap. <b>2014</b> , 229-241	4
604	Introduction. <b>2016</b> , 1-12	2
603	Impact of Nonideal Resistive Synaptic Device Behaviors on Implementation of Sparse Coding Algorithm. <b>2017</b> , 233-251	1
602	TaOx-/TiO2-Based Synaptic Devices. <b>2017</b> , 73-95	3
601	Logic with Unipolar Memristors [Circuits and Design Methodology. <b>2017</b> , 24-40	1
600	Spiking Neural Computing in Memristive Neuromorphic Platforms. <b>2019</b> , 691-728	2
599	Photonic Neuromorphic Signal Processing and Computing. <b>2014</b> , 183-222	22
598	Efficient and hardware-friendly methods to implement competitive learning for spiking neural networks. <b>2020</b> , 32, 13479-13490	10
597	A new emotion model of associative memory neural network based on memristor. <b>2020</b> , 410, 83-92	13
596	Bioinspired Structures and Design. <b>2020</b> ,	1
595	Intrinsic plasticity of silicon nanowire neurotransistors for dynamic memory and learning functions. <b>2020</b> , 3, 398-408	14
594	The memristive effect as a novelty in drug monitoring. <b>2017</b> , 9, 9676-9684	19



593	Current status and prospects of memristors based on novel 2D materials. <b>2020</b> , 7, 1495-1518	59
592	Memristor dynamics involved in cells communication for a 2D non-linear network. <b>2020</b> , 14, 427-434	5
591	Current transient response and role of the internal resistance in HfOx-based memristors. <b>2020</b> , 117, 262902	4
590	Oxide-based filamentary RRAM for deep learning. <b>2021</b> , 54, 083002	7
589	Wafer-scale graphene-ferroelectric HfO/Ge-HfO/HfO transistors acting as three-terminal memristors. <b>2020</b> , 31, 495207	4
588	Electronic structure and charge transport mechanism in a forming-free SiO <sub>2</sub> -based memristor. <b>2020</b> , 31, 505704	9
587	An improved memristor model for brain-inspired computing. <b>2017</b> , 26, 118502	6
586	Investigation of resistive switching in gallium oxide nanostructures formed by local anodic oxidation. <b>2019</b> , 1410, 012233	1
585	Fully unsupervised online spike sorting based on an artificial spiking neural network.	2
584	Completely polarized eg orbitals realized in d <sup>7</sup> Ni <sup>3+</sup> based heterointerface. <b>2020</b> , 4,	2
583	Ultrafast polarization switching in ferroelectrics. <b>2019</b> , 1,	4
582	Insertion of Ag Layer in TiN/SiNx/TiN RRAM and Its Effect on Filament Formation Modeled by Monte Carlo Simulation. <b>2020</b> , 8, 228720-228730	3
581	Resistive switching and synaptic behavior in zirconium doped thin film metal-oxide-metal devices. <b>2020</b> ,	2
580	DNN+NeuroSim V2.0: An End-to-End Benchmarking Framework for Compute-in-Memory Accelerators for On-chip Training. <b>2020</b> , 1-1	26
579	A Compact Model for Stochastic Spike-Timing-Dependent Plasticity (STDP) Based on Resistive Switching Memory (RRAM) Synapses. <b>2020</b> , 67, 2800-2806	6
578	Memristor-Based HTM Spatial Pooler With On-Device Learning for Pattern Recognition. <b>2020</b> , 1-15	8
577	Towards spiking neuromorphic system-on-a-chip with bio-plausible synapses using emerging devices. <b>2017</b> ,	3
576	Approximate Memristive In-Memory Hamming Distance Circuit. <b>2020</b> , 16, 1-14	5

575	Device-aware Circuit Design for Robust Memristive Neuromorphic Systems with STDP-based Learning. <b>2020</b> , 16, 1-25	2
574	Active Memristive Layer Deposition via Mn(II)-Assisted Anodic Oxidation of Titanium. <b>2020</b> , 9, 054004	1
573	The Concept of Unidirectionally Coupled Nonlinear Circuits via a Memristor. <b>2012</b> , 121, 268-270	2
572	AHaH computing-from metastable switches to attractors to machine learning. <b>2014</b> , 9, e85175	23
571	A memristor SPICE model accounting for synaptic activity dependence. <b>2015</b> , 10, e0120506	24
570	Finite time synchronization of memristor-based Cohen-Grossberg neural networks with mixed delays. <b>2017</b> , 12, e0185007	11
569	Fabrication Technology and Electrical Characteristics of Pt/TiO <sub>2-x</sub> /TiO <sub>2</sub> /TiO <sub>2+x</sub> /Pt Nano-Film Memristor. <b>2017</b> , E100.C, 475-481	1
568	Titania Based Nano-ionic Memristive Crossbar Arrays: Fabrication and Resistive Switching Characteristics. <b>2019</b> , 9, 486-493	8
567	Rectifying Memristor Bridge Circuit Realized with Human Skin. <b>2018</b> , 9, 184-192	1
566	Straintronics: a new trend in micro- and nanoelectronics and material science. <b>2018</b> , 188, 1288-1330	7
565	Memristive TiO: Synthesis, Technologies, and Applications. <b>2020</b> , 8, 724	8
564	STDP and STDP variations with memristors for spiking neuromorphic learning systems. <b>2013</b> , 7, 2	274
563	The Effect of Growth Parameters on Electrophysical and Memristive Properties of Vanadium Oxide Thin Films. <b>2020</b> , 26,	2
562	Synthesis and Memristor Effect of a Forming-Free ZnO Nanocrystalline Films. <b>2020</b> , 10,	14
561	Stable analog resistance change of a molecular-gap atomic switch over a wide range. <b>2020</b> , 59, SIIF01	3
560	Gold nanogap-based artificial synapses. <b>2020</b> , 59, 050601	3
559	Computational capacity and energy consumption of complex resistive switch networks. <b>2015</b> , 2, 530-545	7
558	Behavioral Current-Voltage Model with Intermediate States for Unipolar Resistive Memories. <b>2013</b> , 13, 539-545	5

557	New Memristor-Based Crossbar Array Architecture with 50-% Area Reduction and 48-% Power Saving for Matrix-Vector Multiplication of Analog Neuromorphic Computing. <b>2014</b> , 14, 356-363	61
556	Integrate-and-Fire Neuron Circuit and Synaptic Device using Floating Body MOSFET with Spike Timing-Dependent Plasticity. <b>2015</b> , 15, 658-663	6
555	Simulation Study on Silicon-Based Floating Body Synaptic Transistor with Short- and Long-Term Memory Functions and Its Spike Timing-Dependent Plasticity. <b>2016</b> , 16, 657-663	13
554	Chaotic circuit of ion migration memristor and its application in the voice secure communication. <b>2015</b> , 64, 210507	9
553	Research of coupling behavior based on series-parallel flux-controlled memristor. <b>2015</b> , 64, 237303	6
552	A memristor-based time-delay chaotic systems and pseudo-random sequence generator. <b>2017</b> , 66, 030502	9
551	Two-dimensional hexagonal boron nitride based memristor. <b>2017</b> , 66, 217304	7
550	Fundamental circuit element and nonvolatile memory based on magnetoelectric effect. <b>2018</b> , 67, 127501	3
549	Oxide-based memristive neuromorphic synaptic devices. <b>2019</b> , 68, 168504	4
548	Improved Resistive Switching Properties of Solution-Processed TiO <sub>x</sub> Film by Incorporating Atomic Layer Deposited TiO <sub>2</sub> layer. <b>2011</b> , 50, 046504	2
547	Compact model of ferroelectric-gate field-effect transistor for circuit simulation based on multidomain Landau-Lifshitz theory. <b>2017</b> , 56, 04CE07	6
546	A Study of the Applicability of Existing Compact Models to the Simulation of Memristive Structures Characteristics on Low-Dimensional Materials. <b>2021</b> , 12,	
545	Mitigating State-Drift in Memristor Crossbar Arrays for Vector Matrix Multiplication.	0
544	Influence of Silver Content in Glassy Matrix on Resistive Switching Behavior. <b>2021</b> ,	
543	One-way Sensitivity Analysis of the Quasi-static Memdiode Model for RRAM Devices. <b>2021</b> ,	
542	Nonlinear effects in memristors with mobile vacancies. <b>2021</b> , 8, 210677	0
541	Timing Selector: Using Transient Switching Dynamics to Solve the Sneak Path Issue of Crossbar Arrays. 2100072	8
540	A Dynamical Compact Model of Diffusive and Drift Memristors for Neuromorphic Computing. 2100696	6

539	Biocompatible artificial synapses based on a zein active layer obtained from maize for neuromorphic computing. <b>2021</b> , 11, 20633	1
538	Impact of argon flow and pressure on the trapping behavior of nanoparticles inside a gas aggregation source. e2100125	1
537	Effect of Oxygen Vacancy on the Conduction Modulation Linearity and Classification Accuracy of PrCaMnO Memristor. <b>2021</b> , 11,	1
536	Dual mode, high frequency and power efficient grounded memristor based on OTA and DVCC. 1	2
535	The WEAf Mnecosystem: A Perspective of MEMS/NEMS Technologies as Pillars of Future 6G, Super-IoT and Tactile Internet. <b>2022</b> , 502-513	
534	Probing Electrochemistry at the Nanoscale: In Situ TEM and STM Characterizations of Conducting Filaments in Memristive Devices. <b>2022</b> , 87-120	
533	Demonstration of Threshold Switching and Bipolar Resistive Switching in Ag/SnOx/TiN Memory Device. <b>2021</b> , 11, 1605	0
532	In materia reservoir computing with a fully memristive architecture based on self-organizing nanowire networks. <b>2021</b> ,	26
531	Characteristic analysis of volatile avalanche diode threshold switching for bionic nerve synapse applications. <b>2021</b> , 11, 21051	
530	Memristive Computing Devices and Applications. <b>2022</b> , 5-32	
529	The WEAf Mnecosystem: a perspective of MEMS/NEMS technologies as pillars of future 6G, tactile internet and super-IoT. <b>2021</b> , 27, 4193	2
528	Emulation of Astrocyte Induced Neural Phase Synchrony in Spin-Orbit Torque Oscillator Neurons. <b>2021</b> , 15, 699632	1
527	A TaOx-Based RRAM with Improved Uniformity and Excellent Analog Characteristics by Local Dopant Engineering. <b>2021</b> , 10, 2451	2
526	Progress of memristor modulated by interfacial effect. <b>2012</b> , 61, 217306	10
525	Information Transfer Characteristic in Memristic Neuromorphic Network. <b>2013</b> , 1-8	1
524	Primitive IPs Design Based on a Memristor-CMOS Circuit Technology. <b>2013</b> , 50, 65-72	1
523	Nanosession: Neuromorphic Concepts. 197-206	
522	Poster: Electronic Structure, Lattice Dynamics, and Transport. 471-522	

- 521 Spike-Timing-Dependent-Plasticity with Memristors. **2014**, 211-247 2
- 520 Two types of nanoscale nonlinear memristor models and their series-parallel circuits. **2014**, 63, 128502 7
- 519 Evolving Memristive Neural Networks. **2014**, 293-322
- 518 Nonvolatile Circuit Design. **2014**, 85-129
- 517 Resistive Switching in MIM Capacitors Using Porous Anodic Alumina. **2014**, 29-32
- 516 Soft Robotic Skin from Intelligent Meta-Materials. **2016**, 121-137 0
- 515 Novel Nanoelectronic Device Applications of Nanocrystals and Nanoparticles. **2016**, 461-500
- 514 Neuromorphic Platforms Comparison. **2016**, 365-388
- 513 Ultrasensitive Memristive Synapses Based on Lightly Oxidized Sulfide Films. **2017**,
- 512 Theoretical Analysis of Spike-Timing-Dependent Plasticity Learning with Memristive Devices. **2017**, 197-210
- 511 Memristor Device for Security and Radiation Applications. **2018**, 75-92 1
- 510 Results and Discussion. **2018**, 43-95
- 509 Introduction. **2018**, 1-5
- 508 Theoretical study on magnetoelectric effect in multiferroic tetragonal BiMnO<sub>3</sub>. **2018**, 67, 157511 1
- 507 Literature Survey. **2018**, 7-32
- 506 A Memristor-Based Cell for Complexity. **2019**, 133-141
- 505 Memristive Extreme Learning Machine: A Neuromorphic Implementation. **2019**, 123-134
- 504 Introduction. **2019**, 1-32

- 503 Cellular Nonlinear Networks with Memristor Synapses. **2019**, 637-660
- 502 Design and analysis of new meminductor model based on Knowm memristor. **2019**, 68, 198501 0
- 501 Bio-inspired Neural Networks. **2019**, 595-617
- 500 Why are Memristor and Memistor Different Devices?. **2019**, 247-265
- 499 Evolving Memristive Neural Networks. **2019**, 661-690
- 498 Memristive In Situ Computing. **2019**, 1005-1020 1
- 497 Neuro-inspired System with Crossbar Array of Amorphous Metal-Oxide-Semiconductor Thin-Film Devices as Self-plastic Synapse Units. **2019**, 481-491
- 496 Designing Neuromorphic Computing Systems with Memristor Devices. **2019**, 469-494
- 495 Training Large-Scale Spiking Neural Networks on Multi-core Neuromorphic System Using Backpropagation. **2019**, 185-194
- 494 Memristor-Based Addition and Multiplication. **2019**, 1123-1136
- 493 Neuromorphic Devices and Networks Based on Memristors with Ionic Dynamics. **2019**, 527-554
- 492 Memristor Bridge-Based Artificial Neural Weighting Circuit. **2019**, 619-635
- 491 Switching Synchronization and Metastable States in 1D Memristive Networks. **2019**, 955-971
- 490 Memristors and Memristive Devices for Neuromorphic Computing. **2019**, 369-389 2
- 489 The Fourth Element. **2019**, 1-14
- 488 Spike-Timing-Dependent-Plasticity with Memristors. **2019**, 429-467 1
- 487 Brains Are Made of Memristors. **2019**, 315-350 1
- 486 Associative Networks and Perceptron Based on Memristors: Fundamentals and Algorithmic Implementation. **2019**, 729-765

- 485 Computing Shortest Paths in 2D and 3D Memristive Networks. **2019**, 1161-1176
- 484 A novel design of a-Si based memristor with optical readout functionality utilizing silicon prism. **2019**,
- 483 Nanoscale profiling and memristor effect of ZnO thin films for RRAM and neuromorphic devices application. **2019**, 1
- 482 Irradiation effect on Ag-dispersed amorphous silicon thin films by femtosecond laser. **2019**, 1
- 481 GaN-Based 2D and 3D Architectures for Electronic Applications. **2020**, 203-206
- 480 Science and Technological Understanding of Nano-ionic Resistive Memories (RRAM). **2019**, 9, 444-461
- 479 A Current-Mode Memristor Emulator Circuit. **2020**, 493-501
- 478 Artificial synapse based on MoO<sub>3</sub> nanosheets prepared by hydrothermal synthesis. **2020**, 69, 238501-238501
- 477 Neuromorphic Technology Utilizing Nand Flash Memory Cells. **2020**,
- 476 Automated Synthesis of Memristor Crossbars Using Deep Neural Networks. **2021**, 345-357 1
- 475 Mimicking synaptic plasticity with wedged Pt/Co/Pt spin-orbit torque device. 2
- 474 Artificial Synapse Based on a 2D-SnO Memtransistor with Dynamically Tunable Analog Switching for Neuromorphic Computing. **2021**, 9
- 473 A Variety of Functional Devices Realized by Ionic Nanoarchitectonics, Complementing Electronics Components. 2100645 3
- 472 Flexible artificial Si-In-Zn-O/ion gel synapse and its application to sensory-neuromorphic system for sign language translation. **2021**, 7, eabg9450 10
- 471 Design and verification of novel silicon-controlled-rectifier-memristor based on standard CMOS process. **2020**, 36, 015003
- 470 Resistive switching control in forming-free nanocrystalline zinc oxide films. **2020**, 1695, 012040
- 469 A Novel ReRAM-Based Architecture of Field Sequential Color Driver for High-Resolution LCoS Displays. **2020**, 8, 223385-223395
- 468 Fiber Memristors. **2020**, 327-347 1

467	Artificial Synapses Realized by Atomic Switch Technology. <b>2020</b> , 175-199	1
466	Towards Synaptic Behavior of Nanoscale ReRAM Devices for Neuromorphic Computing Applications. <b>2020</b> , 16, 1-18	1
465	Ultralow Power Optical Synapses Based on MoS Layers by Indium-Induced Surface Charge Doping for Biomimetic Eyes. <b>2021</b> , 33, e2104960	10
464	Electrically and Optically Controllable p-n Junction Memtransistor Based on an Al <sub>2</sub> O <sub>3</sub> Encapsulated 2D Te/ReS <sub>2</sub> van der Waals Heterostructure.. <b>2021</b> , 5, e2101303	3
463	Ultrathin Anion Conductors Based Memristor. 2100845	5
462	Artificial synaptic device and neural network based on the FeGa/PMN-PT/FeGa memtransistor. <b>2021</b> , 119, 192902	1
461	In-memory computing with emerging nonvolatile memory devices. <b>2021</b> , 64, 1	6
460	Toward Learning in Neuromorphic Circuits Based on Quantum Phase Slip Junctions. <b>2021</b> , 15, 765883	1
459	Bayesian Inference Based Robust Computing on Memristor Crossbar. <b>2021</b> ,	3
458	Low Power Strategies for beyond Moore's Law Era. 27-47	
457	Frequency Sweep and Width Optimization of Memos-Based Digital Logic Gates. <b>2021</b> , 77-83	
456	Extended Memristor Devices. <b>2021</b> , 373-386	
455	A biodegradable artificial synapse implemented by foundry-compatible materials. <b>2020</b> , 117, 192105	1
454	Atomic Electronics. <b>2021</b> , 41-65	
453	Neuromorphic Computation. <b>2021</b> , 187-213	
452	Second Generation Current Conveyor Based Floating Fractional Order Memristance Simulator and a New Dynamical System. <b>2020</b> , 20, 68-80	
451	Alloy electrode engineering in memristors for emulating the biological synapse.. <b>2022</b> ,	4
450	Chaotic circuit based on physical memristor. <b>2021</b> ,	



- 449 Geometric Design of Confined Conducting Filaments in Resistive Random Access Memory by Al<sub>2</sub>O<sub>3</sub> Nanodome-Shaped Arrays (NDSAs) via Glancing-Angle Deposition Technology Toward Neuromorphic Computing. 1757-1766
- 448 Die area recovery to record a resistive memory in a memristive crossbar array. **2021**, 144, 154058
- 447 Conductance Quantization Behavior in Pt/SiN/TaN RRAM Device for Multilevel Cell. **2021**, 11, 1918 1
- 446 Sodium-Doped Titania Self-Rectifying Memristor for Crossbar Array Neuromorphic Architectures. **2021**, e2106913 9
- 445 Memristor-based multi-synaptic spiking neuron circuit for spiking neural network. 0
- 444 Resistive Memory Devices Based on Reticular Materials for Electrical Information Storage. **2021**, 13, 56777-56792 2
- 443 Progress and Challenges for Memtransistors in Neuromorphic Circuits and Systems. **2021**, e2108025 7
- 442 Materials challenges and opportunities for brain-inspired computing. **2021**, 46, 978 2
- 441 Gradient Decomposition Methods for Training Neural Networks With Non-ideal Synaptic Devices. **2021**, 15, 749811 1
- 440 Adjustable Leaky-Integrate-and-fire neurons based on memristor-coupled capacitors. **2021**, 12, 100192 8
- 439 Surface acoustic wave controlled skyrmion-based synapse devices. **2021**, 1
- 438 Bifurcations underlying different excitability transitions modulated by excitatory and inhibitory memristor and chemical autapses. **2021**, 153, 111611 0
- 437 Neuromorphic Control: Designing Multiscale Mixed-Feedback Systems. **2021**, 41, 34-63 0
- 436 How to Build a Memristive Integrate-and-Fire Model for Spiking Neuronal Signal Generation. **2021**, 68, 4837-4850 9
- 435 A Survey of Memristors and Its Applications. **2021**, 403-428
- 434 Modeling of Electrochemical Metallization-Based Two-Dimensional Material Memristors for Neuromorphic Applications. **2021**, 20, 912-921 0
- 433 A Dynamic System Approach to Spiking Second Order Memristor Networks. **2021**, 1-14 0
- 432 Dynamics of the Charge Transfer Through a Memristor Between Two Initially Charged Cells. **2021**, 299-312

431	Intrinsic Spike Timing Dependent Plasticity in Stochastic Magnetic Tunnel Junctions Mediated by Heat Dynamics. <b>2021</b> , 1-1	0
430	Tunable digital-to-analog switching in Nb2O5-based resistance switching devices by oxygen vacancy engineering. <b>2022</b> , 579, 152114	1
429	Anatomy of high-uniform unidirectional volatile switching behavior in SiO2/TiO2-based selection device. <b>2022</b> , 13, 100197	
428	Breaking Through the Speed-Power-Accuracy Tradeoff in ADCs Using a Memristive Neuromorphic Architecture. <b>2018</b> , 2, 396-409	22
427	Microstrip Memristive Switch and Its Applications to RF Devices. <b>2020</b> ,	1
426	Robust Implementation of Memristive Reservoir Computing with Crossbar Based Readout Layer. <b>2020</b> ,	1
425	Innovating instruction of communication theory with machine learning and speech analysis. <b>2020</b> ,	
424	A Flux Controlled Memristor using 90nm Technology. <b>2021</b> , 1, 1-6	
423	Memristive Hopfield Neural Network for Reasoning with Incomplete Information and Its Circuit Implementation. <b>2021</b> , 16, 1401-1411	2
422	Memristor-Based Neural Network Circuit of Long-term Memory. <b>2021</b> ,	1
421	Investigation of Power Consumption Effect of Various Memristor Emulators on a Logic Gate.	0
420	Reconfigurable Neural Synaptic Plasticity-Based Stochastic Deep Neural Network Computing. <b>2021</b> ,	
419	Simscape approximative PWL models of Jo and HP ideal memristors. <b>2021</b> ,	
418	FangTianSim: High-Level Cycle-Accurate Resistive Random-Access Memory-Based Multi-Core Spiking Neural Network Processor Simulator.. <b>2021</b> , 15, 806325	
417	Natural-Casein-Based Biomemristor with Pinched Current-Voltage Characteristics.. <b>2022</b> ,	1
416	A pulse coding off-chip learning algorithm for memristive artificial neural network.	
415	Reliable multilevel memristive neuromorphic devices based on amorphous matrix via quasi-1D filament confinement and buffer layer.. <b>2022</b> , 8, eabj7866	5
414	BEOL-Compatible Superlattice FEFET Analog Synapse With Improved Linearity and Symmetry of Weight Update. <b>2022</b> , 1-7	4

413	Light-driven carbon nitride microswimmers with propulsion in biological and ionic media and responsive on-demand drug delivery.. <b>2022</b> , 7, eabm1421	13
412	Memristive Behaviors Dominated by Reversible Nucleation Dynamics of Phase-Change Nanoclusters.. <b>2022</b> , e2105070	0
411	Two-dimensional materials for artificial synapses: toward a practical application.	1
410	Exponential synchronization control of delayed memristive neural network based on canonical Bessel-Legendre inequality. <b>2022</b> , 7, 4711-4734	
409	Ultralow Power Consumption and Large Dynamic Range Synaptic Transistor Based on Hn2Se3 Nanosheets.	4
408	Emergent solution based IGZO memristor towards neuromorphic applications. <b>2022</b> , 10, 1991-1998	2
407	SPICE Study of STDP Characteristics in a Drift and Diffusive Memristor-Based Synapse for Neuromorphic Computing. <b>2022</b> , 10, 6381-6392	1
406	From Pain to Fear Recognition via Pavlovian Learning in an Organic-Inorganic Hybrid Neuromorphic Transistor. 2101174	0
405	Opportunities for neuromorphic computing algorithms and applications. <b>2022</b> , 2, 10-19	12
404	Graphene/Ferroelectric (Ge-Doped HfO) Adaptable Transistors Acting as Reconfigurable Logic Gates.. <b>2022</b> , 12,	1
403	Rare earth-based ceramic nanomaterials—hanganites, ferrites, cobaltites, and nickelates. <b>2022</b> , 205-230	
402	Y2O3-based Memristive Crossbar Array for Synaptic Learning.	
401	Emerging dynamic memristors for neuromorphic reservoir computing.. <b>2021</b> ,	5
400	Hybrid architecture based on two-dimensional memristor crossbar array and CMOS integrated circuit for edge computing. <b>2022</b> , 6,	3
399	Two-dimensional molybdenum disulfide artificial synapse with high sensitivity. <b>2022</b> , 2, 014004	1
398	A Configurable Artificial Neuron Based on a Threshold-Tunable TiN/NbOx/Pt Memristor. <b>2022</b> , 1-1	2
397	Improved Crossbar Array Architecture for Compensating Interconnection Resistance: A Ferroelectric HZO-based Synapse Case. <b>2022</b> , 1-1	
396	Neuromorphic Circuits and Systems: From Neuron Models to Integrate-and-Fire Arrays. <b>2022</b> , 1-26	

395	Obtaining Fuzzy Membership Function of Clusters With the Memristor Hardware Implementation and On-Chip Learning. <b>2022</b> , 1-18	0
394	Prospect and challenges of analog switching for neuromorphic hardware. <b>2022</b> , 120, 060501	7
393	Artificial Nociceptor Using Liquid Ionic Memory. 2101066	0
392	Reconfigurable perovskite nickelate electronics for artificial intelligence.. <b>2022</b> , 375, 533-539	14
391	Mapping Transformation Enabled High-Performance and Low-Energy Memristor-Based DNNs. <b>2022</b> , 12, 10	2
390	Efficient Oxygen-Vacancy Suppression and Electrical Stabilization of Solution-Processed In 2 O 3 :Q (Q = S, Se) Thin-Film Transistor with Chalcogen Alloying. 2101250	1
389	Demonstration of synaptic characteristics of polycrystalline-silicon ferroelectric thin-film transistor for application of neuromorphic computing.	
388	Modeling and Synaptic behaviors of a WO <sub>x</sub> -based Memristor with Oxygen Vacancy Conductive Mechanism.	1
387	Nanostructured Materials and Architectures for Advanced Optoelectronic Synaptic Devices. 2110976	13
386	Analog ferroelectric domain-wall memories and synaptic devices integrated with Si substrates. <b>2022</b> , 15, 3606	4
385	Molecular Design Strategies toward Improvement of Charge Injection and Ionic Conduction in Organic Mixed Ionic-Electronic Conductors for Organic Electrochemical Transistors.. <b>2021</b> ,	22
384	Recent progress in optoelectronic memristive devices for in-sensor computing. <b>2022</b> ,	1
383	'Stateful' threshold switching for neuromorphic learning.. <b>2022</b> ,	0
382	A Fast Weight Transfer Method for Real-Time Online Learning in RRAM-Based Neuromorphic System. <b>2022</b> , 1-1	0
381	Low-Variance Memristor-Based Multi-Level Ternary Combinational Logic. <b>2022</b> , 1-12	3
380	Biomimicry for natural and synthetic composites and use of machine learning in hierarchical design. <b>2022</b> , 141-182	
379	Neuromorphic Implementation of Logic Functions Based on Parallel Dual-Gate Thin-Film Transistors. <b>2022</b> , 1-1	3
378	Emulating the short-term plasticity of a biological synapse with a ruthenium complex-based organic mixed ionic-electronic conductor. <b>2022</b> , 3, 2827-2837	0

377	A Geometrical Optimization Rule of the Synaptic Pass-Transistor for a Low Power Analog Accelerator. <b>2022</b> , 10, 35120-35130	0
376	Optoelectronic neuromorphic devices and their applications. <b>2022</b> ,	2
375	A Flexible Memristor Model with Electronic Resistive Switching Memory Behavior and its Application in Spiking Neural Network.. <b>2022</b> , PP,	1
374	Memristor-Based Neural Network Circuit of Memory with Emotional Homeostasis. <b>2022</b> , 1-1	0
373	A Simulation Framework for Memristor-Based Heterogeneous Computing Architectures. <b>2022</b> , 1-1	
372	Investigation of a memory effect in a Au/(Ti-Cu)Ox-gradient thin film/TiAlV structure.. <b>2022</b> , 13, 265-273	1
371	Comparison of update and genetic training algorithms in a memristor crossbar perceptron. <b>2022</b> , 12, 025327	
370	Tuning Resistive Switching Behavior by Controlling Internal Ionic Dynamics for Biorealistic Implementation of Synaptic Plasticity. 2101025	1
369	Operando observation of analog resistance change in buried metal/oxide interface by laser-excited photoemission electron microscope.	
368	Natural biomaterial honey-based resistive switching device for artificial synapse in neuromorphic systems. <b>2022</b> , 120, 083301	0
367	Classification Performances due to Asymmetric Nonlinear Weight Updates in Analog Artificial Synapse-Based Hardware Neural Networks. <b>2022</b> ,	
366	Memristor with BiVO4 nanoparticle as artificial synapse for neuroinspired computing. <b>2022</b> , 120, 093501	0
365	Neuromorphic Synapses with High Switching Uniformity and Multilevel Memory Storage Enabled through a Hf-Al-O Alloy for Artificial Intelligence. <b>2022</b> , 4, 1288-1300	3
364	Amorphous Boron Nitride Memristive Device for High-Density Memory and Neuromorphic Computing Applications.. <b>2022</b> ,	6
363	Photonic Kernel Machine Learning for Ultrafast Spectral Analysis. <b>2022</b> , 17,	0
362	Experimental photonic quantum memristor. <b>2022</b> , 16, 318-323	5
361	Flexible synaptic floating gate devices with dual electrical modulation based on ambipolar black phosphorus.. <b>2022</b> , 25, 103947	0
360	Emulation of synaptic functions with low voltage organic memtransistor for hardware oriented neuromorphic computing.. <b>2022</b> , 12, 3808	3

359	Ferroelectric memory based on two-dimensional materials for neuromorphic computing. <b>2022</b> , 2, 022001	1
358	HfZrOx-based capacitive synapses with highly linear and symmetric multilevel characteristics for neuromorphic computing. <b>2022</b> , 120, 113504	1
357	Variable range hopping conduction mechanisms in reduced rutile TiO2. <b>2022</b> , 97, 045408	0
356	Scaled, Ferroelectric Memristive Synapse for Back-End-of-Line Integration with Neuromorphic Hardware. 2101395	4
355	A Bioinspired Artificial Injury Response System Based on a Robust Polymer Memristor to Mimic a Sense of Pain, Sign of Injury, and Healing.. <b>2022</b> , e2200629	4
354	Emulation of Synaptic Plasticity on a Cobalt-Based Synaptic Transistor for Neuromorphic Computing.. <b>2022</b> ,	3
353	Hardware Demonstration of SRDP Neuromorphic Computing with Online Unsupervised Learning Based on Memristor Synapses.. <b>2022</b> , 13,	1
352	Memristive and biological synaptic behavior in transition metal dichalcogenide-WS2 nanostructures: A review. <b>2022</b> ,	
351	Effect of weight overlap region on neuromorphic system with memristive synaptic devices. <b>2022</b> , 157, 111999	2
350	38 GHz FSK-OOK ultra wideband transmitter based on memristive ring oscillator. 1	
349	A TSTDTP memristive synapse based on a comprehensive mathematical model of memory-TFT threshold voltage shift.. <b>2022</b> , 111119	
348	Memristive LIF Spiking Neuron Model and Its Application in Morse Code.. <b>2022</b> , 16, 853010	0
347	Implementation of Neuronal Intrinsic Plasticity by Oscillatory Device in Spiking Neural Network. <b>2022</b> , 69, 1830-1834	0
346	Solid state ionics for the development of artificial intelligence components.	1
345	Data-driven RRAM device models using Kriging interpolation.. <b>2022</b> , 12, 5963	2
344	Synaptic plasticity features and neuromorphic system simulation in AlN-based memristor devices. <b>2022</b> , 164870	3
343	Unsupervised Digit Recognition Using Cosine Similarity In A Neuromemristive Competitive Learning System. <b>2022</b> , 18, 1-20	
342	A novel active inverse memristor emulator with improved low frequency feature. <b>2021</b> ,	0

341	Superconducting Neural Networks: from an Idea to Fundamentals and, Further, to Application. <b>2021</b> , 16, 811-820	0
340	Dynamic resistive switching devices for neuromorphic computing. <b>2022</b> , 37, 024003	2
339	Plasmonic Optoelectronic Memristor Enabling Fully Light-Modulated Synaptic Plasticity for Neuromorphic Vision.. <b>2021</b> , e2104632	16
338	STDP implementation using multi-state spin-orbit torque synapse. <b>2022</b> , 37, 024004	0
337	Memristive System Based Image Processing Technology: A Review and Perspective. <b>2021</b> , 10, 3176	1
336	Neuromorphic Computing Systems with Emerging Devices. <b>2022</b> , 173-216	
335	Organic Log-Domain Integrator Synapse. <b>2022</b> , 8, 2100724	1
334	Two-Terminal Neuromorphic Memristors. <b>2022</b> , 1-46	
333	Ultrasensitive and Degradable Ultraflexible Synaptic Transistors Based on Natural Pectin. <b>2022</b> , 4, 316-325	1
332	An Improved Memristor Model Based on the Electrochemical Metallization Effect as a Synapse for Biomimetic Applications. <b>2022</b> , 259, 2100379	1
331	A Theoretical Study on Porous-Silicon Based Synapse Design for Neural Hardware. <b>2021</b> ,	
330	Invited: Security Beyond Bulk Silicon: Opportunities and Challenges of Emerging Devices. <b>2021</b> ,	
329	Reconfigurable Synaptic and Neuronal Functions in a V/VO <sub>x</sub> /HfWO <sub>x</sub> /Pt Memristor for Nonpolar Spiking Convolutional Neural Network. 2111996	7
328	Flexible Mott Synaptic Transistor on Polyimide Substrate for Physical Neural Networks. 2200078	1
327	Versatile Functionality of Four-Terminal TiO <sub>2</sub> Memristive Devices as Artificial Synapses for Neuromorphic Computing.	0
326	Atomic scale switches based on solid state ionics. <b>2022</b> , 7,	0
325	Memristor-based analogue computing for brain-inspired sound localization with in situ training.. <b>2022</b> , 13, 2026	11
324	Effect of electrode and oxide properties on the filament kinetics during electroforming in metal-oxide-based memories. <b>2022</b> , 8,	2

323 Nanoscale Memristor-based STDP Learning in a Radix-X Quantized Retinal Neural Network.

322 Memristor Arrays Formed by Reversible Formation and Breakdown of Nanoscale Silica Layers on Si(111) Surfaces. 1

321 Data\_Sheet\_1.pdf. 2019,

320 Video\_1.MP4. 2019,

319 Video\_2.MP4. 2019,

318 Data\_Sheet\_1.pdf. 2018,

317 Presentation\_1.pdf. 2020,

316 Data\_Sheet\_1.PDF. 2020,

315 Image\_1.JPEG. 2020,

314 Applications of biomemristors in the next generation wearable electronics. 4

313 3-D Physical Electro-Thermal Modeling of Nanoscale Y<sub>2</sub>O<sub>3</sub> Memristors for Synaptic Application. 2022, 1-6

312 Brain-like critical dynamics and long-range temporal correlations in percolating networks of silver nanoparticles and functionality preservation after integration of insulating matrix. 0

311 Pulse Truncation Enabled High Performance and Low Energy Memristor-based Accelerator. 2022,

310 Reliable Memristor Based on Ultrathin Native Silicon Oxide.. 2022, 10

309 Methods of controlling operation modes in Pt/TaO<sub>x</sub>/Ta<sub>2</sub>O<sub>5</sub>/Pt resistive switching cells.

308 Dependability of Alternative Computing Paradigms for Machine Learning: hype or hope?. 2022,

307 Reconfigurable Artificial Synapses with Excitatory and Inhibitory Response Enabled by an Ambipolar Oxide Thin-Film Transistor.. 2022, 4

306 Memristor-Based Neuromodulation Device for Real-Time Monitoring and Adaptive Control of Neuronal Populations. 1



305	Theory and Technology of Memristive Devices. 1-35	
304	Spin-orbit torque driven nano-oscillators based on synthetic Néel-like skyrmion in magnetic tunnel junction. <b>2022</b> , 12, 055013	1
303	Memristive KDG-BNN: Memristive binary neural networks trained via knowledge distillation and generative adversarial networks. <b>2022</b> , 108962	0
302	A Memristor-Based Bioinspired Multimodal Sensory Memory System for Sensory Adaptation of Robots. 2200031	0
301	Scaling of voltage controlled magnetic anisotropy based skyrmion memory and its neuromorphic application. <b>2022</b> , 3, 025003	
300	Synapse and Tunable Leaky-Integrate Neuron Functions Enabled by Oxide Trapping Dynamics in a Single Logic Transistor. <b>2022</b> , 43, 793-796	
299	Rotation control of an HR neuron with a locally active memristor. <b>2022</b> , 137,	0
298	Exploring the crucial influence on the electrical rectification of ZnO films. <b>2022</b> , 31, 102014	
297	Investigation of STDP mechanisms for memristor circuits. <b>2022</b> , 151, 154230	1
296	Ferroelectric ion gel-modulated long-term plasticity in organic synaptic transistors. <b>2022</b> , 287, 126227	1
295	Fault-Aware Adversary Attack Analyses and Enhancement for RRAM-Based Neuromorphic Accelerator. <b>2022</b> , 3,	
294	Highly Reliable Synaptic Cell Array Based on Organic/Inorganic Hybrid Bilayer Stack toward Precise Offline Learning. 2200018	0
293	Direct laser writing of graphene oxide for ultra-low power consumption memristors in reservoir computing for digital recognition. <b>2022</b> ,	0
292	Polymer synaptic transistors from memory to neuromorphic computing. <b>2022</b> , 126263	0
291	First-principles simulation of neutral and charged oxygen vacancies in m-ZrO <sub>2</sub> : An origin of filamentary type resistive switching.. <b>2022</b> ,	
290	A Survey on Neuromorphic Computing: Models and Hardware. <b>2022</b> , 22, 6-35	2
289	Review and Perspectives of Micro/Nano Technologies as Key-Enablers of 6G. <b>2022</b> , 1-1	5
288	Analogue In-Memory Computing with Resistive Switching Memories. <b>2022</b> , 61-86	1

- 287 Memristive Brain-like Computing. **2022**,
- 286 A Novel Window Function Enables Memristor Model With High Efficiency Spiking Neural Network Applications. **2022**, 1-8
- 285 Mathematical analysis and circuit emulator design of the three-valued memristor. **2022**, 1
- 284 Memristive structure of Nb/HfO<sub>x</sub>/Pd with controllable switching mechanisms to perform featured actions in neuromorphic networks.
- 283 Ferroelectric polymers for neuromorphic computing. **2022**, 9, 021309 2
- 282 Ion-Movement-Based Synaptic Device for Brain-Inspired Computing. **2022**, 12, 1728
- 281 Reproduce the biophysical function of chemical synapse by using a memristive synapse. 3
- 280 Lag Quasi-Synchronization of Incommensurate Fractional-Order Memristor-Based Neural Networks with Nonidentical Characteristics via Quantized Control: A Vector Fractional Halanay Inequality Approach. **2022**,
- 279 Spike-time-dependent plasticity rule in memristor models for circuit design. 0
- 278 A complementary resistive switching neuron. 2
- 277 Tuning memristance and transport properties of TiO<sub>2</sub> by oxygen vacancy concentration. **2022**, 128,
- 276 Discrete Memristor and Discrete Memristive Systems. **2022**, 24, 786 2
- 275 Ferroelectric polymer thin-film memristors with asymmetric top electrodes.
- 274 Multifunctional Analog Resistance Switching of Si<sub>3</sub>N<sub>4</sub>-Based Memristors through Migration of Ag<sup>+</sup> Ions and Formation of Si-Dangling Bonds. 5101-5108 2
- 273 Memristor characteristics: From non-ideal to ideal.
- 272 A Learning-Rate Modulable and Reliable TiO<sub>x</sub> Memristor Array for Robust, Fast, and Accurate Neuromorphic Computing. 2201117 1
- 271 The Interaction of Memristor in Cellular Nonlinear Network for Image and Signal Processing. **2022**, 229-237
- 270 Memristor-Based In-Memory Computing Architecture for Scientific Computing. **2022**, 141-165

- 269 Optimized Programming Scheme Enabling Symmetric Conductance Modulation in HfO<sub>2</sub> Resistive Random-Access Memory (RRAM) for Neuromorphic Systems. **2022**, 1-1 0
- 268 Ta/HfO<sub>2</sub>-based Memristor and Crossbar Arrays for In-Memory Computing. **2022**, 167-188
- 267 ZnSnO<sub>y</sub>/ZnSnO<sub>x</sub> Bilayer Transparent Memristive Synaptic Device for Neuromorphic Computing. **2022**, 1-1 1
- 266 Mimicking Biological Synaptic Plasticity with a Leaky Charge-Trap FinFET. 1
- 265 Organic Memristive Devices and Organic Electrochemical Transistors as Promising Elements for Bio-inspired Systems. **2022**, 273-295
- 264 Optical Memristors: Review of Switching Mechanisms and New Computing Paradigms. **2022**, 219-244
- 263 Memristive functionality based on viscous magnetization dynamics. **2022**, 131, 233903
- 262 2022 roadmap on neuromorphic devices & applications research in China.
- 261 Quantization, training, parasitic resistance correction, and programming techniques of memristor-crossbar neural networks for edge intelligence. 0
- 260 Novel Electronic Devices Based on Perovskite Materials. **2022**, 601-628
- 259 Humidity-Enabled Organic Artificial Synaptic Devices with Ultrahigh Moisture Resistivity. 2200320
- 258 Programmable neuronal-synaptic transistors based on 2D MXene for a high-efficiency neuromorphic hardware network. **2022**, 3
- 257 Manipulating the Resistive Switching in Epitaxial SrCoO<sub>2.5</sub> Thin-Film-Based Memristors by Strain Engineering.
- 256 Memristor, Memcapacitor, Meminductor : Models and Experimental Circuit Emulators. **2022**, 12, 8683-8687
- 255 Toward Reflective Spiking Neural Networks Exploiting Memristive Devices. 16, 1
- 254 Non-Bernoulli operations of stochastic binary synapses using resistive switching devices for unsupervised learning in a spiking neural network. **2022**, 15, 074501
- 253 Dimensionality-Dependent Resistive Switching in 0D and 2D Cs<sub>3</sub>Sb<sub>2</sub>I<sub>9</sub> : Energy-Efficient Synaptic Functions with the Layered-Phase. 2200211 1
- 252 Synaptic transistors with a memory time tunability over seven orders of magnitude. **2022**, 120, 252903 1

251	Complex oxides for brain-inspired computing: A review. 2203352	3
250	Robust Resistive Switching Constancy and Quantum Conductance in High-k Dielectric-Based Memristor for Neuromorphic Engineering. <b>2022</b> , 17,	1
249	Structural and Electrical Properties of Annealed Ge <sub>2</sub> Sb <sub>2</sub> Te <sub>5</sub> Films Grown on Flexible Polyimide. <b>2022</b> , 12, 2001	1
248	Study on energy and information storage properties of 2D-MXene/polyimide composites. <b>2022</b> , 241, 110014	2
247	Self-powered perception system based on triboelectric nanogenerator and artificial neuron for fast-speed multilevel feature recognition. <b>2022</b> , 100, 107525	1
246	Computing with nonvolatile memories for artificial intelligence. <b>2022</b> , 305-334	2
245	Implementation of Binary Particle Swarm Optimization for Image Thresholding using Memristor Crossbar Array. <b>2022</b> , 915-936	
244	Tetranitro- and tetraamino-dibenzo[18]crown-6-ether derivatives: complexes for alkali metal ions, redox potentials, crystal structures, molecular sorption, and proton conducting behaviours.	
243	Resistorless Memristor Emulators: Floating, Grounded using OTA and VDBA for high frequency applications. <b>2022</b> , 1-1	1
242	Robust Architecture-Agnostic and Noise Resilient Training of Photonic Deep Learning Models. <b>2022</b> , 1-10	2
241	A Review on CMOS Operational Transconductance Amplifier on Different Technology Node.	
240	Exploring the Ligand Functionality, Electronic Band Gaps, and Switching Characteristics of Single Wells Dawson-Type Polyoxometalates on Gold. 2200461	0
239	Bipolar interface-type resistive switching effect in the MoS <sub>2</sub> /Ox film. <b>2022</b> , 128,	
238	Resistive Switching and Synaptic Characteristics in ZnO/TaON-Based RRAM for Neuromorphic System. <b>2022</b> , 12, 2185	3
237	Comparative Analysis of Reconfigurable Platforms for Memristor Emulation. <b>2022</b> , 15, 4487	
236	Voltage-driven gigahertz frequency tuning of spin Hall nano-oscillators. <b>2022</b> , 13,	2
235	Highly Flexible and Asymmetric Hexagonal-Shaped Crystalline Structured Germanium Dioxide-Based Multistate Resistive Switching Memory Device for Data Storage and Neuromorphic Computing. 2200332	3
234	Second-Order Memristor Based on All-Oxide Multiferroic Tunnel Junction for Biorealistic Emulation of Synapses. 2200421	0

233	A Full-Function Memristive Pavlov Associative Memory Circuit With Inter-Stimulus Interval Effect. <b>2022,</b>	0
232	Cluster-type analogue memristor by engineering redox dynamics for high-performance neuromorphic computing. <b>2022, 13,</b>	2
231	Controlled Formation of Conduction Channels in Memristive Devices Observed by X-ray Multimodal Imaging. 2203209	1
230	Resistive Switching in Emerging Materials and their Characteristics for Neuromorphic Computing. <b>2022, 100004</b>	2
229	van der Waals Ferroelectric Halide Perovskite Artificial Synapse. <b>2022, 18,</b>	
228	Wide Waveband Light Detection and Storage Device for Visual Memory. 2100881	
227	Memristive, Spintronic, and 2D-Materials-Based Devices to Improve and Complement Computing Hardware. 2200068	1
226	Room-Temperature Fabricated Multilevel Nonvolatile Lead-Free Cesium Halide Memristors for Reconfigurable In-Memory Computing.	1
225	Multifunctional Two-Terminal Optoelectronic Synapse Based on Zinc Oxide/Poly(3-hexylthiophene) Heterojunction for Neuromorphic Computing.	5
224	Neuromorphic Data Converters Using Memristors. <b>2023, 245-290</b>	
223	Asymptotic stability and synchronization of fractional delayed memristive neural networks with algebraic constraints. <b>2022, 114, 106694</b>	0
222	Versatile GeS-based CBRAM with compliance-current-controlled threshold and bipolar resistive switching for electronic synapses. <b>2022, 29, 101554</b>	3
221	Beyond CMOS. <b>2021,</b>	0
220	Magnetic Tunnel Junctions for Artificial Neural Network. <b>2022, 179-201</b>	
219	Post-silicon nano-electronic device and its application in brain-inspired chips. 16,	1
218	A Review on CMOS Operational Transconductance Amplifier on Different Technology Node.	
217	Multi-level Analog Programmable Graphene Resistive Memory with Fractional Channel Ferroelectric Switching in Hafnium Zirconium Oxide. <b>2022,</b>	0
216	A Simple Memristive Circuit for Pattern Classification Based on Reservoir Computing. <b>2022, 32,</b>	

215	Biocompatible Casein Electrolyte-Based Electric-Double-Layer for Artificial Synaptic Transistors. <b>2022</b> , 12, 2596	1
214	An organic synaptic circuit: towards flexible and biocompatible organic neuromorphic processing.	1
213	Emulating synaptic plasticity in ionic liquid-gated zinc tin oxide neuromorphic transistor.	
212	Field-Created Coordinate Cation Bridges Enable Conductance Modulation and Artificial Synapse within Metal Nanoparticles. <b>2022</b> , 22, 6794-6801	1
211	Review on the Basic Circuit Elements and Memristor Interpretation: Analysis, Technology and Applications. <b>2022</b> , 12, 44	0
210	Resistive Switching of Self-Assembled Silver Nanowire Networks Governed by Environmental Conditions. 2200631	1
209	2D materials and van der Waals heterojunctions for neuromorphic computing.	0
208	Multi-Type Synchronization for Second-Order Memristive Neural Networks with Mixed Time-Varying Delays.	
207	Electrical potential spiking of kombucha zooglear mats.	0
206	Perspective on Nanofluidic Memristors: from Mechanism to Application.	1
205	Liquid metal coil. <b>2022</b> , 32, 104120	
204	Synchronization behavior in a memristive synapse-connected neuronal network. <b>2022</b> , 137,	
203	Tuning Ambipolarity of the Conjugated Polymer Channel Layers of Floating-Gate Free Transistors: From Volatile Memories to Artificial Synapses. 2203025	
202	An alternative perspective on determining the optimum fractional orders of the synaptic coupling functions for the simultaneous neural patterns.	0
201	Mechanism and Conductance Range Enhancement of TiN/AlO <sub>x</sub> /AlO <sub>y</sub> /ITO Synaptic Devices. 2200199	
200	Improved artificial synapse performance of Pt/HfO <sub>2</sub> /BiFeO <sub>3</sub> /HfO <sub>2</sub> /TiN memristor through N <sub>2</sub> annealing. <b>2022</b> ,	1
199	Unraveling the Effect of the Water Content in the Electrolyte on the Resistive Switching Properties of Self-Assembled One-Dimensional Anodized TiO <sub>2</sub> Nanotubes. <b>2022</b> , 13, 7870-7880	3
198	Memristors with Biomaterials for Biorealistic Neuromorphic Applications. 2200028	2

197	Flexible and Compatible Synaptic Transistor Based on Electrospun In <sub>2</sub> O <sub>3</sub> Nanofibers. <b>2022</b> , 69, 5363-5367	1
196	An Overturned Charge Injection Synaptic Transistor With a Floating-Gate for Neuromorphic Hardware Computing. <b>2022</b> , 43, 1440-1443	0
195	Optimizing machine learning logic circuits with constant signal propagation. <b>2022</b> , 87, 293-305	
194	Artificial synapses enabled neuromorphic computing: From blueprints to reality. <b>2022</b> , 103, 107744	1
193	Fundamental physics and applications of skyrmions: A review. <b>2022</b> , 563, 169905	1
192	Synaptic and resistive switching behaviors in NiO/Cu <sub>2</sub> O heterojunction memristor for bioinspired neuromorphic computing. <b>2022</b> , 606, 154718	0
191	Research progress of neuromorphic devices based on two-dimensional layered materials. <b>2022</b> , 0	0
190	A Survey of Intelligent Chip Design Research Based on Spiking Neural Networks. <b>2022</b> , 10, 89663-89686	0
189	Variation Enhanced Attacks Against RRAM-based Neuromorphic Computing System. <b>2022</b> , 1-1	0
188	Stuck-At-Fault Immunity Enhancement of Memristor-Based Edge AI Systems. <b>2022</b> , 1-1	1
187	Light-Controlled Switching in Electro-Optical Memristors. <b>2022</b> ,	0
186	Li-ion Doped Artificial Synaptic Memristor for Highly Linear Neuromorphic Computing. <b>2022</b> , 1-1	0
185	A Mapping Model of SNNs to Neuromorphic Hardware. <b>2022</b> ,	0
184	Speech recognition through physical reservoir computing with neuromorphic nanowire networks. <b>2022</b> ,	0
183	Co-existence of bipolar nonvolatile and volatile resistive switching based on WO <sub>3</sub> nanowire for applications in neuromorphic computing and selective memory. <b>2022</b> , 121, 093502	2
182	Milk <sub>2</sub> Ta <sub>2</sub> O <sub>5</sub> Hybrid Memristors with Crossbar Array Structure for Bio-Organic Neuromorphic Chip Applications. <b>2022</b> , 12, 2978	2
181	Multiferroic antiferromagnetic artificial synapse. <b>2022</b> , 132, 084102	0
180	Analyzing the influence of parasitic effects on memristor STDP with the PEEC method. <b>2022</b> ,	0

179	Resistive Switching Crossbar Arrays Based on Layered Materials. 2205402	2
178	Thermal Management in Neuromorphic Materials, Devices, and Networks. 2205098	0
177	Superextreme spiking oscillations and multistability in a memristor-based Hindmarsh-Rose neuron model.	0
176	PrMem: Novel flexible biodegradable paper-graphene oxide-based memristor.	0
175	Tunable Resistive Switching in 2D MXene Ti <sub>3</sub> C <sub>2</sub> Nanosheets for Non-Volatile Memory and Neuromorphic Computing. <b>2022</b> , 14, 44614-44621	3
174	Filamentary and Interface-Type Memristors Based on Tantalum Oxide for Energy-Efficient Neuromorphic Hardware. <b>2022</b> , 14, 44561-44571	3
173	Multiple connected artificial synapses based on electromigrated Au nanogaps. <b>2022</b> , 40, 053202	1
172	Role of defects in resistive switching dynamics of memristors.	0
171	Enhancement of Resistive and Synaptic Characteristics in Tantalum Oxide-Based RRAM by Nitrogen Doping. <b>2022</b> , 12, 3334	0
170	Magnetic Skyrmion-Based Spiking Neural Network for Pattern Recognition. <b>2022</b> , 12, 9698	0
169	Surface-Dominated HfO <sub>2</sub> Nanorod-Based Memristor Exhibiting Highly Linear and Symmetrical Conductance Modulation for High-Precision Neuromorphic Computing. <b>2022</b> , 14, 44550-44560	5
168	Memristive neural network circuit implementation of associative learning with overshadowing and blocking.	0
167	Synaptic behavior in ferroelectric epitaxial rhombohedral Hf <sub>0.5</sub> Zr <sub>0.5</sub> O <sub>2</sub> thin films.	0
166	Pinning synchronization of stochastic neutral memristive neural networks with reaction-diffusion terms. <b>2022</b> ,	0
165	Forming-Free Pt/Ti/AlO <sub>x</sub> /CeO <sub>x</sub> /Pt Multilayer Memristors with Multistate and Synaptic Characteristics. <b>2022</b> , 2022, 1-9	0
164	Neuromorphic Computing Based on Memristor Dynamics. <b>2022</b> , 1-31	0
163	Resistive Switching and Hysteresis Phenomena at Nanoscale.	0
162	Memristor-Based Intelligent Human-Like Neural Computing. 2200877	1



161	A new class of Hopfield neural network with double memristive synapses and its DSP implementation. <b>2022</b> , 137,	3
160	Multifunctional 2D MoS <sub>2</sub> Optoelectronic Artificial Synapse with Integrated Arithmetic and Reconfigurable Logic Operations for In-Memory Neuromorphic Computing Applications. 2201125	1
159	van der Waals ferroelectrics: Progress and an outlook for future research directions. <b>2022</b> , 132, 160901	1
158	An Effective Sneak-Path Solution Based on Transient-Relaxation Device. 2207133	0
157	Brain-inspired methods for achieving robust computation in heterogeneous mixed-signal neuromorphic processing systems.	0
156	Spintronic Integrate-Fire-Reset Neuron with Stochasticity for Neuromorphic Computing.	0
155	Thermal Nanostructuring for Rectifying Resistive Switching Behaviors of Cobalt Oxide Neuromorphic Devices.	0
154	Optimization of Power-Aware Non-Linearity in Voltage-Controlled Resistive Switching Devices for Non-Volatile Memory Applications. 1-12	0
153	Reservoir Computing with Charge-trap Memory Based on a MoS <sub>2</sub> Channel for Neuromorphic Engineering. 2205381	2
152	A fibrous neuromorphic device for multi-level nerve pathways implementing knee jerk reflex and cognitive activities. <b>2022</b> , 104, 107898	0
151	Enhancement of writing efficiency for multilevel memory in perpendicularly magnetized Pt/Co/Pt/IrMn multilayers. <b>2022</b> , 564, 170111	0
150	Effect of oxygen flow rate on long-term and short-term Schottky barrier modulations in Pd/IGZO/SiO <sub>2</sub> /p <sup>+</sup> -Si memristors. <b>2023</b> , 153, 107183	1
149	3D-structured mesoporous silica memristors for neuromorphic switching and reservoir computing.	0
148	Highly Parallel Writing Strategy Based on Diagonal-Gates-Connection 1T1R Arrays. <b>2022</b> , 1-6	0
147	Threshold Switching Memristor Based Voltage Regulative Circuit. <b>2022</b> , 1-1	0
146	Stability Criteria of Delayed Memristor-Based Neural Networks via Continuous-Time Model and Interval Matrix Approach. <b>2022</b> , 1-10	0
145	Firing patterns and synchronization of Morris-Lecar neuron model with memristive autapse. <b>2023</b> , 158, 154454	1
144	A High-Voltage Characterisation Platform For Emerging Resistive Switching Technologies. <b>2022</b> ,	0

- 143 A Fully Memristive Spiking Neural Network with Unsupervised Learning. **2022**, 1
- 142 Analog Acceleration of the Power Method using Memristor Crossbars. **2022**, 1
- 141 Spatiotemporal Spike Pattern Detection with Second-order Memristive Synapses. **2022**, 0
- 140 A resistance switching device exhibiting potentiation and depression under the same voltage polarity. **2022**, 0
- 139 Synchronization of a Fourth-order Hyperchaotic System by Intermittent Control with Double Impulses. **2022**, 0
- 138 Dynamical analysis of HRBN neuron model coupled by locally active hyperbolic memristor and DNA sequence encryption application. 0
- 137 Synthesis of memristive one-ports with piecewise-smooth characteristics. 1-10 0
- 136 Ferroelastic Domain Walls in BiFeO<sub>3</sub> as Memristive Networks. 2200292 0
- 135 Resistive-RAM-Based In-Memory Computing for Neural Network: A Review. **2022**, 11, 3667 0
- 134 Synaptic plasticity in electro-polymerized PEDOT based memristors for neuromorphic application. 0
- 133 Ferroelectric van der Waals heterostructures of CuInP<sub>2</sub>S<sub>6</sub> for non-volatile memory device applications. 0
- 132 Resistive-Switching Memories. **2023**, 1043-1092 0
- 131 An electronic synaptic memory device based on four-cation mixed halide perovskite. **2022**, 2, 0
- 130 Li-Ion-Based Electrolyte-Gated Transistors with Short Write-Read Delay for Neuromorphic Computing. 2200915 0
- 129 Stability and pinning synchronization of delayed memristive neural networks with fractional-order and reaction-diffusion terms. **2022**, 0
- 128 Realization of memristor and synaptic simulation behaviors based on LiNbO<sub>x</sub>. **2022**, 0
- 127 Review on Developments and Progress in Nickelate-Based Heterostructure Composites and Superconducting Thin Films. 2200065 0
- 126 Memory Challenges. **2023**, 603-633 0

125	Memristive/CMOS Devices for Neuromorphic Applications. <b>2023</b> , 1167-1199	0
124	Advanced Synaptic Devices and Their Applications in Biomimetic Sensory Neural System. <b>2022</b> , 100031	0
123	Synchronization of memristor-based complex-valued neural networks with time-varying delays. <b>2022</b> , 41,	0
122	Realization of Multi-Level State and Artificial Synapses Function in Stacked (Ta/CoFeB/MgO) N Structures. 2200939	0
121	Highly adaptive and energy efficient neuromorphic computation enabled by deep-spike heterostructure photonic neuro-transistors. <b>2022</b> , 104, 107991	0
120	Forgetting memristor based STDP learning circuit for neural networks. <b>2022</b> ,	0
119	Fabrication Techniques of Resistive Switching Carbon-Based Memories. <b>2023</b> , 77-100	0
118	Cobalt oxide nanoparticles embedded in borate matrix: A conduction mode atomic force microscopy approach to induce nano-memristor switching for neuromorphic applications. <b>2022</b> , 29, 101691	2
117	A perspective vision of micro/nano systems and technologies as enablers of 6g, super-iot, and tactile internet [point of view]. <b>2022</b> , 1-14	0
116	Memristor-coupled asymmetric neural networks: Bionic modeling, chaotic dynamics analysis and encryption application. <b>2023</b> , 166, 112905	3
115	Intermittent Exponential Synchronization for Memristor-Based Neural Networks With Inertial Items and Mixed Time-Varying Delays. <b>2022</b> , 1-13	0
114	Parallel Dual-Gate Thin-Film Transistors for Sensing and Neuromorphic Computing. <b>2022</b> ,	0
113	Recent advances in neuromorphic transistors for artificial perception applications.	2
112	Near-Infrared Artificial Optical Synapse Based on the P(VDF-TrFE)-Coated InAs Nanowire Field-Effect Transistor. <b>2022</b> , 15, 8247	0
111	Multilevel state ferroelectric La:HfO <sub>2</sub> -based memristors and their implementations in associative learning circuit and face recognition.	0
110	Electrical Potential Spiking of Kombucha Zooglear Mats: A Symbiotic Community of Bacteria and Yeasts.	0
109	Braille Recognition by E-skin System based on Binary Memristive neural network.	0
108	Ferroelectric Devices for Content-Addressable Memory. <b>2022</b> , 12, 4488	0

- 107 Spray deposition of the nanostructured ZnO thin films for non-volatile resistive switching memory applications. **2023**, 129, 0
- 106 Ionic-electronic halide perovskite memdiodes enabling neuromorphic computing with a second-order complexity. **2022**, 8, 0
- 105 Multifunctional BiFeO<sub>3</sub> Thin Film-Based Memristor Device as an Efficient Synapse: Potential for Beyond von Neumann Computing in Neuromorphic Systems. **2022**, 4, 5763-5774 0
- 104 Gradient-Based Neuromorphic Learning on Dynamical RRAM Arrays. **2022**, 12, 888-897 0
- 103 Suppressing the filament formation by aluminum doping in anatase titanium oxide. **2022**, 12, 125212 0
- 102 Biocompatible Potato-Starch Electrolyte-Based Coplanar Gate-Type Artificial Synaptic Transistors on Paper Substrates. **2022**, 23, 15901 1
- 101 The influence of light incidence on the bipolar switching in the two-terminal devices with n-ZnO and p-SrCu<sub>2</sub>O<sub>2</sub> films. **2023**, 129, 0
- 100 Enhanced Short-Term Memory Plasticity of WO<sub>x</sub>-Based Memristors by Inserting AlO<sub>x</sub> Thin Layer. **2022**, 15, 9081 0
- 99 Photo-synaptic properties of CH<sub>3</sub>NH<sub>3</sub>Pb<sub>1-x</sub>MnxBr<sub>2x+1</sub> hybrid perovskite thin film-based artificial synapse. **2022**, 0
- 98 Artificial neurons based on antiferromagnetic auto-oscillators as a platform for neuromorphic computing. **2023**, 13, 015206 0
- 97 Dielectric-Engineered High-Speed, Low-Power, Highly Reliable Charge Trap Flash-Based Synaptic Device for Neuromorphic Computing beyond Inference. 0
- 96 Printed Electronics Based on 2D Material Inks: Preparation, Properties, and Applications toward Memristors. 2201156 0
- 95 Freely switching between ferroelectric and resistive switching in Hf<sub>0.5</sub>Zr<sub>0.5</sub>O<sub>2</sub> films and its application on high accuracy on-chip deep neural networks. **2023**, 66, 1
- 94 Enhanced Synaptic Properties in Biocompatible Casein Electrolyte via Microwave-Assisted Efficient Solution Synthesis. **2023**, 15, 293 0
- 93 Bio-plausible memristive neural components towards hardware implementation of brain-like intelligence. **2023**, 0
- 92 PAWN: Programmed Analog Weights for Non-linearity Optimization in Memristor-based Neuromorphic Computing System. **2023**, 1-1 0
- 91 Threshold-type memristor-based crossbar array design and its application in handwritten digit recognition. **2023**, 1-11 0
- 90 A generic simple model of synaptic memristor with local activity for neuromorphic applications. 0

- 89 Artificial Synapse Based on Vertically Aligned Nanocomposite Ferroelectric Thin Films. **2023**, 1-1 1
- 88 Memristor-Based Light-Weight Transformer Circuit Implementation for Speech Recognizing. **2023**, 1-1 0
- 87 Neuromorphic Computing: A Path to Artificial Intelligence Through Emulating Human Brains. **2023**, 259-296 2
- 86 Artificial Neuronal Devices Based on Emerging Materials: Neuronal Dynamics and Applications. 2205047 0
- 85 Dielectric and bipolar resistive switching properties of Ag doped As<sub>2</sub>Se<sub>3</sub> chalcogenide for non-volatile memory applications. **2023**, 296, 127301 0
- 84 Compute in-Memory with Non-Volatile Elements for Neural Networks: A Review from a Co-Design Perspective. 2204944 0
- 83 Low Energy, Non-Cortical, Graphene Nanoribbon-Based STDP Plastic Synapses. **2022**, 16, 4-13 0
- 82 Passive Selectorless Memristive Structure with One Capacitor-One Memristor. **2022**, 0
- 81 2D materials for neuromorphic devices. **2023**, 259-285 0
- 80 Efficient Method for Error Detection and Correction in In-Memory Computing Based on Reliable Ex-Logic Gates. 2200341 0
- 79 Nanoscale electronic synapses for neuromorphic computing. **2023**, 189-218 0
- 78 Intact Metal/Metal Halide van der Waals Junction Enables Reliable Memristive Switching with High Endurance. 2214142 0
- 77 Nanowire memristor as artificial synapse in random networks. **2023**, 219-246 0
- 76 Spectral Ranking in Complex Networks using Memristor Crossbars. **2023**, 1-1 0
- 75 Advanced Optoelectronic Devices for Neuromorphic Analog Based on Low-Dimensional Semiconductors. 2213894 0
- 74 Yield improvement in fabrication of a molecular-gap atomic switch by eliminating potential leakage current paths. 0
- 73 High-temperature operation of gallium oxide memristors up to 600 K. **2023**, 13, 0
- 72 Voltage modulated long-term plasticity in perovskite heterostructured memristive synaptic devices with high-performance neuromorphic computing. **2023**, 133, 044502 0

- 71 ZTO/MgO-Based Optoelectronic Synaptic Memristor for Neuromorphic Computing. **2023**, 1-7 ○
- 70 Artificial synapse based on 1,4-diphenylbutadiyne with femtojoule energy consumption. ○
- 69 All oxide based flexible multi-folded invisible synapse as vision photo-receptor. **2023**, 13, ○
- 68 Double Dielectric Layer Metal-oxide Memristor: Design and Applications. **2023**, 760 ○
- 67 New Results on Finite-Time Synchronization Control of Chaotic Memristor-Based Inertial Neural Networks with Time-Varying Delays. **2023**, 11, 684 2
- 66 Effect of training pulse parameters on the synaptic plasticity of a ZrO<sub>2</sub> (Y)-based memristive device. ○
- 65 Creation of heterogeneity or defects in a memristive neural network under energy flow. **2023**, 119, 107127 ○
- 64 An Overview of Artificial Neuromorphic Circuits. **2022**, ○
- 63 Short-term synaptic plasticity in emerging devices for neuromorphic computing. **2023**, 26, 106315 ○
- 62 Electric-Controlled Resistive Switching and Different Synaptic Behaviors in p<sup>+</sup>-Si/n-ZnO Heterojunction Memristor. **2023**, 70, 1648-1652 ○
- 61 Braille recognition by E-skin system based on binary memristive neural network. **2023**, 13, ○
- 60 Neuromorphic Computing between Reality and Future Needs. ○
- 59 Normal and abnormal BCM rules realized in BaTiO<sub>3</sub>/Nb:SrTiO<sub>3</sub> heterojunction. **2023**, 656, 414777 ○
- 58 Improvement of polarization switching in ferroelectric transistor by interface trap reduction for brain-inspired artificial synapses. **2023**, 22, 100320 ○
- 57 Physically Transient Artificial Neuron Based on Mg/Magnesium Oxide Threshold Switching Memristor. **2023**, 70, 2047-2051 ○
- 56 Research progress and applications of memristor emulator circuits. **2023**, 133, 105702 ○
- 55 Chiral photocurrent in a Quasi-1D TiS<sub>3</sub> (001) phototransistor. **2023**, 35, 124003 ○
- 54 Short-Term Memory Characteristics of IGZO-Based Three-Terminal Devices. **2023**, 16, 1249 ○

- 53 Neuromorphic Circuits and Systems: From Neuron Models to Integrate-and-Fire Arrays. **2023**, 1455-1480 ○
- 52 Multilevel states driven by spin-orbit torque in a P-composition graded (Ga,Mn)(As,P) film. **2023**, 13, 025122 ○
- 51 A Progressive Surrogate Gradient Learning for Memristive SNN. ○
- 50 Soft Fiber Electronics Based on Semiconducting Polymer. 1
- 49 Feedback-controlled solute transport through chemo-responsive polymer membranes. **2023**, 158, 104903 ○
- 48 A superstatistics approach to the modelling of memristor current-voltage responses. **2023**, 614, 128555 ○
- 47 Biphasic action potential and chaos in a symmetrical Chua Corsage Memristor-based circuit. **2023**, 33, 023120 ○
- 46 In-memory computing with emerging memory devices: Status and outlook. **2023**, 1, 010902 ○
- 45 The effect of Schottky barrier modulation on conduction and failure mechanisms of an Ag/WOx/p-Si based memristor. **2023**, 133, 075701 ○
- 44 Performance improvement of a Ag-ion controlled molecular-gap atomic switch by reducing a switching area for applying to a deep learning system. **2023**, 62, SG1017 ○
- 43 A novel CVD graphene-based synaptic transistors with ionic liquid gate. **2023**, 34, 215201 ○
- 42 Recent progress in three-terminal artificial synapses based on 2D materials: from mechanisms to applications. **2023**, 9, ○
- 41 Pseudo-transistors for emerging neuromorphic electronics. **2023**, 24, ○
- 40 Femtosecond Laser-Induced Nano-Joining of Volatile Tellurium Nanotube Memristor. **2023**, 13, 789 ○
- 39 Biological function simulation in neuromorphic devices: from synapse and neuron to behavior. **2023**, 24, ○
- 38 Mutual Information-Based Neural Network Distillation for Improving Photonic Neural Network Training. ○
- 37 Influence of junction resistance on spatiotemporal dynamics and reservoir computing performance arising from an SWNT/POM 3D network formed via a scaffold template technique. ○
- 36 Amyloid $\beta$  Gold Nanoparticle Hybrids for Biocompatible Memristive Devices. **2023**, 16, 1884 ○

- 35 Flexibly Photo-Regulated Brain-Inspired Functions in Flexible Neuromorphic Transistors. **2023**, 15, 13380-13392
- 34 Hardware Implementation of Edge Neural Network Computing for Sensor With Memristors Based on Single-Crystalline LiNbO<sub>3</sub> Thin Film. **2023**, 23, 8526-8534 ○
- 33 Coupled Nonreactive Memristor Generators for Binary-Oscillator Networks. **2022**, 17, 883-889 ○
- 32 Bio-inspired surface modification of MoS<sub>2</sub> nanosheets with gallium phthalocyanine for brain-like synaptic memristors. **2023**, 11, 4500-4509 ○
- 31 Ga-Sn-O Thin-Film Memristor and Analog Plasticity Characteristic. **2023**, 11, 174-178 ○
- 30 Memristor-based neural networks: a bridge from device to artificial intelligence. ○
- 29 Multi-Wavelength-Recognizable Memristive Devices via Surface Plasmon Resonance Effect for Color Visual System. 2207928 ○
- 28 Digital and Analog Resistive Switching Behavior in Si-NCs Embedded in a Si/SiO<sub>2</sub> Multilayer Structure for Neuromorphic Systems. **2023**, 13, 986 ○
- 27 Technology Roadmap for Flexible Sensors. **2023**, 17, 5211-5295 ○
- 26 2D-Material-Based Volatile and Nonvolatile Memristive Devices for Neuromorphic Computing. **2023**, 5, 1109-1135 ○
- 25 Study on the characteristics and application of voltage-controlled inverse memristor. **2022**, ○
- 24 Resistive random access memory: introduction to device mechanism, materials and application to neuromorphic computing. **2023**, 18, ○
- 23 Resource-Efficient Convolutional Networks: A Survey on Model-, Arithmetic-, and Implementation-Level Techniques. ○
- 22 Realizing Electronic Synapses by Defect Engineering in Polycrystalline Two-Dimensional MoS<sub>2</sub> for Neuromorphic Computing. **2023**, 15, 15839-15847 ○
- 21 Hysteresis estimation for memristor-based neural networks with unbounded time-varying delays. **2022**, ○
- 20 Multi-filamentary switching of Cu/SiO<sub>x</sub> memristive devices with a Ge-implanted a-Si under-layer for analog synaptic devices. ○
- 19 High Amplitude Spike Generator in Au Nanodot-Incorporated NbO<sub>x</sub> Mott Memristor. ○
- 18 All optical artificial synapses based on long-afterglow material for optical neural network. ○



- 17 Calcination-dependent microstructural and optical characteristics of eco-friendly synthesized ZnO nanoparticles and their implementation in analog memristor application. **2023**, ○
- 16 Role of the electrolyte layer in CMOS-compatible and oxide-based vertical three-terminal ECRAM. **2023**, 11, 5167-5173 ○
- 15 Enhancing memristor fundamentals through instrumental characterization and understanding reliability issues. ○
- 14 Nanoscale Memristor. **2016**, 562-579 ○
- 13 Proton-Gated Synaptic Transistors, Based on an Electron-Beam Patterned Nafion Electrolyte. **2023**, 15, 19279-19289 ○
- 12 Temperature-modulated switching behaviors of diffusive memristor for biorealistic emulation of synaptic plasticity. **2023**, 122, 153502 ○
- 11 Imidazole-based artificial synapses for neuromorphic computing: a cluster-type conductive filament via controllable nanocluster nucleation. ○
- 10 A  $\Pi$ -Type Memristor Synapse and Neuron With Structural Plasticity. 9, ○
- 9 Coexistence behavior of a double-MR-based cellular neural network system and its circuit implementation. ○
- 8 Artificial synapse based on carbon quantum dots dispersed in indigo molecular layer for neuromorphic applications. **2023**, 11, 041122 ○
- 7 Integrated Memristor Network for Physiological Signal Processing. ○
- 6 Quantized  $\mathcal{H}_\infty$  stabilization for delayed memristive neural networks. ○
- 5 Coexisting attractors in memristive load buck converter. **2023**, 138, ○
- 4 Stopping Voltage-Dependent PCM and RRAM-Based Neuromorphic Characteristics of Germanium Telluride. ○
- 3 Biocompatible Memristive Devices for Brain-Inspired Applications. **2023**, ○
- 2 Event-triggered control for robust exponential synchronization of inertial memristive neural networks under parameter disturbance. **2023**, 164, 67-80 ○
- 1 Polar Perturbations in Functional Oxide Heterostructures. ○