

CITATION REPORT

List of articles citing

Atomically thin MoS₂: a new direct-gap semiconductor

DOI: 10.1103/physrevlett.105.136805

Physical Review Letters, 2010, 105, 136805.

Source: <https://exaly.com/paper-pdf/47808673/citation-report.pdf>

Version: 2024-04-10

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2255	How Do Surface and Edge Effects Alter the Electronic Properties of GaN Nanoribbons?. 2011 , 115, 1724-1731		37
2254	Dielectric screening in two-dimensional insulators: Implications for excitonic and impurity states in graphane. 2011 , 84,		353
2253	Band-gap transition induced by interlayer van der Waals interaction in MoS ₂ . 2011 , 84,		293
2252	Functionalization of Single-Layer MoS ₂ Honeycomb Structures. 2011 , 115, 13303-13311		429
2251	High-pressure study of transport properties in Co _{0.33} NbS ₂ . 2011 , 84,		8
2250	Graphene: materials in the Flatland. 2011 , 181, 1299		32
2249	Phonons in single-layer and few-layer MoS ₂ and WS ₂ . 2011 , 84,		1027
2248	The indirect to direct band gap transition in multilayered MoS ₂ as predicted by screened hybrid density functional theory. 2011 , 99, 261908		431
2247	Tunable band gaps in bilayer transition-metal dichalcogenides. 2011 , 84,		442
2246	Nature of electronic states in atomically thin MoS ₂ field-effect transistors. 2011 , 5, 7707-12		671
2245	Nobel Lecture: Graphene: Materials in the Flatland*. 2011 , 83, 837-849		584
2244	Quasiparticle energies and excitonic effects of the two-dimensional carbon allotrope graphdiyne: Theory and experiment. 2011 , 84,		246
2243	A Comparative Study of Lattice Dynamics of Three- and Two-Dimensional MoS ₂ . 2011 , 115, 16354-16361		250
2242	Single-layer MoS ₂ transistors. 2011 , 6, 147-50		10521
2241	Performance Limits of Monolayer Transition Metal Dichalcogenide Transistors. 2011 , 58, 3042-3047		353
2240	Influence of quantum confinement on the electronic structure of the transition metal sulfide TS ₂ . 2011 , 83,		1247
2239	Photoluminescence from chemically exfoliated MoS ₂ . 2011 , 11, 5111-6		2897

2238	Toward the growth of an aligned single-layer MoS ₂ film. 2011 , 27, 11650-3	79
2237	Ripples and layers in ultrathin MoS ₂ membranes. 2011 , 11, 5148-53	286
2236	Stretching and breaking of ultrathin MoS ₂ . 2011 , 5, 9703-9	1672
2235	Integrated circuits and logic operations based on single-layer MoS ₂ . 2011 , 5, 9934-8	1027
2234	Mechanical and Electronic Properties of MoS ₂ Nanoribbons and Their Defects. 2011 , 115, 3934-3941	391
2233	Electronic and magnetic properties of perfect, vacancy-doped, and nonmetal adsorbed MoSe ₂ , MoTe ₂ and WS ₂ monolayers. 2011 , 13, 15546-53	349
2232	Low-temperature photocarrier dynamics in monolayer MoS ₂ . 2011 , 99, 102109	570
2231	How good can monolayer MoS ₂ transistors be?. 2011 , 11, 3768-73	1184
2230	Giant spin-orbit-induced spin splitting in two-dimensional transition-metal dichalcogenide semiconductors. 2011 , 84,	1085
2229	Formation of MoS ₂ nanoparticles on the surface of reduced graphite oxide. 2011 , 248, 2740-2743	30
2228	Electrical characteristics of molybdenum disulfide flakes produced by liquid exfoliation. 2011 , 23, 4178-82	208
2227	Large-scale exfoliation of inorganic layered compounds in aqueous surfactant solutions. 2011 , 23, 3944-8	888
2226	Graphen: Materialien im Flachland (Nobel- Aufsatz). 2011 , 123, 7123-7141	22
2225	Single-Layer Semiconducting Nanosheets: High-Yield Preparation and Device Fabrication. 2011 , 123, 11289-11293	183
2224	Graphene: materials in the Flatland (Nobel lecture). 2011 , 50, 6986-7002	133
2223	Single-layer semiconducting nanosheets: high-yield preparation and device fabrication. 2011 , 50, 11093-7	1349
2222	Ultra-thin membranes for sensor applications. 2011 , 330-354	4
2221	Monolayer MoS ₂ transistors - ballistic performance limit analysis. 2011 ,	

2220	GRAPHENE: MATERIALS IN THE FLATLAND. 2011 , 25, 4081-4106	19
2219	Electronic State Formation by Surface Atom Removal on a MoS ₂ Surface. 2012 , 51, 06FF07	7
2218	A new class of electrically tunable metamaterial terahertz modulators. 2012 , 20, 28664-71	81
2217	Electronic characterization of single-layer MoS ₂ sheets exfoliated on SrTiO ₃ . 2012 , 1474, 30	3
2216	Electronic structures of single-layer boron pnictides. 2012 , 101, 153109	92
2215	Electrical transport properties of individual WS ₂ nanotubes and their dependence on water and oxygen absorption. 2012 , 101, 113112	35
2214	Die Trittbrettfahrer des Graphens. 2012 , 60, 422-425	
2213	Raman spectroscopy of the interlayer shear mode in few-layer MoS ₂ flakes. 2012 , 101, 101906	148
2212	Longitudinal and spin-valley Hall optical conductivity in single layer MoS ₂ . 2012 , 86,	71
2211	Two-Dimensional Transition Metal Dichalcogenide Alloys: Stability and Electronic Properties. 2012 , 3, 3652-6	241
2210	Inhomogeneous band bending on MoS ₂ (0001) arising from surface steps and dislocations. 2012 , 24, 305502	18
2209	Ideal strength and phonon instability in single-layer MoS ₂ . 2012 , 85,	274
2208	Graphene plasmonics. 2012 , 6, 749-758	2152
2207	Electronics and optoelectronics of two-dimensional transition metal dichalcogenides. 2012 , 7, 699-712	10871
2206	Large excitonic effects in monolayers of molybdenum and tungsten dichalcogenides. 2012 , 86,	1061
2205	Strain-engineered artificial atom as a broad-spectrum solar energy funnel. 2012 , 6, 866-872	766
2204	Effects of confinement and environment on the electronic structure and exciton binding energy of MoS ₂ from first principles. 2012 , 86,	474
2203	Band-gap expansion in the surface-localized electronic structure of MoS ₂ (0002). 2012 , 86,	38

2202	Tunable dielectric response of transition metals dichalcogenides MX ₂ (M=Mo, W; X=S, Se, Te): Effect of quantum confinement. 2012 , 407, 4627-4634	172
2201	Thickness identification of two-dimensional materials by optical imaging. 2012 , 23, 495713	77
2200	Thermal effects on the characteristic Raman spectrum of molybdenum disulfide (MoS ₂) of varying thicknesses. 2012 , 100, 013106	186
2199	Monolayer MoS_2 Transistors Beyond the Technology Road Map. 2012 , 59, 3250-3254	132
2198	Low-frequency Raman modes and electronic excitations in atomically thin MoS ₂ films. 2012 , 86,	123
2197	Resonant Raman profiles and μ -photoluminescence of atomically thin layers of molybdenum disulfide. 2012 , 249, 2644-2647	25
2196	MoS ₂ nanosheets for top-gate nonvolatile memory transistor channel. 2012 , 8, 3111-5	198
2195	Bandgap tuning in armchair MoS ₂ nanoribbon. 2012 , 24, 335501	59
2194	Robust optical emission polarization in MoS ₂ monolayers through selective valley excitation. 2012 , 86,	330
2193	Anomalous energy-gap behaviour of armchair BC ₃ ribbons due to enhanced π -conjugation. 2012 , 22, 20881	10
2192	Titanium sulphene: two-dimensional confinement of electrons and phonons giving rise to improved thermoelectric performance. 2012 , 14, 15641-4	16
2191	Optical signatures of the tunable band gap and valley-spin coupling in silicene. 2012 , 86,	102
2190	Symmetry-dependent phonon renormalization in monolayer MoS ₂ transistor. 2012 , 85,	707
2189	MoS_2 Nanoribbon Transistors: Transition From Depletion Mode to Enhancement Mode by Channel-Width Trimming. 2012 , 33, 1273-1275	87
2188	Integrated circuits based on bilayer MoS ₂ transistors. 2012 , 12, 4674-80	1350
2187	Semiconductor-metal transition in semiconducting bilayer sheets of transition-metal dichalcogenides. 2012 , 86,	215
2186	High-mobility and low-power thin-film transistors based on multilayer MoS ₂ crystals. 2012 , 3, 1011	1223
2185	Optical separation of mechanical strain from charge doping in graphene. 2012 , 3, 1024	638

2184	Condensed-matter physics: Polarized light boosts valleytronics. 2012 , 7, 488-9		102
2183	Magnetism in MoS2 induced by proton irradiation. 2012 , 101, 102103		170
2182	Coupled spin and valley physics in monolayers of MoS2 and other group-VI dichalcogenides. <i>Physical Review Letters</i> , 2012 , 108, 196802	7.4	2994
2181	Transition from 2-D Semiconductor to 1-D Metal State and Electron Density Distribution in Nanolayered MoX2(X = S, Se, Te). 2012 , 116, 20651-20655		13
2180	Wafer-scale MoS2 thin layers prepared by MoO3 sulfurization. 2012 , 4, 6637-41		538
2179	Layered semiconductor molybdenum disulfide nanomembrane based Schottky-barrier solar cells. 2012 , 4, 7399-405		179
2178	Breakdown of high-performance monolayer MoS2 transistors. 2012 , 6, 10070-5		314
2177	Tuning Electronic Structure of Bilayer MoS2 by Vertical Electric Field: A First-Principles Investigation. 2012 , 116, 21556-21562		262
2176	High-detectivity multilayer MoS(2) phototransistors with spectral response from ultraviolet to infrared. 2012 , 24, 5832-6		814
2175	An MoSx Structure with High Affinity for Adsorbate Interaction. 2012 , 124, 10430-10434		5
2174	An MoS(x) structure with high affinity for adsorbate interaction. 2012 , 51, 10284-8		11
2173	Preparation of MoS2/polyvinylpyrrolidone nanocomposites for flexible nonvolatile rewritable memory devices with reduced graphene oxide electrodes. 2012 , 8, 3517-22		337
2172	Optical and photocatalytic properties of two-dimensional MoS2. 2012 , 85, 1		100
2171	Stone-Wales Defects in Graphene and Related Two-Dimensional Nanomaterials. 2012 , 235-267		
2170	Two-dimensional transition metal dichalcogenides under electron irradiation: defect production and doping. <i>Physical Review Letters</i> , 2012 , 109, 035503	7.4	768
2169	Single layer MoS2 on the Cu(111) surface: First-principles electronic structure calculations. 2012 , 85,		24
2168	Quasiparticle band structure calculation of monolayer, bilayer, and bulk MoS2. 2012 , 85,		980
2167	Two dimensional crystal tunneling devices for THz operation. 2012 , 101, 263112		23

2166	Electronic crystals: an experimental overview. 2012 , 61, 325-581	281
2165	Edge-dependent structural, electronic and magnetic properties of MoS ₂ nanoribbons. 2012 , 22, 7280	224
2164	Tuning the electronic properties of semiconducting transition metal dichalcogenides by applying mechanical strains. 2012 , 6, 5449-56	665
2163	Production and processing of graphene and 2d crystals. 2012 , 15, 564-589	745
2162	Strain-dependent electronic and magnetic properties of MoS ₂ monolayer, bilayer, nanoribbons and nanotubes. 2012 , 14, 13035-40	358
2161	Inspired by strain. 2012 , 6, 804-806	20
2160	Dissociation of H ₂ O at the vacancies of single-layer MoS ₂ . 2012 , 85,	117
2159	Hydrogen adsorption on and diffusion through MoS ₂ monolayer: First-principles study. 2012 , 37, 14323-14328	92
2158	A first principle Comparative study of electronic and optical properties of 1H [MoS ₂ and 2H [MoS ₂ . 2012 , 135, 755-761	118
2157	Thermally driven crossover from indirect toward direct bandgap in 2D semiconductors: MoSe ₂ versus MoS ₂ . 2012 , 12, 5576-80	989
2156	Electronic structure investigation of MoS ₂ and MoSe ₂ using angle-resolved photoemission spectroscopy and ab initio band structure studies. 2012 , 24, 475504	60
2155	Channel length scaling of MoS ₂ MOSFETs. 2012 , 6, 8563-9	594
2154	Tuning Magnetism and Electronic Phase Transitions by Strain and Electric Field in Zigzag MoS ₂ Nanoribbons. 2012 , 3, 2934-41	203
2153	Quantitative Raman spectrum and reliable thickness identification for atomic layers on insulating substrates. 2012 , 6, 7381-8	274
2152	Role of interlayer coupling in ultra thin MoS ₂ . 2012 , 2, 7798	33
2151	Valley polarization and intervalley scattering in monolayer MoS ₂ . 2012 , 101, 221907	203
2150	High-Temperature Optical Characterization of Transition Metal Dichalcogenides by Piezoreflectance Measurements. 2012 , 194, 158-161	1
2149	Ambipolar MoS ₂ thin flake transistors. 2012 , 12, 1136-40	662

2148	Small-signal amplifier based on single-layer MoS ₂ . 2012 , 101, 043103	180
2147	Mechanical properties of freely suspended atomically thin dielectric layers of mica. 2012 , 5, 550-557	70
2146	Intrinsic spin Hall effect in monolayers of group-VI dichalcogenides: A first-principles study. 2012 , 86,	165
2145	Theoretical investigation of the electronic structures and carrier transport of hybrid graphene and boron nitride nanostructure. 2012 , 2, 032133	11
2144	Highly flexible MoS ₂ thin-film transistors with ion gel dielectrics. 2012 , 12, 4013-7	663
2143	Zooming in on Electronic Structure: NanoARPES at SOLEIL and ALS. 2012 , 25, 19-25	25
2142	Evidence of the existence of magnetism in pristine VX ₂ monolayers (X = S, Se) and their strain-induced tunable magnetic properties. 2012 , 6, 1695-701	590
2141	Fabrication of single- and multilayer MoS ₂ film-based field-effect transistors for sensing NO at room temperature. 2012 , 8, 63-7	1213
2140	Optical identification of single- and few-layer MoS ₂ sheets. 2012 , 8, 682-6	249
2139	Low-temperature photoluminescence of oxide-covered single-layer MoS ₂ . 2012 , 6, 126-128	84
2138	Hysteresis in single-layer MoS ₂ field effect transistors. 2012 , 6, 5635-41	813
2137	From layers to nanotubes: Transition metal disulfides TMS ₂ . 2012 , 85, 1	54
2136	Single-layer MoS ₂ phototransistors. 2012 , 6, 74-80	2704
2135	Coherent atomic and electronic heterostructures of single-layer MoS ₂ . 2012 , 6, 7311-7	696
2134	Stable, Single-Layer MX ₂ Transition-Metal Oxides and Dichalcogenides in a Honeycomb-Like Structure. 2012 , 116, 8983-8999	992
2133	Ultrafast and spatially resolved studies of charge carriers in atomically thin molybdenum disulfide. 2012 , 86,	184
2132	Effects of static charging and exfoliation of layered crystals. 2012 , 85,	32
2131	Synthesis of few-layer GaSe nanosheets for high performance photodetectors. 2012 , 6, 5988-94	658

2130	van der Waals epitaxy of MoS ₂ layers using graphene as growth templates. 2012 , 12, 2784-91	788
2129	Valley-selective circular dichroism of monolayer molybdenum disulphide. 2012 , 3, 887	1702
2128	Tuning the Electronic and Magnetic Properties of MoS ₂ Nanoribbons by Strain Engineering. 2012 , 116, 11752-11757	190
2127	Phonon-limited mobility in n-type single-layer MoS ₂ from first principles. 2012 , 85,	847
2126	Laser-thinning of MoS ₂ on demand generation of a single-layer semiconductor. 2012 , 12, 3187-92	471
2125	MoS ₂ nanosheet phototransistors with thickness-modulated optical energy gap. 2012 , 12, 3695-700	1081
2124	Thickness and strain effects on electronic structures of transition metal dichalcogenides: 2H-MX ₂ semiconductors (M = Mo, W; X = S, Se, Te). 2012 , 85,	940
2123	From Bulk to Monolayer MoS ₂ : Evolution of Raman Scattering. 2012 , 22, 1385-1390	2710
2122	Rapid Characterization of Ultrathin Layers of Chalcogenides on SiO ₂ /Si Substrates. 2012 , 22, 1894-1905	389
2121	Synthesis of large-area MoS ₂ atomic layers with chemical vapor deposition. 2012 , 24, 2320-5	2571
2120	GaS and GaSe ultrathin layer transistors. 2012 , 24, 3549-54	492
2119	Valley polarization in MoS ₂ monolayers by optical pumping. 2012 , 7, 490-3	2497
2118	Preparation of High Concentration Dispersions of Exfoliated MoS ₂ with Increased Flake Size. 2012 , 24, 2414-2421	437
2117	Control of valley polarization in monolayer MoS ₂ by optical helicity. 2012 , 7, 494-8	2670
2116	Growth of large-area and highly crystalline MoS ₂ thin layers on insulating substrates. 2012 , 12, 1538-44	1552
2115	Topological phase transition in layered GaS and GaSe. <i>Physical Review Letters</i> , 2012 , 108, 266805	7.4 88
2114	Atomically thin layers of MoS ₂ via a two step thermal evaporation-exfoliation method. 2012 , 4, 461-6	221
2113	Electric field effects on armchair MoS ₂ nanoribbons. 2012 , 6, 4823-34	156

2112	Electrical characterization of back-gated bi-layer MoS ₂ field-effect transistors and the effect of ambient on their performances. 2012 , 100, 123104	420
2111	Electronic Band Structures of Molybdenum and Tungsten Dichalcogenides by the GW Approach. 2012 , 116, 7664-7671	223
2110	Electronic structure of a single MoS ₂ monolayer. 2012 , 152, 909-913	421
2109	Mechanical and electronic properties of monolayer MoS ₂ under elastic strain. 2012 , 376, 1166-1170	254
2108	Al_2O_3 Dual-Gate MOSFET With Atomic-Layer-Deposited Al_2O_3 as Top-Gate Dielectric. 2012 , 33, 546-548	351
2107	Electronic structure of transition metal dichalcogenides monolayers 1H-MX ₂ (M = Mo, W; X = S, Se, Te) from ab-initio theory: new direct band gap semiconductors. 2012 , 85, 1	375
2106	Strain-induced semiconductor to metal transition in the two-dimensional honeycomb structure of MoS ₂ . 2012 , 5, 43-48	518
2105	Elucidating the Photoresponse of Ultrathin MoS ₂ Field-Effect Transistors by Scanning Photocurrent Microscopy. 2013 , 4, 2508-2513	169
2104	Photoelectrochemical properties of chemically exfoliated MoS ₂ . 2013 , 1, 8935	124
2103	Single-layer single-crystalline SnSe nanosheets. 2013 , 135, 1213-6	373
2102	Spin-orbit-mediated spin relaxation in monolayer MoS ₂ . 2013 , 87,	127
2101	Van der Waals heterostructures. 2013 , 499, 419-25	6627
2100	A rational design of cosolvent exfoliation of layered materials by directly probing liquid-solid interaction. 2013 , 4, 2213	204
2099	Magneto-transport in MoS ₂ : phase coherence, spin-orbit scattering, and the hall factor. 2013 , 7, 7077-82	78
2098	Charge conduction and relaxation in MoS ₂ nanoflakes synthesized by simple solid state reaction. 2013 , 114, 043710	36
2097	Joined edges in MoS ₂ : metallic and half-metallic wires. 2013 , 25, 312201	16
2096	Band structure tunability in MoS ₂ under interlayer compression: A DFT and GW study. 2013 , 87,	38
2095	Fabrication of stretchable MoS ₂ thin-film transistors using elastic ion-gel gate dielectrics. 2013 , 103, 023505	75

2094	Single-Layer Group-III Monochalcogenide Photocatalysts for Water Splitting. 2013 , 25, 3232-3238	510
2093	Intrinsic electronic transport properties of high-quality monolayer and bilayer MoS ₂ . 2013 , 13, 4212-6	483
2092	Epitaxial monolayer MoS ₂ on mica with novel photoluminescence. 2013 , 13, 3870-7	456
2091	Large current modulation and spin-dependent tunneling of vertical graphene/MoS ₂ heterostructures. 2013 , 7, 7021-7	80
2090	Plasmons and screening in a monolayer of MoS ₂ . 2013 , 88,	87
2089	Recent advances in free-standing two-dimensional crystals with atomic thickness: design, assembly and transfer strategies. 2013 , 42, 8187-99	342
2088	Van der Waals epitaxial growth of MoS ₂ on SiO ₂ /Si by chemical vapor deposition. 2013 , 3, 17287	39
2087	Gate control of spin-valley coupling. 2013 , 9, 532-533	20
2086	Layer-by-layer thinning of MoS ₂ by thermal annealing. 2013 , 5, 8904-8	98
2085	Growth of aligned MoS ₂ nanowires on Cu(111). 2013 , 611, 1-4	16
2084	Thickness-dependent patterning of MoS ₂ sheets with well-oriented triangular pits by heating in air. 2013 , 6, 703-711	92
2083	Effective lattice Hamiltonian for monolayer MoS ₂ : Tailoring electronic structure with perpendicular electric and magnetic fields. 2013 , 88,	165
2082	Carrier control of MoS ₂ nanoflakes by functional self-assembled monolayers. 2013 , 7, 7795-804	172
2081	Interactions and superconductivity in heavily doped MoS ₂ . 2013 , 88,	63
2080	Direct measurement of the thickness-dependent electronic band structure of MoS ₂ using angle-resolved photoemission spectroscopy. <i>Physical Review Letters</i> , 2013 , 111, 106801	7.4 371
2079	Controlled, defect-guided, metal-nanoparticle incorporation onto MoS ₂ via chemical and microwave routes: electrical, thermal, and structural properties. 2013 , 13, 4434-41	252
2078	Mobility engineering and a metal-insulator transition in monolayer MoS ₂ . 2013 , 12, 815-20	1265
2077	Improved dispersant-free liquid exfoliation down to the graphene-like state of solvent-free mechanochemically delaminated bulk MoS ₂ . 2013 , 1, 6411	44

2076	Tuning the bandgap of exfoliated InSe nanosheets by quantum confinement. 2013 , 25, 5714-8	419
2075	Bandgap tuning of mono- and bilayer graphene doped with group IV elements. 2013 , 113, 183701	30
2074	Flexible and transparent MoS ₂ field-effect transistors on hexagonal boron nitride-graphene heterostructures. 2013 , 7, 7931-6	800
2073	Critical electronic structures controlling phase transitions induced by lithium ion intercalation in molybdenum disulphide. 2013 , 58, 1632-1641	38
2072	Optical generation of excitonic valley coherence in monolayer WSe ₂ . 2013 , 8, 634-8	1001
2071	Tunable electronic and magnetic properties of WS ₂ nanoribbons. 2013 , 114, 093710	37
2070	Layer thinning and etching of mechanically exfoliated MoS ₂ nanosheets by thermal annealing in air. 2013 , 9, 3314-9	179
2069	Ferromagnetism in ultrathin VS ₂ nanosheets. 2013 , 1, 5909	119
2068	Interface transport properties in ion-gated nano-sheets. 2013 , 222, 1185-1201	9
2067	Tunable sulfur desorption in exfoliated MoS ₂ by means of thermal annealing in ultra-high vacuum. 2013 , 588, 198-202	100
2066	Density functional theory calculation of edge stresses in monolayer MoS ₂ . 2013 , 114, 163508	16
2065	Phonon thermal conductivity of monolayer MoS ₂ sheet and nanoribbons. 2013 , 103, 133113	145
2064	Elastic bending modulus of single-layer molybdenum disulfide (MoS ₂): finite thickness effect. 2013 , 24, 435705	109
2063	Monolayer semiconducting transition metal dichalcogenide alloys: Stability and band bowing. 2013 , 113, 143703	175
2062	Band alignment of two-dimensional transition metal dichalcogenides: Application in tunnel field effect transistors. 2013 , 103, 053513	543
2061	A new (2 × 1) dimerized structure of monolayer 1T-molybdenum disulfide, studied from first principles calculations. 2013 , 139, 174702	55
2060	Spin-orbit splitting in single-layer MoS ₂ revealed by triply resonant Raman scattering. <i>Physical Review Letters</i> , 2013 , 111, 126801	7.4 117
2059	. 2013 , 60, 274-279	20

2058	Single-layer MoS(2) mechanical resonators. 2013 , 25, 6719-23	162
2057	Ultrafast saturable absorption of two-dimensional MoS2 nanosheets. 2013 , 7, 9260-7	754
2056	Local strain engineering in atomically thin MoS2. 2013 , 13, 5361-6	802
2055	Radiation hardness of graphene and MoS2 field effect devices against swift heavy ion irradiation. 2013 , 113, 214306	67
2054	Impact of electron-phonon interaction on dynamic conductivity of gapped Dirac fermions: Application to single layer MoS2. 2013 , 421, 97-104	20
2053	Stable few-layer MoS2 rectifying diodes formed by plasma-assisted doping. 2013 , 103, 142110	175
2052	Magnetic control of the valley degree of freedom of massive Dirac fermions with application to transition metal dichalcogenides. 2013 , 88,	87
2051	Enhancing the Thermoelectric Properties of Layered Transition-Metal Dichalcogenides 2H-MQ2 (M = Mo, W; Q = S, Se, Te) by Layer Mixing: Density Functional Investigation. 2013 , 25, 3745-3752	72
2050	Electronic structures and optical properties of realistic transition metal dichalcogenide heterostructures from first principles. 2013 , 88,	342
2049	MoS2 nanocrystals confined in a DNA matrix exhibiting energy transfer. 2013 , 29, 11471-8	29
2048	Defects activated photoluminescence in two-dimensional semiconductors: interplay between bound, charged, and free excitons. 2013 , 3, 2657	726
2047	Graphene-MoS2 hybrid structures for multifunctional photoresponsive memory devices. 2013 , 8, 826-30	1065
2046	Electrochemical control of photoluminescence in two-dimensional MoS(2) nanoflakes. 2013 , 7, 10083-93	240
2045	Hopping transport through defect-induced localized states in molybdenum disulphide. 2013 , 4, 2642	740
2044	Anomalous frequency trends in MoS2 thin films attributed to surface effects. 2013 , 88,	91
2043	Direct imprinting of MoS2 flakes on a patterned gate for nanosheet transistors. 2013 , 1, 7803	44
2042	Graphene analogues of inorganic layered materials. 2013 , 52, 13162-85	402
2041	Origin of indirect optical transitions in few-layer MoS2, WS2, and WSe2. 2013 , 13, 5627-34	365

2040	Mechanically modulated tunneling resistance in monolayer MoS ₂ . 2013 , 103, 183105	36
2039	Adsorption of gas molecules on monolayer MoS ₂ and effect of applied electric field. 2013 , 8, 425	457
2038	Highly efficient gate-tunable photocurrent generation in vertical heterostructures of layered materials. 2013 , 8, 952-8	866
2037	The structural, electronic and magnetic properties of bi-layered MoS ₂ with transition-metals doped in the interlayer. 2013 , 3, 12939	31
2036	Effect of sulphur vacancy on geometric and electronic structure of MoS ₂ induced by molecular hydrogen treatment at room temperature. 2013 , 3, 18424	40
2035	Atomic structure and edge magnetism in MoS(2+x) parallelogram shaped platelets. 2013 , 15, 13077-82	3
2034	Intrinsic magnetism of grain boundaries in two-dimensional metal dichalcogenides. 2013 , 7, 10475-81	186
2033	Anisotropic Etching of Atomically Thin MoS ₂ . 2013 , 117, 25643-25649	140
2032	Control of radiation damage in MoS(2) by graphene encapsulation. 2013 , 7, 10167-74	187
2031	Optical and Vibrational Studies of Partially Edge-Terminated Vertically Aligned Nanocrystalline MoS ₂ Thin Films. 2013 , 117, 26262-26268	49
2030	Laminar MoS ₂ membranes for molecule separation. 2013 , 49, 10718-20	212
2029	Valley carrier dynamics in monolayer molybdenum disulfide from helicity-resolved ultrafast pump-probe spectroscopy. 2013 , 7, 11087-93	188
2028	Electrically driven tuning of the dielectric constant in MoS ₂ layers. 2013 , 7, 10741-6	146
2027	Aqueous dispersions of exfoliated molybdenum disulfide for use in visible-light photocatalysis. 2013 , 5, 12751-6	102
2026	Metallic VS ₂ Monolayer: A Promising 2D Anode Material for Lithium Ion Batteries. 2013 , 117, 25409-25413	438
2025	Nonblinking, intense two-dimensional light emitter: monolayer WS ₂ triangles. 2013 , 7, 10985-94	242
2024	Mechanical strain dependent electronic and dielectric properties of two-dimensional honeycomb structures of MoX ₂ (X=S, Se, Te). 2013 , 419, 66-75	67
2023	Work function modulation of bilayer MoS ₂ nanoflake by backgate electric field effect. 2013 , 103, 033122	30

2022	Field-effect transistors based on two-dimensional materials for logic applications. 2013 , 22, 098505	20
2021	Atomistic full-band simulations of monolayer MoS2 transistors. 2013 , 103, 223509	42
2020	Structures, Energetics, and Electronic Properties of Layered Materials and Nanotubes of Cadmium Chalcogenides. 2013 , 117, 25817-25825	19
2019	Liquid Exfoliation of Layered Materials. 2013 , 340, 1226419-1226419	2604
2018	Optical spectrum of MoS2: many-body effects and diversity of exciton states. <i>Physical Review Letters</i> , 2013 , 111, 216805	7.4 1031
2017	WS2 nanoflakes from nanotubes for electrocatalysis. 2013 , 6, 921-928	95
2016	Functionalization of monolayer MoS2 by substitutional doping: A first-principles study. 2013 , 377, 1362-1367	235
2015	How dielectric screening in two-dimensional crystals affects the convergence of excited-state calculations: Monolayer MoS2. 2013 , 88,	174
2014	Plasmons in metallic monolayer and bilayer transition metal dichalcogenides. 2013 , 88,	35
2013	Graphene/MoS2 organic glasses: Fabrication and enhanced reverse saturable absorption properties. 2013 , 35, 2352-2356	24
2012	Effect of spin-orbit interaction on the optical spectra of single-layer, double-layer, and bulk MoS2. 2013 , 88,	320
2011	Molecular dynamics simulations of single-layer molybdenum disulphide (MoS2): Stillinger-Weber parametrization, mechanical properties, and thermal conductivity. 2013 , 114, 064307	263
2010	Possible doping strategies for MoS2 monolayers: An ab initio study. 2013 , 88,	416
2009	Quasiparticle band-edge energy and band offsets of monolayer of molybdenum and tungsten chalcogenides. 2013 , 103, 042106	119
2008	Intrinsic electrical transport properties of monolayer silicene and MoS2 from first principles. 2013 , 87,	303
2007	Three-band tight-binding model for monolayers of group-VIB transition metal dichalcogenides. 2013 , 88,	526
2006	Band-like transport in high mobility unencapsulated single-layer MoS2 transistors. 2013 , 102, 173107	316
2005	Modulating electronic transport properties of MoS2 field effect transistor by surface overlayers. 2013 , 103, 063109	80

2004	. 2013 , 60, 4133-4139	112
2003	Theory of neutral and charged excitons in monolayer transition metal dichalcogenides. 2013 , 88,	579
2002	Ferromagnetism in exfoliated tungsten disulfide nanosheets. 2013 , 8, 430	74
2001	Lattice dynamics in mono- and few-layer sheets of WS ₂ and WSe ₂ . 2013 , 5, 9677-83	574
2000	High-performance sensors based on molybdenum disulfide thin films. 2013 , 25, 6699-702	359
1999	A first-principles study on the effect of biaxial strain on the ultimate performance of monolayer MoS ₂ -based double gate field effect transistor. 2013 , 113, 163708	47
1998	Visualization and quantification of transition metal atomic mixing in Mo _{1-x} W _x S ₂ single layers. 2013 , 4, 1351	165
1997	Facile synthesis of MoS ₂ /graphene composites: effects of different cationic surfactants on microstructures and electrochemical properties of reversible lithium storage. 2013 , 3, 21675	54
1996	DEFECT ENGINEERING OF 2D MONATOMIC-LAYER MATERIALS. 2013 , 27, 1330017	32
1995	Interplay between spin-orbit interactions and a time-dependent electromagnetic field in monolayer graphene. 2013 , 88,	33
1994	Chloride-Driven Chemical Vapor Transport Method for Crystal Growth of Transition Metal Dichalcogenides. 2013 , 13, 4453-4459	55
1993	From point to extended defects in two-dimensional MoS ₂ : Evolution of atomic structure under electron irradiation. 2013 , 88,	334
1992	Density functional theory study of Fe adatoms adsorbed monolayer and bilayer MoS ₂ sheets. 2013 , 114, 083706	30
1991	Fabrication of luminescent monolayered tungsten dichalcogenides quantum dots with giant spin-valley coupling. 2013 , 7, 8214-23	154
1990	Seedless synthesis of layered ZnO nanowall networks on Al substrate for white light electroluminescence. 2013 , 24, 315203	21
1989	Outstanding mechanical properties of monolayer MoS ₂ and its application in elastic energy storage. 2013 , 15, 19427-37	178
1988	Electric stress-induced threshold voltage instability of multilayer MoS ₂ field effect transistors. 2013 , 7, 7751-8	155
1987	Quantitative analysis of the temperature dependency in Raman active vibrational modes of molybdenum disulfide atomic layers. 2013 , 5, 9758-63	61

1986	Raman-scattering measurements and first-principles calculations of strain-induced phonon shifts in monolayer MoS ₂ . 2013 , 87,	417
1985	Optoelectronic properties of single-layer, double-layer, and bulk tin sulfide: A theoretical study. 2013 , 113, 233507	107
1984	Optically active heterostructures of graphene and ultrathin MoS ₂ . 2013 , 175-176, 35-42	35
1983	Self-Ordering of Disorderly Arranged 2D Crystal Layers to 3D Regular Arrangement Using a Heat-Induced Chemical Reaction between 2D Crystal Layers. 2013 , 117, 23357-23363	9
1982	Electronic structural Moiré pattern effects on MoS ₂ /MoSe ₂ 2D heterostructures. 2013 , 13, 5485-90	255
1981	Atomically thin two-dimensional materials for functional electrodes of electrochemical devices. 2013 , 19, 825-865	30
1980	Dimension-dependent phase transition and magnetic properties of VS ₂ . 2013 , 1, 10821	154
1979	Molecular Doping of Multilayer MoS_2 Field-Effect Transistors: Reduction in Sheet and Contact Resistances. 2013 , 34, 1328-1330	196
1978	Theoretical perspective of photocatalytic properties of single-layer SnS ₂ . 2013 , 88,	173
1977	Correlated Electron Materials and Field Effect Transistors for Logic: A Review. 2013 , 38, 286-317	83
1976	Suspended single-layer MoS ₂ devices. 2013 , 114, 164509	51
1975	Indirect to direct band gap transition in ultra-thin silicon films. 2013 , 15, 6063-7	29
1974	2D electronics: Graphene and beyond. 2013 ,	15
1973	Spin Hall effect in spin-valley coupled monolayers of transition metal dichalcogenides. 2013 , 88,	53
1972	. 2013 ,	1
1971	Dependence of intrinsic performance of transition metal dichalcogenide transistors on materials and number of layers at the 5 nm channel-length limit. 2013 ,	20
1970	Predicting dislocations and grain boundaries in two-dimensional metal-disulfides from the first principles. 2013 , 13, 253-8	270
1969	Tightly bound trions in monolayer MoS ₂ . 2013 , 12, 207-11	1878

1968	Nanosheet thickness-modulated MoS ₂ dielectric property evidenced by field-effect transistor performance. 2013 , 5, 548-51	75
1967	Graphene-like two-dimensional materials. 2013 , 113, 3766-98	3191
1966	Evolution of electronic structure in atomically thin sheets of WS ₂ and WSe ₂ . 2013 , 7, 791-7	1393
1965	Exciton dynamics in suspended monolayer and few-layer MoS ₂ D crystals. 2013 , 7, 1072-80	581
1964	CTAB-assisted synthesis of single-layer MoS ₂ graphene composites as anode materials of Li-ion batteries. 2013 , 1, 2202-2210	378
1963	Band offsets and heterostructures of two-dimensional semiconductors. 2013 , 102, 012111	1131
1962	Large and tunable photothermoelectric effect in single-layer MoS ₂ . 2013 , 13, 358-63	480
1961	Tuning the electronic and chemical properties of monolayer MoS ₂ adsorbed on transition metal substrates. 2013 , 13, 509-14	239
1960	Extraordinary room-temperature photoluminescence in triangular WS ₂ monolayers. 2013 , 13, 3447-54	1145
1959	Layered semiconductor tungsten disulfide: photoactive material in bulk heterojunction solar cells. 2013 , 2, 419-424	29
1958	Electrical control of optical properties of monolayer MoS ₂ . 2013 , 155, 49-52	156
1957	Electronic and optical properties of MoS ₂ (0001) thin films: Feasibility for solar cells. 2013 , 69, 216-221	46
1956	High on/off ratio field effect transistors based on exfoliated crystalline SnS ₂ nano-membranes. 2013 , 24, 025202	103
1955	Highly flexible and transparent multilayer MoS ₂ transistors with graphene electrodes. 2013 , 9, 3295-300	154
1954	Metal dichalcogenide nanosheets: preparation, properties and applications. 2013 , 42, 1934-46	1595
1953	Electrical tuning of valley magnetic moment through symmetry control in bilayer MoS ₂ . 2013 , 9, 149-153	451
1952	Chemical vapor sensing with monolayer MoS ₂ . 2013 , 13, 668-73	871
1951	Atomic-scale structures and electronic states of defects on Ar ⁺ -ion irradiated MoS ₂ . 2013 , 189, 11-18	32

1950	Photoluminescence emission and Raman response of monolayer MoS ₂ /MoSe ₂ and WSe ₂ . 2013 , 21, 4908-16	1005
1949	First-principles study of the structural and electronic properties of MoS ₂ /WS ₂ and MoS ₂ /MoTe ₂ monolayer heterostructures. 2013 , 46, 505308	41
1948	Two Dimensional Layered Semiconductors: Emerging Materials for Solar Photovoltaics. 2013 , 117-134	
1947	Band nesting and the optical response of two-dimensional semiconducting transition metal dichalcogenides. 2013 , 88,	207
1946	Orbital analysis of electronic structure and phonon dispersion in MoS ₂ , MoSe ₂ , WS ₂ , and WSe ₂ monolayers under strain. 2013 , 88,	260
1945	Excitonic collapse in semiconducting transition-metal dichalcogenides. 2013 , 88,	21
1944	Blueshift of the A-exciton peak in folded monolayer 1H-MoS ₂ . 2013 , 88,	28
1943	Optical manipulation of the exciton charge state in single-layer tungsten disulfide. 2013 , 88,	152
1942	Strain-dependent modulation of conductivity in single-layer transition-metal dichalcogenides. 2013 , 87,	208
1941	Layered nanojunctions for hydrogen-evolution catalysis. 2013 , 52, 3621-5	713
1940	Enhanced field-emission behavior of layered MoS ₂ sheets. 2013 , 9, 2730-4	173
1939	Interlayer breathing and shear modes in few-trilayer MoS ₂ and WSe ₂ . 2013 , 13, 1007-15	502
1938	Vapor-solid growth of high optical quality MoS ₂ monolayers with near-unity valley polarization. 2013 , 7, 2768-72	340
1937	Thermoelectric performance of MX ₂ (M = Mo,W; X = S,Se) monolayers. 2013 , 113, 104304	168
1936	Prediction of two-dimensional diluted magnetic semiconductors: Doped monolayer MoS ₂ systems. 2013 , 87,	419
1935	Synthesis and transfer of single-layer transition metal disulfides on diverse surfaces. 2013 , 13, 1852-7	524
1934	The chemistry of two-dimensional layered transition metal dichalcogenide nanosheets. 2013 , 5, 263-75	6689
1933	Tunable electronic and dielectric behavior of GaS and GaSe monolayers. 2013 , 15, 7098-105	145

1932	Electroluminescence in single layer MoS ₂ . 2013 , 13, 1416-21	787
1931	Multiwall nanotubes, multilayers, and hybrid nanostructures: new frontiers for technology and Raman spectroscopy. 2013 , 7, 1838-44	45
1930	The role of interference and polarization effects in the optical visualization of carbon nanotubes. 2013 , 113, 084314	
1929	The physics and backward diode behavior of heavily doped single layer MoS ₂ based p-n junctions. 2013 , 102, 093104	32
1928	Orientation of luminescent excitons in layered nanomaterials. 2013 , 8, 271-6	195
1927	Graphene-type sheets of Nb(1-x)W(x)S ₂ : synthesis and in situ functionalization. 2013 , 42, 5292-7	5
1926	An innovative way of etching MoS ₂ : Characterization and mechanistic investigation. 2013 , 6, 200-207	128
1925	Fast and reliable identification of atomically thin layers of TaSe ₂ crystals. 2013 , 6, 191-199	53
1924	Synthesis of MoS ₂ and MoSe ₂ films with vertically aligned layers. 2013 , 13, 1341-7	1746
1923	Raman spectroscopy of shear and layer breathing modes in multilayer MoS ₂ . 2013 , 87,	343
1922	High mobility ambipolar MoS ₂ field-effect transistors: Substrate and dielectric effects. 2013 , 102, 042104	584
1921	Nonlinear elastic behavior of two-dimensional molybdenum disulfide. 2013 , 87,	312
1920	Investigation of MoS ₂ and graphene nanosheets by magnetic force microscopy. 2013 , 7, 2842-9	105
1919	Solvatochromic effect on the photoluminescence of MoS ₂ monolayers. 2013 , 9, 1312-5	113
1918	Mechanical exfoliation and characterization of single- and few-layer nanosheets of WSe ₂ , TaS ₂ and TaSe ₂ . 2013 , 9, 1974-81	449
1917	High yield production of photoluminescent tungsten disulphide nanoparticles. 2013 , 396, 160-4	35
1916	Dimensionally Reduced One-Dimensional Chains of TiSe ₂ . 2013 , 25, 1477-1479	10
1915	Stability and exfoliation of germanane: a germanium graphane analogue. 2013 , 7, 4414-21	748

1914	Phonon softening and direct to indirect band gap crossover in strained single-layer MoSe ₂ . 2013 , 87,	162
1913	Progress, challenges, and opportunities in two-dimensional materials beyond graphene. 2013 , 7, 2898-926	3414
1912	Preparation, characterization and photoelectrochemical property of ultrathin MoS ₂ nanosheets via hydrothermal intercalation and exfoliation route. 2013 , 571, 37-42	72
1911	Substrate Mediation in Vapor Deposition Growth of Layered Chalcogenide Nanoplates: A Case Study of SnSe ₂ . 2013 , 117, 6469-6475	71
1910	Layer-by-layer thinning of MoS ₂ by plasma. 2013 , 7, 4202-9	317
1909	Ferromagnetism in freestanding MoS ₂ nanosheets. 2013 , 8, 129	144
1908	Two-Dimensional Molybdenum Trioxide and Dichalcogenides. 2013 , 23, 3952-3970	378
1907	Origin of the n-type and p-type conductivity of MoS ₂ monolayers on a SiO ₂ substrate. 2013 , 87,	235
1906	Two-dimensional semiconductors: recent progress and future perspectives. 2013 , 1, 2952	287
1905	Quasiparticle band structures and optical properties of strained monolayer MoS ₂ and WS ₂ . 2013 , 87,	662
1904	Surface potential and interlayer screening effects of few-layer MoS ₂ nanoflakes. 2013 , 102, 143110	112
1903	Temperature-Dependent Raman Studies and Thermal Conductivity of Few-Layer MoS ₂ . 2013 , 117, 9042-9047	487
1902	Electrical control of neutral and charged excitons in a monolayer semiconductor. 2013 , 4, 1474	1007
1901	Ultrathin nanostructures: smaller size with new phenomena. 2013 , 42, 5577-94	130
1900	Improved carrier mobility in few-layer MoS ₂ field-effect transistors with ionic-liquid gating. 2013 , 7, 4449-58	267
1899	Few-Layer MoS ₂ with high broadband Photogain and fast optical switching for use in harsh environments. 2013 , 7, 3905-11	482
1898	Tunable band gap photoluminescence from atomically thin transition-metal dichalcogenide alloys. 2013 , 7, 4610-6	442
1897	Raman spectroscopy study of lattice vibration and crystallographic orientation of monolayer MoS ₂ under uniaxial strain. 2013 , 9, 2857-61	293

1896	Intervalley scattering and localization behaviors of spin-valley coupled Dirac fermions. <i>Physical Review Letters</i> , 2013 , 110, 016806	7.4	112
1895	Single-layer MoS ₂ -based nanoprobe for homogeneous detection of biomolecules. 2013 , 135, 5998-6001		874
1894	Anomalous Raman spectra and thickness-dependent electronic properties of WSe ₂ . 2013 , 87,		341
1893	Electronic properties of the MoS ₂ -WS ₂ heterojunction. 2013 , 87,		378
1892	High mobility and high on/off ratio field-effect transistors based on chemical vapor deposited single-crystal MoS ₂ grains. 2013 , 102, 142106		189
1891	Computational discovery of single-layer III-V materials. 2013 , 87,		250
1890	Top-down fabrication of sub-nanometre semiconducting nanoribbons derived from molybdenum disulfide sheets. 2013 , 4, 1776		185
1889	Graphene-analogous low-dimensional materials. 2013 , 58, 1244-1315		600
1888	Electron-hole transport and photovoltaic effect in gated MoS ₂ Schottky junctions. 2013 , 3, 1634		391
1887	Grains and grain boundaries in highly crystalline monolayer molybdenum disulphide. 2013 , 12, 554-61		1590
1886	Controlled charge trapping by molybdenum disulphide and graphene in ultrathin heterostructured memory devices. 2013 , 4, 1624		504
1885	Band structure and optical transitions in atomic layers of hexagonal gallium chalcogenides. 2013 , 87,		145
1884	Exploration of Structures of Two-Dimensional Boron-Silicon Compounds with sp(2) Silicon. 2013 , 4, 561-7		64
1883	Photosensor Device Based on Few-Layered WS ₂ Films. 2013 , 23, 5511-5517		480
1882	First-principles analysis of MoS ₂ /Ti ₂ C and MoS ₂ /Ti ₂ CY ₂ (Y=F and OH) all-2D semiconductor/metal contacts. 2013 , 87,		133
1881	Two-Dimensional Nanocrystals: Structure, Properties and Applications. 2013 , 38, 1289-1304		6
1880	Study of the Electrical Properties of Monolayer MoS ₂ Semiconductor. 2013 , 651, 193-197		1
1879	Large-Area 2-D Electronics: Materials, Technology, and Devices. 2013 , 101, 1638-1652		39

1878	Controlling ferromagnetic easy axis in a layered MoS2 single crystal. <i>Physical Review Letters</i> , 2013 , 110, 247201	7.4	93
1877	Experimental demonstration of continuous electronic structure tuning via strain in atomically thin MoS2. 2013 , 13, 2931-6		675
1876	Optical signature of symmetry variations and spin-valley coupling in atomically thin tungsten dichalcogenides. 2013 , 3, 1608		659
1875	Phonon probe of local strains in SnSxSe2-x mixed crystals. 2013 , 87,		34
1874	Statistical study of deep submicron dual-gated field-effect transistors on monolayer chemical vapor deposition molybdenum disulfide films. 2013 , 13, 2640-6		168
1873	Electrical performance of monolayer MoS2 field-effect transistors prepared by chemical vapor deposition. 2013 , 102, 193107		182
1872	Facile growth of monolayer MoS2 film areas on SiO2. 2013 , 86, 1		56
1871	Selective decoration of Au nanoparticles on monolayer MoS2 single crystals. 2013 , 3, 1839		342
1870	Novel hetero-layered materials with tunable direct band gaps by sandwiching different metal disulfides and diselenides. 2013 , 3, 1549		378
1869	Controlled scalable synthesis of uniform, high-quality monolayer and few-layer MoS2 films. 2013 , 3, 1866		651
1868	High-gain phototransistors based on a CVD MoS2 monolayer. 2013 , 25, 3456-61		743
1867	Probing symmetry properties of few-layer MoS2 and h-BN by optical second-harmonic generation. 2013 , 13, 3329-33		649
1866	Solution-Phase Synthesis of Highly Conductive Tungsten Diselenide Nanosheets. 2013 , 25, 2385-2387		40
1865	Broad-range modulation of light emission in two-dimensional semiconductors by molecular physisorption gating. 2013 , 13, 2831-6		566
1864	Improved growth behavior of atomic-layer-deposited high-k dielectrics on multilayer MoS2 by oxygen plasma pretreatment. 2013 , 5, 4739-44		137
1863	Identification of individual and few layers of WS2 using Raman Spectroscopy. 2013 , 3,		911
1862	Magnetoelectric effects and valley-controlled spin quantum gates in transition metal dichalcogenide bilayers. 2013 , 4, 2053		246
1861	Adsorption of alkali, alkaline-earth, and 3d transition metal atoms on silicene. 2013 , 87,		259

1860	Electric-field screening in atomically thin layers of MoS ₂ —the role of interlayer coupling. 2013 , 25, 899-903	122
1859	Plasmonic enhancement of photocurrent in MoS ₂ field-effect-transistor. 2013 , 102, 203109	175
1858	Formation of a stable p-n junction in a liquid-gated MoS ₂ ambipolar transistor. 2013 , 13, 3023-8	178
1857	Few-layered CoHPO ₄ · 3H ₂ O ultrathin nanosheets for high performance of electrode materials for supercapacitors. 2013 , 5, 5752-7	89
1856	Carbon-Based Nanomaterials From a Historical Perspective. 2013 , 101, 1522-1535	43
1855	Spontaneous ripple formation in MoS ₂ monolayers: electronic structure and transport effects. 2013 , 25, 5473-5	83
1854	. 2013 , 101, 1585-1602	158
1853	Phonon-mediated superconductivity in electron-doped single-layer MoS ₂ : A first-principles prediction. 2013 , 87,	95
1852	Enhanced catalytic activity in strained chemically exfoliated WS ₂ nanosheets for hydrogen evolution. 2013 , 12, 850-5	2039
1851	Probing the local surface potential and quantum capacitance in single and multi-layer graphene. 2013 , 103, 023102	10
1850	Two-dimensional crystals: managing light for optoelectronics. 2013 , 7, 5660-5	327
1849	Intrinsic structural defects in monolayer molybdenum disulfide. 2013 , 13, 2615-22	1418
1848	Structure change, layer sliding, and metallization in high-pressure MoS ₂ . 2013 , 87,	100
1847	A generic tight-binding model for monolayer, bilayer and bulk MoS ₂ . 2013 , 3, 052111	152
1846	Single-layer MoS ₂ as an efficient photocatalyst. 2013 , 3, 2214	236
1845	High frequency MoS ₂ nanomechanical resonators. 2013 , 7, 6086-91	199
1844	Novel mixed-solvothermal synthesis of MoS ₂ nanosheets with controllable morphologies. 2013 , 48, 363-368	56
1843	Ultrasensitive photodetectors based on monolayer MoS ₂ . 2013 , 8, 497-501	3412

1842	Vapour phase growth and grain boundary structure of molybdenum disulphide atomic layers. 2013 , 12, 754-9	1384
1841	Extraordinary sunlight absorption and one nanometer thick photovoltaics using two-dimensional monolayer materials. 2013 , 13, 3664-70	1346
1840	Effects of lower symmetry and dimensionality on Raman spectra in two-dimensional WSe2. 2013 , 88,	175
1839	Defect-induced conductivity anisotropy in MoS2 monolayers. 2013 , 88,	126
1838	Edge state induced metallicity in zigzag BC3 ribbons. 2013 , 1, 4854	6
1837	Second harmonic microscopy of monolayer MoS2. 2013 , 87,	423
1836	Thermal Evaporation Deposition of Few-layer MoS2 Films. 2013 , 5, 135-139	37
1835	Giant valley drifts in uniaxially strained monolayer MoS2. 2013 , 88,	41
1834	Spin- and valley-dependent magneto-optical properties of MoS2. 2013 , 88,	78
1833	Spintronics in MoS2 monolayer quantum wires. 2013 , 88,	129
1832	Full-band quantum transport simulations of monolayer MoS2 transistors: Possibility of negative differential resistance. 2013 ,	
1831	Observation of intense second harmonic generation from MoS2 atomic crystals. 2013 , 87,	425
1830	Synthesis of MoS and MoO for their applications in H generation and lithium ion batteries: a review. 2013 , 14, 043501	88
1829	Tight-binding model and direct-gap/indirect-gap transition in single-layer and multilayer MoS2. 2013 , 88,	284
1828	Transport theory of monolayer transition-metal dichalcogenides through symmetry. <i>Physical Review Letters</i> , 2013 , 111, 026601	7.4 167
1827	Exciton dynamics in atomically thin MoS2: Interexcitonic interaction and broadening kinetics. 2013 , 88,	144
1826	Spin-orbit-induced spin splittings in polar transition metal dichalcogenide monolayers. 2013 , 102, 57001	224
1825	Unconventional quantum Hall effect and tunable spin hall effect in Dirac materials: application to an isolated MoS2 trilayer. <i>Physical Review Letters</i> , 2013 , 110, 066803	7.4 141

1824	Low-frequency electronic noise in single-layer MoS2 transistors. 2013 , 13, 4351-5	188
1823	Hyperspectral imaging of structure and composition in atomically thin heterostructures. 2013 , 13, 3942-6	37
1822	Temperature-dependent phonon shifts in monolayer MoS2. 2013 , 103, 093102	167
1821	Two-dimensional ferromagnet/semiconductor transition metal dichalcogenide contacts: p-type Schottky barrier and spin-injection control. 2013 , 88,	46
1820	Semiconductor to metal transition in bilayer transition metals dichalcogenides MX ₂ (M= Mo, W; X= S, Se, Te). 2013 , 21, 065015	45
1819	Optical investigation of the natural electron doping in thin MoS2 films deposited on dielectric substrates. 2013 , 3, 3489	131
1818	Layer-dependent resonant Raman scattering of a few layer MoS2. 2013 , 44, 92-96	297
1817	Study of the Electrical Contact Properties of Monolayer MoS2/Si Heterojunction. 2013 , 660, 57-60	0
1816	Imaging the crystal structure of few-layer two-dimensional crystals by optical nonlinearity. 2013 ,	
1815	Carrier Relaxation Dynamics in MoS2 Measured by Optical/THz Pump-Probe Spectroscopy. 2013 ,	2
1814	Vanishing of interband light absorption in a persistent spin helix state. 2013 , 3, 2828	17
1813	Berry phases of quantum trajectories of optically excited electron-hole pairs in semiconductors under strong terahertz fields. 2013 , 15, 115005	12
1812	Optical Properties of Molybdenum Disulfide (MoS ₂). 2013 , 124, 849-851	37
1811	Optoelectronic properties of graphene-MoS2 hybrid. 2013 , 1505, 1	2
1810	Local-field effects on the plasmon dispersion of two-dimensional transition metal dichalcogenides. 2013 , 15, 125005	17
1809	Monolayer Transition Metal Dichalcogenide Channel-Based Tunnel Transistor. 2013 , 1, 175-180	62
1808	Electronic and Optical Properties of MoS2. 2013 , 209, 90-93	1
1807	Remote phonon and impurity screening effect of substrate and gate dielectric on electron dynamics in single layer MoS2. 2013 , 103, 113505	48

1806	Ultrafast Carrier Dynamics in Single and Few Atomic Layer MoS ₂ Studied by Two-Color Optical Pump-Probe. 2013 ,	3
1805	Two-Dimensional Photonics with Molybdenum Disulfide. 2013 ,	
1804	Strong ferromagnetism in hydrogenated monolayer MoS ₂ tuned by strain. 2013 , 88,	113
1803	Graphen-analoge anorganische Schichtmaterialien. 2013 , 125, 13400-13424	40
1802	Recent advances in alternative material photovoltaics. 2013 , 28, 88-97	37
1801	Strain tuning of optical emission energy and polarization in monolayer and bilayer MoS ₂ . 2013 , 88,	285
1800	Cross-plane thermal properties of transition metal dichalcogenides. 2013 , 102, 081604	71
1799	Frequency scaling of molybdenum disulfide (MoS ₂) two-dimensional (2D) nanomechanical resonators. 2013 ,	0
1798	Metal to semiconductor transition in metallic transition metal dichalcogenides. 2013 , 114, 174307	24
1797	Temperature-dependent mechanical properties of single-layer molybdenum disulphide: Molecular dynamics nanoindentation simulations. 2013 , 103, 231913	28
1796	Electric field effects in ultrathin ErNbBr nano-crystals. 2013 , 103, 043107	2
1795	Dual-gate MOSFETs on monolayer CVD MoS ₂ films. 2013 ,	2
1794	Charge Dynamics and Electronic Structures of Monolayer MoS ₂ Films Grown by Chemical Vapor Deposition. 2013 , 6, 125801	60
1793	Anharmonic phonons in few-layer MoS ₂ : Raman spectroscopy of ultralow energy compression and shear modes. 2013 , 87,	79
1792	Transient terahertz spectroscopy of mono- and tri-layer CVD-grown MoS ₂ . 2013 ,	
1791	Velocity saturation in few-layer MoS ₂ transistor. 2013 , 103, 233509	52
1790	Orientation dependent thermal conductance in single-layer MoS ₂ . 2013 , 3, 2209	55
1789	Gate-tunable carbon nanotube-MoS ₂ heterojunction p-n diode. 2013 , 110, 18076-80	304

1788	Acoustic phonon limited mobility in two-dimensional semiconductors: Deformation potential and piezoelectric scattering in monolayer MoS ₂ from first principles. 2013 , 87,	195
1787	Bandgap engineering of rippled MoS ₂ monolayer under external electric field. 2013 , 102, 173112	90
1786	ELECTRONIC AND MAGNETIC PROPERTIES OF SILICENE AND SILICANE NANORIBBONS. 2013 , 02, 1350011	3
1785	Oxygen environmental and passivation effects on molybdenum disulfide field effect transistors. 2013 , 24, 095202	134
1784	Controlled argon beam-induced desulfurization of monolayer molybdenum disulfide. 2013 , 25, 252201	58
1783	Equibiaxial strain: tunable electronic structure and optical properties of bulk and monolayer MoSe ₂ . 2013 , 46, 395304	16
1782	Sulfur vacancies in monolayer MoS ₂ and its electrical contacts. 2013 , 103, 183113	271
1781	Controlling the spontaneous emission rate of monolayer MoS in a photonic crystal nanocavity. 2013 , 103, 181119	155
1780	Quantum of optical absorption in two-dimensional semiconductors. 2013 , 110, 11688-91	61
1779	Piezoelectricity in Monolayers and Bilayers of Inorganic Two-Dimensional Crystals. 2013 , 1556, 1	1
1778	Charge carrier dynamics in bulk MoS ₂ crystal studied by transient absorption microscopy. 2013 , 113, 133702	79
1777	Layered Nanojunctions for Hydrogen-Evolution Catalysis. 2013 , 125, 3709-3713	99
1776	Studies on transport properties of MoSe ₂ single crystals. 2013 , 63, 20101	3
1775	Excitonic Dark States in Single Atomic Layer of Transition Metal Dichalcogenide. 2014 ,	1
1774	Effect of contaminations and surface preparation on the work function of single layer MoS ₂ . 2014 , 5, 291-7	61
1773	DNA origami deposition on native and passivated molybdenum disulfide substrates. 2014 , 5, 501-506	6
1772	Transformation optics scheme for two-dimensional materials. 2014 , 39, 2113-6	8
1771	Multiple topological interface states in silicene. 2014 , 16, 045015	40

1770	Electrical Stress and Total Ionizing Dose Effects on MoS_2 Transistors. 2014 , 61, 2862-2867	19
1769	Stacking stability of MoS ₂ bilayer: An ab initio study. 2014 , 23, 106801	28
1768	A Compact Current-Voltage Model for 2D Semiconductor Based Field-Effect Transistors Considering Interface Traps, Mobility Degradation, and Inefficient Doping Effect. 2014 , 61, 4282-4290	94
1767	Spin-resolved optical conductivity of two-dimensional group-VIB transition-metal dichalcogenides. 2014 , 90,	29
1766	Measurement of the anisotropic thermal conductivity of molybdenum disulfide by the time-resolved magneto-optic Kerr effect. 2014 , 116, 233107	173
1765	Fabrication of poly(methyl methacrylate)-MoS ₂ /graphene heterostructure for memory device application. 2014 , 116, 214306	35
1764	Terahertz Optical Conductance of n-type Monolayer MoS ₂ . 2014 , 153, 171-176	
1763	INTERLAYER INTERACTION AND SCREENING IN MoS ₂ . 2014 , 21, 1450039	11
1762	Rayleigh scattering studies on inter-layer interactions in structure-defined individual double-wall carbon nanotubes. 2014 , 7, 1548-1555	14
1761	Ferromagnetism in ultrathin MoS ₂ nanosheets: from amorphous to crystalline. 2014 , 9, 586	50
1760	Wave packet dynamics in monolayer MoS ₂ with and without a magnetic field. 2014 , 87, 1	9
1759	Preparation, Applications of Two-Dimensional Graphene-like Molybdenum Disulfide. 2014 , 158, 26-42	16
1758	Spin and valley half metal induced by staggered potential and magnetization in silicene. 2014 , 23, 017203	16
1757	Symmetry-resolved surface-derived electronic structure of MoS ₂ (0 0 0 1). 2014 , 26, 455501	8
1756	Phonon-drag thermopower in a monolayer MoS ₂ . 2014 , 26, 485013	9
1755	The electronic structure and optical properties of Mn and B, C, N co-doped MoS ₂ monolayers. 2014 , 9, 554	32
1754	Generation and transport of valley-polarized current in transition-metal dichalcogenides. 2014 , 90,	88
1753	Photoluminescence saturation and exciton decay dynamics in transition metal dichalcogenide monolayers. 2014 , 65, 2077-2081	14

- 1752 Room Temperature Electroluminescence from Mechanically Formed van der Waals III-VI Homojunctions and Heterojunctions. **2014**, 2, 1064-1069 61
- 1751 Momentum dependence of spin-orbit interaction effects in single-layer and multi-layer transition metal dichalcogenides. **2014**, 1, 034003 71
- 1750 Theoretical study of thermoelectric properties of MoS₂. **2014**, 23, 017201 31
- 1749 Non-covalent doping of graphitic carbon nitride with ultrathin graphene oxide and molybdenum disulfide nanosheets: an effective binary heterojunction photocatalyst under visible light irradiation. **2014**, 431, 42-9 64
- 1748 Valley light-emitting transistor. **2014**, 6, e124-e124 5
- 1747 Graphene: Synthesis, Characterization, and Applications. **2014**, 1-21 0
- 1746 Variability of electrical contact properties in multilayer MoS₂ thin-film transistors. **2014**, 117, 761-766 9
- 1745 Optical properties of monolayer transition metal dichalcogenides probed by spectroscopic ellipsometry. **2014**, 105, 201905 250
- 1744 Using solution- and solid-state S K-edge X-ray absorption spectroscopy with density functional theory to evaluate M-S bonding for MS₄(2-) (M = Cr, Mo, W) dianions. **2014**, 43, 17283-95 14
- 1743 Electronic structures of defects and magnetic impurities in MoS₂ monolayers. **2014**, 9, 2413 65
- 1742 Engineering electronic properties of metal-MoSe₂ interfaces using self-assembled monolayers. **2014**, 2, 9842-9849 21
- 1741 Photoluminescence of MoS₂ Prepared by Effective Grinding-Assisted Sonication Exfoliation. **2014**, 2014, 1-7 19
- 1740 Ab-initio study of doping versus adsorption in monolayer MoS₂. **2014**, 2
- 1739 Detrimental influence of catalyst seeding on the device properties of CVD-grown 2D layered materials: A case study on MoSe₂. **2014**, 105, 253102 19
- 1738 Excitons in atomically thin transition-metal dichalcogenides. **2014**, 3
- 1737 Coherent Electronic Coupling in Transition Metal Dichalcogenide Monolayer. **2014**, 1736 . **2014**,
- 1735 Silicane and germanane: tight-binding and first-principles studies. **2014**, 1, 011005 54

1734	Room-temperature ferromagnetism of single-crystalline MoS ₂ nanowires. 2014 , 9, 468-470	11
1733	Graphene and Beyond for Ultrafast Optical Communications and Interconnects. 2014 ,	
1732	Ultrashort optical pulse characterization using WS ₂ monolayers. 2014 , 39, 383-5	30
1731	Tunable Q-switched fiber laser based on saturable edge-state absorption in few-layer molybdenum disulfide (MoS ₂). 2014 , 22, 31113-22	279
1730	Hole mobility enhancement and p -doping in monolayer WSe ₂ by gold decoration. 2014 , 1, 034001	104
1729	Theoretical study on electronic properties of MoS ₂ antidot lattices. 2014 , 116, 113704	12
1728	Wet chemical thinning of molybdenum disulfide down to its monolayer. 2014 , 2, 092509	24
1727	Reconfigurable p-n junction diodes and the photovoltaic effect in exfoliated MoS ₂ films. 2014 , 104, 122104	47
1726	Plasmons on the edge of MoS ₂ nanostructures. 2014 , 90,	29
1725	Hexagonal transition-metal chalcogenide nanoflakes with pronounced lateral quantum confinement. 2014 , 53, 12624-8	5
1724	Exciton-dominant electroluminescence from a diode of monolayer MoS ₂ . 2014 , 104, 193508	72
1723	Metal-semiconductor transition in atomically thin Bi ₂ Sr ₂ Co ₂ O ₈ nanosheets. 2014 , 2, 092507	6
1722	Excitons in a mirror: Formation of optical bilayers using MoS ₂ monolayers on gold substrates. 2014 , 104, 191105	26
1721	MoS ₂ functionalization for ultra-thin atomic layer deposited dielectrics. 2014 , 104, 111601	149
1720	Phonon transport in single-layer transition metal dichalcogenides: A first-principles study. 2014 , 105, 131903	229
1719	Characteristics of Cu ₂ ZnSnS ₄ Thin Films Fabricated by Sulfurization of Two Stacked Metallic Layers. 2014 , 602, 134-143	4
1718	Diverse and tunable electronic structures of single-layer metal phosphorus trichalcogenides for photocatalytic water splitting. 2014 , 140, 054707	76
1717	Monolayers of MoS ₂ as an oxidation protective nanocoating material. 2014 , 116, 083508	47

1716	Scanning photocurrent microscopy reveals electron-hole asymmetry in ionic liquid-gated WS ₂ transistors. 2014 , 104, 171112	33
1715	Large theoretical thermoelectric power factor of suspended single-layer MoS ₂ . 2014 , 105, 193901	57
1714	Enhancement of Initial Growth of ZnO Films on Layer-Structured Bi ₂ Te ₃ by Atomic Layer Deposition. 2014 , 26, 6448-6453	12
1713	Low Exciton-Phonon Coupling, High Charge Carrier Mobilities, and Multiexciton Properties in Two-Dimensional Lead, Silver, Cadmium, and Copper Chalcogenide Nanostructures. 2014 , 5, 4291-7	8
1712	Charge Scattering and Mobility in Atomically Thin Semiconductors. 2014 , 4,	141
1711	First-principles calculations of a robust two-dimensional boron honeycomb sandwiching a triangular molybdenum layer. 2014 , 90,	59
1710	Single-layer MoS ₂ roughness and sliding friction quenching by interaction with atomically flat substrates. 2014 , 105, 053111	51
1709	Single particle transport in two-dimensional heterojunction interlayer tunneling field effect transistor. 2014 , 115, 074508	85
1708	Ultraviolet-Light-Induced Reversible and Stable Carrier Modulation in MoS ₂ Field-Effect Transistors. 2014 , 24, n/a-n/a	14
1707	Electron spin relaxation due to D'yakonov-Perel' and Elliot-Yafet mechanisms in monolayer MoS ₂ : Role of intravalley and intervalley processes. 2014 , 89,	53
1706	Scalable synthesis of layer-controlled WS ₂ and MoS ₂ sheets by sulfurization of thin metal films. 2014 , 105, 083112	94
1705	Electronic structures and optical properties of two-dimensional ScN and YN nanosheets. 2014 , 115, 093504	23
1704	Effect of tensile strain on the negative differential resistance in the WTe ₂ armchair nanoribbon. 2014 , 1, 025037	1
1703	Doping Strategies for Monolayer MoS ₂ via Surface Adsorption: A Systematic Study. 2014 , 118, 30309-30314	77
1702	Effects of MoS ₂ thickness and air humidity on transport characteristics of plasma-doped MoS ₂ field-effect transistors. 2014 , 32, 06FF02	21
1701	Effect of Coulomb interactions on optical properties of monolayer transition-metal dichalcogenides. 2014 , 90,	28
1700	Ultrafast generation of pseudo-magnetic field for valley excitons in WSe ₂ monolayers. 2014 , 346, 1205-8	192
1699	Transition-metal dichalcogenide bilayers: Switching materials for spintronic and valleytronic applications. 2014 , 90,	85

1698	Mapping of strained graphene into one-dimensional Hamiltonians: Quasicrystals and modulated crystals. 2014 , 89,	30
1697	Characteristics of saturable absorption of MoS2 films in the visible to near-infrared range. 2014 ,	0
1696	Coherent optical responses and their application in biomolecule mass sensing based on a monolayer MoS ₂ nanoresonator. 2014 , 31, 1684	12
1695	Vapor-transport growth of high optical quality WSe2 monolayers a. 2014 , 2, 101101	48
1694	Computational study on electrical properties of transition metal dichalcogenide field-effect transistors with strained channel. 2014 , 115, 034505	15
1693	Nature and evolution of the band-edge states in MoS2: From monolayer to bulk. 2014 , 90,	110
1692	Size-dependent vibronic coupling in Fe2O3. 2014 , 141, 044710	5
1691	Optical properties of large-area ultrathin MoS2 films: Evolution from a single layer to multilayers. 2014 , 116, 183509	51
1690	Valley- and spin-switch effects in molybdenum disulfide superconducting spin valve. 2014 , 90,	30
1689	Multifunctional Schottky-diode circuit comprising palladium/molybdenum disulfide nanosheet. 2014 , 10, 4845-50	10
1688	Second-order resonant Raman scattering in single-layer tungsten disulfide WS2. 2014 , 89,	49
1687	Synthesis of MoS2 nano-petal forest supported on carbon nanotubes for enhanced field emission performance. 2014 , 116, 114305	9
1686	Rapid, non-destructive evaluation of ultrathin WSe2 using spectroscopic ellipsometry. 2014 , 2, 092508	46
1685	Atomic force microscope-assisted scanning tunneling spectroscopy under ambient conditions. 2014 , 63, 475-9	
1684	MoS2: A First-Principles Perspective. 2014 , 103-128	3
1683	Electronic properties of MoS2/h-BN heterostructures: Impact of dopants and impurities. 2014 , 251, 2620-2625	8
1682	Contact research strategy for emerging molybdenum disulfide and other two-dimensional field-effect transistors. 2014 , 2, 092510	37
1681	Two-dimensional material nanophotonics. 2014 , 8, 899-907	1805

1680	Ultrafast transient terahertz conductivity of monolayer MoS ₂ and WSe ₂ grown by chemical vapor deposition. 2014 , 8, 11147-53		161
1679	Emergence of ferroelectricity at a metal-semiconductor transition in a 1T monolayer of MoS ₂ . <i>Physical Review Letters</i> , 2014 , 112, 157601	7.4	256
1678	Effect of point and grain boundary defects on the mechanical behavior of monolayer MoS ₂ under tension via atomistic simulations. 2014 , 116, 013508		54
1677	Influence of strain and metal thickness on metal-MoS ₂ contacts. 2014 , 141, 094707		27
1676	Exciton dynamics in WSe ₂ bilayers. 2014 , 105, 182105		40
1675	Facile synthesis of MoS ₂ and Mo _x W _{1-x} S ₂ triangular monolayers. 2014 , 2, 092514		75
1674	Measurement of the optical dielectric function of monolayer transition-metal dichalcogenides: MoS ₂ , MoSe ₂ , WS ₂ , and WSe ₂ . 2014 , 90,		739
1673	Magnetic properties in CdS monolayer doped with first-row elements: A density functional theory investigation. 2014 , 251, 1257-1264		18
1672	Tunable thermoelectricity in monolayers of MoS ₂ and other group-VI dichalcogenides. 2014 , 16, 115003		19
1671	The effects of surface polarity and dangling bonds on the electronic properties of monolayer and bilayer MoS ₂ on SiO ₂ /Si. 2014 , 16, 113055		15
1670	Inter- and Intralayer Compression of Germanane. 2014 , 118, 28196-28201		7
1669	Formation and stability of point defects in monolayer rhenium disulfide. 2014 , 89,		118
1668	Thickness scaling effect on interfacial barrier and electrical contact to two-dimensional MoS ₂ layers. 2014 , 8, 12836-42		129
1667	van der Waals screening by single-layer graphene and molybdenum disulfide. 2014 , 8, 12410-7		54
1666	Monodisperse SnS ₂ nanosheets for high-performance photocatalytic hydrogen generation. 2014 , 6, 22370-7		181
1665	Molybdenum disulfide (MoS ₂) as a broadband saturable absorber for ultra-fast photonics. 2014 , 22, 7249-60		846
1664	Photoinduced quantum spin and valley Hall effects, and orbital magnetization in monolayer MoS ₂ . 2014 , 90,		36
1663	High intrinsic mobility and ultrafast carrier dynamics in multilayer metal-dichalcogenide MoS ₂ . 2014 , 90,		61

1662	Domain engineering of physical vapor deposited two-dimensional materials. 2014 , 105, 213110	12
1661	Time-dependent density-matrix functional theory for trion excitations: Application to monolayer MoS2 and other transition-metal dichalcogenides. 2014 , 90,	23
1660	Exciton complexes in low dimensional transition metal dichalcogenides. 2014 , 116, 053523	58
1659	Valley photothermoelectric effects in transition-metal dichalcogenides. 2014 , 90,	29
1658	Hot-electron cooling by acoustic and optical phonons in monolayers of MoS2 and other transition-metal dichalcogenides. 2014 , 90,	67
1657	Band-edge positions in GW: Effects of starting point and self-consistency. 2014 , 90,	57
1656	Hydrogenation-induced edge magnetization in armchair MoS2 nanoribbon and electric field effects. 2014 , 104, 071901	59
1655	Tunable magnetic properties of transition metal doped MoS2. 2014 , 90,	146
1654	Characterization of few-layer 1T-MoSe2 and its superior performance in the visible-light induced hydrogen evolution reaction. 2014 , 2, 092802	166
1653	Investigation of the optical properties of MoS2 thin films using spectroscopic ellipsometry. 2014 , 104, 103114	215
1652	Plasmonic pumping of excitonic photoluminescence in hybrid MoS2-Au nanostructures. 2014 , 8, 12682-9	169
1651	Magnetic control of valley and spin degrees of freedom via magnetotransport in n-type monolayer MoS2. 2014 , 26, 485008	6
1650	Valley splitting and polarization by the Zeeman effect in monolayer MoSe2. <i>Physical Review Letters</i> , 2014 , 113, 266804	7.4 299
1649	A facile wet chemistry approach towards unilamellar tin sulfide nanosheets from Li4xSn1-xS2 solid solutions. 2014 , 2, 6100-6106	32
1648	Anisotropic thermal conductivity of MoS2 nanoribbons: Chirality and edge effects. 2014 , 104, 201909	37
1647	Influence of Milling Media on Mechanically Exfoliated MoS2. 2014 , 4, 32	8
1646	Novel layered two-dimensional semiconductors as the building blocks for nano-electronic/photonic systems. 2014 ,	
1645	Graphene and beyond-graphene 2D crystals for next-generation green electronics. 2014 ,	24

1644	Convergent fabrication of a nanoporous two-dimensional carbon network from an aldol condensation on metal surfaces. 2014 , 1, 034005	5
1643	Tuning the magnetism of a ZrS ₂ monolayer by substitutional doping. 2014 , 4, 54335-54343	31
1642	. 2014 ,	
1641	Patternable Large-Scale Molybdenum Disulfide Atomic Layers Grown by Gold-Assisted Chemical Vapor Deposition. 2014 , 126, 1290-1293	16
1640	Intervalley coupling by quantum dot confinement potentials in monolayer transition metal dichalcogenides. 2014 , 16, 105011	49
1639	Tunable Electronic and Dielectric Properties of Molybdenum Disulfide. 2014 , 53-76	6
1638	Ab Initio Study on MoS ₂ and Its Family: Chemical Trend, Band Alignment, Alloying, and Gap Modulation. 2014 , 77-101	1
1637	Mechanical Properties and Electric Field Screening of Atomically Thin MoS ₂ Crystals. 2014 , 129-153	
1636	GaN nanowire coated with atomic layer deposition of tungsten: a probe for near-field scanning microwave microscopy. 2014 , 25, 415502	4
1635	Anomalously robust valley polarization and valley coherence in bilayer WS ₂ . 2014 , 111, 11606-11	189
1634	Fabrication and investigation of the optoelectrical properties of MoS ₂ /CdS heterojunction solar cells. 2014 , 9, 662	15
1633	Structure and Characteristics of Few-layer Molybdenum Disulfide. 2014 , 1658, 31	0
1632	Spin-valley relaxation and quantum transport regimes in two-dimensional transition-metal dichalcogenides. 2014 , 90,	33
1631	Hydrogen-induced metallicity and strengthening of MoS ₂ . 2014 , 434, 20-24	16
1630	Phase transformation in monolayer molybdenum disulphide (MoS ₂) under tension predicted by molecular dynamics simulations. 2014 , 76, 41-44	32
1629	First-principles study of strained 2D MoS ₂ . 2014 , 56, 416-421	94
1628	Spin transport in monolayer molybdenum disulfide (MoS ₂). 2014 , 13, 394-399	6
1627	Construction of 2D atomic crystals on transition metal surfaces: graphene, silicene, and hafnene. 2014 , 10, 2215-25	74

1626	Intrinsic optical conductivity of modified Dirac fermion systems. 2014 , 89,	32
1625	Broadband few-layer MoS ₂ saturable absorbers. 2014 , 26, 3538-44	551
1624	Electronic and thermoelectric properties of few-layer transition metal dichalcogenides. 2014 , 140, 124710	243
1623	All-metallic electrically gated 2H-TaSe ₂ thin-film switches and logic circuits. 2014 , 115, 034305	35
1622	Optoelectronic devices based on electrically tunable p-n diodes in a monolayer dichalcogenide. 2014 , 9, 262-7	1065
1621	Nanomechanical cleavage of molybdenum disulphide atomic layers. 2014 , 5, 3631	118
1620	Growth of large-area 2D MoS ₂ (x) Se _{1-x} semiconductor alloys. 2014 , 26, 2648-53, 2613	289
1619	2-dimensional transition metal dichalcogenides with tunable direct band gaps: MoS ₂ (x) Se _{1-x} monolayers. 2014 , 26, 1399-404	282
1618	The pursuit of electrically-driven organic semiconductor lasers. 2014 , 2, 2827	72
1617	Single-layered ultrasmall nanoplates of MoS ₂ embedded in carbon nanofibers with excellent electrochemical performance for lithium and sodium storage. 2014 , 53, 2152-6	777
1616	Tailoring the physical properties of molybdenum disulfide monolayers by control of interfacial chemistry. 2014 , 14, 1354-61	110
1615	Centered Honeycomb NiSe ₂ Nanoribbons: Structure and Electronic Properties. 2014 , 118, 3295-3304	27
1614	Stacking effects on the electronic and optical properties of bilayer transition metal dichalcogenides MoS ₂ , MoSe ₂ , WS ₂ , and WSe ₂ . 2014 , 89,	328
1613	Spin-layer locking effects in optical orientation of exciton spin in bilayer WSe ₂ . 2014 , 10, 130-134	243
1612	Computational Discovery, Characterization, and Design of Single-Layer Materials. 2014 , 66, 366-374	36
1611	Band gap-tunable molybdenum sulfide selenide monolayer alloy. 2014 , 10, 2589-94	92
1610	Enhanced photocatalytic hydrogen evolution over hierarchical composites of ZnIn ₂ S ₄ nanosheets grown on MoS ₂ slices. 2014 , 9, 1291-7	52
1609	Strain-induced magnetism in MoS ₂ monolayer with defects. 2014 , 115, 054305	93

1608	Finite-temperature conductivity and magnetoconductivity of topological insulators. <i>Physical Review Letters</i> , 2014 , 112, 146601	7.4	79
1607	MoS2 atomic layers with artificial active edge sites as transparent counter electrodes for improved performance of dye-sensitized solar cells. 2014 , 6, 5279-83		72
1606	Mechanism of excitonic dephasing in layered InSe crystals. 2014 , 89,		22
1605	Folded MoS2 layers with reduced interlayer coupling. 2014 , 7, 572-578		55
1604	Resonance Raman scattering in bulk 2H-MX2 (M = Mo, W; X = S, Se) and monolayer MoS2. 2014 , 115, 053527		70
1603	Exciton diffusion in monolayer and bulk MoSe2. 2014 , 6, 4915-9		79
1602	Light generation and harvesting in a van der Waals heterostructure. 2014 , 8, 3042-8		337
1601	Au nanoparticle-modified MoS2 nanosheet-based photoelectrochemical cells for water splitting. 2014 , 10, 3537-43		234
1600	Synthesis and Optical Properties of Large-Area Single-Crystalline 2D Semiconductor WS2 Monolayer from Chemical Vapor Deposition. 2014 , 2, 131-136		411
1599	van der Waals trilayers and superlattices: modification of electronic structures of MoS2 by intercalation. 2014 , 6, 4566-71		92
1598	Nanomechanical and Charge Transport Properties of Two-Dimensional Atomic Sheets. 2014 , 1, 1300089		28
1597	An electrochemical route to MoS2 nanosheets for device applications. 2014 , 121, 31-35		42
1596	Synthesis, Properties, and Applications of 2-D Materials: A Comprehensive Review. 2014 , 39, 231-252		97
1595	First-principles Raman spectra of MoS2, WS2 and their heterostructures. 2014 , 6, 5394-401		261
1594	Strong interlayer coupling in van der Waals heterostructures built from single-layer chalcogenides. 2014 , 111, 6198-202		803
1593	p-type doping of MoS2 thin films using Nb. 2014 , 104, 092104		236
1592	Spin and pseudospins in layered transition metal dichalcogenides. 2014 , 10, 343-350		1733
1591	Second harmonic generation from artificially stacked transition metal dichalcogenide twisted bilayers. 2014 , 8, 2951-8		294

1590 Optical Spectroscopic Studies on Mono-Layer MoS₂. **2014**, 813-814

1589 The effect of the substrate on the Raman and photoluminescence emission of single-layer MoS₂. **2014**, 7, 561-571 392

1588 Quantitative chemistry and the discrete geometry of conformal atom-thin crystals. **2014**, 8, 1136-46 24

1587 Vapor Phase Growth and Imaging Stacking Order of Bilayer Molybdenum Disulfide. **2014**, 118, 9203-9208 43

1586 Few-layer MoS₂: a promising layered semiconductor. **2014**, 8, 4074-99 962

1585 Two-dimensional semiconductor nanocrystals: new direction in science and technology. **2014**, 139-212 1

1584 Fully valley- and spin-polarized magnetocapacitance in n-type monolayer MoS₂. **2014**, 7, 021201 6

1583 Spin and valley transport in monolayers of MoS₂. **2014**, 115, 133703 22

1582 Properties of individual dopant atoms in single-layer MoS₂: atomic structure, migration, and enhanced reactivity. **2014**, 26, 2857-61 229

1581 Intrinsic electron spin relaxation due to the D'yakonov-Perel' mechanism in monolayer MoS₂. **2014**, 378, 1336-1340 23

1580 . **2014**, 20, 30-35 32

1579 Photovoltaic Heterojunctions of Fullerenes with MoS₂ and WS₂ Monolayers. **2014**, 5, 1445-9 114

1578 Stable planar single-layer hexagonal silicene under tensile strain and its anomalous Poisson's ratio. **2014**, 104, 081902 44

1577 Triazine-based graphitic carbon nitride: a two-dimensional semiconductor. **2014**, 53, 7450-5 412

1576 Thermal conductivity of monolayer molybdenum disulfide obtained from temperature-dependent Raman spectroscopy. **2014**, 8, 986-93 526

1575 Triazine-Based Graphitic Carbon Nitride: a Two-Dimensional Semiconductor. **2014**, 126, 7580-7585 125

1574 Graphene/MoS₂ hybrid technology for large-scale two-dimensional electronics. **2014**, 14, 3055-63 472

1573 Chemical vapor deposition growth of crystalline monolayer MoSe₂. **2014**, 8, 5125-31 566

1572	Electrically tunable excitonic light-emitting diodes based on monolayer WSe ₂ p-n junctions. 2014 , 9, 268-72	1202
1571	Air-stable surface charge transfer doping of MoS ₂ by benzyl viologen. 2014 , 136, 7853-6	485
1570	Tuning interlayer coupling in large-area heterostructures with CVD-grown MoS ₂ and WS ₂ monolayers. 2014 , 14, 3185-90	562
1569	Large-area synthesis of monolayer and few-layer MoSe ₂ films on SiO ₂ substrates. 2014 , 14, 2419-25	312
1568	High electrical conductivity in Ni($\eta^{2,3,6,7,10,11}$ -hexaiminotriphenylene) π -a semiconducting metal-organic graphene analogue. 2014 , 136, 8859-62	691
1567	Aqueous processing of graphene-polymer hybrid thin film nano-composites and gels. 2014 , 209, 196-203	10
1566	Gas adsorption on MoS ₂ monolayer from first-principles calculations. 2014 , 595-596, 35-42	248
1565	Density functional theory calculations of hydrogen molecule adsorption on monolayer molybdenum and tungsten disulfide. 2014 , 57, 28-34	13
1564	Theoretical study on strain induced variations in electronic properties of 2H-MoS ₂ bilayer sheets. 2014 , 104, 053107	26
1563	Electron microscopy: a phase transition glides into view. 2014 , 9, 333-4	9
1562	Scalable growth of high-quality polycrystalline MoS ₂ monolayers on SiO ₂ with tunable grain sizes. 2014 , 8, 6024-30	233
1561	MoS ₂ nanostructures: Semiconductors with metallic edges. 2014 , 192, 42-46	19
1560	Beyond graphene: stable elemental monolayers of silicene and germanene. 2014 , 6, 7743-50	193
1559	Ballistic Transport Performance of Silicene and Germanene Transistors. 2014 , 61, 1590-1598	44
1558	Coherent Electronic Coupling in Atomically Thin MoSe ₂ . <i>Physical Review Letters</i> , 2014 , 112, 7.4	88
1557	Coupling of plasmon and dipolar modes in a monolayer of MoS ₂ . 2014 , 28, 1450099	3
1556	Electronic structure of a quasi-freestanding MoS ₂ monolayer. 2014 , 14, 1312-6	110
1555	High-performance chemical sensing using Schottky-contacted chemical vapor deposition grown monolayer MoS ₂ transistors. 2014 , 8, 5304-14	502

1554	MoS ₂ field-effect transistor for next-generation label-free biosensors. 2014 , 8, 3992-4003	704
1553	Functionalized MoS ₂ nanosheet-based field-effect biosensor for label-free sensitive detection of cancer marker proteins in solution. 2014 , 10, 1101-5	211
1552	Many-body effects in valleytronics: direct measurement of valley lifetimes in single-layer MoS ₂ . 2014 , 14, 202-6	381
1551	Vapor-phase growth and characterization of Mo(1-x)W(x)S ₂ (0 ≤ x ≤ 1) atomic layers on 2-inch sapphire substrates. 2014 , 6, 624-9	106
1550	Tunable Electronic Properties of Two-Dimensional Transition Metal Dichalcogenide Alloys: A First-Principles Prediction. 2014 , 5, 285-91	77
1549	Sulfur-catalyzed phase transition in MoS ₂ under high pressure and temperature. 2014 , 75, 100-104	18
1548	Electronic transport and dielectric properties of low-dimensional structures of layered transition metal dichalcogenides. 2014 , 587, 459-467	25
1547	Thermal anisotropy in nano-crystalline MoS ₂ thin films. 2014 , 16, 1008-14	59
1546	Electrochemical characterization of liquid phase exfoliated two-dimensional layers of molybdenum disulfide. 2014 , 6, 2125-30	97
1545	General synthesis of noble metal (Au, Ag, Pd, Pt) nanocrystal modified MoS ₂ nanosheets and the enhanced catalytic activity of Pd-MoS ₂ for methanol oxidation. 2014 , 6, 5762-9	263
1544	Liquid-phase exfoliation of ultrathin layered transition metal dichalcogenide nanosheets composed of solid-solution Mo _{1-x} W _x S ₂ . 2014 , 211, 901-904	6
1543	Band structure engineering of monolayer MoS ₂ on h-BN: first-principles calculations. 2014 , 47, 075301	77
1542	Quantum wells formed in transition-metal dichalcogenide nanosheet-superlattices: stability and electronic structures from first principles. 2014 , 16, 1393-8	21
1541	Modulating the atomic and electronic structures through alloying and heterostructure of single-layer MoS ₂ . 2014 , 2, 2101-2109	69
1540	Enhancing the photocurrent and photoluminescence of single crystal monolayer MoS ₂ with resonant plasmonic nanoshells. 2014 , 104, 031112	182
1539	Emerging device applications for semiconducting two-dimensional transition metal dichalcogenides. 2014 , 8, 1102-20	1909
1538	MoS ₂ /MX ₂ heterobilayers: bandgap engineering via tensile strain or external electrical field. 2014 , 6, 2879-86	275
1537	Andreev reflection in monolayer MoS ₂ . 2014 , 89,	23

1536	Direct observation of the transition from indirect to direct bandgap in atomically thin epitaxial MoSe ₂ . 2014 , 9, 111-5	943
1535	Second harmonic generation in h-BN and MoS ₂ monolayers: Role of electron-hole interaction. 2014 , 89,	85
1534	Dependence of coupling of quasi 2-D MoS ₂ with substrates on substrate types, probed by temperature dependent Raman scattering. 2014 , 6, 4920-7	78
1533	Monolayer behaviour in bulk ReS ₂ due to electronic and vibrational decoupling. 2014 , 5, 3252	728
1532	Two-dimensional semiconductor alloys: Monolayer Mo _{1-x} W _x Se ₂ . 2014 , 104, 012101	122
1531	Ion-driven photoluminescence modulation of quasi-two-dimensional MoS ₂ nanoflakes for applications in biological systems. 2014 , 14, 857-63	215
1530	High yield exfoliation of two-dimensional chalcogenides using sodium naphthalenide. 2014 , 5, 2995	556
1529	High-performance molybdenum disulfide field-effect transistors with spin tunnel contacts. 2014 , 8, 476-82	166
1528	Tuning Electronic Properties of Germanane Layers by External Electric Field and Biaxial Tensile Strain: A Computational Study. 2014 , 118, 1148-1154	85
1527	MoS ₂ nanoresonators: intrinsically better than graphene?. 2014 , 6, 3618-25	59
1526	Evolution of the electronic band structure and efficient photo-detection in atomic layers of InSe. 2014 , 8, 1263-72	436
1525	Gate-voltage-controlled spin and valley polarization transport in a normal/ferromagnetic/normal MoS ₂ junction. 2014 , 6, 1759-64	37
1524	Electronic transport and device prospects of monolayer molybdenum disulphide grown by chemical vapour deposition. 2014 , 5, 3087	327
1523	Interface properties of CVD grown graphene transferred onto MoS ₂ (0001). 2014 , 6, 1071-8	82
1522	Electric control of spin in monolayer WSe ₂ field effect transistors. 2014 , 25, 435201	22
1521	Strong optical nonlinearity of CVD-grown MoS ₂ monolayer as probed by wavelength-dependent second-harmonic generation. 2014 , 90,	73
1520	Optical Properties of Triangular Molybdenum Disulfide Nanoflakes. 2014 , 5, 3636-40	26
1519	Graphene oxide as a promising hole injection layer for MoSe ₂ -based electronic devices. 2014 , 8, 11432-9	63

1518	Interface engineering for high-performance top-gated MoS ₂ field-effect transistors. 2014 , 26, 6255-61	227
1517	Light Emission from Atomic Monolayers in a One-Dimensional Microcavity. 2014 ,	
1516	Two-dimensional metal-chalcogenide films in tunable optical microcavities. 2014 , 14, 7003-8	109
1515	Origin of the phase transition in lithiated molybdenum disulfide. 2014 , 8, 11447-53	98
1514	Three-dimensional spirals of atomic layered MoS ₂ . 2014 , 14, 6418-23	136
1513	Single-Layered Ultrasmall Nanoplates of MoS ₂ Embedded in Carbon Nanofibers with Excellent Electrochemical Performance for Lithium and Sodium Storage. 2014 , 126, 2184-2188	138
1512	Chloride molecular doping technique on 2D materials: WS ₂ and MoS ₂ . 2014 , 14, 6275-80	481
1511	Gate-controlled supercurrent reversal in MoS ₂ -based Josephson junctions. 2014 , 108, 37002	10
1510	Mode-locking of Er-doped fiber laser using a multilayer MoS ₂ thin film as a saturable absorber in both anomalous and normal dispersion regimes. 2014 , 22, 23732-42	122
1509	Tuning electronic and magnetic properties of SnSe ₂ armchair nanoribbons via edge hydrogenation. 2014 , 2, 10175-10183	12
1508	Effect of strain on electronic and thermoelectric properties of few layers to bulk MoS ₂ . 2014 , 25, 465701	78
1507	Ultrafast erbium-doped fiber laser mode-locked by a CVD-grown molybdenum disulfide (MoS ₂) saturable absorber. 2014 , 22, 17341-8	240
1506	Widely-tunable, passively Q-switched erbium-doped fiber laser with few-layer MoS ₂ saturable absorber. 2014 , 22, 25258-66	162
1505	MoS ₂ nanoribbons as promising thermoelectric materials. 2014 , 105, 133113	95
1504	Synthesis of strongly fluorescent molybdenum disulfide nanosheets for cell-targeted labeling. 2014 , 6, 19888-94	66
1503	Solid state theory. Quantum spin Hall effect in two-dimensional transition metal dichalcogenides. 2014 , 346, 1344-7	1150
1502	Low temperature photoresponse of monolayer tungsten disulphide. 2014 , 2, 116101	9
1501	Electrical characteristics of multilayer MoS ₂ transistors at real operating temperatures with different ambient conditions. 2014 , 105, 152105	34

1500	Adsorption and dissociation of O ₂ on MoSe ₂ and MoTe ₂ monolayers: ab initio study. 2014 , 28, 1450195	3
1499	Chalcogenides fill the gap. 2014 , 13, 1073	7
1498	Photocurrent response of MoS ₂ field-effect transistor by deep ultraviolet light in atmospheric and N ₂ gas environments. 2014 , 6, 21645-51	37
1497	Large conduction band and Fermi velocity spin splitting due to Coulomb interactions in single-layer MoS ₂ . 2014 , 90,	9
1496	Transition-metal dichalcogenides for spintronic applications. 2014 , 526, 395-401	116
1495	Ultrafast charge separation and indirect exciton formation in a MoS ₂ -MoSe ₂ van der Waals heterostructure. 2014 , 8, 12717-24	472
1494	Plasma-assisted printing and doping processes for manufacturing few-layer MoS ₂ -based electronic and optoelectronic devices. 2014 ,	2
1493	Metal seed layer thickness-induced transition from vertical to horizontal growth of MoS ₂ and WS ₂ . 2014 , 14, 6842-9	208
1492	The Effect of Dielectric Capping on Few-Layer Phosphorene Transistors: Tuning the Schottky Barrier Heights. 2014 , 35, 795-797	142
1491	Electronic structure, optical properties, and lattice dynamics in atomically thin indium selenide flakes. 2014 , 7, 1556-1568	132
1490	Direct vapor phase growth process and robust photoluminescence properties of large area MoS ₂ layers. 2014 , 7, 1759-1768	90
1489	Broadband optical properties of large-area monolayer CVD molybdenum disulfide. 2014 , 90,	88
1488	Computational synthesis of single-layer GaN on refractory materials. 2014 , 105, 051604	41
1487	Role of strain on electronic and mechanical response of semiconducting transition-metal dichalcogenide monolayers: An ab-initio study. 2014 , 115, 243701	94
1486	Fabrication of two-dimensional nanosheets via water freezing expansion exfoliation. 2014 , 25, 495302	30
1485	Intense femtosecond photoexcitation of bulk and monolayer MoS ₂ . 2014 , 105, 041108	45
1484	Thickness sorting of two-dimensional transition metal dichalcogenides via copolymer-assisted density gradient ultracentrifugation. 2014 , 5, 5478	95
1483	Enhanced visible light photocatalytic activity for the hybrid MoS ₂ /anatase TiO ₂ (0 0 1) nanocomposite: A first-principles study. 2014 , 612, 285-288	21

1482	Theoretical Prediction of Carrier Mobility in Few-Layer BC ₂ N. 2014 , 5, 4073-7	68
1481	Gate-bias stress-dependent photoconductive characteristics of multi-layer MoS ₂ field-effect transistors. 2014 , 25, 155201	35
1480	Topological origin of quasi-flat edge band in phosphorene. 2014 , 16, 115004	134
1479	1-, 1.5-, and 2- μ m Fiber Lasers Q-Switched by a Broadband Few-Layer MoS ₂ Saturable Absorber. 2014 , 32, 4679-4686	286
1478	Photoluminescence of monolayer MoS ₂ on LaAlO ₃ and SrTiO ₃ substrates. 2014 , 6, 15248-54	91
1477	Large-Area Synthesis of Continuous and Uniform MoS ₂ Monolayer Films on Graphene. 2014 , 24, 6449-6454	124
1476	Raman spectra of monolayer, few-layer, and bulk ReSe ₂ an anisotropic layered semiconductor. 2014 , 8, 11154-64	218
1475	Optical properties and band gap of single- and few-layer MoTe ₂ crystals. 2014 , 14, 6231-6	540
1474	Electronic bandgap and edge reconstruction in phosphorene materials. 2014 , 14, 6400-6	365
1473	Novel functional devices of transition metal dichalcogenide monolayers. 2014 ,	
1472	Confocal absorption spectral imaging of MoS ₂ : optical transitions depending on the atomic thickness of intrinsic and chemically doped MoS ₂ . 2014 , 6, 13028-35	256
1471	New manifold two-dimensional single-layer structures of zinc-blende compounds. 2014 , 2, 17971-17978	92
1470	Tin disulfide (SnS ₂) thin-film field-effect transistors. 2014 ,	1
1469	Band structure engineering of monolayer MoS ₂ by surface ligand functionalization for enhanced photoelectrochemical hydrogen production activity. 2014 , 6, 13565-71	50
1468	Exciton valley dynamics probed by Kerr rotation in WSe ₂ monolayers. 2014 , 90,	207
1467	Top and back gate molybdenum disulfide transistors coupled for logic and photo-inverter operation. 2014 , 2, 8023-8028	25
1466	A novel facile synthesis and characterization of heterostructures composed of carbon nanotubes and few-layer molybdenum disulfide sheets containing organic interlayers. 2014 , 76, 26-35	3
1465	Tuning the electrical property via defect engineering of single layer MoS ₂ by oxygen plasma. 2014 , 6, 10033-9	160

1464	Photoluminescence Quenching in Single-Layer MoS ₂ via Oxygen Plasma Treatment. 2014 , 118, 21258-21263	197
1463	Single-Layer MoS ₂ with Sulfur Vacancies: Structure and Catalytic Application. 2014 , 118, 5346-5351	203
1462	Elucidating the nanoscale origins of organic electronic function by conductive atomic force microscopy. 2014 , 2, 3118-3128	40
1461	Epitaxial Growth of PbSe Quantum Dots on MoS ₂ Nanosheets and their Near-Infrared Photoresponse. 2014 , 24, 5798-5806	114
1460	Broadband Coherent Absorption in Chirped-Planar-Dielectric Cavities for 2D-Material-Based Photovoltaics and Photodetectors. 2014 , 1, 768-774	80
1459	Spin-Orbit Coupling, Quantum Dots, and Qubits in Monolayer Transition Metal Dichalcogenides. 2014 , 4,	183
1458	Monolayer MoSe ₂ grown by chemical vapor deposition for fast photodetection. 2014 , 8, 8582-90	413
1457	Electron spin diffusion in monolayer MoS ₂ . 2014 , 89,	13
1456	Prediction of silicon-based layered structures for optoelectronic applications. 2014 , 136, 15992-7	36
1455	Effects of ultrasonic cavitation intensity on the efficient liquid-exfoliation of MoS ₂ nanosheets. 2014 , 4, 50981-50987	53
1454	Saturable absorption and the changeover from saturable absorption to reverse saturable absorption of MoS ₂ nanoflake array films. 2014 , 2, 6319-6325	69
1453	The structure and amorphization of germanane. 2014 , 2, 3185	39
1452	Hemin-functionalized MoS ₂ nanosheets: enhanced peroxidase-like catalytic activity with a steady state in aqueous solution. 2014 , 4, 24256	64
1451	Controlling sulphur precursor addition for large single crystal domains of WS ₂ . 2014 , 6, 12096-103	128
1450	Mechanical and electronic properties of monolayer and bilayer phosphorene under uniaxial and isotropic strains. 2014 , 25, 455703	56
1449	Nonlinear photoluminescence in atomically thin layered WSe ₂ arising from diffusion-assisted exciton-exciton annihilation. 2014 , 90,	168
1448	Facile fabrication and enhanced visible light photocatalytic activity of few-layer MoS ₂ /coupled BiOBr microspheres. 2014 , 43, 15429-38	122
1447	Is MoS ₂ a robust material for 2D electronics?. 2014 , 25, 445201	11

1446	MoS ₂ nanoparticles and h-BN nanosheets from direct exfoliation of bulk powder: one-step synthesis method. 2014 , 1, 035038	15
1445	Chemically driven tunable light emission of charged and neutral excitons in monolayer WS ₂ 2014 , 8, 11320-9	188
1444	. 2014 ,	
1443	Graphene-based hybrid structures combined with functional materials of ferroelectrics and semiconductors. 2014 , 6, 6346-62	78
1442	Doping of rhenium disulfide monolayers: a systematic first principles study. 2014 , 16, 16771-9	56
1441	Digital transfer growth of patterned 2D metal chalcogenides by confined nanoparticle evaporation. 2014 , 8, 11567-75	39
1440	Novel chemical route for atomic layer deposition of MoS ₂ thin film on SiO ₂ /Si substrate. 2014 , 6, 14453-8	151
1439	Tin disulfide-an emerging layered metal dichalcogenide semiconductor: materials properties and device characteristics. 2014 , 8, 10743-55	341
1438	Ultrafast electronic and structural response of monolayer MoS ₂ under intense photoexcitation conditions. 2014 , 8, 10734-42	46
1437	Bilayers of transition metal dichalcogenides: Different stackings and heterostructures. 2014 , 29, 373-382	33
1436	Preparation of MoS ₂ /MoO ₃ Hybrid Nanomaterials for Light-Emitting Diodes. 2014 , 126, 12768-12773	30
1435	Vertically aligned MoS ₂ /MoO _x heterojunction nanosheets for enhanced visible-light photocatalytic activity and photostability. 2014 , 16, 9025-9032	51
1434	Electronic stability and electron transport properties of atomic wires anchored on the MoS ₂ monolayer. 2014 , 16, 20157-63	21
1433	Novel heterostructures by stacking layered molybdenum disulfides and nitrides for solar energy conversion. 2014 , 2, 15389-15395	71
1432	Chemically exfoliated ReS ₂ nanosheets. 2014 , 6, 12458-62	136
1431	Composition-dependent Raman modes of Mo(1-x)W(x)S ₂ monolayer alloys. 2014 , 6, 2833-9	107
1430	Phonon bandgap engineering of strained monolayer MoS ₂ 2014 , 6, 8326-33	38
1429	MoS ₂ nanosheet/TiO ₂ nanowire hybrid nanostructures for enhanced visible-light photocatalytic activities. 2014 , 50, 15447-9	155

1428	Impact of intrinsic atomic defects on the electronic structure of MoS ₂ monolayers. 2014 , 25, 375703	197
1427	Dynamic stability of the single-layer transition metal dichalcogenides. 2014 , 92, 206-212	16
1426	Two-dimensional heterostructures: fabrication, characterization, and application. 2014 , 6, 12250-72	266
1425	Single-layer Group-IVB nitride halides as promising photocatalysts. 2014 , 2, 6755	69
1424	Enhanced absorption of monolayer MoS ₂ with resonant back reflector. 2014 , 115, 193511	92
1423	Theoretical Predictions of Freestanding Honeycomb Sheets of Cadmium Chalcogenides. 2014 , 118, 16236-16245	35
1422	Tuning magnetism of monolayer MoS ₂ by doping vacancy and applying strain. 2014 , 104, 132403	162
1421	Tunable MoS ₂ bandgap in MoS ₂ -graphene heterostructures. 2014 , 105, 031603	113
1420	The buckling of single-layer MoS ₂ under uniaxial compression. 2014 , 25, 355402	32
1419	IMPROVEMENT IN MOBILITY AND CONDUCTIVITY OF FEW-LAYER MoS ₂ FILMS. 2014 , 28, 1450028	2
1418	Two-dimensional layered semiconductor/graphene heterostructures for solar photovoltaic applications. 2014 , 6, 12682-9	87
1417	Component-controllable WS ₂ (1-x)Se _{2x} nanotubes for efficient hydrogen evolution reaction. 2014 , 8, 8468-76	285
1416	Thickness dependence of the charge-density-wave transition temperature in VSe ₂ . 2014 , 105, 063109	71
1415	Control of two-dimensional excitonic light emission via photonic crystal. 2014 , 1, 011001	124
1414	Electronic Properties of Edge-Hydrogenated Phosphorene Nanoribbons: A First-Principles Study. 2014 , 118, 22368-22372	108
1413	Photocarrier relaxation pathway in two-dimensional semiconducting transition metal dichalcogenides. 2014 , 5, 4543	294
1412	Atomistic simulation of the electronic states of adatoms in monolayer MoS ₂ . 2014 , 104, 141603	58
1411	Electrochemically induced Fenton reaction of few-layer MoS ₂ nanosheets: preparation of luminescent quantum dots via a transition of nanoporous morphology. 2014 , 6, 9831-8	115

1410	Origin of the insulating state in exfoliated high-Tc two-dimensional atomic crystals. 2014 , 90,	11
1409	Third-harmonic generation in ultrathin films of MoS ₂ . 2014 , 6, 314-8	137
1408	Spectroscopic signatures for interlayer coupling in MoS ₂ -WSe ₂ van der Waals stacking. 2014 , 8, 9649-56	233
1407	Enhanced antiferromagnetic exchange between magnetic impurities in a superconducting host. <i>Physical Review Letters</i> , 2014 , 113, 087202	7.4 40
1406	Improving the stability and optical properties of germanane via one-step covalent methyl-termination. 2014 , 5, 3389	168
1405	Synthesis of wafer-scale uniform molybdenum disulfide films with control over the layer number using a gas phase sulfur precursor. 2014 , 6, 2821-6	153
1404	Phonon-Limited Electron Mobility in Single-Layer MoS ₂ . 2014 , 31, 027301	7
1403	Seeing diabetes: visual detection of glucose based on the intrinsic peroxidase-like activity of MoS ₂ nanosheets. 2014 , 6, 11856-62	276
1402	High-performance hydrogen evolution electrocatalysis by layer-controlled MoS ₂ nanosheets. 2014 , 4, 34733-34738	48
1401	High-energy collective electronic excitations in layered transition-metal dichalcogenides. 2014 , 90,	12
1400	Valley- and spin-filter in monolayer MoS ₂ . 2014 , 199, 52-55	13
1399	Two dimensional materials beyond MoS ₂ : noble-transition-metal dichalcogenides. 2014 , 53, 3015-8	183
1398	Uniformly wetting deposition of Co atoms on MoS ₂ monolayer: a promising two-dimensional robust half-metallic ferromagnet. 2014 , 6, 16835-40	49
1397	Charge and magnetic states of Mn-, Fe-, and Co-doped monolayer MoS ₂ . 2014 , 116, 044311	80
1396	Joint first-principles/continuum calculations of electromechanical properties of MoS ₂ monolayer. 2014 , 105, 061910	1
1395	Valley and spin dynamics in MoSe ₂ two-dimensional crystals. 2014 , 6, 12690-5	54
1394	Phonon modes in single-walled molybdenum disulphide nanotubes: lattice dynamics calculation and molecular dynamics simulation. 2014 , 25, 105706	12
1393	MoS ₂ transistors operating at gigahertz frequencies. 2014 , 14, 5905-11	137

1392	Probing excitonic dark states in single-layer tungsten disulphide. 2014 , 513, 214-8		672
1391	Valley dynamics probed through charged and neutral exciton emission in monolayer WSe2. 2014 , 90,		264
1390	Electronic and magnetic properties of armchair MoS2 nanoribbons under both external strain and electric field, studied by first principles calculations. 2014 , 116, 064301		9
1389	Broadband ultrafast nonlinear absorption and nonlinear refraction of layered molybdenum dichalcogenide semiconductors. 2014 , 6, 10530-5		264
1388	Trion-induced negative photoconductivity in monolayer MoS2. <i>Physical Review Letters</i> , 2014 , 113, 166801-4		180
1387	Photoluminescence of freestanding single- and few-layer MoS2. 2014 , 89,		195
1386	Carrier and polarization dynamics in monolayer MoS2. <i>Physical Review Letters</i> , 2014 , 112, 047401	7.4	273
1385	Integrated nanophotonics based on nanowire plasmons and atomically thin material. 2014 , 1, 149		58
1384	Theory of optical excitation spectra and depolarization dynamics in bilayer WS2 from the viewpoint of excimers. 2014 , 90,		8
1383	Plasma assisted synthesis of WS2 for gas sensing applications. 2014 , 615, 6-10		123
1382	Role of metal contacts in high-performance phototransistors based on WSe2 monolayers. 2014 , 8, 8653-61		317
1381	Influence of stoichiometry on the optical and electrical properties of chemical vapor deposition derived MoS2. 2014 , 8, 10551-8		209
1380	Patternable large-scale molybdenum disulfide atomic layers grown by gold-assisted chemical vapor deposition. 2014 , 53, 1266-9		98
1379	Two-dimensional materials: Atomically thin p-n junctions. 2014 , 9, 664-5		18
1378	Tweaking the magnetism of MoS2 nanoribbon with hydrogen and carbon passivation. 2014 , 25, 165703		17
1377	Extraordinary attributes of 2-dimensional MoS2 nanosheets. 2014 , 609, 172-183		117
1376	Quantum spin Hall effect in two-dimensional crystals of transition-metal dichalcogenides. <i>Physical Review Letters</i> , 2014 , 113, 077201	7.4	109
1375	Transient absorption microscopy of monolayer and bulk WSe2. 2014 , 8, 2970-6		159

1374	Growth mechanism of pulsed laser fabricated few-layer MoS ₂ on metal substrates. 2014 , 6, 15966-71	63
1373	High-temperature superfluidity with indirect excitons in van der Waals heterostructures. 2014 , 5, 4555	287
1372	Layer-dependent optical conductivity in atomic thin WS ₂ by reflection contrast spectroscopy. 2014 , 6, 16020-6	28
1371	Dual role of blue luminescent MoS ₂ quantum dots in fluorescence resonance energy transfer phenomenon. 2014 , 10, 3858-62	155
1370	Ultrafast carrier thermalization and cooling dynamics in few-layer MoS ₂ . 2014 , 8, 10931-40	192
1369	Bending Poisson Effect in Two-Dimensional Crystals. <i>Physical Review Letters</i> , 2014 , 112,	7.4 21
1368	Photoanode current of large-area MoS ₂ ultrathin nanosheets with vertically mesh-shaped structure on indium tin oxide. 2014 , 6, 5983-7	67
1367	Development of a novel method to grow mono-/few-layered MoS ₂ films and MoS ₂ /graphene hybrid films for supercapacitor applications. 2014 , 16, 10845-10855	104
1366	First-principles investigations on vacancy formation and electronic structures of monolayer MoS ₂ . 2014 , 148, 5-9	42
1365	Possible topological superconducting phases of MoS ₂ . <i>Physical Review Letters</i> , 2014 , 113, 097001	7.4 104
1364	Bilayer Phosphorene: Effect of Stacking Order on Bandgap and Its Potential Applications in Thin-Film Solar Cells. 2014 , 5, 1289-93	659
1363	Transport in disordered monolayer MoS ₂ nanoflakes--evidence for inhomogeneous charge transport. 2014 , 25, 375201	23
1362	Three-dimensional metallic and two-dimensional insulating behavior in octahedral tantalum dichalcogenides. 2014 , 90,	81
1361	Measure of Diracness in two-dimensional semiconductors. 2014 , 105, 57005	27
1360	Electronic properties of single-layer and multilayer transition metal dichalcogenides MX ₂ (M = Mo, W and X = S, Se). 2014 , 526, 347-357	143
1359	Effect of vacancies on structural, electronic and optical properties of monolayer MoS ₂ : A first-principles study. 2014 , 613, 122-127	71
1358	The effect of H adsorption on the electronic and magnetic states in the hybrid structure of graphene and BN. 2014 , 93, 50-55	6
1357	Rediscovering black phosphorus as an anisotropic layered material for optoelectronics and electronics. 2014 , 5, 4458	2389

- 1356 Surface energy engineering for tunable wettability through controlled synthesis of MoS₂. **2014**, 14, 4314-21 210
- 1355 The new phase [Tl₈B₈Se]₂[Sn₈B₈Se]₂ a naturally formed semiconducting heterostructure with two-dimensional conductance. **2014**, 136, 11079-84 10
- 1354 Study on the resistance distribution at the contact between molybdenum disulfide and metals. **2014**, 8, 7771-9 68
- 1353 Computational Study of Metal Contacts to Monolayer Transition-Metal Dichalcogenide Semiconductors. **2014**, 4, 284
- 1352 Valley-dependent spin polarization in bulk MoS₂ with broken inversion symmetry. **2014**, 9, 611-7 306
- 1351 Sulfur-doped molybdenum oxide anode interface layer for organic solar cell application. **2014**, 6, 2963-73 44
- 1350 Monolayer MoS₂ heterojunction solar cells. **2014**, 8, 8317-22 891
- 1349 Spin and valley noise in two-dimensional Dirac materials. *Physical Review Letters*, **2014**, 113, 046602 7.4 15
- 1348 Lateral heterojunctions within monolayer MoSe₂-WSe₂ semiconductors. **2014**, 13, 1096-101 732
- 1347 Density-functional tight-binding simulations of curvature-controlled layer decoupling and band-gap tuning in bilayer MoS₂. *Physical Review Letters*, **2014**, 112, 186802 7.4 32
- 1346 Irradiation effects of high-energy proton beams on MoS₂ field effect transistors. **2014**, 8, 2774-81 82
- 1345 Photovoltaic effect in few-layer black phosphorus PN junctions defined by local electrostatic gating. **2014**, 5, 4651 555
- 1344 Atomic layer deposition of a high-k dielectric on MoS₂ using trimethylaluminum and ozone. **2014**, 6, 11834-8 87
- 1343 Observation of rapid exciton-exciton annihilation in monolayer molybdenum disulfide. **2014**, 14, 5625-9 358
- 1342 Valley and band structure engineering of folded MoS₂ bilayers. **2014**, 9, 825-9 219
- 1341 Chemically synthesized heterostructures of two-dimensional molybdenum/tungsten-based dichalcogenides with vertically aligned layers. **2014**, 8, 9550-7 67
- 1340 Effect of doping and strain modulations on electron transport in monolayer MoS₂. **2014**, 90, 49
- 1339 Probing local strain at MX(2)-metal boundaries with surface plasmon-enhanced Raman scattering. **2014**, 14, 5329-34 87

1338	Switching mechanism in single-layer molybdenum disulfide transistors: an insight into current flow across Schottky barriers. 2014 , 8, 1031-8	202
1337	Observation of monolayer valence band spin-orbit effect and induced quantum well states in MoX ₂ . 2014 , 5, 4673	93
1336	The study of spin-valley coupling in atomically thin group VI transition metal dichalcogenides. 2014 , 26, 5504-7	22
1335	Computational studies on magnetism and the optical properties of transition metal embedded graphitic carbon nitride sheets. 2014 , 2, 7943-7951	108
1334	Design of High-Efficiency Visible-Light Photocatalysts for Water Splitting: MoS ₂ /AlN(GaN) Heterostructures. 2014 , 118, 17594-17599	269
1333	Elastic properties of chemical-vapor-deposited monolayer MoS ₂ , WS ₂ , and their bilayer heterostructures. 2014 , 14, 5097-103	384
1332	Edge and confinement effects allow in situ measurement of size and thickness of liquid-exfoliated nanosheets. 2014 , 5, 4576	350
1331	Structures, Energetics, and Electronic Properties of Multifarious Stacking Patterns for High-Buckled and Low-Buckled Silicene on the MoS ₂ Substrate. 2014 , 118, 19129-19138	67
1330	Valleytronics on the surface of a topological crystalline insulator: Elliptic dichroism and valley-selective optical pumping. 2014 , 89,	31
1329	Electrically tunable conductance and edge modes in topological crystalline insulator thin films: minimal tight-binding model analysis. 2014 , 16, 065015	34
1328	Structure and electronic properties of transition metal dichalcogenide MX ₂ (M = Mo, W, Nb; X = S, Se) monolayers with grain boundaries. 2014 , 147, 1068-1073	21
1327	Effects of V-shaped edge defect and H-saturation on spin-dependent electronic transport of zigzag MoS ₂ nanoribbons. 2014 , 378, 2701-2707	11
1326	Atomically-thin MoS ₂ resonators for pressure sensing. 2014 ,	2
1325	Enhanced photocurrent and photoluminescence spectra in MoS ₂ under ionic liquid gating. 2014 , 7, 973-980	35
1324	Surface transport and band gap structure of exfoliated 2H-MoTe ₂ crystals. 2014 , 1, 021002	124
1323	Direct chemical vapor deposition growth of WS ₂ atomic layers on hexagonal boron nitride. 2014 , 8, 8273-7	234
1322	Dense network of one-dimensional midgap metallic modes in monolayer MoSe ₂ and their spatial undulations. <i>Physical Review Letters</i> , 2014 , 113, 066105	7-4 135
1321	A novel three dimensional semimetallic MoS ₂ . 2014 , 115, 204302	4

1320	Exciton binding energy and nonhydrogenic Rydberg series in monolayer WS(2). <i>Physical Review Letters</i> , 2014 , 113, 076802	7.4	1358
1319	Size, dimensionality, and strong electron correlation in nanoscience. 2014 , 47, 2951-9		35
1318	Direct imaging of band profile in single layer MoS2 on graphite: quasiparticle energy gap, metallic edge states, and edge band bending. 2014 , 14, 2443-7		342
1317	Chemical vapor sensing of two-dimensional MoS2 field effect transistor devices. 2014 , 101, 2-7		40
1316	Construction of two-dimensional MoS2/CdS p-n nanohybrids for highly efficient photocatalytic hydrogen evolution. 2014 , 20, 10632-5		138
1315	Computational prediction of two-dimensional group-IV mono-chalcogenides. 2014 , 105, 042103		192
1314	Exciton valley relaxation in a single layer of WS2 measured by ultrafast spectroscopy. 2014 , 90,		102
1313	Ballistic Transport in Monolayer Black Phosphorus Transistors. 2014 , 61, 3871-3876		64
1312	Large-area single-layer MoSe2 and its van der Waals heterostructures. 2014 , 8, 6655-62		177
1311	Chemical synthetic strategy for single-layer transition-metal chalcogenides. 2014 , 136, 14670-3		122
1310	Vertical and in-plane heterostructures from WS2/MoS2 monolayers. 2014 , 13, 1135-42		1580
1309	Atomic layer deposition of a MoS2 film. 2014 , 6, 10584-8		276
1308	Mechanisms of photoconductivity in atomically thin MoS2. 2014 , 14, 6165-70		443
1307	Probing the interlayer coupling of twisted bilayer MoS2 using photoluminescence spectroscopy. 2014 , 14, 5500-8		168
1306	Device perspective for black phosphorus field-effect transistors: contact resistance, ambipolar behavior, and scaling. 2014 , 8, 10035-42		358
1305	Graphene spintronics. 2014 , 9, 794-807		985
1304	Ab initio synthesis of single-layer III-V materials. 2014 , 89,		98
1303	Stability and properties of 2D porous nanosheets based on tetraoxa[8]circulene analogues. 2014 , 6, 14962-70		25

1302	Selective and localized laser annealing effect for high-performance flexible multilayer MoS ₂ thin-film transistors. 2014 , 7, 1137-1145	55
1301	Photo-sensitivity of large area physical vapor deposited mono and bilayer MoS. 2014 , 1, 22	11
1300	Ultrafast charge transfer in atomically thin MoS ₂ /WS ₂ heterostructures. 2014 , 9, 682-6	1432
1299	Thickness-dependent electrical conductivities and ohmic contacts in transition metal dichalcogenides multilayers. 2014 , 25, 415706	36
1298	Indirect doping effects from impurities in MoS ₂ /h-BN heterostructures. 2014 , 90,	36
1297	Theoretical insights into the electronic and magnetic behaviors of the metal substituted 1H-MoS ₂ systems: Their potential towards CO adsorption and sensing. 2014 , 95, 399-407	9
1296	Redox control and high conductivity of nickel bis(dithiolene) complex nanosheet: a potential organic two-dimensional topological insulator. 2014 , 136, 14357-60	320
1295	Excited excitonic states in 1L, 2L, 3L, and bulk WSe ₂ observed by resonant Raman spectroscopy. 2014 , 8, 9629-35	154
1294	Functional polyelectrolyte nanospaced MoS ₂ multilayers for enhanced photoluminescence. 2014 , 14, 6456-62	60
1293	Tunable electronic and optical properties of monolayer silicene under tensile strain: a many-body study. 2014 , 141, 064707	13
1292	Giant bandgap renormalization and excitonic effects in a monolayer transition metal dichalcogenide semiconductor. 2014 , 13, 1091-5	1150
1291	Atomically thin p-n junctions with van der Waals heterointerfaces. 2014 , 9, 676-81	1598
1290	Phase transformation guided single-layer ECo(OH) nanosheets for pseudocapacitive electrodes. 2014 , 8, 3724-34	130
1289	Strong enhancement of Raman scattering from a bulk-inactive vibrational mode in few-layer MoTe ₂ 2014 , 8, 3895-903	223
1288	Scalable high-mobility MoS ₂ thin films fabricated by an atmospheric pressure chemical vapor deposition process at ambient temperature. 2014 , 6, 12792-7	54
1287	Strong photoluminescence enhancement of MoS ₂ through defect engineering and oxygen bonding. 2014 , 8, 5738-45	774
1286	Dielectric screening of excitons and trions in single-layer MoS ₂ . 2014 , 14, 5569-76	399
1285	Evolution of interlayer coupling in twisted molybdenum disulfide bilayers. 2014 , 5, 4966	410

1284	Active guests in the MoS ₂ /MoSe ₂ host lattice: efficient hydrogen evolution using few-layer alloys of MoS(2(1-x))Se(2x). 2014 , 6, 12856-63	167
1283	Lateral epitaxial growth of two-dimensional layered semiconductor heterojunctions. 2014 , 9, 1024-30	858
1282	Electroluminescence and photocurrent generation from atomically sharp WSe ₂ /MoS ₂ heterojunction p-n diodes. 2014 , 14, 5590-7	782
1281	Orienting MoS ₂ flakes into ordered films. 2014 , 49, 7353-7359	2
1280	Photodetectors based on graphene, other two-dimensional materials and hybrid systems. 2014 , 9, 780-93	2318
1279	High-sensitivity photodetectors based on multilayer GaTe flakes. 2014 , 8, 752-60	257
1278	Layer-by-Layer Hybrids of MoS ₂ and Reduced Graphene Oxide for Lithium Ion Batteries. 2014 , 147, 392-400	110
1277	Tuning electronic and optical properties of MoS ₂ monolayer via molecular charge transfer. 2014 , 2, 16892-16897	23
1276	Few-layer molybdenum disulfide transistors and circuits for high-speed flexible electronics. 2014 , 5, 5143	329
1275	Edge-Specific Au/Ag Functionalization-Induced Conductive Paths in Armchair MoS ₂ Nanoribbons. 2014 , 26, 5625-5631	23
1274	Electrical transport properties of single-layer WS ₂ . 2014 , 8, 8174-81	488
1273	Van der Waals Epitaxial Growth of Transition Metal Dichalcogenides on Pristine and N-Doped Graphene. 2014 , 14, 4920-4928	15
1272	Theoretical study on strain-induced variations in electronic properties of monolayer MoS ₂ . 2014 , 49, 6762-6771	50
1271	Ambipolar molybdenum diselenide field-effect transistors: field-effect and Hall mobilities. 2014 , 8, 7923-9	108
1270	Mesoscale imperfections in MoS ₂ atomic layers grown by a vapor transport technique. 2014 , 14, 4682-6	63
1269	Electron transport in MoWSeS monolayers in the presence of an external electric field. 2014 , 16, 11251-5	31
1268	Coherent Tunneling and Negative Differential Conductivity in a Graphene/h-BN/Graphene Heterostructure. 2014 , 2,	38
1267	Tightly bound excitons in monolayer WSe ₂ . <i>Physical Review Letters</i> , 2014 , 113, 026803	7.4 762

1266	Unexpected strong magnetism of Cu doped single-layer MoS ₂ and its origin. 2014 , 16, 8990-6	93
1265	Progress on the Theoretical Study of Two-Dimensional MoS ₂ Monolayer and Nanoribbon. 2014 , 1-35	2
1264	Spin susceptibility of two-dimensional transition-metal dichalcogenides. 2014 , 90,	15
1263	Preparation and characterization of few-layer MoS ₂ nanosheets and their good nonlinear optical responses in the PMMA matrix. 2014 , 6, 9713-9	76
1262	Surface effects on electronic transport of 2D chalcogenide thin films and nanostructures. 2014 , 1, 18	23
1261	High-temperature electrical behavior of a 2D multilayered MoS ₂ transistor. 2014 , 64, 945-948	4
1260	Spin-orbit-coupled quantum wires and Majorana fermions on zigzag edges of monolayer transition-metal dichalcogenides. 2014 , 89,	54
1259	Gate-induced electron-state tuning of MoS ₂ : first-principles calculations. 2014 , 26, 135001	24
1258	First-principles investigation of armchair boron nitride nanoribbons for sensing PH ₃ gas molecules. 2014 , 73, 350-358	29
1257	A direct comparison of CVD-grown and exfoliated MoS ₂ using optical spectroscopy. 2014 , 29, 064008	77
1256	MoS_2 Field-Effect Transistors With Graphene/Metal Heterocontacts. 2014 , 35, 599-601	118
1255	Strain-induced indirect to direct bandgap transition in multilayer WSe ₂ . 2014 , 14, 4592-7	415
1254	Exciton kinetics, quantum efficiency, and efficiency droop of monolayer MoS ₂ light-emitting devices. 2014 , 14, 4125-30	115
1253	Tuning Electronic and Magnetic Properties of Early Transition-Metal Dichalcogenides via Tensile Strain. 2014 , 118, 7242-7249	171
1252	Vapor Phase Synthesis of Conducting Polymer Nanocomposites Incorporating 2D Nanoparticles. 2014 , 26, 4207-4213	25
1251	The energy-band alignment at molybdenum disulphide and high-k dielectrics interfaces. 2014 , 104, 232110	46
1250	Postgrowth tuning of the bandgap of single-layer molybdenum disulfide films by sulfur/selenium exchange. 2014 , 8, 4672-7	88
1249	Tension-induced phase transition of single-layer molybdenum disulphide (MoS ₂) at low temperatures. 2014 , 25, 295701	32

1248	Flexible and stretchable thin-film transistors based on molybdenum disulphide. 2014 , 16, 14996-5006	50
1247	Molybdenum disulfide nanoflake-zinc oxide nanowire hybrid photoinverter. 2014 , 8, 5174-81	19
1246	Temperature effect on optical spectra of monolayer molybdenum disulfide. 2014 , 104, 193110	41
1245	Tunable band gaps in silicene-MoS ₂ heterobilayers. 2014 , 16, 11673-8	113
1244	Efficient spin injection and giant magnetoresistance in Fe/MoS ₂ /Fe junctions. 2014 , 90,	67
1243	Pressure-induced gap closing and metallization of MoSe ₂ and MoTe ₂ . 2014 , 90,	42
1242	Strain-tunable electronic and transport properties of MoS ₂ nanotubes. 2014 , 7, 518-527	72
1241	Plasma-assisted fabrication of monolayer phosphorene and its Raman characterization. 2014 , 7, 853-859	535
1240	Mechanical and Electronic Properties of π -Conjugated Metal Bis(dithiolene) Complex Sheets. 2014 , 26, 2967-2974	25
1239	Stability and electronic structures of native defects in single-layer MoS ₂ . 2014 , 89,	211
1238	Theory of excitonic second-harmonic generation in monolayer MoS ₂ . 2014 , 89,	96
1237	Mono- and bilayer WS ₂ light-emitting transistors. 2014 , 14, 2019-25	351
1236	Antibacterial activity of two-dimensional MoS ₂ sheets. 2014 , 6, 10126-33	221
1235	Cytotoxicity of exfoliated transition-metal dichalcogenides (MoS ₂ , WS ₂ , and WSe ₂) is lower than that of graphene and its analogues. 2014 , 20, 9627-32	282
1234	Structural phase transitions in two-dimensional Mo- and W-dichalcogenide monolayers. 2014 , 5, 4214	624
1233	Electron-doping-enhanced trion formation in monolayer molybdenum disulfide functionalized with cesium carbonate. 2014 , 8, 5323-9	185
1232	Tuning and identification of interband transitions in monolayer and bilayer molybdenum disulfide using hydrostatic pressure. 2014 , 8, 7458-64	58
1231	Effect of point defects on the optical and transport properties of MoS ₂ and WS ₂ . 2014 , 90,	96

1230	Strain and electric field induced electronic properties of two-dimensional hybrid bilayers of transition-metal dichalcogenides. 2014 , 116, 063711	62
1229	Electrical contacts to monolayer black phosphorus: A first-principles investigation. 2014 , 90,	107
1228	Ballistic performance comparison of monolayer transition metal dichalcogenide MX ₂ (M = Mo, W; X = S, Se, Te) metal-oxide-semiconductor field effect transistors. 2014 , 115, 084506	55
1227	Photoelectron spectroscopic imaging and device applications of large-area patternable single-layer MoS ₂ synthesized by chemical vapor deposition. 2014 , 8, 4961-8	105
1226	Isolation and characterization of few-layer black phosphorus. 2014 , 1, 025001	1163
1225	Synthesis of Atomically Thin MoS_2 Triangles and Hexagrams and Their Electrical Transport Properties. 2014 , 13, 749-754	20
1224	Electrical transport properties of polycrystalline monolayer molybdenum disulfide. 2014 , 8, 7930-7	96
1223	Lateral MoS ₂ p-n junction formed by chemical doping for use in high-performance optoelectronics. 2014 , 8, 9332-40	419
1222	Controllable growth and transfer of monolayer MoS ₂ on Au foils and its potential application in hydrogen evolution reaction. 2014 , 8, 10196-204	351
1221	Extraordinary photoluminescence and strong temperature/angle-dependent Raman responses in few-layer phosphorene. 2014 , 8, 9590-6	529
1220	Tailoring the electronic structure in bilayer molybdenum disulfide via interlayer twist. 2014 , 14, 3869-75	213
1219	Oxygen etching of thick MoS ₂ films. 2014 , 50, 11226-9	45
1218	Effects of van der Waals interaction and electric field on the electronic structure of bilayer MoS ₂ . 2014 , 26, 405302	40
1217	Graphene, inorganic graphene analogs and their composites for lithium ion batteries. 2014 , 2, 12104	215
1216	Pressure-induced metallization of molybdenum disulfide. <i>Physical Review Letters</i> , 2014 , 113, 036802	7.4 184
1215	Magnetism by interfacial hybridization and p-type doping of MoS(2) in Fe(4)N/MoS(2) superlattices: a first-principles study. 2014 , 6, 4587-94	50
1214	High performance field-effect transistor based on multilayer tungsten disulfide. 2014 , 8, 10396-402	116
1213	Preparation of MoS ₂ -MoO ₃ hybrid nanomaterials for light-emitting diodes. 2014 , 53, 12560-5	62

1212	Fabrication and atomic structure of size-selected, layered MoS ₂ clusters for catalysis. 2014 , 6, 12463-9	33
1211	Towards the ionic limit of two-dimensional materials: monolayer alkaline earth and transition metal halides. 2014 , 16, 20763-71	30
1210	From semiconductor nanocrystals to artificial solids with dimensionality below two. 2014 , 16, 25734-40	17
1209	Continuous ultra-thin MoS ₂ films grown by low-temperature physical vapor deposition. 2014 , 104, 261604	149
1208	Extracting the complex optical conductivity of mono- and bilayer graphene by ellipsometry. 2014 , 104, 261909	64
1207	Thermal transport properties of metal/MoS ₂ interfaces from first principles. 2014 , 116, 034302	21
1206	Mechanical properties of MoS ₂ /graphene heterostructures. 2014 , 105, 033108	102
1205	Valley-splitting and valley-dependent inter-Landau-level optical transitions in monolayer MoS ₂ quantum Hall systems. 2014 , 90,	60
1204	Correlation between structure, phonon spectra, thermal expansion, and thermomechanics of single-layer MoS ₂ . 2014 , 90,	102
1203	Chirality effect of mechanical and electronic properties of monolayer MoS ₂ with vacancies. 2014 , 378, 2910-2914	31
1202	Field-effect transistors based on few-layered HMoTe(2). 2014 , 8, 5911-20	281
1201	Combined SnS@SnS ₂ double layers: charge transfer and electronic structure. 2014 , 29, 064006	23
1200	Tuning on-off current ratio and field-effect mobility in a MoS(2)-graphene heterostructure via Schottky barrier modulation. 2014 , 8, 5790-8	207
1199	Electronic properties of MoS ₂ sandwiched between graphene monolayers. 2014 , 106, 47003	11
1198	Stretching and breaking of monolayer MoS ₂ in atomistic simulation. 2014 , 1, 011007	28
1197	Synthesis and Systematic Trends in Structure and Electrical Properties of [(SnSe) _{1.15}] _m (VSe ₂) _{1-m} , m = 1, 2, 3, and 4. 2014 , 26, 2862-2872	27
1196	CVD-grown monolayered MoS ₂ as an effective photosensor operating at low-voltage. 2014 , 1, 011004	170
1195	Photoinduced Separation of Strongly Interacting 2-D Layered TiS ₂ Nanodiscs in Solution. 2014 , 118, 12568-12573	73

1194	Electronic and vibrational properties of defective transition metal dichalcogenide Haeckelites: new 2D semi-metallic systems. 2014 , 1, 011003	30
1193	Strain tuning of magnetism in Mn doped MoS ₂ monolayer. 2014 , 26, 256003	23
1192	Dirac cones and Dirac saddle points of bright excitons in monolayer transition metal dichalcogenides. 2014 , 5, 3876	196
1191	Tunable phonon polaritons in atomically thin van der Waals crystals of boron nitride. 2014 , 343, 1125-9	695
1190	Effect of strain on atomic-scale friction in layered MoS ₂ . 2014 , 77, 211-217	26
1189	Graphene/MoS ₂ hybrid structure and its photoresponse property. 2014 , 40, 11971-11974	14
1188	Synthesis of MoS ₂ /g-C ₃ N ₄ as a solar light-responsive photocatalyst for organic degradation. 2014 , 49, 63-67	126
1187	Band engineering of dichalcogenide MX ₂ nanosheets (M = Mo, W and X = S, Se) by out-of-plane pressure. 2014 , 378, 745-749	17
1186	Preparation and characterization of polymeric nanocomposites containing exfoliated tungstenite at high concentrations. 2014 , 96, 97-102	5
1185	Comparative study of metal atom adsorption on free-standing h-BN and h-BN/Ni (111) surfaces. 2014 , 299, 29-34	28
1184	Electronic and magnetic properties of 3d-metal trioxides superhalogen cluster-doped monolayer MoS ₂ : A first-principles study. 2014 , 378, 1651-1656	18
1183	First-principles study of transition-metal atoms adsorption on MoS ₂ monolayer. 2014 , 63, 276-282	66
1182	Influence of excited carriers on the optical and electronic properties of MoS ₂ . 2014 , 14, 3743-8	171
1181	Valleytronics. The valley Hall effect in MoS ₂ transistors. 2014 , 344, 1489-92	1153
1180	Phosphorene: an unexplored 2D semiconductor with a high hole mobility. 2014 , 8, 4033-41	4487
1179	Dependence of the electronic and transport properties of metal-MoSe ₂ interfaces on contact structures. 2014 , 89,	38
1178	Electrical stability of multilayer MoS ₂ field-effect transistor under negative bias stress at various temperatures. 2014 , 8, 714-718	33
1177	Optical properties of metal-molybdenum disulfide hybrid nanosheets and their application for enhanced photocatalytic hydrogen evolution. 2014 , 8, 6979-85	76

1176	Nanoscale Transition Metal Dichalcogenides: Structures, Properties, and Applications. 2014 , 39, 319-367	106
1175	Preparation and applications of mechanically exfoliated single-layer and multilayer MoS ₂ and WSe ₂ nanosheets. 2014 , 47, 1067-75	1089
1174	Outlook and emerging semiconducting materials for ambipolar transistors. 2014 , 26, 1176-99	180
1173	Two-dimensional layered materials: Structure, properties, and prospects for device applications. 2014 , 29, 348-361	143
1172	Vertical heterostructures of layered metal chalcogenides by van der Waals epitaxy. 2014 , 14, 3047-54	118
1171	Growth of large area few-layer or monolayer MoS ₂ from controllable MoO ₃ nanowire nuclei. 2014 , 4, 26407	45
1170	Tunable Band Structures of Heterostructured Bilayers with Transition-Metal Dichalcogenide and MXene Monolayer. 2014 , 118, 5593-5599	122
1169	Optical and electrical properties of MoS ₂ and Fe-doped MoS ₂ . 2014 , 53, 04EH07	43
1168	Electronic structure of two-dimensional transition metal dichalcogenide bilayers from ab initio theory. 2014 , 89,	88
1167	Electrons and phonons in single layers of hexagonal indium chalcogenides from ab initio calculations. 2014 , 89,	204
1166	Absorption of light by excitons and trions in monolayers of metal dichalcogenide MoS ₂ : Experiments and theory. 2014 , 89,	192
1165	Scaling laws for the band gap and optical response of phosphorene nanoribbons. 2014 , 89,	226
1164	Valley polarization in magnetically doped single-layer transition-metal dichalcogenides. 2014 , 89,	121
1163	Large-area atomically thin MoS ₂ nanosheets prepared using electrochemical exfoliation. 2014 , 8, 6902-10	323
1162	Heterostructures produced from nanosheet-based inks. 2014 , 14, 3987-92	147
1161	Resonant tunneling through discrete quantum states in stacked atomic-layered MoS ₂ . 2014 , 14, 2381-6	34
1160	Improved photoelectrical properties of MoS ₂ films after laser micromachining. 2014 , 8, 6334-43	94
1159	Theoretical study of thermoelectric properties of few-layer MoS ₂ and WSe ₂ . 2014 , 16, 10866-74	137

1158	Molybdenum sulfide/N-doped CNT forest hybrid catalysts for high-performance hydrogen evolution reaction. 2014 , 14, 1228-33	554
1157	Ab initio theory of moiré superlattice bands in layered two-dimensional materials. 2014 , 89,	155
1156	Probing substrate-dependent long-range surface structure of single-layer and multilayer MoS ₂ by low-energy electron microscopy and microprobe diffraction. 2014 , 89,	15
1155	Analytical approach to excitonic properties of MoS ₂ . 2014 , 89,	154
1154	Exciton-exciton annihilation in MoSe ₂ monolayers. 2014 , 89,	246
1153	Photodegradation of rhodamine B with MoS ₂ /Bi ₂ O ₂ CO ₃ composites under UV light irradiation. 2014 , 313, 537-544	67
1152	MoS ₂ nanosheet channel and guanine DNA-base charge injection layer for high performance memory transistors. 2014 , 2, 5411-5416	20
1151	Electrical transport and low-frequency noise in chemical vapor deposited single-layer MoS ₂ devices. 2014 , 25, 155702	41
1150	High-performance MoS ₂ transistors with low-resistance molybdenum contacts. 2014 , 104, 093106	277
1149	Fabrication and electrical properties of MoS ₂ nanodisc-based back-gated field effect transistors. 2014 , 9, 100	16
1148	Analysis of flicker noise in two-dimensional multilayer MoS ₂ transistors. 2014 , 104, 083110	49
1147	Low-frequency 1/f noise in MoS ₂ transistors: Relative contributions of the channel and contacts. 2014 , 104, 153104	87
1146	Analysis of electron beam damage of exfoliated MoS ₂ sheets and quantitative HAADF-STEM imaging. 2014 , 146, 33-8	46
1145	Determining the thickness of atomically thin MoS ₂ and WS ₂ in the TEM. 2014 , 147, 8-20	41
1144	Controllable Synthesis of Band-Gap-Tunable and Monolayer Transition-Metal Dichalcogenide Alloys. 2014 , 2,	70
1143	Nanostructure sensitization of transition metal oxides for visible-light photocatalysis. 2014 , 5, 696-710	73
1142	Mehr als MoS ₂ : zweidimensionale Edelmetalldichalkogenide. 2014 , 126, 3059-3062	10
1141	Hexagonale Übergangsmetallchalkogenid-Nanoflocken mit ausgeprägtem lateralem Quanten-Confinement. 2014 , 126, 12833-12837	1

1140	Electronic properties of transition-metal dichalcogenides. 2015 , 40, 577-584	55
1139	Two-dimensional transition-metal dichalcogenide materials: Toward an age of atomic-scale photonics. 2015 , 40, 592-599	48
1138	Metallic Binary Copper Chalcogenides with Orthorhombic Layered Structure. 2015 , 1726, 37	1
1137	Setting up a nanolab inside a transmission electron microscope for two-dimensional materials research. 2015 , 30, 3153-3176	8
1136	Valence-Mending Passivation of Si(100) Surface: Principle, Practice and Application. 2015 , 242, 51-60	1
1135	Electro-vibrational coupling effects on intrinsic friction in transition metal dichalcogenides. 2015 , 5, 106809-106818	13
1134	Observation of the mid-infrared 1s intraexcitonic dynamics in monolayer MoS ₂ . 2015 ,	
1133	High broad-band photoresponsivity of mechanically formed InSe-graphene van der Waals heterostructures. 2015 , 27, 3760-6	252
1132	Investigations of vapor phase deposited transition metal dichalcogenide films for future electronic applications. 2015 ,	1
1131	Simulation Evidence of Hexagonal-to-Tetragonal ZnSe Structure Transition: A Monolayer Material with a Wide-Range Tunable Direct Bandgap. 2015 , 2, 1500290	38
1130	Identification of excitons, trions and biexcitons in single-layer WS ₂ . 2015 , 9, 457-461	227
1129	Self-organized van der Waals epitaxy of layered chalcogenide structures. 2015 , 252, 2151-2158	54
1128	Wave impedance of an atomically thin crystal. 2015 , 23, 31602-6	5
1127	Photocarrier dynamics in transition metal dichalcogenide alloy Mo _{0.5} W _{0.5} S ₂ . 2015 , 23, 33370-7	4
1126	Anisotropic thermoelectric behavior in armchair and zigzag mono- and fewlayer MoS ₂ in thermoelectric generator applications. 2015 , 5, 13706	44
1125	Broadband and enhanced nonlinear optical response of MoS ₂ /graphene nanocomposites for ultrafast photonics applications. 2015 , 5, 16372	147
1124	Eco-friendly synthesis of metal dichalcogenides nanosheets and their environmental remediation potential driven by visible light. 2015 , 5, 15718	73
1123	Properties of two-dimensional graphene-like materials. 2015 , 4, 18-29	4

1122	Two-Dimensional Valley Electrons and Excitons in Noncentrosymmetric 3R'MoS2. 2015 , 4,	33
1121	Molecular beam epitaxy growth and scanning tunneling microscopy study of TiSe2 ultrathin films. 2015 , 91,	74
1120	Native defects in bulk and monolayer MoS2 from first principles. 2015 , 91,	339
1119	Gate control of carrier distribution in k-space in MoS2 monolayer and bilayer crystals. 2015 , 91,	17
1118	Atomically thin dilute magnetism in Co-doped phosphorene. 2015 , 91,	109
1117	Electronic properties of triangular and hexagonal MoS2 quantum dots. 2015 , 91,	41
1116	Controlling the Schottky barrier at MoS2/metal contacts by inserting a BN monolayer. 2015 , 91,	145
1115	Observation of interlayer phonon modes in van der Waals heterostructures. 2015 , 91,	147
1114	Fast exciton annihilation by capture of electrons or holes by defects via Auger scattering in monolayer metal dichalcogenides. 2015 , 91,	53
1113	Splitting of monolayer out-of-plane A1? Raman mode in few-layer WS2. 2015 , 91,	71
1112	Magnetic ground state of semiconducting transition-metal trichalcogenide monolayers. 2015 , 91,	248
1111	Investigation of the dispersion and the effective masses of excitons in bulk 2H'MoS2 using transition electron energy-loss spectroscopy. 2015 , 91,	21
1110	Tunable many-body interactions in semiconducting graphene: Giant excitonic effect and strong optical absorption. 2015 , 92,	3
1109	TiS3 nanoribbons: Width-independent band gap and strain-tunable electronic properties. 2015 , 92,	51
1108	Heterostructures of transition metal dichalcogenides. 2015 , 92,	146
1107	Bright and dark singlet excitons via linear and two-photon spectroscopy in monolayer transition-metal dichalcogenides. 2015 , 92,	54
1106	Quantum spin Hall effect and topological phase transition in two-dimensional square transition-metal dichalcogenides. 2015 , 92,	106
1105	Rashba effect in single-layer antimony telluroiodide SbTeI. 2015 , 92,	31

1104	Periodic arrays of intercalated atoms in twisted bilayer graphene: An ab initio investigation. 2015 , 92,	4
1103	Quasiparticle band gaps, excitonic effects, and anisotropic optical properties of the monolayer distorted 1T diamond-chain structures ReS ₂ and ReSe ₂ . 2015 , 92,	103
1102	Optical signatures of states bound to vacancy defects in monolayer MoS ₂ . 2015 , 92,	15
1101	Excitons in one-dimensional van der Waals materials: Sb ₂ S ₃ nanoribbons. 2015 , 92,	21
1100	Polarization analysis of excitons in monolayer and bilayer transition-metal dichalcogenides. 2015 , 92,	115
1099	Graphene on transition-metal dichalcogenides: A platform for proximity spin-orbit physics and optospintronics. 2015 , 92,	172
1098	Hole spin relaxation in bilayer WSe ₂ . 2015 , 92,	7
1097	Binding energies and spatial structures of small carrier complexes in monolayer transition-metal dichalcogenides via diffusion Monte Carlo. 2015 , 92,	64
1096	Significant effect of stacking on the electronic and optical properties of few-layer black phosphorus. 2015 , 92,	135
1095	Graphene-like Dirac states and quantum spin Hall insulators in square-octagonal MX ₂ (M=Mo, W; X=S, Se, Te) isomers. 2015 , 92,	45
1094	Symmetry, distorted band structure, and spin-orbit coupling of group-III metal-monochalcogenide monolayers. 2015 , 92,	40
1093	Influence of interface coupling on the electronic properties of the Au/MoS ₂ junction. 2015 , 92,	10
1092	Tuning the electronic structure of monolayer graphene/MoS ₂ van der Waals heterostructures via interlayer twist. 2015 , 92,	47
1091	Casimir and van der Waals energy of anisotropic atomically thin metallic films. 2015 , 92,	10
1090	Binding energies of exciton complexes in transition metal dichalcogenide monolayers and effect of dielectric environment. 2015 , 92,	163
1089	Strain-controlled switch between ferromagnetism and antiferromagnetism in 1T'X ₂ (X=Se, Te) monolayers. 2015 , 92,	67
1088	Ultrafast valley relaxation dynamics in monolayer MoS ₂ probed by nonequilibrium optical techniques. 2015 , 92,	71
1087	Hydrogenation-induced atomic stripes on the 2HMoS ₂ surface. 2015 , 92,	26

1086	Vibrational spectrum renormalization by enforced coupling across the van der Waals gap between MoS ₂ and WS ₂ monolayers. 2015 , 92,		19
1085	Excitons in van der Waals heterostructures: The important role of dielectric screening. 2015 , 92,		159
1084	Double resonant Raman scattering and valley coherence generation in monolayer WSe ₂ . <i>Physical Review Letters</i> , 2015 , 115, 117401	7-4	52
1083	Erratum: Optical Spectrum of MoS ₂ : Many-Body Effects and Diversity of Exciton States [Phys. Rev. Lett. 111, 216805 (2013)]. <i>Physical Review Letters</i> , 2015 , 115,	7-4	41
1082	Electrical Tuning of Exciton Binding Energies in Monolayer WS ₂ . <i>Physical Review Letters</i> , 2015 , 115, 126802	7-4	248
1081	Anomalous Light Cones and Valley Optical Selection Rules of Interlayer Excitons in Twisted Heterobilayers. <i>Physical Review Letters</i> , 2015 , 115, 187002	7-4	142
1080	Selective Amplification of the Primary Exciton in a MoS ₂ Monolayer. <i>Physical Review Letters</i> , 2015 , 115, 226801	7-4	47
1079	Experimental Evidence for Dark Excitons in Monolayer WSe ₂ . <i>Physical Review Letters</i> , 2015 , 115, 257403	7-4	286
1078	Enhanced stability of black phosphorus field-effect transistors with SiO ₂ passivation. 2015 , 26, 435702		83
1077	High-pressure structure, decomposition, and superconductivity of MoS ₂ . 2015 , 91,		14
1076	Optical and spin polarization dynamics in GaSe nanoslabs. 2015 , 91,		22
1075	Spin-dependent refraction at the atomic step of transition-metal dichalcogenides. 2015 , 91,		15
1074	Valley entanglement of excitons in monolayers of transition-metal dichalcogenides. 2015 , 92,		9
1073	Exciton polaritons in transition-metal dichalcogenides and their direct excitation via energy transfer. 2015 , 92,		30
1072	Valley Hall effect in disordered monolayer MoS ₂ from first principles. 2015 , 92,		20
1071	Intervalley biexcitons and many-body effects in monolayer MoS ₂ . 2015 , 92,		130
1070	Erratum: Strong optical nonlinearity of CVD-grown MoS ₂ monolayer as probed by wavelength-dependent second-harmonic generation [Phys. Rev. B 90, 121409(R) (2014)]. 2015 , 92,		3
1069	Observation of excitonic resonances in the second harmonic spectrum of MoS ₂ . 2015 , 92,		39

1068	Layer- and strain-dependent optoelectronic properties of hexagonal AlN. 2015 , 92,		41
1067	Excitonic effects in two-dimensional semiconductors: Path integral Monte Carlo approach. 2015 , 92,		41
1066	Theory of strain in single-layer transition metal dichalcogenides. 2015 , 92,		96
1065	Systematic study of structural, electronic, and optical properties of atomic-scale defects in the two-dimensional transition metal dichalcogenides MX ₂ (M = Mo, W; X = S, Se, Te). 2015 , 92,		131
1064	Polarization-dependent photocurrents in polar stacks of van der Waals solids. 2015 , 92,		12
1063	Dirac Semimetals in Two Dimensions. <i>Physical Review Letters</i> , 2015 , 115, 126803	7.4	348
1062	Berry Phase Modification to the Energy Spectrum of Excitons. <i>Physical Review Letters</i> , 2015 , 115, 166803	7.4	71
1061	Light-Induced Exciton Spin Hall Effect in van der Waals Heterostructures. <i>Physical Review Letters</i> , 2015 , 115, 166804	7.4	39
1060	Analyzing Longitudinal Magnetoresistance Asymmetry to Quantify Doping Gradients: Generalization of the van der Pauw Method. <i>Physical Review Letters</i> , 2015 , 115, 186804	7.4	3
1059	Enhanced optical Kerr nonlinearity of MoS ₂ on silicon waveguides. 2015 , 3, 206		34
1058	A Revisit to High Thermoelectric Performance of Single-layer MoS ₂ . 2015 , 5, 18342		108
1057	Exfoliation of large-area transition metal chalcogenide single layers. 2015 , 5, 14714		169
1056	Tuning Photoluminescence Performance of Monolayer MoS ₂ via H ₂ O ₂ Aqueous Solution. 2015 , 32, 117801		4
1055	Spin-dependent transport properties of Fe ₃ O ₄ /MoS ₂ /Fe ₃ O ₄ junctions. 2015 , 5, 15984		41
1054	Optical Limiting and Theoretical Modelling of Layered Transition Metal Dichalcogenide Nanosheets. 2015 , 5, 14646		174
1053	Plasmonic Gold Nanorods Coverage Influence on Enhancement of the Photoluminescence of Two-Dimensional MoS ₂ Monolayer. 2015 , 5, 16374		84
1052	Novel Two-Dimensional Mechano-Electric Generators and Sensors Based on Transition Metal Dichalcogenides. 2015 , 5, 12854		17
1051	Graphdiyne as a promising material for detecting amino acids. 2015 , 5, 16720		46

1050	Decay and the double-decay properties of edge bands of phosphorene ribbons. 2015 , 102, 610-615	3
1049	Synthesis of Extended Atomically Perfect Zigzag Graphene - Boron Nitride Interfaces. 2015 , 5, 16741	27
1048	Ultrasensitive nonlinear absorption response of large-size topological insulator and application in low-threshold bulk pulsed lasers. 2015 , 5, 14856	39
1047	Broadband ultra-high transmission of terahertz radiation through monolayer MoS ₂ . 2015 , 118, 224304	11
1046	Robust Direct Bandgap Characteristics of One- and Two-Dimensional ReS ₂ . 2015 , 5, 13783	57
1045	Temperature dependent Raman spectroscopic study of mono-, bi-, and tri-layer molybdenum ditelluride. 2015 , 107, 153106	14
1044	Valley depolarization in monolayer WSe ₂ . 2015 , 5, 15625	42
1043	Lattice mismatch induced ripples and wrinkles in planar graphene/boron nitride superlattices. 2015 , 117, 234304	11
1042	Nonlinear mode coupling and internal resonances in MoS ₂ nanoelectromechanical system. 2015 , 107, 173110	55
1041	Microscopic basis for the band engineering of Mo _{1-x} W _x S ₂ -based heterojunction. 2015 , 5, 14808	43
1040	Effects of strain on electronic and optic properties of holey two-dimensional C ₂ N crystals. 2015 , 107, 231904	109
1039	Exciton size and quantum transport in nanoplatelets. 2015 , 143, 224106	5
1038	Strain effects on monolayer MoS ₂ field effect transistors. 2015 , 54, 04DC17	2
1037	Rich structural phase diagram and thermoelectric properties of layered tellurides Mo _{1-x} Nb _x Te ₂ . 2015 , 3, 041514	29
1036	A comparative density functional study on electrical properties of layered penta-graphene. 2015 , 118, 165706	39
1035	In-situ epitaxial growth of graphene/h-BN van der Waals heterostructures by molecular beam epitaxy. 2015 , 5, 14760	65
1034	Controlling the Electronic Structures and Properties of in-Plane Transition-Metal Dichalcogenides Quantum Wells. 2015 , 5, 17578	21
1033	Rapid, all-optical crystal orientation imaging of two-dimensional transition metal dichalcogenide monolayers. 2015 , 107, 111902	16

1032	GeSe monolayer semiconductor with tunable direct band gap and small carrier effective mass. 2015 , 107, 122107	116
1031	Exciton-dominated Dielectric Function of Atomically Thin MoS ₂ Films. 2015 , 5, 16996	114
1030	Growth of centimeter-scale atomically thin MoS ₂ films by pulsed laser deposition. 2015 , 3, 056103	91
1029	Transferred large area single crystal MoS ₂ field effect transistors. 2015 , 107, 193503	19
1028	Realization of an all optical exciton-polariton router. 2015 , 107, 201115	52
1027	Highly sensitive phototransistor based on GaSe nanosheets. 2015 , 107, 143112	50
1026	NEMS With Broken T Symmetry: Graphene Based Unidirectional Acoustic Transmission Lines. 2015 , 5, 9926	14
1025	Hopping conduction in p-type MoS ₂ near the critical regime of the metal-insulator transition. 2015 , 107, 223107	17
1024	Temperature dependent piezoreflectance study of Mo _{1-x} W _x Se ₂ layered crystals. 2015 , 118, 215704	6
1023	Structural, mechanical and electronic properties of in-plane 1T/2H phase interface of MoS ₂ heterostructures. 2015 , 5, 097174	30
1022	Silicon-nitride photonic circuits interfaced with monolayer MoS ₂ . 2015 , 107, 091112	23
1021	Low-frequency noise in MoSe ₂ field effect transistors. 2015 , 106, 083507	41
1020	Ohmic Contact Fabrication Using a Focused-ion Beam Technique and Electrical Characterization for Layer Semiconductor Nanostructures. 2015 , e53200	8
1019	Feature-rich magnetic quantization in sliding bilayer graphenes. 2014 , 4, 7509	22
1018	Transfer characteristics and low-frequency noise in single- and multi-layer MoS ₂ field-effect transistors. 2015 , 107, 162102	16
1017	Synthesis and characterization of Mo and W compounds containing aminothiolate ligand for disulfide materials. 2015 , 100, 199-205	2
1016	Nanoscale scanning microwave impedance microscopy on advanced functional materials. 2015 ,	
1015	Interfacial Synthesis of Electrically Conducting Palladium Bis(dithiolene) Complex Nanosheet. 2015 , 80, 1255-1258	86

1014	Low wavenumber Raman spectroscopy of highly crystalline MoSe ₂ grown by chemical vapor deposition. 2015 , 252, 2385-2389	21
1013	Band structure of the MoS ₂ bilayer with adsorbed and intercalated Na. 2015 , 252, 2693-2697	5
1012	Nanomanufacturing of 2D Transition Metal Dichalcogenide Materials Using Self-Assembled DNA Nanotubes. 2015 , 11, 5520-7	20
1011	Transient Absorption Measurements on Anisotropic Monolayer ReS ₂ . 2015 , 11, 5565-71	71
1010	ReS ₂ -Based Field-Effect Transistors and Photodetectors. 2015 , 25, 4076-4082	235
1009	Rotation-misfit-free heteroepitaxial stacking and stitching growth of hexagonal transition-metal dichalcogenide monolayers by nucleation kinetics controls. 2015 , 27, 3803-10	100
1008	Rapid and Nondestructive Identification of Polytypism and Stacking Sequences in Few-Layer Molybdenum Diselenide by Raman Spectroscopy. 2015 , 27, 4502-4508	85
1007	Chemical Vapor Deposition of Monolayer Rhenium Disulfide (ReS ₂). 2015 , 27, 4640-8	177
1006	All Chemical Vapor Deposition Synthesis and Intrinsic Bandgap Observation of MoS ₂ /Graphene Heterostructures. 2015 , 27, 7086-92	100
1005	Ultrathin SnSe ₂ Flakes Grown by Chemical Vapor Deposition for High-Performance Photodetectors. 2015 , 27, 8035-41	369
1004	Dispersion-Corrected Density Functional Theory Investigations of Structural and Electronic Properties of Bulk MoS ₂ : Effect of Uniaxial Strain. 2015 , 10, 433	18
1003	Low-Temperature Synthesis of Large-Scale Molybdenum Disulfide Thin Films Directly on a Plastic Substrate Using Plasma-Enhanced Chemical Vapor Deposition. 2015 , 27, 5223-9	136
1002	Size-Dependent Optical Absorption of Layered MoS ₂ and DNA Oligonucleotides Induced Dispersion Behavior for Label-Free Detection of Single-Nucleotide Polymorphism. 2015 , 25, 3541-3550	104
1001	Charge Photogeneration in Few-Layer MoS ₂ . 2015 , 25, 3351-3358	68
1000	Complex Materials by Atomic Layer Deposition. 2015 , 27, 5778-84	27
999	Facile Synthesis of Single Crystal Vanadium Disulfide Nanosheets by Chemical Vapor Deposition for Efficient Hydrogen Evolution Reaction. 2015 , 27, 5605-9	202
998	Ultrasensitive and Broadband MoS ₂ Photodetector Driven by Ferroelectrics. 2015 , 27, 6575-81	559
997	Electronic Bandgap and Exciton Binding Energy of Layered Semiconductor TiS ₃ . 2015 , 1, 1500126	46

996	Peculiar Role of the Metallic States on the Nano-MoS ₂ Ceramic Particle Surface in Antimicrobial and Antifungal Activity. 2015 , 12, 885-890	17
995	Ultraviolet Raman spectroscopy of graphene and transition-metal dichalcogenides. 2015 , 252, 2363-2374	12
994	Sub-10 nm nanopantography. 2015 , 107, 193109	4
993	An Optoelectronic Switch Based on Intrinsic Dual Schottky Diodes in Ambipolar MoSe ₂ Field-Effect Transistors. 2015 , 1, 1500215	13
992	One-Pot Synthesis of Algae-Like MoS ₂ /PPy Nanocomposite: A Synergistic Catalyst with Superior Peroxidase-Like Catalytic Activity for H ₂ O ₂ Detection. 2015 , 32, 886-892	49
991	Chitosan solid electrolyte as electric double layer in multilayer MoS ₂ transistor for low-voltage operation. 2015 , 212, 2219-2225	21
990	Control of absorption of monolayer MoS ₂ thin-film transistor in one-dimensional defective photonic crystal. 2015 , 112, 37008	3
989	Multiphonon Raman spectroscopy properties and Raman mapping of 2D van der Waals solids: graphene and beyond. 2015 , 46, 217-230	13
988	Enhancing the interlayer adhesive force in twisted multilayer MoS ₂ by thermal annealing treatment. 2015 , 26, 405708	15
987	Noble-Metal-Free Molybdenum Disulfide Cocatalyst for Photocatalytic Hydrogen Production. 2015 , 8, 4113-27	119
986	Phase stability of transition metal dichalcogenide by competing ligand field stabilization and charge density wave. 2015 , 2, 035019	20
985	Atomic Defects in Two Dimensional Materials. 2015 , 27, 5771-7	70
984	Drying-Mediated Self-Assembled Growth of Transition Metal Dichalcogenide Wires and their Heterostructures. 2015 , 27, 4142-9	27
983	Black Arsenic-Phosphorus: Layered Anisotropic Infrared Semiconductors with Highly Tunable Compositions and Properties. 2015 , 27, 4423-4429	282
982	Electronic Tuning of 2D MoS ₂ through Surface Functionalization. 2015 , 27, 6225-9	158
981	Coupling and Interlayer Exciton in Twist-Stacked WS ₂ Bilayers. 2015 , 3, 1600-1605	35
980	Gate-Tunable Ultrahigh Photoresponsivity of 2D Heterostructures Based on Few Layer MoS ₂ and Solution-Processed rGO. 2015 , 1, 1500267	25
979	Titanium Trisulfide Monolayer: Theoretical Prediction of a New Direct-Gap Semiconductor with High and Anisotropic Carrier Mobility. 2015 , 127, 7682-7686	58

978	CVD Growth of MoS ₂ -based Two-dimensional Materials. 2015 , 21, 241-259	110
977	Shallow donor in natural MoS ₂ . 2015 , 9, 707-710	5
976	Tunable Fabrication of Molybdenum Disulfide Quantum Dots for Intracellular MicroRNA Detection and Multiphoton Bioimaging. 2015 , 11, 4158-64	148
975	Integration of High-k Oxide on MoS ₂ by Using Ozone Pretreatment for High-Performance MoS ₂ Top-Gated Transistor with Thickness-Dependent Carrier Scattering Investigation. 2015 , 11, 5932-8	48
974	High-Performance Transition Metal Dichalcogenide Photodetectors Enhanced by Self-Assembled Monolayer Doping. 2015 , 25, 4219-4227	189
973	Van der Waals p-n Junction Based on an Organic-Inorganic Heterostructure. 2015 , 25, 5865-5871	76
972	Revealing Optical Properties of Reduced-Dimensionality Materials at Relevant Length Scales. 2015 , 27, 5693-719	25
971	Graphene Quantum Dots Doping of MoS ₂ Monolayers. 2015 , 27, 5235-40	135
970	Titanium trisulfide monolayer: theoretical prediction of a new direct-gap semiconductor with high and anisotropic carrier mobility. 2015 , 54, 7572-6	189
969	Solid-state reaction as a mechanism of 1T \rightarrow 2H transformation in MoS ₂ monolayers. 2015 , 36, 2131-4	11
968	Synthesis and characterization of TiO ₂ /C nanomaterials: Applications in water treatment. 2015 , 252, 2503-2511	14
967	Ab initio computation of the transition temperature of the charge density wave transition in TiSe ₂ . 2015 , 92,	32
966	Interfacing Monolayer MoS ₂ with Silicon-Nitride Integrated Photonics. 2015 ,	2
965	2D Saturable Absorbers for Fibre Lasers. 2015 , 5, 1440-1456	149
964	Two-Dimensional Materials for Sensing: Graphene and Beyond. 2015 , 4, 651-687	232
963	First-Principles Study on Electronic and Optical Properties of Graphene-Like Boron Phosphide Sheets. 2015 , 28, 588-594	36
962	Valley Zeeman effect and spin-valley polarized conductance in monolayer MoS ₂ in a perpendicular magnetic field. 2015 , 91,	56
961	Highly stable two-dimensional silicon phosphides: Different stoichiometries and exotic electronic properties. 2015 , 91,	41

960	Exciton mapping at subwavelength scales in two-dimensional materials. <i>Physical Review Letters</i> , 2015 , 114, 107601	7.4	62
959	The rare two-dimensional materials with Dirac cones. 2015 , 2, 22-39		243
958	Multiple MoS ₂ Transistors for Sensing Molecule Interaction Kinetics. 2015 , 5, 10546		51
957	Thickness-dependent mobility in two-dimensional MoS ₂ transistors. 2015 , 7, 6255-60		54
956	Toxicity of exfoliated-MoS ₂ and annealed exfoliated-MoS ₂ towards planktonic cells, biofilms, and mammalian cells in the presence of electron donor. 2015 , 2, 370-379		54
955	Optical Absorption of Armchair MoS ₂ Nanoribbons: Enhanced Correlation Effects in the Reduced Dimension. 2015 , 119, 13901-13906		19
954	Substrate Facet Effect on the Growth of Monolayer MoS ₂ on Au Foils. 2015 , 9, 4017-25		78
953	Exceptional and Anisotropic Transport Properties of Photocarriers in Black Phosphorus. 2015 , 9, 6436-42		139
952	Single-Crystal Atomic-Layered Molybdenum Disulfide Nanobelts with High Surface Activity. 2015 , 9, 6478-83		57
951	Molecules in flatland. 2015 , 11, 448-449		5
950	Structural stability of single-layer MoS ₂ under large strain. 2015 , 27, 105401		21
949	Annealing and transport studies of suspended molybdenum disulfide devices. 2015 , 26, 105709		25
948	The structure and elastic properties of phosphorene edges. 2015 , 26, 235707		55
947	Flowerlike molybdenum sulfide/multi-walled carbon nanotube hybrid as Pt-free counter electrode used in dye-sensitized solar cells. 2015 , 173, 252-259		55
946	Evaluation of pulsed laser annealing for flexible multilayer MoS ₂ transistors. 2015 , 106, 113111		18
945	Effect of WO ₃ precursor and sulfurization process on WS ₂ crystals growth by atmospheric pressure CVD. 2015 , 156, 156-160		28
944	Surface Defects on Natural MoS ₂ . 2015 , 7, 11921-9		240
943	Two-dimensional arsenic monolayer sheet predicted from first-principles. 2015 , 24, 036301		8

942	Indirect Band Gap Emission by Hot Electron Injection in Metal/MoS ₂ and Metal/WSe ₂ Heterojunctions. 2015 , 15, 3977-82	46
941	Excitonic resonances in thin films of WSe ₂ : from monolayer to bulk material. 2015 , 7, 10421-9	219
940	Simultaneous self-exfoliation and autonomous motion of MoS ₂ particles in water. 2015 , 51, 9899-902	11
939	Line and Point Defects in MoSe ₂ Bilayer Studied by Scanning Tunneling Microscopy and Spectroscopy. 2015 , 9, 6619-25	63
938	Two step growth phenomena of molybdenum disulfide-tungsten disulfide heterostructures. 2015 , 51, 11213-6	21
937	Chalcogen vacancies in monolayer transition metal dichalcogenides and Fermi level pinning at contacts. 2015 , 106, 173106	121
936	Magneto-optics in transition metal diselenide monolayers. 2015 , 2, 034002	100
935	A novel optical property induced by MO, S vacancy and V-doped in monolayer MoS ₂ . 2015 , 73, 83-88	9
934	Van der Waals Epitaxy of Two-Dimensional MoS ₂ -Graphene Heterostructures in Ultrahigh Vacuum. 2015 , 9, 6502-10	126
933	Effect of hydrogen on the growth of MoS ₂ thin layers by thermal decomposition method. 2015 , 119, 204-208	23
932	Structure Identification of Two-Dimensional Colloidal Semiconductor Nanocrystals with Atomic Flat Basal Planes. 2015 , 15, 4477-82	63
931	Electron transfer kinetics on natural crystals of MoS ₂ and graphite. 2015 , 17, 17844-53	50
930	First-principles study of the sulfur K and L _{2,3} edges of transition metal disulfide monolayers, MS ₂ (M=Mo, W and Re). 2015 , 73, 198-206	8
929	Effects of substrate type and material-substrate bonding on high-temperature behavior of monolayer WS ₂ . 2015 , 8, 2686-2697	86
928	Colloidal synthesis of single-layer MSe ₂ (M = Mo, W) nanosheets via anisotropic solution-phase growth approach. 2015 , 137, 7266-9	127
927	Electrical Control of near-Field Energy Transfer between Quantum Dots and Two-Dimensional Semiconductors. 2015 , 15, 4374-80	81
926	Charge compressibility and quantum magnetic phase transition in MoS ₂ . 2015 , 91,	2
925	High Photoresponsivity and Short Photoresponse Times in Few-Layered WSe ₂ Transistors. 2015 , 7, 12080-8	87

924	Solution processed MoS ₂ -PVA composite for sub-bandgap mode-locking of a wideband tunable ultrafast Er:fiber laser. 2015 , 8, 1522-1534	210
923	The Dilute Magnetic Properties of Monolayer MoS ₂ Doped with Transition Metal Fe and VA Atoms. 2015 , 645-646, 15-20	1
922	Charge Transfer Excitons at van der Waals Interfaces. 2015 , 137, 8313-20	201
921	Charge trapping at the MoS ₂ -SiO ₂ interface and its effects on the characteristics of MoS ₂ metal-oxide-semiconductor field effect transistors. 2015 , 106, 103109	138
920	Investigation of second- and third-harmonic generation in few-layer gallium selenide by multiphoton microscopy. 2015 , 5, 10334	76
919	Raman spectra of few-layer phosphorene studied from first-principles calculations. 2015 , 27, 185302	29
918	Thermoelectric effects in graphene nanostructures. 2015 , 27, 133204	90
917	Manganese oxide nanosheets and a 2D hybrid of graphene/manganese oxide nanosheets synthesized by liquid-phase exfoliation. 2015 , 2, 025005	22
916	Tailoring Nanoscale Friction in MX ₂ Transition Metal Dichalcogenides. 2015 , 54, 5739-44	36
915	Synthesis of two-dimensional materials for beyond graphene devices. 2015 ,	1
914	A first-principles study on the magnetic properties of nonmetal atom doped phosphorene monolayers. 2015 , 17, 16341-50	75
913	2D materials and heterostructures for applications in optoelectronics. 2015 ,	1
912	Enhanced Resonant Tunneling in Symmetric 2D Semiconductor Vertical Heterostructure Transistors. 2015 , 9, 5000-8	43
911	Fe ₃ O ₄ @MoS ₂ Core/Shell Composites: Preparation, Characterization, and Catalytic Application. 2015 , 119, 13658-13664	123
910	Phase stability and Raman vibration of the molybdenum ditelluride (MoTe ₂) monolayer. 2015 , 17, 14866-71	70
909	Functionalized graphene and other two-dimensional materials for photovoltaic devices: device design and processing. 2015 , 44, 5638-79	238
908	Effect of disorder on Raman scattering of single-layer MoS ₂ . 2015 , 91,	380
907	Raman scattering studies of the lattice dynamics in layered MoS ₂ . 2015 , 66, 1575-1580	10

906 Plasma assisted tunable exciton states in monolayer MoS₂. **2015**,

905 Transforming bilayer MoS₂ into single-layer with strong photoluminescence using UV-ozone oxidation. **2015**, 8, 3878-3886 50

904 Electronic structures and elastic properties of monolayer and bilayer transition metal dichalcogenides MX₂ (M = Mo, W; X = O, S, Se, Te): A comparative first-principles study. **2015**, 24, 097103 66

903 Femtosecond Soliton Pulse Generation Using Evanescent Field Interaction Through Tungsten Disulfide (WS₂) Film. **2015**, 33, 3550-3557 40

902 Spin-orbit engineering in transition metal dichalcogenide alloy monolayers. **2015**, 6, 10110 142

901 2D materials via liquid exfoliation: a review on fabrication and applications. **2015**, 60, 1994-2008 180

900 Thermal conductivity of biaxial-strained MoS₂: sensitive strain dependence and size dependent reduction rate. **2015**, 26, 465707 40

899 1H and 1T polymorphs, structural transitions and anomalous properties of (Mo,W)(S,Se)₂ monolayers: first-principles analysis. **2015**, 2, 035013 37

898 Femtosecond spectroscopy on MoS₂ flakes from liquid exfoliation: surfactant independent exciton dynamics. **2015**, 10, 012508 5

897 PHYSICS. Opening the gate on superconductivity. **2015**, 350, 1316-7 3

896 WSe₂ Light-Emitting Tunneling Transistors with Enhanced Brightness at Room Temperature. **2015**, 15, 8223-8 183

895 Theoretical Insights to Niobium-Doped Monolayer MoS₂ Gold Contact. **2015**, 62, 2346-2351 11

894 Phase transition for edge band emergence induced by the edge relaxation of phosphorene ribbons. **2015**, 102, 290-294 1

893 Infrared light gated MoS₂ field effect transistor. **2015**, 23, 31908-14 15

892 Bandgap-tunable lateral and vertical heterostructures based on monolayer Mo_{1-x}W_xS₂ alloys. **2015**, 8, 3261-3271 46

891 3D Behavior of Schottky Barriers of 2D Transition-Metal Dichalcogenides. **2015**, 7, 25709-15 107

890 Two-dimensional materials as inorganic analogues of graphene: methods of preparation, optical properties, and applications. **2015**,

889 Vibrational and optical properties of MoS₂: From monolayer to bulk. **2015**, 70, 554-586 125

888	Optical nonlinearity of few-layer MoS ₂ devices and applications in short-pulse laser technology. 2015 ,	4
887	Q-switched ring-cavity erbium-doped fiber laser based on tungsten disulfide (WS ₂). 2015 ,	2
886	Chemical Vapor Deposition Growth of Graphene and Related Materials. 2015 , 84, 121013	18
885	MoS ₂ (1-x)Se _{2x} Nanobelts for Enhanced Hydrogen Evolution. 2015 , 185, 236-241	27
884	Thermoelectric Properties of Transition Metal Dichalcogenides: From Monolayers to Nanotubes. 2015 , 119, 26706-26711	61
883	Electrically Tunable Bandgaps in Bilayer MoS ₂ . 2015 , 15, 8000-7	127
882	Realizing semiconductor to metal transition in graphitic ZnO and MoS ₂ nanocomposite with external electric field. 2015 , 5, 99153-99163	17
881	Direct epitaxial CVD synthesis of tungsten disulfide on epitaxial and CVD graphene. 2015 , 5, 98700-98708	34
880	Passive Q-Switching of an All-Fiber Laser Using WS ₂ -Deposited Optical Fiber Taper. 2015 , 7, 1-7	12
879	Exciton states in monolayer MoSe ₂ : impact on interband transitions. 2015 , 2, 045005	55
878	Structural and electronic properties of atomically thin germanium selenide polymorphs. 2015 , 58, 929-935	38
877	First principles study of the electronic properties of a Ni ₃ (2,3,6,7,10,11-hexaaminotriphenylene) ₂ monolayer under biaxial strain. 2015 , 5, 55186-55190	14
876	Two-Dimensional Layered Materials-Based Spintronics. 2015 , 05, 1540011	8
875	Resonant Raman and photoluminescence spectra of suspended molybdenum disulfide. 2015 , 2, 044003	27
874	Comparison of MoS ₂ nanosheets and hierarchical nanospheres in the application of pulsed solid-state lasers. 2015 , 5, 2924	16
873	Building graphene p-n junctions for next-generation photodetection. 2015 , 10, 701-716	37
872	Chromium is proposed as an ideal metal to form contacts with monolayer MoS ₂ and WS ₂ . 2015 , 2, 106501	10
871	Interface engineering of electronic properties of graphene/boron nitride lateral heterostructures. 2015 , 2, 041001	34

870	Robust intrinsic ferromagnetism and half semiconductivity in stable two-dimensional single-layer chromium trihalides. 2015 , 3, 12457-12468	388
869	Two-dimensional materials for nanophotonics application. 2015 , 4, 128-142	76
868	Bandgap engineering in van der Waals heterostructures of blue phosphorene and MoS ₂ : A first principles calculation. 2015 , 231, 64-69	48
867	Enhancing photoluminescence of trion in single-layer MoS ₂ using p-type aromatic molecules. 2015 , 635, 40-44	33
866	Landau levels and Shubnikov-de Haas oscillations in monolayer transition metal dichalcogenide semiconductors. 2015 , 17, 103006	23
865	Nonanalyticity, Valley Quantum Phases, and Lightlike Exciton Dispersion in Monolayer Transition Metal Dichalcogenides: Theory and First-Principles Calculations. <i>Physical Review Letters</i> , 2015 , 115, 176801	130
864	Characterization of effective mobility by split C-V technique in MoS ₂ MOSFETs with high-k/metal gate. 2015 ,	
863	Investigation of electrical properties of contact between Molybdenum disulfide and different metals. 2015 ,	1
862	Growth and electronic structure of epitaxial single-layer WS ₂ on Au(111). 2015 , 92,	53
861	Effects of substrates on the nonlinear optical responses of two-dimensional materials. 2015 , 23, 31817-27	11
860	Analytical analysis of the contact resistance (R _c) of metal-MoS ₂ interface. 2015 ,	
859	Optical Properties of Atomically Thin Layered Transition Metal Dichalcogenide. 2015 , 84, 121009	10
858	Passive harmonic mode-locking of Er-doped fiber laser using CVD-grown few-layer MoS ₂ as a saturable absorber. 2015 , 24, 084206	6
857	Donor/acceptor and adsorbate effects over transport properties of Graphene Armchair Nanoribbon/MoS ₂ device. 2015 ,	
856	Cross-plane phonon transport properties of molybdenum disulphide. 2015 , 48, 465303	4
855	Phase transitions and optical properties of the semiconducting and metallic phases of single-layer MoS ₂ . 2015 , 26, 435705	12
854	Theoretical study of defect impact on two-dimensional MoS ₂ . 2015 , 36, 122002	35
853	Multilayer MoS ₂ prepared by one-time and repeated chemical vapor depositions: anomalous Raman shifts and transistors with high ON/OFF ratio. 2015 , 48, 435101	12

852	Large-area MoS ₂ grown using H ₂ S as the sulphur source. 2015 , 2, 044005	60
851	Chemical vapor deposition growth of a periodic array of single-layer MoS ₂ islands via lithographic patterning of an SiO ₂ /Si substrate. 2015 , 2, 045014	24
850	Ultrafast dynamics of defect-assisted electron-hole recombination in monolayer MoS ₂ . 2015 , 15, 339-45	411
849	Facile fabrication of wafer-scale MoS ₂ neat films with enhanced third-order nonlinear optical performance. 2015 , 7, 2978-86	49
848	Controllable Schottky barriers between MoS ₂ and permalloy. 2014 , 4, 6928	56
847	Highly sensitive detection of mercury(II) ions with few-layer molybdenum disulfide. 2015 , 8, 257-262	65
846	Plasmon resonances of highly doped two-dimensional MoS ₂ . 2015 , 15, 883-90	145
845	Structural and Electrical Properties of ([SnSe] _{1+x}) _n (NbSe ₂) ₁ Compounds: Single NbSe ₂ Layers Separated by Increasing Thickness of SnSe. 2015 , 27, 867-875	25
844	Anomalous excitonic resonance Raman effects in few-layered MoS ₂ . 2015 , 7, 3229-36	103
843	Rippling, buckling, and melting of single- and multilayer MoS ₂ . 2015 , 91,	37
842	Electronic, magnetic, optical, and edge-reactivity properties of semiconducting and metallic WS ₂ nanoribbons. 2015 , 2, 015002	17
841	Optically transparent thin-film transistors based on 2D multilayer MoS ₂ and indium zinc oxide electrodes. 2015 , 26, 035202	16
840	Doping properties of MoS ₂ /ZnO (0001) heterojunction ruled by interfacial micro-structure: From first principles. 2015 , 204, 67-71	17
839	Highly crystalline MoS ₂ thin films grown by pulsed laser deposition. 2015 , 106, 052101	93
838	Effects of excess sulfur source on the formation and photocatalytic properties of flower-like MoS ₂ spheres by hydrothermal synthesis. 2015 , 144, 153-156	52
837	Scaling laws of band gaps of phosphorene nanoribbons: A tight-binding calculation. 2015 , 91,	93
836	Electron-Phonon Interaction and Double-Resonance Raman Studies in Monolayer WS ₂ . 2015 , 119, 5146-5151	54
835	A green route to fabricate MoS ₂ nanosheets in water-ethanol-CO ₂ . 2015 , 51, 6726-9	55

834	Controlling Grain Size and Continuous Layer Growth in Two-Dimensional MoS ₂ Films for Nanoelectronic Device Application. 2015 , 14, 238-242		15
833	Quantum mechanical rippling of a MoS ₂ monolayer controlled by interlayer bilayer coupling. <i>Physical Review Letters</i> , 2015 , 114, 065501	7-4	19
832	Carrier plasmon induced nonlinear band gap renormalization in two-dimensional semiconductors. <i>Physical Review Letters</i> , 2015 , 114, 063001	7-4	95
831	Ridges and valleys on charged 1T-MoS ₂ sheets guiding the packing of organic cations. 2015 , 5, 19206-19212		14
830	Microwave near-field imaging of two-dimensional semiconductors. 2015 , 15, 1122-7		34
829	Electronic functionalisation of graphene via external doping and dosing. 2015 , 60, 133-149		8
828	Small molecules make big differences: molecular doping effects on electronic and optical properties of phosphorene. 2015 , 26, 095201		136
827	High-temperature performance of MoS ₂ thin-film transistors: Direct current and pulse current-voltage characteristics. 2015 , 117, 064301		29
826	Quantum confinement and quasiparticle corrections in HgS from first principles. 2015 , 636, 54-58		6
825	Role of Chemical Potential in Flake Shape and Edge Properties of Monolayer MoS ₂ . 2015 , 119, 4294-4301		141
824	Top-gated chemical vapor deposited MoS ₂ field-effect transistors on Si ₃ N ₄ substrates. 2015 , 106, 062101		64
823	Bandgap tunability at single-layer molybdenum disulphide grain boundaries. 2015 , 6, 6298		291
822	Effect of vacancies in monolayer MoS ₂ on electronic properties of Mo/MoS ₂ contacts. 2015 , 5, 20538-20544		35
821	Interlayer Electronic Coupling in Arbitrarily Stacked MoS ₂ Bilayers Controlled by Interlayer S _B Interaction. 2015 , 119, 1247-1252		24
820	Bifunctional sensing characteristics of chemical vapor deposition synthesized atomic-layered MoS ₂ . 2015 , 7, 2952-9		138
819	Wide-range controllable n-doping of molybdenum disulfide (MoS ₂) through thermal and optical activation. 2015 , 9, 2368-76		54
818	Environmental instability of few-layer black phosphorus. 2015 , 2, 011002		683
817	Electrostatically induced superconductivity at the surface of WS ₂ . 2015 , 15, 1197-202		116

816	Direct observation of interlayer hybridization and Dirac relativistic carriers in graphene/MoS ₂ /van der Waals heterostructures. 2015 , 15, 1135-40		142
815	Divide and polarize. 2015 , 11, 94-95		16
814	Carrier mobility of MoS ₂ nanoribbons with edge chemical modification. 2015 , 17, 6865-73		43
813	Large-area synthesis of WSe ₂ from WO ₃ by selenium-oxygen ion exchange. 2015 , 2, 014003		30
812	Low Schottky barrier black phosphorus field-effect devices with ferromagnetic tunnel contacts. 2015 , 11, 2209-16		102
811	Seeded growth of highly crystalline molybdenum disulphide monolayers at controlled locations. 2015 , 6, 6128		229
810	Controllable nondegenerate p-type doping of tungsten diselenide by octadecyltrichlorosilane. 2015 , 9, 1099-107		121
809	Layer-dependent electronic structure of an atomically heavy two-dimensional dichalcogenide. 2015 , 91,		66
808	Electronic structures and optical properties of partially and fully fluorinated graphene. <i>Physical Review Letters</i> , 2015 , 114, 047403	7.4	43
807	Native point defects in few-layer phosphorene. 2015 , 91,		96
806	Chemical vapor deposition of thin crystals of layered semiconductor SnS ₂ for fast photodetection application. 2015 , 15, 506-13		342
805	Field effect transistors with current saturation and voltage gain in ultrathin ReS ₂ . 2015 , 9, 363-70		147
804	Electronic structure of epitaxial single-layer MoS ₂ . <i>Physical Review Letters</i> , 2015 , 114, 046802	7.4	114
803	Controlled doping of large-area trilayer MoS ₂ with molecular reductants and oxidants. 2015 , 27, 1175-81		155
802	Valley Zeeman effect in elementary optical excitations of monolayer WSe ₂ . 2015 , 11, 141-147		477
801	Valley excitons in two-dimensional semiconductors. 2015 , 2, 57-70		188
800	Atomistic insight into the oxidation of monolayer transition metal dichalcogenides: from structures to electronic properties. 2015 , 5, 17572-17581		144
799	Photoluminescence and Raman mapping characterization of WS ₂ monolayers prepared using top-down and bottom-up methods. 2015 , 3, 2589-2592		33

798	Evolution of Raman Scattering and Electronic Structure of Ultrathin Molybdenum Disulfide by Oxygen Chemisorption. 2015 , 1, 1400037	11
797	Probing excitonic states in suspended two-dimensional semiconductors by photocurrent spectroscopy. 2014 , 4, 6608	285
796	Light-emitting diodes by band-structure engineering in van der Waals heterostructures. 2015 , 14, 301-6	1116
795	Enhancement of photoresponsive electrical characteristics of multilayer MoS ₂ transistors using rubrene patches. 2015 , 8, 790-800	21
794	Graphene versus MoS ₂ : A short review. 2015 , 10, 287-302	137
793	Nonlinear absorption, nonlinear scattering, and optical limiting properties of MoS ₂ -ZnO composite-based organic glasses. 2015 , 17, 6036-43	30
792	Photothermoelectric and photovoltaic effects both present in MoS ₂ . 2015 , 5, 7938	72
791	Geometric and electronic structures of mono- and di-vacancies in phosphorene. 2015 , 26, 065705	48
790	Electrical characterization and ammonia sensing properties of MoS ₂ /Si p \bar{n} junction. 2015 , 631, 105-110	41
789	Controllable synthesis of high quality monolayer WS ₂ on a SiO ₂ /Si substrate by chemical vapor deposition. 2015 , 5, 15795-15799	52
788	Broadband photodetectors based on graphene-Bi ₂ Te ₃ heterostructure. 2015 , 9, 1886-94	280
787	Electronic Structure of Twisted Bilayers of Graphene/MoS ₂ and MoS ₂ /MoS ₂ . 2015 , 119, 4752-4758	94
786	Stabilizing MoS ₂ Nanosheets through SnO ₂ Nanocrystal Decoration for High-Performance Gas Sensing in Air. 2015 , 11, 2305-13	265
785	Multilayered MoS ₂ nanoflakes bound to carbon nanotubes as electron acceptors in bulk heterojunction inverted organic solar cells. 2015 , 17, 275-280	20
784	One-Pot, Facile, and Versatile Synthesis of Monolayer MoS ₂ /WS ₂ Quantum Dots as Bioimaging Probes and Efficient Electrocatalysts for Hydrogen Evolution Reaction. 2015 , 25, 1127-1136	616
783	Evolution of electronic structure as a function of layer thickness in group-VIB transition metal dichalcogenides: emergence of localization prototypes. 2015 , 15, 949-57	57
782	Photoluminescence quenching and charge transfer in artificial heterostacks of monolayer transition metal dichalcogenides and few-layer black phosphorus. 2015 , 9, 555-63	145
781	Performance potential and limit of MoS ₂ transistors. 2015 , 27, 1547-52	76

780	Microlandscaping of Au nanoparticles on few-layer MoS ₂ films for chemical sensing. 2015 , 11, 1792-800	102
779	Synthesis and properties of molybdenum disulphide: from bulk to atomic layers. 2015 , 5, 7495-7514	227
778	Enhancement of magnetism by structural phase transition in MoS ₂ . 2015 , 106, 012408	82
777	Defect-induced photoluminescence in monolayer semiconducting transition metal dichalcogenides. 2015 , 9, 1520-7	295
776	Few-Layer MoS ₂ -Organic Thin-Film Hybrid Complementary Inverter Pixel Fabricated on a Glass Substrate. 2015 , 11, 2132-8	24
775	Optical, Vibrational, and Structural Properties of MoS ₂ Nanoparticles Obtained by Exfoliation and Fragmentation via Ultrasound Cavitation in Isopropyl Alcohol. 2015 , 119, 3791-3801	78
774	Controlled synthesis of single-crystal SnSe nanoplates. 2015 , 8, 288-295	170
773	Single-layer MoS ₂ electronics. 2015 , 48, 100-10	329
772	Tandem intercalation strategy for single-layer nanosheets as an effective alternative to conventional exfoliation processes. 2015 , 6, 5763	106
771	Seed growth of tungsten diselenide nanotubes from tungsten oxides. 2015 , 11, 2192-9	13
770	Thickness modulated MoS ₂ grown by chemical vapor deposition for transparent and flexible electronic devices. 2015 , 106, 012104	86
769	Coherent longitudinal acoustic phonon approaching THz frequency in multilayer Molybdenum Disulphide. 2014 , 4, 5722	56
768	MoS ₂ and semiconductors in the flatland. 2015 , 18, 20-30	126
767	Selective chemical vapor sensing with few-layer MoS ₂ thin-film transistors: Comparison with graphene devices. 2015 , 106, 023115	97
766	Electric field improved hydrogen storage of Ca-decorated monolayer MoS ₂ . 2015 , 379, 815-819	21
765	Strain-Induced Magnetism in Single-Layer MoS ₂ : Origin and Manipulation. 2015 , 119, 2822-2827	58
764	Direct bandgap transition in many-layer MoS ₂ by plasma-induced layer decoupling. 2015 , 27, 1573-8	90
763	Growth of three dimensional flower-like molybdenum disulfide hierarchical structures on graphene/carbon nanotube network: An advanced heterostructure for energy storage devices. 2015 , 280, 39-46	42

762	Vertical heterostructure of two-dimensional MoS ₂ and WSe ₂ with vertically aligned layers. 2015 , 15, 1031-5	168
761	Lighten the Olympia of the Flatland: Probing and Manipulating the Photonic Properties of 2D Transition-Metal Dichalcogenides. 2015 , 11, 3206-20	13
760	Wavelength tunable microdisk cavity light source with a chemically enhanced MoS ₂ emitter. 2015 , 15, 1967-71	50
759	Helicity-resolved Raman scattering of MoS ₂ /MoSe ₂ /WS ₂ and WSe ₂ atomic layers. 2015 , 15, 2526-32	186
758	Modification of electronic structure and thermoelectric properties of hole-doped tungsten dichalcogenides. 2015 , 91,	20
757	Trap density probing on top-gate MoS ₂ nanosheet field-effect transistors by photo-excited charge collection spectroscopy. 2015 , 7, 5617-23	56
756	Atomic layer deposition of MoS ₂ thin films. 2015 , 2, 035006	54
755	Discovery of Two-Dimensional Multinary Component Photocatalysts Accelerated by Machine Learning. 2022 , 13, 7228-7235	1
754	Functional Customization of Two-Dimensional Materials for Photocatalytic Activation and Conversion of Inert Small Molecules in Air. 2022 ,	0
753	Optical Anisotropy and Excitons in MoS ₂ Interfaces for Sensitive Surface Plasmon Resonance Biosensors. 2022 , 12, 582	0
752	Planar Optical Cavities Hybridized with Low-Dimensional Light-Emitting Materials. 2203889	1
751	Electronic and spintronic properties of Janus MSi ₂ PxAsy (M = Mo, W) monolayers. 2022 , 106,	0
750	Reduction in thermal conductivity of monolayer WS ₂ caused by substrate effect.	0
749	High-Performance Broad-Band Photodetection Based on Graphene/MoS ₂ xSe ₂ (1-x) Alloy Engineered Phototransistors. 2022 , 14, 34875-34883	0
748	Correlation of Atomic Structure and Luminescence of Two-dimensional MoSe ₂ /WSe ₂ In-plane Nanodot Heterostructures. 2022 , 28, 1954-1956	
747	Tunable Topological Phase Transition in Two-Dimensional Ternary Transition Metal Halides TlXl (X = P and As). 9,	
746	Strain-Induced Performance Enhancement of a Monolayer Photodetector via Patterned Substrate Engineering. 2022 , 14, 36052-36059	2
745	Controllable Synthesis of Large-Scale Monolayer MoS ₂ Dendritic Flakes with Serrated Edges and Their Multimodal Microscopy and AFM Characterizations. 2022 , 126, 13449-13457	0

- 744 Recent progress in the edge reconstruction of two-dimensional materials. **2022**, 55, 414003 1
- 743 Electric Fields and Strains Effect on the Electronic and Optical Properties of Zr₂CO₂/MoSSe van der Waals Heterostructure. **2022**, 104295 0
- 742 P-type Ohmic contacts of MBenes with MoS₂ for nanodevices and logic circuits.
- 741 Transmission-Electron-Microscopy-Generated Atomic Defects in Two-Dimensional Nanosheets and Their Integration in Devices for Electronic and Optical Sensing. **2022**, 5, 11429-11436
- 740 Research progress on improving the performance of MoS₂ photodetector. 0
- 739 Valley-magnetophonon resonance for interlayer excitons. **2022**, 9, 045016 1
- 738 Intergranular Diffusion-Assisted Liquid-Phase Chemical Vapor Deposition for Wafer-Scale Synthesis of Patternable 2D Semiconductors. 2205695 0
- 737 Efficient Quadrature Squeezing from Biexcitonic Parametric Gain in Atomically Thin Semiconductors. **2022**, 129, 0
- 736 Magneto-optical measurements of the negatively charged 2s exciton in WSe₂. **2022**, 106,
- 735 Direct growth of monolayer MoS₂ on nanostructured silicon waveguides. **2022**, 1
- 734 Pronounced Optoelectronic Effect in nB ReS₂ Homostructure. 1
- 733 Enhancement of valley polarization in CVD grown monolayer MoS₂ films. **2022**, 121, 072103 0
- 732 Theoretical studies of valleytronic and optical properties in monolayer MoP₂X₂Y₂ (XY=BT_e,AlS₂,. **2022**, 106,
- 731 Electronic gap characterization at mesoscopic scale via scanning probe microscopy under ambient conditions. **2022**, 13, 0
- 730 Ammonium Hydroxide-Assisted Growth of Large-Scale Single-Crystalline Molybdenum Disulfide. 1067, 121-129
- 729 Structural and Electronic Properties of SnO Downscaled to Monolayer. **2022**, 15, 5578 0
- 728 MoS₂ Transistors with Low Schottky Barrier Contact by Optimizing the Interfacial Layer Thickness. **2022**, 15, 6169
- 727 Excitonic performance and ultrafast dynamics in defective WSe₂. **2022**, 121, 083102 1

- 726 Massive Dirac fermions in moiré superlattices: A route towards topological flat minibands and correlated topological insulators. **2022**, 4, 0
- 725 Tunable Optoelectronic Properties of Bilayer MoS₂ Via Interlayer Twist and Uniaxial Strain. 0
- 724 Intrinsic dipole-induced self-doping in Janus MXY-based (M=Mo, W; X=S; Y=Se, Te) p-n junction. 1
- 723 Polarized Photoluminescence Enhancement of Monolayer MoS₂ Coupled with Plasmonic Salisbury-Type Absorber. 2200008
- 722 Preparation and Charge Transfer at Sb₂Se₃/1L-MoS₂ Heterojunction. **2022**, 11, 2574
- 721 Strong and Localized Luminescence from Interface Bubbles Between Stacked hBN Multilayers. **2022**, 13, 1
- 720 An Automated System for Strain Engineering and Straintronics of 2D Materials. 2201091 1
- 719 Super-resolved discrimination of nanoscale defects in low-dimensional materials by near-field photoluminescence spectral imaging. **2022**, 47, 4227
- 718 The High Photoresponse of Stress-Tuned MoTe₂ Optoelectronic Devices in the Telecommunication Band. 2200276
- 717 Improved rectification characteristics of the GR/Blue P/GR selector by doping: First-principles study. **2022**, 132, 085702
- 716 Fabrication of high-quality PMMA/SiO_x spaced planar microcavities for strong coupling of light with monolayer WS₂ excitons. **2022**, 121, 081105 0
- 715 Upconversion photoluminescence excitation reveals exciton–trion and exciton–biexciton coupling in hBN/WS₂/hBN van der Waals heterostructures. **2022**, 12,
- 714 Engineering spin-orbit effects and Berry curvature by deposition of a monolayer of Eu on WSe₂. **2022**, 106,
- 713 First-principles insights into the spin-valley physics of strained transition metal dichalcogenides monolayers. **2022**, 24, 083004 3
- 712 A novel magnetic tunnel junction fabricated by robust intrinsic van der Waals half-metals. **2022**, 102293
- 711 Toxicity Analysis of Nano-Minimum Quantity Lubrication Machining: A Review. **2022**, 10, 176 2
- 710 Magnetic Field Alignment and Optical Anisotropy of MoS₂ Nanosheets Dispersed in a Liquid Crystal Polymer. 7994-8001
- 709 A brief review on the spin valve magnetic tunnel junction composed of 2D materials. **2022**, 55, 423001 2

708	Tuning moiré excitons and correlated electronic states through layer degree of freedom. 2022 , 13,	2
707	Quantum confinement in chalcogenides 2D nanostructures from first principles. 2022 , 34, 405301	0
706	Composite excitonic states in doped semiconductors. 2022 , 106,	0
705	Large Memory Window of van der Waals Heterostructure Devices Based on MOCVD-Grown 2D Layered Ge 4 Se 9. 2204982	1
704	Probing Chemical Vapor Deposition Growth Mechanism of Polycrystalline MoSe ₂ by Near-Field Photoluminescence. 2022 , 126, 13821-13829	1
703	Interplay between optical vortices and condensed matter. 2022 , 94,	1
702	Strain modulated electronic and optical properties of laterally stitched MoSi ₂ N ₄ /XSi ₂ N ₄ (X=W, Ti) 2D heterostructures. 2022 , 115471	1
701	Interlayer Coupling: An Additional Degree of Freedom in Two-Dimensional Materials. 2022 , 16, 11498-11503	3
700	Ultrahigh Responsive Negative Photoconductivity Photodetector Based on Multilayer Graphene/InSe van der Waals Heterostructure. 2022 , 100484	3
699	Electroluminescence of monolayer WS ₂ in a scanning tunneling microscope: Effect of bias polarity on spectral and angular distribution of emitted light. 2022 , 106,	1
698	A review of heteroatomic doped two-dimensional materials as electrocatalysts for hydrogen evolution reaction. 2022 ,	1
697	Synthesis of monolayer 2D MoS ₂ quantum dots and nanomesh films by inorganic molecular chemical vapor deposition for quantum confinement effect control.	1
696	Improved strain engineering of 2D materials by adamantane plasma polymer encapsulation.	
695	Phase transitions and suppression of magnetoresistance in WTe _{2-x} Se _x system.	
694	Electrical and optical properties of InSe with various interfaces. 2022 , 121, 071603	
693	Exciton-driven renormalization of quasiparticle band structure in monolayer MoS ₂ . 2022 , 106,	0
692	Advances in Two-Dimensional Materials for Optoelectronics Applications. 2022 , 12, 1087	3
691	Flexible, Transparent, and Broadband Trilayer Photodetectors Based on MoS ₂ /WS ₂ Nanostructures.	0

- 690 Converting a Monolayered NbSe₂ into an Ising Superconductor with Nontrivial Band Topology via Physical or Chemical Pressuring. **2022**, 22, 6767-6774 ○
- 689 Improving photodetection performance of ReS₂@Ti₃C₂ composite by efficient charge transportation. **2022**, 221, 111004 ○
- 688 Thermal stability and high-temperature photoluminescence of chemical vapor deposited MoS₂ in different atmosphere. **2022**, 40, 052201
- 687 Two-dimensional bilayer MoS₂ flakes with variable size of the upper layer grown by chemical vapor deposition. **2022**, 169, 207358
- 686 Ultrafast photoresponse in n-MoS₂/AlN/p-Si (SIS) heterojunction based visible to NIR photodetectors. **2022**, 246, 111942 ○
- 685 Band gap engineering of the top layer of mica by organized defect formation. **2022**, 33, 102283
- 684 Electronic, optical and thermoelectric properties of WSe₂/hN 2D interface: A DFT study. **2022**, 354, 114889
- 683 Effect of flexoelectricity on a bilayer molybdenum disulfide Schottky contact. **2022**, 102, 107701 1
- 682 Towards a DFT-based layered model for TCAD simulations of MoS₂. **2022**, 197, 108437 ○
- 681 Van der Waals heterostructures in ultrathin 2D solar cells: State-of-the-art review. **2022**, 285, 115936 ○
- 680 Effect of different dielectrics on performance of sub-5.1 nm blue phosphorus Schottky barrier field-effect transistor from quantum transport simulation. **2022**, 43, 29-35 ○
- 679 Stable single layer structures of aluminum oxide: Vibrational and electronic characterization of magnetic phases. **2022**, 214, 111745
- 678 Interlayer interactions in transition metal dichalcogenides heterostructures. **2022**, 9, 100077
- 677 MoS₂/p-Si heterojunction with graphene interfacial layer for high performance 940 nm infrared photodetector. **2022**, 604, 154485 ○
- 676 Ab initio investigation of the interface between Mo₁₀S₂₄ nanoflakes and the Au(111) surface: Interplay between interaction energy and morphology. **2022**, 604, 154413
- 675 Probing the interfacial interactions of N719 with MoS₂ using intrinsic surface enhanced Raman scattering. **2022**, 604, 154581
- 674 Disorder of Excitons and Trions in Monolayer MoSe₂. 1
- 673 Low temperature CVD growth of WSe₂ enabled by moisture-assisted defects in the precursor powder. **2022**, 9, 045026 ○

- 672 Review Recent Advances in MoS₂ and Its Derivatives-Based Two-Dimensional Gas Sensors. **2022**, 11, 097003 0
- 671 Spin filtering effect in all-van der Waals heterostructures with WSe₂ barriers. **2022**, 6, 112996 0
- 670 Band structures of molecular beam epitaxially grown MoSe₂/WSe₂ heterobilayers with different stacking orders on SrTiO₃(111) substrate. **2022**, 121, 113103 0
- 669 A comprehensive review of synthesis, structure, properties, and functionalization of MoS₂; emphasis on drug delivery, photothermal therapy, and tissue engineering applications. **2022**, 76, 103767 1
- 668 Tunneling FET Based on Monolayer Antimonene: The Role of Vacancy. **2022**, 69, 5934-5939 0
- 667 Piezoelectricity and optical properties of janus MXY (M = Sb, As; X = Te, Se; Y = Br, I) monolayers. **2022**, 170, 207396 1
- 666 Recent advances in metallic transition metal dichalcogenides as electrocatalysts for hydrogen evolution reaction. **2022**, 25, 105098 2
- 665 A Type-II WSe₂/BP heterostructure with adjustable electronic properties under external electric field and biaxial strain. **2022**, 251, 119256 0
- 664 Transition metal dichalcogenides: Synthesis and use in the development of electrochemical sensors and biosensors. **2022**, 216, 114674 3
- 663 Janus B₂XY (X, Y = S, Se, Te) monolayers as piezoelectric Materials: A First-Principle study. **2022**, 806, 140007 0
- 662 Thickness-dependent optical response and ultrafast carrier dynamics of PtSe₂ films. **2022**, 42, 106012 1
- 661 Electric field- and polarisation-dependent two-photon absorption in bilayer black phosphorus. **2022**, 133, 112996 0
- 660 Synergistic effect of hafnium doping in tin diselenide for enhanced photodetection application. **2022**, 133, 112909 0
- 659 Stepwise sulfurization of MoO₃ to MoS₂ thin films studied by real-time X-ray scattering. **2022**, 606, 154772 0
- 658 Emergence of Rashba splitting and spin-valley properties in Janus MoGeSiP₂As₂ and WGeSiP₂As₂ monolayers. **2022**, 563, 169897 2
- 657 One-dimensional van der Waals material InSeI with large band-gap for optoelectronic applications. **2022**, 927, 166995 0
- 656 Two-dimensional GaS/MoTe₂ van der Waals heterostructures with tunable electronic and optical properties. **2022**, 152, 107103 0
- 655 Effects of S-vacancy on electrical performance of monolayer TMD nanoribbons field-effect transistor. **2022**, 152, 107080 0

- 654 Nanoarchitected assembly and surface of two-dimensional (2D) transition metal dichalcogenides (TMDCs) for cancer therapy. **2022**, 472, 214765 1
- 653 Rationally designed WS₂/C₂N layered heterostructures for enhanced photocatalytic hydrogen evolution: Interface and bandgap engineering. **2022**, 605, 154720 0
- 652 Bandgap analysis of transition-metal dichalcogenide and oxide via machine learning approach. **2022**, 171, 110973 0
- 651 Construction of strongly coupled few-layer FePSe₃-CNT hybrids for high performance potassium-ion storage devices. **2023**, 451, 139013 0
- 650 Electric field tunability of the electronic properties and contact types in the MoS₂/SiH heterostructure. **2022**, 12, 24172-24177 0
- 649 High-performance 2D/3D hybrid dimensional p_n heterojunction solar cell with reduced recombination rate by an interfacial layer. 0
- 648 BOLTZMANN TRANSPORT EQUATION FOR THERMAL TRANSPORT IN ELECTRONIC MATERIALS AND DEVICES. **2022**, 24, 131-172 0
- 647 Molten-droplet-driven growth of MoS₂ flakes with controllable morphology transition for hydrogen evolution reactions. **2022**, 51, 13351-13360 0
- 646 Tailoring optoelectronic properties and dielectric profiles of few-layers S-doped MoO₃ and O-doped MoS₂ nanosheets: a first-principles study. 0
- 645 Chapter 1. Introduction. **2022**, 1-32 0
- 644 Introduction to 2-Dimensional Materials and Moiré Superlattices. **2022**, 5-28 0
- 643 Activation of MoS₂ monolayer electrocatalysts via reduction and phase control in molten sodium for selective hydrogenation of nitrogen to ammonia. **2022**, 13, 9498-9506 2
- 642 Structural and electronic properties of MoS₂/WS₂ heterostructure. **2022**, 0
- 641 Recent advances in TMD interfaces with seamless contacts. 2
- 640 Local strain and tunneling current modulate excitonic luminescence in MoS₂ monolayers. **2022**, 12, 24922-24929 0
- 639 Abnormally weak intervalley electron scattering in MoS₂ monolayer: insights from the matching between electron and phonon bands. **2022**, 14, 12007-12012 0
- 638 First-principles investigation of in-plane anisotropies in XYTe₄ monolayers with X = Hf, Zr, Ti and Y = Si, Ge. **2022**, 24, 22806-22814 0
- 637 Several semiconducting two-dimensional silicon nanosheets assembled from zigzag silicene nanoribbons. **2022**, 14, 14038-14045 0

- 636 A multi-process model for the photocatalytic reduction of CO₂. **2022**, 24, 22231-22240 1
- 635 Vertically oriented ReS₂(1-x)Se_{2x} nanosheet-formed porous arrays on SiO₂/Si substrates for ultraviolet-visible photoelectric detection. 0
- 634 Highly stable 1T-MoS₂ by magneto-hydrothermal synthesis with Ru modification for efficient hydrogen evolution reaction. 0
- 633 Molybdenum(iv) dithiocarboxylates as single-source precursors for AACVD of MoS₂ thin films. **2022**, 51, 12540-12548 0
- 632 Confinement catalysis of a single atomic vacancy assisted by aliovalent ion doping enabled efficient NO electroreduction to NH₃. **2022**, 10, 18690-18700 16
- 631 The nearly free electron states and the conductivity limited by electron-phonon scattering of an OH-terminated MXene material, a case study of the Hf₂C(OH)₂ monolayer. 1
- 630 Emulating synaptic behavior in surface-functionalized MoS₂ through modulation of interfacial charge transfer via external stimuli. 0
- 629 Semiconductor optics. **2022**, 0
- 628 Thesis Outline. **2022**, 1-3 0
- 627 Ionothermally synthesized S-scheme isotype heterojunction of carbon nitride with significantly enhanced photocatalytic performance for hydrogen evolution and carbon dioxide reduction. **2023**, 201, 815-828 1
- 626 Dimethyl 2-Methylglutarate (Iris): A Green Platform for Efficient Liquid-Phase Exfoliation of 2D Materials. 2200277 1
- 625 Flake Size Limits for Growth of Vertically Stacked Two-Dimensional Materials by Analytical Diffusion-Based Kinetic Model. **2022**, 22, 5264-5271 0
- 624 Observation of Third Harmonic Generation in Two-Dimensional MoS₂ Semiconductor Using Terahertz Free-Electron Laser. **2022**, 0
- 623 Intense infrared lasers for strong-field science. 3
- 622 Thickness Dependent Ultrafast Charge Transfer in BP/MoS₂ Heterostructure. 2206952 0
- 621 Geometry-modulated dipole polarizability of the two-dimensional Mott-Wannier excitons in gate-defined anisotropic quantum dot. **2022**, 12, 0
- 620 Mesoporous MoS₂ incorporated zirconia nanocomposites: Simple synthesis, characterization and photocatalytic desulfurization of thiophene under visible light. **2022**, 0
- 619 Synthesis of Graphene and Related Materials by Microwave-Excited Surface Wave Plasma CVD Methods. **2022**, 2, 160-184 0

618	Multi-color Q-switched of neodymium-doped all-fiber laser based on tungsten disulfide saturable absorber. 2022 , 33, 21569-21575	0
617	Quasi-Continuous Tuning of Carrier Polarity in Monolayered Molybdenum Dichalcogenides through Substitutional Vanadium Doping. 2204760	0
616	Highly sensitive and selective detection of the pancreatic cancer biomarker CA 19-9 with the electrolyte-gated MoS ₂ -based field-effect transistor immunosensor.	1
615	Ultrasonication assisted exfoliation of MoSe ₂ nanosheets for optical and optical power limiting applications. 2022 , 132, 103101	0
614	Polarized Moiré Phonon and Strain-Coupled Phonon Renormalization in Twisted Bilayer MoS ₂ . 2022 , 126, 15788-15794	0
613	Quantitative determination of interlayer electronic coupling at various critical points in bilayer MoS ₂ . 2022 , 106,	0
612	The effect of tungsten (W) concentration and sulfuration on morphology and optical properties and tuning of the band gap of 2D-MoS ₂ thin films. 2022 , 54,	0
611	Carrier Multiplication in Transition Metal Dichalcogenides Beyond Threshold Limit. 2203400	1
610	Strain-induced structural, elastic, and electronic properties of 1L-MoS ₂ .	0
609	Engineering WS ₂ exciton polarization by an anisotropic organic substrate. 2022 , 132, 114302	0
608	Gate-Tunable Junctions within Monolayer MoS ₂ /WS ₂ Lateral Heterostructures.	0
607	Study of MoS ₂ Deposited by ALD on c-Si, Towards the Development of MoS ₂ /c-Si Heterojunction Photovoltaics. 2022 , 12, 1363	1
606	Pressure Tuning Resonance Raman Scattering in Monolayer, Trilayer, and Many-Layer Molybdenum Disulfide.	0
605	Room-Temperature Deep-UV Photoluminescence from Low-Dimensional Hexagonal Boron Nitride Prepared Using a Facile Synthesis. 2022 , 7, 33926-33933	1
604	One-Step Epitaxial Growth of Multilayer MoS ₂ /SnS ₂ Vertical Nanosheets for High-Performance Photodetectors.	0
603	Recent Advances in 2D-MXene Based Nanocomposites for Optoelectronics. 2200556	4
602	Interface Capture Effect Printing Atomic-thick Two-dimensional Semiconductor Thin Film. 2207392	0
601	Perspective of Vanadium Disulfide: A Rising Star Finds Plenty of Room in Single and Multielectron Energy Storage.	1

600	Symmetric domain segmentation in WS ₂ flakes: correlating spatially resolved photoluminescence, conductance with valley polarization. 2022 , 33, 495203	0
599	Reconfigurable band alignment of mTaN/nTe ₂ (X=Mo, W) multilayer van der Waals heterostruct. 2022 , 106,	1
598	Designing high-efficiency metal and semimetal contacts to two-dimensional semiconductor EGeSe. 2022 , 121, 113104	2
597	Exciton resonances for atomically-thin optics. 2022 , 132, 091102	0
596	Two-Dimensional Mechanics of Atomically Thin Solids on Water. 2022 , 22, 7180-7186	0
595	Ultrasmall SnS ₂ quantum dotBased photodetectors with high responsivity and detectivity. 2022 ,	0
594	Valley Relaxation of the MoirExcitons in a WSe ₂ /MoSe ₂ Heterobilayer.	0
593	Self-Powered 2D MoS ₂ /WO _x /WSe ₂ Heterojunction Photodetector Realized by Oxygen Plasma Treatment. 2201785	0
592	Probing Excitonic Rydberg States by Plasmon Enhanced Nonlinear Optical Spectroscopy in Monolayer WS ₂ at Room Temperature.	0
591	Laser-assisted growth of hierarchically architected 2D MoS ₂ crystals on metal substrate for potential energy applications. 2022 , 4, 045102	1
590	Confined Monolayer Ag As a Large Gap 2D Semiconductor and Its Momentum Resolved Excited States.	0
589	Direct Observation of Increased Free Carrier Generation Owing to Reduced Exciton Binding Energies in Polymerized Small-Molecule Acceptors. 2022 , 13, 8816-8824	1
588	Exciton-coupled coherent magnons in a 2D semiconductor. 2022 , 609, 282-286	4
587	2D Xenes: Optical and Optoelectronic Properties and Applications in Photonic Devices. 2206507	0
586	Microscopic Image Deblurring by a Generative Adversarial Network for 2D Nanomaterials: Implications for Wafer-Scale Semiconductor Characterization. 2022 , 5, 12855-12864	2
585	Inkjet-printed, large-area, flexible photodetector array based on electrochemical exfoliated MoS ₂ film for photoimaging.	1
584	Controllable substitutional vanadium doping in wafer-scale molybdenum disulfide films.	0
583	Transition Metal Dichalcogenides Interfacing Photoactive Molecular Components for Managing Energy Conversion Processes. 2200097	1

582	Photoluminescence Path Bifurcations by Spin Flip in Two-Dimensional CrPS4.	0
581	Capacitively and Inductively Coupled Excitons in Bilayer MoS2. 2022 , 129,	0
580	Light-induced topological phases in two-dimensional gapped Dirac materials. 2022 , 106,	0
579	Tuning Schottky Barrier of Single-Layer MoS2 Field-Effect Transistors with Graphene Electrodes. 2022 , 12, 3038	1
578	Group-VI-Chalcogenide-Based Nanomaterials in Photo/Thermal Organic Transformations.	1
577	Phonon-limited transport of two-dimensional semiconductors: Quadrupole scattering and free carrier screening. 2022 , 106,	1
576	One-Step Exfoliation Method for Plasmonic Activation of Large-Area 2D Crystals. 2204247	0
575	A Versatile Approach to Create Nanobubbles on Arbitrary Two-Dimensional Materials for Imaging Exciton Localization. 2201079	0
574	In-fibre second-harmonic generation with embedded two-dimensional materials.	2
573	High-Performance van der Waals Photodetectors Based on 2D RuddlesdenPopper Perovskite/MoS2 Heterojunctions. 2022 , 126, 16349-16356	0
572	Effect of Pt Decoration on the Optical Properties of Pristine and Defective MoS2: An Ab-Initio Study. 2022 , 23, 11199	0
571	Study of Structural and Electronic Properties of 2D WSe2 Monolayer. 2023 , 599-604	0
570	Superacid Treatment on Transition Metal Dichalcogenides. 2022 , 3, 034002	1
569	Mid- to Far-Infrared Anisotropic Dielectric Function of HfS 2 and HfSe 2. 2200933	0
568	Reduced dopant-induced scattering in remote charge-transfer-doped MoS 2 field-effect transistors. 2022 , 8,	2
567	Atomistic reaction mechanism of CVD grown MoS2 through MoO3 and H2S precursors. 2022 , 12,	0
566	Optical Soldering of MoS 2 Layers for Defect Structure Formation with Induced Photoluminescence. 2201583	0
565	Chemically exfoliated nanosheets of Bi2O3. 2022 , 5, 044004	0

- 564 Two-Dimensional Semiconductors for Photodetection. 1-22 o
- 563 Intrinsic properties of metallic edge states in MoS₂ nanobelt. o
- 562 Molecular Engineering Strategies toward Molybdenum Diselenide Design for Energy Storage and Conversion. 2202600 1
- 561 First-Principles Study of Enhanced Absorption in Van der Waals Heterostructure of MoS₂/Cd_{0.90}Zn_{0.10}Te_{0.93}Se_{0.07} in the Visible Region. **2022**, 51, 6595-6602 o
- 560 Novel two-dimensional PdSe phase: A puckered material with excellent electronic and optical properties. **2022**, 17, 1
- 559 Lattice dynamics, elastic, magnetic, thermodynamic and thermoelectric properties of the two-dimensional semiconductors MPSe₃ (M=Cd, Fe and Ni): a first-principles study. o
- 558 Low-power double-gate MoS₂ negative capacitance transistors with near-zero DIBL. **2022**, 37, 115005 o
- 557 Charge carrier dynamics in 2D materials probed by ultrafast THz spectroscopy. **2023**, 8, o
- 556 Interfacial Coupling and Modulation of van der Waals Heterostructures for Nanodevices. **2022**, 12, 3418 o
- 555 Enhancing Ground-State Population and Macroscopic Coherence of Room-Temperature WS₂ Polaritons through Engineered Confinement. **2022**, 129, o
- 554 Effect of Mo Vacancy on the Photoresponse of Bilayer MoS₂ Film. **2022**, 31, 107-109 o
- 553 Phonon anharmonicity and thermal conductivity of two-dimensional van der Waals materials: A review. **2022**, 65, o
- 552 Tuning photoluminescence behaviors in strained monolayer belt-like MoS₂ crystals confined on TiO₂(001) surface. **2022**, 32, o
- 551 MoS₂/TiO₂ van der Waals heterostructures for promising photocatalytic performance: a first-principles study. o
- 550 ZnPSe₃ as ultrabright indirect band-gap system with microsecond excitonic lifetimes. **2022**, 119, 1
- 549 2D-TMDs based electrode material for supercapacitor applications. 2
- 548 Tunable, stable, and reversible n-type doping of MoS₂ via thermal treatment in N-methyl-2-pyrrolidone. **2022**, 33, 50LT01 o
- 547 High-Luminescence and Submillimeter-Scale MoS₂ Monolayer Growth Using Combinational Phase Precursors via Chemical Vapor Deposition. o

- 546 Characterizations of MoS₂ nanosphere fabricated using vacuum thermal evaporation at steady and rapid heating. **2022**, ○
- 545 Temperature dependent studies on centimeter-scale MoS₂ and vdW heterostructures. **2022**, 33, 505503 ○
- 544 The trilayer exciton emission in WSe₂/WS₂/MoS₂ van der Waals heterostructures. **2022**, 121, 143101 ○
- 543 Raman tensor studies on defective non-van der Waals Bi₂O₂Se. **2022**, 12, 105105 ○
- 542 Investigation of two-dimensional HfS₂/PtSSe heterostructure with strong visible light adsorption and strain tunable bandgap. **2022**, 55, 475301 ○
- 541 P-Type Nb-Doped MoS₂ Layer for Solar-Cell Application. ○
- 540 Band alignment and interlayer hybridisation in transition metal dichalcogenide/hexagonal boron nitride heterostructures. ○
- 539 Ab Initio Study of Electronic and Lattice Dynamical Properties of Monolayer ZnO Under Strain. ○
- 538 Optically Controlled Valley Filter and Transistor Based on Transition-Metal Dichalcogenide Planar Heterojunctions. **2022**, 18, 1
- 537 Signatures of Lifshitz transition in the optical conductivity of two-dimensional tilted Dirac materials. **2022**, 106, ○
- 536 Evolution of Raman and photoluminescence spectral characteristics of monolayer CVD-MoS₂ over a wide temperature range. **2022**, 123, 103443 ○
- 535 Synthesis and characterization of surfactant assisted MoS₂ for degradation of industrial pollutants. **2022**, 133, 113033 ○
- 534 Van der Waals semiconductor embedded transparent photovoltaic for broadband optoelectronics. **2022**, 34, 102369 ○
- 533 Lattice Design for Non-Carbon Two-Dimensional Allotropic Modifications. **2021**, 3, 19-23 1
- 532 The zoology of two-dimensional van der Waals materials. **2022**, ○
- 531 Electron-phonon interaction and ultrafast photoemission from doped monolayer MoS₂. **2022**, 24, 25298-25306 ○
- 530 Thermoelectric performance of novel single-layer ZrTeSe₄. ○
- 529 First-principles study on the structural properties of 2D MXene SnSiGeN₄ and its electronic properties under the effects of strain and an external electric field. **2022**, 12, 29113-29123 ○

- 528 Ultrahigh thermoelectric performance of Janus HfTe_2 and BiTe_2 monolayers. ○
- 527 A pentagonal 2D layered PdSe_2 -based synaptic device with a graphene floating gate. ○
- 526 Two-dimensional van der Waals heterostructures (vdWHs) with band alignment transformation in multi-functional devices. **2022**, 12, 31456-31465 ○
- 525 Transition metal dichalcogenide magnetic atomic chains. ○
- 524 Theoretically evaluating two-dimensional tetragonal Si_2Se_2 and SiSe_2 nanosheets as anode materials for alkali metal-ion batteries. **2022**, 24, 26241-26253 ○
- 523 Molybdenum disulfide (MoS_2) based photoredox catalysis in chemical transformations. **2022**, 12, 29826-29839 1
- 522 Synthesis of Transition Metal Dichalcogenides (TMDs). **2022**, 155-179 ○
- 521 Short-Term Plasticity in 2D Materials for Neuromorphic Computing. **2022**, 33-53 ○
- 520 Emerging laser-assisted vacuum processes for ultra-precision, high-yield manufacturing. ○
- 519 Anisotropic dependence of radiation from excitons in $\text{Ga}_2\text{O}_3/\text{MoS}_2$ heterostructure. **2022**, 12, 30322-30327 ○
- 518 Data-Driven Machine Learning to Predict Mechanical Properties of Monolayer Transition-Metal Dichalcogenides for Applications in Flexible Electronics. 1
- 517 Investigating the Enhanced Photoresponse in MoS_2/GaAs Heterojunction. ○
- 516 Strong Photoluminescence Enhancement in Molybdenum Disulfide in Aqueous Media. **2022**, 38, 13048-13054 ○
- 515 Electronic Band Gap Tuning and Calculations of Mechanical Strength and Deformation Potential by Applying Uniaxial Strain on MX_2 ($\text{M} = \text{Cr}, \text{Mo}, \text{W}$ and $\text{X} = \text{S}, \text{Se}$) Monolayers and Nanoribbons. ○
- 514 The effects of point defect type, location, and density on the Schottky barrier height of Au/MoS_2 heterojunction: a first-principles study. **2022**, 12, ○
- 513 Optoelectronics of Atomic Metal-Semiconductor Interfaces in Tin-Intercalated MoS_2 . **2022**, 16, 17080-17086 1
- 512 Two-dimensional heterostructures formed by graphenelike ZnO and MgO monolayers for optoelectronic applications. **2022**, 6, ○
- 511 The origin of edge-enhanced second harmonic generation in monolayer MoS_2 flakes. **2022**, 12, 105009 ○

510	Semimetal transition in curved MoS ₂ /MoSe ₂ Van der Waals heterojunction by dispersion-corrected density functional theory.	1
509	Tailoring Exciton Diffusion Length in ZnO@MoS ₂ Core/Shell/Polyaniline Nanocomposite Films and Photocurrent Generation Applications.	1
508	2D Van der Waals Heterostructures for Chemical Sensing. 2207065	3
507	Carrier trapping centers in a two-dimensional silica bilayer: Strongly localized shallow gap states and resonances induced by oxygen vacancies. 2022 , 106,	0
506	Thickness- and Twist-Angle-Dependent Interlayer Excitons in Metal Monochalcogenide Heterostructures.	0
505	Formation of One-Dimensional van der Waals Heterostructures via Self-Assembly of Blue Phosphorene Nanoribbons to Carbon Nanotubes.	0
504	Roadmap on Chalcogenide Photonics.	1
503	Research progress of 1T-MoS ₂ in electrocatalytic hydrogen evolution. 2022 ,	0
502	Recent Progress of Electrode Architecture for MXene/MoS ₂ Supercapacitor: Preparation Methods and Characterizations. 2022 , 13, 1837	0
501	Energy transfer driven brightening of MoS ₂ neutral exciton by ultrafast polariton relaxation in microcavity MoS ₂ /hBN/WS ₂ heterostructures.	0
500	Electronic transport properties of atomic wires on monolayers. 2022 , 1258, 012060	0
499	Emergent Moiré Phonons Due to Zone Folding in WSe ₂ /WS ₂ Van der Waals Heterostructures. 2022 , 16, 16260-16270	0
498	Electrical Transport Properties of Few-Layer SnS ₂ Field-effect Transistors. 2022 , 2356, 012017	0
497	Electrochemical Techniques for Visualizing Photoelectrochemical Processes at the Nanoscale. 2022 , 101164	0
496	Electrical Properties of Thin ZrSe ₃ Films for Device Applications.	0
495	A first principle study of pressure-induced properties of MoS ₂ /Graphene heterostructures.	0
494	Understanding the size and chirality dependence of bending stiffness of single-layer MoS ₂ by a spring-driven method. 2022 , 106,	0
493	Perspectives for the Growth of Epitaxial 2D van der Waals Layers with an Emphasis on Ferromagnetic Metals for Spintronics. 2201469	0

- 492 All-electrical valley filtering in graphene systems. I. A path to integrated electro-valleytronics. **2022**, 132, 164303 0
- 491 High-Throughput Characterization of Transition Metal Dichalcogenide Alloys: Thermodynamic Stability and Electronic Band Alignment. 1
- 490 Effect of stacking type and magnetic moment in spin-valley polarized MoS₂/MoSe₂ heterobilayers. **2022**, 12, 105214 0
- 489 Percolating Superconductivity in Air-Stable Organic-Ion Intercalated MoS₂. 2208761 0
- 488 Slow light in a 2D semiconductor plasmonic structure. **2022**, 13, 2
- 487 Accelerating Linear-Response Time-Dependent Hybrid Density Functional Theory with Low-Rank Decomposition Techniques in the Plane-Wave Basis. 0
- 486 Broadband infrared study of pressure-tunable Fano resonance and metallization transition in 2H- MoTe_2 . **2022**, 12, 1
- 485 Electrostatic and Environmental Control of the Trion Fine Structure in Transition Metal Dichalcogenide Monolayers. **2022**, 12, 3728 0
- 484 Progress in the experimental and computational methods of work function evaluation of materials: A review. **2022**, 8, e11030 0
- 483 Advances in transition metal dichalcogenides-based flexible photodetectors. 0
- 482 Exfoliation of MoS₂ Quantum Dots: Recent Progress and Challenges. **2022**, 12, 3465 0
- 481 Optical absorption in lateral transition metal dichalcogenide quantum wells. **2022**, 95, 0
- 480 Charge Transfer Dynamics and Interlayer Exciton Formation in MoS₂/VOPc Mixed Dimensional Heterojunction. 0
- 479 Highly Efficient Deposition of Centimeter-Scale MoS₂ Monolayer Film on Dragontrail Glass with Large Single-Crystalline Domains. 2201079 1
- 478 Valley spin-acoustic resonance in MoS₂ monolayers. **2022**, 106, 0
- 477 Direct Epitaxial Growth of InP Nanowires on MoS₂ with Strong Nonlinear Optical Response. **2022**, 34, 9055-9061 0
- 476 Broadband and perfect absorption in monolayer MoS₂-based multilayered structure arranged in Kolakoski sequence. **2022**, 128, 0
- 475 High-Frequency Sheet Conductance of Nanolayered WS₂ Crystals for Two-Dimensional Nanodevices. **2022**, 5, 15557-15562 1

474	Crystalline Phase Effects on the Nonlinear Optical Response of MoS ₂ and WS ₂ Nanosheets: Implications for Photonic and Optoelectronic Applications.	1
473	Observation of room temperature excitons in an atomically thin topological insulator. 2022 , 13,	0
472	Exciton optics, dynamics, and transport in atomically thin semiconductors. 2022 , 10, 100701	2
471	Molybdenum-Based Nanomaterials for Photothermal Cancer Therapy. 2200065	3
470	Photocatalytic activity of MoS ₂ with water monolayers: Global optimization.	0
469	Experimental and theoretical studies of native deep-level defects in transition metal dichalcogenides. 2022 , 6,	0
468	All-electrical valley filtering in graphene systems (II): Numerical study of electron transport in valley valves. 2022 , 132, 164302	0
467	Distinctive g-Factor of Moiré-Confin ed Excitons in van der Waals Heterostructures.	2
466	Tuning electronic and optical properties of monolayer MoS ₂ by transition metal and nitrogen co-doping. 2022 , 97, 115815	0
465	Quantum conductance of MoS ₂ armchair strained nanoribbons: a theoretical study. 2022 , 128,	0
464	Computational screening of nonmetal dopants to active MoS ₂ basal-plane for hydrogen evolution reaction via structural descriptor. 2022 ,	1
463	Applications of Functional Nanoparticle-Stabilized Surfactant Foam in Petroleum-contaminated Soil Remediation. 2022 , 130267	1
462	Tenth-Order Multiphoton Excitation and Saturable Second Harmonic Generation in Polyoxometalate-Exfoliated Molybdenum Disulfide. 2022 , 126, 18036-18046	0
461	Tunable magneto-optical properties in MoS ₂ via defect-induced exciton transitions. 2022 , 106,	2
460	Hydrogenic donor impurity states and intersubband optical absorption spectra in monolayer transition metal dichalcogenides with dielectric environments.	0
459	Reactivity of Diazonium Salts on Single- and Multilayer MoS ₂ on Au(111). 2022 , 126, 18266-18274	0
458	Mechanical properties of Janus MoSSeNTs: A molecular dynamics simulation study. 2022 , 104507	0
457	Revealing the nanogeometry of WS ₂ nanoflowers by polarization-resolved Raman spectroscopy. 2022 , 132, 173103	0

- 456 Calculation of ground state and Hartree energies of MoS₂/WSe₂ assembled type II quantum well. **2022**, 171, 207417 2
- 455 Direct growth and properties of few-layer MoS₂ on multilayer graphene prepared by chemical vapor deposition. o
- 454 Intrinsic and engineered properties of black phosphorus. **2022**, 28, 100895 o
- 453 Two-dimensional C₃N/WS₂ vdW heterojunction for direct Z-scheme photocatalytic overall water splitting. **2022**, o
- 452 Investigating the stability and role of defects in vertically aligned WS₂/MoS₂ heterojunctions on OER activity using first principles study. **2022**, 551, 232208 o
- 451 Accurate band gap prediction based on an interpretable machine learning. **2022**, 33, 104630 o
- 450 Mathematical modelling of angle dependent polarization raman spectroscopy of molybdenum disulfide before and after adding strain agent. **2022**, 146, 110075 o
- 449 Photo-dynamics in 2D materials: Processes, tunability and device applications. **2022**, 993, 1-70 o
- 448 Electrochemical exfoliation of MoS₂ nanosheets with ultrahigh stability for lead adsorption. **2022**, 50, 103212 o
- 447 Electronic properties and magnetism of CrCl₃ nanoribbons. **2022**, 564, 170105 o
- 446 Revealing the interlayer van der Waals coupling of bi-layer and tri-layer MoS₂ using terahertz coherent phonon spectroscopy. **2022**, 28, 100412 o
- 445 First-principles prediction of the missed Pmmn phase for a GaTe monolayer as a new two-dimensional semiconductor. **2023**, 223, 115073 o
- 444 Role of planar buckling on the electronic, thermal, and optical properties of Germanene nanosheets. **2023**, 153, 107163 o
- 443 Large vertical piezoelectricity and high-temperature ferromagnetism in 2D ferromagnetic semiconductors MnAsX (X = I, Br, Cl). **2023**, 146, 115544 o
- 442 DMRG and Monte Carlo studies of CrI₃ magnetic phases and the phase transition. **2023**, 146, 115520 o
- 441 Structural deformation and mechanical response of CrS₂, CrSe₂ and Janus CrSSe. **2023**, 146, 115517 1
- 440 The Growth Mechanism and Intriguing Optical and Electronic Properties of Few Layered HfS₂. o
- 439 Highly Sensitive MoS₂ Photodetector Based on Charge Integration and Field-Coupled Effect. **2022**, 1-6 o

- 438 Catalytic Properties of Borophene/MoS₂ Heterojunctions for Hydrogen Evolution Reaction under Different Stacking Conditions. 1
- 437 Role of sulfur vacancies in MoS₂ monolayers in stabilizing Co atoms for efficient CO oxidation. **2022**, 12, 31525-31534 0
- 436 UV Emitting Colloidal MoS₂ Quantum Dots. **2022**, 0
- 435 Enhanced photoelectric performance of MoS₂/MoS₂ van der Waals heterostructure with tunable multiple band alignments. 0
- 434 Hybrid electroluminescent devices composed of (In,Ga)N micro-LEDs and monolayers of transition metal dichalcogenides. 0
- 433 Effect of biaxial [110] strain on monolayer MoS₂ and its vacancy defect system: A first-principles study. **2023**, 317, 123711 0
- 432 Two-dimensional heterostructures for photocatalytic CO₂ reduction. **2023**, 216, 114699 0
- 431 Electronic, mechanical and optical properties of the new 1T dipolynide PdPo₂ and PtPo₂ monolayers: A comparative study with 1T Pd and Pt-based dichalcogenides. **2022**, 115548 0
- 430 Surface plasmon-enhanced photodetection of monolayers MoS₂ on an ion beam modified functional substrate. **2022**, 132, 183102 0
- 429 Harnessing defects for high-performance MoS₂ tunneling field-effect transistors. **2023**, 11, 266-273 0
- 428 Controllable Growth of Wafer-scale Monolayer Transition Metal Dichalcogenides Ternary Alloys with Tunable Band Gap. 0
- 427 Spin-orbit coupling controlling the superconducting dome of artificial superlattices of quantum wells. **2022**, 132, 193908 0
- 426 Electrochemical Determination of Homocysteine Using Self-Assembled 6-Ferrocenylhexanethiol on a Molybdenum Disulfide Nanoparticle Modified Glassy Carbon Electrode (GCE). 1-11 0
- 425 Phonon-induced exciton weak localization in two-dimensional semiconductors. **2022**, 121, 192106 1
- 424 Review of Interface Modification Based on 2D Nanomaterials for Surface Plasmon Resonance Biosensors. 2
- 423 Unveiling room temperature upconversion photoluminescence in monolayer WSe₂. 0
- 422 Efficient Preparation of Small-Sized Transition Metal Dichalcogenide Nanosheets by Polymer-Assisted Ball Milling. **2022**, 27, 7810 0
- 421 Mechanical cleavage of non-van der Waals structures towards two-dimensional crystals. 1

- 420 Two-dimensional Cr-based ferromagnetic semiconductor: Theoretical simulations and design. 10, 0
- 419 Two-Dimensional Half-Metallic and Semiconducting Lanthanide-Based MXenes. **2022**, 7, 40929-40940 0
- 418 Dead Exciton Layer and Exciton Anisotropy of Bulk MoS₂ Extracted from Optical Measurements. 0
- 417 Characterizing coherences in chemical dynamics with attosecond time-resolved x-ray absorption spectroscopy. **2022**, 157, 180901 0
- 416 Ultrafast Nonlinear Absorption and Second Harmonic Generation in Cu_{0.33}In_{1.30}P₂S₆ van der Waals Layered Crystals. **2022**, 13, 10513-10521 1
- 415 Remotely tuned multistate resistive switching in MoS₂/NiMnIn thin film heterostructure for highly flexible ReRAM application. **2022**, 0
- 414 MgXN₂ (X = Hf/Zr) Monolayers: Auxetic Semiconductor with Highly Anisotropic Optical/Mechanical Properties and Carrier Mobility. **2022**, 13, 10534-10542 1
- 413 Theoretical study on the electronic and transport properties of top and edge contact MoSiN₄/Au heterostructure. **2022**, 128535 0
- 412 Magnetic Field-Controlled Bandgap of a Phosphorene-Based PN-Device for Sensing Application. 0
- 411 Application of 2D Materials for Adsorptive Removal of Air Pollutants. 0
- 410 Fabrication of a Honeycomb AuTe Monolayer with Dirac Nodal Line Fermions. 0
- 409 Room-Temperature Semiconductor Gas Sensors: Challenges and Opportunities. 1
- 408 Effect of S Vacancy and Interlayer Interaction on the Electronic and Optical Properties of MoS₂/WSe₂ Heterostructure. 0
- 407 Tuning of the Electronic and Vibrational Properties of Epitaxial MoS₂ through He-Ion Beam Modification. 0
- 406 A computational framework for guiding the MOCVD-growth of wafer-scale 2D materials. **2022**, 8, 1
- 405 Size and shape control of CVD-grown monolayer MoS₂. **2022**, 1
- 404 Synthesis of reduced graphene oxide-molybdenum disulfide nanocomposite as potential scaffold for fabrication of efficient hydrazine sensor. **2022**, 127048 0
- 403 Exciton spectroscopy and unidirectional transport in MoSe₂-WSe₂ lateral heterostructures encapsulated in hexagonal boron nitride. **2022**, 6, 0

402	Interfacial engineering of halide perovskites and two-dimensional materials.	o
401	Impact of indirect transitions on valley polarization in WS ₂ and WSe ₂ . 2022 , 14, 17761-17769	o
400	Chromgruppe: Elemente der sechsten Nebengruppe. 2022 , 1-52	o
399	High-throughput analysis of tetragonal transition metal Xenes. 2022 , 24, 29406-29412	1
398	Current progresses in two-dimensional MXene-based framework: prospects from superficial synthesis to energy conversion and storage applications. 2023 , 27, 101238	o
397	AC-driven multicolor electroluminescence from a hybrid WSe ₂ monolayer/AlGaInP quantum well light-emitting device.	o
396	Experimental verification of SO ₂ and S desorption contributing to defect formation in MoS ₂ by thermal desorption spectroscopy.	o
395	Exploring a novel class of Janus MXenes by first principles calculations: structural, electronic and magnetic properties of Sc ₂ CXT, X = O, F, OH; T = C, S, N.	o
394	Emerging Trends in Van der Waals 2D TMDs Heterojunction Bipolar Transistors.	o
393	Recent advances in MoS ₂ based nanomaterials sensors for room temperature gas detection: A review.	o
392	Strain engineering the electronic properties of the type-II CdO/MoS ₂ van der Waals heterostructure. 2023 , 764, 139626	o
391	End-of-life MoS ₂ -enabled device and material transformation in landfill leachate and its effect on the landfill microbiome.	o
390	Mixed dimensional Transition Metal Dichalcogenides (TMDs) vdW Heterostructure based Photodetectors: A review. 2023 , 269, 111926	o
389	Geometric shapes and vacancy rates for the modulation of the electronic and transport properties in MoS ₂ nanoflakes. 2023 , 46, 34-39	o
388	Two-dimensional nanomaterials: A critical review of recent progress, properties, applications, and future directions. 2023 , 165, 107362	1
387	Probing the optical and structural properties of pristine MoS ₂ nanoflakes and TM/MoS ₂ hybrids fabricated by spray pyrolysis and PVD techniques. 2023 , 34, 105092	o
386	Next generation 2D materials for anodes in battery applications. 2023 , 556, 232256	o
385	High anisotropy in titanium trisulfide monolayer: Ultrahigh carrier mobilities and large excitonic absorption. 2023 , 566, 111796	o

- 384 Enhancing energy storage capabilities of MoS₂ nanoflowers through designing nanoarchitecture by controlling synthesis growth parameters. **2023**, 58, 106343 0
- 383 Conversion of MoS₂ to ternary alloyed MoS₂-Sex for resistive NO₂ sensors. **2023**, 378, 133137 1
- 382 In₂O₃ monolayer: A promising material as field-effect phototransistor and out-of-plane piezoelectric device. **2023**, 614, 156198 0
- 381 Self-relaxation vapor-liquid-solid growth of two-dimensional transition metal dichalcogenides with loose interface. **2023**, 613, 156019 0
- 380 Adsorption studies of camphene and eucalyptol molecules on orthorhombic germanane nanosheet - A first-principles investigation. **2023**, 119, 108395 2
- 379 A comparative analysis of different van der Waals treatments for molecular adsorption on the basal plane of 2H-MoS₂. **2023**, 729, 122226 0
- 378 Recent advances in two-dimensional ultrathin Bi-based photocatalysts. **2023**, 133, 101047 0
- 377 Optical properties of lateral heteromonomolayer WSe₂/MoSe₂. **2021**, 0
- 376 Enhancing the performance of photonic sensor using machine learning approach. **2022**, 1-1 0
- 375 Transient Superdiffusion of Energetic Carriers in Transition Metal Dichalcogenides Visualized by Ultrafast Pump-Probe Microscopy. **2022**, 2022, 0
- 374 Piezoelectricity-modulated optical recombination dynamics of monolayer-MoS₂/GaN-film heterostructures. 0
- 373 Tip-enhanced nanoscopy of two-dimensional transition metal dichalcogenides: progress and perspectives. **2022**, 14, 17119-17133 0
- 372 Momentum Alignment and the Optical Valley Hall Effect in Low-Dimensional Dirac Materials. **2022**, 135, 513-530 0
- 371 Bichromatic four-wave mixing and quadrature-squeezing from biexcitons in atomically thin semiconductor microcavities. **2022**, 106, 0
- 370 Pristine Interlayer Coupling for Strain Engineering of WS₂/WSe₂ Nanosheet-Based van der Waals Heterostructures. **2022**, 5, 17986-17994 0
- 369 Effects of Vacancy Defects on Electrical and Optical Properties of ZnO/WSe₂ Heterostructure: First-Principles Study. **2022**, 12, 1975 0
- 368 Nanostructure-free Metal-Dielectric Stacks for Raman Scattering Enhancement and Defect Identification in CVD-Grown Tungsten Disulfide (2H-WS₂) Nanosheets. **2022**, 126, 20511-20523 0
- 367 Two-dimensional superconducting MoSi₂N₄(MoN)_{4n} homologous compounds. 1

- 366 Structural and electronic property engineering in graphene nanowrinkles via scanning tunneling microscopy. **2022**, 106, o
- 365 Two-Dimensional Doped Materials. **2022**, 8, 172 o
- 364 Label-Free Sensing of Biomolecular Adsorption and Desorption Dynamics by Interfacial Second Harmonic Generation. **2022**, 12, 1048 1
- 363 Interlayer and Intralayer Excitons in AlN/WS₂ Heterostructure. **2022**, 15, 8318 o
- 362 Nanostructured Transition Metal Dichalcogenide Multilayers for Advanced Nanophotonics. 2200057 o
- 361 Excitation-dependent photoluminescence intensity of monolayer MoS₂: Role of heat-dissipating area and phonon-assisted exciton scattering. **2022**, 132, 204303 o
- 360 Colloidal Synthesis, Characterization, and Photoconductivity of Quasi-Layered CuCrS₂ Nanosheets. **2022**, 12, 4164 1
- 359 Large-Scale MoS₂ Pixel Array for Imaging Sensor. **2022**, 12, 4118 o
- 358 Molybdenum disulfide of modified in situ as a nanofiller for enhanced mechanical properties and thermal properties of polypropylene composites. o
- 357 Hybrid Superconducting/Magnetic Multifunctional Devices in Two-Dimensional Systems. **2022**, 2, 347-356 o
- 356 Elucidating the Structural, Electronic, Elastic, and Optical Properties of Bulk and Monolayer MoS₂ Transition-Metal Dichalcogenides: A DFT Approach. **2022**, 7, 45719-45731 o
- 355 Rapid synthesis of MoS₂/Ag nanocomposites via photoreduction for optical tuning and surface-enhanced Raman scattering applications. **2022**, o
- 354 Twist-engineered tunability in vertical MoS₂/MoSe₂ heterostructure. **2023**, 129, o
- 353 Tunable 0D/2D/2D Nanocomposite Based on Green Zn-Doped CuInS₂ Quantum Dots and MoS₂/rGO as Photoelectrodes for Solar Hydrogen Production. **2022**, 14, 54790-54802 o
- 352 Edge Reconstruction-Dependent Growth Kinetics of MoS₂. o
- 351 Effect of Different Solvents on Morphology and Gas-Sensitive Properties of Grinding-Assisted Liquid-Phase-Exfoliated MoS₂ Nanosheets. **2022**, 12, 4485 o
- 350 Designing Thiophene-Enriched Fully Conjugated 3D Covalent Organic Framework as Metal-Free Oxygen Reduction Catalyst for Hydrogen Fuel Cells. o
- 349 Perspective and Outlook. **2022**, 295-316 o

- 348 Surface and Physical Properties Modifications of Electron Beam-Irradiated Monolayer MoS₂-Au Heterointerface at Nanoscale. o
- 347 Facile synthesis of M(=NtBu)₂(CH₂SiMe₃)₂ (M = Mo or W) as potential precursors for thin film deposition. **2022**, 110284 o
- 346 Pulsed Carrier Gas Assisted High-Quality Synthetic 3R-Phase Sword-like MoS₂: A Versatile Optoelectronic Material. o
- 345 Growth Mechanism of Single-Domain Monolayer MoS₂ Nanosheets on Au(111) Revealed by In Situ Microscopy: Implications for Optoelectronics Applications. **2022**, 5, 17702-17710 o
- 344 Ultrafast Photocarrier Dynamics in Vertically Aligned SnS₂ Nanoflakes Probing with Transient Terahertz Spectroscopy. **2023**, 13, 5 o
- 343 First-principles prediction of 1H-Na₂Se monolayer: Effects of external strain and point defects associated with constituent atoms. o
- 342 A Roadmap to Decipher Ultrafast Photophysics in Two-Dimensional Nanomaterials. 1
- 341 Interfacial stress transfer in monolayer and few-layer MoS₂ nanosheets in model nanocomposites. **2022**, 109892 o
- 340 Strain Engineering of Two-Dimensional Piezophotocatalytic Materials for Improved Hydrogen Evolution Reaction. **2022**, 10, 16924-16934 o
- 339 The 2D Semiconductor Library. **2022**, 1-31 o
- 338 Effect of fluorine ion irradiation on the properties of monolayer molybdenum disulfide. **2022**, 132, 225107 o
- 337 Spin and valley polarization of an MoS₂ zigzag nanoribbon with a magnetic barrier via Fano resonance. **2022**, 106, o
- 336 Semiconductor Bloch equation analysis of optical Stark and Bloch-Siegert shifts in monolayer WSe₂ and MoS₂. **2022**, 106, 1
- 335 Probing the interfacial coupling in ternary van der Waals heterostructures. **2022**, 6, o
- 334 Versatile optical manipulation of trions, dark excitons and biexcitons through contrasting exciton-photon coupling. o
- 333 Band valley flattening and exciton appearance/disappearance under isotropic strain in monolayer WS₂. **2022**, 137, o
- 332 Unusual stacking sequence of MoS₂ and WS₂ vertical heterostructures in one-pot chemical vapor deposition growth. o
- 331 Only gold can pull this off: mechanical exfoliations of transition metal dichalcogenides beyond scotch tape. **2023**, 129, o

- 330 Improving the Stability of Halide Perovskite Solar Cells Using Nanoparticles of Tungsten Disulfide. **2022**, 12, 4454 o
- 329 Observation of Carrier Transfer in Vertical 0D-CsPbBr₃/2D-MoS₂ Mixed-Dimensional van der Waals Heterojunction. o
- 328 Improved detectivity and response speed of MoS₂ phototransistors based on the negative-capacitance effect and defect engineering. **2022**, 30, 46070 o
- 327 High-performances ultraviolet photodetector based on vertical van der Waals heterostructures. **2022**, 2383, 012037 o
- 326 Tip-Induced and Electrical Control of the Photoluminescence Yield of Monolayer WS₂. **2022**, 22, 9244-9251 o
- 325 Polarization-dependent electronic structure of Ag quantum well states on the MoS₂ (0001) surface using ARPES and DFT studies. **2022**, 106, o
- 324 Orbital Modulation with P Doping Improves Acid and Alkaline Hydrogen Evolution Reaction of MoS₂. **2022**, 12, 4273 o
- 323 Two-dimensional spectroscopy of two-dimensional materials: A Mahan-Nozières-De Dominicis model of electron-exciton scattering. **2022**, 106, o
- 322 Nanomaterial-Based Antimicrobial Coating for Biomedical Implants: New Age Solution for Biofilm-Associated Infections. **2022**, 7, 45962-45980 1
- 321 Two-dimensional Materials in the Display Industry: Status and Prospects. 2205520 o
- 320 Anisotropic exciton drift-diffusion in a monolayer WS₂xSe_(2-2x) alloy with a gradually changing composition. o
- 319 Nanomembrane-assembled nanophotonics and optoelectronics: from materials to applications. **2023**, 35, 093001 o
- 318 Plasmon-exciton couplings in the MoS₂/AuNP plasmonic hybrid structure. **2022**, 12, o
- 317 Diabatic and adiabatic transitions between Floquet states imprinted in coherent exciton emission in monolayer WSe₂. **2022**, 8, o
- 316 Phase Transition of MoTe₂ Controlled in van der Waals Heterostructure Nanoelectromechanical Systems. 2205327 o
- 315 High performance photodetector of MoS₂ homojunction based on laser etching engineering. o
- 314 Strain control of hybridization between dark and localized excitons in a 2D semiconductor. **2022**, 13, o
- 313 Optical reflectance imaging reveals interlayer coupling in mechanically stacked MoS₂ and WS₂ bilayers. o

- 312 Signature of Cascade Transitions between Interlayer Excitons in a Moiré Superlattice. **2022**, 129, 0
- 311 Designing Thiophene-Enriched Fully Conjugated 3D Covalent Organic Framework as Metal-Free Oxygen Reduction Catalyst for Hydrogen Fuel Cells. 0
- 310 Optoelectronic properties and applications of two-dimensional layered semiconductor van der Waals heterostructures: perspective from theory. **2023**, 35, 043001 0
- 309 Formation of a one-dimensional hole channel in MoS₂ by structural corrugation. 0
- 308 Strain Induces Ferromagnetism in a Janus Transition Metal Dichalcogenides: CrSTe-1H Monolayer. 1
- 307 Two-Dimensional Multiferroics with Intrinsic Magnetoelectric Coupling in A-Site Ordered Perovskite Monolayers. 0
- 306 Effective Low-Energy Hamiltonians and Unconventional Landau-Level Spectrum of Monolayer C₃N. **2022**, 12, 4375 0
- 305 Energy-Dispersive X-Ray Spectroscopy of Atomically Thin Semiconductors and Heterostructures. **2022**, 18, 0
- 304 Room-Temperature Excitonic Nanolaser Array with Directly Grown Monolayer WS₂. 0
- 303 Strongly Anisotropic Quasi-1D BaTiS₃ Chalcogenide Perovskite for Near-Infrared Polarized Photodetection. 2201859 0
- 302 Probing angle-resolved reflection signatures of intralayer and interlayer excitons in monolayer and bilayer MoS₂. 0
- 301 Photoelectric current generation in a monolayer MoSe₂-WS₂ lateral heterojunction. 0
- 300 Uniaxial pressure-induced 2D-1D dimensionality change in GaSe and related materials. 0
- 299 High-Throughput Computational Screening of Two-Dimensional Semiconductors. **2022**, 13, 11581-11594 1
- 298 Molecular beam epitaxy growth and scanning tunneling microscopy study of 2D layered materials on epitaxial graphene/silicon carbide. 0
- 297 Role of Hydrogen in Suppressing Secondary Nucleation in Chemical Vapor-Deposited MoS₂. **2022**, 4, 6133-6141 0
- 296 Advancing the Understanding of the Structure-Activity-Durability Relation of 2D MoS₂ for the Hydrogen Evolution Reaction. 342-354 0
- 295 Nanoscale probing of surface potential landscape at MoS₂/BP van der Waals p-n heterojunction. **2023**, 34, 095702 0

294	Controllable Synthesis of 2D Materials by Electrochemical Exfoliation for Energy Storage and Conversion Application. 2206702	0
293	Cluster Formation Effect of Water on Pristine and Defective MoS ₂ Monolayers. 2023 , 13, 229	1
292	Exotic states in moiré superlattices of twisted semiconducting transition metal dichalcogenides. 2023 , 72, 027802	0
291	Facile synthesis of few-Layered MoS ₂ Nanoroses Covering TiO ₂ Nanowires as improved bacterial inactivation and photodegradation devices.	1
290	Time Dependent Exfoliation Study of MoS ₂ for its use as Cathode Material in High Performing Hybrid Supercapacitors.	0
289	A review of the synthesis, properties, and applications of 2D transition metal dichalcogenides and their heterostructures. 2023 , 127332	0
288	Charge-induced phase transition in encapsulated HfTe ₂ nanoribbons. 2023 , 7,	0
287	A review on tailoring the corrosion and oxidation properties of MoS ₂ -based coatings.	0
286	Metal doped black phosphorus/molybdenum disulfide (BP/MoS ₂ Y (Y: Ni, Co)) heterojunctions for the photocatalytic hydrogen evolution and electrochemical nitrite sensing applications. 2023 ,	0
285	Controlling 2D/2D Contacts in 2D TMDC Nanostructured Films for Solar-to-Hydrogen Conversion.	1
284	Phonon Scattering in Monolayer Molybdenum Disulfide under Different Defect Concentrations Based on Temperature-Dependent Raman Spectra.	0
283	Photogating Effect of Atomically Thin Graphene/MoS ₂ /MoTe ₂ van der Waals Heterostructures. 2023 , 14, 140	0
282	Optical and Electrical Properties of Low-Dimensional Crystalline Materials: A Review. 2023 , 13, 108	0
281	Magneto-Optical Chirality in a Coherently Coupled Exciton-Plasmon System.	0
280	Critical Role of Surface Termination of Sapphire Substrates in Crystallographic Epitaxial Growth of MoS ₂ Using Inorganic Molecular Precursors.	0
279	Optoelectronic properties of monolayer and bilayer AgI: role of many-body interactions.	0
278	Phonon-assisted upconversion in twisted two-dimensional semiconductors. 2023 , 12,	0
277	Investigation of Thickness-Dependent Optical and Optoelectronic Properties of Mechanically Exfoliated GaSe Nanoflakes.	0

- 276 3 nm Channel MoS₂ Transistors by Electromigration of Metal Interconnection. ○
- 275 Theoretical prediction of type-II BP/SiH heterostructure for high-efficient electronic devices. ○
- 274 Floquet engineering of strongly driven excitons in monolayer tungsten disulfide. 1
- 273 Substitutional P -type Doping in NbS₂ -MoS₂ Lateral Heterostructures Grown by MOCVD. 2209371 ○
- 272 Ultrathin high-temperature ferromagnetic rare-earth films: GdScGe and GdScSi monolayers. 10, ○
- 271 First-Principles Calculation Guided High-Purity Layer Control of 4 in. MoS₂ by Plasma RIE. ○
- 270 Thickness Dependent Auger Scattering in a Single WS₂ Microcrystal Probed with Time-Resolved Terahertz Near-Field Microscopy. ○
- 269 Catalytic Activity of Defect-Engineered Transition Metal Dichalcogenides Mapped with Atomic-Scale Precision by Electrochemical Scanning Tunneling Microscopy. 972-980 ○
- 268 Liquid Phase Exfoliation and Characterization of Few Layer MoS₂ and WS₂ Nanosheets as Channel Material in Field Effect Transistor. ○
- 267 Benchmarking fundamental gap of Sc₂C(OH)₂ MXene by many-body methods. ○
- 266 External Boosting of Free Carriers and Phonon Energy in MoS₂/Reduced Graphene Oxide Nanosheet-Based Composite Films: Implications for Thermal Management. **2023**, 6, 96-109 ○
- 265 Exciton dispersion and exciton-phonon interaction in solids by time-dependent density functional theory. ○
- 264 Threshold-like Superlinear Accumulation of Excitons in a Gated Monolayer Transition Metal Dichalcogenide. ○
- 263 Electrical tuning of valley polarization in monolayer transition metal dichalcogenides. **2023**, 107, ○
- 262 Self-powered piezoelectric NaNbO₃ induced band position rearrangement and electrocatalysis in MoS₂/NaNbO₃ heterojunction for generation of reactive oxygen species for organic pollutant removal. **2023**, 141454 ○
- 261 Impact of dark excitons on Förster-type resonant energy transfer between dye molecules and atomically thin semiconductors. **2023**, 107, ○
- 260 MoS₂/SnO₂ heterojunction composite: One-step synthesis and its enhanced visible-light response. **2023**, 36, 102611 ○
- 259 Spectral mechanical investigation of the elastic interface between a MoS₂/graphene heterostructure and a soft substrate. **2023**, 204, 566-574 ○

- 258 First principle study of multilayered graphene/MoS₂ heterostructures for photodetectors. **2023**, 289, 116205 ○
- 257 Influence of vacancy defects on the electronic and optical properties of graphene/MoS₂ heterostructures: A first principles study. **2023**, 34, 105313 ○
- 256 Photoluminescence modulation and charge transfer dynamics in R6G-decorated monolayer WS₂. **2023**, 257, 119695 ○
- 255 Flexible temperature sensors based on two-dimensional materials for wearable devices. ○
- 254 Electronic Structures of Monolayer Binary and Ternary 2D Materials: MoS₂, WS₂, Mo_{1-x}CrxS₂, and W_{1-x}CrxS₂ Using Density Functional Theory Calculations. **2023**, 13, 68 ○
- 253 Epitaxial Growth of High-Quality Monolayer MoS₂ Single Crystals on Low-Symmetry Vicinal Au(101) Facets with Different Miller Indices. **2023**, 17, 312-321 ○
- 252 4H-SiC Ohmic contacts formation by MoS₂ layer intercalation: A first-principles study. **2022**, 132, 245702 ○
- 251 Thermal Transport in 2D Materials. **2023**, 13, 117 ○
- 250 Exciton Dynamics and Time-Resolved Fluorescence in Nanocavity-Integrated Monolayers of Transition-Metal Dichalcogenides. **2023**, 14, 221-229 ○
- 249 Area-Selective Defect-Related Modulation of Optical and Electrical Properties of Monolayer Molybdenum Disulfide by Focused-Laser Irradiation. **2023**, 13, 304 ○
- 248 Electronic properties of 3 d transition metal dihalide monolayers predicted by DFT methods: Is there a pattern or are the results random?. ○
- 247 Revealing the Modulation Effects on the Electronic Band Structures and Exciton Properties by Stacking Graphene/h-BN/MoS₂ Schottky Heterostructures. **2023**, 15, 2468-2478 ○
- 246 Thin-Film Carbon Nitride (C₂N)-Based Solar Cell Optimization Considering Zn_{1-x}MgxO as a Buffer Layer. **2023**, 11, 91 ○
- 245 Electric-Field-Tunable Spin Polarization and Carrier-Transport Anisotropy in an A-Type Antiferromagnetic van der Waals Bilayer. **2022**, 18, ○
- 244 Laser Etching of Quasi-1D TiS₃ Nanoribbons by Raman Spectrophotometer. **2022**, 86, S135-S140 ○
- 243 Scalable synthesis of 2D materials. **2023**, 1-54 ○
- 242 Optical and structural properties of 2D transition metal dichalcogenides semiconductor MoS₂. **2023**, 46, ○
- 241 Liquid Phase Exfoliated 2-D MoS₂-Based Broadband Heterojunction Low-Powered Photosensor. **2023**, 1-7 ○

- 240 Orientation-Dependent Interaction between the Magnetic Plasmons in Gold Nanocups and the Excitons in WS₂ Monolayer and Multilayer. ○
- 239 Automatic detection of multilayer hexagonal boron nitride in optical images using deep learning-based computer vision. **2023**, 13, ○
- 238 Dimension-dependent magnetic anisotropy for tunable anomalous Hall effect in transition metal dichalcogenides. **2023**, 107, ○
- 237 A Quantum Corrected Compact Model of Experimentally Fabricated GAA 2-D MBCFETs. **2023**, 1-8 ○
- 236 Indirect-to-direct bandgap transition in layered metal halide perovskite CsPb₂Br₅. ○
- 235 Single-Layer MoS₂: A Two-Dimensional Material with Negative Poisson's Ratio. **2023**, 13, 283 ○
- 234 Negative Valley Polarization of the Intralayer Exciton via One-Step Growth of H-Type Heterobilayer WS₂/MoS₂. ○
- 233 Thickness-dependent terahertz emission from Bi₂S₃ films under excitation below and above the band gap. **2023**, 107, ○
- 232 All-optically generating and monitoring interlayer expansion of layered GaSe via in situ second harmonic generation. **2023**, 122, 043102 ○
- 231 Interface contact and modulated electronic properties by in-plane strains in a graphene/MoS₂ heterostructure. **2023**, 13, 2903-2911 ○
- 230 Synthesis of 2D heterostructures. **2023**, 55-95 ○
- 229 Wearable chemical sensors based on 2D materials for healthcare applications. ○
- 228 Enhanced NH₃ Sensing Performance of Mo Cluster-MoS₂ Nanocomposite Thin Films via the Sulfurization of Mo₆ Cluster Iodides Precursor. **2023**, 13, 478 ○
- 227 Room-Temperature Spin-Valve Devices based on Fe₃GaTe₂/MoS₂/Fe₃GaTe₂ 2D van der Waals Heterojunctions. ○
- 226 Lateral and Vertical Morphology Engineering of Low-Symmetry, Weakly-Coupled 2D ReS₂. 2210502 ○
- 225 Quantum interference between dark-excitons and zone-edged acoustic phonons in few-layer WS₂. **2023**, 14, ○
- 224 Excitonic luminescence of iodine-intercalated HfS₂. **2023**, 122, 042102 1
- 223 Strong coupling of multiple plasmon modes and excitons with excitation light controlled active tuning. **2023**, 2

222	Anisotropic Rashba effect in two-dimensional non-Janus transition-metal dichalcogenide, MSSe (M=Mo,W) alloys. 2023 , 107,	o
221	Tailoring photoluminescence of WS ₂ -microcavity coupling devices in broad visible range. 2023 ,	o
220	Tunable optical properties of transition metal dichalcogenide nanoparticles synthesized by femtosecond laser ablation and fragmentation.	o
219	Quantum Dot Scattering in Monolayer Molybdenum Disulfide.	o
218	Exploring the oxidation mechanisms of black phosphorus: a review. 2023 , 58, 2068-2086	o
217	Mo x W x S ₂ Nanotubes for Advanced Field Emission Application. 2213869	o
216	Substrate engineering for wafer-scale two-dimensional material growth: strategies, mechanisms, and perspectives.	o
215	Optical spectroscopy study of two-dimensional materials. 2023 , 305-335	o
214	Humidity Effect on Low-Temperature NH ₃ Sensing Behavior of In ₂ O ₃ /rGO Composites under UV Activation. 2023 , 23, 1517	1
213	Quasi-one-dimensional van der Waals Transition Metal Trichalcogenides.	o
212	Broadband enhancement of absorption by two-dimensional atomic crystals modeled as non-Hermitian photonic scattering. 2023 , 122, 041105	o
211	Interface engineering in two-dimensional heterostructures towards novel emitters. 2023 , 44, 011001	o
210	Fe ₃ GaTe ₂ /MoSe ₂ ferromagnet/semiconductor 2D van der Waals heterojunction for room-temperature spin-valve devices.	o
209	Layer-Structured Anisotropic Metal Chalcogenides: Recent Advances in Synthesis, Modulation, and Applications.	o
208	Quantum Spin Hall States in 2D Monolayer WTe ₂ /MoTe ₂ Lateral Heterojunctions for Topological Quantum Computation. 2023 , 6, 2020-2026	o
207	High Responsivity in Monolayer MoS ₂ Photodetector via Controlled Interfacial Carrier Trapping.	o
206	Emerging Trends in 2D TMDs Photodetectors and Piezo-Phototronic Devices. 2205778	o
205	Characteristic analysis of the MoS ₂ /SiO ₂ interface field-effect transistor with varying MoS ₂ layers. 2023 , 34,	o

- 204 Ion implantation as an approach for tuning of electronic structure, optical, morphological and electrical transport properties of sputtered molybdenum disulfide thin films. **2023**, 158, 107326 ○
- 203 Quantitative Characterization of the Anisotropic Thermal Properties of Encapsulated Two-Dimensional MoS₂ Nanofilms. ○
- 202 The electronic and optical properties of multi-layer Bi₂O₂X (X = S, Se, Te) by first-principles calculations. **2023**, 618, 156541 ○
- 201 Novel electrical properties of moiré-graphene systems. **2023**, 72, 067302 ○
- 200 Role of defect engineering in revealing the electronic and sensing applications of Janus WSSe monolayer. **2023**, 11, 4219-4234 ○
- 199 Discovery of a metastable van der Waals semiconductor via polymorphic crystallization of an amorphous film. ○
- 198 Vacancy impacts on electronic and mechanical properties of MX₂ (M = Mo, W and X = S, Se) monolayers. **2023**, 13, 6498-6506 ○
- 197 Optical properties and polaritons of low symmetry 2D materials. **2023**, 2, R03 ○
- 196 Enabling triferroics coupling in breathing kagome lattice Nb₃X₈ (X = Cl, Br, I) monolayers. ○
- 195 Preparation and formation mechanism of few-layer black phosphorene through liquid pulsed discharge. **2023**, 11, 3652-3660 ○
- 194 Unfolding the band structure of van der Waals heterostructures. **2023**, 7, ○
- 193 Freestanding Foils of NbSe₂ and Carbon Nanotubes for Efficient Electromagnetic Shielding. **2023**, 6, 3333-3343 ○
- 192 Towards real-time STEM simulations through targeted subsampling strategies. **2023**, 290, 53-66 ○
- 191 Ferroelectric Materials and Their Applications in Activation of Small Molecules. **2023**, 8, 6164-6174 ○
- 190 Ultra-thin grating coupler for guided exciton-polaritons in WS₂ multilayers. **2023**, ○
- 189 Exciton polariton interactions in Van der Waals superlattices at room temperature. **2023**, 14, ○
- 188 Terahertz conductivity of monolayer MoS₂. ○
- 187 Low-Cost Plasmonic Platform for Photon-Emission Engineering of Two-Dimensional Semiconductors. **2023**, 19, ○

- 186 Effects of forming gas annealing on the doping of monolayer MoS₂ crystals. **2023**, 48, 29-33 o
- 185 One analytical approach of Rashba-Edelstein magnetoresistance in 2D materials. **2023**, 96, o
- 184 Large-Area Structure-Selective Synthesis of Symmetry-Broken MoSe₂ and Their Broadband Nonlinear Optical Response. o
- 183 Nucleation and Growth of Monolayer MoS₂ at Multisteps of MoO₃ Crystals by Sulfurization. o
- 182 Controllable synthesis by hydrothermal method and optical properties of 2D MoS₂/rGO nanocomposites. o
- 181 Micrometer-size crystalline monolayer MoS₂ domains obtained by sulfurization of molybdenum oxide ultrathin films. **2023**, 274, 111967 o
- 180 Efficient Pervaporation for Ethanol Dehydration: Ultrasonic Spraying Preparation of Polyvinyl Alcohol (PVA)/Ti₃C₂T_x Nanosheet Mixed Matrix Membranes. **2023**, 13, 430 o
- 179 Magnetoelectric tuning of spin, valley, and layer-resolved anomalous Nernst effect in transition-metal dichalcogenides bilayers. o
- 178 Efficient all-optical MoS₂/Au hybrid plasmon-exciton competitive response towards selective gas sensors. **2023**, 54, 101131 o
- 177 Electronic and optical properties of transition-metal (TM=Sc, Ni, Cu, Zn) adsorbed monolayer SnSe₂. **2023**, 177, 207548 o
- 176 A review on various sensing prospects of SPR based photonic crystal fibers. **2023**, 54, 101119 o
- 175 First-principles prediction of two-dimensional Janus XInZ₂ (X = Cl, Br, I; M =. **2023**, 623, 157020 o
- 174 First-principles calculations integrated with experimental optical and electronic properties for MoS₂-graphene heterostructures and MoS₂-graphene-Au heterointerfaces. **2023**, 623, 156948 o
- 173 Material processing, performance and reliability of MoS₂ field effect transistor (FET) technology- A critical review. **2023**, 160, 107397 o
- 172 Morphologically controlled photodetector performance of molybdenum disulfide nanostructures. **2023**, 301, 127663 o
- 171 The adjustable electronic and photoelectric properties of the WS₂/WSe₂ and WSe₂/WTe₂ van der Waals heterostructures. **2023**, 212, 112020 o
- 170 Visible light response in 2D QBi (Q=Si, Ge and Sn) monolayer semiconductors: A DFT based study. **2023**, 35, 105886 o
- 169 Van der Waals twistrionics in a MoS₂/WS₂ heterostructure. **2023**, 35, e00797 o

- 168 Surface related NIR laser induced anti-Stokes emission from 2-D WS₂ and MoS₂. **2023**, 162, 109320 ○
- 167 Thermal stability of twin graphene: A Reaxff molecular dynamics study. **2023**, 623, 157038 ○
- 166 Fabrication, energy band engineering, and strong correlations of two-dimensional van der Waals moiré superlattices. **2023**, 50, 101829 ○
- 165 Optical force exerted on the two dimensional transition-metal dichalcogenide coated dielectric particle by Gaussian beam. **2023**, 9, e14314 ○
- 164 Structural and electronic properties of hexagonal MXH (M = C, Si, Ge and Sn; X = N, P, As and Sb) monolayers: A first-principles prediction. **2023**, 115710 ○
- 163 Self-powered photodetector based on direct vapour transfer (DVT) method grown tin selenide (SnSe) crystals. **2023**, 941, 168907 ○
- 162 Heteroepitaxial growth of CaGe₂ films on high-resistivity Si(111) substrates and its application for germanane synthesizing. **2023**, 161, 107462 ○
- 161 Biaxial strain-modulated electronic and optical properties of transition metals doped-WSe₂ monolayer. **2023**, 653, 414668 ○
- 160 Automatic 2D material detection in optical images using deep-learning-based computer vision. **2023**, ○
- 159 Cooperative effect of strain and electric field on Schottky barriers in van der Waals heterostructure of graphene and hydrogenated phosphorus carbide. **2023**, 148, 115665 ○
- 158 Strong phonon mode induced by carbon vacancy accelerating hole transfer in SiC/MoS₂ heterostructure. **2023**, 617, 156554 ○
- 157 First-principles calculations to investigate electronic band structure, optical and mechanical properties of new CaFCl monolayer. **2023**, 45, 106251 ○
- 156 2D II-VI Semiconductor Nanoplatelets: From Material Synthesis to Optoelectronic Integration. **2023**, 123, 3543-3624 1
- 155 Performance study of g-C₃N₄/carbon black/BiOBr@Ti₃C₂/MoS₂ photocatalytic fuel cell for the synergistic degradation of different types of pollutants. ○
- 154 Negative piezoelectricity and enhanced electrical conductivity at the interfaces of two-dimensional alkali oxide and chalcogenide monolayers. **2023**, 107, ○
- 153 Thickness Determination of Ultrathin 2D Materials Empowered by Machine Learning Algorithms. **2023**, 17, ○
- 152 First-Principles Study of Structural and Electronic Properties of Monolayer PtX₂ and Janus PtXY (X, Y = S, Se, and Te) via Strain Engineering. **2023**, 8, 5715-5721 ○
- 151 Terminal Atom-Controlled Etching of 2D-TMDs. 2211252 ○

- 150 Ultra-High Interfacial Thermal Conductance via Double hBN Encapsulation for Efficient Thermal Management of 2D Electronics. **2023**, 19, 2205726 ○
- 149 Coulomb-Zeeman-Stark problem in two dimensions. **2023**, 107, ○
- 148 Photocurrent as a multiphysics diagnostic of quantum materials. **2023**, 5, 170-184 ○
- 147 Ferroelectric-Tunable Photoresponse in In_2Se_3 Photovoltaic Photodetectors: An Ab Initio Quantum Transport Study. **2023**, 19, ○
- 146 Recrystallization of MBE-Grown MoS₂ Monolayers Induced by Annealing in a Chemical Vapor Deposition Furnace. 2200476 ○
- 145 hBN-Layer-Promoted Heteroepitaxy in Reactively Sputter-Deposited $\text{MoS}_x\text{O}_{(0001)}/\text{Al}_2\text{O}_3(0001)$ Thin Films: Implications for Nanoelectronics. **2023**, 6, 2908-2916 ○
- 144 Observation of highly anisotropic bulk dispersion and spin-polarized topological surface states in CoTe_2 . **2023**, 107, ○
- 143 Interfacial-Water-Modulated Photoluminescence of Single-Layer WS₂ on Mica. **2023**, 24, 3492 ○
- 142 Prolonging exciton lifetime of WSe₂ monolayer through image dipole interaction leading to huge enhancement of photocurrent. **2023**, 12, 695-703 ○
- 141 Electronic and Excitonic Properties of MSi_2Z_4 Monolayers. 2206444 ○
- 140 Multilayer SnS₂/few-layer MoS₂ heterojunctions with in-situ floating photogate toward high-performance photodetectors and optical imaging application. ○
- 139 Non-invasive digital etching of van der Waals semiconductors. ○
- 138 Modulating the HER-overpotential at the interface of nanostructured MoS₂ synthesized via hydrothermal route: An in-situ mass-spectroscopy approach. **2023**, ○
- 137 Revealing 3D Ripple Structure and Its Dynamics in Freestanding Monolayer MoSe₂ by Single-Frame 2D Atomic Image Reconstruction. **2023**, 23, 1298-1305 ○
- 136 Tuning the Photoluminescence and Raman Response of Single-Layer WS₂ Crystals Using Biaxial Strain. **2023**, 127, 3506-3515 ○
- 135 WSe₂ Monolayer: A Stable Two-Dimensional Heterostructure Material from First-Principles of Simulation Calculations. **2022**, 17, 1379-1383 ○
- 134 Crossover from strong to weak exciton confinement in thickness-controlled epitaxial PbI_2 thin films. **2023**, 122, 073101 ○
- 133 Single-Atom Sn-Loaded Exfoliated Layered Titanate Revealing Enhanced Photocatalytic Activity in Hydrogen Generation. **2023**, 11, 3306-3315 ○

- 132 Electron diffusion induced valley Hall effect and nonlinear galvanodiffusive transport in hexagonal two-dimensional Dirac monolayer materials. **2023**, 107, ○
- 131 Graphene/MoS₂-Nanoribbons/Graphene Field-Effect Photodetectors: A Numerical Study. **2023**, 52, 3046-3057 ○
- 130 Hybrid Heterostructures to Generate Long-Lived and Mobile Photocarriers in Graphene. **2023**, 17, 3939-3947 ○
- 129 Flexible electronics based on one-dimensional inorganic semiconductor nanowires and two-dimensional transition metal dichalcogenides. **2023**, 108226 ○
- 128 Wafer-scale single-crystalline MoSe₂ and WSe₂ monolayers grown by molecular-beam epitaxy at low-temperature: The role of island-substrate interaction and surface steps. **2023**, 3, ○
- 127 Emerging Trends in 2D Flexible Electronics. 2201897 ○
- 126 MoS₂ as Nonlinear Optical Material for Optical Neural Networks. **2023**, 29, 1-7 ○
- 125 Photocatalytic N₂ Fixation: A Step Closer to the Solar Farm. **2023**, 253-266 ○
- 124 Photoinduced CeMoS₂/WO₃ nanocomposites with enhanced photodynamic and enzyme-like activity for rapid sterilization. **2023**, 49, 17424-17436 ○
- 123 Recent progress in three-terminal artificial synapses based on 2D materials: from mechanisms to applications. **2023**, 9, ○
- 122 Pseudo-transistors for emerging neuromorphic electronics. **2023**, 24, ○
- 121 Passivated Interfacial Traps of Monolayer MoS₂ with Bipolar Electrical Pulse. **2023**, 15, 10812-10819 ○
- 120 Decoupling Effects of Electrostatic Gating on Electronic Transport and Interfacial Charge-Transfer Kinetics at Few-Layer Molybdenum Disulfide. ○
- 119 Untangling the intertwined: metallic to semiconducting phase transition of colloidal MoS₂ nanoplatelets and nanosheets. **2023**, 15, 5679-5688 2
- 118 Observation of carrier dynamics in MoS₂ thin layer by femtosecond transient absorption microscopy. **2023**, 62, SG1029 ○
- 117 Controllable p-type doping of 2D MoS₂ via Sodium intercalation for optoelectronics. **2023**, 11, 3386-3394 ○
- 116 Controlling quantum phases of electrons and excitons in moiré superlattices. **2023**, 133, 080901 ○
- 115 Strain-Induced Indirect-to-Direct Bandgap Transition, Photoluminescence Enhancement, and Linewidth Reduction in Bilayer MoTe₂. **2023**, 17, 4230-4238 ○

- 114 A Simple Method to Produce an Aluminum Oxide-Passivated Tungsten Diselenide/n-Type Si Heterojunction Solar Cell with High Power Conversion Efficiency. **2023**, 2023, 1-11 ○
- 113 Solar-Triggered Engineered 2D-Materials for Environmental Remediation: Status and Future Insights. **2023**, 10, ○
- 112 Charge and energy transfer dynamics in single colloidal quantum dots/monolayer MoS₂ heterostructures. **2023**, 25, 8161-8167 ○
- 111 A study of trap depth parameters and photo response parameters of tin diselenide (SnSe₂) crystal. **2023**, ○
- 110 Characterization of the on-chip cavity coupled emission of 2D materials at room temperature. **2023**, 13, 843 ○
- 109 Variant Plateau law in atomically thin transition metal dichalcogenide dome networks. **2023**, 14, ○
- 108 Ultrafast Nanoimaging of Electronic Coherence of Monolayer WSe₂. **2023**, 23, 1767-1773 ○
- 107 First-principles study of luminescence in hexagonal boron nitride single layer: Exciton-phonon coupling and the role of substrate. **2023**, 7, ○
- 106 Two-dimensional (2D) Hn₂Se₃/Ta₂NiSe₅ heterojunction photodetector with high sensitivity and fast response in a wide spectral range. **2023**, 227, 111799 ○
- 105 The coupling of plasmon in metal with a dipolar mode in a monolayer of MoS₂ and WS₂. ○
- 104 2D Transition Metal Dichalcogenide (TMDC) Nanoelectromechanical Resonators. **2022**, ○
- 103 Functional nanomaterials in flexible gas sensors: recent progress and future prospects. **2023**, 29, 101428 ○
- 102 Non-covalent Functionalization of Pristine and Defective WSe₂ by Electron Donor and Acceptor Molecules. **2023**, 5, 1660-1669 ○
- 101 Bound exciton luminescence and phonon sideband analysis of iodine intercalated bulk 2H-MoSe₂ crystals. **2023**, 13, 886 ○
- 100 Review of the role of ionic liquids in two-dimensional materials. **2023**, 18, ○
- 99 External field regulation strategies for exciton dynamics in 2D TMDs. **2023**, 13, 1007 ○
- 98 Suppression of substrate-induced charge doping in hBN-encapsulated monolayer WS₂. **2023**, 49, 115-119 ○
- 97 Recent progress in the theoretical design of two-dimensional ferroelectric materials. **2023**, ○

- 96 PVD growth of spiral pyramid-shaped WS₂ on SiO₂/Si driven by screw dislocations. 11, [10](#)
- 95 Semimetal Monolayer Transition Metal Dichalcogenides Photodetectors for Wafer-Scale Broadband Photonics. **2023**, 4, [10](#)
- 94 Exploring and machine learning structural instabilities in 2D materials. **2023**, 9, [10](#)
- 93 Measuring Band Modulation of MoS₂ with Ferroelectric Gates. **2023**, 23, 2114-2120 [10](#)
- 92 Anomalous thickness dependence of photoluminescence quantum yield in black phosphorous. [10](#)
- 91 Interaction Modification of Transition Metal Dichalcogenide Layers by Halogenation. **2023**, 127, 5134-5144 [10](#)
- 90 2D material-based sensing devices: an update. **2023**, 11, 6016-6063 [10](#)
- 89 Synthesis of Large-Area Single- to Few-Layered MoS₂ on an Ionic Liquid Surface. **2023**, 15, 13724-13729 [10](#)
- 88 Monolayer Graphene/MoSe₂ van der Waals Heterostructure for Highly Responsive Gate-Tunable Near-Infrared-Sensitive Broadband Fast Photodetector. [10](#)
- 87 Photoluminescence manipulation in two-dimensional transition metal dichalcogenides. **2023**, [10](#)
- 86 Self-assembled GA-Repeated Peptides as a Biomolecular Scaffold for Biosensing with MoS₂ Electrochemical Transistors. [10](#)
- 85 Determining the Electronic Structure and Thermoelectric Properties of MoS₂ /MoSe₂ Type-I Heterojunction by DFT and the Landauer Approach. **2023**, 10, [10](#)
- 84 Molybdenum disulfide under extreme conditions: An ab initio study on its melting. **2023**, 133, 105102 [10](#)
- 83 Persistent room-temperature valley polarization in graphite-filtered WS₂ monolayer. **2023**, 10, 025023 [10](#)
- 82 Symmetry-dependent antiferromagnetic proximity effects on valley splitting. **2023**, 107, [10](#)
- 81 New insights into APCVD grown monolayer MoS₂ using time-domain terahertz spectroscopy. **2023**, 13, [10](#)
- 80 Black Phosphorus as Tunable Van der Waals Quantum Wells with High Optical Quality. **2023**, 17, 6073-6080 [10](#)
- 79 Photocatalytic Applications of ReS₂-Based Heterostructures. **2023**, 28, 2627 [10](#)

- 78 Preparation, properties, and applications of Bi₂O₂Se thin films: A review. **2023**, 44, 031001 o
- 77 Structural Reconstruction Modulated Physical Properties of Titanium Oxide at the Monolayer Limit. **2023**, 127, 5631-5639 o
- 76 Indirect ExcitonPhonon Dynamics in MoS₂ Revealed by Ultrafast Electron Diffraction. 2206395 o
- 75 An effective strategy for CO₂ reduction to C₁ products using Cu-embedded MoS₂ electrocatalyst: DFT study. **2023**, 47, 6932-6942 o
- 74 Excitonic Beam Steering in an Active van der Waals Metasurface. **2023**, 23, 2771-2777 o
- 73 Continuous Large Area Monolayered Molybdenum Disulfide Growth Using Atmospheric Pressure Chemical Vapor Deposition. **2023**, 8, 10930-10940 o
- 72 Epitaxial growth of borophene on substrates. **2023**, 100704 o
- 71 The Bulk van der Waals Layered Magnet CrSBr is a Quasi-1D Material. **2023**, 17, 5316-5328 o
- 70 Ultrashort pulse generation in erbium-doped fiber lasers in South America: a historical review. **2023**, 40, C148 1
- 69 Defects in WS₂ monolayer calculated with a nonlocal functional: any difference from GGA?. **2023**, 5, 024001 o
- 68 The charge effects on the hydrogen evolution reaction activity of the defected monolayer MoS₂. **2023**, 25, 10956-10965 o
- 67 All-Optical Ultrafast Valley Switching in Two-Dimensional Materials. **2023**, 19, o
- 66 Efficient Multiple Exciton Generation in Monolayer MoS₂. **2023**, 14, 2965-2972 o
- 65 Controlled coherent-coupling and dynamics of exciton complexes in a MoSe₂ monolayer. **2023**, 10, 025027 1
- 64 Hot Carrier Cooling and Trapping in Atomically Thin WS₂ Probed by Three-Pulse Femtosecond Spectroscopy. **2023**, 17, 6330-6340 o
- 63 Resonant exciton scattering reveals Raman forbidden phonon modes in layered GeS. o
- 62 Performance Improvement of MoS₂-Based MOSFETs With Graphene Quantum Dots Pretreatment Technology. **2023**, 70, 2581-2587 o
- 61 Excitons in crystals. **2023**, o

- 60 Ultrafast optics of topological materials. **2022**, ○
- 59 Gate-Induced Trans-Dimensionality of Carrier Distribution in Bilayer Lateral Heterosheet of MoS₂ and WS₂ for Semiconductor Devices with Tunable Functionality. **2023**, 6, 5434-5439 ○
- 58 Excitonic superfluidity in electron-hole bilayer systems. **2023**, ○
- 57 First-Principles Study of Two-Dimensional Layered MoSi₂N₄ and WSi₂N₄ for Photocatalytic Water Splitting. **2022**, 96, 3283-3289 ○
- 56 Ultrafast valley-selective coherent optical manipulation with excitons in WSe₂ and MoS₂ monolayers. **2023**, 7, ○
- 55 Two-dimensional dichalcogenides of type XY₂ (X=Mo,W; Y=S,Se): A DFT study of the structural, optoelectronic, thermodynamic properties, infrared, and Raman spectra. ○
- 54 Defect-Engineered 3D Nanostructured MoS₂ for Detection of Ammonia Gas at Room Temperature. **2023**, 6, 5284-5297 ○
- 53 Polarization Modulation on Charge Transfer and Band Structures of GaN/MoS₂ Polar Heterojunctions. **2023**, 13, 563 ○
- 52 Signatures of Electric Field and Layer Separation Effects on the Spin-Valley Physics of MoSe₂/WSe₂ Heterobilayers: From Energy Bands to Dipolar Excitons. **2023**, 13, 1187 ○
- 51 Selective Surface Modification and Layer Thinning of MoS₂ via Ultraviolet-Light Irradiation in an Ionic Solution: Implications for Multifunctional Nanoelectronic Devices. **2023**, 6, 5972-5979 ○
- 50 Free exciton and bound excitons on Pb and I vacancies and O and I substituting defects in PbI₂: Photoluminescence and DFT calculations. **2023**, 624, 157128 ○
- 49 Photosensitive Field-Effect Transistor with Enhanced Photoamplification Mediated by Charge Transfer in a Heterostructure of CsPbI₃ Nanocrystals and Two-Dimensional . **2023**, 19, ○
- 48 2D hexagonal boron nitride for solar energy conversions. 5, e27 ○
- 47 Extreme mechanical tunability in suspended MoS₂ resonator controlled by Joule heating. **2023**, 7, ○
- 46 Improved strain engineering of 2D materials by adamantane plasma polymer encapsulation. **2023**, 7, ○
- 45 Revealing the Polaron State at the MoS₂/TiO₂ Interface. **2023**, 14, 3360-3367 ○
- 44 Role of Chemical Etching in the Nucleation of Nanopores in 2D MoS₂: Insights from First-Principles Calculations. **2023**, 127, 6873-6883 ○
- 43 Local dielectric function of hBN-encapsulated WS₂ flakes grown by chemical vapor deposition. **2023**, 35, 274001 ○

- 42 Interface coupling in Au-supported MoS₂/WS₂ heterobilayers grown by pulsed laser deposition. o
- 41 Some Aspects of Novel Materials from Optical to THz Engineering. **2023**, 59-80 o
- 40 Edge-Based Two-Dimensional In₂Se₃/MoS₂ Ferroelectric Field Effect Device. **2023**, 15, 18505-18515 o
- 39 Engineering of Nanoscale Heterogeneous Transition Metal Dichalcogenide/Au Interfaces. **2023**, 23, 2792-2799 o
- 38 Valley-optical absorption in planar transition metal dichalcogenide superlattices. **2023**, 13, o
- 37 Scaling of MoS₂ Transistors and Inverters to Sub-10 nm Channel Length with High Performance. **2023**, 23, 2764-2770 o
- 36 Modulated photoluminescence of monolayer MoS₂ interacted with Si nanogrooves. **2023**, 100333 o
- 35 Two-dimensional TiCl₂: a high-performance anode material for Na-ion batteries with high capacity and fast diffusion. o
- 34 Chirality Effects and Semiconductor versus Metallic Nature in Halide Nanotubes. **2023**, 127, 7162-7171 o
- 33 Tip-enhanced photoluminescence of monolayer MoS₂ increased and spectrally shifted by injection of electrons. **2023**, o
- 32 Image charge effect in layered materials: Implications for the interlayer coupling in MoS₂. **2023**, 107, o
- 31 Spin-defect characteristics of single sulfur vacancies in monolayer MoS₂. **2023**, 7, o
- 30 Spatially Controlled Single Photon Emitters in hBN-Capped WS₂ Domes. o
- 29 Intrinsic Control of Interlayer Exciton Generation in Van der Waals Materials via Janus Layers. o
- 28 Excitonic effects in time-dependent density functional theory from zeros of the density response. **2023**, 107, o
- 27 Ultrahigh photoresponse in strain- and domain-engineered large-scale MoS₂ monolayer films. o
- 26 Type-II MoSi₂N₄/MoS₂ van der Waals Heterostructure with Excellent Optoelectronic Performance and Tunable Electronic Properties. o
- 25 Asymmetric transmission in nanophotonics. **2023**, o

- 24 Identification of Exciton Complexes in Charge-Tunable Janus WSeS Monolayers. ○
- 23 Surface modification of CuSe:a first-principles study. **2023**, 0 ○
- 22 Electrical performance of monolayer MoS2 transistor with MoS2 nanobelt metallic edges as electrodes. ○
- 21 Tunable spin and valley excitations of correlated insulators in E valley moiré bands. ○
- 20 Perspectives and recent advances of two-dimensional III-nitrides: Material synthesis and emerging device applications. **2023**, 122, 160501 ○
- 19 Optical properties of quasi-two-dimensional objects from time-dependent density functional theory: Longitudinal versus transverse dielectric functions. **2023**, 107, ○
- 18 Tuning of Interlayer Interaction in MoS2/WS2 van der Waals Heterostructures Using Hydrostatic Pressure. ○
- 17 Design of Energy Efficient Ring Oscillator and Full Adder Circuit using Compact Model of MoS2 Channel TFET. **2023**, ○
- 16 Two-dimensional Mg2Si-111: A direct bandgap semiconductor with excellent optical response properties predicted by first-principles calculations. **2023**, 128849 ○
- 15 High-Performance and Lithography-Free Au/WS2 /Ag Vertical Schottky Junction Solar Cells. ○
- 14 Optoelectronic applications of surface acoustic waves in visible and infrared wavelengths. **2023**, 1, 100004 ○
- 13 Development of in situ characterization of two-dimensional materials grown on insulator substrates with spectroscopic photoemission and low energy electron microscopy. **2023**, 264, 147318 ○
- 12 Photonic van der Waals integration from 2D materials to 3D nanomembranes. ○
- 11 Two-dimensional layered materials for efficient photodetection. **2023**, 265-280 ○
- 10 Resonant Exciton Scattering Reveals Raman Forbidden Phonon Modes in Layered GeS. 3986-3994 ○
- 9 Europium Molybdate/Molybdenum Disulfide Nanostructures with Efficient Electrocatalytic Activity for the Hydrogen Evolution Reaction. **2023**, 6, 7218-7228 ○
- 8 Impact of compression on the crystal structure, electronic and magnetic properties for bulk MoS2. **2023**, 46, ○
- 7 Revealing the two-dimensional electronic structure and anisotropic superconductivity in a natural van der Waals superlattice (PbSe) 1.14NbSe2. **2023**, 7, ○

- 6 Dark-exciton energy splitting in monolayer WSe₂ : Insights from time-dependent density functional theory. **2023**, 107, ○
- 5 Field electron emission and field ion microscope images of layered material MoS₂. **2023**, 41, ○
- 4 Persistent charge storage and memory operation of top-gate transistors solely based on two-dimensional molybdenum disulfide. **2023**, 34, 305701 ○
- 3 Fabrication and characterization of field-effect transistors based on MoS₂ nanotubes prepared in anodic aluminum oxide templates. **2023**, 19, 100200 ○
- 2 Reconfigurable band alignment of SWSe/h-BP heterostructures for photoelectric applications. ○
- 1 Chern numbers in photoinduced heterojunction of graphene on WSe₂. **2023**, 152, 115749 ○