

# CITATION REPORT

List of articles citing

## Validation of the Patient Global Impression of Improvement (PGI-I) for urogenital prolapse

DOI: 10.1007/s00192-009-1069-5

International Urogynecology Journal, 2010, 21, 523-8.

**Source:** <https://exaly.com/paper-pdf/47831946/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| #   | Paper  | IF  | Citations |
|-----|--|-----|-----------|
| 283 | A longitudinal study of patient and surgeon goal achievement 2 years after surgery following pelvic floor dysfunction surgery. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2010</b> , 117, 1504-11  | 3.7 | 31        |
| 282 | Measuring quality of life in urogenital prolapse. <b>2010</b> , 5, 525-532   |     | 1         |
| 281 | Trocar-guided mesh compared with conventional vaginal repair in recurrent prolapse: a randomized controlled trial. <i>Obstetrics and Gynecology</i> , <b>2011</b> , 117, 242-250   | 4.9 | 161       |
| 280 | Which factors determine subjective improvement following pelvic organ prolapse 1 year after surgery?. <i>International Urogynecology Journal</i> , <b>2011</b> , 22, 543-9   | 2   | 5         |
| 279 | Anal sphincter repair for fecal incontinence: effect on symptom severity, quality of life, and anal sphincter squeeze pressures. <i>International Urogynecology Journal</i> , <b>2011</b> , 22, 1587-92  | 2   | 18        |
| 278 | Emerging concepts for pelvic organ prolapse surgery: What is cure?. <b>2011</b> , 12, 62-7   |     | 26        |
| 277 | Role of composite endpoints as an outcome assessment tool in urogenital prolapse. <b>2012</b> , 32, 276-9  |     | 5         |
| 276 | Abdominal sacral hysteropexy: a pilot study comparing sacral hysteropexy to sacral colpopexy with hysterectomy. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2012</b> , 18, 286-90  | 1.9 | 12        |
| 275 | Surgical implantation of artificial urinary device and penile prosthesis through trans-scrotal incision for postprostatectomy urinary incontinence and erectile dysfunction: synchronous or delayed procedure?. <i>Urology</i> , <b>2012</b> , 80, 1046-50                 | 1.6 | 24        |
| 274 | Clinical outcome after hydrothermal ablation treatment of menorrhagia in patients with and without submucous myomas. <i>Journal of Minimally Invasive Gynecology</i> , <b>2012</b> , 19, 212-6   | 2.2 | 10        |
| 273 | Construct validation of patient global impression of severity (PGI-S) and improvement (PGI-I) questionnaires in the treatment of men with lower urinary tract symptoms secondary to benign prostatic hyperplasia. <b>2012</b> , 12, 30                                     |     | 49        |
| 272 | An International Urogynecological Association (IUGA)/International Continence Society (ICS) joint report on the terminology for reporting outcomes of surgical procedures for pelvic organ prolapse. <b>2012</b> , 31, 415-21  |     | 47        |
| 271 | Subjective and objective results of anterior vaginal wall repair in an outpatient clinic: a 5-year follow-up. <i>International Urogynecology Journal</i> , <b>2012</b> , 23, 883-6   | 2   | 7         |
| 270 | An International Urogynecological Association (IUGA)/International Continence Society (ICS) joint report on the terminology for reporting outcomes of surgical procedures for pelvic organ prolapse. <i>International Urogynecology Journal</i> , <b>2012</b> , 23, 527-35 | 2   | 84        |
| 269 | Vaginal invagination: definition, clinical presentation and surgical management. <i>International Urogynecology Journal</i> , <b>2013</b> , 24, 313-7  | 2   |           |
| 268 | Intra-vaginal diazepam for high-tone pelvic floor dysfunction: a randomized placebo-controlled trial. <i>International Urogynecology Journal</i> , <b>2013</b> , 24, 1915-23   | 2   | 43        |
| 267 | The cube pessary: an underestimated treatment option for pelvic organ prolapse? Subjective 1-year outcomes. <i>International Urogynecology Journal</i> , <b>2013</b> , 24, 1695-701  | 2   | 10        |

|     |  |     |     |
|-----|--|-----|-----|
| 266 | Laparoscopic sacrocolpopexy for recurrent pelvic organ prolapse after failed transvaginal polypropylene mesh surgery. <i>International Urogynecology Journal</i> , <b>2013</b> , 24, 763-7   | 2   | 12  |
| 265 | The vaginally assisted laparoscopic sacrocolpopexy: a pilot study. <i>International Urogynecology Journal</i> , <b>2013</b> , 24, 839-45   | 2   | 10  |
| 264 | A randomised controlled trial of abdominal versus laparoscopic sacrocolpopexy for the treatment of post-hysterectomy vaginal vault prolapse: LAS study. <i>International Urogynecology Journal</i> , <b>2013</b> , 24, 377-84        | 2   | 183 |
| 263 | Vaginal sacrospinous colpopexy using the Capio suture-capturing device versus traditional technique: feasibility and outcome. <i>Archives of Gynecology and Obstetrics</i> , <b>2013</b> , 287, 267-74                               | 2.5 | 21  |
| 262 | [PROSPERE randomized controlled trial: laparoscopic sacropexy versus vaginal mesh for cystocele POP repair]. <b>2013</b> , 42, 334-41  |     | 16  |
| 261 | Goal attainment after treatment in patients with symptomatic pelvic organ prolapse. <b>2013</b> , 209, 488.e1-5  |     | 22  |
| 260 | Validation of the Patient Global Impression scales for use in detrusor overactivity: secondary analysis of the RELAX study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2013</b> , 120, 212-216         | 3.7 | 42  |
| 259 | Validation of the Pelvic Floor Distress Inventory-20 and the Pelvic Floor Impact Questionnaire-7 in Danish women with pelvic organ prolapse. <b>2013</b> , 92, 1041-8  |     | 19  |
| 258 | Long-term symptom improvement and overall satisfaction after prolapse and incontinence graft removal. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2013</b> , 19, 352-5   | 1.9 | 7   |
| 257 | The BSUG national database: concept, design, implementation and beyond. <b>2013</b> , 15, 120-127  |     | 6   |
| 256 | Vaginal dilators for prevention of dyspareunia after prolapse surgery: a randomized controlled trial. <i>Obstetrics and Gynecology</i> , <b>2013</b> , 121, 1273-1280  | 4.9 | 19  |
| 255 | Safety and one year outcomes following vaginally assisted laparoscopic uterine sacropexy (VALUES) for advanced uterine prolapse. <b>2014</b> , 33, 345-9   |     | 11  |
| 254 | [Use of glue in laparoscopic sacrocolpopexy. A comparative study about 32 cases]. <b>2014</b> , 42, 822-6  |     | 8   |
| 253 | Use of a visual analog scale for evaluation of bother from pelvic organ prolapse. <b>2014</b> , 43, 693-7  |     | 37  |
| 252 | Non-Discussed Posters. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2014</b> , 20, S151-S368  | 1.9 |     |
| 251 | An automatic female pelvic medicine and reconstructive surgery registry and complications manager developed in an electronic medical record. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2014</b> , 20, 302-4      | 1.9 | 3   |
| 250 | Fascial surgical repair for vaginal prolapse: effect on quality of life and related symptoms. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2014</b> , 182, 177-80                                 | 2.4 | 3   |
| 249 | Labhardt's colpoperineocleisis: subjective results of an alternative treatment for genital prolapse in patients who are not sexually active--2-year follow-up. <i>International Urogynecology Journal</i> , <b>2014</b> , 25, 417-24 | 2   | 4   |

|     |   |     |    |
|-----|---|-----|----|
| 248 | Laparoscopic hysteropexy: 1- to 4-year follow-up of women postoperatively. <i>International Urogynecology Journal</i> , <b>2014</b> , 25, 131-8   | 2   | 44 |
| 247 | Follow-up of mesh complications using the IUGA/ICS category-time-site coding classification. <i>International Urogynecology Journal</i> , <b>2014</b> , 25, 817-22  | 2   | 6  |
| 246 | Validation of a patient reported outcome questionnaire for assessing success of endoscopic prostatectomy. <b>2014</b> , 2, 182-7  |     | 16 |
| 245 | The effect of vaginal pelvic organ prolapse surgery on sexual function. <b>2015</b> , 34, 316-21  |     | 14 |
| 244 | Comparison between laparoscopic sacral hysteropexy and subtotal hysterectomy plus cervicopexy in pelvic organ prolapse: A pilot study. <b>2015</b> , 34, 654-8  |     | 22 |
| 243 | Symptom Improvement After Prolapse and Incontinence Graft Removal in a Case Series of 306 Patients. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2015</b> , 21, 319-24   | 1.9 | 18 |
| 242 | Bilateral sacrospinous vault fixation with tailored synthetic mesh arms: clinical outcomes at one year. <b>2015</b> , 37, 129-137   |     | 12 |
| 241 | Female pelvic floor dysfunctions and evidence-based physical therapy. <b>2015</b> , 131-270   |     | 1  |
| 240 | Evidence-based physical therapy for pelvic floor dysfunctions affecting both women and men. <b>2015</b> , 311-353   |     |    |
| 239 | A pilot randomized trial of levator injections versus physical therapy for treatment of pelvic floor myalgia and sexual pain. <i>International Urogynecology Journal</i> , <b>2015</b> , 26, 845-52                               | 2   | 37 |
| 238 | New onset stress urinary incontinence following laparoscopic sacrocolpopexy and its relation to anatomical outcomes. <i>International Urogynecology Journal</i> , <b>2015</b> , 26, 1041-5  | 2   | 24 |
| 237 | The S.A.C.S. (Satisfaction-Anatomy-Continenence-Safety) score for evaluating pelvic organ prolapse surgery: a proposal for an outcome-based scoring system. <i>International Urogynecology Journal</i> , <b>2015</b> , 26, 1061-7 | 2   | 4  |
| 236 | Laparoscopic hysteropexy versus vaginal hysterectomy for the treatment of uterovaginal prolapse: a prospective randomized pilot study. <i>International Urogynecology Journal</i> , <b>2015</b> , 26, 1687-94                     | 2   | 43 |
| 235 | Patient and surgeon goal achievement 10 years following surgery for pelvic organ prolapse and urinary incontinence. <i>International Urogynecology Journal</i> , <b>2015</b> , 26, 1679-86  | 2   | 14 |
| 234 | The Impact of Treatment of Overactive Bladder on Physical Activity Limitations. <b>2016</b> , 25, 801-5   |     | 5  |
| 233 | The 12-month effects of structured lifestyle advice and pelvic floor muscle training for pelvic organ prolapse. <b>2016</b> , 95, 811-9   |     | 3  |
| 232 | Ten-Year Followup after Tension-Free Vaginal Tape-Obturator Procedure for Stress Urinary Incontinence. <b>2016</b> , 196, 1201-6  |     | 29 |
| 231 | Hemorrhoid laser procedure for second- and third-degree hemorrhoids: results from a multicenter prospective study. <b>2016</b> , 20, 455-9  |     | 24 |

|     |   |     |    |
|-----|---|-----|----|
| 230 | Quality of life in women of non-reproductive age with transvaginal mesh repair for pelvic organ prolapse: A cohort study. <b>2016</b> , 33 Pt A, 36-41  |     | 10 |
| 229 | A Prospective Observational Study of the Classification of the Perineum and Evaluation of Perineal Repair at the Time of Posterior Colporrhaphy. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2016</b> , 22, 453-459 | 1.9 | 3  |
| 228 | Developing a Hypnotic Relaxation Intervention to Improve Body Image: A Feasibility Study. <b>2016</b> , 43, E233-E241   |     | 5  |
| 227 | Demographic and Clinical Correlates of Patient-Reported Improvement in Sex Drive, Erectile Function, and Energy With Testosterone Solution 2. <b>2016</b> , 13, 1212-9  |     | 10 |
| 226 | Laparoscopic wrap round mesh sacrohysteropexy for the management of apical prolapse. <i>International Urogynecology Journal</i> , <b>2016</b> , 27, 1889-1897   | 2   | 12 |
| 225 | Quality of life after suprapubic catheter placement in patients with neurogenic bladder conditions. <b>2016</b> , 35, 831-5   |     | 10 |
| 224 | Sacrocolpopexy for posthysterectomy vaginal vault prolapse: long-term follow-up. <i>International Urogynecology Journal</i> , <b>2016</b> , 27, 1563-9  | 2   | 15 |
| 223 | Laparoscopic Versus Abdominal Sacrocolpopexy: A Randomized, Controlled Trial. <b>2016</b> , 196, 159-65   |     | 66 |
| 222 | Laparoscopic sacral hysteropexy versus laparoscopic sacrocolpopexy with hysterectomy for pelvic organ prolapse. <i>International Urogynecology Journal</i> , <b>2016</b> , 27, 93-101   | 2   | 37 |
| 221 | Discrepancies between patient-reported outcome measures when assessing urinary incontinence or pelvic-prolapse surgery. <i>International Urogynecology Journal</i> , <b>2016</b> , 27, 537-43   | 2   | 7  |
| 220 | Lifestyle advice with or without pelvic floor muscle training for pelvic organ prolapse: a randomized controlled trial. <i>International Urogynecology Journal</i> , <b>2016</b> , 27, 555-63   | 2   | 15 |
| 219 | Modified McCall culdoplasty versus Shull suspension in pelvic prolapse primary repair: a retrospective study. <i>International Urogynecology Journal</i> , <b>2017</b> , 28, 65-71  | 2   | 25 |
| 218 | Transvaginal uterosacral ligament hysteropexy: a retrospective feasibility study. <i>International Urogynecology Journal</i> , <b>2017</b> , 28, 73-76  | 2   | 18 |
| 217 | Norwegian translation, and validation, of the Pelvic Floor Distress Inventory (PFDI-20) and the Pelvic Floor Impact Questionnaire (PFIQ-7). <i>International Urogynecology Journal</i> , <b>2017</b> , 28, 1005-1017                  | 2   | 10 |
| 216 | Transvaginal PVDF-mesh for cystocele repair: A cohort study. <b>2017</b> , 39, 249-254  |     | 17 |
| 215 | Laparoscopic sacrocolpopexy compared with open abdominal sacrocolpopexy for vault prolapse repair: a randomised controlled trial. <i>International Urogynecology Journal</i> , <b>2017</b> , 28, 1469-1479                            | 2   | 54 |
| 214 | Patient satisfaction after laparoscopic lateral suspension with mesh for pelvic organ prolapse: outcome report of a continuous series of 417 patients. <i>International Urogynecology Journal</i> , <b>2017</b> , 28, 1685-1693       | 2   | 42 |
| 213 | Validation of the PFDI-20 and PFIQ-7 quality of life questionnaires in two African languages. <i>International Urogynecology Journal</i> , <b>2017</b> , 28, 1883-1890  | 2   | 12 |

|     |  |     |    |
|-----|--|-----|----|
| 212 | Early voiding dysfunction after midurethral sling surgery: comparison of two management approaches. <i>International Urogynecology Journal</i> , <b>2017</b> , 28, 1515-1526   | 2   | 11 |
| 211 | Feasibility of sacrocolpopexy by outpatient laparoscopic surgery. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , <b>2017</b> , 46, 727-730   | 1.9 | 7  |
| 210 | Laparoscopic extraperitoneal uterine suspension with suture line instead of mesh. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2017</b> , 124 Suppl 3, 64-70   | 3.7 | 1  |
| 209 | Should we offer ventral rectopexy to patients with recurrent external rectal prolapse?. <b>2017</b> , 32, 1561-1567  |     | 12 |
| 208 | Supervised pelvic floor muscle training versus attention-control massage treatment in patients with faecal incontinence: Statistical analysis plan for a randomised controlled trial. <b>2017</b> , 8, 192-202                                       |     | 2  |
| 207 | A new laparoscopic technique of inguinal ligament suspension for vaginal vault prolapse. <b>2017</b> , 43, 131-136   |     | 7  |
| 206 | Laparoscopic sacral colpopexy: how to place the posterior mesh into rectovaginal space?. <b>2017</b> , 36, 1529-1534   |     | 9  |
| 205 | Vaginal and laparoscopic mesh hysteropexy for uterovaginal prolapse: a parallel cohort study. <b>2017</b> , 216, 38.e1-38.e11  |     | 64 |
| 204 | Objective outcome and quality-of-life assessment in women with repeat incontinence surgery. <b>2017</b> , 36, 1543-1549  |     | 3  |
| 203 | Perioperative Behavioral Therapy and Pelvic Muscle Strengthening Do Not Enhance Quality of Life After Pelvic Surgery: Secondary Report of a Randomized Controlled Trial. <b>2017</b> , 97, 1075-1083   |     | 8  |
| 202 | Quality of life and objective outcome assessment in women with tape division after surgery for stress urinary incontinence. <b>2017</b> , 12, e0174628   |     | 4  |
| 201 | Laparoscopic sacrocolpopexy versus vaginal sacrospinous fixation for vaginal vault prolapse, a randomized controlled trial: SALTO-2 trial, study protocol. <i>BMC Women's Health</i> , <b>2017</b> , 17, 52  | 2.9 | 13 |
| 200 | Group physiotherapy compared to individual physiotherapy to treat urinary incontinence in aging women: study protocol for a randomized controlled trial. <b>2017</b> , 18, 544   |     | 19 |
| 199 | Management of Pelvic Organ Prolapse. <b>2018</b> ,   |     | 2  |
| 198 | Long term Follow-up of Transvaginal Anatomical Implant of Mesh in Pelvic organ prolapse. <b>2018</b> , 8, 2829   |     | 3  |
| 197 | The effect of intravesical instillations with Hyaluronic Acid on sexual dysfunction in women with recurrent urinary tract infections (RUTI). <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2018</b> , 221, 105-108 | 2.4 | 3  |
| 196 | Outcome and complications of adjustable continence therapy (ProACT) after radical prostatectomy: 10 years' experience in 143 patients. <b>2018</b> , 37, 1419-1425   |     | 8  |
| 195 | Outcomes of Transvaginal High Uterosacral Ligaments Suspension: Over 500-Patient Single-Center Study. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2018</b> , 24, 203-206   | 1.9 | 12 |

194 Prolapse Surgery and Outcome Measures. **2018**, 153-166

193 Long-term follow-up of anterior vaginal repair: A comparison among colporrhaphy, colporrhaphy with reinforcement by xenograft, and mesh. **2018**, 37, 278-283 13

192 Outcomes and Characteristics of Patients Undergoing Surgical Management for Mesh Related Complications. *Female Pelvic Medicine and Reconstructive Surgery*, **2018**, 24, 32-38 1.9 2

191 Long-Term Outcomes After Ventral Rectopexy With Sacrocolpo- or Hysteropexy for the Treatment of Concurrent Rectal and Pelvic Organ Prolapse. *Female Pelvic Medicine and Reconstructive Surgery*, **2018**, 24, 336-340 1.9 19

190 Outcomes of Transvaginal High Uterosacral Ligaments Suspension: Over 500-Patient Single-Center Study. *Female Pelvic Medicine and Reconstructive Surgery*, **2018**, 24, 39-42 1.9 19

189 Risk factors for recurrence after hysterectomy plus native-tissue repair as primary treatment for genital prolapse. *International Urogynecology Journal*, **2018**, 29, 145-151 2 21

188 Sacrocolpopexy with polyvinylidene fluoride mesh for pelvic organ prolapse: Mid term comparative outcomes with polypropylene mesh. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **2018**, 220, 74-78 2.4 20

187 Long-term outcome of vaginal mesh or native tissue in recurrent prolapse: a randomized controlled trial. *International Urogynecology Journal*, **2018**, 29, 847-858 2 37

186 Vaginal cystocele repair and hysteropexy in women with anterior and central compartment prolapse: efficacy and safety after 30 months of follow-up. *International Urogynecology Journal*, **2018**, 29, 831-836 2 5

185 Gut-Directed Pelvic Floor Behavioral Treatment for Fecal Incontinence and Constipation in Patients with Inflammatory Bowel Disease. **2019**, 25, 620-626 6

184 Plication for Severe Peyronie's Deformities Has Similar Long-Term Outcomes to Milder Cases. **2018**, 15, 1498-1505 9

183 Impact of age on mid- to long-term outcomes of transvaginal native tissue repair for apical vaginal prolapse. **2018**, 37, 2860-2866 1

182 Patient centric measures for a patient centric era: Agreement and convergent between ratings on The Patient Global Impression of Improvement (PGI-I) scale and the Clinical Global Impressions - Improvement (CGI-S) scale in bipolar and major depressive disorder. **2018**, 53, 17-22 17

181 Efficacy and patient satisfaction of pelvic organ prolapse reduction using transvaginal mesh: A Canadian perspective. *Canadian Urological Association Journal*, **2018**, 12, E432-E437 1.2 1

180 Laparoscopic inguinal ligament suspension versus laparoscopic sacrocolpopexy in the treatment of pelvic organ prolapse: study protocol for a randomized controlled trial. **2018**, 19, 160 2

179 Anterior Colporrhaphy With and Without Dermal Allograft: A Randomized Control Trial With Long-Term Follow-Up. *Female Pelvic Medicine and Reconstructive Surgery*, **2019**, 25, 206-212 1.9 3

178 The minimal important difference of the Australian Pelvic Floor Questionnaire. *International Urogynecology Journal*, **2019**, 30, 115-122 2 11

177 Uterus preservation is superior to hysterectomy when performing laparoscopic lateral suspension with mesh. *International Urogynecology Journal*, **2019**, 30, 557-564 2 14

|     |  |     |    |
|-----|--|-----|----|
| 176 | A longitudinal qualitative evaluation of patient perspectives of adverse events after pelvic reconstructive surgery. <i>International Urogynecology Journal</i> , <b>2019</b> , 30, 2023-2028  | 2   | 2  |
| 175 | Effects of uterine preservation on long-term subjective outcomes of sacrospinous ligament fixation for the treatment of pelvic organ prolapse. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2019</b> , 240, 167-171 | 2.4 | 5  |
| 174 | Transvaginal mesh surgery for pelvic organ prolapse does not affect sexual function at long term follow up. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2019</b> , 240, 282-287                                    | 2.4 | 3  |
| 173 | Laparoscopic inguinal ligament suspension combined with hysterectomy for the treatment of uterovaginal prolapse. <b>2019</b> , 45, 1918-1924   |     |    |
| 172 | Uterus-preserving Laparoscopic Lateral Suspension with Mesh Operation in Pelvic Organ Prolapse: Initial Experience in a Single Tertiary Center with a Median 24-Month Follow-up. <b>2019</b> , 79, 983-992   |     | 3  |
| 171 | WITHDRAWN: Effects of Uterine Preservation on Long-term Subjective Outcomes of Sacrospinous Ligament Fixation for the treatment of Pelvic Organ Prolapse. <b>2019</b> ,  |     |    |
| 170 | Robot-assisted Vs Laparoscopic Sacrocolpopexy for High-stage Pelvic Organ Prolapse: A Prospective, Randomized, Single-center Study. <i>Urology</i> , <b>2019</b> , 134, 116-123  | 1.6 | 23 |
| 169 | Gaining the patient perspective on pelvic floor disorders' surgical adverse events. <b>2019</b> , 220, 185.e1-185.e10  |     | 22 |
| 168 | Medium-term outcomes of laparoscopic sacropexy on symptoms and quality of life. Predictive factors for postoperative dissatisfaction. <i>International Urogynecology Journal</i> , <b>2019</b> , 30, 2085-2092   | 2   | 1  |
| 167 | Mesh-related complications of laparoscopic sacrocolpopexy. <i>International Urogynecology Journal</i> , <b>2019</b> , 30, 1475-1481  | 2   | 19 |
| 166 | The Efficacy of Manual Therapy for Treatment of Dyspareunia in Females: A Systematic Review. <b>2019</b> , 43, 28-35   |     | 4  |
| 165 | Laparoscopic sacrocolpopexy posthysterectomy: intraoperative feasibility and safety in obese women compared with women of normal weight. <i>International Urogynecology Journal</i> , <b>2019</b> , 30, 2041-2048                                      |     | 5  |
| 164 | Tien jaar expertise met aanpasbare continentietherapie voor post-prostatectomie urine-incontinentie. <b>2019</b> , 9, 9-15   |     |    |
| 163 | Validation of the Chinese version of the Pelvic Floor Distress Inventory-20 (PFDI-20) according to the COSMIN checklist. <i>International Urogynecology Journal</i> , <b>2019</b> , 30, 1127-1139  | 2   | 18 |
| 162 | Uterosacral Ligament Suspension Versus Robotic Sacrocolpopexy for Treatment of Apical Pelvic Organ Prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2019</b> , 25, 93-98  | 1.9 | 11 |
| 161 | The Promise of PROMIS in Pelvic Organ Prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2019</b> , 25, 426-429   | 1.9 | 5  |
| 160 | Long-Term Assessment of a Prospective Cohort of Patients Undergoing Laparoscopic Sacrocolpopexy. <i>Obstetrics and Gynecology</i> , <b>2019</b> , 134, 323-332   | 4.9 | 16 |
| 159 | Self-Removal of a Urinary Catheter After Urogynecologic Surgery: A Randomized Controlled Trial. <i>Obstetrics and Gynecology</i> , <b>2019</b> , 134, 1027-1036  | 4.9 | 4  |

|     |  |     |    |
|-----|--|-----|----|
| 158 | Partially absorbable mesh or native tissue repair for pelvic organ prolapse: a randomized controlled trial. <i>International Urogynecology Journal</i> , <b>2019</b> , 30, 565-573   | 2   | 5  |
| 157 | Translation, transcultural adaptation, reliability and validation of the pelvic organ prolapse quality of life (P-QoL) in Amharic. <b>2019</b> , 17, 12  |     | 5  |
| 156 | Sonographic sling position and cure rate 10-years after TVT- O procedure. <b>2019</b> , 14, e0209668   |     | 9  |
| 155 | Route of hysterectomy during minimally invasive sacrocolpopexy does not affect postoperative outcomes. <i>International Urogynecology Journal</i> , <b>2019</b> , 30, 649-655  | 2   | 11 |
| 154 | Usefulness of Ospemifene in the treatment of urgency in menopausal patients affected by mixed urinary incontinence underwent mid-urethral slings surgery. <b>2019</b> , 35, 155-159  |     | 14 |
| 153 | Prospective evaluation of paravaginal defect repair with and without apical suspension: a 6-month postoperative follow-up with MRI, clinical examination, and questionnaires. <i>International Urogynecology Journal</i> , <b>2019</b> , 30, 1725-1733 | 2   | 7  |
| 152 | Association of baseline severity of lower urinary tract symptoms with the success conservative therapy for urinary incontinence in women. <i>International Urogynecology Journal</i> , <b>2019</b> , 30, 705-710                                       | 2   | 4  |
| 151 | Severe pelvic organ prolapse. Is there a long-term cure?. <i>International Urogynecology Journal</i> , <b>2019</b> , 30, 1697-1703   | 2   | 1  |
| 150 | Translation and validation of the International Consultation on Incontinence Questionnaire Vaginal Symptoms (ICIQ-VS): the Danish version. <i>International Urogynecology Journal</i> , <b>2019</b> , 30, 17-22  | 2   | 5  |
| 149 | Depression, Anxiety, and Pelvic Floor Symptoms Before and After Surgery for Pelvic Floor Dysfunction. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2020</b> , 26, 67-72   | 1.9 | 4  |
| 148 | LeFort colpocleisis for recurrent pelvic organ prolapse. <i>International Urogynecology Journal</i> , <b>2020</b> , 31, 381-384  | 2   | 1  |
| 147 | Preoperative predictors and a prediction score for perception of improvement after mesh prolapse surgery. <i>International Urogynecology Journal</i> , <b>2020</b> , 31, 1393-1400   | 2   | 1  |
| 146 | Obesity and its long-term impact on sacrocolpopexy key outcomes (OBELISK). <i>International Urogynecology Journal</i> , <b>2020</b> , 31, 1655-1662  | 2   | 5  |
| 145 | Medium-term outcomes after robotic-assisted lateral suspension with mesh for advanced multi-compartmental prolapse. <i>International Urogynecology Journal</i> , <b>2020</b> , 31, 1647-1653   | 2   | 3  |
| 144 | Long-term outcomes of a randomized controlled trial comparing trans-obturator vaginal mesh with native tissue repair in the treatment of anterior vaginal wall prolapse. <i>International Urogynecology Journal</i> , <b>2020</b> , 31, 745-753        | 2   | 8  |
| 143 | Hysteropexy with single-incision vaginal support system associated with a modified culdoplasty for enterocele prevention. <b>2020</b> , 40, 222-227  |     | 1  |
| 142 | Laparoscopic sacrocolpopexy as the mainstay management for significant apical pelvic organ prolapse (LAP) study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2020</b> , 244, 60-65                                 | 2.4 | 3  |
| 141 | Laparoscopic duplication of the uterosacral ligaments following hysterectomy for stage III-IV apical pelvic organ prolapse. <b>2020</b> , 72, 199-204  |     | 10 |

|     |   |     |    |
|-----|---|-----|----|
| 140 | Perioperative pelvic floor muscle training did not improve outcomes in women undergoing pelvic organ prolapse surgery: a randomised trial. <b>2020</b> , 66, 27-32  |     | 9  |
| 139 | Transvaginal uterosacral ligament hysteropexy versus hysterectomy plus uterosacral ligament suspension: a matched cohort study. <i>International Urogynecology Journal</i> , <b>2020</b> , 31, 1867-1872  | 2   | 10 |
| 138 | A Prospective Comparative Study of the Feasibility and Reliability of Telephone Follow-Up in Female Urology: The Patient Home Office Novel Evaluation (PHONE) Study. <i>Urology</i> , <b>2020</b> , 136, 82-87  | 1.6 | 14 |
| 137 | Associating genital hiatus size with long-term outcomes after apical suspension. <i>International Urogynecology Journal</i> , <b>2020</b> , 31, 1537-1544   | 2   | 4  |
| 136 | Titanized polypropylene mesh in laparoscopic sacral colpopexy. <i>International Urogynecology Journal</i> , <b>2020</b> , 31, 763-768   | 2   | 2  |
| 135 | Pelvic organ prolapse recurrence in young women undergoing vaginal and abdominal colpopexy. <i>International Urogynecology Journal</i> , <b>2020</b> , 31, 2661-2667  | 2   | 2  |
| 134 | Pelvic organ prolapse surgery and quality of life-a nationwide cohort study. <b>2020</b> , 222, 588.e1-588.e10  |     | 16 |
| 133 | Patient-Centered Outcomes After Modified Vestibulectomy. <i>Obstetrics and Gynecology</i> , <b>2020</b> , 135, 113-121  |     | 4  |
| 132 | Pelvic Organ Prolapse Recurrence and Patient-Centered Outcomes Following Minimally Invasive Abdominal Uterosacral Ligament and Mesh-Augmented Sacrohysteropexy. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2020</b> , 26, 763-768    | 1.9 | 3  |
| 131 | Correlation of Electronic (Web-Based and Smartphone) Administration of Measures of Pelvic Floor Dysfunction: A Randomized Controlled Trial. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2020</b> , 26, 396-400                        | 1.9 | 1  |
| 130 | Cystocele Repair by a Modified Surgical Technique of Bilateral Pubococcygeus Plication: Long-Term Surgical and Functional Results. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,   | 5.1 | 2  |
| 129 | Long-term mesh complications and reoperation after laparoscopic mesh sacrohysteropexy: a cross-sectional study. <i>International Urogynecology Journal</i> , <b>2020</b> , 31, 2595-2602  | 2   | 9  |
| 128 | [Patient satisfaction and symptom changes in women using a pessary for pelvic organ prolapse]. <b>2020</b> , 30, 381-389  |     | 1  |
| 127 | Enabling respiratory control after severe chronic tetraplegia: an exploratory case study. <b>2020</b> , 124, 774-780  |     | 10 |
| 126 | Laparoscopic high uterosacral ligament suspension (modified Shull technique): A case series and a step by step description of surgical procedure. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2020</b> , 253, 83-89 | 2.4 | 1  |
| 125 | Agreement between patient global impression scale of improvement, pelvic floor distress inventory and 15D in measuring the outcome of pelvic organ prolapse surgery. <b>2020</b> , 39, 2171-2178  |     |    |
| 124 | Dynamic magnetic resonance imaging following native tissue vaginal reconstructive surgery; a prospective study. <i>International Urogynecology Journal</i> , <b>2021</b> , 32, 1519-1525  | 2   | 1  |
| 123 | Validation of the Chinese version of the Pelvic Organ Prolapse Symptom Score (POP-SS). <b>2020</b> , 27, 1053-1059  |     | 1  |

|     |   |     |   |
|-----|---|-----|---|
| 122 | Minimal important difference and patient acceptable symptom state for PFDI-20 and POPDI-6 in POP surgery. <i>International Urogynecology Journal</i> , <b>2021</b> , 32, 3169-3176  | 2   | 2 |
| 121 | Randomised controlled trial to investigate the effectiveness of local oestrogen treatment in postmenopausal women undergoing pelvic organ prolapse surgery (LOTUS): a pilot study to assess feasibility of a large multicentre trial. <b>2020</b> , 10, e025141 |     | 2 |
| 120 | Clinical and cost-effectiveness of vaginal pessary self-management compared to clinic-based care for pelvic organ prolapse: protocol for the TOPSY randomised controlled trial. <b>2020</b> , 21, 837   |     | 3 |
| 119 | Hysterectomy with uterosacral suspension or Uphold hysteropexy in women with apical prolapse: a parallel cohort study. <i>International Urogynecology Journal</i> , <b>2020</b> , 31, 2137-2146   | 2   | 2 |
| 118 | The influence of postoperative environment on patient pain and satisfaction: a randomized trial. <b>2020</b> , 223, 271.e1-271.e8   |     | 1 |
| 117 | Mesh inlay, mesh kit or native tissue repair for women having repeat anterior or posterior prolapse surgery: randomised controlled trial (PROSPECT). <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2020</b> , 127, 1002-1013         | 3.7 | 6 |
| 116 | Comparison between laparoscopic sacrocolpopexy with hysterectomy and hysteropexy in advanced urogenital prolapse. <i>International Urogynecology Journal</i> , <b>2020</b> , 31, 2069-2074  | 2   | 7 |
| 115 | Protocol for a randomized controlled trial to assess two procedures of vaginal native tissue repair for pelvic organ prolapse at the time of the questioning on vaginal prosthesis: the TAPP trial. <b>2020</b> , 21, 624                                       |     | 2 |
| 114 | Optical Vaginal Biopsy Using Optical Coherence Tomography. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2020</b> , 26, 155-158   | 1.9 | 3 |
| 113 | Italian real-life clinical setting: the persistence and adherence with mirabegron in women with overactive bladder. <b>2020</b> , 52, 1035-1042   |     | 1 |
| 112 | Technical considerations and mid-term follow-up after vaginal hysterocolpectomy with colpocleisis for pelvic organ prolapse. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2020</b> , 247, 73-79                              | 2.4 | 1 |
| 111 | Perineorrhaphy Compared With Pelvic Floor Muscle Therapy in Women With Late Consequences of a Poorly Healed Second-Degree Perineal Tear: A Randomized Controlled Trial. <i>Obstetrics and Gynecology</i> , <b>2020</b> , 135, 341-351                           | 4.9 | 1 |
| 110 | Laparoscopic sacral colpopexy for pelvic organ prolapse recurrence after transvaginal mesh surgery. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2020</b> , 248, 222-226   | 2.4 | 1 |
| 109 | Laparoscopic sacrocolpopexy plus ventral rectopexy as combined treatment for multicompart ment pelvic organ prolapse. <b>2020</b> , 24, 573-584   |     | 9 |
| 108 | Long-term safety and efficacy of laparoscopically placed mesh for apical prolapse. <i>International Urogynecology Journal</i> , <b>2021</b> , 32, 871-877   | 2   | 4 |
| 107 | Long-term efficacy and patient satisfaction of Le Fort colpocleisis for the treatment of severe pelvic organ prolapse. <i>International Urogynecology Journal</i> , <b>2021</b> , 32, 879-884   | 2   | 2 |
| 106 | Responsiveness of two sexual function questionnaires: PISQ-IR and FSFI in women with pelvic floor disorders. <b>2021</b> , 40, 358-366  |     | 1 |
| 105 | Urodynamic predictors of de novo overactive bladder after single-incision sling. <i>International Journal of Gynecology and Obstetrics</i> , <b>2021</b> , 153, 412-416   | 4   | 2 |

|     |  |     |    |
|-----|--|-----|----|
| 104 | Importance of a pelvic floor lifestyle program in women with pelvic floor dysfunctions: A pilot study. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , <b>2021</b> , 50, 102032   | 1.9 | 1  |
| 103 | Polypropylene and polyvinylidene fluoride transobturator slings for the treatment of female stress urinary incontinence: 1-Year outcomes from a multicentre randomized trial. <b>2021</b> , 40, 475-482  |     | 0  |
| 102 | Single-incision slings for the treatment of stress urinary incontinence: efficacy and adverse effects at 10-year follow-up. <i>International Urogynecology Journal</i> , <b>2021</b> , 32, 187-191   | 2   | 8  |
| 101 | Is it the Time to Revisit Historical Bladder Neck Buttressing for the Treatment of Stress Urinary Incontinence?. 16, 1   |     |    |
| 100 | Pelvic organ prolapse surgery and health-related quality of life: a follow-up study. <i>BMC Women's Health</i> , <b>2021</b> , 21, 4   | 2.9 | 3  |
| 99  | Do patients with central sensitivity syndromes have poor subjective outcomes despite anatomical cure from pelvic organ prolapse surgery?. <i>International Urogynecology Journal</i> , <b>2021</b> , 32, 1461-1467                               | 2   | 0  |
| 98  | Persistence in Percutaneous Tibial Nerve Stimulation Treatment for Overactive Bladder Syndrome is Best Predicted by Patient Global Impression of Improvement Rather Than Symptom-Specific Improvement. <i>Urology</i> , <b>2021</b> , 148, 93-99 | 1.6 | 2  |
| 97  | Pelvic organ prolapse and uterine preservation: a cohort study (POP-UP study). <i>BMC Women's Health</i> , <b>2021</b> , 21, 72  | 2.9 | 2  |
| 96  | MEBO versus topical Diltiazem versus a combination of both ointments in the treatment of acute anal fissure: a randomized clinical trial protocol. <b>2021</b> , 21, 75  |     | 1  |
| 95  | Laparoscopic latero-abdominal colposuspension: Description of the technique, advantages and preliminary results. <b>2021</b> , 45, 167-174   |     | 0  |
| 94  | The Influence of Patients' Goals on Surgical Satisfaction. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2021</b> , 27, 170-174  | 1.9 | 1  |
| 93  | Laparoscopic latero-abdominal colposuspension: Description of the technique, advantages and preliminary results. <b>2021</b> , 45, 167-174   |     |    |
| 92  | Vaginal Estrogen as First-Line Therapy for Recurrent Urinary Tract Infections in Postmenopausal Women and Risk Factors for Needing Additional Therapy. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2021</b> , 27, e487-e492    | 1.9 |    |
| 91  | Laparoscopic lateral suspension for anterior and apical prolapse: a prospective cohort with standardized technique. <i>International Urogynecology Journal</i> , <b>2021</b> , 1   | 2   | 1  |
| 90  | Outcomes of robotically assisted laparoscopic lateral suspension (RALLS) with mesh for anterior and apical prolapse. <b>2021</b> , 1   |     | 0  |
| 89  | Oestrogen therapy for treating pelvic organ prolapse in postmenopausal women.  |     | 78 |
| 88  | Quality of life recovery after laparoscopic high uterosacral ligament suspension: a single centre observational study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2021</b> , 260, 212-217                   | 2.4 | 0  |
| 87  | Can we predict continued pessary use as primary treatment in women with symptomatic pelvic organ prolapse (POP)? A prospective cohort study. <i>International Urogynecology Journal</i> , <b>2021</b> , 32, 2159-2167                            |     | 0  |

|    |  |     |    |
|----|--|-----|----|
| 86 | Symptomatic improvement after mesh removal: a prospective longitudinal study of women with urogynaecological mesh complications. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2021</b> , 128, 2034-2043                      | 3.7 | 2  |
| 85 | Laparoscopic sacral hysteropexy versus laparoscopic sacral colpopexy plus supracervical hysterectomy in patients with pelvic organ prolapse. <i>International Urogynecology Journal</i> , <b>2021</b> , 1  | 2   | 4  |
| 84 | Minimal Clinically Important Difference (MCID) for the Pelvic Organ Prolapse-Urinary Incontinence Sexual Function Questionnaire - IUGA Revised (PISQ-IR). <b>2021</b> , 18, 1265-1270  |     | 0  |
| 83 | Use of Patient and Investigator Global Impression Scales: A Review of Food and Drug Administration-Approved Labeling, 2009 to 2019. <i>Value in Health</i> , <b>2021</b> , 24, 1016-1023   | 3.3 | 3  |
| 82 | Oxycodone Use During the Postoperative Period After Hysterectomy for Benign Indications. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2021</b> ,  | 1.9 |    |
| 81 | The use of mobile applications in urology. A systematic review. <i>International Journal of Urological Nursing</i> , <b>2021</b> , 15, 105   | 0.8 | 0  |
| 80 | The Comparison of Transvaginal Natural Orifice Transluminal Endoscopic Surgery and Conventional Laparoscopy in Opportunistic Bilateral Salpingectomy for Permanent Female Sterilization. <i>Journal of Minimally Invasive Gynecology</i> , <b>2021</b> , | 2.2 | 1  |
| 79 | Pessary or surgery for a symptomatic pelvic organ prolapse: the PEOPLE study, a multicentre prospective cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2021</b> ,  | 3.7 | 2  |
| 78 | Evaluation of Benefits and Harms of Surgical Treatments for Post-radical Prostatectomy Urinary Incontinence: A Systematic Review and Meta-analysis. <i>European Urology Focus</i> , <b>2021</b> ,  | 5.1 | 0  |
| 77 | Intermediate term outcomes after transvaginal uterine-preserving surgery in women with uterovaginal prolapse. <i>International Urogynecology Journal</i> , <b>2021</b> , 1   | 2   |    |
| 76 | Satisfaction and Regret Following Uterosacral Ligament Suspension and Sacrocolpopexy: A Prospective Multicenter Analysis From the Fellows' Pelvic Research Network. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2021</b> , 27, e70-e74 | 1.9 | 0  |
| 75 | Hemorrhoid laser procedure (HeLP) for second- and third-degree hemorrhoids: results from a long-term follow-up analysis. <i>Lasers in Medical Science</i> , <b>2021</b> , 1  | 3.1 | 1  |
| 74 | A randomized controlled trial of permanent vs absorbable suture for uterosacral ligament suspension. <i>International Urogynecology Journal</i> , <b>2021</b> , 32, 785-790  | 2   | 5  |
| 73 | Laparoscopic Cerclage Sacrohysteropexy: Comparing a Novel Technique for Sacrohysteropexy to Traditional Supracervical Hysterectomy and Sacrocervicopexy. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2021</b> , 27, e315-e320          | 1.9 | 2  |
| 72 | Hypnotherapy for treatment of overactive bladder: a randomized controlled trial pilot study. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2011</b> , 17, 308-13   | 1.9 | 10 |
| 71 | Basic Urologic History and Questionnaires and the Role of Imaging in Female Pelvic Medicine and Reconstructive Surgery. <i>Current Clinical Urology</i> , <b>2014</b> , 3-13   |     |    |
| 70 | Subjective and Objective Results of Native Anterior Vaginal Wall Repair in Local Anesthesia: A 10-Year Follow-Up. <i>Open Journal of Obstetrics and Gynecology</i> , <b>2015</b> , 05, 762-767   | 0.1 |    |
| 69 | Efficacy of needle retractor device in single-incision slings for treatment of stress urinary incontinence. <i>Minerva Ginecologica</i> , <b>2018</b> , 70, 724-728  | 1.2 | 1  |

|    |  |     |   |
|----|--|-----|---|
| 68 | Surgical treatment satisfaction in women with pelvic organ prolapse. Quantification and analysis. <i>Journal of Obstetrics and Women's Diseases</i> , <b>2018</b> , 67, 31-37  | 0.4 | 0 |
| 67 | Evre 3-4 vajinal cuff prolapsusu tedavisinde konvansiyonel enstrimanlar kullanılarak sakrospinöz ligament fiksasyon sonuçları <i>Cukurova Medical Journal</i> , <b>2019</b> , 44, 549-555  | 0.1 |   |
| 66 | Mesh-related complications of laparoscopic lateral suspension. <i>Obstetrics &amp; Gynecology International Journal</i> , <b>2020</b> , 11,  | 0.4 |   |
| 65 | Patient-Reported Outcomes and Pelvic Organ Prolapse. <b>2021</b> , 555-575   |     |   |
| 64 | Short and middle-term outcomes of vaginally assisted laparoscopic sacrocolpopexy. <i>LUTS: Lower Urinary Tract Symptoms</i> , <b>2021</b> , 13, 291-298  | 1.9 | 0 |
| 63 | Long-term efficacy of transvaginal high uterosacral ligament suspension for middle-compartment defect-based pelvic organ prolapse. <i>Annals of Translational Medicine</i> , <b>2020</b> , 8, 1645   | 3.2 |   |
| 62 | Robotic-assisted laparoscopic sacrocolpopexy: Initial Canadian experience. <i>Canadian Urological Association Journal</i> , <b>2020</b> , 14, E257-E263  | 1.2 | 1 |
| 61 | Impact of a Web-Based Decisional Aid on Satisfaction in Women Undergoing Prolapse Surgery. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2021</b> , 27, e309-e314  | 1.9 | 2 |
| 60 | Validation of the Patient Global Impression of Improvement for Penile Prosthesis. <i>Ochsner Journal</i> , <b>2016</b> , 16, 492-495   | 1.5 | 2 |
| 59 | Vaginal-assisted Laparoscopic Sacrohysteropexy and Vaginal Hysterectomy with Vaginal Vault Suspension for Advanced Uterine Prolapse: 12-month Preliminary Results of a Randomized Controlled Study. <i>Gynecology and Minimally Invasive Therapy</i> , <b>2021</b> , 10, 30-36 | 1.1 |   |
| 58 | Improving of long-term follow-up after cystocele repair. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , <b>2021</b> , 51, 102278   | 1.9 |   |
| 57 | Vaginal-assisted laparoscopic sacrohysteropexy and vaginal hysterectomy with vaginal vault suspension for advanced uterine prolapse: 12-month preliminary results of a randomized controlled study. <i>Gynecology and Minimally Invasive Therapy</i> , <b>2021</b> , 10, 30    | 1.1 | 0 |
| 56 | Sexually Inactive Status in Women With Pelvic Organ Prolapse Before Colpocleisis and Postoperative Satisfaction and Regret Rate. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2021</b> , 27, 556-559  | 1.9 | 0 |
| 55 | Native-tissue prolapse repair: efficacy and adverse effects of uterosacral ligaments suspension at 10-year follow up.. <i>International Journal of Gynecology and Obstetrics</i> , <b>2022</b> ,   | 4   | 0 |
| 54 | Learning Curve of Botulinum Toxin Bladder Injection for the Treatment of Refractory Overactive Bladder.. <i>International Journal of Women's Health</i> , <b>2022</b> , 14, 1-7  | 2.8 | 1 |
| 53 | A multimodal concept for vaginal cuff closure by modification of the Bakay technique in total laparoscopic hysterectomy: a randomized clinical study.. <i>BMC Women's Health</i> , <b>2022</b> , 22, 6   | 2.9 |   |
| 52 | Two-year anatomical and functional outcomes of laparoscopic sacrocolpopexy using light-weight Y shaped mesh for post hysterectomy vaginal prolapse.. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2022</b> , 270, 139-143                   | 2.4 |   |
| 51 | Evaluation of the acceptability of patient-reported outcome measures in women following pelvic floor procedures.. <i>Quality of Life Research</i> , <b>2022</b> , 1  | 3.7 | 0 |

|    |  |     |   |
|----|--|-----|---|
| 50 | Comparison of outcomes between pessary use and surgery for symptomatic pelvic organ prolapse: A prospective self-controlled study.. <i>Investigative and Clinical Urology</i> , <b>2022</b> , 63, 214-220  | 1.9 | 0 |
| 49 | Is pelvic organ prolapse correction with vaginal mesh suitable with a correct indication and protocolized follow-up?. <i>Urogynaecologia International Journal</i> , <b>2022</b> , 34,   | 0   |   |
| 48 | Outcomes of a complementary and alternative medicine based on vitamins, herbal products, and amino acid as a first line treatment in idiopathic overactive bladder syndrome in men and women without bladder outlet obstruction.. <i>Urologia</i> , <b>2022</b> , 3915603221077599 | 1.2 | 0 |
| 47 | Anterior bilateral sacrospinous ligament fixation with concomitant anterior native tissue repair: a pilot study.. <i>International Urogynecology Journal</i> , <b>2022</b> , 1   | 2   | 1 |
| 46 | Laparoscopic High Uterosacral Ligament Suspension vs. Laparoscopic Sacral Colpopexy for Pelvic Organ Prolapse: A Case-Control Study.. <i>Frontiers in Medicine</i> , <b>2022</b> , 9, 853694   | 4.9 |   |
| 45 | Anterior colporrhaphy and sacrospinous hysteropexy in women with pelvic organ prolapse: Urodynamic findings and functional outcomes.. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2022</b> , 271, 255-259                                      | 2.4 | 0 |
| 44 | MIS TLIF, EndoTLIF, and the Ability of Navigation/Robotics to Enable Spinal Surgery in an Ambulatory Care Setting.. <i>Global Spine Journal</i> , <b>2022</b> , 12, 34S-39S  | 2.7 | 0 |
| 43 | Are there any advantages of 3D laparoscopic technologies in surgery for rectocele and rectal prolapse?. <i>Koloproktologia</i> , <b>2021</b> , 20, 56-69   | 0.8 |   |
| 42 | Cost-Effectiveness of perioperative Vaginally Administered estrogen in postmenopausal women undergoing prolapse surgery (EVA trial): study protocol for a multicenter double-blind randomized placebo-controlled trial.. <i>BMC Women's Health</i> , <b>2021</b> , 21, 439         | 2.9 | 1 |
| 41 | Robot-assisted sacro(hystero)colpopexy with anterior and posterior mesh placement: impact on lower bowel tract function and clinical outcomes at mid-term follow-up.. <i>Therapeutic Advances in Urology</i> , <b>2022</b> , 14, 17562872221090884                                 | 3.2 |   |
| 40 | Perioperative and Long-Term Anatomical and Subjective Outcomes of Laparoscopic Pectopexy and Sacrospinous Ligament Suspension for POP-Q Stages II-IV Apical Prolapse.. <i>Journal of Clinical Medicine</i> , <b>2022</b> , 11,   | 5.1 | 0 |
| 39 | Outcomes following sacrocolpopexy using ultralight and lightweight mesh.. <i>International Urogynecology Journal</i> , <b>2022</b> ,   | 2   | 0 |
| 38 | Postprocedural Pain Associated With 5 Versus 20 Intradetrusor Injections of onabotulinumtoxinA for Treatment of Overactive Bladder: A Multicenter Randomized Clinical Trial.. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2022</b> ,                             | 1.9 |   |
| 37 | Laparoscopic sacrohysteropexy versus vaginal sacrospinous hysteropexy as treatment for uterine descent: comparison of long-term outcomes.. <i>International Urogynecology Journal</i> , <b>2022</b> ,  | 2   |   |
| 36 | Transvaginal Mesh Compared With Native Tissue Repair for Pelvic Organ Prolapse. <i>Obstetrics and Gynecology</i> , <b>2022</b> , 139, 975-985  | 4.9 | 2 |
| 35 | 36-Month Prospective Study of Transvaginal Bovine Graft versus Native Tissue Repair for the Treatment of Pelvic Organ Prolapse. <i>Urology</i> , <b>2022</b> ,   | 1.6 | 0 |
| 34 | Comparison of laparoscopic lateral suspension and laparoscopic sacrocolpopexy with concurrent total laparoscopic hysterectomy for the treatment of pelvic organ prolapse: a randomized controlled clinical trial. <i>International Urogynecology Journal</i> ,                     | 2   | 0 |
| 33 | Los pesarios mejoran la calidad de vida y las micciones de las mujeres con prolapsos de órganos pélvicos. <i>Revista Médica Clínica Las Condes</i> , <b>2022</b> , 33, 319-326   | 0.2 |   |

|    |  |     |
|----|--|-----|
| 32 | 447 EVALUATING A DIGITAL INTERVENTION FOR OVERACTIVE BLADDER: OAB PILOT STUDY. <b>2022</b> , 2, 1-2  |     |
| 31 | Self-management of vaginal cube pessaries may be a game changer for pelvic organ prolapse treatment: a long-term follow-up study. <i>International Urogynecology Journal</i> ,           | 2   |
| 30 | Laparoscopic ventral rectopexy plus sacral colpopexy: continuous locked suture for mesh fixation. A randomized clinical trial. <i>Archives of Gynecology and Obstetrics</i> ,            | 2.5 |
| 29 | Modified laparoscopic high uterosacral ligament suspension for treatment of apical prolapse: A feasibility study.  |     |
| 28 | Native Tissue Posterior Compartment Repair for Isolated Posterior Vaginal Prolapse: Anatomical and Functional Outcomes. <b>2022</b> , 58, 1152   |     |
| 27 | International Urogynecology Consultation: Patient Reported Outcome Measures (PROs) use in the evaluation of patients with pelvic organ prolapse.   | 0   |
| 26 | Laparoscopic sacrocolpopexy versus abdominal sacrocolpopexy for vaginal vault prolapse: long-term follow-up of a randomized controlled trial.  | 0   |
| 25 | Vaginal laser therapy versus hyaluronic acid suppositories for women with symptoms of urogenital atrophy after treatment for breast cancer: A randomized controlled trial. <b>2022</b> , | 1   |
| 24 | The PSR13, a tool for evaluating patient-perceived recovery after vaginal prolapse repair surgery.   | 0   |
| 23 | Laparoscopic posterior vaginal plication plus sacral colpopexy for severe posterior vaginal prolapse: A randomized clinical trial.   | 0   |
| 22 | Safety and Effectiveness of Transvaginal Mesh Placement in Treating Pelvic Organ Prolapse.   | 0   |
| 21 | Summary: 2021 International Consultation on Incontinence Evidence-Based Surgical Pathway for Pelvic Organ Prolapse. <b>2022</b> , 11, 6106   | 1   |
| 20 | How Satisfied Are Women 6 Months after a Pessary Fitting for Pelvic Organ Prolapse?. <b>2022</b> , 11, 5972  | 1   |
| 19 | Long-term mesh exposure after minimally invasive total hysterectomy and sacrocolpopexy.  | 0   |
| 18 | Laser versus sham for genitourinary syndrome of menopause: A randomised controlled trial.  | 0   |
| 17 | Development of a coordinated registry network for pelvic organ prolapse technologies. <b>2022</b> , 4, e000076   | 0   |
| 16 | Implementing the transvaginal natural orifice transluminal endoscopic surgery (vNOTES) first strategy in benign gynecological surgeries.   | 0   |
| 15 | Effect of Pessary vs Surgery on Patient-Reported Improvement in Patients With Symptomatic Pelvic Organ Prolapse. <b>2022</b> , 328, 2312   | 0   |

- 14 The effect of hysteropreservation versus hysterectomy on the outcome of laparoscopic uterosacral suspension in pelvic organ prolapse surgery. **2023**,
- 13 PROSPECT: 4- and 6-year follow-up of a randomised trial of surgery for vaginal prolapse. **2023**, 34, 67-78
- 12 Prolapsus ghital: dfinition, smantique, valuation clinique et score de symptmes et de qualit de vie. **2023**,
- 11 Subjective outcomes 12 years after transvaginal mesh versus native tissue repair in women with recurrent pelvic organ prolapse; a randomized controlled trial.
- 10 Determining the optimal initial dose for Japanese patients with nocturnal polyuria using an initial dose of desmopressin 50 g.
- 9 PatientsPerspectives: Outcomes of Modified Marsupialization for Treatment of Female Urethral Diverticula. **2023**, 29, 452-457
- 8 Flat Magnetic Stimulation for Stress Urinary Incontinence: A Prospective Comparison Study. **2023**, 10, 295
- 7 I-CARE: Feasibility, Acceptability, and Appropriateness of a Digital Health Intervention for Youth Experiencing Mental Health Boarding. **2023**,
- 6 TOT in combination with solifenacin or intravaginal prasterone in postmenopausal women with mixed urinary incontinence: A retrospective analysis in 112 patients.
- 5 Success After Treatment of Pelvic Organ Prolapse With Surgery or Pessary Remains a Patient-Centered Choice.
- 4 Evaluating Statin Knowledge-Perceptions and Receptivity Following a Comprehensive Lifestyle Modification Program. 155982762311631
- 3 McCall culdoplasty vs. vaginally assisted laparoscopic sacrocolpopexy in the treatment of advanced uterine prolapse: A randomized controlled study. **2023**, 62, 325-329
- 2 HUGO(TM) RAS System in urogynaecology: the first nerve sparing Sacral Colpopexy for Pelvic Organ Prolapse. **2023**, 15, 83-87
- 1 Patient-Reported Outcome Measures for Use in Women With Pelvic Organ Prolapse. **2023**, Publish Ahead of Print,