

# CITATION REPORT

List of articles citing

Adsorption and magnetic removal of neutral red dye from aqueous solution using Fe<sub>3</sub>O<sub>4</sub> hollow nanospheres

DOI: 10.1016/j.jhazmat.2010.05.119

Journal of Hazardous Materials, 2010, 181, 1039-50.

**Source:** <https://exaly.com/paper-pdf/47855783/citation-report.pdf>

**Version:** 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| #   | Paper  | IF   | Citations |
|-----|--|------|-----------|
| 378 | . <b>2011</b> , 59, 617-625  |      | 9         |
| 377 | Unique double-shelled hollow silica microspheres: template-guided self-assembly, tunable pore size, high thermal stability, and their application in removal of neutral red. <b>2011</b> , 21, 19124   |      | 32        |
| 376 | Direct synthesis of Fe <sub>3</sub> O <sub>4</sub> nanopowder by thermal decomposition of Fe <sup>II</sup> urea complex and its properties. <b>2011</b> , 509, 2870-2873   |      | 45        |
| 375 | Preparation of a nanocomposite of magnetic, conducting nanoporous polyaniline and hollow manganese ferrite. <b>2011</b> , 43, 745-750  |      | 22        |
| 374 | Dye Waste Treatment. <b>2011</b> , 3, 157-176  |      | 75        |
| 373 | Strong adsorption of chlorotetracycline on magnetite nanoparticles. <i>Journal of Hazardous Materials</i> , <b>2011</b> , 192, 1088-93   | 12.8 | 78        |
| 372 | Porous structure and Cr(VI) removal abilities of Fe <sub>3</sub> O <sub>4</sub> prepared from Fe <sup>II</sup> urea complex. <b>2011</b> , 129, 483-487  |      | 24        |
| 371 | Synthesis and characterization of magnetite nanoparticles using waste iron ore tailings for adsorptive removal of dyes from aqueous solution. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2011</b> , 389, 43-49 | 5.1  | 106       |
| 370 | Synthesis of 3D porous ferromagnetic NiFe <sub>2</sub> O <sub>4</sub> and using as novel adsorbent to treat wastewater. <i>Journal of Colloid and Interface Science</i> , <b>2011</b> , 362, 477-85  | 9.3  | 57        |
| 369 | Applications and Prospects of Hollow Micro/Nanospheres in Environmental Protection and New Energy. <b>2011</b> , 383-390, 7169-7174  |      |           |
| 368 | Synthesis of Water-Soluble Fe <sub>3</sub> O <sub>4</sub> Nanopowder and its Cr(VI) Adsorption Properties. <b>2012</b> , 624, 55-58  |      | 1         |
| 367 | Kinetic of degradation of two azo dyes from aqueous solutions by zero iron powder: determination of the optimal conditions. <b>2012</b> , 40, 137-143  |      | 20        |
| 366 | Hollow superparamagnetic iron oxide nanoshells as a hydrophobic anticancer drug carrier: intracellular pH-dependent drug release and enhanced cytotoxicity. <b>2012</b> , 4, 5744-54   |      | 55        |
| 365 | Improving the Stability of Immobilized Penicillin G Acylase via the Modification of Supports With Ionic Liquids. <b>2012</b> , 51, 4582-4590   |      | 26        |
| 364 | Investigation on the room-temperature preparation and application of chain-like iron flower and its ramifications in wastewater purification. <i>Chemical Engineering Journal</i> , <b>2012</b> , 203, 277-284                                   | 14.7 | 15        |
| 363 | Adsorption of Pb(II) by iron oxide nanoparticles immobilized Phanerochaete chrysosporium: Equilibrium, kinetic, thermodynamic and mechanisms analysis. <i>Chemical Engineering Journal</i> , <b>2012</b> , 203, 423-431                          | 14.7 | 254       |
| 362 | Uniform hollow Fe <sub>3</sub> O <sub>4</sub> spheres prepared by template-free solvothermal method as anode material for lithium-ion batteries. <b>2012</b> , 78, 502-507   |      | 63        |

|     |  |      |      |
|-----|--|------|------|
| 361 | Room-temperature synthesis of air-stable cobalt nanoparticles and their highly efficient adsorption ability for Congo red. <b>2012</b> , 2, 5485   |      | 57   |
| 360 | Synthesis and characterization of nanostructured Fe <sub>3</sub> O <sub>4</sub> micron-spheres and their application in removing toxic Cr ions from polluted water. <b>2012</b> , 18, 13418-26                                     |      | 48   |
| 359 | Status of adsorptive removal of dye from textile industry effluent. <b>2012</b> , 50, 226-244  |      | 43   |
| 358 | Adsorption and kinetic studies of seven different organic dyes onto magnetite nanoparticles loaded tea waste and removal of them from wastewater samples. <b>2012</b> , 99, 102-9  |      | 139  |
| 357 | New generation adsorbents for water treatment. <b>2012</b> , 112, 5073-91  |      | 1322 |
| 356 | Adsorption of Remazol Red 198 onto magnetic N-lauryl chitosan particles: equilibrium, kinetics, reuse and factorial design. <i>Environmental Science and Pollution Research</i> , <b>2012</b> , 19, 1594-604                       | 5.1  | 38   |
| 355 | Adsorption capability for Congo red on nanocrystalline MFe <sub>2</sub> O <sub>4</sub> (M=Mn, Fe, Co, Ni) spinel ferrites. <i>Chemical Engineering Journal</i> , <b>2012</b> , 181-182, 72-79                                      | 14.7 | 232  |
| 354 | Nano composite a potential low cost adsorbent for removal of cyanine acid. <i>Chemical Engineering Journal</i> , <b>2012</b> , 188, 57-63  | 14.7 | 44   |
| 353 | Highly active nanoscale zero-valent iron (nZVI)-Fe <sub>3</sub> O <sub>4</sub> nanocomposites for the removal of chromium(VI) from aqueous solutions. <i>Journal of Colloid and Interface Science</i> , <b>2012</b> , 369, 460-9   | 9.3  | 202  |
| 352 | Preparation of surface modified zinc oxide nanoparticle with high capacity dye removal ability. <b>2012</b> , 47, 1800-1809  |      | 26   |
| 351 | Use of iron oxide nanomaterials in wastewater treatment: a review. <b>2012</b> , 424, 1-10   |      | 1412 |
| 350 | Determination aminopyrine in pharmaceutical formulations based on APTS-Fe <sub>3</sub> O <sub>4</sub> nanoparticles modified glassy carbon electrode. <b>2012</b> , 16, 731-738  |      | 11   |
| 349 | Catalytic wet air oxidation of phenol over Co-doped Fe <sub>3</sub> O <sub>4</sub> nanoparticles. <b>2013</b> , 15, 1  |      | 8    |
| 348 | The adsorption of malachite green (MG) as a cationic dye onto functionalized multi walled carbon nanotubes. <b>2013</b> , 30, 1603-1608  |      | 80   |
| 347 | Synthesis of nickel hierarchical structures and evaluation on their magnetic properties and Congo red removal ability. <b>2013</b> , 42, 3660-6  |      | 21   |
| 346 | Synthesis of iron oxide nanoparticles and their application in Phanerochaete chrysosporium immobilization for Pb(II) removal. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2013</b> , 419, 147-155 | 5.1  | 74   |
| 345 | Synthesis and properties of Fe <sub>3</sub> O <sub>4</sub> -activated carbon magnetic nanoparticles for removal of aniline from aqueous solution: equilibrium, kinetic and thermodynamic studies. <b>2013</b> , 10, 19             |      | 86   |
| 344 | Dye adsorption by resins: Effect of ionic strength on hydrophobic and electrostatic interactions. <i>Chemical Engineering Journal</i> , <b>2013</b> , 228, 392-397   | 14.7 | 201  |

|     |   |     |     |
|-----|---|-----|-----|
| 343 | Synthesis of iron-based nanoparticles by green tea extract and their degradation of malachite. <b>2013</b> , 51, 342-347  |     | 140 |
| 342 | Synthesis of Amine-Functionalized Magnetic Ferrite Nanoparticle and Its Dye Removal Ability. <b>2013</b> , 139, 1382-1390   |     | 67  |
| 341 | Improvement of physicochemical properties of Fe <sub>2</sub> O <sub>3</sub> /MgO nanomaterials by hydrothermal treatment for dye removal from industrial wastewater. <b>2013</b> , 249, 225-233                             |     | 54  |
| 340 | Facile synthesis of highly water-dispersible and monodispersed Fe <sub>3</sub> O <sub>4</sub> hollow microspheres and their application in water treatment. <b>2013</b> , 3, 23327  |     | 26  |
| 339 | Preparation, Characterization and Photocatalytic Properties of Ba-Cd-Sr-Ti Doped Fe <sub>3</sub> O <sub>4</sub> Nanohollow Spheres on Removal of Congo Red Under Visible-Light Irradiation. <b>2013</b> , 26, 219-228       |     | 14  |
| 338 | Rapid adsorption of neutral red from aqueous solutions by Zn <sub>3</sub> [Co(CN) <sub>6</sub> ] <sub>2</sub> .nH <sub>2</sub> O nanospheres. <i>Journal of Molecular Liquids</i> , <b>2013</b> , 184, 10-16                | 6   | 17  |
| 337 | Synthesis, characterization and adsorptive properties of carbon with iron nanoparticles and iron carbide for the removal of As(V) from water. <b>2013</b> , 114, 1-7  |     | 26  |
| 336 | Equilibrium and kinetic studies on acid dye Acid Red 88 adsorption by magnetic ZnFe <sub>2</sub> O <sub>4</sub> spinel ferrite nanoparticles. <i>Journal of Colloid and Interface Science</i> , <b>2013</b> , 398, 152-60   | 9.3 | 187 |
| 335 | Adsorption of acid red18 dye from aqueous solution using single-wall carbon nanotubes: kinetic and equilibrium. <b>2013</b> , 51, 6507-6516   |     | 27  |
| 334 | Adsorption characteristics of methyl blue onto magnetic Ni <sub>0.5</sub> Zn <sub>0.5</sub> Fe <sub>2</sub> O <sub>4</sub> nanoparticles prepared by the rapid combustion process. <b>2013</b> , 15, 1                      |     | 30  |
| 333 | Studies on adsorption capacity of cationic dyes on several magnetic nanoparticles. <b>2013</b> , 21, 19-30  |     | 25  |
| 332 | Adsorption of neutral red from aqueous solutions using waste foundry sand: Full factorial design analysis. <i>Environmental Progress and Sustainable Energy</i> , <b>2013</b> , 33, n/a-n/a                                 | 2.5 | 2   |
| 331 | Recent advances in superparamagnetic iron oxide nanoparticles for cellular imaging and targeted therapy research. <b>2013</b> , 19, 6575-93   |     | 92  |
| 330 | Synthesis and Characterization of Au/Fe <sub>3</sub> O <sub>4</sub> Nanocomposite. <b>2014</b> , 1082, 6-9  |     | 2   |
| 329 | Photocatalytic decolorization of 5-[4-(dimethylamino) phenylmethylene]-2-thioxo-4-thiazolidinone using nano-powder zinc oxide at various basic buffer pHs. <b>2014</b> , 52, 7993-7998                                      |     | 3   |
| 328 | Synthesis of hcp-Co and mixture of hcp/fcc-Co crystals: Insight into their Congo red removal ability. <b>2014</b> , 29, 989-995   |     | 3   |
| 327 | Nanoscale zero-valent iron (nZVI) assembled on magnetic Fe <sub>3</sub> O <sub>4</sub> /graphene for chromium (VI) removal from aqueous solution. <i>Journal of Colloid and Interface Science</i> , <b>2014</b> , 417, 51-9 | 9.3 | 158 |
| 326 | Effective parameters for the adsorption of chromium(III) onto iron oxide magnetic nanoparticle. <b>2014</b> , 11, 349-356   |     | 21  |

|     |  |      |     |
|-----|--|------|-----|
| 325 | Green synthesis of Fe nanoparticles using eucalyptus leaf extracts for treatment of eutrophic wastewater. <b>2014</b> , 466-467, 210-3   |      | 302 |
| 324 | Synthesis and photocatalytic performance of novel hierarchical hollow silica sphere supported TiO <sub>2</sub> nanoparticles. <b>2014</b> , 117, 252-255   |      | 15  |
| 323 | Investigation of Reactive Red Dye 198 removal using multiwall carbon nanotubes in aqueous solution. <b>2014</b> , 20, 2921-2926  |      | 20  |
| 322 | Synthesis and characterization of gadolinium doped cobalt ferrite nanoparticles with enhanced adsorption capability for Congo Red. <i>Chemical Engineering Journal</i> , <b>2014</b> , 250, 164-174  | 14.7 | 159 |
| 321 | Synthesis of iron-based nanoparticles using oolong tea extract for the degradation of malachite green. <b>2014</b> , 117, 801-4  |      | 168 |
| 320 | Markedly enhanced coercive field and Congo red adsorption capability of cobalt ferrite induced by the doping of non-magnetic metal ions. <i>Chemical Engineering Journal</i> , <b>2014</b> , 241, 384-392  | 14.7 | 29  |
| 319 | Synthesis and surface engineering of magnetic nanoparticles for environmental cleanup and pesticide residue analysis: a review. <b>2014</b> , 37, 1805-25  |      | 138 |
| 318 | The investigation of synergistic and competitive interaction between dye Congo red and methyl blue on magnetic MnFe <sub>2</sub> O <sub>4</sub> . <i>Chemical Engineering Journal</i> , <b>2014</b> , 246, 88-96   | 14.7 | 130 |
| 317 | High adsorption capacity for dye removal by CuZn hydroxyl double salts. <b>2014</b> , 1, 172-180   |      | 38  |
| 316 | Kinetic, equilibrium and thermodynamic studies for phosphate adsorption to magnetic iron oxide nanoparticles. <i>Chemical Engineering Journal</i> , <b>2014</b> , 236, 341-347   | 14.7 | 257 |
| 315 | The impact of solution chemistry of electrolyte on the sorption of pentachlorophenol and phenanthrene by natural hematite nanoparticles. <b>2014</b> , 466-467, 577-85   |      | 34  |
| 314 | Removal of cobalt ions from aqueous solution by an amination graphene oxide nanocomposite. <i>Journal of Hazardous Materials</i> , <b>2014</b> , 270, 1-10   | 12.8 | 184 |
| 313 | Fe <sub>2</sub> O <sub>3</sub> @nO <sub>2</sub> composite nanorods: Facile synthesis and sorption properties. <i>Journal of Environmental Chemical Engineering</i> , <b>2014</b> , 2, 2188-2198  | 6.8  | 7   |
| 312 | A green-chemical synthetic route to fabricate a lamellar-structured Co/Co(OH) <sub>2</sub> nanocomposite exhibiting a high removal ability for organic dye. <b>2014</b> , 43, 5393-400   |      | 20  |
| 311 | Magnetically separable Ni <sub>0.6</sub> Fe <sub>2.4</sub> O <sub>4</sub> nanoparticles as an effective adsorbent for dye removal: Synthesis and study on the kinetic and thermodynamic behaviors for dye adsorption. <i>Chemical Engineering Journal</i> , <b>2014</b> , 258, 218-228 | 14.7 | 107 |
| 310 | Green synthesized iron nanoparticles by green tea and eucalyptus leaves extracts used for removal of nitrate in aqueous solution. <b>2014</b> , 83, 413-419  |      | 290 |
| 309 | Feasibility of hydrofluoric acid etched sand particles for enrichment and determination of polychlorinated biphenyls at trace levels in environmental water samples. <b>2014</b> , 406, 3787-93  |      | 3   |
| 308 | Recyclable removal of bisphenol A from aqueous solution by reduced graphene oxide-magnetic nanoparticles: adsorption and desorption. <i>Journal of Colloid and Interface Science</i> , <b>2014</b> , 421, 85-92  | 9.3  | 108 |

|     |  |      |     |
|-----|--|------|-----|
| 307 | Recent progress and future challenges on the use of high performance magnetic nano-adsorbents in environmental applications. <i>Chemical Engineering Journal</i> , <b>2014</b> , 256, 187-204  | 14.7 | 261 |
| 306 | One-pot synthesis of novel Ag@AgBr@HHSS with superior visible photocatalytic activity. <i>Microporous and Mesoporous Materials</i> , <b>2014</b> , 194, 66-71  | 5.3  | 9   |
| 305 | Visible-light photocatalytic activity of SiC hollow spheres prepared by a vapor-solid reaction of carbon spheres and silicon monoxide. <b>2014</b> , 40, 2619-2625   |      | 27  |
| 304 | Ionic liquid-based hollow fiber-supported liquid-phase microextraction enhanced electrically for the determination of neutral red. <b>2014</b> , 22, 418-424   |      | 14  |
| 303 | Integrating nano- and microparticles in practical decontamination processes for water and sediments in a green technology approach. <b>2015</b> ,  |      | 0   |
| 302 | Optimization of Data Acquisition and Sample Preparation Methods for LC-MS Urine Metabolomic Analysis. <b>2015</b> , 13,  |      |     |
| 301 | Removal of Rhodamine B from aqueous solution using magnetic NiFe nanoparticles. <b>2015</b> , 72, 1243-9   |      | 6   |
| 300 | Removal of methylene blue and neutral red from aqueous solutions by surfactant-modified magnetic nanoparticles as highly efficient adsorbent. <i>Environmental Progress and Sustainable Energy</i> , <b>2015</b> , 34, 1683-1693                     | 2.5  | 7   |
| 299 | Nanocrystalline ferrites used as adsorbent in the treatment process of waste waters resulted from ink jet cartridges manufacturing. <b>2015</b> , 13,  |      | 6   |
| 298 | Hierarchically porous silicon-carbon-nitrogen hybrid materials towards highly efficient and selective adsorption of organic dyes. <i>Scientific Reports</i> , <b>2015</b> , 5, 7910  | 4.9  | 127 |
| 297 | Synthesis of rambutan-like MnCo <sub>2</sub> O <sub>4</sub> and its adsorption performance for methyl orange. <b>2015</b> , 122, 653-663   |      | 6   |
| 296 | Removal of p-Nitrophenol from Aqueous Solution Using Brazilian Peat: Kinetic and Thermodynamic Studies. <b>2015</b> , 226, 1   |      | 25  |
| 295 | Synthesis and microwave absorption properties of reduced graphene oxide-magnetic porous nanospheres-polyaniline composites. <b>2015</b> , 117, 315-321   |      | 124 |
| 294 | Comparative Study of Surface Modified Carbonized Eichhornia crassipes for Adsorption of Dye Safranin. <b>2015</b> , 150629133342008  |      | 4   |
| 293 | Adsorption of dyes by nanomaterials: Recent developments and adsorption mechanisms. <i>Separation and Purification Technology</i> , <b>2015</b> , 150, 229-242   | 8.3  | 407 |
| 292 | Magnetic accumulation and extraction of Cd(II), Hg(II) and Pb(II) by a novel nano-Fe <sub>3</sub> O <sub>4</sub> -coated-dioctylphthalate-immobilized-hydroxylamine. <i>Journal of Environmental Chemical Engineering</i> , <b>2015</b> , 3, 843-851 | 6.8  | 18  |
| 291 | Poly(acrylic acid) functionalized magnetic graphene oxide nanocomposite for removal of methylene blue. <b>2015</b> , 5, 32272-32282  |      | 65  |
| 290 | Development, application, and evaluation of artificial neural network in investigating the removal efficiency of Acid Red 57 by synthesized mesoporous carbon-coated monoliths. <b>2015</b> , 56, 2246-2257  |      | 7   |

|     |   |      |     |
|-----|---|------|-----|
| 289 | Exchange bias in ferrite hollow nanoparticles originated by complex internal magnetic structure. <b>2015</b> , 2, 105001  |      | 7   |
| 288 | Preparation, Characterization of Fe <sub>3</sub> O <sub>4</sub> /TiO <sub>2</sub> /CuO Nanohybrid and its Potential Performance for Chromium Removal from Aqueous Solution. <b>2015</b> , 827, 49-55                |      | 5   |
| 287 | Synthesis and Application of Modified Zero-Valent Iron Nanoparticles for Removal of Hexavalent Chromium from Wastewater. <b>2015</b> , 226, 1   |      | 30  |
| 286 | Behavior and Fate of Natural and Engineered Nanomaterials in Water. <b>2015</b> , 249-263   |      |     |
| 285 | Synthesis of modified maghemite nanoparticles and its application for removal of Acridine Orange from aqueous solutions by using Box-Behnken design. <b>2015</b> , 396, 318-326                                     |      | 38  |
| 284 | Application of Scallop shell-Fe <sub>3</sub> O <sub>4</sub> Nano-Composite for the Removal Azo Dye from Aqueous Solutions. <b>2015</b> , 226, 1   |      | 20  |
| 283 | Reactivity of iron-based nanoparticles by green synthesis under various atmospheres and their removal mechanism of methylene blue. <b>2015</b> , 5, 70874-70882   |      | 21  |
| 282 | Application of Response Surface Method for Optimization of Adsorptive Removal of Eriochrome Black T Using Magnetic Multi-Wall Carbon Nanotube Nanocomposite. <b>2015</b> , 40, 3363-3372                            |      | 16  |
| 281 | Heavy metals [chromium (VI) and lead (II)] removal from water using mesoporous magnetite (Fe <sub>3</sub> O <sub>4</sub> ) nanospheres. <i>Journal of Colloid and Interface Science</i> , <b>2015</b> , 442, 120-32 | 9.3  | 247 |
| 280 | Adsorption of bisphenol A (BPA) from aqueous solutions by carbon nanotubes: kinetic and equilibrium studies. <b>2015</b> , 54, 84-92  |      | 63  |
| 279 | Rapid selective separation and recovery of a specific target dye from mixture consisted of different dyes by magnetic Ca-ferrites nanoparticles. <i>Chemical Engineering Journal</i> , <b>2015</b> , 262, 517-526   | 14.7 | 65  |
| 278 | Enhanced adsorptive degradation of Congo red in aqueous solutions using polyaniline/Fe <sub>0</sub> composite nanofibers. <i>Chemical Engineering Journal</i> , <b>2015</b> , 260, 716-729                          | 14.7 | 72  |
| 277 | Ferrous oxalate, maghemite and hematite nanorods as efficient adsorbents for decontamination of Congo red dye from aqueous system. <b>2015</b> , 12, 1845-1856  |      | 25  |
| 276 | Environmentally friendly reduced graphene oxide as a broad-spectrum adsorbent for anionic and cationic dyes via $\pi$ -interactions. <b>2016</b> , 4, 12126-12135   |      | 160 |
| 275 | pH, Temperature, and Magnetic Triple-Responsive Polymer Porous Microspheres for Tunable Adsorption. <b>2016</b> , 301, 1132-1141  |      | 11  |
| 274 | Sonication-Aided Formation of Hollow Hybrid Nanoparticles as High-Efficiency Absorbents for Dissolved Toluene in Water. <b>2016</b> , 11, 280-4   |      | 3   |
| 273 | Formation of nickel-doped magnetite hollow nanospheres with high specific surface area and superior removal capability for organic molecules. <b>2016</b> , 27, 485601  |      | 3   |
| 272 | Novel amino-functionalized Fe <sub>3</sub> O <sub>4</sub> /carboxylic multi-walled carbon nanotubes: One-pot synthesis, characterization and removal for Cu(II). <b>2016</b> , 89, 1894-1902                        |      | 15  |

|     |  |      |     |
|-----|--|------|-----|
| 271 | Boron nitride nanoplates supported zero-valent iron nanocomposites for enhanced decolorization of methyl orange with the assistance of ultrasonic irradiation. <b>2016</b> , 73, 329-36  |      | 7   |
| 270 | Effects of cationic and anionic micelles on the morphology of biogenic silver nanoparticles, and their catalytic activity for congo red. <i>Journal of Molecular Liquids</i> , <b>2016</b> , 220, 364-369                                    | 6    | 9   |
| 269 | Visible light induced photocatalytic degradation of rhodamine B by magnetic bentonite. <b>2016</b> , 73, 2345-52   |      | 6   |
| 268 | Adsorption behavior of lead on aquatic sediments contaminated with cerium dioxide nanoparticles. <b>2016</b> , 219, 416-424  |      | 27  |
| 267 | Carboxylation kapok fiber as a low-cost, environmentally friendly adsorbent with remarkably enhanced adsorption capacity for cationic dyes. <b>2016</b> , 42, 5069-5085  |      | 10  |
| 266 | The development of a new efficient adsorbent for the removal of methylene blue. <b>2016</b> , 51, 2511-2518  |      | 2   |
| 265 | Synthesis, Properties, and Applications of Hollow Micro-/Nanostructures. <b>2016</b> , 116, 10983-1060   |      | 996 |
| 264 | Nitrogen-rich core/shell magnetic nanostructures for selective adsorption and separation of anionic dyes from aqueous solution. <b>2016</b> , 3, 670-681   |      | 47  |
| 263 | Nanomaterials for Monitoring and Remediation of Water Pollution. <b>2016</b> , 207-233   |      | 1   |
| 262 | Polymeric Nanospheres for Organic Waste Removal. <b>2016</b> , 237-256   |      | 2   |
| 261 | Adsorption of 2,4-D on magnetic graphene and mechanism study. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2016</b> , 509, 367-375   | 5.1  | 39  |
| 260 | Surface resistivity regulation of zirconia ceramics for anti-static purposes by novel solution infiltration method. <b>2016</b> , 42, 18503-18506  |      | 8   |
| 259 | Synthesis of Micelles Guided Magnetite (FeO) Hollow Spheres and their application for AC Magnetic Field Responsive Drug Release. <i>Scientific Reports</i> , <b>2016</b> , 6, 35721  | 4.9  | 18  |
| 258 | Evaluation of phosphate removal capacity of Fe <sub>3</sub> O <sub>4</sub> @VINPs from aqueous solution: optimization using response surface analysis. <b>2016</b> , 42, 7397-7415   |      | 7   |
| 257 | Removal of congo red from water using quercetin modified Fe <sub>2</sub> O <sub>3</sub> nanoparticles as effective nanoadsorbent. <b>2016</b> , 180, 53-65   |      | 39  |
| 256 | Simultaneous removal of trichloroethylene and hexavalent chromium by green synthesized agarose-Fe nanoparticles hydrogel. <i>Chemical Engineering Journal</i> , <b>2016</b> , 294, 290-297   | 14.7 | 55  |
| 255 | Iron oxide nanoparticle-immobilized PAN nanofibers: synthesis and adsorption studies. <b>2016</b> , 6, 15402-15414   |      | 62  |
| 254 | Simultaneous adsorption-degradation of organic dyes using MnFe <sub>2</sub> O <sub>4</sub> /calcium alginate nano-composites coupled with GOx and laccase. <i>Journal of Environmental Chemical Engineering</i> , <b>2016</b> , 4, 1722-1730 | 6.8  | 24  |

|     |   |     |     |
|-----|---|-----|-----|
| 253 | Removal of bisphenol A by iron nanoparticle-doped magnetic ordered mesoporous carbon. <b>2016</b> , 6, 25724-25733  |     |     |
| 252 | Investigation on the uptake and release ability of Cyclodextrin functionalized Fe <sub>3</sub> O <sub>4</sub> magnetic nanoparticles by methylene blue. <b>2016</b> , 170, 83-89  |     | 29  |
| 251 | Hierarchical NiO-SiO <sub>2</sub> composite hollow microspheres with enhanced adsorption affinity towards Congo red in water. <i>Journal of Colloid and Interface Science</i> , <b>2016</b> , 466, 238-46   | 9.3 | 105 |
| 250 | Synthesis, characterization and sorption studies of nano lanthanum oxide. <b>2016</b> , 9, 29-37  |     | 19  |
| 249 | Functionalized copper oxide/zinc oxide nanocomposite: synthesis and genetic programming model of dye adsorption. <b>2016</b> , 57, 18755-18769  |     | 16  |
| 248 | Modified Magnetite Nanoparticles for Hexavalent Chromium Removal from Water. <b>2016</b> , 37, 1303-1314  |     | 22  |
| 247 | Self-forming salt-assisted synthesis of SiC nanoparticles and their adsorption property for methylene blue from aqueous solution. <b>2016</b> , 42, 847-852   |     | 6   |
| 246 | Cobalt ferrite nanoparticles: Preparation, characterization and anionic dye removal capability. <b>2016</b> , 59, 320-329   |     | 52  |
| 245 | Magnetic iron oxide nanoparticles modified by methyl trioctyl ammonium chloride as an adsorbent for the removal of erythrosine from aqueous solutions. <b>2016</b> , 57, 17454-17462  |     | 6   |
| 244 | Fabrication of N-(Amino-Ethyl)-Amino-Propyl Functionalized Magnetite Nanoparticles for Oil/Water Separation of Wastewater From Tertiary Oil Recovery. <b>2016</b> , 37, 1214-1218   |     | 2   |
| 243 | Synthesis of NiFe <sub>2</sub> O <sub>4</sub> using degreasing cotton as template and its adsorption capacity for Congo Red. <b>2016</b> , 57, 11337-11347  |     | 3   |
| 242 | Adsorption of Cd(II) ions onto polyamine-polyurea polymer modified with pyromellitic dianhydride. <b>2016</b> , 57, 2787-2798   |     | 5   |
| 241 | Preparation and characterization of L-glutamic acid-functionalized graphene oxide for adsorption of Pb(II). <b>2017</b> , 38, 241-247   |     | 11  |
| 240 | Co-polymerization of catechol and polyethylenimine on magnetic nanoparticles for efficient selective removal of anionic dyes from water. <b>2017</b> , 310, 24-34   |     | 59  |
| 239 | Morphology, Surface Layer Evolution, and Structure/Dye Adsorption Relationship of Porous Fe <sub>3</sub> O <sub>4</sub> MNPs Prepared by Solvothermal/Gas Generation Process. <b>2017</b> , 5, 2339-2349  |     | 19  |
| 238 | Process optimization studies of crystal violet dye adsorption onto novel, mixed metal Ni <sub>0.5</sub> Co <sub>0.5</sub> Fe <sub>2</sub> O <sub>4</sub> ferrosipinel nanoparticles using factorial design. <b>2017</b> , 16, 132-141                                     |     | 18  |
| 237 | Microwave-assisted catalytic degradation of methyl orange in aqueous solution by ferrihydrite/maghemite nanoparticles. <b>2017</b> , 16, 270-276  |     | 30  |
| 236 | Trace amounts of Cd(II), Cu(II) and Pb(II) ions monitoring using Fe <sub>3</sub> O <sub>4</sub> @graphene oxide nanocomposite modified via 2-mercaptobenzothiazole as a novel and efficient nanosorbent. <i>Journal of Molecular Liquids</i> , <b>2017</b> , 231, 386-395 | 6   | 37  |

|     |   |      |     |
|-----|---|------|-----|
| 235 | Facile synthesis of bioglass nanospheres for the adsorption of cationic and anionic dyes from aqueous solution. <b>2017</b> , 38, 1711-1718   |      | 3   |
| 234 | Catalytic Activity of Cobalt Nanoparticles for Dye and 4-Nitro Phenol Degradation: A Kinetic and Mechanistic Study. <b>2017</b> , 49, 438-454   |      | 15  |
| 233 | Effect of magnetite nanoparticles on dye absorption properties of magnetite@carbon composites. <i>Bulletin of Materials Science</i> , <b>2017</b> , 40, 367-373                                 | 1.7  | 4   |
| 232 | Using amine-functionalized magnetite hollow nanospheres (AMHNs) as adsorbents for heavy metal ions. <b>2017</b> , 76, 452-458   |      | 1   |
| 231 | An overview of nanomaterials applied for removing dyes from wastewater. <i>Environmental Science and Pollution Research</i> , <b>2017</b> , 24, 15882-15904                                     | 5.1  | 110 |
| 230 | Facile synthesis of Lead Doped Zinc-Aluminum Oxide Nanoparticles (LD-ZAO-NPs) for efficient adsorption of anionic dye: Kinetic, isotherm and thermodynamic behaviors. <b>2017</b> , 53, 294-306 |      | 30  |
| 229 | Nanomaterials for water pollution monitoring and remediation. <b>2017</b> , 15, 23-27   |      | 58  |
| 228 | Property Variation of Magnetic Mesoporous Carbon Modified by Aminated Hollow Magnetic Nanospheres: Synthesis, Characterization, and Sorption. <b>2017</b> , 5, 179-188                          |      | 26  |
| 227 | Characterization and reactivity of iron based nanoparticles synthesized by tea extracts under various atmospheres. <b>2017</b> , 169, 413-417   |      | 25  |
| 226 | Magnetic Carbon Nanocages: An Advanced Architecture with Surface- and Morphology-Enhanced Removal Capacity for Arsenites. <b>2017</b> , 5, 5782-5792  |      | 26  |
| 225 | The effects of magnetic nanoparticles embedded with SA/PVA and pH on chemical-mechanical polishing wastewater and magnetic particle regeneration and recycle. <b>2017</b> , 18, 9-16            |      | 7   |
| 224 | Engineered magnetic nanoparticles as efficient sorbents for wastewater treatment: a review. <b>2017</b> , 1-17  |      | 14  |
| 223 | Iron oxide inside SBA-15 modified with amino groups as reusable adsorbent for highly efficient removal of glyphosate from water. <b>2017</b> , 411, 457-465                                     |      | 48  |
| 222 | Novel preparation of anti-static zirconia ceramic by iron infiltration at high temperature. <b>2017</b> , 43, 1227-1230   |      | 9   |
| 221 | Effect of embedded sodium polyacrylate chains on the adsorption mechanism of neutral red by magnetic particles. <b>2017</b> , 127, 223-235  |      | 8   |
| 220 | Application of novel magnetic $\beta$ -cyclodextrin-anhydride polymer nano-adsorbent in cationic dye removal from aqueous solution. <b>2017</b> , 80, 452-463                                   |      | 35  |
| 219 | Competitive adsorption of Pb(II), Cd(II) and Cu(II) onto chitosan-pyromellitic dianhydride modified biochar. <i>Journal of Colloid and Interface Science</i> , <b>2017</b> , 506, 355-364       | 9.3  | 207 |
| 218 | Morphology-dependent properties and adsorption performance of CeO <sub>2</sub> for fluoride removal. <i>Chemical Engineering Journal</i> , <b>2017</b> , 330, 36-43                             | 14.7 | 89  |

|     |  |     |     |
|-----|--|-----|-----|
| 217 | EMnOOH nanorods: Efficient adsorbent for removal of methylene blue from aqueous solutions. <b>2017</b> , 19, 1-7   |     | 19  |
| 216 | Synthetic Study and Merits of Fe <sub>3</sub> O <sub>4</sub> Nanoparticles as Emerging Material. <b>2017</b> , 28, 2369-2400   |     | 10  |
| 215 | Citrate Stabilized Hierarchical SPIO Nanostructures: Synthesis and Application Towards Effective Removal of Toxin, Microcystin-LR from Water. <i>ChemistrySelect</i> , <b>2017</b> , 2, 5226-5233                    | 1.8 | 1   |
| 214 | Adsorption Isotherms in Liquid Phase: Experimental, Modeling, and Interpretations. <b>2017</b> , 19-51   |     | 50  |
| 213 | Structural characterization and antistructure modeling of cobalt-substituted zinc ferrites. <b>2017</b> , 694, 777-791   |     | 114 |
| 212 | Textiles and Clothing Sustainability. <b>2017</b> ,  |     | 2   |
| 211 | Nanochemicals and Effluent Treatment in Textile Industries. <b>2017</b> , 57-96  |     | 4   |
| 210 | Multifunctional PMMA@Fe <sub>3</sub> O <sub>4</sub> @DR Magnetic Materials for Efficient Adsorption of Dyes. <b>2017</b> , 10,   |     | 17  |
| 209 | Bioremediation of Wastewater by Iron Oxide-Biochar Nanocomposites Loaded with Photosynthetic Bacteria. <b>2017</b> , 8, 823  |     | 52  |
| 208 | Preparation, performances and mechanisms of magnetic <i>Saccharomyces cerevisiae</i> bionanocomposites for atrazine removal. <b>2018</b> , 200, 380-387  |     | 59  |
| 207 | Effect of a pH-controlled co-precipitation process on rhodamine B adsorption of MnFeO nanoparticles.. <b>2018</b> , 8, 6709-6718   |     | 16  |
| 206 | Green synthesis of iron oxide nanoparticles by aqueous leaf extract of <i>Daphne mezereum</i> as a novel dye removing material. <b>2018</b> , 124, 1   |     | 115 |
| 205 | Controlled Release of Curcumin via Folic Acid Conjugated Magnetic Drug Delivery System. <b>2018</b> , 34, 203-211  |     | 3   |
| 204 | 3D hollow porous CdFeO microspheres as viable materials for magnetic solid-phase extraction of azo colorants. <b>2018</b> , 185, 248   |     | 6   |
| 203 | Interaction between U(VI) with sulfhydryl groups functionalized graphene oxides investigated by batch and spectroscopic techniques. <i>Journal of Colloid and Interface Science</i> , <b>2018</b> , 524, 129-138     | 9.3 | 35  |
| 202 | 3D CoFe <sub>2</sub> O <sub>4</sub> nanorod/flower-like MoS <sub>2</sub> nanosheet heterojunctions as recyclable visible light-driven photocatalysts for the degradation of organic dyes. <b>2018</b> , 447, 711-723 |     | 68  |
| 201 | A novel biosorbent prepared by immobilized <i>Bacillus licheniformis</i> for lead removal from wastewater. <b>2018</b> , 200, 173-179  |     | 61  |
| 200 | Strong enhancement of methylene blue removal from binary wastewater by in-situ ferrite process. <b>2018</b> , 73, 107-116  |     | 4   |

|     |  |      |     |
|-----|--|------|-----|
| 199 | Nanotechnology Solutions for Public Water Challenges. <b>2018</b> , 41-71  |      | 2   |
| 198 | Preparation of nanoparticle-modified polymeric adsorbent using wastage fuzzes of mechanized carpet and its application in dye removal from aqueous solution. <b>2018</b> , 178, 373-383  |      | 21  |
| 197 | Controlled synthesis of silkworm cocoon-like $\gamma$ -Fe <sub>2</sub> O <sub>3</sub> and its adsorptive properties for organic dyes and Cr(VI). <b>2018</b> , 100, 302-307  |      | 11  |
| 196 | Applications of functionalized nanomaterials in photodynamic therapy. <b>2018</b> , 10, 49-67  |      | 32  |
| 195 | Graphene/nanofiber aerogels: Performance regulation towards multiple applications in dye adsorption and oil/water separation. <i>Chemical Engineering Journal</i> , <b>2018</b> , 338, 202-210   | 14.7 | 140 |
| 194 | Insights into adsorption mechanism for fluoride on cactus-like amorphous alumina oxide microspheres. <i>Chemical Engineering Journal</i> , <b>2018</b> , 345, 252-259  | 14.7 | 50  |
| 193 | Application of Full Factorial Design for Removal of Polycyclic Aromatic Dye from Aqueous Solution Using 4A Zeolite: Adsorption Isotherms, Thermodynamic and Kinetic Studies. <b>2018</b> , 38, 141-156   |      | 11  |
| 192 | Green synthesis of nano-zero-valent iron from Nettle and Thyme leaf extracts and their application for the removal of cephalexin antibiotic from aqueous solutions. <i>Environmental Technology (United Kingdom)</i> , <b>2018</b> , 39, 1158-1172 | 2.6  | 43  |
| 191 | Hollow Mesoporous Functional Hybrid Materials: Fascinating Platforms for Advanced Applications. <b>2018</b> , 28, 1703814  |      | 41  |
| 190 | Neutral red separation property of ultrasmall-gluconic acid capped superparamagnetic iron oxide nanoclusters coprecipitated with goethite and hematite. <i>Separation and Purification Technology</i> , <b>2018</b> , 192, 475-482                 | 8.3  | 6   |
| 189 | Nanomaterials for removal of toxic elements from water. <b>2018</b> , 356, 147-164   |      | 256 |
| 188 | Bisacodyl removal from contaminated solution by synthesized mesoporous silica using experimental design method. <b>2018</b> , 8, 145   |      |     |
| 187 | The role of surfactants in wastewater treatment: Impact, removal and future techniques: A critical review. <b>2018</b> , 147, 60-72  |      | 105 |
| 186 | Magnetite Nanoparticles as Effective Adsorbent for Water Purification-A Review. <b>2018</b> , 02,  |      | 4   |
| 185 | Bioassays and coagulation studies using <i>Moringa oleifera</i> seeds for the removal of textile dyes. <b>2018</b> , 78, 1679-1692   |      | 4   |
| 184 | Enhancing adsorption of Pb(II) from aqueous solution by NaOH and EDTA modified <i>Artocarpus odoratissimus</i> leaves. <i>Journal of Environmental Chemical Engineering</i> , <b>2018</b> , 6, 7172-7184   | 6.8  | 18  |
| 183 | Synthesis, Characterization, and Application of a New Magnetic Silica Composite Nanoadsorbent with NiFe-Embedded Structure. <b>2018</b> , 229, 1   |      | 1   |
| 182 | Alginate-modified biochar derived from Ca(II)-impregnated biomass: Excellent anti-interference ability for Pb(II) removal. <b>2018</b> , 165, 211-218  |      | 29  |

|     |   |       |
|-----|---|-------|
| 181 | One-Pot Synthesis of Novel Amino-Functionalized Fe <sub>3</sub> O <sub>4</sub> Hybrid Microspheres for Cu(II) Removal from Aqueous Solutions. <b>2018</b> , 91, 1009-1017                             |       |
| 180 | Water purification by using Adsorbents: A Review. <b>2018</b> , 11, 187-240   | 393   |
| 179 | Functionalized Inorganic Nanoparticles for Magnetic Separation and SERS Detection of Water Pollutants. <b>2018</b> , 2018, 3443-3461  | 20    |
| 178 | Synthesis and application of magnetic iron oxide nanoparticles on the removal of Reactive Black 5: Reaction mechanism, temperature and pH effects. <b>2018</b> , 224, 235-242                         | 25    |
| 177 | Development of self-assembled nanocrystalline cellulose as a promising practical adsorbent for methylene blue removal. <b>2018</b> , 199, 92-101  | 26    |
| 176 | Green synthesis of iron nanoparticles by Rosemary extract and cytotoxicity effect evaluation on cancer cell lines. <b>2018</b> , 16, 54-62  | 37    |
| 175 | Modified generalized kinetic model and degradation mechanistic pathways for catalytic oxidation of NBS dye in Fenton-like oxidation process. <b>2018</b> , 44, 5759-5786                              | 8     |
| 174 | Rational design of magnetic infinite coordination polymer core-shell nanoparticles as recyclable adsorbents for selective removal of anionic dyes from colored wastewater. <b>2018</b> , 462, 453-465 | 33    |
| 173 | Magnetic Rattle-Type Fe <sub>3</sub> O <sub>4</sub> @CuS Nanoparticles as Recyclable Sorbents for Mercury Capture from Coal Combustion Flue Gas. <b>2018</b> , 1, 4726-4736                           | 72    |
| 172 | Recent Developments in Adsorption of Dyes Using Graphene Based Nanomaterials. <b>2019</b> , 439-471   | 10    |
| 171 | A New Generation Material Graphene: Applications in Water Technology. <b>2019</b> ,   | 15    |
| 170 | Adsorptive removal and photocatalytic degradation of organic pollutants using metal oxides and their composites: A comprehensive review. <b>2019</b> , 272, 102009                                    | 228   |
| 169 | Biomass-derived composite aerogels with novel structure for removal/recovery of uranium from simulated radioactive wastewater. <b>2019</b> , 30, 455602   | 26    |
| 168 | Synthesis and characterization of molecularly imprinted magnetite nanomaterials as a novel adsorbent for the removal of heavy metals from aqueous solution. <b>2019</b> , 8, 4239-4252                | 21    |
| 167 | Dual responsive superparamagnetic nanocomposites: Synthesis, characterization and adsorption of nitrate from aqueous solution. <b>2019</b> , 19, 100371   | 8     |
| 166 | Fe <sub>3</sub> O <sub>4</sub> Nanoparticles Coated with EDTA and Ag Nanoparticles for the Catalytic Reduction of Organic Dyes from Wastewater. <b>2019</b> , 2, 5310-5319                            | 42    |
| 165 | Core-shell TiO <sub>2</sub> @C ultralong nanotubes with enhanced adsorption of antibiotics. <b>2019</b> , 7, 19081-19086  | 28    |
| 164 | Transport and numerical simulation of Cu in saturated porous medium in the presence of magnetic nanoparticles. <i>Environmental Science and Pollution Research</i> , <b>2019</b> , 26, 35827-35837    | 5.1 1 |

|     |  |      |     |
|-----|--|------|-----|
| 163 | Reduced graphene oxide/iron nanoparticles used for the removal of Pb (II) by one step green synthesis. <i>Journal of Colloid and Interface Science</i> , <b>2019</b> , 557, 598-607  | 9.3  | 6   |
| 162 | Preparation and Characterization Composites Contain of Magnetic Iron Oxide Nanoparticles with Different Weight Ratios of Dextrin, and Using it to Removal of Heavy Metals from Aqueous Solutions. <b>2019</b> , 157, 752-762                   |      | 5   |
| 161 | Exploration of the adsorption capability by doping Pb@ZnFeO nanocomposites (NCs) for decontamination of dye from textile wastewater. <i>Helijon</i> , <b>2019</b> , 5, e02412  | 3.6  | 27  |
| 160 | One-step synthesis of magnetic-TiO <sub>2</sub> -nanocomposites with high iron oxide-composing ratio for photocatalysis of rhodamine 6G. <b>2019</b> , 14, e0221221  |      | 3   |
| 159 | Applicability of Alginate Film Entrapped Yeast for Microbial Fuel Cell. <b>2019</b> , 55, 78-87  |      | 9   |
| 158 | The electrochemical advanced oxidation processes coupling of oxidants for organic pollutants degradation: A mini-review. <b>2019</b> , 30, 2139-2146   |      | 137 |
| 157 | New Type of Eco-Friendly Polymeric Dye by Covalently Bonding Anthraquinone into Polyphenylsulfone. <b>2019</b> , 304, 1800692  |      | 4   |
| 156 | In-situ prepared ZnO-ZnFeO with 1-D nanofiber network structure: An effective adsorbent for toxic dye effluent treatment. <i>Journal of Hazardous Materials</i> , <b>2019</b> , 373, 459-467   | 12.8 | 15  |
| 155 | Effective La-Na Co-Doped TiO <sub>2</sub> Nano-Particles for Dye Adsorption: Synthesis, Characterization and Study on Adsorption Kinetics. <i>Nanomaterials</i> , <b>2019</b> , 9,   | 5.4  | 15  |
| 154 | Large-scale fabrication of N-doped porous carbon nanosheets for dye adsorption and supercapacitor applications. <b>2019</b> , 11, 8785-8797  |      | 54  |
| 153 | Amine-Modified Mesoporous Magnesium Carbonate as an Effective Adsorbent for Azo Dyes. <b>2019</b> , 4, 2973-2979   |      | 11  |
| 152 | Preparation of gemini surfactant/graphene oxide composites and their superior performance for Congo red adsorption.. <b>2019</b> , 9, 4908-4916  |      | 14  |
| 151 | Developing a Novel Layered Boron Nitride/Carbon Nitride Composite with High Efficiency and Selectivity To Remove Protonated Dyes from Water. <b>2019</b> , 7, 5727-5741  |      | 24  |
| 150 | Synthesis, characterization, kinetics and adsorption properties of Pt-Co@GO nano-adsorbent for methylene blue removal in the aquatic mediums using ultrasonic process systems. <i>Journal of Molecular Liquids</i> , <b>2019</b> , 296, 112100 | 6    | 28  |
| 149 | PEG-coated magnetite nanoparticles as adsorbents surface for remove methylene blue dye from aqueous solutions. <b>2019</b> ,   |      |     |
| 148 | Modified Hard-Template Synthesis of Superparamagnetic Hollow Spinel Ferrite Spheres and Their Characterization. <b>2019</b> , 55, 1-11   |      |     |
| 147 | Study of organic pollutant removal capacity and work function of magnetite/graphene oxide nanocomposites. <b>2019</b> , 6, 125039  |      | 3   |
| 146 | Complementary Bifunctional Unique Properties of (PbO Nanoparticles for Efficient Catalysis and Adsorption for Water Remediation. <i>ChemistrySelect</i> , <b>2019</b> , 4, 12726-12738   | 1.8  | 0   |

|     |   |      |     |
|-----|---|------|-----|
| 145 | Immobilization of microbial cells for the biotreatment of wastewater: A review. <b>2019</b> , 17, 241-257   |      | 110 |
| 144 | One-step solvothermal synthesis of Fe <sub>3</sub> O <sub>4</sub> @Carbon composites and their application in removing of Cr (VI) and Congo red. <b>2019</b> , 45, 9646-9652  |      | 36  |
| 143 | Facile fabrication of hierarchical porous ZIF-8 for enhanced adsorption of antibiotics. <i>Journal of Hazardous Materials</i> , <b>2019</b> , 367, 194-204  | 12.8 | 79  |
| 142 | New Generation Nano-Based Adsorbents for Water Purification. <b>2019</b> , 783-798  |      | 2   |
| 141 | Adsorptive removal of patulin from apple juice via sulfhydryl-terminated magnetic bead-based separation. <i>Journal of Hazardous Materials</i> , <b>2019</b> , 366, 413-422   | 12.8 | 19  |
| 140 | Use of metal oxides for the adsorptive removal of toxic organic pollutants. <i>Separation and Purification Technology</i> , <b>2019</b> , 211, 522-539  | 8.3  | 58  |
| 139 | Removal of Congo red by thermally and chemically modified halloysite: equilibrium, FTIR spectroscopy, and mechanism studies. <b>2019</b> , 16, 4253-4260  |      | 7   |
| 138 | Green synthesis of iron nanoparticles using red peanut skin extract: Synthesis mechanism, characterization and effect of conditions on chromium removal. <i>Journal of Colloid and Interface Science</i> , <b>2020</b> , 558, 106-114 | 9.3  | 46  |
| 137 | Superparamagnetic Iron Oxide as Photocatalyst and Adsorbent in Wastewater Treatment <b>IA</b> Review. <b>2020</b> , 12, 4-22  |      | 6   |
| 136 | Nano-bioremediation: A New Age Technology for the Treatment of Dyes in Textile Effluents. <b>2020</b> , 313-347   |      | 16  |
| 135 | Fungal cell with artificial metal container for heavy metals biosorption: Equilibrium, kinetics study and mechanisms analysis. <b>2020</b> , 182, 109061  |      | 26  |
| 134 | A novel magnetic biochar prepared by KFeO-promoted oxidative pyrolysis of pomelo peel for adsorption of hexavalent chromium. <b>2020</b> , 300, 122680  |      | 67  |
| 133 | Remarkable catalytic degradation of malachite green by zinc supported on hydroxyapatite encapsulated magnesium ferrite (Zn/HAP/MgFe <sub>2</sub> O <sub>4</sub> ) magnetic novel nanocomposite. <b>2020</b> , 55, 4592-4606           |      | 26  |
| 132 | Mesostructured Hollow Siliceous Spheres for Adsorption of Dyes. <b>2020</b> , 43, 392-402   |      | 39  |
| 131 | Eco friendly adsorbents for removal of phenol from aqueous solution employing nanoparticle zero-valent iron synthesized from modified green tea bio-waste and supported on silty clay. <b>2020</b> , 36, 19-19                        |      | 24  |
| 130 | Core-shell type magnetic Ni/NiO nanoparticles as recyclable adsorbent for Pb (II) and Cd (II) ions: One-pot synthesis, adsorption performance, and mechanism. <b>2020</b> , 113, 223-230  |      | 8   |
| 129 | Adsorption of arsenic onto films based on chitosan and chitosan/nano-iron oxide. <b>2020</b> , 165, 1286-1295   |      | 21  |
| 128 | Fabrication and Characterization of Porous Core-shell Graphene/SiO <sub>2</sub> Nanocomposites for the Removal of Cationic Neutral Red Dye. <b>2020</b> , 10, 8529  |      | 2   |

|     |   |     |    |
|-----|---|-----|----|
| 127 | Highly efficient removal of cationic, anionic and neutral dyes by hierarchically porous structured three-dimensional magnetic sulfur/nitrogen co-doped reduced graphene oxide nanohybrid. <b>2020</b> , 37, 101345  |     | 9  |
| 126 | A heterogeneous fenton-like system with green iron nanoparticles for the removal of bisphenol A: Performance, kinetics and transformation mechanism. <b>2020</b> , 272, 111047  |     | 18 |
| 125 | Preparation and Characterization of PANI@NiO Visible Light Photocatalyst for Wastewater Treatment. <i>ChemistrySelect</i> , <b>2020</b> , 5, 12618-12623  | 1.8 | 9  |
| 124 | Simultaneous Removal of Organic Dyes from Aqueous Solutions by Renewable Alginate Hybridized with Graphene Oxide. <b>2020</b> , 65, 4443-4451   |     | 7  |
| 123 | Triggered Nanoexplosions of Pd Hollow Spheres. <b>2020</b> , 20, 1941-1945  |     | 2  |
| 122 | Synthesis Fe <sub>3</sub> O <sub>4</sub> /Talc nanocomposite by coprecipitation-ultrasonication method and advances in hexavalent chromium removal from aqueous solution. <b>2020</b> , 38, 483-501   |     | 3  |
| 121 | Efficient treatment of raw leachate using magnetic ore iron oxide nanoparticles Fe <sub>3</sub> O <sub>4</sub> s nanoadsorbents. <b>2020</b> , 38, 101637   |     | 6  |
| 120 | PPI-Dendrimer-Functionalized Magnetic Metal-Organic Framework (FeO@MOF@PPI) with High Adsorption Capacity for Sustainable Wastewater Treatment. <b>2020</b> , 12, 25294-25303   |     | 52 |
| 119 | Multifunctional magnetic iron oxide nanoparticles: an advanced platform for cancer theranostics. <b>2020</b> , 10, 6278-6309  |     | 99 |
| 118 | Multifunctional Zn <sub>0.3</sub> Al <sub>0.4</sub> O <sub>4.5</sub> crystals: An efficient photocatalyst for formaldehyde degradation and EBT adsorption. <b>2020</b> , 13, 8262-8270  |     | 17 |
| 117 | Green preparation of activated carbon from pomegranate peel coated with zero-valent iron nanoparticles (nZVI) and isotherm and kinetic studies of amoxicillin removal in water. <i>Environmental Science and Pollution Research</i> , <b>2020</b> , 27, 36732-36743 | 5.1 | 38 |
| 116 | Facile Synthesis of Substantially Magnetic Hollow Nanospheres of Maghemite (Fe <sub>2</sub> O <sub>3</sub> ) Originated from Magnetite (Fe <sub>3</sub> O <sub>4</sub> ) via Solvothermal Method. <b>2020</b> , 33, 2199-2208                                       |     | 6  |
| 115 | Ultrasonic assisted synthesis of Kaolin/CuFe <sub>2</sub> O <sub>4</sub> nanocomposite for removing cationic dyes from aqueous media. <i>Journal of Environmental Chemical Engineering</i> , <b>2020</b> , 8, 103869  | 6.8 | 32 |
| 114 | Nanocontainer for environmental applications. <b>2020</b> , 459-466   |     |    |
| 113 | Hierarchical nano Fe(0)@FeS doped cellulose nanofibres derived from agrowaste - Potential bionanocomposite for treatment of organic dyes. <b>2020</b> , 151, 713-722  |     | 8  |
| 112 | Rapid catalytic degradation of malachite green by MgFe <sub>2</sub> O <sub>4</sub> nanoparticles in presence of H <sub>2</sub> O <sub>2</sub> . <b>2020</b> , 828, 154462   |     | 20 |
| 111 | Zerovalent nickel nanoparticles performance towards Cr(VI) adsorption in polluted water. <b>2020</b> , 31, 195708   |     | 3  |
| 110 | Selective and Recyclable Congo Red Dye Adsorption by Spherical FeO Nanoparticles Functionalized with 1,2,4,5-Benzenetetracarboxylic Acid. <i>Scientific Reports</i> , <b>2020</b> , 10, 111   | 4.9 | 53 |

|     |  |     |     |
|-----|--|-----|-----|
| 109 | Intrinsic acid resistance and high removal performance from the incorporation of nickel nanoparticles into nitrogen doped tubular carbons for environmental remediation. <i>Journal of Colloid and Interface Science</i> , <b>2020</b> , 566, 46-59                            | 9.3 | 10  |
| 108 | Rational design, synthesis, adsorption principles and applications of metal oxide adsorbents: a review. <b>2020</b> , 12, 4790-4815  |     | 126 |
| 107 | Liquid-Phase Synthesis of Iron Oxide Nanostructured Materials and Their Applications. <b>2020</b> , 26, 9180-9205  |     | 4   |
| 106 | Prospective of nanotechnology in degradation of waste water: A new challenges. <b>2020</b> , 22, 100442  |     | 30  |
| 105 | Mechanisms and pathways of ethidium bromide Fenton-like degradation by reusable magnetic nanocatalysts. <b>2021</b> , 262, 127852  |     | 5   |
| 104 | Kinetic and thermodynamic studies on gas adsorption behaviour of natural fibres. <b>2021</b> , 112, 1390-1402  |     | 1   |
| 103 | Response surface methodology for the removal of nitrate ions by adsorption onto copper oxide nanoparticles. <i>Journal of Molecular Structure</i> , <b>2021</b> , 1231, 129686   | 3.4 | 10  |
| 102 | Fabrication of MOF-derivated CuO <sub>x</sub> -C electrode for electrochemical degradation of ceftazidime from aqueous solution. <b>2021</b> , 268, 129157   |     | 8   |
| 101 | Superior adsorption of cationic dye on novel bentonite/carbon composites. <b>2021</b> , 16,  |     | 2   |
| 100 | Facile one-step synthesis of magnetic Zeolitic Imidazolate Framework for ultra fast removal of Congo red from water. <i>Microporous and Mesoporous Materials</i> , <b>2021</b> , 311, 110712   | 5.3 | 8   |
| 99  | Microwave-assisted synthesis of Fe <sub>2</sub> O <sub>3</sub> /ZnFe <sub>2</sub> O <sub>4</sub> /ZnO ternary hybrid nanostructures for photocatalytic applications. <b>2021</b> , 47, 3833-3841   |     | 13  |
| 98  | Magnetochemistry and Magnetic Separation. <b>2021</b> , 1-39   |     |     |
| 97  | Different Bioremediation Techniques for Management of Waste Water. <i>Advances in Environmental Engineering and Green Technologies Book Series</i> , <b>2021</b> , 1-18  | 0.4 | 0   |
| 96  | Metal Oxides as Decontaminants of Water and Wastewater. <b>2021</b> , 1-28   |     |     |
| 95  | Synthesis and Applications of Anisotropic Magnetic Iron Oxide Nanoparticles. <b>2021</b> , 65-89   |     |     |
| 94  | Enhanced visible-light photodegradation of fluoroquinolone-based antibiotics and growth inhibition using Ag-TiO nanoparticles.. <b>2021</b> , 11, 13980-13991  |     | 8   |
| 93  | Remediation of Organic Pollutants in Water. <b>2021</b> , 501-517  |     |     |
| 92  | Green synthesis of iron nanoparticles using Artocarpus heterophyllus peel extract and their application as a heterogeneous Fenton-like catalyst for the degradation of Fuchsin Basic dye. <i>Current Research in Green and Sustainable Chemistry</i> , <b>2021</b> , 4, 100086 | 4.1 | 10  |

|    |  |      |    |
|----|--|------|----|
| 91 | Surface morphology and payload synergistically caused an enhancement of the longitudinal relaxivity of a MnO/PtO nanocomposite for magnetic resonance tumor imaging. <b>2021</b> , 9, 2732-2742  |      | 2  |
| 90 | Residue valorization: Preparation of recyclable organic amine adsorbent using laterite residue. <b>2021</b> , 25, 101177   |      | 1  |
| 89 | Preparation of magnetic composite adsorbents from laterite nickel ore for organic amine removal. <b>2021</b> , 14, 102933  |      | 2  |
| 88 | Adsorption of Acid Blue 92 Dye from Aqueous Solutions by Single-Walled Carbon Nanotubes: Isothermal, Kinetic, and Thermodynamic Studies. <b>2021</b> , 8, 869-888  |      | 39 |
| 87 | Metal doped titania nanoparticles as efficient photocatalyst for dyes degradation. <b>2021</b> , 33, 101312  |      | 5  |
| 86 | On the performance of wild plant-derived biochar@MnFe <sub>2</sub> O <sub>4</sub> composite in remediation of synthetic aqueous copper solution. <i>Biomass Conversion and Biorefinery</i> , 1   | 2.3  |    |
| 85 | Synthesis and characterization of alginate superparamagnetic nanoparticles deposited on Fe <sub>3</sub> O <sub>4</sub> and investigation its application in adsorption of tetracycline in aqueous solutions. 1   |      | 2  |
| 84 | Green synthesis, characterization applications of iron oxide nanoparticles for antialgal and wastewater bioremediation using three brown algae. <b>2021</b> , 23, 1538-1552  |      | 10 |
| 83 | Preparation of magnetic Cyclodextrin ionic liquid composite material with different ionic liquid functional group substitution contents and evaluation of adsorption performance for anionic dyes. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2021</b> , 614, 126147 | 5.1  | 9  |
| 82 | Removal of Neutral Red Dye via Electro-Fenton Process: A Response Surface Methodology Modeling. <b>2021</b> , 12, 579-594  |      | 4  |
| 81 | Mechanistic aspects for the enhanced adsorption of bromophenol blue and atrazine over cyclodextrin modified polyacrylonitrile nanofiber membranes. <b>2021</b> , 169, 19-32  |      | 16 |
| 80 | Statistical Physics Model of EBT Adsorption on Pb(II) doped Zinc Oxide Nanoparticles: Kinetics, Isotherm and Reuse Study. 1-15   |      | 2  |
| 79 | Maxilon Blue 5G Removal by Bimetallic Pt/Co Loaded on GO Material under Ultrasonic Conditions from Aquatic Medium. 1362-1373   |      |    |
| 78 | The "Lab4treat" Outreach Experience: Preparation of Sustainable Magnetic Nanomaterials for Remediation of Model Wastewater. <i>Molecules</i> , <b>2021</b> , 26,   | 4.8  | 0  |
| 77 | Adsorption of neutral red dye by chitosan and activated carbon composite films. <i>Heliyon</i> , <b>2021</b> , 7, e07629.6   |      | 7  |
| 76 | A functionalized UiO-66 MOF acting as a luminescent chemosensor for selective and sensitive turn-on detection of superoxide and acetylacetone. <i>Microporous and Mesoporous Materials</i> , <b>2021</b> , 323, 111251   | 5.3  | 6  |
| 75 | Magnetic amino-functionalized-MOF(M@Fe, Ti, Zr)@COFs with superior biocompatibility: Performance and mechanism on adsorption of azo dyes in soft drinks. <i>Chemical Engineering Journal</i> , <b>2021</b> , 420, 129955   | 14.7 | 13 |
| 74 | Contemporary Techniques for Remediating Endocrine-Disrupting Compounds in Various Water Sources: Advances in Treatment Methods and Their Limitations. <i>Polymers</i> , <b>2021</b> , 13,  | 4.5  | 3  |

|    |  |      |    |
|----|--|------|----|
| 73 | Statistical modeling and interpretation of Sono-assisted adsorption mechanism of Crystal Violet dye on FeTiPbO Nanocomposite. <i>Journal of Molecular Liquids</i> , <b>2021</b> , 340, 116878  | 6    | 1  |
| 72 | Adsorptive removal of tetracycline and lincomycin from contaminated water using magnetized activated carbon. <i>Journal of Environmental Chemical Engineering</i> , <b>2021</b> , 9, 105998  | 6.8  | 2  |
| 71 | Design of super-paramagnetic bilayer films based on chitosan and sodium alginate. <i>Carbohydrate Polymer Technologies and Applications</i> , <b>2021</b> , 2, 100083  | 1.7  | 1  |
| 70 | Effect of Cyclodextrin decoration on structural, optical and magnetic properties of luminescent magnetic nanoparticles and its application as a drug carrier. <i>Journal of Molecular Structure</i> , <b>2022</b> , 1247, 131330   | 3.4  | 0  |
| 69 | Synthesis, molecular dynamics simulation and adsorption study of different pollutants on functionalized mesosilica. <i>Scientific Reports</i> , <b>2021</b> , 11, 1967   | 4.9  | 16 |
| 68 | Hollow iron oxide nanomaterials: synthesis, functionalization, and biomedical applications. <i>Journal of Materials Chemistry B</i> , <b>2021</b> , 9, 1965-1979   | 7.3  | 13 |
| 67 | Ultrasonically-mediated one-pot synthesis of substituted imidazoles via sulfamic acid functionalized hollow magnetically retrievable solid-acid catalyst. <i>Current Research in Green and Sustainable Chemistry</i> , <b>2021</b> , 4, 100050   | 4.1  | 5  |
| 66 | Recent advances in the fabrication and application of biopolymer-based micro- and nanostructures: A comprehensive review. <i>Chemical Engineering Journal</i> , <b>2020</b> , 397, 125409  | 14.7 | 36 |
| 65 | Study of the methylene blue adsorption mechanism using ZrO <sub>2</sub> /Polyaniline nanocomposite. <i>Nano Express</i> , <b>2020</b> , 1, 030025  | 2    | 3  |
| 64 | Basic RED-5 adsorption on montmorillonite: faktorial design, equilibrium, kinetic and thermodynamic studies. <i>Acta Geodynamica Et Geomaterialia</i> , <b>2020</b> , 269-283  | 1    | 2  |
| 63 | Kinetics and Equilibrium Studies for Removal of Reactive Red 198 From Aqueous Solutions Using Zero Valent Iron powder. <i>Health Scope</i> , <b>2014</b> , 3,  | 1.1  | 5  |
| 62 | Green Synthesis of Iron Nanoparticles by Aqueous Extract of Eriobotrya japonica Leaves as a Heterogeneous Fenton-like Catalyst: Degradation of Basic Red 46. <i>International Journal of Chemical Engineering and Applications (IJCEA)</i> , <b>2017</b> , 8, 327-333                                  | 0.2  | 14 |
| 61 | Biosorption of Mercury Ion (Hg <sup>2+</sup> ) using Live and Dead Cells of Rhizopus oryzae and Aspergillus niger : Characterization, Kinetic and Isotherm Studies. <i>Journal of Pure and Applied Microbiology</i> , <b>2020</b> , 14, 1749-1760  | 0.9  | 1  |
| 60 | Ecotoxicity and Toxicity of Nanomaterials with Potential for Wastewater Treatment Applications. <b>2017</b> , 1182-1216  |      |    |
| 59 | Development and Characterization of Novel MnFeBn Ternary Nanoparticle by Sol-Gel Technique. <i>Lecture Notes in Civil Engineering</i> , <b>2022</b> , 45-54  | 0.3  | 0  |
| 58 | Synergetic metronidazole removal from aqueous solutions using combination of electro-persulfate process with magnetic Fe <sub>3</sub> O <sub>4</sub> @AC nanocomposites: nonlinear fitting of isotherms and kinetic models. <i>Zeitschrift Fur Physikalische Chemie</i> , <b>2021</b> , 235, 1297-1321 | 3.1  | 1  |
| 57 | Different Bioremediation Techniques for Management of Waste Water. <b>2022</b> , 357-374   |      |    |
| 56 | Hexavalent Chromium Adsorption on Magnetic Nanoparticles Synthesized from Tay Nguyen Red Mud from Vietnam. <i>Asian Journal of Chemistry</i> , <b>2020</b> , 32, 602-606   | 0.4  | 1  |

|    |  |      |   |
|----|--|------|---|
| 55 | Ecotoxicity and Toxicity of Nanomaterials with Potential for Wastewater Treatment Applications. <i>Advances in Environmental Engineering and Green Technologies Book Series</i> , 294-329  | 0.4  |   |
| 54 | Removal of Cefixime from Water Using Rice Starch by Response Surface Methodology. <i>Avicenna Journal of Medical Biotechnology</i> , <b>2020</b> , 12, 230-235   | 1.4  |   |
| 53 | Marriage of membrane filtration and sulfate radical-advanced oxidation processes (SR-AOPs) for water purification: Current developments, challenges and prospects. <i>Chemical Engineering Journal</i> , <b>2021</b> , 433, 133802   | 14.7 | 2 |
| 52 | Polymer hydrogels for stabilization of inorganic nanoparticles and their application in catalysis for degradation of toxic chemicals. <i>Environmental Technology (United Kingdom)</i> , <b>2021</b> , 1-11  | 2.6  | 0 |
| 51 | Trends in the treatment of aquaculture effluents using nanotechnology. <i>Cleaner Materials</i> , <b>2021</b> , 2, 100024  |      | 5 |
| 50 | Magnetochemistry and Magnetic Separation. <b>2021</b> , 1593-1631  |      |   |
| 49 | Electrochemical degradation of hydrolyzed polyacrylamide by a novel La-In co-doped PbO <sub>2</sub> electrode: electrode characterization, influencing factors and degradation pathway. <i>Journal of Electroanalytical Chemistry</i> , <b>2022</b> , 906, 116017                | 4.1  | 0 |
| 48 | Metallic nickel nanoparticles supported polyaniline nanotubes as heterogeneous Fenton-like catalyst for the degradation of brilliant green dye in aqueous solution.. <i>Journal of Colloid and Interface Science</i> , <b>2021</b> , 611, 408-420                                | 9.3  | 1 |
| 47 | Green sonochemical process for preparation of polyethylene glycol/Be <sub>3</sub> O <sub>4</sub> /ZnO magnetic nanocomposite using rambutan peel extract as photocatalyst, for removal of methylene blue in solution. <i>Bulletin of Materials Science</i> , <b>2022</b> , 45, 1 | 1.7  | 2 |
| 46 | Molecularly imprinted magnetite nanomaterials and its application as corrosion inhibitors. <b>2022</b> , 55-83   |      |   |
| 45 | Poly(sodium 4-styrenesulfonate) brushes-functionalized UiO-66-NH <sub>2</sub> metal-organic framework for high and selective adsorption of dyes. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2022</b> , 639, 128312                             | 5.1  | 1 |
| 44 | CO-responsive functional cotton fibers decorated with Ag nanoparticles for "smart" selective and enhanced dye adsorption.. <i>Journal of Hazardous Materials</i> , <b>2022</b> , 429, 128327   | 12.8 | 5 |
| 43 | Nanosorbents for heavy metals removal. <b>2022</b> , 163-186   |      |   |
| 42 | Nanoscale ZnO-adsorbent carefully designed for the kinetic and thermodynamic studies of Rhodamine B. <i>Inorganic Chemistry Communication</i> , <b>2022</b> , 138, 109287  | 3.1  | 2 |
| 41 | Performance Evaluation of Nanocomposite Magnetic Mono-Tosyl-β-Cyclodextrin Conjugated Carbon Nanotubes/Iron Oxide in Removal of Cr(III) from Aqueous Solutions Using Taguchi Method. <i>Russian Journal of Physical Chemistry A</i> , <b>2022</b> , 96, 163-170                  | 0.7  | 0 |
| 40 | Synthesis of Magnetic FeO Nano Hollow Spheres for Industrial TNT Wastewater Treatment.. <i>Nanomaterials</i> , <b>2022</b> , 12,   | 5.4  | 0 |
| 39 | Efficient performance of copper oxide nanoparticles synthesized with pomegranate leaf extract for neutral red dye adsorption. <i>Environmental Progress and Sustainable Energy</i> ,   | 2.5  | 2 |
| 38 | Iron oxide nanoparticles: Preparation methods, functions, adsorption and coagulation/flocculation in wastewater treatment. <i>Environmental Nanotechnology, Monitoring and Management</i> , <b>2022</b> , 17, 100663   | 3.3  | 3 |

|    |  |      |   |
|----|--|------|---|
| 37 | Upcycling of blending waste plastics as zwitterionic hydrogel for simultaneous removal of cationic and anionic heavy metals from aqueous system.. <i>Journal of Hazardous Materials</i> , <b>2022</b> , 432, 128746  | 12.8 | 0 |
| 36 | Wheat-Flour-Derived Magnetic Porous Carbons by CaCl <sub>2</sub> -Activation and their Application in Cr(VI) Removal. <i>ChemistrySelect</i> , <b>2021</b> , 6, 13215-13223  | 1.8  |   |
| 35 | Ferrofluids for Waste-Water Treatment. <i>Environmental Science and Engineering</i> , <b>2022</b> , 723-744  | 0.2  | 0 |
| 34 | Iron-Based Magnetic Nanoadsorbents for Organic Dye Removal. <b>2022</b> , 1-33   |      |   |
| 33 | Sustainable Development of Nanomaterials for Removal of Dyes from Water and Wastewater. <i>Sustainable Textiles</i> , <b>2022</b> , 167-188  | 1.1  | 1 |
| 32 | Biosynthesized magnetite nanoparticles from <i>Polyalthia longifolia</i> leaves improve photosynthetic performance and yield of <i>Trigonella foenum-graecum</i> under drought stress. <i>Plant Stress</i> , <b>2022</b> , 5, 100090   |      | 3 |
| 31 | Fractal adsorption characteristics and statistical analysis approach of complex dye molecule on metal oxide particles: A case study of Reactive Black 5 (RB 5) adsorption onto NiO nanoparticles. <b>2022</b> , 7, 81-93   |      |   |
| 30 | Removal behavior and mechanism of amino/carboxylate-functionalized Fe@SiO <sub>2</sub> for Cr(VI) and Cd(II) from aqueous solutions. <i>Environmental Science and Pollution Research</i> ,   | 5.1  | 0 |
| 29 | Adsorptive performance of <i>Melia Azedarach</i> fruit-derived biochar in removing methylene blue, diclofenac, and copper(II) from aqueous solution. <i>Biomass Conversion and Biorefinery</i> ,   | 2.3  |   |
| 28 | Rapid and selective adsorption of organic dyes with ultrahigh adsorption capacity using Na and Fe co-doped g-C <sub>3</sub> N <sub>4</sub> . <i>Separation and Purification Technology</i> , <b>2022</b> , 121420  | 8.3  | 2 |
| 27 | A comprehensive review on sustainable greener nanoparticles for efficient dye degradation. <i>Environmental Science and Pollution Research</i> ,   | 5.1  | 1 |
| 26 | Dissociation of acid blue 113 dye from aqueous solutions using activated persulfate by zero iron nanoparticle from green synthesis: the optimization process with RSM-BBD model: mineralization and reaction kinetic study. <i>Biomass Conversion and Biorefinery</i> ,              | 2.3  |   |
| 25 | Fast and effective removal of textile dyes from the wastewater using reusable porous nano-carbons: a study on adsorptive parameters and isotherms. <i>Environmental Science and Pollution Research</i> ,   | 5.1  | 0 |
| 24 | New method for efficient removal of Cr(VI) by recoverable magnetic nitrogen-doped carbon aerogel microspheres: Kinetics and mechanism. <i>Journal of Molecular Liquids</i> , <b>2022</b> , 360, 119564   | 6    | 0 |
| 23 | Photocatalysis vs adsorption by metal oxide nanoparticles. <i>Journal of Materials Science and Technology</i> , <b>2022</b> , 131, 122-166   | 9.1  | 4 |
| 22 | Removal and Mechanism of Cadmium, Lead and Copper in Water by Functional Modification of Silkworm Excrement Biochar. <i>Polymers</i> , <b>2022</b> , 14, 2889  | 4.5  | 1 |
| 21 | Electrochemical aptasensor based on Ce <sub>3</sub> NbO <sub>7</sub> /CeO <sub>2</sub> @Au hollow nanospheres by using Nb.BbvCI-triggered and bipedal DNA walker amplification strategy for zearalenone detection. <i>Journal of Hazardous Materials</i> , <b>2022</b> , 438, 129491 | 12.8 | 2 |
| 20 | Reusable and Antibacterial Polymer-Based Nanocomposites for the Adsorption of Dyes and the Visible-Light-Driven Photocatalytic Degradation of Antibiotics. 2200076   |      |   |

- 19 Cost-effective adsorbents. **2022**, 515-553 ○
- 18 An universal approach of catalyst immobilization inside hydrophobic PFA tubing under well dispersed manner for continuous-flow applications. **2023**, 452, 139347 ○
- 17 Electrochemical sensor based on green-synthesized iron oxide nanomaterial modified carbon paste electrode for Congo red electroanalysis and capacitance performance. 1-10 ○
- 16 Iron-Based Magnetic Nanoadsorbents for Organic Dye Removal. **2022**, 915-947 ○
- 15 Optical, structural, morphological, antibacterial and photodegradation characteristics of  $Ba_xMg_{0.8-x}Fe_2O_4$  ( $x = 0.2, 0.4, \text{ and } 0.6$ ) nanocrystalline powders synthesized by combustion method. ○
- 14 A Generalized Method for the Synthesis of Carbon-Encapsulated  $Fe_3O_4$  Composites and Its Application in Water Treatment. **2022**, 27, 6812 ○
- 13 An innovative hybrid biosorbent composed of nano ZnO and marine macro algae *Jania rubens* embedded in an alginate/PVA matrix: insights into  $Pb^{2+}$  removal in water. **2022**, 47, 373-383 ○
- 12 Dendrimer modified composite magnetic nano-flocculant for efficient removal of graphene oxide. **2023**, 307, 122851 ○
- 11 Removal of methylene blue from aqueous solution by magnetic hydrogel nanocomposite adsorbents. 009524432211447 ○
- 10 Efficient detection and treatment of pharmaceutical contaminants to produce clean water for better health and environmental. **2023**, 387, 135798 ○
- 9 Effect of combined aging treatment on biochar adsorption and speciation distribution for  $Cd(II)$ . **2023**, 867, 161593 ○
- 8 Molecularly imprinted magnetite nanomaterials for energy storage applications. **2023**, 475-496 ○
- 7 Synthesis of magnetic  $Fe_3O_4$ -HKUST-1 nanocomposites for azo dye adsorption. **2023**, 16, 104767 ○
- 6 Adsorption of polluted dyes from water by transition metal oxides: A review. **2023**, 15, 100395 ○
- 5 SiC Foams for the Photocatalytic Degradation of Methylene Blue under Visible Light Irradiation. **2023**, 16, 1328 ○
- 4 Adsorption of As and Pb by Stone Powder/Chitosan/Maghemite Composite Beads (SCM Beads): Kinetics and Column Study. **2023**, 11, 581 ○
- 3 Green production of zero-valent iron nanoparticles using pomegranate peel extracts and its use in lindane degradation. ○
- 2  $CoFe_2O_4@HaP$  as Magnetic Heterostructures for Sustainable Wastewater Treatment. **2023**, 16, 2594 ○

1 Adsorption of Dyes from Wastewater: A Comprehensive Review.

o