Urodynamic Effects of Once-Daily Tadalafil in Men with

Current Urology Reports 11, 254-260

DOI: 10.1007/s11934-010-0122-8

Citation Report

#	Article	IF	CITATIONS
1	Late-Onset Hypogonadism Syndrome and Lower Urinary Tract Symptoms. Korean Journal of Urology, 2011, 52, 657.	1.2	33
2	Detrusor-Directed Therapy in Men With Benign Prostatic Hyperplasia. Current Bladder Dysfunction Reports, 2011, 6, 218.	0.2	O
3	The medical treatment of overactive bladder, including current and future treatments. Expert Opinion on Pharmacotherapy, 2011, 12, 1041-1055.	0.9	13
4	Tadalafil. Drugs and Aging, 2012, 29, 771-781.	1.3	9
5	Mechanisms of action of botulinum neurotoxins, β ₃ â€adrenergic receptor agonists, and PDE5 inhibitors in modulating detrusor function in overactive bladders: IClâ€RS 2011. Neurourology and Urodynamics, 2012, 31, 300-308.	0.8	38
6	Novel agents in treatment of BPH. Nature Reviews Urology, 2013, 10, 72-73.	1.9	3
7	Advances in catheter-ablation treatment of AF. Nature Reviews Cardiology, 2013, 10, 63-64.	6.1	7
8	The role of phosphodiesterases in bladder pathophysiology. Nature Reviews Urology, 2013, 10, 414-424.	1.9	28
9	Tadalafil for benign prostatic hyperplasia. Drug and Therapeutics Bulletin, 2013, 51, 93-96.	0.3	3
10	Lower Urinary Tract Symptoms are Associated with Erectile Function and Psychological Symptoms in Men with Lateâ€Onset Hypogonadism Syndrome. LUTS: Lower Urinary Tract Symptoms, 2014, 6, 151-156.	0.6	5
11	Protective Effects of KH-204 in the Bladder of Androgen-Deprived Rats. World Journal of Men?s Health, 2015, 33, 73.	1.7	9