

CITATION REPORT

List of articles citing

Simulation Optimization Modeling: A Survey and Potential Application in Reservoir Systems Operation

DOI: 10.1007/s11269-009-9488-0

Water Resources Management, 2010, 24, 1107-1138.

Source: <https://exaly.com/paper-pdf/47963013/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|-----|--|-----|-----------|
| 329 | Deriving multiple near-optimal solutions to deterministic reservoir operation problems. <i>Water Resources Research</i> , 2011 , 47, | 5.4 | 58 |
| 328 | Joint Operation of the Multi-Reservoir System of the Three Gorges and the Qingjiang Cascade Reservoirs. 2011 , 4, 1036-1050 | | 61 |
| 327 | Decision Support System for Optimizing Reservoir Operations Using Ensemble Streamflow Predictions. <i>Journal of Water Resources Planning and Management - ASCE</i> , 2011 , 137, 72-82 | 2.8 | 84 |
| 326 | Reservoir operation under variable climate: Case of Rozva Dam, Zimbabwe. 2011 , 36, 1112-1119 | | 8 |
| 325 | Design of Barrages with Genetic Algorithm Based Embedded Simulation Optimization Approach. <i>Water Resources Management</i> , 2011 , 25, 409-429 | 3.7 | 19 |
| 324 | Optimizing Safe Yield Policy Implementation. <i>Water Resources Management</i> , 2011 , 25, 483-508 | 3.7 | 15 |
| 323 | Hybrid RES-HEP Systems Development. <i>Water Resources Management</i> , 2011 , 25, 2219-2239 | 3.7 | 6 |
| 322 | Derivation of Aggregation-Based Joint Operating Rule Curves for Cascade Hydropower Reservoirs. <i>Water Resources Management</i> , 2011 , 25, 3177-3200 | 3.7 | 101 |
| 321 | Reservoirs Effects on the Interannual Variability of Winter and Spring Streamflow in the St-Maurice River Watershed (Quebec, Canada). <i>Water Resources Management</i> , 2011 , 25, 3661-3675 | 3.7 | 20 |
| 320 | An Operation-Based Scheme for a Multiyear and Multipurpose Reservoir to Enhance Macroscale Hydrologic Models. 2012 , 13, 270-283 | | 38 |
| 319 | ECONOMICS AND THE MODELING OF WATER RESOURCES AND POLICIES. 2012 , 25, 168-218 | | 112 |
| 318 | Reservoir Optimization-Simulation with a Sediment Evacuation Model to Minimize Irrigation Deficits. <i>Water Resources Management</i> , 2012 , 26, 3173-3193 | 3.7 | 23 |
| 317 | Discretized and Continuous Target Fields for the Reservoir Release Rules During Floods. <i>Water Resources Management</i> , 2012 , 26, 3457-3477 | 3.7 | 9 |
| 316 | Downstream Hydrological Impacts of Hydropower Development in the Upper Mekong Basin. <i>Water Resources Management</i> , 2012 , 26, 3495-3513 | 3.7 | 106 |
| 315 | Parameter Identification for a Slug Test in a Well with Finite-Thickness Skin Using Extended Kalman Filter. <i>Water Resources Management</i> , 2012 , 26, 4039-4057 | 3.7 | 2 |
| 314 | A Model for Solving the Optimal Water Allocation Problem in River Basins with Network Flow Programming When Introducing Non-Linearities. <i>Water Resources Management</i> , 2012 , 26, 4059-4071 | 3.7 | 19 |
| 313 | Optimal Reservoir Operation for Hydropower Generation using Non-linear Programming Model. 2012 , 93, 111-120 | | 32 |

| | | | |
|-----|---|-----|-----|
| 312 | Optimization and simulation modelling for operation of the Zayandeh Rud Reservoir. 2012 , 37, 305-318 | | 10 |
| 311 | Performance assessment of storage policies of the Vaigai Reservoir using a simulation model. 2012 , 37, 319-333 | | 2 |
| 310 | An intelligent agent for optimal river-reservoir system management. <i>Water Resources Research</i> , 2012 , 48, | 5.4 | 12 |
| 309 | An overview of the optimization modelling applications. <i>Journal of Hydrology</i> , 2012 , 466-467, 167-182 | 6 | 150 |
| 308 | Future changes in Mekong River hydrology: impact of climate change and reservoir operation on discharge. 2012 , 16, 4603-4619 | | 194 |
| 307 | Improving Implicit Stochastic Reservoir Optimization Models with Long-Term Mean Inflow Forecast. <i>Water Resources Management</i> , 2012 , 26, 2443-2451 | 3.7 | 22 |
| 306 | Long-term management of a hydroelectric multireservoir system under uncertainty using the progressive hedging algorithm. <i>Water Resources Research</i> , 2013 , 49, 2812-2827 | 5.4 | 30 |
| 305 | Genetic Algorithms and Their Applications to Water Resources Systems. 2013 , 43-78 | | 9 |
| 304 | Near Real-Time Optimization of Multi-Reservoir during Flood Season in the Fengman Basin of China. <i>Water Resources Management</i> , 2013 , 27, 4315-4335 | 3.7 | 9 |
| 303 | Optimal Reservoir Operation Based on Conjunctive Use of Surface Water and Groundwater Using Neuro-Fuzzy Systems. <i>Water Resources Management</i> , 2013 , 27, 4259-4275 | 3.7 | 24 |
| 302 | Integrated Sustainable Irrigation Planning with Multiobjective Fuzzy Optimization Approach. <i>Water Resources Management</i> , 2013 , 27, 3981-4004 | 3.7 | 22 |
| 301 | Optimization of Water Resources Utilization by PSO-GA. <i>Water Resources Management</i> , 2013 , 27, 3525-3540 | 3.7 | 59 |
| 300 | Integrated Artificial Neural Network (ANN) and Stochastic Dynamic Programming (SDP) Model for Optimal Release Policy. <i>Water Resources Management</i> , 2013 , 27, 3679-3696 | 3.7 | 24 |
| 299 | Intelligent Systems in Optimizing Reservoir Operation Policy: A Review. <i>Water Resources Management</i> , 2013 , 27, 3387-3407 | 3.7 | 61 |
| 298 | Optimization of Hydropower Reservoir Using Evolutionary Algorithms Coupled with Chaos. <i>Water Resources Management</i> , 2013 , 27, 1963-1979 | 3.7 | 44 |
| 297 | Artificial Water Inflow Created by Solar Energy for Continuous Green Energy Production. <i>Water Resources Management</i> , 2013 , 27, 2303-2323 | 3.7 | 13 |
| 296 | Development of operating rules for a complex multi-reservoir system by coupling genetic algorithms and network optimization. <i>Hydrological Sciences Journal</i> , 2013 , 58, 797-812 | 3.5 | 15 |
| 295 | Evaluation of optimization operation models for cascaded hydropower reservoirs to utilize medium range forecasting inflow. 2013 , 56, 2540-2552 | | 19 |

| | | | |
|-----|---|-----|----|
| 294 | Effectiveness and Efficiency of Scheduling Regional Water Resources Projects. <i>Water Resources Management</i> , 2013 , 27, 665-693 | 3.7 | 5 |
| 293 | A Data-driven Model for Large Wildfire Behaviour Prediction in Europe. 2013 , 18, 1861-1870 | | 20 |
| 292 | An Efficient Parallel Algorithm for Large Scale Hydrothermal System Operation Planning. 2013 , 28, 4888-4896 | | 18 |
| 291 | Participatory Optimization Scenario for Water Resources Management: A Case from Jordan. <i>Water Resources Management</i> , 2013 , 27, 1949-1962 | 3.7 | 8 |
| 290 | Comparison of generic simulation models for water resource systems. 2013 , 40, 214-225 | | 50 |
| 289 | Frameworks for amending reservoir water management. 2013 , 29, 194-201 | | 9 |
| 288 | Value-driven river management: A Murray River case study. 2013 , 17, | | 1 |
| 287 | Evaluating changes to reservoir rule curves using historical water-level data. 2013 , 11, 323-328 | | 4 |
| 286 | Risk-based methodology for parameter calibration of a reservoir flood control model. 2013 , 13, 965-981 | | 15 |
| 285 | Determination of cost coefficients of a priority-based water allocation linear programming model □ a network flow approach. 2014 , 18, 1857-1872 | | 9 |
| 284 | Combined Simulation-Optimization Model for Assessing Irrigation Water Supply Capacities of Reservoirs. 2014 , 140, 04014005 | | 10 |
| 283 | Reservoir Optimization and Simulation Modeling: A Case Study. 2014 , 195-215 | | 0 |
| 282 | Evaluation of a multi-reservoir hydropower system using a simulation model. 2014 , 20, 177-187 | | 4 |
| 281 | Evaluating Infrastructure Alternatives for Regional Water Supply Systems by Model-assisted Cost-benefit Analysis □A Case Study from Apulia, Italy. 2014 , 89, 1460-1469 | | 2 |
| 280 | Simulating High-Elevation Hydropower with Regional Climate Warming in the West Slope, Sierra Nevada. <i>Journal of Water Resources Planning and Management - ASCE</i> , 2014 , 140, 714-723 | 2.8 | 11 |
| 279 | Parameter uncertainty analysis of reservoir operating rules based on implicit stochastic optimization. <i>Journal of Hydrology</i> , 2014 , 514, 102-113 | 6 | 75 |
| 278 | Screening Investments to Reduce the Risk of Hydrologic Failures in the Headwork System Supplying Apulia (Italy) □Role of Economic Evaluation and Operation Hydrology. <i>Water Resources Management</i> , 2014 , 28, 1251-1275 | 3.7 | 4 |
| 277 | Adapting Multireservoir Operation to Shifting Patterns of Water Supply and Demand. <i>Water Resources Management</i> , 2014 , 28, 625-643 | 3.7 | 25 |

| | | | |
|-----|--|-----|-----|
| 276 | A Framework for Short-term Operational Planning for Water Grids. <i>Water Resources Management</i> , 2014 , 28, 2367-2380 | 3.7 | 6 |
| 275 | Variable Sets and Fuzzy Rating Interval for Water Allocation Options Assessment. <i>Water Resources Management</i> , 2014 , 28, 2833-2849 | 3.7 | 7 |
| 274 | Optimizing Reservoir Operation Policy Using Chance Constraint Nonlinear Programming for Koga Irrigation Dam, Ethiopia. <i>Water Resources Management</i> , 2014 , 28, 4957-4970 | 3.7 | 26 |
| 273 | Joint operation and dynamic control of flood limiting water levels for mixed cascade reservoir systems. <i>Journal of Hydrology</i> , 2014 , 519, 248-257 | 6 | 59 |
| 272 | Reservoir operation using El Niño forecasts—case study of Daule Peripa and Baba, Ecuador. <i>Hydrological Sciences Journal</i> , 2014 , 59, 1559-1581 | 3.5 | 11 |
| 271 | Modeling water flows in a serial irrigation reservoir system considering irrigation return flows and reservoir operations. 2014 , 143, 131-141 | | 15 |
| 270 | A Multi-Objective Optimization Model for Coordinated Regulation of Flow and Sediment in Cascade Reservoirs. <i>Water Resources Management</i> , 2014 , 28, 4019-4033 | 3.7 | 14 |
| 269 | Identifying Explicit Formulation of Operating Rules for Multi-Reservoir Systems Using Genetic Programming. <i>Water Resources Management</i> , 2014 , 28, 1545-1565 | 3.7 | 44 |
| 268 | Examining Two Different Approaches to Modelling Management and Operation Rules in a Single River System Model. <i>Water Resources Management</i> , 2014 , 28, 1713-1732 | 3.7 | 4 |
| 267 | Reservoir Optimization in Water Resources: a Review. <i>Water Resources Management</i> , 2014 , 28, 3391-3405 | 3.7 | 160 |
| 266 | A decision support system for on-line leakage localization. 2014 , 60, 331-345 | | 40 |
| 265 | Modeling the Inference between Upstream Inflow Hydrographs and Downstream Flooded Areas in a Reservoir Driven System. 2014 , 108, 207-218 | | 2 |
| 264 | Flood inference simulation using surrogate modelling for the Yellow River multiple reservoir system. 2014 , 55, 250-265 | | 12 |
| 263 | Optimal Allocation of Agricultural Water Resources Based on Virtual Water Subdivision in Shiyang River Basin. <i>Water Resources Management</i> , 2014 , 28, 2243-2257 | 3.7 | 52 |
| 262 | Multi-objective reservoir operation under emergency condition: Abbaspour reservoir case study with non-functional spillways. 2014 , 7, 374-384 | | 7 |
| 261 | Water Supply Optimization: An IPA Approach. 2014 , 47, 265-270 | | |
| 260 | Water Accounts and Water Stress Indexes in the European Context of Water Planning: The Jucar River Basin. 2014 , 89, 1470-1477 | | 4 |
| 259 | Adaptive multi-objective simulation-optimization framework for dynamic flood control operation in a river-reservoir system. 2015 , 46, 893-911 | | 9 |

| | | | |
|-----|--|-----|-----|
| 258 | Comparison of optimisation methods tested on testing functions and discrete event simulation models. 2015 , 10, 279 | | 2 |
| 257 | Augmentation of an artificial neural network and modified stochastic dynamic programming model for optimal release policy. 2015 , 46, 689-704 | | 2 |
| 256 | Orthogonal Dimension Reduction Search Algorithm for Optimal Operation of Hydropower Systems. 2015 , | | |
| 255 | Model of Long-Term Optimal Operation of a Multi-Reservoir System under the Cascade Storage Energy Control. 2015 , | | |
| 254 | Climate Change, Water Supply and Sanitation: Risk Assessment, Management, Mitigation and Reduction. 2015 , 14, | | 1 |
| 253 | On inclusion of water resource management in Earth system models [Part 2: Representation of water supply and allocation and opportunities for improved modeling. 2015 , 19, 63-90 | | 92 |
| 252 | Optimal design of seasonal flood limited water levels and its application for the Three Gorges Reservoir. <i>Journal of Hydrology</i> , 2015 , 527, 1045-1053 | 6 | 124 |
| 251 | OPTIWAM: An Intelligent Tool for Optimizing Irrigation Water Management in Coupled Reservoir-Groundwater Systems. <i>Water Resources Management</i> , 2015 , 29, 3841-3861 | 3.7 | 11 |
| 250 | Controlled approximation of the value function in stochastic dynamic programming for multi-reservoir systems. 2015 , 12, 539-557 | | 4 |
| 249 | Modelling monthly operation policy for the Mosul Dam, northern Iraq. 2015 , 5, 179 | | 1 |
| 248 | State-of-the-Art for Modelling Reservoir Inflows and Management Optimization. <i>Water Resources Management</i> , 2015 , 29, 1267-1282 | 3.7 | 32 |
| 247 | Multi-Objective Operations of Multi-Wetland Ecosystem: iModel Applied to the Everglades Restoration. <i>Journal of Water Resources Planning and Management - ASCE</i> , 2015 , 141, 04015008 | 2.8 | 2 |
| 246 | Integrated simulation and optimization scheme of real-time large-scale water supply network: applied to Catalunya case study. 2015 , 91, 59-70 | | 9 |
| 245 | An adaptive watershed management assessment based on watershed investigation data. 2015 , 55, 1006-21 | | 4 |
| 244 | Managing Hydroelectric Reservoirs Over an Extended Horizon Using Benders Decomposition With a Memory Loss Assumption. 2015 , 30, 563-572 | | 8 |
| 243 | Optimal design of multi-storage network for combined sewer overflow management using a diversity-guided, cyclic-networking particle swarm optimizer [A case study in the Gunja subcatchment area, Korea. 2015 , 42, 6966-6975 | | 10 |
| 242 | Optimal design of hydraulic structures with hybrid differential evolution multiple particle swarm optimization. 2015 , 42, 303-310 | | 3 |
| 241 | Comparison of Modified Downhill Simplex and Differential Evolution with other Selected Optimization Methods Used for Discrete Event Simulation Models. 2015 , 100, 807-815 | | 2 |

| | | | |
|-----|---|-----|----|
| 240 | Optimum Operation of Reservoir Using Two Evolutionary Algorithms: Imperialist Competitive Algorithm (ICA) and Cuckoo Optimization Algorithm (COA). <i>Water Resources Management</i> , 2015 , 29, 3749-3769 ⁵¹ | 3.7 | 2 |
| 239 | Sensitivity of Regional Water Supply Systems Models to the Level of Skeletonization [A Case Study from Apulia, Italy. 2015 , 119, 535-544 | | 1 |
| 238 | Reservoir Design Optimization Incorporating Performance Indices. <i>Water Resources Management</i> , 2015 , 29, 4305-4318 | 3.7 | 2 |
| 237 | Development of Simulation-Optimization Model (MUSIC-GA) for Urban Stormwater Management. <i>Water Resources Management</i> , 2015 , 29, 4649-4665 | 3.7 | 20 |
| 236 | Model-Based Assessment of Water, Food, and Energy Trade-Offs in a Cascade of Multipurpose Reservoirs: Case Study of the Sesan Tributary of the Mekong River. <i>Journal of Water Resources Planning and Management - ASCE</i> , 2015 , 141, 05014007 | 2.8 | 20 |
| 235 | Key issues for determining the exploitable water resources in a Mediterranean river basin. 2015 , 503-504, 319-28 | | 15 |
| 234 | Comparative analysis of evolving artificial neural network and reinforcement learning in stochastic optimization of multireservoir systems. <i>Hydrological Sciences Journal</i> , 2016 , 61, 1141-1156 | 3.5 | 11 |
| 233 | Dealing with rainfall forecast uncertainties in real-time flood control along the Demer river. 2016 , 7, 18023 | | |
| 232 | Efficient discretization of state variables in stochastic dynamic programming model of Ukai reservoir, India. 2016 , 22, 293-304 | | 7 |
| 231 | Genetic Algorithm applied to reservoir operation optimization with emphasis on the Moroccan context. 2016 , | | 4 |
| 230 | ASTRO-DF: Adaptive sampling trust-region optimization algorithms, heuristics, and numerical experience. 2016 , | | 2 |
| 229 | Large Scale Reservoirs System Operation Optimization: the Interior Search Algorithm (ISA) Approach. <i>Water Resources Management</i> , 2016 , 30, 3389-3407 | 3.7 | 22 |
| 228 | A Genetic Algorithm Parallel Strategy for Optimizing the Operation of Reservoir with Multiple Eco-environmental Objectives. <i>Water Resources Management</i> , 2016 , 30, 2127-2142 | 3.7 | 28 |
| 227 | Multi-objective optimization of multi-purpose multi-reservoir systems under high reliability constraints. 2016 , 75, 1 | | 2 |
| 226 | Application of PSO algorithm in short-term optimization of reservoir operation. 2016 , 188, 667 | | 24 |
| 225 | Modelling and assessment of the combined impacts of climatic and demographic change on a multipurpose reservoir system in the Harz mountains. 2016 , 75, 1 | | 2 |
| 224 | Quantifying the robustness of optimal reservoir operation for the Xinanjiang-Fuchunjiang Reservoir Cascade. <i>Water Science and Technology: Water Supply</i> , 2016 , 16, 79-86 | 1.4 | 3 |
| 223 | Effect of Hedging-Integrated Rule Curves on the Performance of the Pong Reservoir (India) During Scenario-Neutral Climate Change Perturbations. <i>Water Resources Management</i> , 2016 , 30, 445-470 | 3.7 | 22 |

| | | | |
|-----|--|-----|----|
| 222 | Optimal operation of Mula reservoir with combined use of dynamic programming and genetic algorithm. 2016 , 2, 1-12 | | 9 |
| 221 | A set of linked optimization models for an inter-basin water transfer. <i>Hydrological Sciences Journal</i> , 2016 , 61, 371-392 | 3.5 | 11 |
| 220 | Multi-Reservoir System Operation Theory and Practice. 2016 , 1-110 | | 4 |
| 219 | Generalized Mathematical Simulation Formulation for Reservoir Systems. <i>Journal of Water Resources Planning and Management - ASCE</i> , 2016 , 142, 04016004 | 2.8 | 3 |
| 218 | Advances in Water Resources Management. 2016 , | | 3 |
| 217 | Modelling Intelligent Water Resources Allocation for Multi-users. <i>Water Resources Management</i> , 2016 , 30, 1395-1413 | 3.7 | 28 |
| 216 | Basin/Reservoir System Integration for Real Time Reservoir Operation. <i>Water Resources Management</i> , 2016 , 30, 1653-1668 | 3.7 | 12 |
| 215 | Derivation of water and power operating rules for multi-reservoirs. <i>Hydrological Sciences Journal</i> , 2016 , 61, 359-370 | 3.5 | 20 |
| 214 | Linking groundwater simulation and reservoir system analysis models: The case for California's Central Valley. 2016 , 77, 168-182 | | 22 |
| 213 | Incorporating Hydrologic Routing into Reservoir Operation Models: Implications for Hydropower Production Planning. <i>Water Resources Management</i> , 2016 , 30, 623-640 | 3.7 | 4 |
| 212 | Many-Objective Analysis to Optimize Pumping and Releases in Multi-reservoir Water Supply Network. <i>Journal of Water Resources Planning and Management - ASCE</i> , 2016 , 142, 04015049 | 2.8 | 12 |
| 211 | A neural network based general reservoir operation scheme. 2016 , 30, 1151-1166 | | 29 |
| 210 | Optimal planning of decentralised storage tanks to reduce combined sewer overflow spills using particle swarm optimisation. 2017 , 14, 202-211 | | 3 |
| 209 | Hydro power flexibility for power systems with variable renewable energy sources: an IEA Task 25 collaboration. 2017 , 6, e220 | | 23 |
| 208 | Improving operating policies of large-scale surface-groundwater systems through stochastic programming. <i>Water Resources Research</i> , 2017 , 53, 1407-1423 | 5.4 | 16 |
| 207 | SOM-Based Decision Support System for Reservoir Operation Management. 2017 , 22, 04017012 | | 5 |
| 206 | Reliability Improved Stochastic Dynamic Programming for Reservoir Operation Optimization. <i>Water Resources Management</i> , 2017 , 31, 1795-1807 | 3.7 | 9 |
| 205 | Performance of a system of reservoirs on futuristic front. 2017 , 7, 2667-2680 | | 3 |

| | | | |
|-----|---|-----|----|
| 204 | Flexible Strategy Searching Algorithms for Long Term Optimal Operation Models for Inter Basin Hydropower Reservoir Systems. 2017, | | |
| 203 | Optimization of hydropower system operation by uniform dynamic programming for dimensionality reduction. 2017, 134, 718-730 | | 61 |
| 202 | Improved multi-objective model and analysis of the coordinated operation of a hydro-wind-photovoltaic system. 2017, 134, 813-839 | | 68 |
| 201 | Hydropower system operation optimization by discrete differential dynamic programming based on orthogonal experiment design. 2017, 126, 720-732 | | 87 |
| 200 | A simulation-optimization approach for sales and operations planning in build-to-order industries with distant sourcing: Focus on the automotive industry. 2017, 112, 469-482 | | 16 |
| 199 | A Hybrid Optimal Model for Daily Reservoir Regulation Problem Under Fuzzy Random Environment. 2017, 15, 35-49 | | 1 |
| 198 | Hydropower Optimization Using Artificial Neural Network Surrogate Models of a High-Fidelity Hydrodynamics and Water Quality Model. <i>Water Resources Research, 2017, 53, 9444-9461</i> | 5-4 | 38 |
| 197 | Simulation Model Robustness Check- Indicators of Pessimistic Models Pre and Post History Match Case Study Fotis Reservoir. 2017, | | |
| 196 | Optimization of the Garzan Hydropower System operations. 2017, 10, 1 | | 2 |
| 195 | Reservoir adaptive operating rules based on both of historical streamflow and future projections. <i>Journal of Hydrology, 2017, 553, 691-707</i> | 6 | 20 |
| 194 | Participatory Framework for Assessment and Improvement of Tools (ParFAIT): Increasing the impact and relevance of water management decision support research. 2017, 95, 432-446 | | 16 |
| 193 | A Quadratic Programming Approach for Fixed Head Hydropower System Operation Optimization Considering Power Shortage Aspect. <i>Journal of Water Resources Planning and Management - ASCE, 2017, 143, 06017005</i> | 2.8 | 11 |
| 192 | Optimizing Multireservoir System Operating Policies Using Exogenous Hydrologic Variables. <i>Water Resources Research, 2017, 53, 9845-9859</i> | 5-4 | 8 |
| 191 | A method for implementing the real-time dynamic control of flood-limited water level. 2017, 76, 1 | | 6 |
| 190 | Aggregated surrogate simulator for groundwater-surface water management via simulation-optimization modeling: Theory, development and tests. 2017, 96, 210-231 | | 8 |
| 189 | Multi-objective reservoir operation during flood season considering spillway optimization. <i>Journal of Hydrology, 2017, 552, 554-563</i> | 6 | 24 |
| 188 | Nile River Basin modelling for water resources management a literature review. 2017, 15, 39-52 | | 10 |
| 187 | An optimisation model for reservoir operation. 2017, 170, 175-183 | | 1 |

| | | |
|-----|---|--------|
| 186 | Integrating Historical Operating Decisions and Expert Criteria into a DSS for the Management of a Multireservoir System. <i>Journal of Water Resources Planning and Management - ASCE</i> , 2017 , 143, 04016069 ^{2,8} | 11 |
| 185 | A flood decrease strategy based on flow network coupled with a hydraulic simulation software 1 1This work was partially supported by the urban community of Le Grand Tarbes.. 2017 , 50, 3171-3176 | 3 |
| 184 | Increased hydropower potential at Niagara: a scenario-based analysis. 2018 , 45, 676-683 | 1 |
| 183 | Optimal design of interception for flood control: An integrated simulation approach. 2018 , 19, 103-116 | 1 |
| 182 | Optimizing electrical power production of hydropower system by uniform progressive optimality algorithm based on two-stage search mechanism and uniform design. 2018 , 190, 432-442 | 54 |
| 181 | Impact of Water Resources Development on Water Availability for Hydropower Production and Irrigated Agriculture of the Eastern Nile Basin. <i>Journal of Water Resources Planning and Management - ASCE</i> , 2018 , 144, 05018007 | 2.8 16 |
| 180 | Combining Model Predictive Control with a Reduced Genetic Algorithm for Real-Time Flood Control. <i>Journal of Water Resources Planning and Management - ASCE</i> , 2018 , 144, 04017083 | 2.8 22 |
| 179 | Artificial neural networks: applications in the drinking water sector. <i>Water Science and Technology: Water Supply</i> , 2018 , 18, 1869-1887 | 1.4 15 |
| 178 | Multi-Objective Simulation-Optimization Model for Long-term Reservoir Operation using Piecewise Linear Hedging Rule. <i>Water Resources Management</i> , 2018 , 32, 1901-1911 | 3.7 21 |
| 177 | Optimizing Hydropower Reservoirs Operation via an Orthogonal Progressive Optimality Algorithm. <i>Journal of Water Resources Planning and Management - ASCE</i> , 2018 , 144, 04018001 | 2.8 22 |
| 176 | Energy and reserve scheduling under ambiguity on renewable probability distribution. 2018 , 160, 205-218 | 7 |
| 175 | Developing a decision support framework for real-time flood management using integrated models. 2018 , 11, S866-S883 | 12 |
| 174 | Application of Cat Swarm Optimization Algorithm for Optimal Reservoir Operation. 2018 , 144, 04017057 | 19 |
| 173 | Optimization of large-scale hydropower system peak operation with hybrid dynamic programming and domain knowledge. 2018 , 171, 390-402 | 37 |
| 172 | Multipurpose Design of the Flow-Control System of a Steep Water Main. <i>Journal of Water Resources Planning and Management - ASCE</i> , 2018 , 144, 05017018 | 2.8 4 |
| 171 | Introducing modified version of penguins search optimization algorithm (PeSOA) and its application in optimal operation of reservoir systems. <i>Water Science and Technology: Water Supply</i> , 2018 , 18, 1484-1496 | 1.4 5 |
| 170 | Optimization of variable-head hydropower system operation considering power shortage aspect with quadratic programming and successive approximation. 2018 , 143, 1020-1028 | 21 |
| 169 | Improved Implicit Stochastic Optimization technique under drought conditions: the case study of AgriBinni water system. 2018 , 16, 493-504 | 3 |

| | | | |
|-----|---|-----|----|
| 168 | Peak operation of hydropower system with parallel technique and progressive optimality algorithm. 2018 , 94, 267-275 | | 35 |
| 167 | Self-optimization system dynamics simulation of reservoir operating rules. 2018 , 246, 01013 | | 3 |
| 166 | An Ecologically Oriented Operation Strategy for a Multi-Reservoir System: A Case Study of the Middle and Lower Han River Basin, China. 2018 , 4, 627-634 | | 6 |
| 165 | Combining Grey Relational Analysis and a Bayesian Model Averaging Method to Derive Monthly Optimal Operating Rules for a Hydropower Reservoir. 2018 , 10, 1099 | | 7 |
| 164 | Managing Conflicting Water Resource Goals and Uncertainties in a Dam-Network by Exploring the Solution Space. 2018 , | | |
| 163 | Machine learning for energy-water nexus: challenges and opportunities. 2018 , 2, 228-267 | | 22 |
| 162 | Water resources management sustainability: Review of the simulation and optimization approaches. 2018 , | | |
| 161 | An Ensemble Optimization Framework for Coupled Design of Hydropower Contracts and Real-Time Reservoir Operating Rules. <i>Water Resources Research</i> , 2018 , 54, 8401-8419 | 5-4 | 4 |
| 160 | Optimization of Multi-Reservoir Operating Rules for a Water Supply System. <i>Water Resources Management</i> , 2018 , 32, 4543-4559 | 3-7 | 1 |
| 159 | Developing a successive linear programming model for head-sensitive hydropower system operation considering power shortage aspect. 2018 , 155, 252-261 | | 26 |
| 158 | Deriving operating rules for a large-scale hydro-photovoltaic power system using implicit stochastic optimization. 2018 , 195, 562-572 | | 75 |
| 157 | Integration of time series forecasting in a dynamic decision support system for multiple reservoir management to conserve water sources. 2018 , 40, 1398-1416 | | 14 |
| 156 | Reservoir Management Using a Network Flow Optimization Model Considering Quadratic Convex Cost Functions on Arcs. <i>Water Resources Management</i> , 2018 , 32, 3505-3518 | 3-7 | 2 |
| 155 | Multi-Timescale Joint Optimal Dispatch Model Considering Environmental Flow Requirements for a Dewatered River Channel: Case Study of Jinping Cascade Hydropower Stations. <i>Journal of Water Resources Planning and Management - ASCE</i> , 2018 , 144, 05018014 | 2-8 | 5 |
| 154 | Real-Time Flood Control by Tree-Based Model Predictive Control Including Forecast Uncertainty: A Case Study Reservoir in Turkey. 2018 , 10, 340 | | 10 |
| 153 | Multiobjective Optimization Modeling Approach for Multipurpose Single Reservoir Operation. 2018 , 10, 427 | | 6 |
| 152 | Adopting GMSBSO Model to Reduce Groundwater Withdrawal by Integrated Water Resources Management. 2018 , 12, 619-629 | | 9 |
| 151 | Review of Mathematical Programming Applications in Water Resource Management Under Uncertainty. 2018 , 23, 753-777 | | 24 |

| | | | |
|-----|---|-----|----|
| 150 | Optimal Operation of the Eastern Nile System Using Genetic Algorithm, and Benefits Distribution of Water Resources Development. 2018 , 10, 921 | | 14 |
| 149 | Optimal Operation of Hydropower Reservoirs under Climate Change: The Case of Tekeze Reservoir, Eastern Nile. 2018 , 10, 273 | | 20 |
| 148 | Deriving Optimal Operating Rules of a Multi-Reservoir System Considering Incremental Multi-Agent Benefit Allocation. <i>Water Resources Management</i> , 2018 , 32, 3629-3645 | 3.7 | 7 |
| 147 | A parallel multi-objective particle swarm optimization for cascade hydropower reservoir operation in southwest China. 2018 , 70, 562-575 | | 69 |
| 146 | A general storage model with applications to energy systems. 2019 , 41, 71-97 | | 1 |
| 145 | Dynamic and Intelligent Modeling Methods for Joint Operation of a Flood Control System. <i>Journal of Water Resources Planning and Management - ASCE</i> , 2019 , 145, 04019044 | 2.8 | 9 |
| 144 | Simulation Optimization Tool for Multiattribute Reservoir Systems. 2019 , 24, 04019028 | | 2 |
| 143 | Towards Circular Water Neighborhoods: Simulation-Based Decision Support for Integrated Decentralized Urban Water Systems. 2019 , 11, 1227 | | 7 |
| 142 | Development of a Reservoir System Operation Model for Water Sustainability in the Yaqui River Basin. <i>Journal of Water Resources Planning and Management - ASCE</i> , 2019 , 145, 04019033 | 2.8 | 2 |
| 141 | Improved dynamic programming for parallel reservoir system operation optimization. 2019 , 131, 103373 | | 23 |
| 140 | . 2019 , 7, 158170-158182 | | 11 |
| 139 | Managing Conflicting Water Resource Goals and Uncertainties in a Dam Network by Exploring the Solution Space. 2019 , 141, | | 5 |
| 138 | Optimization of Water-Supply and Hydropower Reservoir Operation Using the Charged System Search Algorithm. 2019 , 6, 5 | | 17 |
| 137 | Hedging as an adaptive measure for climate change induced water shortage at the Pong reservoir in the Indus Basin Beas River, India. 2019 , 687, 554-566 | | 16 |
| 136 | An argument-driven classification and comparison of reservoir operation optimization methods. 2019 , 128, 74-86 | | 31 |
| 135 | Hydropower reservoir reoperation to adapt to large-scale photovoltaic power generation. 2019 , 179, 268-279 | | 36 |
| 134 | Optimizing stormwater low-impact development strategies in an urban watershed considering sensitivity and uncertainty. 2019 , 191, 340 | | 15 |
| 133 | Optimized Reservoir Management for Meeting Conflicting Stakeholder Preferences: Methodological Innovations with Evidence from Iran. 2019 , 79-100 | | |

| | | |
|-----|---|-------|
| 132 | Hydropower Flexibility for Power Systems with Variable Renewable Energy Sources. 2019 , 385-405 | 0 |
| 131 | Water-Energy-Food Nexus Sustainability in the Upper Blue Nile (UBN) Basin. 2019 , 7, | 20 |
| 130 | Stochastic multi-objective modeling for optimization of water-food-energy nexus of irrigated agriculture. 2019 , 127, 209-224 | 75 |
| 129 | A mixed integer linear programming model for unit commitment of thermal plants with peak shaving operation aspect in regional power grid lack of flexible hydropower energy. 2019 , 175, 618-629 | 66 |
| 128 | Optimal energy production from wind and hydroelectric power plants. 2019 , 41, 2219-2232 | 8 |
| 127 | How Important Are Model Structural and Contextual Uncertainties when Estimating the Optimized Performance of Water Resource Systems?. <i>Water Resources Research</i> , 2019 , 55, 2170-2193 | 5-4 9 |
| 126 | Machine Learning, Urban Water Resources Management and Operating Policy. 2019 , 8, 173 | 13 |
| 125 | Regla de Cobertura Óptima (RCO) de embalses para evitar sequías. Caso de estudio: Riogrande II, Colombia. 2019 , 6, 168-181 | |
| 124 | Effect of dynamically varying zone-based hedging policies on the operational performance of surface water reservoirs during climate change. 2019 , 488, 277-289 | 4 |
| 123 | China's large-scale hydropower system: operation characteristics, modeling challenge and dimensionality reduction possibilities. 2019 , 136, 805-818 | 66 |
| 122 | Assessment approach to the floodwater utilization potential of a basin and an empirical analysis from China. 2019 , 78, 1 | 4 |
| 121 | Optimum socio-environmental flows approach for reservoir operation strategy using many-objectives evolutionary optimization algorithm. 2019 , 651, 1877-1891 | 15 |
| 120 | Review and comparison of performance indices for automatic model induction. 2019 , 21, 13-31 | 15 |
| 119 | ICRRM 2019 System Reliability, Quality Control, Safety, Maintenance and Management. 2020 , | 3 |
| 118 | Integrated preventive maintenance and flow shop scheduling under uncertainty. 2020 , 32, 852-887 | 5 |
| 117 | Ecological reservoir operation based on DFM and improved PA-DDS algorithm: A case study in Jinsha river, China. 2020 , 26, 1723-1741 | 11 |
| 116 | Maximizing energy production from hydropower dams using short-term weather forecasts. 2020 , 146, 1560-1577 | 25 |
| 115 | An effective three-stage hybrid optimization method for source-network-load power generation of cascade hydropower reservoirs serving multiple interconnected power grids. 2020 , 246, 119035 | 32 |

| | | | |
|-----|---|-----|----|
| 114 | Inferring efficient operating rules in multireservoir water resource systems: A review. 2020 , 7, e1400 | | 9 |
| 113 | Optimum outflow determination of the multi-reservoir system using constrained improved artificial bee colony algorithm. 2020 , 24, 10739-10754 | | 4 |
| 112 | Multireservoir system operation optimization by hybrid quantum-behaved particle swarm optimization and heuristic constraint handling technique. <i>Journal of Hydrology</i> , 2020 , 590, 125477 | 6 | 13 |
| 111 | GRAPS: Generalized Multi-Reservoir Analyses using probabilistic streamflow forecasts. 2020 , 133, 104802 | | 1 |
| 110 | Risk analysis of reservoir floodwater utilization coupling meteorological and hydrological uncertainties. 2020 , 34, 1507-1521 | | 3 |
| 109 | Development and Evaluation of the Hydropower Reservoir Rule Curve for a Sustainable Water Supply. 2020 , 12, 9641 | | 2 |
| 108 | Probabilistic Model for Real-Time Flood Operation of a Dam Based on a Deterministic Optimization Model. 2020 , 12, 3206 | | 3 |
| 107 | Ensemble hydrological forecasts for reservoir management of the Shipshaw River catchment using limited data. 2020 , 45, 372-390 | | 1 |
| 106 | Optimizing Current and Future Hydroelectric Energy Production and Water Uses of the Complex Multi-Reservoir System in the Aliakmon River, Greece. 2020 , 13, 6499 | | 2 |
| 105 | Comparison of River Basin Water Level Forecasting Methods: Sequential Neural Networks and Multiple-Input Functional Neural Networks. 2020 , 12, 4172 | | 5 |
| 104 | Integrating Fuzzy System and Meta-Heuristic Algorithms to Predict Influent Parameters for a Sewage Treatment. 2020 , 498, 012076 | | 0 |
| 103 | Hydropower Case Study Collection: Innovative Low Head and Ecologically Improved Turbines, Hydropower in Existing Infrastructures, Hydropeaking Reduction, Digitalization and Governing Systems. 2020 , 12, 8873 | | 21 |
| 102 | Institutional Framework for Modeling Water Availability and Allocation. 2020 , 12, 2767 | | 3 |
| 101 | Integration and Evaluation of Forecast-Informed Multiobjective Reservoir Operations. <i>Journal of Water Resources Planning and Management - ASCE</i> , 2020 , 146, 04020038 | 2.8 | 10 |
| 100 | Optimizing the Management Strategies of a Multi-Purpose Multi-Reservoir System in Vietnam. 2020 , 12, 938 | | 3 |
| 99 | Monthly Operation Optimization of Cascade Hydropower Reservoirs with Dynamic Programming and Latin Hypercube Sampling for Dimensionality Reduction. <i>Water Resources Management</i> , 2020 , 34, 2029-2041 | 3.7 | 14 |
| 98 | Developing Operation Procedures for Individual Reservoirs in a Large Multistate River Basin in Context of Tribunal Awards. <i>Journal of Water Resources Planning and Management - ASCE</i> , 2020 , 146, 05020013 | 2.8 | 1 |
| 97 | Evolutionary algorithms, swarm intelligence methods, and their applications in water resources engineering: a state-of-the-art review. 2020 , 3, 135-188 | | 31 |

| | | | |
|----|---|-----|----|
| 96 | The response of sediment phosphorus retention and release to reservoir operations: Numerical simulation and surrogate model development. 2020 , 271, 122688 | | 8 |
| 95 | Probabilistic long-term reservoir operation employing copulas and implicit stochastic optimization. 2020 , 34, 931-947 | | 4 |
| 94 | Mitigating the Impacts of Climate Change on the Performance of Multi-Purpose Reservoirs by Changing the Operation Policy from SOP to MLDR. <i>Water Resources Management</i> , 2020 , 34, 1495-1516 | 3-7 | 14 |
| 93 | Optimized fuzzy inference system to enhance prediction accuracy for influent characteristics of a sewage treatment plant. 2020 , 722, 137878 | | 17 |
| 92 | Speeding up computational times in simheuristics combining genetic algorithms with discrete-Event simulation. 2020 , 103, 102089 | | 23 |
| 91 | Deriving optimal operation of reservoir proposing improved artificial bee colony algorithm: standard and constrained versions. 2020 , 22, 263-280 | | 8 |
| 90 | Uncertainty Quantification in Water Resource Systems Modeling: Case Studies from India. 2020 , 12, 1793 | | 5 |
| 89 | A Generalized Dynamic Programming Modelling Approach for Integrated Reservoir Operation. <i>Water Resources Management</i> , 2020 , 34, 1335-1351 | 3-7 | 7 |
| 88 | Comparison of short-term streamflow forecasting using stochastic time series, neural networks, process-based, and Bayesian models. 2020 , 126, 104669 | | 26 |
| 87 | A water resource simulator in Python. 2020 , 126, 104635 | | 13 |
| 86 | Heuristic Input Variable Selection in Multi-Objective Reservoir Operation. <i>Water Resources Management</i> , 2020 , 34, 617-636 | 3-7 | 5 |
| 85 | Impacts of Inflow Variations on the Long Term Operation of a Multi-Hydropower-Reservoir System and a Strategy for Determining the Adaptable Operation Rule. <i>Water Resources Management</i> , 2020 , 34, 1649-1671 | 3-7 | 4 |
| 84 | Bi-objective algorithm based on NSGA-II framework to optimize reservoirs operation. <i>Journal of Hydrology</i> , 2020 , 585, 124830 | 6 | 20 |
| 83 | Dynamic programming integrated particle swarm optimization algorithm for reservoir operation. 2020 , 11, 515-529 | | 9 |
| 82 | Application of bi-objective genetic programming for optimizing irrigation rules using two reservoir performance criteria. 2021 , 19, 55-65 | | 3 |
| 81 | A multi-state Markov chain model for rainfall to be used in optimal operation of rainwater harvesting systems. 2021 , 285, 124912 | | 6 |
| 80 | Decision support for scenario analysis in a complex water resource project. 2021 , 9, 52-68 | | |
| 79 | A new optimized model to control eutrophication in multi-purpose reservoirs. 2021 , 18, 3357 | | 1 |

| | | | |
|----|--|-----|----|
| 78 | Combined Aggregated Sampling Stochastic Dynamic Programming and Simulation-Optimization to Derive Operation Rules for Large-Scale Hydropower System. 2021 , 14, 625 | | 1 |
| 77 | Reservoir operation for optimal water use of Kabalega reservoir in Uganda. 2021 , 5, 311-321 | | 3 |
| 76 | Reliability analysis for reservoir water supply due to uncertainties in hydrological factors, rainfall-runoff routing and operating rule curves. 2021 , 34, 24-45 | | 1 |
| 75 | Effectiveness of improved bootstrap aggregation (IBA) technique in mapping hydropower to climate variables. 2021 , 5, 299-310 | | 1 |
| 74 | Impact of the quality of hydrological forecasts on the management and revenue of hydroelectric reservoirs – a conceptual approach. 2021 , 25, 1033-1052 | | 13 |
| 73 | Integrated Simulation-Optimization Framework for Water Allocation Based on Sustainability of Surface Water and Groundwater Resources. <i>Journal of Water Resources Planning and Management - ASCE</i> , 2021 , 147, 05021001 | 2.8 | 12 |
| 72 | Large scale reservoir operation through integrated meta-heuristic approach. 2021 , 13, 359-382 | | 2 |
| 71 | Water storage change assessment in the Seyhan Reservoir (Turkey) using HEC-ResSim model. 2021 , 14, 1 | | 3 |
| 70 | Importance of multiple time step optimization in river basin planning and management: a case study of Damodar River basin in India. <i>Hydrological Sciences Journal</i> , 2021 , 66, 809-825 | 3.5 | 3 |
| 69 | Computationally efficient evolutionary optimisation for joint reservoir design-operations. 1-16 | | 1 |
| 68 | Optimization of reservoir operating curves and hedging rules using genetic algorithm with a new objective function and smoothing constraint: application to a multipurpose dam in Morocco. 2021 , 193, 196 | | 3 |
| 67 | A method to include reservoir operations in catchment hydrological models using SHETRAN. 2021 , 138, 104980 | | 1 |
| 66 | Performance Comparison of Equivalent Reservoir and Multireservoir Models in Forecasting Hydropower Potential For Linking Water and Power Systems. <i>Journal of Water Resources Planning and Management - ASCE</i> , 2021 , 147, 04021005 | 2.8 | 1 |
| 65 | Research on the Dispatching Rules of Inter-Basin Water Transfer Projects Based on the Two-Dimensional Scheduling Diagram. 2021 , 9, | | 0 |
| 64 | DynaProg: Deterministic Dynamic Programming solver for finite horizon multi-stage decision problems. 2021 , 14, 100690 | | 6 |
| 63 | Sensitivity of Forecast Value in Multiobjective Reservoir Operation to Forecast Lead Time and Reservoir Characteristics. <i>Journal of Water Resources Planning and Management - ASCE</i> , 2021 , 147, | 2.8 | 2 |
| 62 | Water sharing policies conditioned on hydrologic variability to inform reservoir operations. 2021 , 25, 3617-3634 | | 0 |
| 61 | Comparison of Representative Heuristic Algorithms for Multi-Objective Reservoir Optimal Operation. <i>Water Resources Management</i> , 2021 , 35, 2741-2762 | 3.7 | 3 |

| | | | |
|----|---|-----|---|
| 60 | Evaluation of climate change impacts on the optimal operation of multipurpose reservoir systems using cuckoo search algorithm. 2021 , 80, 1 | | 1 |
| 59 | Alocaç o de recursos h dricos em sistema no Alto curso do rio Piranhas - PB. 2021 , 69, 133-145 | | |
| 58 | Two-Stage Metaheuristic Mixed Integer Nonlinear Programming Approach to Extract Optimum Hedging Rules for Multi-reservoir Systems. <i>Journal of Water Resources Planning and Management - ASCE</i> , 2021 , 147, 04021070 | 2.8 | 2 |
| 57 | Reducing Predictive Uncertainty in Real-Time Reservoir Operations by Coupling LARS-WG with ARNO Continuous Rainfall-Runoff Model. 2021 , 26, 05021025 | | 0 |
| 56 | Storage Reservoir Operation and Management. 2021 , 777-799 | | 3 |
| 55 | Use of Computing Techniques for Flood Management in a Coastal Region of South Gujarat: A Case Study of Navsari District. 2020 , 108-117 | | 5 |
| 54 | Dynamic Data Driven Ensemble for Wildfire Behaviour Assessment: A Case Study. 2013 , 11-22 | | 2 |
| 53 | An Architecture for Adaptive Robust Modelling of Wildfire Behaviour under Deep Uncertainty. 2013 , 367-380 | | 2 |
| 52 | Fuzzy Postprocessing to Advance the Quality of Continental Seasonal Hydrological Forecasts for River Basin Management. 2020 , 21, 2375-2389 | | 5 |
| 51 | Intelligent Water Resources Management Strategy under Urbanization. 2016 , 05, 314-325 | | 1 |
| 50 | Evaluation method of rain-flood resource utilization availability and its application in the Hanjiang River Basin. <i>Water Science and Technology: Water Supply</i> , 2020 , 20, 3557-3575 | 1.4 | 1 |
| 49 | Identifying Efficient Operating Rules for Hydropower Reservoirs Using System Dynamics Approach: A Case Study of Three Gorges Reservoir, China. 2019 , 11, 2448 | | 8 |
| 48 | Modeling and Solving of Joint Flood Control Operation of Large-Scale Reservoirs: A Case Study in the Middle and Upper Yangtze River in China. 2021 , 13, 41 | | 4 |
| 47 | Optimal Short-term Cascade Reservoirs Operation using Genetic Algorithm. 2011 , 4, 297-305 | | 8 |
| 46 | Optimal Reservoir Operation for Irrigation of Multiple Crops using Fuzzy Logic. 2011 , 4, 493-513 | | 6 |
| 45 | An Integrated Water Resources and Economic Approach for Optimizing Water Allocation Policies. 2014 , 06, 1444-1456 | | 3 |
| 44 | Simulation-Based Optimization Method of Compensative Operation for Cascade Reservoirs Considering Ecological Flow Constraint. 2013 , 02, 196-205 | | |
| 43 | Determination of cost coefficients of priority-based water allocation linear programming model by network flow approach. | | |

| | | | |
|----|--|-----|---|
| 42 | Reservoir Operation Management by Optimization and Stochastic Simulation: A Case Study. 2014 , 217-238 | | |
| 41 | On inclusion of water resource management in Earth System models [Part 2: Representation of water supply and allocation and opportunities for improved modeling. | | |
| 40 | Optimizing Multi-purpose Reservoir Operation Using Particle Swarm Intelligence. 2016 , 209-220 | | |
| 39 | Coordinating Regional and Urban Water Networks. 2017 , 385-400 | | |
| 38 | Optimal energy production in the Yellĩmak River Basin. 1-1 | | |
| 37 | Application of Linear Programming - Genetic Algorithm Combination for Urmodi Reservoir Operation. 2020 , 98-103 | | 0 |
| 36 | Generator of genetic seismic signals. 2019 , 58, 179-188 | | 1 |
| 35 | Recent Developments in the Application of Water Resource Dispatching Systems in China. 2021 , 13, 26 | | 1 |
| 34 | Optimal Switching in a Dynamic, Stochastic, Operating Environment. 2020 , | | |
| 33 | Optimum contributions of hydropower reservoirs to the minimum flow of Vu Gia [Thu Bon river basin. 2020 , 15, 1083-1095 | | 0 |
| 32 | Mitigate water shortage by improving hydropower generation strategy of the cascade reservoir system in the Be River Basin, Vietnam. <i>Water Science and Technology: Water Supply</i> , 2020 , 20, 3216-3232 ^{1,4} | | |
| 31 | Funciones analĩticas a partir de un modelo estocĩstico de las extracciones de una presa hidroelĩtrica despuĩ de la temporada de lluvias. 2020 , 24, 235 | | 1 |
| 30 | Impact of Different Parameters in the Development of Operating Policies of a Reservoir Using Stochastic Dynamic Modelling Technique. 2022 , 353-369 | | |
| 29 | Quadratic approximate dynamic programming for scheduling water resources: a case study. 2020 , | | |
| 28 | Optimal Water Allocation Under Climate Change, Based on Stochastic Dynamic Programming Model Approach in Ribb Reservoir, Amhara, Ethiopia. <i>Water Conservation Science and Engineering</i> , 2022 , 7, 33 | 1.6 | 1 |
| 27 | WEB.BM [a web-based river basin management model with multiple time-step optimization and the SSARR channel routing options. <i>Hydrological Sciences Journal</i> , 1-16 | 3.5 | 0 |
| 26 | A hydrologically-driven approach to climate change adaptation for multipurpose multireservoir systems. <i>Climate Risk Management</i> , 2022 , 36, 100427 | 4.6 | |
| 25 | Network flow and flood routing model for water resources optimization.. <i>Scientific Reports</i> , 2022 , 12, 3937 | 4.9 | 1 |

| | | | |
|----|--|-----|---|
| 24 | Optimization of the Operation Rule Curves for Cascade Reservoirs Using the Cuckoo Search Algorithm. <i>Advances in Civil Engineering</i> , 2022 , 2022, 1-11 | 1.3 | |
| 23 | Optimal Operation Rules for Parallel Reservoir Systems with Distributed Water Demands. <i>Journal of Water Resources Planning and Management - ASCE</i> , 2022 , 148, | 2.8 | o |
| 22 | Operations management of large hydroPV hybrid power plants: case studies in China. 2022 , 439-502 | | |
| 21 | Improved multi-reservoir operation rules of water supply system based on target storage curves. <i>Water Science and Technology: Water Supply</i> , | 1.4 | |
| 20 | Optimization of supervised learning models for modeling of mean monthly flows. <i>Neural Computing and Applications</i> , | 4.8 | o |
| 19 | Optimizing the Management of Multireservoir Systems Under Shifting Flow Regimes. <i>Water Resources Research</i> , 2022 , 58, | 5.4 | o |
| 18 | Optimizing Joint Flood Control Operating Charts for Multi-reservoir System Based on Multi-group Piecewise Linear Function. <i>Water Resources Management</i> , | 3.7 | o |
| 17 | A Comprehensive Simulator for Hydropower Investment Decisions. 2022 , | | |
| 16 | The battle of river basin models: the Narmada River Basin challenge. <i>Hydrological Sciences Journal</i> , | 3.5 | |
| 15 | Cascade reservoirs adaptive refined simulation model based on the mechanism-AI coupling modeling paradigm. <i>Journal of Hydrology</i> , 2022 , 612, 128229 | 6 | o |
| 14 | Optimal allocation of regional water resources in an arid basin: insights from Integrated Water Resources Management. 2022 , 71, 910-925 | | o |
| 13 | Application of the Coupled Simulation-optimization Method for the Optimum Cut-off Design Under a Hydraulic Structure. | | |
| 12 | Assessment of the uncertainty of evaporation estimation models using Bayesian Model Averaging and their impact on reservoir operation. | | |
| 11 | Sustainability Analysis of Minimization of Spills from a Reservoir. 2023 , 945-952 | | o |
| 10 | Optimum hydraulic design of cut-off under hydraulic structures using the simulation-optimization method. | | o |
| 9 | Application of artificial intelligence in environmental sustainability and climate change. 2023 , 293-316 | | o |
| 8 | Real-time model predictive control study of run-of-river hydropower plants with data-driven and physics-based coupled model. 2023 , 617, 128942 | | 1 |
| 7 | Reservoir operation in the context of inter-basin water transfer. 27, | | o |

- 6 Development of water re-allocation policy under uncertainty conditions in the inflow to reservoir and demands parameters: A case study of Karaj AmirKabir dam. ○
- 5 Modeling competitive-cooperative relationship between flood control and hydropower generation within hierarchical gaming structure of reservoir operation. **2023**, 620, 129429 ○
- 4 A Systematic Review of Optimization of Dams Reservoir Operation Using the Meta-heuristic Algorithms. ○
- 3 State-of-the-art review: Operation of multi-purpose reservoirs during flood season. **2023**, 618, 129165 ○
- 2 Development of water re-allocation policy under uncertainty conditions in the inflow to reservoir and demands parameters: a case study of Karaj AmirKabir dam. **2023**, 27, 6521-6547 ○
- 1 A parallel approximate evaluation-based model for multi-objective operation optimization of reservoir group. **2023**, 78, 101288 ○