

# Wearable Electroencephalography

IEEE Engineering in Medicine and Biology Magazine  
29, 44-56

DOI: [10.1109/memb.2010.936545](https://doi.org/10.1109/memb.2010.936545)

Citation Report

#	ARTICLE	IF	CITATIONS
1	A versatile hardware platform for brain computer interfaces. , 2010, 2010, 4193-6.		4
2	Low power signal processing electronics for wearable medical devices. , 2010, 2010, 3439-40.		3
3	An introduction to future truly wearable medical devices&#x2014;From application to ASIC. , 2010, 2010, 3430-1.		6
4	Quantifying the performance of compressive sensing on scalp EEG signals. , 2010, , .		17
5	Human-Computer Interaction for BCI Games: Usability and User Experience. , 2010, , .		42
6	Design of a self-organized Intelligent Electrode for synchronous measurement of multiple bio-signals in a wearable healthcare monitoring system. , 2010, , .		5
7	Epileptic Seizure Onset Detection Algorithm Using Dynamic Cascade Feed-Forward Neural Networks. , 2011, , .		15
8	Low-power amplifier for in-vivo EEG signal recording. , 2011, , .		6
9	Real-Time Seizure Detection Based on EEG and ECG Fused Features Using Gabor Functions. , 2011, , .		11
10	A Novel Phase Congruency Based Algorithm for Online Data Reduction in Ambulatory EEG Systems. IEEE Transactions on Biomedical Engineering, 2011, 58, 2825-2834.	2.5	17
11	High-order continuous-time incremental &#x03A3;&#x0394; ADC for multi-channel applications. , 2011, , .		0
12	A Platform for Real Time Brain-Waves Analysis System. Communications in Computer and Information Science, 2011, , 431-437.	0.4	5
13	A 60 pW g <sub>m</sub> Continuous Wavelet Transform Circuit for Portable EEG Systems. IEEE Journal of Solid-State Circuits, 2011, 46, 1406-1415.	3.5	65
14	A Dry EEG-System for Scientific Research and Brainâ€“Computer Interfaces. Frontiers in Neuroscience, 2011, 5, 53.	1.4	114
15	Utilising noise to improve an interictal spike detector. Journal of Neuroscience Methods, 2011, 201, 262-268.	1.3	13
16	A \$160- $\mu$ W 8-Channel Active Electrode System for EEG Monitoring. IEEE Transactions on Biomedical Circuits and Systems, 2011, 5, 555-567.	2.7	187
17	Multichannel wearable system dedicated for simultaneous electroencephalography&#x2014;near-infrared spectroscopy real-time data acquisitions. Journal of Biomedical Optics, 2011, 16, 096014.	1.4	58
18	Performance of dry electrode with bristle in recording EEG rhythms across brain state changes. , 2011, 2011, 59-62.		8

#	ARTICLE	IF	CITATIONS
19	Near infrared spectrometer combined with multichannel EEG for functional brain imaging. , 2011, , .		4
20	An in-the-ear platform for recording electroencephalogram. , 2011, 2011, 6882-5.		53
21	Signal agnostic compressive sensing for Body Area Networks: Comparison of signal reconstructions. , 2012, 2012, 4497-500.		19
22	The In-the-Ear Recording Concept: User-Centered and Wearable Brain Monitoring. IEEE Pulse, 2012, 3, 32-42.	0.1	192
23	Biosensor Technologies for Augmented Brainâ€“Computer Interfaces in the Next Decades. Proceedings of the IEEE, 2012, 100, 1553-1566.	16.4	121
24	A system-on-chip and paper-based inkjet printed electrodes for a hybrid wearable bio-sensing system. , 2012, 2012, 5026-9.		6
25	Heterogeneous Integration of Bio-Sensing System-on-Chip and Printed Electronics. IEEE Journal on Emerging and Selected Topics in Circuits and Systems, 2012, 2, 672-682.	2.7	35
26	Retained energy-based coding for EEG signals. Medical Engineering and Physics, 2012, 34, 892-899.	0.8	14
28	Technique for Interference Reduction in Battery Powered Physiological Monitoring Devices. IEEE Transactions on Biomedical Engineering, 2012, 59, 3197-3203.	2.5	2
29	Compressive sensing scalp EEG signals: implementations and practical performance. Medical and Biological Engineering and Computing, 2012, 50, 1137-1145.	1.6	76
30	EEG Signal Compression Based on Adaptive Arithmetic Coding and First-Order Markov Model for an Ambulatory Monitoring System. , 2012, , .		3
31	A low-power, reconfigurable smart sensor system for EEG acquisition and classification. , 2012, , .		11
32	Bio-Patch Design and Implementation Based on a Low-Power System-on-Chip and Paper-Based Inkjet Printing Technology. IEEE Transactions on Information Technology in Biomedicine, 2012, 16, 1043-1050.	3.6	58
33	Comparison of Dry and Gel Based Electrodes for P300 Brainâ€“Computer Interfaces. Frontiers in Neuroscience, 2012, 6, 60.	1.4	150
34	Automated Epileptic Seizure Detection Methods: A Review Study. , 0, , .		45
35	Gaming control using a wearable and wireless EEG-based brain-computer interface device with novel dry foam-based sensors. Journal of NeuroEngineering and Rehabilitation, 2012, 9, 5.	2.4	191
36	Towards biodegradable wireless implants. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2012, 370, 2418-2432.	1.6	67
37	Seizure Detection Algorithms Based on Analysis of EEG and ECG Signals: a Survey. Neurophysiology, 2012, 44, 174-186.	0.2	37

#	ARTICLE	IF	CITATIONS
38	Optimal features for online seizure detection. Medical and Biological Engineering and Computing, 2012, 50, 659-669.	1.6	102
39	A portable wireless biometric multi-channel system. Measurement: Journal of the International Measurement Confederation, 2012, 45, 1587-1598.	2.5	40
40	Evaluation of non-contact flexible electrodes connected with a customized IC-steps towards a fully integrated ECG sensor. , 2013, , .		5
41	Adaptive compression and optimization for real-time energy-efficient wireless EEG monitoring systems. , 2013, , .		5
42	Enhanced Compressibility of EEG Signal in Alzheimer's Disease Patients. IEEE Sensors Journal, 2013, 13, 3255-3262.	2.4	52
43	A Hybrid Low Power Biopatch for Body Surface Potential Measurement. IEEE Journal of Biomedical and Health Informatics, 2013, 17, 591-599.	3.9	17
44	Adaptive energy-aware encoding for DWT-based wireless EEG tele-monitoring system. , 2013, , .		7
45	Wake IQ: Using a smartphone to reduce sleep inertia. , 2013, , .		2
46	On Continuous-Time Incremental $\Sigma\Delta$ ADCs With Extended Range. IEEE Transactions on Instrumentation and Measurement, 2013, 62, 60-70.	2.4	9
47	Ubiquitous emotion-aware computing. Personal and Ubiquitous Computing, 2013, 17, 53-67.	1.9	68
48	The utility of ambulatory electroencephalography in routine clinical practice: A critical review. Epilepsy Research, 2013, 105, 1-12.	0.8	53
49	Epileptic seizure detection based on the instantaneous area of analytic intrinsic mode functions of EEG signals. Biomedical Engineering Letters, 2013, 3, 17-21.	2.1	115
50	A wireless readout front-end device for portable EEG acquisition system. , 2013, , .		1
51	Near-Lossless Multichannel EEG Compression Based on Matrix and Tensor Decompositions. IEEE Journal of Biomedical and Health Informatics, 2013, 17, 708-714.	3.9	48
52	Patient-Specific Epileptic Seizure Onset Detection Algorithm Based on Spectral Features and IPSONN Classifier. , 2013, , .		28
53	A Novel Fast Epileptic Seizure Onset Detection Algorithm Using General Tensor Discriminant Analysis. Journal of Clinical Neurophysiology, 2013, 30, 362-370.	0.9	19
54	Foundations of Augmented Cognition. Lecture Notes in Computer Science, 2013, , .	1.0	6
55	A Study of Evoked Potentials From Ear-EEG. IEEE Transactions on Biomedical Engineering, 2013, 60, 2824-2830.	2.5	151

#	ARTICLE	IF	CITATIONS
56	Discriminating between best performing features for seizure detection and data selection. , 2013, 2013, 1692-5.		6
57	A Simple ERP Method for Quantitative Analysis of Cognitive Workload in Myoelectric Prosthesis Control and Human-Machine Interaction. PLoS ONE, 2014, 9, e112091.	1.1	45
58	Distributed eye blink artifact removal in a wireless EEG sensor network. , 2014, , .		7
59	Wireless behind-the-ear EEG recording device with wireless interface to a mobile device (iPhone/iPod) Tj ETQq1 1 0.784314 rgBT /Ove		99
60	A method for quantitative assessment of artifacts in EEG, and an empirical study of artifacts. , 2014, 2014, 1686-90.		10
61	NeuroMonitor ambulatory EEG device: Comparative analysis and its application for cognitive load assessment. , 2014, , .		10
62	Gaming controlling via brain-computer interface using multiple physiological signals. , 2014, , .		5
63	High density wireless EEG prototype: Design and evaluation against reference equipment. , 2014, 2014, 5776-9.		2
64	Test signal generation for the calibration of analog front-end circuits in biopotential measurement applications. , 2014, , .		5
65	Subspace denoising of EEG artefacts via multivariate EMD. , 2014, , .		10
66	Instrumentation amplifier input capacitance cancellation for biopotential and bioimpedance measurements. , 2014, , .		10
67	Wearable Algorithms. , 2014, , 353-382.		6
68	A bidirectional hub for a programmable gain/filtering data acquisition of a low interference electroencephalogram. , 2014, , .		2
69	Brain-Computer Interface Research. Biosystems and Biorobotics, 2014, , .	0.2	10
70	A Low Power Linear Phase Programmable Long Delay Circuit. IEEE Transactions on Biomedical Circuits and Systems, 2014, 8, 432-441.	2.7	5
71	Home Based Mobile Solution for Video Ambulatory EEG Monitoring. , 2014, , .		1
72	Use of signal decomposition to compensate for respiratory disturbance in mainstream capnometer. Applied Optics, 2014, 53, 2145.	0.9	7
73	Compression in Wearable Sensor Nodes: Impacts of Node Topology. IEEE Transactions on Biomedical Engineering, 2014, 61, 1080-1090.	2.5	20

#	ARTICLE	IF	CITATIONS
75	Study of impedance spectra for dry and wet EarEEG electrodes. , 2015, 2015, 3161-4.		18
76	Unobtrusive ambulatory EEG using a smartphone and flexible printed electrodes around the ear. Scientific Reports, 2015, 5, 16743.	1.6	287
77	A Low-Power and Portable Biomedical Device for Respiratory Monitoring with a Stable Power Source. Sensors, 2015, 15, 19618-19632.	2.1	93
78	Detection of epileptiform activity in EEG signals based on time-frequency and non-linear analysis. Frontiers in Computational Neuroscience, 2015, 9, 38.	1.2	116
79	EEG Recorded from the Ear: Characterizing the Ear-EEG Method. Frontiers in Neuroscience, 2015, 9, 438.	1.4	128
80	EEG Signal Quality of a Subcutaneous Recording System Compared to Standard Surface Electrodes. Journal of Sensors, 2015, 2015, 1-9.	0.6	29
81	The impact of signal normalization on seizure detection using line length features. Medical and Biological Engineering and Computing, 2015, 53, 929-942.	1.6	33
82	Distributed Signal Processing for Wireless EEG Sensor Networks. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2015, 23, 923-935.	2.7	69
83	A potable platform to analyze EEG signal for transimting to mobile device via Wi-Fi. , 2015, , .		1
84	On-chip digital calibration for automatic input impedance boosting during biopotential measurements. , 2015, , .		3
85	Smart helmet: Monitoring brain, cardiac and respiratory activity. , 2015, 2015, 1829-32.		6
86	Towards out-of-the-lab EEG in uncontrolled environments: Feasibility study of dry EEG recordings during exercise bike riding. , 2015, 2015, 1025-8.		7
87	Reputation-driven multimodal emotion recognition in wearable biosensor network. , 2015, , .		8
88	Sparse EEG compressive sensing for web-enabled person identification. Measurement: Journal of the International Measurement Confederation, 2015, 74, 11-20.	2.5	41
89	An emerging technology “wearable wireless sensor networks with applications in human health condition monitoring. Journal of Management Analytics, 2015, 2, 121-137.	1.6	68
90	EarEEG based visual P300 Brain-Computer Interface. , 2015, , .		1
91	Multichannel EEG compression based on ICA and SPIHT. Biomedical Signal Processing and Control, 2015, 20, 45-51.	3.5	32
92	Scalable real-time energy-efficient EEG compression scheme for wireless body area sensor network. Biomedical Signal Processing and Control, 2015, 19, 122-129.	3.5	23

#	ARTICLE	IF	CITATIONS
93	Modeling of neural networks based on transient response analysis of EEG signals from Broca's area. , 2015, , .		0
94	Artifact removal from EEG signals using the total variation method. , 2015, , .		0
95	What Engineering Technology Could Do for Quality of Life in Parkinson's Disease: A Review of Current Needs and Opportunities. IEEE Journal of Biomedical and Health Informatics, 2015, 19, 1862-1872.	3.9	66
96	Performance-Power Consumption Tradeoff in Wearable Epilepsy Monitoring Systems. IEEE Journal of Biomedical and Health Informatics, 2015, 19, 1019-1028.	3.9	11
97	Co-Located Multimodal Sensing: A Next Generation Solution for Wearable Health. IEEE Sensors Journal, 2015, 15, 138-145.	2.4	23
98	Wearable, Wireless EEG Solutions in Daily Life Applications: What are we Missing?. IEEE Journal of Biomedical and Health Informatics, 2015, 19, 6-21.	3.9	221
99	Compressive Sensing of Multichannel EEG Signals via $\  \cdot \ _1$ Norm and Schatten- $\  \cdot \ _p$ Norm Regularization. Mathematical Problems in Engineering, 2016, 2016, 1-7.	0.6	6
100	Proposing Metrics for Benchmarking Novel EEG Technologies Towards Real-World Measurements. Frontiers in Human Neuroscience, 2016, 10, 188.	1.0	82
101	3D Printed Dry EEG Electrodes. Sensors, 2016, 16, 1635.	2.1	77
102	Detecting epileptic seizures with electroencephalogram via a context-learning model. BMC Medical Informatics and Decision Making, 2016, 16, 70.	1.5	25
103	L1-regularization based EEG feature learning for detecting epileptic seizure. , 2016, , .		8
104	An epileptic sensor network over high speed networks. , 2016, , .		0
105	Energy Efficient EEG Monitoring System for Wireless Epileptic Seizure Detection. , 2016, , .		2
106	Real time cascaded moving average filter for detrending of electroencephalogram signals. , 2016, , .		12
107	Instrumentation amplifier and current injection circuit design for input impedance boosting in biopotential and bioimpedance measurements. Analog Integrated Circuits and Signal Processing, 2016, 88, 289-302.	0.9	3
108	A Consumer BCI for Automated Music Evaluation Within a Popular On-Demand Music Streaming Service â€œTaking Listenerâ€™s Brainwaves to Extremesâ€. IFIP Advances in Information and Communication Technology, 2016, , 429-440.	0.5	2
109	Patient-aware adaptive ngram-based algorithm for epileptic seizure prediction using EEG signals. , 2016, , .		3
110	Wearable EEG via lossless compression. , 2016, 2016, 1995-1998.		11

#	ARTICLE	IF	CITATIONS
111	Removal of eye blink artifacts in wireless EEG sensor networks using reduced-bandwidth canonical correlation analysis. <i>Journal of Neural Engineering</i> , 2016, 13, 066008.	1.8	32
112	Conformal electronics for longitudinal bio-sensing in at-home assistive and rehabilitative devices. , 2016, 2016, 3159-3162.		3
113	Smart Helmet: Wearable Multichannel ECG and EEG. <i>IEEE Journal of Translational Engineering in Health and Medicine</i> , 2016, 4, 1-11.	2.2	66
114	FPGA implementation of DWT EEG data compression for wireless body sensor networks. , 2016, , .		9
115	Low-Power, 8-Channel EEG Recorder and Seizure Detector ASIC for a Subdermal Implantable System. <i>IEEE Transactions on Biomedical Circuits and Systems</i> , 2016, 10, 1058-1067.	2.7	36
116	Automated seizure detection systems and their effectiveness for each type of seizure. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2016, 40, 88-101.	0.9	174
117	Lower Limb Wearable Robots for Assistance and Rehabilitation: A State of the Art. <i>IEEE Systems Journal</i> , 2016, 10, 1068-1081.	2.9	304
118	Towards the bio-personalization of music recommendation systems: A single-sensor EEG biomarker of subjective music preference. <i>Information Sciences</i> , 2016, 343-344, 94-108.	4.0	26
119	A Comparison of Carbon Dioxide Elimination Measurements Between a Portable Indirect Calorimeter and Volumetric Capnography Monitor: An In Vitro Simulation. <i>Respiratory Care</i> , 2016, 61, 354-358.	0.8	7
120	Prospects of sustainable ADHD treatment through Brain-Computer Interface systems. , 2017, , .		12
121	An Analog Front-End Chip With Self-Calibrated Input Impedance for Monitoring of Biosignals via Dry Electrode-Skin Interfaces. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2017, 64, 2666-2678.	3.5	34
122	Wearable biosensor network enabled multimodal daily-life emotion recognition employing reputation-driven imbalanced fuzzy classification. <i>Measurement: Journal of the International Measurement Confederation</i> , 2017, 109, 408-424.	2.5	25
123	A Brain Machine Interface for command based control of a wheelchair using conditioning of oscillatory brain activity. , 2017, 2017, 1002-1005.		1
124	A 950 nW Analog-Based Data Reduction Chip for Wearable EEG Systems in Epilepsy. <i>IEEE Journal of Solid-State Circuits</i> , 2017, 52, 2362-2373.	3.5	26
125	Walsh transform with moving average filtering for data compression in wireless sensor networks. , 2017, , .		9
126	High-density ear-EEG. , 2017, 2017, 2394-2397.		11
127	Comparison of electrode technologies for dry and portable EEG acquisition. , 2017, , .		11
128	Wearable Carbon Nanotube Devices for Sensing. , 2017, , 179-199.		7



#	ARTICLE	IF	CITATIONS
129	Extracting Salient Features for EEG-based Diagnosis of Alzheimer's Disease Using Support Vector Machine Classifier. IETE Journal of Research, 2017, 63, 11-22.	1.8	64
130	A brain-controlled exoskeleton with cascaded event-related desynchronization classifiers. Robotics and Autonomous Systems, 2017, 90, 15-23.	3.0	107
131	EEG-Informed Attended Speaker Extraction From Recorded Speech Mixtures With Application in Neuro-Steered Hearing Prostheses. IEEE Transactions on Biomedical Engineering, 2017, 64, 1045-1056.	2.5	105
132	Reading the mobile brain. , 2017, , .		3
133	Towards signal processing assisted hardware for continuous in-band electrode impedance monitoring (Invited paper). , 2017, , .		4
134	NeuroMonitor: a low-power, wireless, wearable EEG device with DRL-less AFE. IET Circuits, Devices and Systems, 2017, 11, 471-477.	0.9	12
135	A Hybrid FPGA-Based System for EEG- and EMG-Based Online Movement Prediction. Sensors, 2017, 17, 1552.	2.1	36
136	A Pilot Study on the Effects of Transcranial Direct Current Stimulation on Brain Rhythms and Entropy during Self-Paced Finger Movement using the Eloc Helmet. Frontiers in Human Neuroscience, 2017, 11, 201.	1.0	8
137	On the Keyhole Hypothesis: High Mutual Information between Ear and Scalp EEG. Frontiers in Human Neuroscience, 2017, 11, 341.	1.0	24
138	Modeling Uncertainties in EEG Microstates: Analysis of Real and Imagined Motor Movements Using Probabilistic Clustering-Driven Training of Probabilistic Neural Networks. Frontiers in Human Neuroscience, 2017, 11, 534.	1.0	12
139	Physiological artifacts in scalp EEG and ear-EEG. BioMedical Engineering OnLine, 2017, 16, 103.	1.3	48
140	Development of novel adjustable focus head mount display for concurrent image-guided treatment applications. Computer Assisted Surgery, 2017, 22, 163-169.	0.6	3
141	Surrogate-Based Artifact Removal From Single-Channel EEG. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2018, 26, 540-550.	2.7	77
142	Harnessing functional segregation across brain rhythms as a means to detect EEG oscillatory multiplexing during music listening. Journal of Neural Engineering, 2018, 15, 036012.	1.8	15
143	A New Regularized Matrix Discriminant Analysis (R-MDA) Enabled Human-Centered EEG Monitoring Systems. IEEE Access, 2018, 6, 13911-13920.	2.6	5
144	Wireless EEG System Achieving High Throughput and Reduced Energy Consumption Through Lossless and Near-Lossless Compression. IEEE Transactions on Biomedical Circuits and Systems, 2018, 12, 231-241.	2.7	26
145	Anytime multipurpose emotion recognition from EEG data using a Liquid State Machine based framework. Artificial Intelligence in Medicine, 2018, 86, 1-8.	3.8	49
146	Design and Development of an Electronic Interface for Gas Detection and Exhaled Breath Analysis in Liquids. IEEE Sensors Journal, 2018, 18, 31-36.	2.4	8

#	ARTICLE	IF	CITATIONS
147	Sparsity constrained differential evolution enabled feature-channel-sample hybrid selection for daily-life EEG emotion recognition. <i>Multimedia Tools and Applications</i> , 2018, 77, 21967-21994.	2.6	11
148	Measuring Consumer Engagement in the Brain to Online Interactive Shopping Environments. <i>Progress in IS</i> , 2018, , 145-165.	0.5	12
149	<i>Electroencephalogram.</i> , 2018, , 45-81.		23
150	Musical NeuroPicks: A consumer-grade BCI for on-demand music streaming services. <i>Neurocomputing</i> , 2018, 280, 65-75.	3.5	7
151	Robust compressive sensing of multichannel EEG signals in the presence of impulsive noise. <i>Information Sciences</i> , 2018, 429, 120-129.	4.0	25
152	Wearable Medical Devices: High-Level System Design Considerations and Tradeoffs. <i>IEEE Solid-State Circuits Magazine</i> , 2018, 10, 43-52.	0.5	19
153	A Low Power and Area-efficient Fully Differential Chopper Amplifier Suitable for EEG Recording. , 2018, , .		0
154	Enabling Free Movement EEG Tasks by Eye Fixation and Gyroscope Motion Correction: EEG Effects of Color Priming in Dress Shopping. <i>IEEE Access</i> , 2018, 6, 62975-62987.	2.6	8
155	Real-Life Dry-Contact Ear-EEG. , 2018, 2018, 5470-5474.		11
156	Energy Conservation Using an Optimized Topology With Distributed Processing of EEG Signals. , 2018, , .		1
158	Development of Low-Cost in-the-Ear EEG Prototype. , 2018, , .		3
159	PEDOT:PSS-Based Temperature-Detection Thread for Wearable Devices. <i>Sensors</i> , 2018, 18, 2996.	2.1	37
160	High similarity between EEG from subcutaneous and proximate scalp electrodes in patients with temporal lobe epilepsy. <i>Journal of Neurophysiology</i> , 2018, 120, 1451-1460.	0.9	43
161	Comparison between Scalp EEG and Behind-the-Ear EEG for Development of a Wearable Seizure Detection System for Patients with Focal Epilepsy. <i>Sensors</i> , 2018, 18, 29.	2.1	78
162	Molecularly selective nanoporous membrane-based wearable organic electrochemical device for noninvasive cortisol sensing. <i>Science Advances</i> , 2018, 4, eaar2904.	4.7	395
163	Introduction to the Special Section: Convergence of Automation Technology, Biomedical Engineering, and Health Informatics Toward the Healthcare 4.0. <i>IEEE Reviews in Biomedical Engineering</i> , 2018, 11, 249-259.	13.1	95
164	Ambulatory EEG Monitoring. , 2019, , 223-239.		6
165	Dry-Contact Electrode Ear-EEG. <i>IEEE Transactions on Biomedical Engineering</i> , 2019, 66, 150-158.	2.5	104

#	ARTICLE	IF	CITATIONS
166	Robust Multichannel EEG Compressed Sensing in the Presence of Mixed Noise. IEEE Sensors Journal, 2019, 19, 10574-10583.	2.4	18
167	The placement position optimization of a biosensor array for wearable healthcare systems. Journal of Mechanical Science and Technology, 2019, 33, 3237-3244.	0.7	6
168	Analysis of a Low-Cost EEG Monitoring System and Dry Electrodes toward Clinical Use in the Neonatal ICU. Sensors, 2019, 19, 2637.	2.1	32
169	Ambulatory EEG. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2019, 160, 161-170.	1.0	15
170	A Seizure-Based Power Reduction SoC for Wearable EEG in Epilepsy. IEEE Access, 2019, 7, 151682-151691.	2.6	7
171	Ultra-long-term subcutaneous home monitoring of epilepsy 490 days of EEG from nine patients. Epilepsia, 2019, 60, 2204-2214.	2.6	82
172	Hardware Implementation of a Multi-Channel EEG Lossless Compression Algorithm. , 2019, , .		1
173	Real-time Smartphone-based Sleep Staging using 1-Channel EEG. , 2019, , .		17
174	Modified Current-reuse OTA to Achieve High CMRR by utilizing Cross-coupled Load. , 2019, , .		4
175	A Wearable In-Ear EEG Device for Emotion Monitoring. Sensors, 2019, 19, 4014.	2.1	55
176	A Low Power System With EEG Data Reduction for Long-Term Epileptic Seizures Monitoring. IEEE Access, 2019, 7, 71195-71208.	2.6	6
177	A novel dry-contact electrode for measuring electroencephalography signals. Sensors and Actuators A: Physical, 2019, 294, 73-80.	2.0	21
178	Event Related Potential (ERP) based Lie Detection using a Wearable EEG headset. , 2019, , .		9
179	Design of Gm-C wavelet filter for on-line epileptic EEG detection. IEICE Electronics Express, 2019, 16, 20190560-20190560.	0.3	3
180	An Efficient Compressive Sensing Method for Connected Health Applications. Advances in Intelligent Systems and Computing, 2019, , 365-373.	0.5	1
181	Neuropsychological and resting-state electroencephalographic markers of older adult neurocognitive adaptability. Clinical Neuropsychologist, 2019, 33, 390-418.	1.5	4
182	Wearable EEG and beyond. Biomedical Engineering Letters, 2019, 9, 53-71.	2.1	151
183	Sustained inflations during delivery suite stabilisation in prematurely-born infants " A randomised trial. Early Human Development, 2019, 130, 17-21.	0.8	15

#	ARTICLE	IF	CITATIONS
184	Analysis of Miniaturization Effects and Channel Selection Strategies for EEG Sensor Networks With Application to Auditory Attention Detection. <i>IEEE Transactions on Biomedical Engineering</i> , 2020, 67, 234-244.	2.5	43
185	Compressive Sensing of Multichannel EEG Signals Based on Graph Fourier Transform and Cosparsity. <i>Neural Processing Letters</i> , 2020, 51, 1227-1236.	2.0	3
186	Wearable electroencephalography technologies for brain-computer interfacing. , 2020, , 55-78.		11
187	Prediction of epileptic seizures using fNIRS and machine learning. <i>Journal of Intelligent and Fuzzy Systems</i> , 2020, 38, 2055-2068.	0.8	6
188	Recent advances and perspectives in sweat based wearable electrochemical sensors. <i>TrAC - Trends in Analytical Chemistry</i> , 2020, 131, 116024.	5.8	123
189	Readiness among people with epilepsy to carry body-worn monitor devices in everyday life: A qualitative study. <i>Epilepsy and Behavior</i> , 2020, 112, 107390.	0.9	9
190	A Learning State Monitor Based on the Entropy of EEG Signal Samples. , 2020, , .		0
191	Visually evoked responses are enhanced when engaging in a video game. <i>European Journal of Neuroscience</i> , 2020, 52, 4695-4708.	1.2	9
192	Impedance and Noise of Passive and Active Dry EEG Electrodes: A Review. <i>IEEE Sensors Journal</i> , 2020, 20, 14565-14577.	2.4	77
193	Studying the Effects of Compression in EEG-Based Wearable Sleep Monitoring Systems. <i>IEEE Access</i> , 2020, 8, 168486-168501.	2.6	2
194	An Overview of Detection and Prediction of Seizure or Epilepsy. , 2020, , .		1
195	A new era in electroencephalographic monitoring? Subscalp devices for ultra-long-term recordings. <i>Epilepsia</i> , 2020, 61, 1805-1817.	2.6	112
196	EEG-Based Emotion Classification Using Long Short-Term Memory Network with Attention Mechanism. <i>Sensors</i> , 2020, 20, 6727.	2.1	35
197	EEG-based intelligent system for cognitive behavior classification. <i>Journal of Intelligent and Fuzzy Systems</i> , 2020, 39, 177-194.	0.8	3
198	A TDM-Based 16-Channel AFE ASIC With Enhanced System-Level CMRR for Wearable EEG Recording With Dry Electrodes. <i>IEEE Transactions on Biomedical Circuits and Systems</i> , 2020, 14, 516-524.	2.7	14
199	Evaluation of Wearable Electronics for Epilepsy: A Systematic Review. <i>Electronics (Switzerland)</i> , 2020, 9, 968.	1.8	24
200	Neural signal compressive sensing. , 2020, , 201-221.		8
201	Realization of Analog Wavelet Filter Using Hybrid Genetic Algorithm for On-Line Epileptic Event Detection. <i>IEEE Access</i> , 2020, 8, 33137-33150.	2.6	7

#	ARTICLE	IF	CITATIONS
202	Exploring the Correlation Between Attention and Cognitive Load Through Association Rule Mining by Using a Brainwave Sensing Headband. IEEE Access, 2020, 8, 38880-38891.	2.6	10
203	Expressure: Detect Expressions Related to Emotional and Cognitive Activities Using Forehead Textile Pressure Mechanomyography. Sensors, 2020, 20, 730.	2.1	16
204	Power Aware Laplacian Multi-Set Canonical Correlation For Reducing The Power Consumption In Wireless EEG Sensor Network. , 2020, , .		0
205	Energy-efficient EEG monitoring systems for wireless epileptic seizure detection. , 2020, , 69-85.		2
206	Power Aware Hessian Multi-set Canonical Correlations Based Algorithm for Wireless Eeg Sensor Networks. Wireless Personal Communications, 2021, 117, 2745-2756.	1.8	1
207	Wearable Multiple Modality Bio-Signal Recording and Processing on Chip: A Review. IEEE Sensors Journal, 2021, 21, 1108-1123.	2.4	24
208	A review on transfer learning in EEG signal analysis. Neurocomputing, 2021, 421, 1-14.	3.5	213
209	Optimal Versus Approximate Channel Selection Methods for EEG Decoding With Application to Topology-Constrained Neuro-Sensor Networks. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2021, 29, 92-102.	2.7	5
210	Classifying Multi-Level Stress Responses From Brain Cortical EEG in Nurses and Non-Health Professionals Using Machine Learning Auto Encoder. IEEE Journal of Translational Engineering in Health and Medicine, 2021, 9, 1-9.	2.2	11
212	Wearables design. , 2021, , 31-84.		1
214	Arnold: An eFPGA-Augmented RISC-V SoC for Flexible and Low-Power IoT End Nodes. IEEE Transactions on Very Large Scale Integration (VLSI) Systems, 2021, 29, 677-690.	2.1	19
215	Harnessing Mobile Health Technology for Secondary Cardiovascular Disease Prevention in Older Adults: A Scientific Statement From the American Heart Association. Circulation: Cardiovascular Quality and Outcomes, 2021, 14, e000103.	0.9	39
216	A Chopped Ultra-Low-Power, Low-Noise Wearable EEG Amplifier with Pseudo-Resistor Calibration. , 2021, , .		1
217	A Wearable EEG Amplifier Using a Novel Teraohm Low-Distortion Tunable Hybrid Pseudo-Resistor. , 2021, , .		6
218	End-to-end learnable EEG channel selection for deep neural networks with Gumbel-softmax. Journal of Neural Engineering, 2021, 18, 0460a9.	1.8	25
219	Synthesis, characterization and performance enhancement of dry polyaniline-coated neuroelectrodes for electroencephalography measurement. Current Applied Physics, 2021, 27, 43-50.	1.1	9
220	Review of wearable technologies and machine learning methodologies for systematic detection of mild traumatic brain injuries. Journal of Neural Engineering, 2021, 18, 041006.	1.8	20
221	Edge algorithms for wearables: an overview of a truly multi-disciplinary problem. , 2021, , 379-414.		4

#	ARTICLE	IF	CITATIONS
222	Next-Generation Wearable Biosensors Developed with Flexible Bio-Chips. <i>Micromachines</i> , 2021, 12, 64.	1.4	12
223	Towards Noise-Enhanced Augmented Cognition. <i>Lecture Notes in Computer Science</i> , 2013, , 259-268.	1.0	2
226	Hardware aware algorithm performance and the low power continuous wavelet transform. , 2011, , .		1
227	Wearable Reduced-Channel EEG System for Remote Seizure Monitoring. <i>Frontiers in Neurology</i> , 2021, 12, 728484.	1.1	12
228	Improving Driving Safety by Detecting Negative Emotions with Biological Signals: Which Is the Best?. <i>Transportation Research Record</i> , 2022, 2676, 334-349.	1.0	9
229	Sensors for Context-Aware Smart Healthcare: A Security Perspective. <i>Sensors</i> , 2021, 21, 6886.	2.1	23
230	Biosensors for Sleep Technology. <i>Intelligent Systems, Control and Automation: Science and Engineering</i> , 2012, , 201-217.	0.3	0
231	Ear-EEG: Continuous Brain Monitoring. <i>Springer Briefs in Electrical and Computer Engineering</i> , 2014, , 63-71.	0.3	6
232	Energy Efficient Method for Motor Imagery Data Compression. <i>Communications in Computer and Information Science</i> , 2015, , 71-80.	0.4	0
234	A Non-convex Optimization Model for Signal Recovery. <i>Neural Processing Letters</i> , 0, , 1.	2.0	0
235	Spiking Sensory Neurons for Analyzing Electrophysiological Data. <i>ECS Journal of Solid State Science and Technology</i> , 2020, 9, 115004.	0.9	3
238	A fully differential capacitively-coupled high CMRR low-power chopper amplifier for EEG dry electrodes. <i>Analog Integrated Circuits and Signal Processing</i> , 2020, 102, 353-362.	0.9	4
239	Intelligent Hearing Instrumentsâ€™Trends and Challenges. <i>Modern Acoustics and Signal Processing</i> , 2020, , 733-761.	0.8	1
241	Development of a wearable system with In-Ear EEG electrodes for the monitoring of brain activities: An application to epilepsy. , 2021, , .		3
242	Biases in Assigning Emotions in Patients Due to Multicultural Issues. <i>Intelligent Systems Reference Library</i> , 2022, , 215-228.	1.0	2
244	Ambulatory EEG: Crossing the divide during a pandemic. <i>Epilepsy and Behavior Reports</i> , 2021, 16, 100500.	0.5	6
246	Gel-Free Wearable Electroencephalography (EEG) with Soft Graphene Textiles. , 2021, , .		11
247	Performance Evaluation of a New Dry-Contact Electrode for EEG Measurement. , 2021, , .		0

#	ARTICLE	IF	CITATIONS
248	Design of an EEG-based transceiver with data decomposition for loHT applications. , 2021, , .		0
250	Concept of AI for acquisition and modeling of noninvasive modalities for BCI. , 2022, , 121-144.		0
251	Relationship between driving styles and biological behavior of drivers in negative emotional state. Transportation Research Part F: Traffic Psychology and Behaviour, 2022, 85, 245-258.	1.8	10
252	Communication Requirements in 5G-Enabled Healthcare Applications: Review and Considerations. Healthcare (Switzerland), 2022, 10, 293.	1.0	21
253	A Novel Online Bci System Using Speech Imagery and Ear-Eeg for Home Appliances Control. SSRN Electronic Journal, 0, , .	0.4	0
254	Application of EEG in wearable brain-computer interfaces. , 2022, , .		0
255	Nanopower Integrated Gaussian Mixture Model Classifier for Epileptic Seizure Prediction. Bioengineering, 2022, 9, 160.	1.6	4
256	Towards Automatic Identification of Epileptic Recordings in Long-term EEG Monitoring. , 2021, 2021, 273-276.		0
257	Modeling and Simulation of Circuit-Level Nonidealities for an Analog Computing Design Approach With Application to EEG Feature Extraction. IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems, 2023, 42, 229-242.	1.9	1
258	On-skin paintable biogel for long-term high-fidelity electroencephalogram recording. Science Advances, 2022, 8, .	4.7	58
259	Minimum Technical Requirements for Performing Ambulatory EEG. Journal of Clinical Neurophysiology, 2022, 39, 435-440.	0.9	9
260	Antiepileptic Therapy of Abrus cantoniensis: Evidence from Network Pharmacology. Evidence-based Complementary and Alternative Medicine, 2022, 2022, 1-12.	0.5	3
261	A novel online BCI system using speech imagery and ear-EEG for home appliances control. Computer Methods and Programs in Biomedicine, 2022, 224, 107022.	2.6	10
262	Automatic Seizure Identification from EEG Signals Based on Brain Connectivity Learning. International Journal of Neural Systems, 2022, 32, .	3.2	14
263	Differentiation of subclinical and clinical electrographic events in long-term electroencephalographic recordings. Epilepsia, 2023, 64, .	2.6	3
264	An asynchronous artifact-enhanced electroencephalogram based control paradigm assisted by slight facial expression. Frontiers in Neuroscience, 0, 16, .	1.4	1
265	Wearable electroencephalography and multi-modal mental state classification: A systematic literature review. Computers in Biology and Medicine, 2022, 150, 106088.	3.9	6
266	TIE-EEGNet: Temporal Information Enhanced EEGNet for Seizure Subtype Classification. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2022, 30, 2567-2576.	2.7	17

#	ARTICLE	IF	CITATIONS
267	Detection of sleep apnea from single-channel electroencephalogram (EEG) using an explainable convolutional neural network (CNN). PLoS ONE, 2022, 17, e0272167.	1.1	6
268	A novel noninvasive brain-computer interface by imagining isometric force levels. Cognitive Neurodynamics, 0, , .	2.3	0
269	A Novel Approach for Emotion Recognition Based on EEG Signal Using Deep Learning. Applied Sciences (Switzerland), 2022, 12, 10028.	1.3	8
270	Modeling Cognitive Load as a Self-Supervised Brain Rate with Electroencephalography and Deep Learning. Brain Sciences, 2022, 12, 1416.	1.1	8
271	Long-Term EEG Monitoring in Patients with Alzheimer's Disease Using Ear-EEG: A Feasibility Study. Journal of Alzheimer's Disease, 2022, 90, 1713-1723.	1.2	2
272	What a single electroencephalographic (EEG) channel can tell us about patients with dementia due to Alzheimer's disease. International Journal of Psychophysiology, 2022, 182, 169-181.	0.5	4
273	Fully Transparent, Ultrathin Flexible Organic Electrochemical Transistors with Additive Integration for Bioelectronic Applications. Advanced Science, 2023, 10, .	5.6	13
274	Selection of the optimal channel configuration for implementing wearable EEG devices for the diagnosis of mild cognitive impairment. Alzheimer's Research and Therapy, 2022, 14, .	3.0	5
275	Bandwidth-Efficient Distributed Neural Network Architectures With Application to Neuro-Sensor Networks. IEEE Journal of Biomedical and Health Informatics, 2023, 27, 933-943.	3.9	4
276	A Quasi-Wireless Intraoperative Neurophysiological Monitoring System. Electronics (Switzerland), 2022, 11, 3918.	1.8	0
277	What a Single Electroencephalographic (EEG) Channel Can Tell us About Alzheimer's Disease Patients With Mild Cognitive Impairment. Clinical EEG and Neuroscience, 2023, 54, 21-35.	0.9	3
278	A Spatiotemporal Channel Attention Residual Network With Extended Series Mean Amplitude Spectrum for Epilepsy Detection. IEEE Transactions on Cognitive and Developmental Systems, 2023, 15, 1783-1794.	2.6	1
280	Research Progress of EEG Automatic Sleep Staging Based on Deep Learning. Advances in Applied Mathematics, 2023, 12, 21-28.	0.0	0
281	Electroencephalogram and Electrocardiogram in Human-Computer Interaction. , 2022, , .		0
282	Construction Workforce's Mental Health: Research and Policy Alignment in the Australian Construction Industry. Buildings, 2023, 13, 335.	1.4	0
283	Design Considerations for Implantable Neural Circuits and Systems. , 2023, , 695-719.		0
284	EEG-Based BCIs on Motor Imagery Paradigm Using Wearable Technologies: A Systematic Review. Sensors, 2023, 23, 2798.	2.1	5
285	EEG: Current relevance and promising quantitative analyses. Revue Neurologique, 2023, 179, 352-360.	0.6	7



#	ARTICLE	IF	CITATIONS
286	Soft, adhesive and conductive composite for electroencephalogram signal quality improvement. Biomedical Engineering Letters, 2023, 13, 495-504.	2.1	1
287	Dozer: Towards understanding the design of closed-loop wearables for sleep. , 2023, , .		2
293	A Wearable Brain-Computer Interface System based on Flexible and Air-Permeable Electronic Skin. , 2023, , .		0
294	EENED: End-to-End Neural Epilepsy Detection based on Convolutional Transformer. , 2023, , .		0
298	Novel dry EEG electrode with composite filler of PEDOT:PSS and carbon particles. , 2023, , .		0
299	Design, implementation, and preliminary in-vivo assessment of a high-CMRR low-NEF wireless EEG miniaturized platform. , 2023, , .		0
301	High Input Impedance Front-End Amplifier for Noncontact Bio-Potential Recording. , 2023, , .		0
302	Computer Aided Detection of Dominant Artifacts in Ear-EEG Signal. , 2023, , .		0