

CITATION REPORT

List of articles citing

Occurrence of bisphosphonate-related osteonecrosis of the jaw after surgical tooth extraction

DOI: 10.1016/j.joms.2009.10.026

Journal of Oral and Maxillofacial Surgery, 2010, 68, 797-804.

Source: <https://exaly.com/paper-pdf/48001848/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
113	Current awareness: Pharmacoepidemiology and drug safety. 2010 , 19, i-xii		0
112	Long-term outcomes of surgical resection of the jaws in cancer patients with bisphosphonate-related osteonecrosis. 2011 , 47, 420-4		87
111	Osteomalacia: the missing link in the pathogenesis of bisphosphonate-related osteonecrosis of the jaws?. 2012 , 17, 1114-9		26
110	Immediate loading in mandible full-arch: pilot study in patients with osteoporosis in bisphosphonate therapy. 2012 , 38, 85-94		5
109	Bisphosphonates use in children. 2012 , 51, 1011-24		30
108	Epidemiology and pathogenesis of osteonecrosis of the jaw. 2011 , 8, 90-6		122
107	Increased incidence of osteonecrosis of the jaw after tooth extraction in patients treated with bisphosphonates: a cohort study. 2012 , 41, 1397-403		102
106	Awareness and education of patients receiving bisphosphonates. 2012 , 40, 277-82		20
105	Prevention and the Role of the Dentist. 2012 , 105-120		
104	Learning from experience. Proposal of a refined definition and staging system for bisphosphonate-related osteonecrosis of the jaw (BRONJ). 2012 , 18, 621-3		81
103	Suppurative arthritis of the temporomandibular joint associated with bisphosphonate: a case report. <i>Journal of Oral and Maxillofacial Surgery</i> , 2012 , 70, 1376-9	1.8	5
102	The saxon bisphosphonate register - therapy and prevention of bisphosphonate-related osteonecrosis of the jaws. 2012 , 48, 349-54		54
101	Osteonecrosis of the jaw onset times are based on the route of bisphosphonate therapy. <i>Journal of Oral and Maxillofacial Surgery</i> , 2013 , 71, 513-9	1.8	23
100	Osteonecrosi dei mascellari associata a bisfosfonati, denosumab e farmaci anti-angiogenetici nei pazienti oncologici e osteoporotici: prevenzione dentale e sicurezza dei trattamenti odontoiatrici. 2013 , 81, 634-649		
99	Osteonecrosi dei mascellari associata a bisfosfonati, denosumab e farmaci anti-angiogenetici nei pazienti oncologici e osteoporotici: diagnosi e terapia. 2013 , 81, 566-589		2
98	The effects of adjunctive parathyroid hormone injection on bisphosphonate-related osteonecrosis of the jaws: an animal study. 2013 , 42, 1475-80		33
97	Osteopathology associated with bone resorption inhibitors - which role does Actinomyces play? A presentation of 51 cases with systematic review of the literature. 2013 , 42, 587-93		25

96	Exposed bone in bisphosphonate-related osteonecrosis of the jaws may be induced and maintained by localized microbial biofilm osteomyelitis. <i>Journal of Oral and Maxillofacial Surgery</i> , 2013 , 71, 1307	1.8	2
95	Pathophysiology of BRONJ: Drug-related osteoclastic disease of the jaw. 2013 , 10, 1-8		30
94	Zahnärztliche Betreuung von Tumorpatienten. 2013 , 7, 357-378		
93	Case series of 589 tooth extractions in patients under bisphosphonates therapy. Proposal of a clinical protocol supported by Nd:YAG low-level laser therapy. 2013 , 18, e680-5		47
92	Evaluation of socket healing in patients undergoing bisphosphonate therapy: experience of a single Institution. 2013 , 18, e650-6		7
91	Bisphosphonate-related osteonecrosis of the jaw: a review of the literature. 2014 , 2014, 192320		21
90	Recent Clinical Evidence in Bisphosphonate-related Osteomyelitis of the Jaw: Focus on Risk, Prevention and Treatment. 2014 , 9, 37-52		2
89	Oral microbiota and host innate immune response in bisphosphonate-related osteonecrosis of the jaw. 2014 , 6, 219-26		33
88	Epidemiology, clinical manifestations, risk reduction and treatment strategies of jaw osteonecrosis in cancer patients exposed to antiresorptive agents. 2014 , 10, 257-75		82
87	Characteristics of the early stages of intravenous bisphosphonate-related osteonecrosis of the jaw in patients with breast cancer. 2014 , 72, 656-63		7
86	Important aspects regarding the role of microorganisms in bisphosphonate-related osteonecrosis of the jaws. 2014 , 59, 790-9		33
85	A C-terminal crosslinking telopeptide test-based protocol for patients on oral bisphosphonates requiring extraction: a prospective single-center controlled study. <i>Journal of Oral and Maxillofacial Surgery</i> , 2014 , 72, 1456-62	1.8	34
84	Fluorodeoxyglucose positron emission tomography with computed tomography detects greater metabolic changes that are not represented by plain radiography for patients with osteonecrosis of the jaw. <i>Journal of Oral and Maxillofacial Surgery</i> , 2014 , 72, 1957-65	1.8	14
83	Radiologic bone loss in patients with bisphosphonate-associated osteonecrosis of the jaws: a case-control study. 2014 , 18, 385-90		18
82	Atraumatic tooth extraction in patients taking bisphosphonates: a review of literature and experience with three cases. 2014 , 18, 341-9		6
81	The national-scale cohort study on bisphosphonate-related osteonecrosis of the jaw in Taiwan. 2014 , 42, 1343-52		11
80	Occurrence and risk indicators of medication-related osteonecrosis of the jaw after dental extraction: a systematic review and meta-analysis. 2015 , 42, 922-32		52
79	Genetic investigation of bisphosphonate-related osteonecrosis of jaw (BRONJ) via whole exome sequencing and bioinformatics. 2015 , 10, e0118084		11

78	Successful treatment of bisphosphonate-related osteonecrosis of the jaw (BRONJ) patients with sitafloxacin: new strategies for the treatment of BRONJ. 2015 , 73, 217-22		28
77	[Bisphosphonate-associated osteonecrosis of the jaw]. 2015 , 29, 171-8		1
76	Incidence of bisphosphonate-related osteonecrosis of the jaw in high-risk patients undergoing surgical tooth extraction. 2015 , 43, 510-4		23
75	Tooth extraction in patients receiving oral or intravenous bisphosphonate administration: A trigger for BRONJ development?. 2015 , 43, 847-54		86
74	Periodontal disease preceding osteonecrosis of the jaw (ONJ) in cancer patients receiving antiresorptives alone or combined with targeted therapies: report of 5 cases and literature review. 2015 , 120, 699-706		23
73	Management of Medication-Related Osteonecrosis of the Jaw. 2015 , 27, 517-25		19
72	Perioperative discontinuation of intravenous bisphosphonate therapy reduces the incidence and severity of bisphosphonate-related osteonecrosis of the jaw: A randomized, controlled, prospective experimental study in rats. 2015 , 43, 1823-8		17
71	[Bisphosphonate and denosumab-related osteonecrosis of the jaw: Epidemiology, diagnosis and management]. 2015 , 102, 1010-9		1
70	Prevention of medication-related osteonecrosis of the jaws secondary to tooth extractions. A systematic review. 2016 , 21, e250-9		20
69	Prevalence of Medication-Related Osteonecrosis of the Jaw in Patients with Breast Cancer, Prostate Cancer, and Multiple Myeloma. 2016 , 4,		15
68	Osteonecrosi dei mascellari sotto bifosfonati. 2016 , 15, 1-10		
67	Does Fluorodeoxyglucose Positron Emission Tomography With Computed Tomography Facilitate Treatment of Medication-Related Osteonecrosis of the Jaw?. <i>Journal of Oral and Maxillofacial Surgery</i> , 2016 , 74, 945-58	1.8	17
66	Primary wound closure after tooth extraction for prevention of medication-related osteonecrosis of the jaw in patients under denosumab. 2017 , 21, 127-134		23
65	Role of microbiological culture and polymerase chain reaction (PCR) of actinomyces in medication-related osteonecrosis of the jaw (MRONJ). 2017 , 45, 357-363		21
64	Pamidronate Disodium Leads to Bone Necrosis via Suppression of Wnt/ β Catenin Signaling in Human Bone Marrow Mesenchymal Stem Cells In Vitro. <i>Journal of Oral and Maxillofacial Surgery</i> , 2017 , 75, 2135-2143	1.8	4
63	A multicenter retrospective study of the risk factors associated with medication-related osteonecrosis of the jaw after tooth extraction in patients receiving oral bisphosphonate therapy: can primary wound closure and a drug holiday really prevent MRONJ?. 2017 , 28, 2465-2473		63
62	The effect of chronic dental inflammation on development of Stage 0 medication-related osteonecrosis of the jaw. 2017 , 45, 1158-1164		6
61	Time to onset of bisphosphonate-related osteonecrosis of the jaws: a multicentre retrospective cohort study. 2017 , 23, 477-483		60

60	Short-term perioperative teriparatide therapy for the prevention of medication-related osteonecrosis of the jaw: A randomized, controlled preclinical study in rats. 2017 , 45, 275-280		12
59	Risk factors of osteonecrosis of the jaw after tooth extraction in osteoporotic patients on oral bisphosphonates. 2017 , 47, 45-50		19
58	Medikamentenassoziierte Kiefernekrosen Von der Diagnose zur Therapie. 2017 , 33, 214-223		
57	Bisphosphonate-related osteonecrosis of the jaw: a mechanobiology perspective. 2018 , 8, 104-109		22
56	Detecting the earliest radiological signs of bisphosphonate-related osteonecrosis. 2018 , 224, 26-31		19
55	Polish Dental Association And National Programme To Protect Antibiotics Working Group recommendations for administration of antibiotics in dentistry. 2018 , 71, 457-465		2
54	The Dental Management of Patients at Risk of Medication-Related Osteonecrosis of the Jaw: New Paradigm of Primary Prevention. <i>BioMed Research International</i> , 2018 , 2018, 2684924	3	61
53	Long-term oral bisphosphonates delay healing after tooth extraction: a single institutional prospective study. 2018 , 29, 2315-2321		23
52	Periodontal Diseases/Treatment and Bisphosphonates. 2018 , 5, 1-6		1
51	Development of Medication-Related Osteonecrosis of the Jaw After Extraction of Teeth With Experimental Periapical Disease. <i>Journal of Oral and Maxillofacial Surgery</i> , 2019 , 77, 71-86	1.8	13
50	Immediate hyperbaric oxygen after tooth extraction ameliorates bisphosphonate-related osteonecrotic lesion in rats. 2019 , 90, 1449-1456		4
49	Workshop of European task force on medication-related osteonecrosis of the jaw-Current challenges. 2019 , 25, 1815-1821		54
48	Influence of induced infection in medication-related osteonecrosis of the jaw development after tooth extraction: A study in rats. 2019 , 47, 349-356		11
47	Medication-related osteonecrosis of the jaw after tooth extraction in cancer patients: a multicenter retrospective study. 2019 , 30, 231-239		30
46	Comorbid conditions are a risk for osteonecrosis of the jaw unrelated to antiresorptive therapy. 2019 , 127, 140-150		3
45	Efficacy of a high-dose antiresorptive drug holiday to reduce the risk of medication-related osteonecrosis of the jaw (MRONJ): A systematic review. 2020 , 6, e03795		23
44	A Drug Holiday Reduces the Frequency and Severity of Medication-Related Osteonecrosis of the Jaw in a Minipig Model. 2020 , 35, 2179-2192		12
43	Platelet-Rich Plasma (PRP) in Dental Extraction of Patients at Risk of Bisphosphonate-Related Osteonecrosis of the Jaws: A Two-Year Longitudinal Study. 2020 , 10, 4487		2

42	Tooth extractions in patients under antiresorptive therapy for osteoporosis: Primary closure of the extraction socket with a mucoperiosteal flap versus application of platelet-rich fibrin for the prevention of antiresorptive agent-related osteonecrosis of the jaw. 2020 , 48, 444-451	7
41	Comment on Medication-Related Osteonecrosis of the Jaw: MASCC/ISOO/ASCO Clinical Practice Guideline Summary. 2020 , 16, 142-145	5
40	A nitrogen-containing bisphosphonate inhibits osteoblast attachment and impairs bone healing in bone-compatible scaffold. 2020 , 104, 103635	3
39	, and promote IL8/IFN γ /TNF α -based pro-inflammation in patients with medication-related osteonecrosis of the jaw. 2020 , 13, 1851112	2
38	Wound closure and alveoplasty after preventive tooth extractions in patients with antiresorptive intake-A randomized pilot trial. 2021 , 27, 532-546	8
37	Lack of evidence in reducing risk of MRONJ after teeth extractions with systemic antibiotics. 2021 , 63, 217-226	1
36	Proposal for a preventive protocol for medication-related osteonecrosis of the jaw. 2021 , 26, e314-e326	7
35	What is the Risk of Developing Medication-Related Osteonecrosis in Patients With Extraction Sockets Left to Heal by Secondary Intention? A Retrospective Case Series Study. <i>Journal of Oral and Maxillofacial Surgery</i> , 2021 , 79, 2071-2077	1.8 1
34	Infection as an Important Factor in Medication-Related Osteonecrosis of the Jaw (MRONJ). 2021 , 57,	12
33	Relationship between tooth extraction and development of medication-related osteonecrosis of the jaw in cancer patients. 2021 , 11, 17226	0
32	Frequency of osteonecrosis in bisphosphonate users submitted to dental procedures: A systematic review. 2021 ,	2
31	Preclinical models of medication-related osteonecrosis of the jaw (MRONJ). 2021 , 153, 116184	4
30	Osteomyelitis, Osteoradionecrosis, and Medication-Related Osteonecrosis of Jaws. 2021 , 461-472	
29	Alendronate or Zoledronic acid do not impair wound healing after tooth extraction in postmenopausal women with osteoporosis. 2020 , 137, 115412	5
28	Knowledge and Attitude of Dentists Regarding Patients Undergoing Bisphosphonate Treatment: a Comparative Questionnaire. 2018 , 3, 169-172	2
27	Simplifying the dental/periodontal management of patients with metabolic bone fragility receiving treatment with denosumab.	0
26	Prophylaxis and antibiotic therapy in management protocols of patients treated with oral and intravenous bisphosphonates. 2017 , 9, e141-e149	16
25	Alendronate-associated osteonecrosis of the jaws: a review of the main topics. 2014 , 19, e106-11	15

24	Dental care for patients taking antiresorptive drugs: a literature review. 2019 , 44, e42		4
23	A retrospective study of the healing process after tooth extraction in patients receiving oral bisphosphonates. <i>Nihon Koku Geka Gakkai Zasshi</i> , 2011 , 57, 658-665	0.1	1
22	A retrospective study of the healing process after tooth extraction in patients receiving oral bisphosphonates for more than 3 years. <i>Nihon Koku Geka Gakkai Zasshi</i> , 2014 , 60, 514-521	0.1	1
21	Diagnostic accuracy comparing OPT and CBCT in the detection of non-vital bone changes before tooth extractions in patients with antiresorptive intake. 2021 ,		3
20	Osteomyelitis of the Jaw. 2016 , 584-587		
19	Mandible-Maxilla Osteonecrosis. 2017 , 472-473		
18	Mandible-Maxilla Osteonecrosis. 2018 , 199		
17	İRACA BAĞI OLARAK BİNE KEMİKLERİNDE GÖRÜLEN OSTEONEKROZ (MRONJ): DERLEME.		
16	Review of "Exposure to antiresorptive therapy with bisphosphonates does not induce histological changes in human alveolar jawbone".		
15	Influence of Preventive Tooth Extractions on Quality of Life in Patients with Antiresorptive Intake-A Prospective Longitudinal Study. 2021 , 18,		1
14	Meaning and Limitation of Cortical Bone Width Measurement with DentaScan in Medication-Related Osteonecrosis of the Jaws. 2017 , 62, E114-E119		7
13	Osteoradionecrosis of the Jaws Due to Teeth Extractions during and after Radiotherapy: A Systematic Review. <i>Cancers</i> , 2021 , 13,	6.6	0
12	Effects of Osteoporosis Drugs: Morphological Assessment and Adverse Events. 2022 , 317-338		
11	Effects of Soft Tissue Closure on Medication-Related Osteonecrosis of the Jaw in a Rabbit Model with Tooth Extraction: A Pilot Study.. <i>BioMed Research International</i> , 2021 , 2021, 4166770		3
10	A multicenter prospective study on the development of BRONJ after tooth extraction in patients treated with bisphosphonates. <i>Nihon Koku Geka Gakkai Zasshi</i> , 2022 , 68, 168-183	0.1	
9	Osimertinib: Another medication related to osteonecrosis of the jaws? A case report and literature review. 13,		
8	Association Between Malignant Diseases and Medication-Related Osteonecrosis of the Jaw (MRONJ): A Systematic Review and Meta-Analysis. Publish Ahead of Print,		0
7	The Effect of Antiresorptive Drug Holidays on Medication-Related Osteonecrosis of the Jaw: A Systematic Review and Meta-Analysis. 2022 ,		0

- 6 Convolutional neural network for automated classification of osteonecrosis and related mandibular trabecular patterns. **2022**, 17, 101632 ○
- 5 Awareness of patients receiving bisphosphonates: a cross-sectional study. 36, ○
- 4 Incidence and risk factors for medication-related osteonecrosis after tooth extraction in cancer patients A systematic review. ○
- 3 The Use of Hydroxyapatite Loaded with Doxycycline (HADOX) in Dentoalveolar Surgery as a Risk-Reduction Therapeutic Protocol in Subjects Treated with Different Bisphosphonate Dosages. **2023**, 59, 46 ○
- 2 Risk of medication-related osteonecrosis of the jaw after dental extractions in patients receiving antiresorptive agents A retrospective study of 240 patients. **2023**, 170, 116722 ○
- 1 Italian Position Paper (SIPMO-SICMF) on Medication-Related Osteonecrosis of the Jaw (MRONJ). ○