

CITATION REPORT

List of articles citing

Mutation of FA2H underlies a complicated form of hereditary spastic paraplegia (SPG35)

DOI: 10.1002/humu.21205

Human Mutation, 2010, 31, E1251-60.

Source: <https://exaly.com/paper-pdf/48106526/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
161	Defective FA2H leads to a novel form of neurodegeneration with brain iron accumulation (NBIA). 2010 , 68, 611-8		174
160	Three faces of the same gene: FA2H links neurodegeneration with brain iron accumulation, leukodystrophies, and hereditary spastic paraplegias. 2010 , 68, 575-7		32
159	Synthesis, NMR characterization and divergent biological actions of 2Rhydroxy-ceramide/dihydroceramide stereoisomers in MCF7 cells. 2010 , 18, 7565-79		14
158	Dystonia. 2011 , 259-292		1
157	Childhood disorders of neurodegeneration with brain iron accumulation (NBIA). 2011 , 53, 394-404		83
156	FA2H-related disorders: a novel c.270+3A>T splice-site mutation leads to a complex neurodegenerative phenotype. 2011 , 53, 958-61		33
155	Axon-glia interaction in the CNS: what we have learned from mouse models of Pelizaeus-Merzbacher disease. 2011 , 219, 33-43		28
154	Hereditary spastic paraplegias: membrane traffic and the motor pathway. 2011 , 12, 31-42		223
153	A view on sphingolipids and disease. 2011 , 164, 590-606		66
152	Genetics of neurodegeneration with brain iron accumulation. 2011 , 11, 254-61		80
151	Myelination in the absence of UDP-galactose:ceramide galactosyl-transferase and fatty acid 2-hydroxylase. 2011 , 12, 22		18
150	2-Hydroxylated sphingomyelin profiles in cells from patients with mutated fatty acid 2-hydroxylase. 2011 , 10, 84		21
149	Central nervous system dysfunction in a mouse model of FA2H deficiency. <i>Glia</i> , 2011 , 59, 1009-21	9	90
148	Normal fur development and sebum production depends on fatty acid 2-hydroxylase expression in sebaceous glands. 2011 , 286, 25922-34		32
147	Lipid metabolism in myelinating glial cells: lessons from human inherited disorders and mouse models. <i>Journal of Lipid Research</i> , 2011 , 52, 419-34	6.3	168
146	Stereospecificity of fatty acid 2-hydroxylase and differential functions of 2-hydroxy fatty acid enantiomers. <i>Journal of Lipid Research</i> , 2012 , 53, 1327-35	6.3	36
145	The use of next-generation sequencing in movement disorders. 2012 , 3, 75		19

144	Atypical adult onset complicated spastic paraparesis with thin corpus callosum in two patients carrying a novel FA2H mutation. 2012 , 19, e127-9		20
143	A high-throughput resequencing microarray for autosomal dominant spastic paraplegia genes. 2012 , 13, 215-27		5
142	Exome sequencing and SNP analysis detect novel compound heterozygosity in fatty acid hydroxylase-associated neurodegeneration. 2012 , 20, 476-9		50
141	Neurodegeneration with brain iron accumulation - clinical syndromes and neuroimaging. 2012 , 1822, 350-60		99
140	Hereditary spastic paraplegias with autosomal dominant, recessive, X-linked, or maternal trait of inheritance. 2012 , 318, 1-18		202
139	Cellular pathways of hereditary spastic paraplegia. 2012 , 35, 25-47		214
138	Iron dysregulation in movement disorders. <i>Neurobiology of Disease</i> , 2012 , 46, 1-18	7.5	129
137	The genetics and neuropathology of Parkinson's disease. 2012 , 124, 325-38		222
136	Current concepts and controversies in neurodegeneration with brain iron accumulation. 2012 , 19, 51-6		18
135	Syndromes of neurodegeneration with brain iron accumulation. 2012 , 19, 57-66		48
134	C19orf12 and FA2H mutations are rare in Italian patients with neurodegeneration with brain iron accumulation. 2012 , 19, 75-81		33
133	Therapeutic advances in neurodegeneration with brain iron accumulation. 2012 , 19, 82-6		8
132	VAR-MD: a tool to analyze whole exome-genome variants in small human pedigrees with mendelian inheritance. <i>Human Mutation</i> , 2012 , 33, 593-8	4.7	24
131	Syndromes of neurodegeneration with brain iron accumulation (NBIA): an update on clinical presentations, histological and genetic underpinnings, and treatment considerations. 2012 , 27, 42-53		126
130	Exome sequencing identifies GCDH (glutaryl-CoA dehydrogenase) mutations as a cause of a progressive form of early-onset generalized dystonia. 2012 , 131, 435-42		19
129	Pathophysiology and treatment of neurodegeneration with brain iron accumulation in the pediatric population. 2013 , 15, 652-67		12
128	Hereditary Spastic Paraplegia. 2013 , 1-54		
127	Hereditary spastic paraplegia: clinico-pathologic features and emerging molecular mechanisms. 2013 , 126, 307-28		298

126	A rare family with Hereditary Spastic Paraplegia Type 35 due to novel FA2H mutations: a case report with literature review. 2013 , 329, 1-5		20
125	Novel Mutations in FA2H-Associated Neurodegeneration: An Underrecognized Condition?. 2013 , 28, 1500-1504		18
124	Heterozygous FA2H mutations in autism spectrum disorders. 2013 , 14, 124		6
123	Overlapping molecular pathological themes link Charcot-Marie-Tooth neuropathies and hereditary spastic paraplegias. 2013 , 246, 14-25		56
122	Disorders of phospholipids, sphingolipids and fatty acids biosynthesis: toward a new category of inherited metabolic diseases. <i>Journal of Inherited Metabolic Disease</i> , 2013 , 36, 411-25	5.4	66
121	SPG7 mutational screening in spastic paraplegia patients supports a dominant effect for some mutations and a pathogenic role for p.A510V. 2013 , 83, 257-62		75
120	Excess iron harms the brain: the syndromes of neurodegeneration with brain iron accumulation (NBIA). 2013 , 120, 695-703		38
119	Genetics and Pathophysiology of Neurodegeneration with Brain Iron Accumulation (NBIA). 2013 , 11, 59-79		85
118	Mutations in phospholipase DDHD2 cause autosomal recessive hereditary spastic paraplegia (SPG54). 2013 , 21, 1214-8		51
117	Movement disorders in metabolic diseases in adulthood. 99-114		
116	Neurodegeneration with brain iron accumulation: update on pathogenic mechanisms. 2014 , 5, 99		109
115	Overlapping phenotypes in complex spastic paraplegias SPG11, SPG15, SPG35 and SPG48. <i>Brain</i> , 2014 , 137, 1907-20	11.2	107
114	Phenotypic variability of a likely FA2H founder mutation in a family with complicated hereditary spastic paraplegia. 2014 , 85, 393-5		14
113	Recent advances in bulbar syndromes: genetic causes and disease mechanisms. <i>Current Opinion in Neurology</i> , 2014 , 27, 506-14	7.1	12
112	Primary dystonias and genetic disorders with dystonia as clinical feature of the disease. 2014 , 18, 79-105		12
111	2RHydroxy ceramide in membrane homeostasis and cell signaling. 2014 , 54, 223-30		35
110	Clinical and genetic diversity of SMN1-negative proximal spinal muscular atrophies. <i>Brain</i> , 2014 , 137, 2879-96	11.2	46
109	Identification of the phytosphingosine metabolic pathway leading to odd-numbered fatty acids. 2014 , 5, 5338		57

108	Loss of hydroxyl groups from the ceramide moiety can modify the lateral diffusion of membrane proteins in <i>S. cerevisiae</i> . <i>Journal of Lipid Research</i> , 2014 , 55, 1343-56	6.3	17
107	Hereditary spastic paraplegia: clinical-genetic characteristics and evolving molecular mechanisms. 2014 , 261, 518-39		212
106	ELOVL5 mutations cause spinocerebellar ataxia 38. 2014 , 95, 209-17		70
105	Mutations in FA2H in three Arab families with a clinical spectrum of neurodegeneration and hereditary spastic paraparesis. 2015 , 88, 95-7		6
104	Cerebral Iron Accumulation Is Not a Major Feature of /SPG35. 2015 , 2, 56-60		5
103	Neurodegeneration with brain iron accumulation: diagnosis and management. 2015 , 8, 1-13		119
102	Hereditary Spastic Paraplegia. 2015 , 891-906		1
101	The Crystal Structure of an Integral Membrane Fatty Acid β -Hydroxylase. 2015 , 290, 29820-33		36
100	Monogenic neurological disorders of sphingolipid metabolism. 2015 , 1851, 1040-51		21
99	Human genetic disorders of sphingolipid biosynthesis. <i>Journal of Inherited Metabolic Disease</i> , 2015 , 38, 65-76	5.4	24
98	The clinical spectrum of inherited diseases involved in the synthesis and remodeling of complex lipids. A tentative overview. <i>Journal of Inherited Metabolic Disease</i> , 2015 , 38, 19-40	5.4	38
97	Clinical and genetic heterogeneity in hereditary spastic paraplegias: from SPG1 to SPG72 and still counting. 2015 , 171, 505-30		115
96	Exome sequencing reveals a novel WDR45 frameshift mutation and inherited POLR3A heterozygous variants in a female with a complex phenotype and mixed brain MRI findings. 2015 , 58, 381-6		22
95	Neurodegeneration with Brain Iron Accumulation: Genetic Diversity and Pathophysiological Mechanisms. 2015 , 16, 257-79		60
94	Mouse Models of FA2H Deficiency. 2015 , 915-921		1
93	Delving into the complexity of hereditary spastic paraplegias: how unexpected phenotypes and inheritance modes are revolutionizing their nosology. 2015 , 134, 511-38		98
92	Genetics of Hereditary Spastic Paraplegias (HSP). 2015 , 353-383		
91	Hereditary Spastic Paraplegia. 2015 , 1-14		

90	Gray and white matter alterations in hereditary spastic paraplegia type SPG4 and clinical correlations. 2015 , 262, 1961-71		20
89	Defective lipid metabolism in neurodegeneration with brain iron accumulation (NBIA) syndromes: not only a matter of iron. <i>Journal of Inherited Metabolic Disease</i> , 2015 , 38, 123-36	5-4	31
88	A diagnostic approach for neurodegeneration with brain iron accumulation: clinical features, genetics and brain imaging. 2016 , 74, 587-96		24
87	Late-onset spastic paraplegia type 10 (SPG10) family presenting with bulbar symptoms and fasciculations mimicking amyotrophic lateral sclerosis. 2016 , 364, 45-9		11
86	Synthesis and degradation pathways, functions, and pathology of ceramides and epidermal acylceramides. 2016 , 63, 50-69		108
85	CYP2U1 mutations in two Iranian patients with activity induced dystonia, motor regression and spastic paraplegia. 2016 , 20, 782-7		16
84	Review: Insights into molecular mechanisms of disease in neurodegeneration with brain iron accumulation: unifying theories. 2016 , 42, 220-41		75
83	Genetic and phenotypic characterization of complex hereditary spastic paraplegia. <i>Brain</i> , 2016 , 139, 1904-18		123
82	Paraplegie spastique ereditaire. 2016 , 16, 1-14		
81	Mitochondrial dysfunction and defects in lipid homeostasis as therapeutic targets in neurodegeneration with brain iron accumulation. 2016 , 4, e1128616		8
80	Hereditary spastic paraplegia: pathology, genetics and therapeutic prospects. 2016 , 4, 429-442		2
79	Neurodegeneration with Brain Iron Accumulation. 2016 , 16, 9		30
78	Hereditary Spastic Paraplegia: Clinical and Genetic Hallmarks. 2017 , 16, 525-551		122
77	Overcoming the divide between ataxias and spastic paraplegias: Shared phenotypes, genes, and pathways. 2017 , 32, 332-345		101
76	Phytosphingosine degradation pathway includes fatty acid oxidation reactions in the endoplasmic reticulum. 2017 , 114, E2616-E2623		27
75	Exome sequencing reveals two FA2H mutations in a family with a complicated form of Hereditary Spastic Paraplegia and psychiatric impairments. 2017 , 372, 347-349		6
74	Hereditary Spastic Paraplegia. 2017 , 161-178		1
73	Sensory-motor neuropathy in a case with SPG35: Expanding the phenotype. 2017 , 380, 98-100		2

72	Sphingolipid β -Hydroxylase (Scs7p). 2017 , 1-13		
71	Disorders of metal metabolism. 2017 , 2, 101-139		29
70	Neuroaxonal Dystrophy/Neurodegeneration with Brain Iron Accumulation. 2018 , 455-468		
69	Independent Association of Plasma Hydroxysphingomyelins With Physical Function in the Atherosclerosis Risk in Communities (ARIC) Study. 2018 , 73, 1103-1110		7
68	Identification of progesterone receptor membrane component-1 as an interaction partner and possible regulator of fatty acid 2-hydroxylase. 2018 , 475, 853-871		8
67	Classification and molecular pathogenesis of NBIA syndromes. 2018 , 22, 272-284		42
66	Clinical and neuroimaging features of autosomal recessive spastic paraplegia 35 (SPG35): case reports, new mutations, and brief literature review. 2018 , 19, 123-130		17
65	Next generation sequencing for rapid diagnosis of a rare early onset spastic paraplegia: A novel pathological variant in FA2H gene. 2018 , 11, 222-226		0
64	Sphingolipid hydroxylation in mammals, yeast and plants - An integrated view. 2018 , 71, 18-42		25
63	Diseases of ganglioside biosynthesis: An expanding group of congenital disorders of glycosylation. <i>Molecular Genetics and Metabolism</i> , 2018 , 124, 230-237	3-7	23
62	Clinical and Functional Characterization of a Missense Variant in a CANVAS Family. 2018 , 9, 85		11
61	Synaptic metabolism: a new approach to inborn errors of neurotransmission. <i>Journal of Inherited Metabolic Disease</i> , 2018 , 41, 1065-1075	5-4	9
60	Hereditary ataxias and paraparesias: clinical and genetic update. <i>Current Opinion in Neurology</i> , 2018 , 31, 462-471	7.1	58
59	Neurodegeneration with brain iron accumulation. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2017 , 145, 157-166	3	16
58	Hereditary spastic paraplegia. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2018 , 148, 633-652	3	66
57	Neural symptoms in a gene knockout mouse model of Sjögren-Larsson syndrome are associated with a decrease in 2-hydroxygalactosylceramide. <i>FASEB Journal</i> , 2019 , 33, 928-941	0.9	14
56	The Link between Gaucher Disease and Parkinson's Disease Sheds Light on Old and Novel Disorders of Sphingolipid Metabolism. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	17
55	Neurodegeneration: The Central Role for ER Contacts in Neuronal Function and Axonopathy, Lessons From Hereditary Spastic Paraplegias and Related Diseases. <i>Frontiers in Neuroscience</i> , 2019 , 13, 1051	5.1	29

54	The Interaction of Genetic Mutations in PARK2 and FA2H Causes a Novel Phenotype in a Case of Childhood-Onset Movement Disorder. <i>Frontiers in Neurology</i> , 2019 , 10, 555	4.1	2
53	Hereditary spastic paraplegia type 35 in a family from Mali. <i>American Journal of Medical Genetics, Part A</i> , 2019 , 179, 1122-1125	2.5	4
52	Genetic Abnormalities of Ocular Motility. 2019 , 107-116		
51	Hereditary spastic paraplegias: time for an objective case definition and a new nosology for neurogenetic disorders to facilitate biomarker/therapeutic studies. <i>Expert Review of Neurotherapeutics</i> , 2019 , 19, 409-415	4.3	4
50	FAHN/SPG35: a narrow phenotypic spectrum across disease classifications. <i>Brain</i> , 2019 , 142, 1561-1572	11.2	34
49	Reduced chain length in myelin sphingolipids and poorer motor coordination in mice deficient in the fatty acid elongase. <i>FASEB BioAdvances</i> , 2019 , 1, 747-759	2.8	11
48	Parkinsonism in neurometabolic diseases. <i>International Review of Neurobiology</i> , 2019 , 149, 355-376	4.4	
47	Autosomal recessive hereditary spastic paraplegia type SPG35 due to a novel variant in the FA2H gene in a Czech patient. <i>Journal of Clinical Neuroscience</i> , 2019 , 59, 337-339	2.2	2
46	Novel biallelic FA2H mutations in a Japanese boy with fatty acid hydroxylase-associated neurodegeneration. <i>Brain and Development</i> , 2020 , 42, 217-221	2.2	4
45	Lipid metabolic pathways converge in motor neuron degenerative diseases. <i>Brain</i> , 2020 , 143, 1073-1087	11.2	14
44	Ceramide signalling in inherited and multifactorial brain metabolic diseases. <i>Neurobiology of Disease</i> , 2020 , 143, 105014	7.5	7
43	Delayed Motor Milestones Achievement in Infancy Associates with Perturbations of Amino Acids and Lipid Metabolic Pathways. <i>Metabolites</i> , 2020 , 10,	5.6	2
42	Cortical Damage Associated With Cognitive and Motor Impairment in Hereditary Spastic Paraplegia: Evidence of a Novel Mutation. <i>Frontiers in Neurology</i> , 2020 , 11, 399	4.1	6
41	Clinical characteristics of Taiwanese patients with Hereditary spastic paraplegia type 5. <i>Annals of Clinical and Translational Neurology</i> , 2020 , 7, 486-496	5.3	6
40	Catalytic residues, substrate specificity, and role in carbon starvation of the 2-hydroxy FA dioxygenase Mpo1 in yeast. <i>Journal of Lipid Research</i> , 2020 , 61, 1104-1114	6.3	0
39	A novel neurodegenerative spectrum disorder in patients with MLKL deficiency. <i>Cell Death and Disease</i> , 2020 , 11, 303	9.8	7
38	Importance of lipids for upper motor neuron health and disease. <i>Seminars in Cell and Developmental Biology</i> , 2021 , 112, 92-104	7.5	0
37	Exome sequencing of a Pakistani family with spastic paraplegia identified an 18 bp deletion in the cytochrome B5 domain of FA2H. <i>Neurological Research</i> , 2021 , 43, 133-140	2.7	0

36	Lipids in regulating oligodendrocyte structure and function. <i>Seminars in Cell and Developmental Biology</i> , 2021 , 112, 114-122	7.5	15
35	Iron Metabolism and Related Disorders. 2021 , 445-499		
34	Dystonia. 2021 , 327-352.e18		
33	Inherited disorders of complex lipid metabolism: A clinical review. <i>Journal of Inherited Metabolic Disease</i> , 2021 , 44, 809-825	5.4	6
32	Two novel biallelic variants in TECPR2 and FA2H genes causing complicated hereditary spastic paraplegia in Iranian families from Lur ethnicity: Case series. <i>Clinical Case Reports (discontinued)</i> , 2021 , 9, e04293	0.7	
31	Childhood-onset hereditary spastic paraplegia and its treatable mimics. <i>Molecular Genetics and Metabolism</i> , 2021 ,	3.7	2
30	Substrate reduction therapy for Krabbe disease and metachromatic leukodystrophy using a novel ceramide galactosyltransferase inhibitor. <i>Scientific Reports</i> , 2021 , 11, 14486	4.9	2
29	Role of galactosylceramide and sulfatide in oligodendrocytes and CNS myelin: formation of a glycosynapse. <i>Advances in Neurobiology</i> , 2014 , 9, 263-91	2.1	10
28	Genetics of NBIA Disorders. 2015 , 263-291		1
27	The Role of Sulfatides in Axon-Glia Interactions. <i>Advances in Experimental Medicine and Biology</i> , 2019 , 1190, 165-179	3.6	4
26	Emerging Structural and Functional Diversity in Proteins With Dioxygen-Reactive Dinuclear Transition Metal Cofactors. 2020 , 215-250		10
25	Decreased turnover of the CNS myelin protein Opalin in a mouse model of hereditary spastic paraplegia 35. <i>Human Molecular Genetics</i> , 2021 , 29, 3616-3630	5.6	3
24	Hereditary Myelopathies. <i>CONTINUUM Lifelong Learning in Neurology</i> , 2018 , 24, 523-550	3	4
23	Clinical Spectrum of Hereditary Spastic Paraplegia in Children: A study of 74 cases. <i>Sultan Qaboos University Medical Journal</i> , 2013 , 13, 371-9	0.9	7
22	A frameshift insertion in FA2H causes a recessively inherited form of ichthyosis congenita in Chianina cattle. <i>Molecular Genetics and Genomics</i> , 2021 , 296, 1313-1322	3.1	3
21	Blocking Kallikrein 6 promotes developmental myelination. <i>Glia</i> , 2021 ,	9	1
20	Disorders of Phospholipid and Glycosphingolipid Synthesis. 2012 , 485-495		
19	Neurodegeneration with Brain Iron Accumulation. 2014 , 171-198		

18 Hereditary Spastic Paraplegia. **2017**, 1373-1385

17 The hereditary spastic paraplegias. **2020**, 147-170

2

16 Neurodegeneration with brain iron accumulation: an overview. *Iranian Journal of Child Neurology*, **2014**, 8, 1-8

0.6 31

15 Identification of novel mutations by targeted NGS in Moroccan families clinically diagnosed with a neuromuscular disorder. *Clinica Chimica Acta*, **2021**, 524, 51-58

6.2 0

14 Lipids in Pathophysiology and Development of the Membrane Lipid Therapy: New Bioactive Lipids.. *Membranes*, **2021**, 11,

3.8 2

13 Insights into Clinical, Genetic, and Pathological Aspects of Hereditary Spastic Paraplegias: A Comprehensive Overview.. *Frontiers in Molecular Biosciences*, **2021**, 8, 690899

5.6 9

12 Liver X receptor-agonist treatment rescues degeneration in a Drosophila model of hereditary spastic paraplegia.. *Acta Neuropathologica Communications*, **2022**, 10, 40

7.3 0

11 Molecular Characterization of Portuguese Patients with Hereditary Cerebellar Ataxia.. *Cells*, **2022**, 11,

7.9 0

10 Lipid Dyshomeostasis and Inherited Cerebellar Ataxia.. *Molecular Neurobiology*, **2022**, 1

6.2

9 Image_1.pdf. **2018**,

8 Table_1.pdf. **2018**,

7 Video_1.MP4. **2019**,

6 Ceramide profiling of stratum corneum in Sjögren-Larsson syndrome. **2022**,

0

5 NGS-driven molecular diagnosis of heterogeneous hereditary neurological disorders reveals novel and known variants in disease-causing genes.

4 Clinical and genetic spectrum of hereditary spastic paraplegia in Chinese children.

0

3 ?????????????????????.

0

2 Dysregulated ceramides metabolism by fatty acid 2-hydroxylase exposes a metabolic vulnerability to target cancer metastasis. **2022**, 7,

1

1 Fatty Acid 2-Hydroxylase and 2-Hydroxylated Sphingolipids: Metabolism and Function in Health and Diseases. **2023**, 24, 4908

0

