

CITATION REPORT

List of articles citing

Simultaneous Determination of Ascorbic Acid, Dopamine and Uric Acid with Chitosan-Graphene Modified Electrode

DOI: 10.1002/elan.201000094
Electroanalysis, 2010, 22, 2001-2008.

Source: <https://exaly.com/paper-pdf/48116337/citation-report.pdf>

Version: 2024-04-10

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
299	Discrimination of dopamine and ascorbic acid using carbon nanotube fiber microelectrodes. 2010 , 12, 9993-5		26
298	Aqueous stabilization of graphene sheets using exfoliated montmorillonite nanoplatelets for multifunctional free-standing hybrid films via vacuum-assisted self-assembly. 2011 , 21, 18011		70
297	Electrochemical sensing using quantum-sized gold nanoparticles. 2011 , 83, 3244-7		91
296	Electrochemical oxidation behavior of colchicine on a graphene oxide-Nafion composite film modified glassy carbon electrode. <i>Analyst, The</i> , 2011 , 136, 3943-9	5	23
295	Silver nanowire-graphene hybrid nanocomposites as label for sensitive electrochemical immunoassay of alpha-fetoprotein. <i>Electrochimica Acta</i> , 2011 , 56, 8168-8175	6.7	31
294	The comparison of different gold nanoparticles/graphene nanosheets hybrid nanocomposites in electrochemical performance and the construction of a sensitive uric acid electrochemical sensor with novel hybrid nanocomposites. 2011 , 29, 102-8		86
293	Sensitive electrochemical immunoassay of carcinoembryonic antigen with signal dual-amplification using glucose oxidase and an artificial catalase. <i>Analytica Chimica Acta</i> , 2011 , 697, 16-22	6.6	48
292	A Graphene Platform for Sensitive Electrochemical Immunoassay of Carcinoembryonic Antigen Based on Gold-Nanoflower Biolabels. <i>Electroanalysis</i> , 2011 , 23, 832-841	3	27
291	Amperometric Sensing Based on Glutathione Protected Au25 Nanoparticles and Their pH Dependent Electrocatalytic Activity. <i>Electroanalysis</i> , 2011 , 23, 2116-2124	3	32
290	Electropolymerization of Thin Film Conducting Polymer and Its Application for Simultaneous Determination of Ascorbic Acid, Dopamine and Uric Acid. <i>Electroanalysis</i> , 2011 , 23, 2822-2831	3	49
289	Hydrothermal preparation and electrochemical sensing properties of TiO(2)-graphene nanocomposite. 2011 , 83, 78-82		147
288	Nanosilver-penetrated polyion graphene complex membrane for mediator-free amperometric immunoassay of alpha-fetoprotein using nanosilver-coated silica nanoparticles. <i>Electrochimica Acta</i> , 2011 , 56, 3773-3780	6.7	29
287	Facile synthesis of graphene hybrid tube-like structure for simultaneous detection of ascorbic acid, dopamine, uric acid and tryptophan. <i>Analytica Chimica Acta</i> , 2012 , 756, 7-12	6.6	73
286	Graphenes in chemical sensors and biosensors. 2012 , 39, 87-113		170
285	The electrochemical performance of graphene modified electrodes: an analytical perspective. <i>Analyst, The</i> , 2012 , 137, 1815-23	5	73
284	Gold nanoparticles on a thiol-functionalized silica network for ascorbic acid electrochemical detection in presence of dopamine and uric acid. 2012 , 16, 2957-2966		19
283	Low-cost fabrication of graphene ball electrodes for the amperometric detection of capillary electrophoresis. 2012 , 24, 13-16		13

282	Simultaneous determination of L-ascorbic acid, dopamine and uric acid with gold nanoparticles- β -cyclodextrin-graphene-modified electrode by square wave voltammetry. 2012 , 93, 79-85		189
281	Electrochemical oxidation of adenosine-5'-triphosphate on a chitosan-graphene composite modified carbon ionic liquid electrode and its determination. <i>Materials Science and Engineering C</i> , 2012 , 32, 2129-2134	8.3	9
280	Facile preparation of graphene-copper nanoparticle composite by in situ chemical reduction for electrochemical sensing of carbohydrates. 2012 , 84, 171-8		192
279	Electrochemical biosensor based on reduced graphene oxide and Au nanoparticles entrapped in chitosan/silica sol-gel hybrid membranes for determination of dopamine and uric acid. <i>Journal of Electroanalytical Chemistry</i> , 2012 , 682, 158-163	4.1	88
278	Facile and controllable synthesis of Prussian blue on chitosan-functionalized graphene nanosheets for the electrochemical detection of hydrogen peroxide. <i>Electrochimica Acta</i> , 2012 , 81, 37-43	6.7	63
277	Graphene in combination with cucurbit[n]urils as electrode modifiers for electroanalytical biomolecules sensing. 2012 , 101, 135-40		23
276	High-yield, large-scale production of few-layer graphene flakes within seconds: using chlorosulfonic acid and H ₂ O ₂ as exfoliating agents. 2012 , 22, 8775		79
275	A novel approach for transferring water-dispersible graphene nanosheets into organic media. 2012 , 22, 11748		23
274	A novel hydrogen peroxide sensor based on Ag nanoparticles electrodeposited on chitosan-graphene oxide/cysteamine-modified gold electrode. 2012 , 16, 1693-1700		51
273	A mesoporous carbon nanofiber-modified pyrolytic graphite electrode used for the simultaneous determination of dopamine, uric acid, and ascorbic acid. 2012 , 50, 107-114		100
272	A nickel hexacyanoferrate and poly(1-naphthol) hybrid film modified electrode used in the selective electroanalysis of dopamine. <i>Electrochimica Acta</i> , 2012 , 59, 321-328	6.7	38
271	Dopamine molecularly imprinted electrochemical sensor based on graphene-chitosan composite. <i>Electrochimica Acta</i> , 2012 , 75, 108-114	6.7	84
270	Electrochemical sensor based on nitrogen doped graphene: simultaneous determination of ascorbic acid, dopamine and uric acid. 2012 , 34, 125-31		584
269	New trends in the electrochemical sensing of dopamine. 2013 , 405, 3753-71		292
268	Carbon nanomaterial based electrochemical sensors for biogenic amines. <i>Mikrochimica Acta</i> , 2013 , 180, 935-956	5.8	57
267	Electrochemical detection of dopamine based on pre-concentration by graphene nanosheets. <i>Analyst, The</i> , 2013 , 138, 6044-51	5	48
266	Self-assembly synthesis of a hierarchical structure using hollow nitrogen-doped carbon spheres as spacers to separate the reduced graphene oxide for simultaneous electrochemical determination of ascorbic acid, dopamine and uric acid. <i>Analytical Methods</i> , 2013 , 5, 3591	3.2	29
265	Simultaneous determination of ascorbic acid, dopamine, and uric acid based on double-walled carbon nanotubes/choline-modified electrode. <i>Analytical Methods</i> , 2013 , 5, 2335	3.2	22

264	Cathodically pretreated poly(1-aminoanthraquinone)-modified electrode for determination of ascorbic acid, dopamine, and uric acid. 2013 , 43, 919-926		17
263	Conducting polyaniline-graphene oxide fibrous nanocomposites: preparation, characterization and simultaneous electrochemical detection of ascorbic acid, dopamine and uric acid. 2013 , 3, 14428		107
262	Electrochemical biosensors on platforms of graphene. 2013 , 49, 9526-39		134
261	Graphene/poly(ethylene-co-vinyl acetate) composite electrode fabricated by melt compounding for capillary electrophoretic determination of flavones in <i>Cacumen platycladi</i> . 2013 , 36, 721-8		11
260	Simultaneous determination of dopamine and uric acid using layer-by-layer graphene and chitosan assembled multilayer films. 2013 , 117, 359-65		41
259	Synergistically enhanced electrochemical response of host-guest recognition based on ternary nanocomposites: reduced graphene oxide-amphiphilic pillar[5]arene-gold nanoparticles. <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 11218-24	9.5	101
258	Poly(3,4-ethylenedioxythiophene)-modified Ni/silicon microchannel plate electrode for the simultaneous determination of ascorbic acid, dopamine and uric acid. <i>Analyst, The</i> , 2013 , 138, 1149-55	5	58
257	Facile assembly of graphene on anion exchange resin microspheres for electrochemical sensing and biosensing. 2013 , 8, 191-7		5
256	The graphene nanopowder for electro-catalytic oxidation of dopamine and uric acid in the presence of ascorbic acid. 2013 , 22, 685-689		10
255	Nonenzymatic uric acid electrochemical sensor based on graphene-modified carbon fiber electrode. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2013 , 419, 94-99	5.1	54
254	Graphene-epoxy composite electrode fabricated by in situ polycondensation for enhanced amperometric detection in capillary electrophoresis. 2013 , 1316, 127-34		15
253	Ultrasonic-electrodeposition of Flower-like Graphene Nanosheets in Ionic Liquid and Its Sensing for Ascorbic Acid. 2013 , 60, 199-203		1
252	Graphene-based electrochemical sensors. 2013 , 9, 1160-72		434
251	Calix[4,6,8]arenesulfonates functionalized reduced graphene oxide with high supramolecular recognition capability: fabrication and application for enhanced host-guest electrochemical recognition. <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 828-36	9.5	85
250	Sensitive and selective electrochemical detection of dopamine using an electrode modified with carboxylated carbonaceous spheres. <i>Analyst, The</i> , 2013 , 138, 2683-90	5	59
249	Controllable synthesis of nitrogen-doped graphene and its effect on the simultaneous electrochemical determination of ascorbic acid, dopamine, and uric acid. 2013 , 59, 418-429		113
248	Nickel nanoparticle-chitosan-reduced graphene oxide-modified screen-printed electrodes for enzyme-free glucose sensing in portable microfluidic devices. 2013 , 47, 530-8		157
247	Fabrication of graphene/poly(ethyl 2-cyanoacrylate) composite electrode for amperometric detection in capillary electrophoresis. <i>Sensors and Actuators B: Chemical</i> , 2013 , 182, 689-695	8.5	11

246	Sensitive and selective determination of dopamine by electrochemical sensor based on molecularly imprinted electropolymerization of o-phenylenediamine. <i>Analytical Methods</i> , 2013 , 5, 1469	3.2	31
245	Simultaneous electrochemical determination of ascorbic acid, dopamine and uric acid using a palladium nanoparticle/graphene/chitosan modified electrode. <i>Journal of Electroanalytical Chemistry</i> , 2013 , 695, 10-16	4.1	130
244	Electrooxidation of dopamine at N-(1,3-dimethylbutyl)-N'-phenyl-p-phenylenediamine/multiwalled carbon nanotubes nanocomposite-modified electrode. 2013 , 28, 1777-1784		3
243	Real Time In Vivo Measurement of Ascorbate in the Brain Using Carbon Nanotube-Modified Microelectrodes. <i>Electroanalysis</i> , 2013 , 25, 1757-1763	3	9
242	Properties and Customization of Sensor Materials for Biomedical Applications. 2014 , 221-243		1
241	Preparation, characterization and analytical application of an electrochemical laccase biosensor towards low level determination of isoprenaline in human serum samples. 2014 , 4, 57591-57599		17
240	One-step pyrolytic synthesis of nitrogen and sulfur dual-doped porous carbon with high catalytic activity and good accessibility to small biomolecules. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 19109-17	9.5	56
239	Assembly of graphene and nickel nanoparticles on anion exchange resin microspheres for the amperometric detection of carbohydrates in combination with capillary electrophoresis. 2014 , 1374, 261-267		11
238	Sensitive detection of uric acid on partially electro-reduced graphene oxide modified electrodes. <i>Electrochimica Acta</i> , 2014 , 119, 32-37	6.7	24
237	Electrochemical determination of lead and cadmium in rice by a disposable bismuth/electrochemically reduced graphene/ionic liquid composite modified screen-printed electrode. <i>Sensors and Actuators B: Chemical</i> , 2014 , 199, 7-14	8.5	97
236	Solar graphene modified glassy carbon electrode for the voltammetric resolution and detection of dopamine, ascorbic acid and uric acid. <i>Journal of Electroanalytical Chemistry</i> , 2014 , 720-721, 107-114	4.1	19
235	Voltammetric determination of uric acid in the presence of ascorbic acid and dopamine using chitosan/ionic liquid composite electrode. 2014 , 20, 1247-1254		4
234	Simultaneous determination of dopamine and uric acid in the presence of ascorbic acid using Pt nanoparticles supported on reduced graphene oxide. <i>Electrochimica Acta</i> , 2014 , 115, 109-115	6.7	197
233	Dendritic copper-cobalt nanostructures/reduced graphene oxide-chitosan modified glassy carbon electrode for glucose sensing. <i>Sensors and Actuators B: Chemical</i> , 2014 , 195, 1-7	8.5	129
232	Rapid microwave assisted synthesis of graphene nanosheets/polyethyleneimine/gold nanoparticle composite and its application to the selective electrochemical determination of dopamine. 2014 , 120, 148-57		82
231	Development of a dimethyl disulfide electrochemical sensor based on electrodeposited reduced graphene oxide-chitosan modified glassy carbon electrode. <i>Electrochimica Acta</i> , 2014 , 135, 543-549	6.7	18
230	A selective determination of levodopa in the presence of ascorbic acid and uric acid using a glassy carbon electrode modified with reduced graphene oxide. 2014 , 44, 589-597		31
229	Ionic Liquid Functionalized Graphene-Based Electrochemical Biosensor for Simultaneous Determination of Dopamine and Uric Acid in the Presence of Ascorbic Acid. <i>Electroanalysis</i> , 2014 , 26, 191-198	3	28

228	Sensitive Electrochemical Sensor for Simultaneous Determination of Dopamine, Ascorbic Acid, and Uric Acid Enhanced by Amino-group Functionalized Mesoporous Fe ₃ O ₄ @Graphene Sheets. <i>Electrochimica Acta</i> , 2014 , 116, 244-249	6.7	101
227	Graphene and its nanocomposite material based electrochemical sensor platform for dopamine. 2014 , 4, 63296-63323		224
226	Electrochemical behavior of luteolin on a chitosan-graphene modified glassy carbon electrode and its sensitive detection. <i>Analytical Methods</i> , 2014 , 6, 9354-9360	3.2	14
225	Electrochemical studies of ascorbic acid, dopamine, and uric acid at a dl-norvaline-deposited glassy carbon electrode. 2014 , 92, 329-336		8
224	A metal-catalyst free, flexible and free-standing chitosan/vacuum-stripped graphene/polypyrrole three dimensional electrode interface for high performance dopamine sensing. 2014 , 2, 2478-2482		28
223	Nanocarbon-based electrochemical systems for sensing, electrocatalysis, and energy storage. 2014 , 9, 405-432		81
222	A novel electroactive hybrid film electrode with proton buffer effect for detecting hydrogen peroxide and uric acid. 2014 , 2, 15035		7
221	Centri-voltammetric dopamine detection. 2014 , 4, 31489-31492		13
220	Gold Nanoparticles- β -Cyclodextrin-Chitosan-Graphene Modified Glassy Carbon Electrode for Ultrasensitive Detection of Dopamine and Uric Acid. <i>Electroanalysis</i> , 2014 , 26, 2057-2064	3	11
219	Gold nanoparticle-decorated MoS ₂ nanosheets for simultaneous detection of ascorbic acid, dopamine and uric acid. 2014 , 4, 27625		180
218	Mussel-inspired, ultralight, multifunctional 3D nitrogen-doped graphene aerogel. 2014 , 80, 174-182		128
217	Optimization of modified carbon paste electrode with multiwalled carbon nanotube/ionic liquid/cauliflower-like gold nanostructures for simultaneous determination of ascorbic acid, dopamine and uric acid. <i>Materials Science and Engineering C</i> , 2014 , 44, 58-68	8.3	35
216	Organic electrochemical transistors with graphene-modified gate electrodes for highly sensitive and selective dopamine sensors. 2014 , 2, 191-200		90
215	A three-dimensional interpenetrating electrode of reduced graphene oxide for selective detection of dopamine. <i>Analyst, The</i> , 2014 , 139, 4525-31	5	55
214	The influence of organization of LbL films containing a silsesquioxane polymer on the electrochemical response of dopamine. 2014 , 44, 1047-1058		21
213	Ultra-wide-range electrochemical sensing using continuous electrospun carbon nanofibers with high densities of states. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 3394-405	9.5	57
212	Tuning the reduction extent of electrochemically reduced graphene oxide electrode film to enhance its detection limit for voltammetric analysis. <i>Electrochimica Acta</i> , 2014 , 139, 232-237	6.7	32
211	Graphene-multiwall carbon nanotube-gold nanocluster composites modified electrode for the simultaneous determination of ascorbic acid, dopamine, and uric acid. 2014 , 173, 1717-26		27

210	Determination of Dopamine Using Self-Assembled Diazo-resin/Graphene Modified Electrodes. 2014 , 154, 36-42		1
209	Electrochemistry of graphene and related materials. 2014 , 114, 7150-88		802
208	Detection of dopamine using self-assembled diazo-resin/single-walled carbon nanotube modified electrodes. 2014 , 25, 523-528		14
207	Direct electrodeposition of reduced graphene oxide on carbon fiber electrode for simultaneous determination of ascorbic acid, dopamine and uric acid. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2014 , 456, 146-152	5.1	54
206	New electrochemical sensor based on Ni-doped V2O5 nanoplates modified glassy carbon electrode for selective determination of dopamine at nanomolar level. <i>Sensors and Actuators B: Chemical</i> , 2014 , 202, 440-447	8.5	60
205	Electrochemical Sensing Performances for Uric Acid Detection on Various Amine Adlayers Used in Immobilizing Reduced Graphene Oxide. <i>Electroanalysis</i> , 2015 , 27, 1159-1165	3	11
204	Graphene-Based Nanohybrids for Advanced Electrochemical Sensing. <i>Electroanalysis</i> , 2015 , 27, 2098-2115		25
203	Electrodeposition of reduced graphene oxide on a Pt electrode and its use as amperometric sensor in microchip electrophoresis. 2015 , 36, 1886-93		21
202	Electrochemical Co-Reduction Synthesis of AuPt Bimetallic Nanoparticles-Graphene Nanocomposites for Selective Detection of Dopamine in the Presence of Ascorbic Acid and Uric Acid. 2015 , 15, 16614-31		19
201	Polymeric ionic liquid functionalized MWCNTs as efficient electrochemical interface for biomolecules simultaneous determination. <i>Sensors and Actuators B: Chemical</i> , 2015 , 219, 361-369	8.5	23
200	Graphene oxide-Ag/poly-L-lysine modified glassy carbon electrode as an electrochemical sensor for the determination of dopamine in the presence of ascorbic acid. <i>Journal of Electroanalytical Chemistry</i> , 2015 , 759, 113-121	4.1	35
199	Nano biosensors for neurochemical monitoring. 2015 , 2,		25
198	Graphene-Based Glucose Sensors: A Brief Review. 2015 , 14, 818-34		30
197	Facile synthesis of porous bimetallic alloyed PdAg nanoflowers supported on reduced graphene oxide for simultaneous detection of ascorbic acid, dopamine, and uric acid. <i>Analyst, The</i> , 2015 , 140, 3183-592		80
196	ZnO-Cu ₂ O/polypyrrole nanocomposite modified electrode for simultaneous determination of ascorbic acid, dopamine, and uric acid. 2015 , 473, 53-62		91
195	Determination of ascorbic acid, dopamine, and uric acid by a novel electrochemical sensor based on pristine graphene. <i>Electrochimica Acta</i> , 2015 , 161, 395-402	6.7	176
194	Simultaneous voltammetric determination of dopamine and uric acid based on Langmuir-Blodgett film of calixarene modified glassy carbon electrode. <i>Sensors and Actuators B: Chemical</i> , 2015 , 221, 1586-1593	8.5	15
193	Graphene/SnO ₂ nanocomposite-modified electrode for electrochemical detection of dopamine. 2015 , 5, 42-49		58

192	Simple one-pot preparation of chitosan-reduced graphene oxide-Au nanoparticles hybrids for glucose sensing. <i>Sensors and Actuators B: Chemical</i> , 2015 , 221, 265-272	8.5	56
191	Ultra-Selective Dopamine Detection in an Excess of Ascorbic Acid and Uric Acid Using Pristine Palladium Nanoparticles Decorated Graphene Modified Glassy Carbon Electrode. <i>Journal of the Electrochemical Society</i> , 2015 , 162, H651-H660	3.9	12
190	Electrochemical Sensors Using Two-Dimensional Layered Nanomaterials. <i>Electroanalysis</i> , 2015 , 27, 1062-1072	3.072	36
189	Electrochemical study of biologically relevant molecules at electrodes constructed from GUITAR, a new carbon allotrope. <i>Microchemical Journal</i> , 2015 , 122, 39-44	4.8	12
188	Edge promoted ultrasensitive electrochemical detection of organic bio-molecules on epitaxial graphene nanowalls. 2015 , 70, 137-44		28
187	Novel NO ₂ Sensor Using PW12O ₄₀ /Chitosan-Graphene Nanocomposites/Cysteamine/Gold Electrode. 2015 , 32, 185-192		3
186	Hydrothermal synthesis of nitrogen doped graphene nanosheets from carbon nanosheets with enhanced electrocatalytic properties. 2015 , 5, 39705-39713		10
185	Superior Performance of a MoS ₂ -RGO Composite and a Borocarbonitride in the Electrochemical Detection of Dopamine, Uric Acid and Adenine. <i>Electroanalysis</i> , 2015 , 27, 1892-1898	3	45
184	Recent Advances in Nanocomposite Materials of Graphene Derivatives with Polysaccharides. 2015 , 8, 652-683		67
183	Electrocatalytic oxidation of ascorbic acid, uric acid, and glucose at nickel nanoparticles/poly (1-amino-2-methyl-9,10-anthraquinone) modified electrode in basic medium. 2015 , 45, 567-575		10
182	A green method to gold-graphene nanocomposite from cyclodextrin functionalized graphene for efficient non-enzymatic electrochemical sensing applications. 2015 , 5, 32027-32033		5
181	Microwave-assisted preparation of N-doped carbon dots as a biosensor for electrochemical dopamine detection. <i>Journal of Colloid and Interface Science</i> , 2015 , 452, 199-202	9.3	58
180	Optical paper-based sensor for ascorbic acid quantification using silver nanoparticles. 2015 , 141, 188-94		55
179	MgO nanobelt-modified graphene-tantalum wire electrode for the simultaneous determination of ascorbic acid, dopamine and uric acid. <i>Electrochimica Acta</i> , 2015 , 168, 191-198	6.7	60
178	Two-Electron Oxidation of Dopamine Controlled by Surface Modification of Few-Layer Graphene. <i>Electrochimica Acta</i> , 2015 , 180, 43-52	6.7	3
177	Direct writing of graphene patterns and devices on graphene oxide films by inkjet reduction. 2015 , 8, 3954-3962		33
176	Electrochemical detection of a pathogenic Escherichia coli specific DNA sequence based on a graphene oxide-chitosan composite decorated with nickel ferrite nanoparticles. 2015 , 5, 67115-67124		37
175	Simultaneous Detection of Ascorbic Acid, Dopamine and Uric Acid Using Carboxyl-C60 Modified Electrodes. 2015 , 162, 62-68		

174	Comparative Study of Screen-Printed Electrodes Modified with Graphene Oxides Reduced by a Constant Current. <i>Journal of the Electrochemical Society</i> , 2015 , 162, B282-B290	3.9	15
173	Graphene-Chitosan Composite Modified Electrode for Simultaneous Detection of Nitrophenol Isomers. <i>Journal of the Electrochemical Society</i> , 2015 , 162, B269-B274	3.9	10
172	Graphene oxide-assisted dispersion of carbon nanotubes in sulfonated chitosan-modified electrode for selective detections of dopamine, uric acid, and ascorbic acid. <i>Journal of Electroanalytical Chemistry</i> , 2015 , 736, 132-138	4.1	28
171	Graphene for Glucose, Dopamine, Ascorbic Acid, and Uric Acid Detection. 2015 , 57-79		
170	Facile self-assembly of magnetite nanoparticles on three-dimensional graphene oxide-chitosan composite for lipase immobilization. 2015 , 98, 75-83		52
169	One-step synthesis of Pt-decorated graphene-carbon nanotubes for the electrochemical sensing of dopamine, uric acid and ascorbic acid. <i>Analytical Methods</i> , 2015 , 7, 779-786	3.2	68
168	Nafion covered core-shell structured Fe ₃ O ₄ @graphene nanospheres modified electrode for highly selective detection of dopamine. <i>Analytica Chimica Acta</i> , 2015 , 853, 285-290	6.6	70
167	Carbon Nanomaterial-Phosphomolybdate Composites for Oxidative Electrocatalysis. 2015 , 2, 269-279		36
166	Electrochemical genosensor based on graphene oxide modified iron oxide-chitosan hybrid nanocomposite for pathogen detection. <i>Sensors and Actuators B: Chemical</i> , 2015 , 206, 276-283	8.5	78
165	Preparation of Highly Dispersed Reduced Graphene Oxide Modified with Carboxymethyl Chitosan for Highly Sensitive Detection of Trace Cu(II) in Water. 2016 , 8,		11
164	Doping Polypyrrole Films with 4-N-Pentylphenylboronic Acid to Enhance Affinity towards Bacteria and Dopamine. 2016 , 11, e0166548		9
163	Watsonia meriana flower like Fe ₃ O ₄ /reduced graphene oxide nanocomposite for the highly sensitive and selective electrochemical sensing of dopamine. 2016 , 688, 500-512		50
162	Electrochemical Pretreatment of Graphene Composite CNT Encapsulated Au Nanoparticles for H ₂ O ₂ Sensor. <i>Electroanalysis</i> , 2016 , 28, 1901-1906	3	14
161	Electrochemical sensors and biosensors for determination of catecholamine neurotransmitters: A review. 2016 , 160, 653-679		105
160	Rational Design of Gold Nanoparticle/graphene Hybrids for Simultaneous Electrochemical Determination of Ascorbic Acid, Dopamine and Uric Acid. 2016 , 44, e1617-e1625		12
159	Preparation of chitosan grafted graphite composite for sensitive detection of dopamine in biological samples. 2016 , 151, 401-407		39
158	Integration of Cyclodextrin into graphene quantum dot nano-structure and its application towards detection of Vitamin C at physiological pH: A new electrochemical approach. <i>Materials Science and Engineering C</i> , 2016 , 67, 666-674	8.3	46
157	Graphene quantum dots and Nafion composite as an ultrasensitive electrochemical sensor for the detection of dopamine. <i>Analytical Methods</i> , 2016 , 8, 4912-4918	3.2	41

156	Fabrication of hierarchically mesoporous CuO nanostructures and their role as heterogenous catalysts and sensors. 2016 , 6, 42807-42818		7
155	Sensitive electrochemical determination of dopamine and uric acid using AuNPs(EDAS)/GO nanocomposites. <i>Analytical Methods</i> , 2016 , 8, 4379-4390	3.2	17
154	Determination of dopamine using a glassy carbon electrode modified with a graphene and carbon nanotube hybrid decorated with molybdenum disulfide flowers. <i>Mikrochimica Acta</i> , 2016 , 183, 2267-2275	5.8	83
153	Calixarene-functionalized graphene oxide composites fixed on glassy carbon electrodes for electrochemical detection. 2016 , 6, 91910-91920		7
152	Simultaneous determination of dopamine and uric acid in the presence of high ascorbic acid concentration using cetyltrimethylammonium bromide/polyaniline/activated charcoal composite. 2016 , 6, 100605-100613		30
151	Electropolymerization of a conductive cyclodextrin polymer on reduced graphene oxide modified screen-printed electrode for simultaneous determination of ascorbic acid, dopamine and uric acid. <i>Journal of Electroanalytical Chemistry</i> , 2016 , 782, 50-58	4.1	52
150	Recent trends in electrochemical sensors for multianalyte detection - A review. 2016 , 161, 894-916		94
149	2D Hexagonal Boron Nitride (2D-hBN) Explored for the Electrochemical Sensing of Dopamine. 2016 , 88, 9729-9737		115
148	Simultaneous Voltammetry Detection of Dopamine and Uric Acid in Pharmaceutical Products and Urine Samples Using Ferrocene Carboxylic Acid Primed Nanoclay Modified Glassy Carbon Electrode. <i>Journal of the Electrochemical Society</i> , 2016 , 163, B543-B555	3.9	25
147	Biodegradable biopolymer/graphene nanocomposites. 2016 , 51, 9915-9945		60
146	Recent Advances in Electrochemical Analytical Methods Involving Metal Enolates. 2016 , 1-36		
145	Tailoring Molecular Permeability of Nanochannel-Micelle Membranes for Electrochemical Analysis of Antioxidants in Fruit Juices without Sample Treatment. 2016 , 88, 11001-11006		35
144	Preparation of per-hydroxylated pillar[5]arene decorated graphene and its electrochemical behavior. <i>Electrochimica Acta</i> , 2016 , 210, 720-728	6.7	19
143	Determination of carbohydrates in honey and milk by capillary electrophoresis in combination with graphene-cobalt microsphere hybrid paste electrodes. <i>Food Chemistry</i> , 2016 , 190, 64-70	8.5	18
142	Au nanoparticles decorated reduced graphene oxide for the fabrication of disposable nonenzymatic hydrogen peroxide sensor. <i>Journal of Electroanalytical Chemistry</i> , 2016 , 764, 64-70	4.1	40
141	Carbon nanohorns/poly(glycine) modified glassy carbon electrode: Preparation, characterization and simultaneous electrochemical determination of uric acid, dopamine and ascorbic acid. <i>Journal of Electroanalytical Chemistry</i> , 2016 , 760, 24-31	4.1	57
140	Electrochemical Characterization of Ordered Mesoporous Carbon Screen-Printed Electrodes. <i>Journal of the Electrochemical Society</i> , 2016 , 163, B176-B179	3.9	10
139	Trouble Free Dopamine Sensing by Palladium Nanoparticles Fabricated Poly(3,4-ethylenedioxythiophene) Functionalized Graphene. <i>Journal of the Electrochemical Society</i> , 2016 , 163, B113-B118	3.9	24

138	Fabrication of pore-rich nitrogen-doped graphene aerogel. 2016 , 6, 23012-23015		12
137	Electrochemical analysis of ascorbic acid, dopamine, and uric acid on nobel metal modified nitrogen-doped carbon nanotubes. <i>Sensors and Actuators B: Chemical</i> , 2016 , 231, 218-229	8.5	57
136	Determination of Ascorbic Acid by a GoldZinc Oxide Nanoparticle-Modified Glassy Carbon Electrode. 2016 , 49, 2207-2222		2
135	Implantable Graphene-based Neural Electrode Interfaces for Electrophysiology and Neurochemistry in In Vivo Hyperacute Stroke Model. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 187-96	9.5	44
134	Advances in electrospun carbon fiber-based electrochemical sensing platforms for bioanalytical applications. 2016 , 408, 1307-26		24
133	Chemically modified electrodes for electrochemical detection of dopamine in the presence of uric acid and ascorbic acid: A review. 2016 , 76, 15-29		222
132	Simultaneous voltammetric determination of dopamine and uric acid using carbon-encapsulated hollow Fe ₃ O ₄ nanoparticles anchored to an electrode modified with nanosheets of reduced graphene oxide. <i>Mikrochimica Acta</i> , 2017 , 184, 843-853	5.8	38
131	Water based homogenous carbon ink modified electrode as an efficient sensor system for simultaneous detection of ascorbic acid, dopamine and uric acid. <i>Electrochimica Acta</i> , 2017 , 233, 92-104	6.7	47
130	Surfactant exfoliated 2D hexagonal Boron Nitride (2D-hBN) explored as a potential electrochemical sensor for dopamine: surfactants significantly influence sensor capabilities. <i>Analyst, The</i> , 2017 , 142, 1756-1764	5.22	
129	Electrochemically synthesized highly crystalline nitrogen doped graphene nanosheets with exceptional biocompatibility. <i>Scientific Reports</i> , 2017 , 7, 537	4.9	6
128	Reliable clinical serum analysis with reusable electrochemical sensor: Toward point-of-care measurement of the antipsychotic medication clozapine. 2017 , 95, 55-59		22
127	Highly selective sensing of dopamine using carbon nanotube ink doped with anionic surfactant modified disposable paper electrode. 2017 , 21, 1263-1271		4
126	One-step synthesis of functional pNR/rGO composite as a building block for enhanced ascorbic acid biosensing. <i>Analytica Chimica Acta</i> , 2017 , 981, 34-40	6.6	12
125	Simultaneous electrochemical determination of ascorbic acid, dopamine and uric acid based on reduced graphene oxide-Ag/PANI modified glassy carbon electrode. 2017 , 33, 507-512		17
124	A facile approach to synthesis of mesoporous SnO ₂ /chitosan nanocomposite modified electrode for simultaneous determination of ascorbic acid, dopamine and uric acid. 2017 , 7, 146-156		18
123	Hydrothermally synthesized reduced graphene oxide and Sn doped manganese dioxide nanocomposites for supercapacitors and dopamine sensors. 2017 , 4, 66-74		32
122	Construction of a Concanavalin A electrochemical sensor base on a novel sandwich capture mode. <i>Sensors and Actuators B: Chemical</i> , 2017 , 248, 201-206	8.5	16
121	Sensitive detection of L-5-hydroxytryptophan based on molecularly imprinted polymers with graphene amplification. 2017 , 526, 58-65		11

120	Selective electrocatalysis of reduced graphene oxide towards hydrogen peroxide aiming oxidases-based biosensing: Caution while interpreting. <i>Electrochimica Acta</i> , 2017 , 223, 1-7	6.7	5
119	Development of an Electrochemical Sensor to Detect Dopamine and Ascorbic Acid Based on Neodymium (III) Oxide and Chitosan. <i>Electroanalysis</i> , 2017 , 29, 1081-1087	3	12
118	Electrochemical detection dopamine by Ester-calix[n]arenes/graphene nanosheets modified electrodes. <i>Journal of Electroanalytical Chemistry</i> , 2017 , 804, 16-22	4.1	13
117	One-Pot Synthesis of Reduced Graphene Oxide/Metal (Oxide) Composites. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 37962-37971	9.5	39
116	Electroanalytical Applications of Graphene. 2017 , 119-137		
115	One pot green synthesis of MnCO ₃ @GO composite hybrid superstructure: application to lithium ion battery and biosensor. <i>New Journal of Chemistry</i> , 2017 , 41, 12854-12865	3.6	23
114	Preparation and Application of the Composite from Chitosan. 2017 , 371-433		0
113	Hybrid graphene oxide/DAB-Am-16 dendrimer: Preparation, characterization chemical reactivity and their electrocatalytic detection of L-Dopamine. <i>Solid State Sciences</i> , 2017 , 71, 33-41	3.4	12
112	3DGH-Fc based electrochemical sensor for the simultaneous determination of ascorbic acid, dopamine and uric acid. <i>Journal of Electroanalytical Chemistry</i> , 2017 , 799, 459-467	4.1	26
111	New Approach for Porous Chitosan-Graphene Matrix Preparation through Enhanced Amidation for Synergic Detection of Dopamine and Uric Acid. 2017 , 2, 3043-3054		38
110	Nanocomposites of graphene and graphene oxides: Synthesis, molecular functionalization and application in electrochemical sensors and biosensors. A review. <i>Mikrochimica Acta</i> , 2017 , 184, 1-44	5.8	242
109	Electrodeposited reduced graphene oxide incorporating polymerization of L-lysine on electrode surface and its application in simultaneous electrochemical determination of ascorbic acid, dopamine and uric acid. <i>Materials Science and Engineering C</i> , 2017 , 70, 241-249	8.3	71
108	Electrochemical Detection of Dopamine Using 3D Porous Graphene Oxide/Gold Nanoparticle Composites. 2017 , 17,		54
107	Graphene Oxide Modified Electrodes for Dopamine Sensing. 2017 , 2017, 1-11		12
106	The Enhanced Photo-Electrochemical Detection of Uric Acid on Au Nanoparticles Modified Glassy Carbon Electrode. 2017 , 12, 455		14
105	Review Electrochemical Detection of Uric Acid, Dopamine and Ascorbic Acid. <i>Journal of the Electrochemical Society</i> , 2018 , 165, B258-B267	3.9	45
104	Electrochemical sensing and simultaneous determination of ascorbic acid, dopamine and uric acid at nickel nanoparticles/poly (1,2-diaminoanthraquinone) modified electrode. 2018 , 15, 1007-1014		5
103	Simultaneous determination of ascorbic acid, dopamine and uric acid by a novel electrochemical sensor based on N/Ar RF plasma assisted graphene nanosheets/graphene nanoribbons. 2018 , 105, 236-242		44

102	Bimetallic-organic framework derived porous Co ₃ O ₄ /Fe ₃ O ₄ /C-loaded g-C ₃ N ₄ nanocomposites as non-enzymic electrocatalysis oxidization toward ascorbic acid, dopamine acid, and uric acid. 2018 , 441, 694-707		58
101	Low Cost Layer by Layer Construction of CNT/Chitosan Flexible Paper-based Electrodes: A Versatile Electrochemical Platform for Point of Care and Point of Need Testing. <i>Electroanalysis</i> , 2018 , 30, 497-508 ³		17
100	Electrophoretic Deposited Stable Chitosan@MoS Coating with Rapid In Situ Bacteria-Killing Ability under Dual-Light Irradiation. 2018 , 14, e1704347		125
99	Electrodeposition of poly(3,4-ethylenedioxythiophene)/reduced graphene oxide/manganese dioxide for simultaneous detection of uric acid, dopamine and ascorbic acid. <i>Journal of Electroanalytical Chemistry</i> , 2018 , 820, 74-81	4.1	30
98	Electrochemical Formation of Nanostructured Gold Surfaces on Glassy Carbon for the Determination of Dopamine. <i>Electroanalysis</i> , 2018 , 30, 1627-1633	3	6
97	Reduced Graphene Oxide Screen-Printed FTO as Highly Sensitive Electrodes for Simultaneous Determination of Dopamine and Uric Acid. <i>Journal of the Electrochemical Society</i> , 2018 , 165, B174-B183	3.9	36
96	Photochemical one-pot synthesis of reduced graphene oxide/Prussian blue nanocomposite for simultaneous electrochemical detection of ascorbic acid, dopamine, and uric acid. <i>Sensors and Actuators B: Chemical</i> , 2018 , 255, 2437-2447	8.5	60
95	Copper nanoclusters conjugated silica nanoparticles modified on carbon paste as an electrochemical sensor for the determination of dopamine. <i>Applied Organometallic Chemistry</i> , 2018 , 32, e4196	3.1	8
94	The effect of Co and N of porous carbon-based materials fabricated via sacrificial templates MOFs on improving DA and UA electrochemical detection. <i>Microporous and Mesoporous Materials</i> , 2018 , 263, 21-27	5.3	21
93	Physiological level and selective electrochemical sensing of dopamine by a solution processable graphene and its enhanced sensing property in general. <i>Sensors and Actuators B: Chemical</i> , 2018 , 256, 488-497	8.5	22
92	Development and Application of a Voltammetric Biosensor Based on Polypyrrole/uricase/graphene for Uric Acid Determination. <i>Electroanalysis</i> , 2018 , 30, 119-127	3	13
91	Electrochemical reduced graphene oxide-poly(eriochrome black T)/gold nanoparticles modified glassy carbon electrode for simultaneous determination of ascorbic acid, dopamine and uric acid. <i>Arabian Journal of Chemistry</i> , 2018 , 11, 1301-1312	5.9	19
90	Facile synthesis of nitrogen-doped graphene aerogels for electrochemical detection of dopamine. <i>Solid State Sciences</i> , 2018 , 86, 6-11	3.4	27
89	Amperometric nanomolar detection of dopamine using metal free carbon nanotubes synthesized by a simple chemical approach. <i>Materials Research Express</i> , 2018 , 5, 095604	1.7	1
88	Cost-effective synthesis of three-dimensional nitrogen-doped nanostructured carbons with hierarchical architectures from the biomass of sea-tangle for the amperometric determination of ascorbic acid. <i>Analytica Chimica Acta</i> , 2018 , 1029, 15-23	6.6	23
87	Chemisorbed palladium phthalocyanine for simultaneous determination of biomolecules. <i>Microchemical Journal</i> , 2018 , 143, 82-91	4.8	22
86	Development of graphene-based nanocomposites as potential materials for supercapacitors and electrochemical cells. 2019 , 145-154		5
85	Fabrication and application of graphene-based composites for indoor air quality and wastewater treatment. 2019 , 359-387		

84	Primary and Secondary Mesoscopic Hybrid Materials of Au Nanoparticles@Silk Fibroin and Applications. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 30125-30136	9.5	11
83	Functionalization of β -cyclodextrin into ambient plasma modified carbon nanotube-thermally reduced graphite oxide for electrochemical sensing of uric acid. <i>Materials Chemistry and Physics</i> , 2019 , 238, 121899	4.4	11
82	Graphene oxide based highly sensitive electrochemical sensor for detection of environmental pollutants and biomolecules. <i>Materials Research Express</i> , 2019 , 6, 085548	1.7	9
81	Porous boron doped diamond for dopamine sensing: Effect of boron doping level on morphology and electrochemical performance. <i>Electrochimica Acta</i> , 2019 , 327, 135025	6.7	27
80	Development of graphene-chitosan composite modified screen-printed carbon electrode and its application for detection of rutin. <i>IOP Conference Series: Earth and Environmental Science</i> , 2019 , 299, 012005	0.3	2
79	Electrodeposited NiO/graphene oxide nanocomposite: An enhanced voltammetric sensing platform for highly sensitive detection of uric acid, dopamine and ascorbic acid. <i>Journal of Electroanalytical Chemistry</i> , 2019 , 852, 113516	4.1	15
78	A Novel Electrochemical Sensing of 8-Hydroxy-5-Nitro-Quinoline Moiety using Graphene-Oxide Fabricated Glassy Carbon Electrode. <i>Analytical Chemistry Letters</i> , 2019 , 9, 430-452	1	4
77	Influence of Cathodic Pretreatment in the Electrocatalytic Properties PANI Modified Electrodes. <i>Electroanalysis</i> , 2019 , 31, 766-770	3	0
76	Sandwich-structured nanoparticles-grafted functionalized graphene based 3D nanocomposites for high-performance biosensors to detect ascorbic acid biomolecule. <i>Scientific Reports</i> , 2019 , 9, 1226	4.9	51
75	Determination of three phenolic acids in <i>Cimicifugae</i> rhizoma by capillary electrophoresis with a graphene-phenolic resin composite electrode. <i>Analytical Methods</i> , 2019 , 11, 303-308	3.2	11
74	Co3O4-CuNi/reduced graphene composite for non-enzymatic detection of ascorbic acid. <i>Materials Technology</i> , 2019 , 34, 665-673	2.1	6
73	In-situ synthesis of 3D ultra-small gold augmented graphene hybrid for highly sensitive electrochemical binding capability. <i>Journal of Colloid and Interface Science</i> , 2019 , 553, 289-297	9.3	9
72	Nafion coated Au nanoparticle-graphene quantum dot nanocomposite modified working electrode for voltammetric determination of dopamine. <i>Inorganic Chemistry Communication</i> , 2019 , 105, 174-181	3.1	16
71	Ultrasensitive Reduced Graphene Oxide-Poly(Procion)/Gold Nanoparticles Modified Glassy Carbon Electrode for Selective and Simultaneous Determination of Ascorbic Acid, Dopamine, and Uric Acid. <i>Journal of the Electrochemical Society</i> , 2019 , 166, B664-B672	3.9	13
70	Synthesis of reduced graphene oxide/Co3O4 nanocomposite electrode material for sensor application. <i>Research on Chemical Intermediates</i> , 2019 , 45, 3033-3051	2.8	6
69	Synthesis of CeO2/reduced graphene oxide nanocomposite for electrochemical determination of ascorbic acid and dopamine and for photocatalytic applications. <i>Materials Today Chemistry</i> , 2019 , 12, 222-232	6.2	33
68	Poly(amido amine) dendrimer and silver nanoparticle-multi-walled carbon nanotubes composite with poly(neutral red)-modified electrode for the determination of ascorbic acid. <i>Bulletin of Materials Science</i> , 2019 , 42, 1	1.7	6
67	Ultrasound-assisted synthesis of β -MnS (alabandite) nanoparticles decorated reduced graphene oxide hybrids: Enhanced electrocatalyst for electrochemical detection of Parkinson's disease biomarker. <i>Ultrasonics Sonochemistry</i> , 2019 , 56, 378-385	8.9	15

66	Yttrium Hexacyanoferrate Microflowers on Freestanding Three-Dimensional Graphene Substrates for Ascorbic Acid Detection. <i>ACS Applied Nano Materials</i> , 2019 , 2, 2212-2221	5.6	23
65	Nanodiamond based surface modified screen-printed electrodes for the simultaneous voltammetric determination of dopamine and uric acid. <i>Mikrochimica Acta</i> , 2019 , 186, 200	5.8	30
64	A ZIF-8 derived nitrogen-doped porous carbon and nitrogen-doped graphene nanocomposite modified electrode for simultaneous determination of ascorbic acid, dopamine and uric acid. <i>New Journal of Chemistry</i> , 2019 , 43, 16819-16828	3.6	10
63	Chemically modified electrodes with MOFs for the determination of inorganic and organic analytes via voltammetric techniques: a critical review. <i>Inorganic Chemistry Frontiers</i> , 2019 , 6, 3440-3455	6.8	24
62	Hydrogel-Graphene Oxide Nanocomposites as Electrochemical Platform to Simultaneously Determine Dopamine in Presence of Ascorbic Acid Using an Unmodified Glassy Carbon Electrode. <i>Journal of Composites Science</i> , 2019 , 3, 1	3	9
61	Surface N-doped graphene sheets induced high electrocatalytic activity for selective ascorbic acid sensing. <i>Sensors and Actuators B: Chemical</i> , 2019 , 283, 556-562	8.5	12
60	Seed-mediated growth of platinum nanoparticles anchored on chemically modified graphene and cationic polyelectrolyte composites for electrochemical multi-sensing applications. <i>Sensors and Actuators B: Chemical</i> , 2019 , 282, 780-789	8.5	15
59	Investigating the electrochemical behaviour and detection of uric acid on ITO electrodes modified with differently doped N-graphene films. <i>Journal of Electroanalytical Chemistry</i> , 2019 , 833, 160-168	4.1	17
58	Artificial Neural Networks for the Resolution of Dopamine and Serotonin Complex Mixtures Using a Graphene-Modified Carbon Electrode. <i>Electroanalysis</i> , 2019 , 31, 390-397	3	7
57	Doped-Graphene Modified Electrochemical Sensors. 2019 , 67-87		2
56	Graphene Polymer Modified Electrochemical Sensors. 2019 , 155-186		6
55	Comparison of activation processes for 3D printed PLA-graphene electrodes: electrochemical properties and application for sensing of dopamine. <i>Analyst, The</i> , 2020 , 145, 1207-1218	5	61
54	Tin disulfide nanorod-graphene-β-cyclodextrin nanocomposites for sensing dopamine in rat brains and human blood serum. <i>Materials Science and Engineering C</i> , 2020 , 108, 110367	8.3	21
53	Electrochemical synthesis and characterization of poly(thionine)-deep eutectic solvent/carbon nanotube-modified electrodes and application to electrochemical sensing. <i>Mikrochimica Acta</i> , 2020 , 187, 609	5.8	9
52	Time-Based Sensor Interface for Dopamine Detection. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2020 , 67, 3284-3296	3.9	1
51	Electrochemical sensor based on modified methylcellulose by graphene oxide and Fe ₃ O ₄ nanoparticles: Application in the analysis of uric acid content in urine. <i>Journal of Electroanalytical Chemistry</i> , 2020 , 877, 114503	4.1	32
50	A Fouling-Resistant Voltammetric Sensing System for Wearable Electroactive Biomarker Monitoring. <i>Journal of Microelectromechanical Systems</i> , 2020 , 29, 1059-1063	2.5	3
49	Molybdenum disulfide-graphene van der Waals heterostructures as stable and sensitive electrochemical sensing platforms. <i>Tungsten</i> , 2020 , 2, 411-422	4.6	6

48	Highly Selective Electrochemical Sensing of Dopamine, Xanthine, Ascorbic Acid and Uric Acid Using a Carbon Fiber Paper. <i>IEEE Sensors Journal</i> , 2020 , 20, 11707-11712	4	9
47	Hydrothermal synthesis of intertwining network structured TiO ₂ nanocomposite: A promising material for the effective monitoring of dopamine and anodic performance in lithium-ion battery. <i>Synthetic Metals</i> , 2020 , 265, 116403	3.6	6
46	Electrochemical ascorbic acid sensor of composite film based on Keggin-type Vanadium-substituted Polyoxometalates decorated with graphene and Ru(bpy) ₃ ²⁺ . <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2020 , 592, 124550	5.1	6
45	ReviewRecent Advances in Carbon Nanomaterials as Electrochemical Biosensors. <i>Journal of the Electrochemical Society</i> , 2020 , 167, 037555	3.9	148
44	Ternary nanocomposite-based reduced graphene oxide/chitosan/Cr ₂ O ₃ for the simultaneous determination of dopamine, uric acid, xanthine, and hypoxanthine in fish meat. <i>Analytical Methods</i> , 2020 , 12, 1650-1661	3.2	11
43	ChitosanBe ₃ O ₄ nanoparticle enzymatic electrodes on paper as an efficient assay for glucose and uric acid detection in biological fluids. <i>Chemical Papers</i> , 2020 , 74, 2675-2687	1.9	7
42	Analysis of uric acid adsorption on armchair silicene nanoribbons: a DFT study. <i>Journal of Molecular Modeling</i> , 2020 , 26, 63	2	2
41	Coupled graphene oxide with hybrid metallic nanoparticles as potential electrochemical biosensors for precise detection of ascorbic acid within blood. <i>Analytica Chimica Acta</i> , 2020 , 1107, 183-192	6.6	43
40	Application of Graphene Nanocomposite in the Electrochemical Detection. <i>Advances in Analytical Chemistry</i> , 2021 , 11, 153-160	0	
39	Host guest inclusion complex/polymer-CNT composite for efficient determination of uric acid in presence of interfering species. <i>Journal of Electroanalytical Chemistry</i> , 2021 , 882, 115012	4.1	3
38	Miniaturized PMMA Electrochemical Platform With Carbon Fiber for Multiplexed and Noninterfering Biosensing of Real Samples. <i>IEEE Transactions on Electron Devices</i> , 2021 , 68, 769-774	2.9	3
37	Crystalline growth of tungsten trioxide (WO ₃) nanorods and their development as an electrochemical sensor for selective detection of vitamin C. <i>Journal of Materials Science: Materials in Electronics</i> , 2021 , 32, 6344-6357	2.1	10
36	One-dimensional nitrogen doped porous carbon nano-array arranged by carbon nanotubes for electrochemical sensing ascorbic acid, dopamine and uric acid simultaneously. <i>Nanotechnology</i> , 2021 ,	3.4	4
35	An Evaluation on Determining Dopamine and Uric Acid in the Presence Ascorbic Acid Aded Using Carbon Paste Electrodes Modified by Nanoclay-Ionic Liquids. <i>Russian Journal of Electrochemistry</i> , 2021 , 57, 757-764	1.2	
34	Synthesis and characterization of a bi-functionalized lithium cobalt iron oxide/graphene nano-architected composite material for electrochemical sensing of dopamine and as cathode in lithium-ion battery. <i>Monatshefte Für Chemie</i> , 2021 , 152, 785	1.4	1
33	Cyclodextrin-based nano-carrier for intelligent delivery of dopamine in a self-healable anti-corrosion coating. <i>Journal of Environmental Chemical Engineering</i> , 2021 , 9, 105457	6.8	3
32	Progress in pretreatment and analysis of organic Acids: An update since 2010. <i>Food Chemistry</i> , 2021 , 360, 129977	8.5	3
31	Flexible Graphene substrates for electrochemical analysis and construction of functional nanostructures. <i>Electrochimica Acta</i> , 2021 , 392, 139008	6.7	

30	Graphitic carbon nitride composites as electro catalysts: Applications in energy conversion/storage and sensing system. <i>Journal of Cleaner Production</i> , 2021 , 320, 128693	10.3	1
29	Effect of particle-size distribution and pressure-induced densification on the microstructure and properties of printable thermoelectric composites and high energy density flexible devices. <i>Nano Energy</i> , 2021 , 89, 106482	17.1	1
28	Layer-by-layer sensor architecture of polymers and nanoparticles for electrochemical detection of uric acid in human urine samples. <i>Materials Today Chemistry</i> , 2021 , 22, 100561	6.2	1
27	Utilization of nitrogen self-doped biocarbon derived from soybean nodule in electrochemically sensing ascorbic acid and dopamine. <i>Journal of Porous Materials</i> , 2021 , 28, 529-541	2.4	0
26	Advances in Carbon Nanomaterial-Based Green Nanocomposites. 2020 , 175-201		1
25	A highly sensitive biosensor based on methacrylated graphene oxide-grafted polyaniline for ascorbic acid determination. <i>Nanotechnology Reviews</i> , 2020 , 9, 760-767	6.3	27
24	Electroanalysis of Catecholamine Drugs using Graphene Modified Electrodes. <i>Current Analytical Chemistry</i> , 2019 , 15, 443-466	1.7	4
23	Electro-Oxidation Mechanism of Meloxicam and Electrochemical Sensing Platform Based on Graphene Nanoparticles for its Sensing Pharmaceutical Sample. <i>Current Pharmaceutical Analysis</i> , 2019 , 15, 346-354	0.6	2
22	Flexible Electrochemical Sensor With Graphene and Gold Nanoparticles to Detect Dopamine and Uric Acid. <i>IEEE Sensors Journal</i> , 2021 , 1-1	4	2
21	Biosensor Based on Chitosan Nanocomposite. 277-307		
20	Carbon Nanomaterials-based Enzymatic Electrochemical Sensing. 155-208		
19	Selective and simultaneous sensing of ascorbic acid, dopamine and uric acid based on nitrogen-doped mesoporous carbon. <i>Analytical Methods</i> , 2020 , 12, 5344-5352	3.2	1
18	Termal indirgenmiş grafen oksit ile elektrokimyasal olarak askorbik asit tayini.		
17	Development of a Novel Nanocomposite Based on Reduced Graphene Oxide/Chitosan/Au/ZnO and Electrochemical Sensor for Determination of Losartan. <i>Current Analytical Chemistry</i> , 2020 , 16, 996-1009	1.7	0
16	A Double-Deck Structure of Reduced Graphene Oxide Modified Porous TiCT Electrode towards Ultrasensitive and Simultaneous Detection of Dopamine and Uric Acid. <i>Biosensors</i> , 2021 , 11,	5.9	3
15	Construction of Electrochemical and Photoelectrochemical Sensing Platform Based on Porphyrinic Metal-Organic Frameworks for Determination of Ascorbic Acid.. <i>Nanomaterials</i> , 2022 , 12,	5.4	0
14	An innovative electrically conductive biopolymer based on poly (Eyclodextrin) towards recognition of ascorbic acid in real sample: Utilization of biocompatible advanced materials in biomedical analysis.. <i>Journal of Molecular Recognition</i> , 2022 , e2953	2.6	1
13	Novel three-dimensional graphene nanomesh prepared by facile electro-etching for improved electroanalytical performance for small biomolecules. <i>Materials and Design</i> , 2022 , 215, 110506	8.1	5

12	An electrochemical sensor based on reduced graphene oxide/β-cyclodextrin/multiwall carbon nanotubes/ polyoxometalate tetracomponent hybrid: Simultaneous determination of ascorbic acid, dopamine and uric acid. <i>Microchemical Journal</i> , 2022 , 180, 107533	4.8	3
11	Novel electrochemical sensor based on Fe ₃ O ₄ -ZrO ₂ -graphene oxide for determination of dopamine.		1
10	Eggshell nano-CaCO ₃ decorated PANi/rGO composite for sensitive determination of ascorbic acid, dopamine, and uric acid in human blood serum and urine. 2022 , 33, 104357		1
9	Electrochemical Determination of Morin in Natural Food Using a Chitosan-Graphene Glassy Carbon Modified Electrode. 2022 , 22, 7780		0
8	Chemically reduced graphene oxide/chitosan hybrid; a nanoscale Fabric Starch- 2023 , 609, 155229		0
7	Fabrication of organic-inorganic hybrid device for optoelectronic applications: Charge carriers dynamics and photoresponse assessment. 2023 , 292, 117210		0
6	An electrochemical sensor for flubendiamide insecticide analysis based on a chitosan/reduced graphene oxide.		0
5	Neuro-nanotechnology: diagnostic and therapeutic nano-based strategies in applied neuroscience. 2023 , 22,		0
4	Highly Heterogeneous Morphology of Cobalt Oxide Nanostructures for the Development of Sensitive and Selective Ascorbic Acid Non-Enzymatic Sensor. 2023 , 13, 147		2
3	Construction of the embedded Li ₄ Ti ₅ O ₁₂ -MWCNTs nanocomposite electrode for diverse applications in electrochemical sensing and rechargeable battery.		0
2	Development of a Non-Enzymatic Vitamin-C Electrochemical Sensor Based on rGO/Ce ₂ (SO ₄) ₃ Hierarchical Nanocomposite. 2023 , 170, 037504		0
1	Construction of the Embedded Li ₄ Ti ₅ O ₁₂ -MWCNTs Nanocomposite Electrode for Diverse Applications in Electrochemical Sensing and Rechargeable Battery.		0