

# CITATION REPORT

List of articles citing

Prediction of malignant middle cerebral artery infarction by magnetic resonance imaging within 6 hours of symptom onset: A prospective multicenter observational study

DOI: 10.1002/ana.22125

Annals of Neurology, 2010, 68, 435-45.

**Source:** <https://exaly.com/paper-pdf/48126284/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
185	In brief. <b>2010</b> , 6, 645-645		
184	Managing malignant cerebral infarction. <b>2011</b> , 13, 217-29		39
183	Prediction of malignant middle cerebral artery infarction using computed tomography-based intracranial volume reserve measurements. <i>Stroke</i> , <b>2011</b> , 42, 3403-9	6.7	86
182	Hospital-based management of acute ischemic stroke following intravenous thrombolysis. <b>2011</b> , 9, 463-72		2
181	Hemicraniectomy in malignant middle cerebral artery infarction. <i>Stroke</i> , <b>2011</b> , 42, 513-6	6.7	49
180	Malignant middle cerebral artery infarction. <b>2012</b> , 18, 152-63		50
179	Baroreflex sensitivity to predict malignant middle cerebral artery infarction. <i>Stroke</i> , <b>2012</b> , 43, 714-9	6.7	27
178	Sulfonylurea receptor 1 in central nervous system injury: a focused review. <i>Journal of Cerebral Blood Flow and Metabolism</i> , <b>2012</b> , 32, 1699-717	7.3	141
177	The severity of ischemia determines and predicts malignant brain edema in patients with large middle cerebral artery infarction. <b>2012</b> , 33, 1-7		30
176	Malignant CTA collateral profile is highly specific for large admission DWI infarct core and poor outcome in acute stroke. <b>2012</b> , 33, 1331-6		181
175	Imaging-based selection in acute ischemic stroke trials - a quest for imaging sweet spots. <b>2012</b> , 1268, 63-71		19
174	Future trials of endovascular mechanical recanalisation therapy in acute ischemic stroke patients - a position paper endorsed by ESMINT and ESNR : part II: methodology of future trials. <b>2012</b> , 54, 1303-12		5
173	Reliability of cerebral blood volume maps as a substitute for diffusion-weighted imaging in acute ischemic stroke. <b>2012</b> , 36, 1083-7		17
172	Use of perfusion imaging and other imaging techniques to assess risks/benefits of acute stroke interventions. <b>2013</b> , 15, 336		9
171	Validating imaging biomarkers of cerebral edema in patients with severe ischemic stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2013</b> , 22, 742-9	2.8	34
170	Prediction of poor outcome in cerebellar infarction by diffusion MRI. <i>Neurocritical Care</i> , <b>2013</b> , 19, 276-82,3		7
169	Use of DWI-only MR protocol for screening stroke mimics. <i>Journal of the Neurological Sciences</i> , <b>2013</b> , 328, 37-40	3.2	19

168	Decompressive hemicraniectomy in pediatric patients with malignant middle cerebral artery infarction: case series and review of the literature. <i>World Neurosurgery</i> , <b>2013</b> , 80, 126-33	2.1	24
167	Acute stroke imaging: recent updates. <b>2013</b> , 2013, 767212		6
166	Glibenclamide for the treatment of acute CNS injury. <b>2013</b> , 6, 1287-303		50
165	Nationwide survey of decompressive hemicraniectomy for malignant middle cerebral artery infarction in Japan. <i>World Neurosurgery</i> , <b>2014</b> , 82, 1158-63	2.1	34
164	Recommendations for the management of cerebral and cerebellar infarction with swelling: a statement for healthcare professionals from the American Heart Association/American Stroke Association. <i>Stroke</i> , <b>2014</b> , 45, 1222-38	6.7	305
163	Low Alberta Stroke Program Early CT score (ASPECTS) associated with malignant middle cerebral artery infarction. <b>2014</b> , 38, 39-45		27
162	Early transfer of patients with stroke to comprehensive centers is necessary. <i>Stroke</i> , <b>2014</b> , 45, 3748-9	6.7	5
161	Brain edema predicts outcome after nonlacunar ischemic stroke. <i>Stroke</i> , <b>2014</b> , 45, 3643-8	6.7	94
160	Reply to the letter from Dale Ding, MD. <b>2014</b> , 38, 393-4		
159	When you are old. <i>Stroke</i> , <b>2014</b> , 45, 2830-2	6.7	
158	The DASH score: a simple score to assess risk for development of malignant middle cerebral artery infarction. <i>Journal of the Neurological Sciences</i> , <b>2014</b> , 338, 102-6	3.2	27
157	Potential of glyburide to reduce intracerebral edema in brain metastases. <b>2014</b> , 14, 379-88		8
156	Hemicraniectomy for malignant middle cerebral artery infarction: current status and future directions. <i>International Journal of Stroke</i> , <b>2014</b> , 9, 460-7	6.3	29
155	Combining magnetic resonance imaging within six-hours of symptom onset with clinical follow-up at 24 h improves prediction of 'malignant' middle cerebral artery infarction. <i>International Journal of Stroke</i> , <b>2014</b> , 9, 210-4	6.3	20
154	Pilot study of intravenous glyburide in patients with a large ischemic stroke. <i>Stroke</i> , <b>2014</b> , 45, 281-3	6.7	65
153	Malignant hemispheric infarction: diagnosis and management by hemicraniectomy. <i>Stroke</i> , <b>2014</b> , 45, e185-7	6.7	4
152	A simple brain atrophy measure improves the prediction of malignant middle cerebral artery infarction by acute DWI lesion volume. <i>Journal of Neurology</i> , <b>2014</b> , 261, 1097-103	5.5	28
151	Exploratory analysis of glyburide as a novel therapy for preventing brain swelling. <i>Neurocritical Care</i> , <b>2014</b> , 21, 43-51	3.3	36

150	Space-occupying hemispheric infarction: clinical course, prediction, and prognosis. 190-193		
149	In Acute Stroke, Can CT Perfusion-Derived Cerebral Blood Volume Maps Substitute for Diffusion-Weighted Imaging in Identifying the Ischemic Core?. <b>2015</b> , 10, e0133566		22
148	Malignant MCA Stroke: an Update on Surgical Decompression and Future Directions. <b>2015</b> , 17, 40		12
147	Decompressive craniectomy for massive internal carotid artery infarction after pediatric penetrating neck trauma. <b>2015</b> , 157, 2093-7		
146	Evidence-based guidelines for the management of large hemispheric infarction : a statement for health care professionals from the Neurocritical Care Society and the German Society for Neuro-intensive Care and Emergency Medicine. <i>Neurocritical Care</i> , <b>2015</b> , 22, 146-64	3.3	91
145	Hemispheric differences in malignant middle cerebral artery stroke. <i>Journal of the Neurological Sciences</i> , <b>2015</b> , 353, 20-7	3.2	10
144	The prediction of malignant middle cerebral artery infarction: a predicting approach using random forest. <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2015</b> , 24, 958-64	2.8	8
143	Poor Collateral Circulation Assessed by Multiphase Computed Tomographic Angiography Predicts Malignant Middle Cerebral Artery Evolution After Reperfusion Therapies. <i>Stroke</i> , <b>2015</b> , 46, 3149-53	6.7	36
142	Treatment of malignant brain edema and increased intracranial pressure after stroke. <b>2015</b> , 17, 327		20
141	Malignant hemispheric infarction of the middle cerebral artery. Diagnostic considerations and treatment options. <b>2016</b> , 31, 332-43		9
140	Malignant hemispheric infarction of the middle cerebral artery. Diagnostic considerations and treatment options. <b>2016</b> , 31, 332-343		1
139	Global White Matter Hypoperfusion on CT Predicts Larger Infarcts and Hemorrhagic Transformation after Acute Ischemia. <i>CNS Neuroscience and Therapeutics</i> , <b>2016</b> , 22, 238-43	6.8	13
138	Today's Approach to Treating Brain Swelling in the Neuro Intensive Care Unit. <b>2016</b> , 36, 502-507		25
137	Automated quantification of cerebral edema following hemispheric infarction: Application of a machine-learning algorithm to evaluate CSF shifts on serial head CTs. <b>2016</b> , 12, 673-680		41
136	Association Between Prolonged Seizures and Malignant Middle Cerebral Artery Infarction in Children With Acute Ischemic Stroke. <b>2016</b> , 64, 44-51		12
135	Safety and efficacy of intravenous glyburide on brain swelling after large hemispheric infarction (GAMES-RP): a randomised, double-blind, placebo-controlled phase 2 trial. <b>2016</b> , 15, 1160-9		147
134	A Biophysical Model for Cytotoxic Cell Swelling. <b>2016</b> , 36, 11881-11890		32
133	Malignant Ischemic Infarction. <b>2016</b> , 195-210		

132 Gestione dell'infarto cerebrale acuto. **2016**, 16, 1-22

131 Prediction of Malignant Middle Cerebral Artery Infarction in Elderly Patients. *Journal of Stroke and Cerebrovascular Diseases*, **2016**, 25, 1389-95 2.8 13

130 [Competence Network Stroke. A successful model for stroke research]. **2016**, 59, 430-7

129 [Survey regarding the treatment of malignant middle cerebral artery infarction in German hospitals]. **2016**, 87, 426-32

128 Imaging Findings Associated with Space-Occupying Edema in Patients with Large Middle Cerebral Artery Infarcts. **2016**, 37, 831-7 20

127 Decompressive Craniectomy for Infarction and Hemorrhage. **2016**, 1200-1217

126 Letter by Neugebauer and Jettler Regarding Article, "Poor Collateral Circulation Assessed by Multiphase Computed Tomographic Angiography Predicts Malignant Middle Cerebral Artery Evolution After Reperfusion Therapies". *Stroke*, **2016**, 47, e33 6.7 1

125 Glycerol Advantage in Malignant Edema and Stroke (GAMES-RP) Trial: Rationale and Design. *Neurocritical Care*, **2016**, 24, 132-9 3.3 32

124 CSF Volumetric Analysis for Quantification of Cerebral Edema After Hemispheric Infarction. *Neurocritical Care*, **2016**, 24, 420-7 3.3 18

123 Enhanced Detection of Edema in Malignant Anterior Circulation Stroke (EDEMA) Score: A Risk Prediction Tool. *Stroke*, **2017**, 48, 1969-1972 6.7 39

122 Critical Care Management of Acute Ischemic Stroke. **2017**, 19, 41 17

121 Permeability surface area product analysis in malignant brain edema prediction - A pilot study. *Journal of the Neurological Sciences*, **2017**, 376, 206-210 3.2 1

120 Post-thrombectomy management of the ELVO patient: Guidelines from the Society of NeuroInterventional Surgery. **2017**, 9, 1258-1266 22

119 Predictors for Cerebral Edema in Acute Ischemic Stroke Treated With Intravenous Thrombolysis. *Stroke*, **2017**, 48, 2464-2471 6.7 47

118 Timing of Symptomatic Infarct Swelling Following Intravenous Thrombolysis in Acute Middle Cerebral Artery Infarction: A Case-Control Study. **2017**, 23, 814-820 3

117 Cerebral Edema in Cerebrovascular Diseases. **2017**, 431-456 1

116 In patients with suspected acute stroke, CT perfusion-based cerebral blood flow maps cannot substitute for DWI in measuring the ischemic core. **2017**, 12, e0188891 32

115 Factors that Can Help Select the Timing for Decompressive Hemicraniectomy for Malignant MCA Stroke. **2018**, 9, 600-607 5

114	Impact of Brain Atrophy on Early Neurological Deterioration and Outcome in Severe Ischemic Stroke Treated by Intravenous Thrombolysis. <b>2018</b> , 79, 240-246		6
113	Association of Reperfusion With Brain Edema in Patients With Acute Ischemic Stroke: A Secondary Analysis of the MR CLEAN Trial. <b>2018</b> , 75, 453-461		57
112	Apparent Diffusion Coefficient Signal Intensity Ratio Predicts the Effect of Revascularization on Ischemic Cerebral Edema. <b>2018</b> , 45, 93-100		12
111	Reperfusion after ischemic stroke is associated with reduced brain edema. <i>Journal of Cerebral Blood Flow and Metabolism</i> , <b>2018</b> , 38, 1807-1817	7.3	28
110	Computed Tomography-Based Imaging of Voxel-Wise Lesion Water Uptake in Ischemic Brain: Relationship Between Density and Direct Volumetry. <b>2018</b> , 53, 207-213		47
109	Pretreatment predictors of malignant evolution in patients with ischemic stroke undergoing mechanical thrombectomy. <b>2018</b> , 10, 340-344		14
108	Outcome Prediction by 40-Hz Steady-State Response After Large Hemispheric Infarction. <i>Frontiers in Neurology</i> , <b>2018</b> , 9, 1093	4.1	
107	Effect of IV glyburide on adjudicated edema endpoints in the GAMES-RP Trial. <i>Neurology</i> , <b>2018</b> , 91, e2168-e2169		5
106	Early Prediction of Malignant Brain Edema After Ischemic Stroke. <i>Stroke</i> , <b>2018</b> , 49, 2918-2927	6.7	58
105	Select hyperacute complications of ischemic stroke: cerebral edema, hemorrhagic transformation, and orolingual angioedema secondary to intravenous Alteplase. <b>2018</b> , 18, 749-759		7
104	What to Look for on Post-stroke Neuroimaging. <b>2018</b> , 28, 649-662		5
103	Long-Term Outcomes in Patients Aged ≥70 Years With Intravenous Glyburide From the Phase II GAMES-RP Study of Large Hemispheric Infarction: An Exploratory Analysis. <i>Stroke</i> , <b>2018</b> , 49, 1457-1463	6.7	31
102	Quantitative Lesion Water Uptake in Acute Stroke Computed Tomography Is a Predictor of Malignant Infarction. <i>Stroke</i> , <b>2018</b> , 49, 1906-1912	6.7	52
101	Brain Midline Shift Measurement and Its Automation: A Review of Techniques and Algorithms. <b>2018</b> , 2018, 4303161		26
100	A Novel Neuroimaging Model to Predict Early Neurological Deterioration After Acute Ischemic Stroke. <b>2018</b> , 15, 129-137		4
99	Cerebral Edema Associated With Large Hemispheric Infarction. <i>Stroke</i> , <b>2019</b> , 50, 2619-2625	6.7	24
98	Ischemic Stroke in the Neurocritical Care Unit. <b>2019</b> , 103-128		
97	BIIB093 (IV glibenclamide): an investigational compound for the prevention and treatment of severe cerebral edema. <b>2019</b> , 28, 1031-1040		21

96	Intravenous Glibenclamide Reduces Lesional Water Uptake in Large Hemispheric Infarction. <i>Stroke</i> , <b>2019</b> , 50, 3021-3027	6.7	31
95	Predicting cerebral edema in ischemic stroke patients. <b>2019</b> , 40, 745-752		12
94	Recent Nationwide Impact of Mechanical Thrombectomy on Decompressive Hemicraniectomy for Acute Ischemic Stroke. <i>Stroke</i> , <b>2019</b> , 50, 2133-2139	6.7	27
93	Intracranial Cerebrospinal Fluid Volume as a Predictor of Malignant Middle Cerebral Artery Infarction. <i>Stroke</i> , <b>2019</b> , STROKEAHA119024882	6.7	12
92	Clinical benefit of thrombectomy in stroke patients with low ASPECTS is mediated by oedema reduction. <b>2019</b> , 142, 1399-1407		87
91	Decompressive Hemicraniectomy in Elderly Patients With Space-Occupying Infarction (DECAP): A Prospective Observational Study. <i>Neurocritical Care</i> , <b>2019</b> , 31, 97-106	3.3	4
90	Infarct Volume Predicts Hospitalization Costs in Anterior Circulation Large-Vessel Occlusion Stroke. <b>2019</b> , 40, 51-58		2
89	Stereotactic Aspiration of Necrotic Brain Tissue for Treating Malignant Middle Cerebral Artery Infarction: A Report of 13 Consecutive Cases. <i>World Neurosurgery</i> , <b>2018</b> ,	2.1	2
88	Endovascular stroke treatment's impact on malignant type of edema (ESTIMATE). <i>Journal of Neurology</i> , <b>2019</b> , 266, 223-231	5.5	13
87	Role of Decompressive Craniectomy in Ischemic Stroke. <i>Frontiers in Neurology</i> , <b>2018</b> , 9, 1119	4.1	28
86	Predictors of decompressive hemicraniectomy in malignant middle cerebral artery stroke. <b>2019</b> , 42, 175-181		2
85	External Validation and Modification of the EDEMA Score for Predicting Malignant Brain Edema After Acute Ischemic Stroke. <i>Neurocritical Care</i> , <b>2020</b> , 32, 104-112	3.3	9
84	Predicting Malignant Cerebral Edema After Large Hemispheric Stroke. <i>Neurocritical Care</i> , <b>2020</b> , 32, 84-85	3.3	3
83	What is the Role of Hyperosmolar Therapy in Hemispheric Stroke Patients?. <i>Neurocritical Care</i> , <b>2020</b> , 32, 609-619	3.3	2
82	Found in translation: The rationale behind the early development of glibenclamide in large hemispheric infarction. <i>Neuroscience Letters</i> , <b>2020</b> , 716, 134672	3.3	1
81	Scoring of Middle Cerebral Artery Collaterals Predicts RAPID CT-Perfusion Analysis and Short-Term Outcomes in Acute Ischemic Stroke Patients Undergoing Thrombectomy. <i>World Neurosurgery</i> , <b>2020</b> , 135, e494-e499	2.1	3
80	Reduction in Cerebrospinal Fluid Volume as an Early Quantitative Biomarker of Cerebral Edema After Ischemic Stroke. <i>Stroke</i> , <b>2020</b> , 51, 462-467	6.7	11
79	Predictors of malignant cerebral edema in cerebral artery infarction: A meta-analysis. <i>Journal of the Neurological Sciences</i> , <b>2020</b> , 409, 116607	3.2	7

78	Pharmacological hypothermia induced neurovascular protection after severe stroke of transient middle cerebral artery occlusion in mice. <i>Experimental Neurology</i> , <b>2020</b> , 325, 113133	5.7	10
77	A web based dynamic MANA Nomogram for predicting the malignant cerebral edema in patients with large hemispheric infarction. <i>BMC Neurology</i> , <b>2020</b> , 20, 360	3.1	3
76	Hypoperfusion Intensity Ratio Predicts Malignant Edema and Functional Outcome in Large-Vessel Occlusive Stroke with Poor Revascularization. <i>Neurocritical Care</i> , <b>2021</b> , 35, 79-86	3.3	5
75	Quantitative Serial CT Imaging-Derived Features Improve Prediction of Malignant Cerebral Edema after Ischemic Stroke. <i>Neurocritical Care</i> , <b>2020</b> , 33, 785-792	3.3	8
74	Impaired consciousness at stroke onset in large hemisphere infarction: incidence, risk factors and outcome. <i>Scientific Reports</i> , <b>2020</b> , 10, 13170	4.9	5
73	Optic nerve sheath diameter change in prediction of malignant cerebral edema in ischemic stroke: an observational study. <i>BMC Neurology</i> , <b>2020</b> , 20, 354	3.1	2
72	Rates and Anticoagulation Treatment of Known Atrial Fibrillation in Patients with Acute Ischemic Stroke: A Real-World Study. <i>Advances in Therapy</i> , <b>2020</b> , 37, 4370-4380	4.1	
71	Lesion Age Imaging in Acute Stroke: Water Uptake in CT Versus DWI-FLAIR Mismatch. <i>Annals of Neurology</i> , <b>2020</b> , 88, 1144-1152	9.4	21
70	A Nomogram Model to Predict Malignant Cerebral Edema in Ischemic Stroke Patients Treated with Endovascular Thrombectomy: An Observational Study. <i>Neuropsychiatric Disease and Treatment</i> , <b>2020</b> , 16, 2913-2920	3.1	5
69	Early neutrophil count relates to infarct size and fatal outcome after large hemispheric infarction. <i>CNS Neuroscience and Therapeutics</i> , <b>2020</b> , 26, 829-836	6.8	11
68	Osmotherapy for malignant cerebral edema in a phase 2 prospective, double blind, randomized, placebo-controlled study of IV glibenclamide. <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2020</b> , 29, 104916	2.8	2
67	Early successful reperfusion after endovascular therapy reduces malignant middle cerebral artery infarction occurrence in young patients with large diffusion-weighted imaging lesions. <i>European Journal of Neurology</i> , <b>2020</b> , 27, 1988-1995	6	2
66	Prognostic value of cerebral infarction coefficient in patients with massive cerebral infarction. <i>Clinical Neurology and Neurosurgery</i> , <b>2020</b> , 196, 106009	2	2
65	Automated quantitative assessment of cerebral edema after ischemic stroke using CSF volumetrics. <i>Neuroscience Letters</i> , <b>2020</b> , 724, 134879	3.3	6
64	Prediction of Malignant Acute Middle Cerebral Artery Infarction via Computed Tomography Radiomics. <i>Frontiers in Neuroscience</i> , <b>2020</b> , 14, 708	5.1	5
63	Predictors of malignant middle cerebral artery infarction after mechanical thrombectomy. <i>Revue Neurologique</i> , <b>2020</b> , 176, 619-625	3	2
62	Clinical Implications of Preinterventional Thrombus Migration in Patients with Emergent Large Vessel Occlusion. <i>World Neurosurgery</i> , <b>2021</b> , 146, e1012-e1020	2.1	1
61	White Matter Hypoperfusion Associated with Leukoaraiosis Predicts Intracranial Hemorrhage after Intravenous Thrombolysis. <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2021</b> , 30, 105528	2.8	1



60	The Clinical Usefulness of Targeted Temperature Management in Acute Ischemic Stroke with Malignant Trait After Endovascular Thrombectomy. <i>Neurocritical Care</i> , <b>2021</b> , 34, 990-999	3.3	6
59	Outcome of acute brain swelling after successful recanalization with mechanical thrombectomy and related factors. <i>Nosotchu</i> , <b>2021</b> , 43, 117-123	0.1	
58	Decompressive Craniectomy: Breaking Skepticism. <b>2021</b> , 221-240		
57	Net Water Uptake Calculated in Standardized and Blindly Outlined Regions of the Middle Cerebral Artery Territory Predicts the Development of Malignant Edema in Patients With Acute Large Hemispheric Infarction. <i>Frontiers in Neurology</i> , <b>2021</b> , 12, 645590	4.1	2
56	The association between white matter changes and development of malignant middle cerebral artery infarction: A case-control study. <i>Medicine (United States)</i> , <b>2021</b> , 100, e25751	1.8	2
55	Association of Infarct Volume Before Hemispheric Craniectomy and Outcome After Malignant Infarction. <i>Neurology</i> , <b>2021</b> ,	6.5	0
54	Malignant infarction after endovascular treatment: Incidence and prediction. <i>International Journal of Stroke</i> , <b>2021</b> , 17474930211006290	6.3	2
53	European Stroke Organisation (ESO) guidelines on the management of space-occupying brain infarction. <i>European Stroke Journal</i> , <b>2021</b> , 6, XC-CX	5.6	3
52	Association between pre-treatment perfusion profile and cerebral edema after reperfusion therapies in ischemic stroke. <i>Journal of Cerebral Blood Flow and Metabolism</i> , <b>2021</b> , 41, 2887-2896	7.3	2
51	Decompressive hemicraniectomy in ischemic stroke. <i>Journal of Neurosurgical Sciences</i> , <b>2021</b> , 65, 249-258	1.3	0
50	Computed Tomography Based Score of Early Ischemic Changes Predicts Malignant Infarction. <i>Frontiers in Neurology</i> , <b>2021</b> , 12, 669828	4.1	0
49	Therapie des akuten ischämischen Schlaganfalls. <i>Intensivmedizin Up2date</i> , <b>2021</b> , 17, 355-375	0.1	
48	Accelerating Prediction of Malignant Cerebral Edema After Ischemic Stroke with Automated Image Analysis and Explainable Neural Networks. <i>Neurocritical Care</i> , <b>2021</b> , 1	3.3	3
47	Midline Shift Greater than 3mm Independently Predicts Outcome After Ischemic Stroke. <i>Neurocritical Care</i> , <b>2021</b> , 1	3.3	1
46	The evaluation of intracranial pressure evaluation by optic nerve sheath diameter measurement on bedside ultrasonography after ischemic stroke. <i>Clinical Neurology and Neurosurgery</i> , <b>2021</b> , 209, 106914	2	0
45	Decompressive Craniectomy for Infarction and Intracranial Hemorrhages. <b>2022</b> , 1100-1111.e4		
44	Human Data Supporting Glyburide in Ischemic Stroke. <i>Acta Neurochirurgica Supplementum</i> , <b>2016</b> , 121, 13-8	1.7	12
43	Novel Imaging Markers of Ischemic Cerebral Edema and Its Association with Neurological Outcome. <i>Acta Neurochirurgica Supplementum</i> , <b>2016</b> , 121, 223-6	1.7	1

42	Sonography of optic nerve sheath diameter identifies patients with middle cerebral artery infarction at risk of a malignant course: a pilot prospective observational study. <i>Journal of Neurology</i> , <b>2020</b> , 267, 2713-2720	5.5	4
41	Subarachnoid Contrast Accumulation and Alberta Stroke Program Early Computed Tomography Score Applied to Contrast Accumulation After Thrombectomy as Predictors of Symptomatic Hemorrhage. <i>World Neurosurgery</i> , <b>2020</b> , 138, e847-e858	2.1	3
40	Prevention and Management of Poststroke Complications. <i>CONTINUUM Lifelong Learning in Neurology</i> , <b>2017</b> , 23, 93-110	3	3
39	Primary neurocritical care involving therapeutic hypothermia for acute ischemic stroke patients with malignant infarct cores. <i>Journal of Neurocritical Care</i> , <b>2019</b> , 12, 30-36	0.6	3
38	Clinical and neuroimaging determinants of minimally conscious and persistent vegetative states after acute stroke. <i>Journal of Neurocritical Care</i> , <b>2019</b> , 12, 37-45	0.6	2
37	The rCBV Ratio Is a Predictive Factor for Developing Malignant Middle Cerebral Artery Infarction within 6 Hours of Symptom Onset. <i>Korean Journal of Stroke</i> , <b>2012</b> , 14, 128		
36	Erhöhter intrakranieller Druck. <b>2015</b> , 185-199		
35	[Neurovisualisation predictors of malignant cerebral infarction and hemorrhagic transformation]. <i>Zhurnal Nevrologii I Psikhiatrii Imeni S S Korsakova</i> , <b>2015</b> , 115, 3-11	0.4	
34	Management of Hemispheric Infarction and Ischemic Swelling. <i>CONTINUUM Lifelong Learning in Neurology</i> , <b>2015</b> , 21, 1346-61	3	1
33	Literaturverzeichnis. <b>2018</b> , 137-139		
32	Butyphthalide in the treatment of massive Cerebral Infarction. <i>Pakistan Journal of Medical Sciences</i> , <b>2019</b> , 35, 220-225	2	2
31	Pretreatment Collateral Status Predicts Malignant Stroke Evolution in Patients Undergoing Endovascular Thrombectomy. <b>2019</b> , 11, 84-90		0
30	Neurosurgical Emergencies. <i>Current Clinical Neurology</i> , <b>2020</b> , 195-230	0.1	0
29	Can Computed Tomographic Angiography Be Used to Predict Who Will Not Benefit from Endovascular Treatment in Patients with Acute Ischemic Stroke? The CTA-ABC Score. <i>Journal of Korean Neurosurgical Society</i> , <b>2020</b> , 63, 470-476	2.3	
28	Role of decompressive craniectomy. <b>2022</b> , 267-277		
27	Complications of Mechanical Thrombectomy in Acute Ischemic Stroke. <i>Neurology</i> , <b>2021</b> , 97, S115-S125	6.5	2
26	Bedside detection of intracranial midline shift using portable magnetic resonance imaging.. <i>Scientific Reports</i> , <b>2022</b> , 12, 67	4.9	0
25	Evaluation and Prediction of Post-stroke Cerebral Edema Based on Neuroimaging.. <i>Frontiers in Neurology</i> , <b>2021</b> , 12, 763018	4.1	1

24	Intensive Care of the Neurointerventional Patient. <i>Current Clinical Neurology</i> , <b>2022</b> , 23-36	0.1	
23	Decompressive Craniectomy for Stroke: Who, When, and How.. <i>Neurologic Clinics</i> , <b>2022</b> , 40, 321-336	4.5	
22	Development and Validation of Prediction Models for Severe Complications After Acute Ischemic Stroke: A Study Based on the Stroke Registry of Northwestern Germany.. <i>Journal of the American Heart Association</i> , <b>2022</b> , e023175	6	2
21	Early Edema Within the Ischemic Core Is Time-Dependent and Associated With Functional Outcomes of Acute Ischemic Stroke Patients.. <i>Frontiers in Neurology</i> , <b>2022</b> , 13, 861289	4.1	
20	Initial Stress Hyperglycemia Is Associated With Malignant Cerebral Edema, Hemorrhage, and Poor Functional Outcome After Mechanical Thrombectomy.. <i>Neurosurgery</i> , <b>2022</b> , 90, 66-71	3.2	0
19	Leveraging Continuous Vital Sign Measurements for Real-Time Assessment of Autonomic Nervous System Dysfunction After Brain Injury: A Narrative Review of Current and Future Applications.. <i>Neurocritical Care</i> , <b>2022</b> ,	3.3	0
18	Data_Sheet_1.docx. <b>2018</b> ,		
17	Image_1.jpg. <b>2020</b> ,		
16	Image_2.jpg. <b>2020</b> ,		
15	Image_3.jpg. <b>2020</b> ,		
14	Image_4.jpg. <b>2020</b> ,		
13	Image_5.jpg. <b>2020</b> ,		
12	Table_1.DOCX. <b>2020</b> ,		
11	Predictive Value of Different Computed Tomography Perfusion Software Regarding 90-Day Outcome of Acute Ischemic Stroke Patients After Endovascular Treatment: A Comparison With Magnetic Resonance Imaging. <i>Journal of Computer Assisted Tomography</i> , Publish Ahead of Print,	2.2	
10	Predictors of malignant middle cerebral artery infarction after endovascular thrombectomy: results of DIRECT-MT trial. <i>European Radiology</i> ,	8	0
9	Postinterventional contrast accumulation early predicts malignant stroke in successfully recanalized patients with emergent large vessel occlusion. <i>Interdisciplinary Neurosurgery: Advanced Techniques and Case Management</i> , <b>2022</b> , 30, 101621	0.5	
8	Decompressive hemicraniectomy in patients with malignant middle cerebral artery infarction: A real-world study. <b>2022</b> , 441, 120376		
7	Predicting futile recanalization, malignant cerebral edema, and cerebral herniation using intelligible ensemble machine learning following mechanical thrombectomy for acute ischemic stroke. 13,		0

- 6 The ACORNS grading scale: a novel tool for the prediction of malignant brain edema after endovascular thrombectomy. *jnis-2022-019404* ○
- 5 Nontraumatic Neurosurgical Emergencies. **2023**, 46, 2-16 ○
- 4 Serum S-100B adds incremental value for the prediction of symptomatic intracranial hemorrhage and brain edema after acute ischemic stroke. 239698732211453 ○
- 3 Machine learning prediction of malignant middle cerebral artery infarction after mechanical thrombectomy for anterior circulation large vessel occlusion. **2023**, 32, 106989 ○
- 2 Management of Malignant Middle Cerebral Artery Infarction. 57-62 ○
- 1 A Novel Nomogram for Predicting Malignant Cerebral Edema After Endovascular Thrombectomy in Acute Ischemic Stroke: A Retrospective Cohort Study. **2023**, ○