

# Magnetically Separable Nanocatalysts: Bridges between Catalysis

Angewandte Chemie - International Edition

49, 3428-3459

DOI: [10.1002/anie.200905684](https://doi.org/10.1002/anie.200905684)

Citation Report

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Facile Synthesis of Mesoporous Magnetic Nanocomposites and their Catalytic Application in Carbon-Carbon Coupling Reactions. <i>ChemCatChem</i> , 2010, 2, 1543-1547.  | 1.8 | 36        |
| 2  | Synthesis of 2,3-Dihydroquinazolin-4(1 <i>H</i> )-ones by Three-Component Coupling of Isatoic Anhydride, Amines, and Aldehydes Catalyzed by Magnetic Fe <sub>3</sub> O <sub>4</sub> Nanoparticles in Water. <i>ACS Combinatorial Science</i> , 2010, 12, 643-646. | 3.3 | 170       |
| 3  | Solvent-free solid acid-catalyzed nucleophilic substitution of propargylic alcohols: a green approach for the synthesis of 1,4-diyne. <i>Green Chemistry</i> , 2010, 12, 1576.  | 4.6 | 22        |
| 4  | Superparamagnetic Nanoparticle-Supported (S)-Diphenylprolinol Trimethylsilyl Ether as a Recyclable Catalyst for Asymmetric Michael Addition in Water. <i>Advanced Synthesis and Catalysis</i> , 2010, 352, 2923-2928.   | 2.1 | 100       |
| 6  | A Highly Efficient and Extensively Reusable $\alpha$ -Dip Catalyst-Based on a Silver Nanoparticle-Embedded Polymer Thin Film. <i>Chemistry - A European Journal</i> , 2010, 16, 14378-14384.  | 1.7 | 80        |
| 8  | Asymmetric Nanocatalysis: N-Heterocyclic Carbenes as Chiral Modifiers of Fe <sub>3</sub> O <sub>4</sub> /Pd nanoparticles. <i>Angewandte Chemie - International Edition</i> , 2010, 49, 7786-7789.  | 7.2 | 296       |
| 9  | Direct synthesis of acid-base bifunctional mesoporous MCM-41 silica and its catalytic reactivity in Deacetalization-Knoevenagel reactions. <i>Microporous and Mesoporous Materials</i> , 2010, 134, 44-50.  | 2.2 | 66        |
| 11 | Superparamagnetic mesoporous Mg-Fe bi-metal oxides as efficient magnetic solid-base catalysts for Knoevenagel condensations. <i>Dalton Transactions</i> , 2010, 39, 11132.  | 1.6 | 28        |
| 12 | Synthesis of hybrid graphene carbon-coated nanocatalysts. <i>Journal of Materials Chemistry</i> , 2010, 20, 8230.   | 6.7 | 18        |
| 13 | Organosilane-Assisted Transformation from Core-Shell to Yolk-Shell Nanocomposites. <i>Chemistry of Materials</i> , 2011, 23, 3676-3684.   | 3.2 | 137       |
| 14 | Magnetothermally responsive C/Co@PNIPAM-nanoparticles enable preparation of self-separating phase-switching palladium catalysts. <i>Journal of Materials Chemistry</i> , 2011, 21, 2991.  | 6.7 | 76        |
| 15 | Modifying the phase and controlling the size of monodisperse ZrO <sub>2</sub> nanocrystals by employing Gd <sup>3+</sup> as a nucleation agent. <i>CrystEngComm</i> , 2011, 13, 4500.   | 1.3 | 14        |
| 16 | Catalytic performance and mechanism of KF-loaded catalysts for biodiesel synthesis. <i>Catalysis Science and Technology</i> , 2011, 1, 1072.  | 2.1 | 17        |
| 17 | Water-soluble dendritic-linear triblock copolymer-modified magnetic nanoparticles: preparation, characterization and drug release properties. <i>Journal of Materials Chemistry</i> , 2011, 21, 13611.  | 6.7 | 53        |
| 18 | Suzuki Reaction of Aryl Bromides Using a Phosphine-Free Magnetic Nanoparticle-Supported Palladium Catalyst. <i>Chinese Journal of Catalysis</i> , 2011, 32, 1667-1676.  | 6.9 | 17        |
| 19 | $\beta$ -Cyclodextrin-modified hybrid magnetic nanoparticles for catalysis and adsorption. <i>Journal of Materials Chemistry</i> , 2011, 21, 3704.  | 6.7 | 127       |
| 20 | Unravelling the effect of interparticle interactions and surface spin canting in $\gamma$ -Fe <sub>2</sub> O <sub>3</sub> @SiO <sub>2</sub> superparamagnetic nanoparticles. <i>Journal of Applied Physics</i> , 2011, 109, .                                     | 1.1 | 38        |
| 21 | Superparamagnetic nanoparticles for asymmetric catalysis—a perfect match. <i>Catalysis Science and Technology</i> , 2011, 1, 13.  | 2.1 | 127       |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 22 | Functionalization of Fe <sub>3</sub> O <sub>4</sub> magnetic nanoparticles for organocatalytic Michael reactions. <i>Journal of Materials Chemistry</i> , 2011, 21, 7350.  | 6.7  | 125       |
| 23 | Superparamagnetic Plasmonic Nanohybrids: Shape-Controlled Synthesis, TEM-Induced Structure Evolution, and Efficient Sunlight-Driven Inactivation of Bacteria. <i>ACS Nano</i> , 2011, 5, 8562-8570.  | 7.3  | 68        |
| 24 | Synthesis of Porous Fe <sub>3</sub> O <sub>4</sub> Nanospheres and Its Application for the Catalytic Degradation of Xylenol Orange. <i>Journal of Physical Chemistry C</i> , 2011, 115, 18923-18934.   | 1.5  | 287       |
| 25 | Sulfonic acid supported on hydroxyapatite-encapsulated- <sup>56</sup> Fe <sub>2</sub> O <sub>3</sub> nanocrystallites as a magnetically separable catalyst for one-pot reductive amination of carbonyl compounds. <i>Green Chemistry</i> , 2011, 13, 2576.                                 | 4.6  | 136       |
| 26 | Facile Method for Synthesis of Fe <sub>3</sub> O <sub>4</sub> @Polymer Microspheres and Their Application As Magnetic Support for Loading Metal Nanoparticles. <i>Journal of Physical Chemistry C</i> , 2011, 115, 15875-15884.  | 1.5  | 139       |
| 27 | Ionic liquids as recycling solvents for the synthesis of magnetic nanoparticles. <i>Physical Chemistry Chemical Physics</i> , 2011, 13, 13558.   | 1.3  | 28        |
| 28 | Impregnated Ruthenium on Magnetite as a Recyclable Catalyst for the N-Alkylation of Amines, Sulfonamides, Sulfinamides, and Nitroarenes Using Alcohols as Electrophiles by a Hydrogen Autotransfer Process. <i>Journal of Organic Chemistry</i> , 2011, 76, 5547-5557.                     | 1.7  | 214       |
| 29 | Magnetically separable nanocomposites with photocatalytic activity under visible light for the selective transformation of biomass-derived platform molecules. <i>Green Chemistry</i> , 2011, 13, 2750.  | 4.6  | 89        |
| 30 | Microwave synthesis and inherent stabilization of metal nanoparticles in 1-methyl-3-(3-carboxyethyl)-imidazolium tetrafluoroborate. <i>Dalton Transactions</i> , 2011, 40, 8290.   | 1.6  | 54        |
| 31 | Magnetically Recyclable Pd Nanoparticles Immobilized on Magnetic Fe <sub>3</sub> O <sub>4</sub> @C Nanocomposites: Preparation, Characterization, and Their Catalytic Activity toward Suzuki and Heck Coupling Reactions. <i>Journal of Physical Chemistry C</i> , 2011, 115, 24743-24749. | 1.5  | 183       |
| 32 | Efficient, Selective, and Recyclable Palladium Catalysts in Carbon-Carbon Coupling Reactions. <i>Chemical Reviews</i> , 2011, 111, 2251-2320.  | 23.0 | 975       |
| 33 | Preparation of multifunctional mesoporous silica particles: the use of an amphiphilic silica precursor with latent amine functionality in selective functionalization of the inner surface. <i>Journal of Materials Chemistry</i> , 2011, 21, 8766.  | 6.7  | 20        |
| 34 | Facile synthesis of hierarchical core-shell Fe <sub>3</sub> O <sub>4</sub> @MgAl-LDH@Au as magnetically recyclable catalysts for catalytic oxidation of alcohols. <i>Chemical Communications</i> , 2011, 47, 12804.  | 2.2  | 127       |
| 35 | Quasi-Homogeneous Hydrogenation with Platinum and Palladium Nanoparticles Stabilized by Dendritic Core-Multishell Architectures. <i>Langmuir</i> , 2011, 27, 6511-6518.  | 1.6  | 15        |
| 36 | From Isonitriles to Carbenes: Synthesis of New NAC and NHC-Palladium(II) Compounds and Their Catalytic Activity. <i>Organometallics</i> , 2011, 30, 2411-2417.   | 1.1  | 109       |
| 37 | Direct Assembly of Hydrophobic Nanoparticles to Multifunctional Structures. <i>Nano Letters</i> , 2011, 11, 3404-3412.   | 4.5  | 104       |
| 38 | Magnetic nanoparticle supported polyoxometalates (POMs) via non-covalent interaction: reusable acid catalysts and catalyst supports for chiral amines. <i>Chemical Communications</i> , 2011, 47, 12325.   | 2.2  | 84        |
| 39 | The immobilisation of chiral organocatalysts on magnetic nanoparticles: the support particle cannot always be considered inert. <i>Organic and Biomolecular Chemistry</i> , 2011, 9, 7929.   | 1.5  | 85        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 40 | Combined Covalent and Noncovalent Functionalization of Nanomagnetic Carbon Surfaces with Dendrimers and BODIPY Fluorescent Dye. <i>Chemistry of Materials</i> , 2011, 23, 3606-3613.   | 3.2  | 39        |
| 41 | Synthesis and characterization of Pt@Pd nanoparticles with core-shell morphology: Nucleation and overgrowth of the Pd shells on the as-prepared and defined Pt seeds. <i>Journal of Alloys and Compounds</i> , 2011, 509, 7702-7709.   | 2.8  | 28        |
| 42 | One-pot preparation of magnetic N-heterocyclic carbene-functionalized silica nanoparticles for the Suzuki-Miyaura coupling of aryl chlorides: improved activity and facile catalyst recovery. <i>Green Chemistry</i> , 2011, 13, 1352. | 4.6  | 99        |
| 43 | Pd immobilized on amine-functionalized magnetite nanoparticles: a novel and highly active catalyst for hydrogenation and Heck reactions. <i>Green Chemistry</i> , 2011, 13, 1238.  | 4.6  | 203       |
| 44 | Bifunctional Au@Fe <sub>3</sub> O <sub>4</sub> Heterostructures for Magnetically Recyclable Catalysis of Nitrophenol Reduction. <i>Journal of Physical Chemistry C</i> , 2011, 115, 6591-6598.   | 1.5  | 465       |
| 45 | Shape-controlled synthesis of Pt@Pd core-shell nanoparticles exhibiting polyhedral morphologies by modified polyol method. <i>Acta Materialia</i> , 2011, 59, 2901-2907.   | 3.8  | 58        |
| 46 | Aerobic Oxidation of Alcohols and Direct Oxidative Ester Formation Catalyzed by Polymer-Immobilized Bimetallic Nanocluster Catalysts. <i>Kobunshi Ronbunshu</i> , 2011, 68, 493-508.   | 0.2  | 1         |
| 47 | Preparation of magnetic microspheres with thiol-containing polymer brushes and immobilization of gold nanoparticles in the brush layer. <i>European Polymer Journal</i> , 2011, 47, 1877-1884.   | 2.6  | 23        |
| 48 | Reactivity in organised assemblies. <i>Annual Reports on the Progress of Chemistry Section B</i> , 2011, 107, 328.   | 0.8  | 8         |
| 49 | Review on the progress in synthesis and application of magnetic carbon nanocomposites. <i>Nanoscale</i> , 2011, 3, 2748.   | 2.8  | 222       |
| 50 | Hantzsch reaction on free nano-Fe <sub>2</sub> O <sub>3</sub> catalyst: excellent reactivity combined with facile catalyst recovery and recyclability. <i>Chemical Communications</i> , 2011, 47, 9230.                                | 2.2  | 167       |
| 51 | Monodispersed Pd@Ni Nanoparticles: Composition Control Synthesis and Catalytic Properties in the Miyaura-Suzuki Reaction. <i>Inorganic Chemistry</i> , 2011, 50, 2046-2048.  | 1.9  | 107       |
| 52 | Bifunctional Acid-Base Cooperativity in Heterogeneous Catalytic Reactions: Advances in Silica Supported Organic Functional Groups. <i>ChemCatChem</i> , 2011, 3, 278-287.  | 1.8  | 111       |
| 53 | Comparison of Superparamagnetic Fe <sub>3</sub> O <sub>4</sub> -Supported N-Heterocyclic Carbene-Based Catalysts for Enantioselective Allylation. <i>ChemCatChem</i> , 2011, 3, 1889-1891.   | 1.8  | 62        |
| 54 | Magnetically Recoverable Nanocatalysts. <i>Chemical Reviews</i> , 2011, 111, 3036-3075.  | 23.0 | 1,535     |
| 55 | Thiol-ene Click Reaction as a General Route to Functional Trialkoxysilanes for Surface Coating Applications. <i>Journal of the American Chemical Society</i> , 2011, 133, 11026-11029.   | 6.6  | 178       |
| 56 | Diverging Geometric and Magnetic Size Distributions of Iron Oxide Nanocrystals. <i>Journal of Physical Chemistry C</i> , 2011, 115, 14598-14605.   | 1.5  | 81        |
| 57 | Preparation of functional magnetic nanocomposites and hybrid materials: recent progress and future directions. <i>Nanoscale</i> , 2011, 3, 877-892.  | 2.8  | 228       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 58 | Mesoporous Titanium-Silica Composite Encapsulated $\gamma$ -Fe <sub>2</sub> O <sub>3</sub> : Novel Magnetically Recyclable Heterogeneous Catalysts for Olefin Epoxidation Reactions. <i>Catalysis Letters</i> , 2011, 141, 1484-1490.   | 1.4 | 22        |
| 59 | Reversible immobilization of glucoamylase onto magnetic carbon nanotubes functionalized with dendrimer. <i>Applied Microbiology and Biotechnology</i> , 2011, 91, 591-601.  | 1.7 | 40        |
| 60 | Magnetic Nanocomposites with Mesoporous Structures: Synthesis and Applications. <i>Small</i> , 2011, 7, 425-443.  | 5.2 | 669       |
| 61 | Yolk-like Micro/Nanoparticles with Superparamagnetic Iron Oxide Cores and Hierarchical Nickel Silicate Shells. <i>Advanced Functional Materials</i> , 2011, 21, 1902-1909.  | 7.8 | 110       |
| 62 | Iron Nanoparticles Supported on Chemically Derived Graphene: Catalytic Hydrogenation with Magnetic Catalyst Separation. <i>Advanced Synthesis and Catalysis</i> , 2011, 353, 523-527.   | 2.1 | 107       |
| 63 | Controlled Reversible Anchoring of $\pi$ -Arene/TsDPEN-Ruthenium(II) Complex onto Magnetic Nanoparticles: A New Strategy for Catalyst Separation and Recycling. <i>Advanced Synthesis and Catalysis</i> , 2011, 353, 2915-2919.   | 2.1 | 30        |
| 64 | Chemistry by Nanocatalysis: First Example of a Solid-Supported RAPTA Complex for Organic Reactions in Aqueous Medium. <i>ChemSusChem</i> , 2011, 4, 104-111.  | 3.6 | 108       |
| 68 | Polyoxometalate Nanocone Nanoreactors: Magnetic Manipulation and Enhanced Catalytic Performance. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 3187-3192.  | 7.2 | 136       |
| 69 | Mesoporous Silica with Site-Isolated Amine and Phosphotungstic Acid Groups: A Solid Catalyst with Tunable Antagonistic Functions for One-Pot Tandem Reactions. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 9615-9619.  | 7.2 | 143       |
| 70 | Highly Enantioselective and Efficient Asymmetric Epoxidation Catalysts: Inorganic Nanosheets Modified with $\alpha$ -Amino Acids as Ligands. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 9171-9176.  | 7.2 | 63        |
| 71 | Organic Ligand-Free Alkylation of Amines, Carboxamides, Sulfonamides, and Ketones by Using Alcohols Catalyzed by Heterogeneous Ag/Mo Oxides. <i>Chemistry - A European Journal</i> , 2011, 17, 1021-1028.   | 1.7 | 166       |
| 72 | A Highly Recyclable Magnetic Core-Shell Nanoparticle-Supported TEMPO catalyst for Efficient Metal- and Halogen-Free Aerobic Oxidation of Alcohols in Water. <i>Chemistry - A European Journal</i> , 2011, 17, 6056-6060.  | 1.7 | 138       |
| 73 | Heterogeneous Organocatalysis at Work: Functionalization of Hollow Periodic Mesoporous Organosilica Spheres with MacMillan Catalyst. <i>Chemistry - A European Journal</i> , 2011, 17, 6206-6213.   | 1.7 | 106       |
| 74 | Magnetic Silyl Scaffold Enables Efficient Recycling of Protecting Groups. <i>Chemistry - A European Journal</i> , 2011, 17, 10566-10573.  | 1.7 | 30        |
| 75 | Structural dependence of the efficiency of functionalization of silica-coated FeOx magnetic nanoparticles studied by ATR-IR. <i>Applied Surface Science</i> , 2011, 257, 2861-2869.   | 3.1 | 16        |
| 76 | Pd-loaded superparamagnetic mesoporous NiFe <sub>2</sub> O <sub>4</sub> as a highly active and magnetically separable catalyst for Suzuki and Heck reactions. <i>Journal of Molecular Catalysis A</i> , 2011, 336, 51-57.   | 4.8 | 72        |
| 77 | A novel layered organic polymer-inorganic hybrid zinc poly(styrene-phenylvinylphosphonate)-phosphate immobilized chiral salen Mn(III) catalyst large-scale asymmetric epoxidation of unfunctionalized olefins. <i>Journal of Organometallic Chemistry</i> , 2011, 696, 2797-2804. | 0.8 | 18        |
| 78 | Impregnated palladium on magnetite, a new catalyst for the ligand-free cross-coupling Suzuki-Miyaura reaction. <i>Tetrahedron</i> , 2011, 67, 5432-5436.  | 1.0 | 70        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 79 | Nano Fe <sub>3</sub> O <sub>4</sub> as magnetically recyclable catalyst for the synthesis of $\hat{L}$ -aminophosphonates in solvent-free conditions. <i>Tetrahedron Letters</i> , 2011, 52, 1359-1362.   | 0.7 | 92        |
| 80 | Magnetically recoverable osmium catalysts for dihydroxylation of olefins. <i>Tetrahedron Letters</i> , 2011, 52, 3137-3140.   | 0.7 | 28        |
| 81 | Magnetically Separable Base Catalysts: Heterogeneous Catalysis vs. Quasi-Homogeneous Catalysis. <i>Applied Sciences (Switzerland)</i> , 2012, 2, 260-276.   | 1.3 | 19        |
| 82 | Ligand Modified CuFe <sub>2</sub> O <sub>4</sub> Nanoparticles as Magnetically Recoverable and Reusable Catalyst for Azide-Alkyne Click Condensation. <i>Heterocycles</i> , 2012, 86, 1023.   | 0.4 | 16        |
| 83 | Magnetic nano Fe <sub>3</sub> O <sub>4</sub> and CuFe <sub>2</sub> O <sub>4</sub> as heterogeneous catalysts: A green method for the stereo- and regioselective reactions of epoxides with indoles/pyrroles. <i>Catalysis Communications</i> , 2012, 29, 118-121.     | 1.6 | 51        |
| 84 | Triflic Acid-Functionalized Silica-Coated Magnetic Nanoparticles as a Magnetically Separable Catalyst for Synthesis of <i>gem</i> -Dihydroperoxides. <i>Advanced Synthesis and Catalysis</i> , 2012, 354, 441-447.  | 2.1 | 119       |
| 85 | Fabrication of functional hollow carbon spheres with large hollow interior as active colloidal catalysts. <i>Journal of Natural Gas Chemistry</i> , 2012, 21, 251-256.  | 1.8 | 7         |
| 86 | A new green catalyst: 1,3,5-triazine-functionalized bisimidazolium dichloride tethered SPION catalyzed Betti synthesis. <i>Catalysis Science and Technology</i> , 2012, 2, 2440.  | 2.1 | 12        |
| 87 | An Efficient One-Pot Synthesis of 1,4-Dihydropyridines Catalyzed by Magnetic Nanocrystalline Fe <sub>3</sub> O <sub>4</sub> . <i>Journal of Heterocyclic Chemistry</i> , 2012, 49, 1126-1129.   | 1.4 | 7         |
| 88 | Magnetic nanoparticles coated by acidic functionalized poly(amidoamine) dendrimer: Effective acidic organocatalyst. <i>Catalysis Communications</i> , 2012, 28, 86-89.  | 1.6 | 40        |
| 89 | Moving from surfactant-stabilized aqueous rhodium (0) colloidal suspension to heterogeneous magnetite-supported rhodium nanocatalysts: Synthesis, characterization and catalytic performance in hydrogenation reactions. <i>Catalysis Today</i> , 2012, 183, 124-129. | 2.2 | 27        |
| 90 | Peroxometalates Immobilized on Magnetically Recoverable Catalysts for Epoxidation. <i>ChemPlusChem</i> , 2012, 77, 1128-1138.   | 1.3 | 38        |
| 91 | Fabrication of coenocytic Pd@CdS nanocomposite as a visible light photocatalyst for selective transformation under mild conditions. <i>Journal of Materials Chemistry</i> , 2012, 22, 5042.   | 6.7 | 139       |
| 92 | Recoverable Platinum Nanocatalysts Immobilized on Magnetic Spherical Polyelectrolyte Brushes. <i>Industrial &amp; Engineering Chemistry Research</i> , 2012, 51, 5608-5614.   | 1.8 | 41        |
| 93 | Electrochemical immunosensor for carcinoembryonic antigen based on nanosilver-coated magnetic beads and gold-graphene nanolabels. <i>Talanta</i> , 2012, 91, 95-102.  | 2.9 | 79        |
| 94 | Magnesium oxide nanotubes: synthesis, characterization and application as efficient recyclable catalyst for pyrazolyl 1,4-dihydropyridine derivatives. <i>Tetrahedron</i> , 2012, 68, 7196-7201.  | 1.0 | 25        |
| 95 | One-Pot Synthesis of Pyranocoumarins via Microwave-Assisted Pseudo Multicomponent Reactions and Their Molecular Switching Properties. <i>Organic Letters</i> , 2012, 14, 1190-1193.   | 2.4 | 31        |
| 96 | Copper Ferrite-Graphene Hybrid: A Multifunctional Heteroarchitecture for Photocatalysis and Energy Storage. <i>Industrial &amp; Engineering Chemistry Research</i> , 2012, 51, 11700-11709.   | 1.8 | 198       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 97  | Transesterification Catalyzed by Ionic Liquids on Superhydrophobic Mesoporous Polymers: Heterogeneous Catalysts That Are Faster than Homogeneous Catalysts. <i>Journal of the American Chemical Society</i> , 2012, 134, 16948-16950.  | 6.6 | 400       |
| 98  | Surfactant-encapsulated polyoxometalate building blocks: controlled assembly and their catalytic properties. <i>Dalton Transactions</i> , 2012, 41, 9832.  | 1.6 | 93        |
| 99  | Synthesis of Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> -Ag magnetic nanocomposite based on small-sized and highly dispersed silver nanoparticles for catalytic reduction of 4-nitrophenol. <i>Journal of Colloid and Interface Science</i> , 2012, 383, 96-102.   | 5.0 | 281       |
| 100 | Reducing Taylor dispersion in capillary laminar flows using magnetically excited nanoparticles: Nanomixing mechanism for micro/nanoscale applications. <i>Chemical Engineering Journal</i> , 2012, 203, 492-498.   | 6.6 | 26        |
| 101 | Interaction of carbon monoxide with bimetallic Co-Pt clusters: A density functional theory study. <i>Computational Materials Science</i> , 2012, 58, 77-86.  | 1.4 | 9         |
| 102 | Magnetically recyclable nanocatalysts (MRNCs): a versatile integration of high catalytic activity and facile recovery. <i>Nanoscale</i> , 2012, 4, 6244.   | 2.8 | 143       |
| 103 | Ag-deposited silica-coated Fe <sub>3</sub> O <sub>4</sub> magnetic nanoparticles catalyzed reduction of p-nitrophenol. <i>Applied Surface Science</i> , 2012, 258, 2717-2723.  | 3.1 | 218       |
| 105 | In-Situ Generated Iron Oxide Nanocrystals as Efficient and Selective Catalysts for the Reduction of Nitroarenes using a Continuous Flow Method. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 10190-10193.  | 7.2 | 184       |
| 106 | Composite Metal-Oxide Nanocatalysts. <i>ChemCatChem</i> , 2012, 4, 1462-1484.  | 1.8 | 65        |
| 107 | Region- and Chemoselective Reduction of Nitroarenes and Carbonyl Compounds over Recyclable Magnetic Ferrite-Nickel Nanoparticles (Fe <sub>3</sub> O <sub>4</sub> /Ni) by Using Glycerol as a Hydrogen Source. <i>Chemistry - A European Journal</i> , 2012, 18, 12628-12632.   | 1.7 | 175       |
| 108 | Preparation of Superparamagnetic Fe <sub>3</sub> O <sub>4</sub> @Alginate/Chitosan Nanospheres for <i>Candida rugosa</i> lipase Immobilization and Utilization of Layer-by-Layer Assembly to Enhance the Stability of Immobilized Lipase. <i>ACS Applied Materials &amp; Interfaces</i> , 2012, 4, 5169-5178.                | 4.0 | 110       |
| 109 | Highly active, stable, and recyclable magnetic nano-size solid acid catalysts: efficient esterification of free fatty acid in grease to produce biodiesel. <i>Green Chemistry</i> , 2012, 14, 3077.  | 4.6 | 69        |
| 111 | Proline-Functionalized Magnetic Core-Shell Nanoparticles as Efficient and Recyclable Organocatalysts for Aldol Reactions. <i>Advanced Synthesis and Catalysis</i> , 2012, 354, 3259-3264.  | 2.1 | 42        |
| 113 | Schiff base complex of metal ions supported on superparamagnetic Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> nanoparticles: An efficient, selective and recyclable catalyst for synthesis of 1,1-diacetates from aldehydes under solvent-free conditions. <i>Applied Catalysis A: General</i> , 2012, 445-446, 359-367. | 2.2 | 137       |
| 114 | Reversible clustering of magnetic nanobiocatalysts for high-performance biocatalysis and easy catalyst recycling. <i>Chemical Communications</i> , 2012, 48, 4585.   | 2.2 | 35        |
| 115 | Magnetic Nano-Fe <sub>3</sub> O <sub>4</sub> -Supported 1-Benzyl-1,4-dihydronicotinamide (BNAH): Synthesis and Application in the Catalytic Reduction of 1,1-Epoxy Ketones. <i>Organic Letters</i> , 2012, 14, 1210-1213.  | 2.4 | 43        |
| 116 | A magnetic nanoparticle supported dual acidic ionic liquid: a quasi-homogeneous catalyst for the one-pot synthesis of benzoxanthenes. <i>Green Chemistry</i> , 2012, 14, 201-208.  | 4.6 | 213       |
| 117 | Seed Size-Dependent Formation of Fe <sub>3</sub> O <sub>4</sub> /MnO Hybrid Nanocrystals: Selective, Magnetically Recyclable Catalyst Systems. <i>Chemistry of Materials</i> , 2012, 24, 682-687.  | 3.2 | 52        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 118 | Magnetic copper-iron nanoparticles as simple heterogeneous catalysts for the azide-alkyne click reaction in water. <i>Green Chemistry</i> , 2012, 14, 622.  | 4.6 | 186       |
| 119 | Cobalt ferrite-polyaniline heteroarchitecture: a magnetically recyclable photocatalyst with highly enhanced performances. <i>Journal of Materials Chemistry</i> , 2012, 22, 17485.  | 6.7 | 176       |
| 120 | Pd-Fe <sub>3</sub> O <sub>4</sub> @C hybrid nanoparticles: preparation, characterization, and their high catalytic activity toward Suzuki coupling reactions. <i>Journal of Materials Chemistry</i> , 2012, 22, 22750.                | 6.7 | 85        |
| 122 | Modified Superparamagnetic Nanocomposite Microparticles for Highly Selective Hg <sup>II</sup> or Cu <sup>II</sup> Separation and Recovery from Aqueous Solutions. <i>ACS Applied Materials &amp; Interfaces</i> , 2012, 4, 5633-5642. | 4.0 | 62        |
| 123 | Recent progress on metal core@semiconductor shell nanocomposites as a promising type of photocatalyst. <i>Nanoscale</i> , 2012, 4, 2227.  | 2.8 | 380       |
| 125 | Highly cross-linked imidazolium salt entrapped magnetic particles - preparation and applications. <i>Journal of Materials Chemistry</i> , 2012, 22, 20728.  | 6.7 | 33        |
| 126 | Electrochemically Supported Deoxygenation of Epoxides into Alkenes in Aqueous Solution. <i>Organic Letters</i> , 2012, 14, 22-25.   | 2.4 | 43        |
| 127 | Tailored and Functionalized Magnetite Particles for Biomedical and Industrial Applications. , 2012, , .   |     | 4         |
| 128 | Geometrical confinement of quantum dots in porous nanobeads with ultraefficient fluorescence for cell-specific targeting and bioimaging. <i>Journal of Materials Chemistry</i> , 2012, 22, 9568.                                      | 6.7 | 21        |
| 129 | Transformation Mechanism of Magnesium and Aluminum Precursor Solution into Crystallites of Layered Double Hydroxide. <i>Chemistry of Materials</i> , 2012, 24, 81-87.   | 3.2 | 106       |
| 130 | Green oxidation catalysis with metal complexes: from bulk to nano recyclable hybrid catalysts. <i>Catalysis</i> , 2012, , 116-203.  | 0.6 | 30        |
| 131 | Magnetic Nanobeads as Support for Zinc(II)-Cyclen Complexes: Selective and Reversible Extraction of Riboflavin. <i>ChemistryOpen</i> , 2012, 1, 125-129.  | 0.9 | 11        |
| 132 | High Photocatalytic Activity of Magnetically Separable Manganese Ferrite-Graphene Heteroarchitectures. <i>Industrial &amp; Engineering Chemistry Research</i> , 2012, 51, 725-731.  | 1.8 | 175       |
| 133 | One-Pot, Three-Component Synthesis of a Library of Spirooxindole-Pyrimidines Catalyzed by Magnetic Nanoparticle Supported Dodecyl Benzenesulfonic Acid in Aqueous Media. <i>ACS Combinatorial Science</i> , 2012, 14, 335-341.        | 3.8 | 93        |
| 134 | Graphite-Coated Magnetic Nanoparticle Microarray for Few-Cells Enrichment and Detection. <i>ACS Nano</i> , 2012, 6, 1094-1101.  | 7.3 | 57        |
| 135 | A Magnetic Particle-Supported Sulfonic Acid Catalyst: Tuning Catalytic Activity between Homogeneous and Heterogeneous Catalysis. <i>Advanced Synthesis and Catalysis</i> , 2012, 354, 2001-2008.                                      | 2.1 | 144       |
| 136 | Graphene-supported nickel ferrite: A magnetically separable photocatalyst with high activity under visible light. <i>AIChE Journal</i> , 2012, 58, 3298-3305.   | 1.8 | 95        |
| 137 | A Covalently Supported Pyrimidinylphosphane Palladacycle as a Heterogenized Catalyst for the Suzuki-Miyaura Cross Coupling. <i>ChemCatChem</i> , 2012, 4, 401-407.  | 1.8 | 25        |



| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 138 | A Liquid-Liquid Biphase Homogeneous Organocatalytic Aldol Protocol Based on the Use of a Silica Gel Bound Multilayered Ionic Liquid Phase. <i>ChemCatChem</i> , 2012, 4, 1000-1006.   | 1.8  | 42        |
| 139 | Embedding of the Yrgensen-Hayashi Catalyst into a Chiral Porous Polymer for Highly Efficient Heterogeneous Asymmetric Organocatalysis. <i>Chemistry - A European Journal</i> , 2012, 18, 6718-6723.   | 1.7  | 92        |
| 140 | Application of Metal-Based Reagents and Catalysts in Microstructured Flow Devices. <i>ChemSusChem</i> , 2012, 5, 247-255.   | 3.6  | 44        |
| 141 | Imparting functionality to a metal-organic framework material by controlled nanoparticle encapsulation. <i>Nature Chemistry</i> , 2012, 4, 310-316.   | 6.6  | 1,857     |
| 142 | Immobilization of chiral catalysts on magnetite nanoparticles for highly enantioselective asymmetric hydrogenation of aromatic ketones. <i>RSC Advances</i> , 2012, 2, 2576.  | 1.7  | 50        |
| 143 | One-step ligand exchange reaction as an efficient way for functionalization of magnetic nanoparticles. <i>Journal of Nanoparticle Research</i> , 2012, 14, 1.   | 0.8  | 2         |
| 144 | Preparation of high-magnetization Fe <sub>3</sub> O <sub>4</sub> -NH <sub>2</sub> -Pd (0) catalyst for Heck reaction. <i>Catalysis Communications</i> , 2012, 17, 168-172.  | 1.6  | 87        |
| 145 | One-pot fabrication of magnetically recoverable acid nanocatalyst, heteropolyacids/chitosan/Fe <sub>3</sub> O <sub>4</sub> , and its catalytic performance. <i>Applied Catalysis A: General</i> , 2012, 417-418, 183-189.   | 2.2  | 82        |
| 146 | Combination of cobalt ferrite and graphene: High-performance and recyclable visible-light photocatalysis. <i>Applied Catalysis B: Environmental</i> , 2012, 111-112, 280-287.   | 10.8 | 334       |
| 147 | Fabrication of magnetically separable palladium-graphene nanocomposite with unique catalytic property of hydrogenation. <i>Chemical Physics Letters</i> , 2012, 519-520, 59-63.   | 1.2  | 38        |
| 148 | Mesoporous silica nanoparticles immobilized salicylaldehyde cobalt complexes as high efficient catalysts for polymerization of 1,3-butadiene. <i>Journal of Colloid and Interface Science</i> , 2012, 369, 338-343.   | 5.0  | 32        |
| 149 | Direct synthesis of water-dispersible 2nm FePt nanocrystals without ligand exchange. <i>Materials Chemistry and Physics</i> , 2012, 132, 716-721.   | 2.0  | 2         |
| 150 | Palladium was supported on superparamagnetic nanoparticles: A magnetically recoverable catalyst for Heck reaction. <i>Materials Research Bulletin</i> , 2012, 47, 504-507.  | 2.7  | 36        |
| 151 | Immobilized palladium on surface-modified Fe <sub>3</sub> O <sub>4</sub> /SiO <sub>2</sub> nanoparticles: as a magnetically separable and stable recyclable high-performance catalyst for Suzuki and Heck cross-coupling reactions. <i>Tetrahedron</i> , 2012, 68, 3577-3584. | 1.0  | 155       |
| 152 | Magnetically separable CuFe <sub>2</sub> O <sub>4</sub> nano particles catalyzed multicomponent synthesis of 1,4-disubstituted 1,2,3-triazoles in tap water using "click chemistry". <i>Tetrahedron Letters</i> , 2012, 53, 4595-4599.  | 0.7  | 155       |
| 153 | Sonochemical synthesis of versatile hydrophilic magnetite nanoparticles. <i>Ultrasonics Sonochemistry</i> , 2012, 19, 877-882.  | 3.8  | 44        |
| 154 | Density functional study of small cobalt-platinum nanoalloy clusters. <i>Journal of Magnetism and Magnetic Materials</i> , 2012, 324, 588-594.  | 1.0  | 18        |
| 155 | Nanocatalysis and Prospects of Green Chemistry. <i>ChemSusChem</i> , 2012, 5, 65-75.  | 3.6  | 193       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 156 | Facile Preparation and Reactivity of Magnetic Nanoparticle-Supported Hypervalent Iodine Reagent: A Convenient Recyclable Reagent for Oxidation. <i>Advanced Synthesis and Catalysis</i> , 2012, 354, 313-320.  | 2.1 | 25        |
| 157 | Synthesis and Characterization of Catalytically Active Fe <sub>3</sub> O <sub>4</sub> -3-Aminopropyl-triethoxysilane/Pd Nanocomposite. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2013, 23, 409-417.                        | 1.9 | 34        |
| 158 | Nano-ZnO: an efficient and reusable catalyst for one-pot synthesis of 1H-pyrazolo[1,2-b]phthalazine-5,10-diones and pyrazolo[1,2-a][1,2,4]triazole-1,3-diones. <i>Journal of the Iranian Chemical Society</i> , 2013, 10, 297-306.                       | 1.2 | 37        |
| 159 | Magnetite-poly(lactic acid) nanoparticles by surface initiated organocatalysis ring opening polymerization. <i>Journal of Nanoparticle Research</i> , 2013, 15, 1.   | 0.8 | 10        |
| 160 | Fe <sub>3</sub> O <sub>4</sub> /SnO <sub>2</sub> nanocomposite: Hydrothermal and sonochemical synthesis, characterization, and visible-light photocatalytic and bactericidal activities. <i>Powder Technology</i> , 2013, 246, 635-642.                  | 2.1 | 34        |
| 161 | Facile assembly of a hierarchical core-shell Fe <sub>3</sub> O <sub>4</sub> @CuMgAl-LDH (layered double hydroxide) magnetic nanocatalyst for the hydroxylation of phenol. <i>Journal of Materials Chemistry A</i> , 2013, 1, 5934.                       | 5.2 | 117       |
| 162 | Preparation, characterization and catalytic activity of core-shell Au/Pd@SiO <sub>2</sub> /Fe <sub>3</sub> O <sub>4</sub> magnetic nanocomposites. <i>RSC Advances</i> , 2013, 3, 13818.   | 1.7 | 27        |
| 163 | Nanomaterial processing using self-assembly-bottom-up chemical and biological approaches. <i>Reports on Progress in Physics</i> , 2013, 76, 066501.  | 8.1 | 114       |
| 164 | Nano-ferrous ferric oxide (nano-Fe <sub>3</sub> O <sub>4</sub> ): Powerful, reusable, and stable catalyst for N-Boc protection of amines. <i>Comptes Rendus Chimie</i> , 2013, 16, 962-966.  | 0.2 | 35        |
| 165 | L-Proline supported on ionic liquid-modified magnetic nanoparticles as a highly efficient and reusable organocatalyst for direct asymmetric aldol reaction in water. <i>Green Chemistry</i> , 2013, 15, 2422.  | 4.6 | 107       |
| 166 | Nanostructures and optical, electrical, magnetic, and photocatalytic properties of hydrothermally and sonochemically prepared CuFe <sub>2</sub> O <sub>4</sub> /SnO <sub>2</sub> . <i>RSC Advances</i> , 2013, 3, 16728.                                 | 1.7 | 45        |
| 167 | Synthesis, characterization and catalytic properties of magnetic nanoparticle supported guanidine in base catalyzed synthesis of $\alpha$ -hydroxyphosphonates and $\alpha$ -acetoxyphosphonates. <i>Applied Catalysis A: General</i> , 2013, 467, 7-16. | 2.2 | 35        |
| 168 | Ternary Titania-Cobalt Ferrite-Polyaniline Nanocomposite: A Magnetically Recyclable Hybrid for Adsorption and Photodegradation of Dyes under Visible Light. <i>Industrial &amp; Engineering Chemistry Research</i> , 2013, 52, 10105-10113.              | 1.8 | 91        |
| 169 | A double-shelled yolk-like structure as an ideal magnetic support of tiny gold nanoparticles for nitrophenol reduction. <i>Journal of Materials Chemistry A</i> , 2013, 1, 11641.  | 5.2 | 81        |
| 170 | Magnetic, Acidic, Ionic Liquid-Catalyzed One-Pot Synthesis of Spirooxindoles. <i>ACS Combinatorial Science</i> , 2013, 15, 512-518.  | 3.8 | 69        |
| 171 | Mn(III) complex supported on Fe <sub>3</sub> O <sub>4</sub> nanoparticles: magnetically separable nanocatalyst for selective oxidation of thiols to disulfides. <i>Journal of Coordination Chemistry</i> , 2013, 66, 3025-3036.                          | 0.8 | 34        |
| 172 | Optical and Photocatalytic Properties of Solar Light Active Nd-Substituted Ni Ferrite Catalysts: For Environmental Protection. <i>ACS Sustainable Chemistry and Engineering</i> , 2013, 1, 1143-1153.  | 3.2 | 112       |
| 173 | Sulphamic acid-functionalized magnetic Fe <sub>3</sub> O <sub>4</sub> nanoparticles as recyclable catalyst for synthesis of imidazoles under microwave irradiation. <i>Journal of Chemical Sciences</i> , 2013, 125, 835-841.                            | 0.7 | 25        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 174 | Gas phase synthesis of encapsulated iron oxide/titanium dioxide composite nanoparticles by spray pyrolysis. <i>Powder Technology</i> , 2013, 243, 46-52.   | 2.1 | 28        |
| 175 | Defining and Using Very Small Crystals. , 2013, , 343-369.   |     | 6         |
| 177 | Synthesis of spherical Fe <sub>3</sub> O <sub>4</sub> magnetic nanoparticles by co-precipitation in choline chloride/urea deep eutectic solvent. <i>Materials Letters</i> , 2013, 112, 177-179.  | 1.3 | 84        |
| 179 | Magnetically stabilized bed reactors. <i>Chinese Journal of Catalysis</i> , 2013, 34, 61-68.   | 6.9 | 21        |
| 180 | Low-dimensional systems investigated by x-ray absorption spectroscopy: a selection of 2D, 1D and 0D cases. <i>Journal Physics D: Applied Physics</i> , 2013, 46, 423001.   | 1.3 | 101       |
| 181 | Solid-state phase transformation mechanism for formation of magnetic multi-granule nanoclusters. <i>RSC Advances</i> , 2013, 3, 3631.  | 1.7 | 32        |
| 182 | Efficient One-Pot Synthesis of <i>o</i> -Acetamido Carbonyl Compounds Using Fe <sub>3</sub> O <sub>4</sub> Nanoparticles. <i>Helvetica Chimica Acta</i> , 2013, 96, 1943-1947.   | 1.0 | 10        |
| 183 | Magnetic graphene nanocomposite as an efficient catalyst for hydrogenation of nitroarenes. <i>Chinese Chemical Letters</i> , 2013, 24, 539-541.  | 4.8 | 30        |
| 184 | A Magnetoclick Imidazolidinone Nanocatalyst for Asymmetric 1,3-Dipolar Cycloadditions. <i>Advanced Synthesis and Catalysis</i> , 2013, 355, 3532-3538.   | 2.1 | 38        |
| 185 | Biphasic catalysis using amphiphilic polyphenols-chelated noble metals as highly active and selective catalysts. <i>Scientific Reports</i> , 2013, 3, 2226.  | 1.6 | 19        |
| 186 | Controlling lateral nanomixing and velocity profile of dilute ferrofluid capillary flows in uniform stationary, oscillating and rotating magnetic fields. <i>Chemical Engineering Journal</i> , 2013, 223, 454-466.  | 6.6 | 28        |
| 187 | Palladium supported on a magnetic microgel: an efficient and recyclable catalyst for Suzuki and Heck reactions in water. <i>Green Chemistry</i> , 2013, 15, 3429.  | 4.6 | 97        |
| 188 | Magnetic inorganic-organic hybrid nanomaterial for the catalytic preparation of bis(indolyl)arylmethanes under solvent-free conditions: Preparation and characterization of H5PW10V2O40/pyridino-Fe <sub>3</sub> O <sub>4</sub> nanoparticles. <i>Applied Catalysis A: General</i> , 2013, 468, 75-87. | 2.2 | 38        |
| 189 | Magnetically separable Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> @TiO <sub>2</sub> -Ag microspheres with well-designed nanostructure and enhanced photocatalytic activity. <i>Journal of Hazardous Materials</i> , 2013, 262, 404-411.  | 6.5 | 132       |
| 190 | Taking advantage of a terpyridine ligand for the deposition of Pd nanoparticles onto a magnetic material for selective hydrogenation reactions. <i>Journal of Materials Chemistry A</i> , 2013, 1, 1441-1449.  | 5.2 | 34        |
| 191 | Core-Shell Bimetallic Nanoparticles Robustly Fixed on the Outermost Surface of Magnetic Silica Microspheres. <i>Scientific Reports</i> , 2013, 3, 1497.  | 1.6 | 34        |
| 192 | A metallosalen-based microporous organic polymer as a heterogeneous carbon-carbon coupling catalyst. <i>Journal of Materials Chemistry A</i> , 2013, 1, 14108.   | 5.2 | 57        |
| 193 | Palladium supported on magnetic nanoparticles as recoverable catalyst for one-pot reductive amination of aldehydes with nitroarenes under ambient conditions. <i>Catalysis Communications</i> , 2013, 30, 40-44.   | 1.6 | 73        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 194 | A polymer analogous reaction for the formation of imidazolium and NHC based porous polymer networks. <i>Polymer Chemistry</i> , 2013, 4, 1848.   | 1.9 | 70        |
| 195 | A magnetically separable gold catalyst for chemoselective reduction of nitro compounds. <i>Organic and Biomolecular Chemistry</i> , 2013, 11, 395-399.   | 1.5 | 62        |
| 196 | Reduction of organic azides to amines using reusable Fe <sub>3</sub> O <sub>4</sub> nanoparticles in aqueous medium. <i>Catalysis Science and Technology</i> , 2013, 3, 584.   | 2.1 | 41        |
| 197 | Synthesis of MgO supported Co <sub>3</sub> O <sub>4</sub> nanoparticles by a novel thermal decomposition approach and studies on their magnetic properties. <i>Microporous and Mesoporous Materials</i> , 2013, 165, 55-62.  | 2.2 | 6         |
| 198 | Magnetically retrievable catalysts for organic synthesis. <i>Chemical Communications</i> , 2013, 49, 752-770.  | 2.2 | 578       |
| 199 | Palladium nanoparticles supported on functional ionic liquid modified magnetic nanoparticles as recyclable catalyst for room temperature Suzuki reaction. <i>Tetrahedron Letters</i> , 2013, 54, 238-241.  | 0.7 | 88        |
| 200 | Synthesis and Characterization of High Catalytic Activity Magnetic Fe <sub>3</sub> O <sub>4</sub> Supported Pd Nanocatalyst. <i>Journal of Superconductivity and Novel Magnetism</i> , 2013, 26, 165-171.  | 0.8 | 23        |
| 201 | Silica encapsulated magnetic nanoparticles-supported Zn(II) nanocatalyst: A versatile integration of excellent reactivity and selectivity for the synthesis of azoxyarenes, combined with facile catalyst recovery and recyclability. <i>Applied Catalysis A: General</i> , 2013, 454, 1-10. | 2.2 | 31        |
| 202 | Magnetic Fe-Ni Alloy Catalyzed Suzuki Cross-Coupling Reactions of Aryl Halides with Phenylboronic Acid. <i>ChemCatChem</i> , 2013, 5, 142-145.   | 1.8 | 14        |
| 203 | Magnetic Polystyrene Nanosphere Immobilized TEMPO: A Readily Prepared, Highly Reactive and Recyclable Polymer Catalyst in the Selective Oxidation of Alcohols. <i>ChemCatChem</i> , 2013, 5, 307-312.  | 1.8 | 45        |
| 204 | Visible-light photocatalytic efficiencies and anti-photocorrosion behavior of CdS/graphene nanocomposites: Evaluation using methylene blue degradation. <i>Chinese Journal of Catalysis</i> , 2013, 34, 1876-1882.   | 6.9 | 42        |
| 205 | Modified solvothermal synthesis of magnetic microspheres with multifunctional surfactant cetyltrimethyl ammonium bromide and directly coated mesoporous shell. <i>Powder Technology</i> , 2013, 246, 520-529.  | 2.1 | 21        |
| 206 | Preparation, catalytic performance and theoretical study of porous sulfated binary metal oxides shell (SO <sub>4</sub> <sup>2-</sup> /M <sub>1</sub> xO <sub>y</sub> -M <sub>2</sub> xO <sub>y</sub> ) using pollen grain templates. <i>Catalysis Communications</i> , 2013, 39, 90-95.      | 1.6 | 8         |
| 207 | New versatile polydopamine coated functionalized magnetic nanoparticles. <i>Materials Chemistry and Physics</i> , 2013, 138, 295-302.  | 2.0 | 57        |
| 209 | Pyrene-Tagged Dendritic Catalysts Noncovalently Grafted onto Magnetic Co/C Nanoparticles: An Efficient and Recyclable System for Drug Synthesis. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 3626-3629.   | 7.2 | 94        |
| 210 | Nanostructured Catalysts for Organic Transformations. <i>Accounts of Chemical Research</i> , 2013, 46, 1825-1837.  | 7.6 | 357       |
| 211 | CuFe <sub>2</sub> O <sub>4</sub> nanoparticles as a highly efficient and magnetically recoverable catalyst for the synthesis of medicinally privileged spiroprimidine scaffolds. <i>RSC Advances</i> , 2013, 3, 2924.  | 1.7 | 70        |
| 212 | Catalytic Friedel-Crafts acylation: magnetic nanopowder CuFe <sub>2</sub> O <sub>4</sub> as an efficient and magnetically separable catalyst. <i>Tetrahedron Letters</i> , 2013, 54, 1738-1742.  | 0.7 | 48        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 213 | A general method for the incorporation of nanoparticles into superhydrophobic films by aerosol assisted chemical vapour deposition. <i>Journal of Materials Chemistry A</i> , 2013, 1, 4336.   | 5.2 | 47        |
| 214 | Facile Synthesis of Monodisperse Maghemite and Ferrite Nanocrystals from Metal Powder and Octanoic Acid. <i>Chemistry of Materials</i> , 2013, 25, 1430-1435.  | 3.2 | 19        |
| 215 | Dioxygen oxidation of 1-phenylethanol with gold nanoparticles and N-hydroxyphthalimide in ionic liquid. <i>Journal of Molecular Catalysis A</i> , 2013, 372, 72-78.  | 4.8 | 30        |
| 216 | Advanced Core-Shell Nanoparticle Catalysts for Efficient Organic Transformations. <i>ChemCatChem</i> , 2013, 5, 1681-1691.   | 1.8 | 50        |
| 219 | Molecular ruthenium complexes anchored on magnetic nanoparticles that act as powerful and magnetically recyclable stereospecific epoxidation catalysts. <i>Catalysis Science and Technology</i> , 2013, 3, 706-714.  | 2.1 | 20        |
| 220 | Heterogeneous Bifunctional Catalytic, Chemo-, Regio- and Enantioselective Cascade Inverse Electron Demand Diels-Alder Reaction. <i>Advanced Synthesis and Catalysis</i> , 2013, 355, 308-314.  | 2.1 | 30        |
| 221 | Palladium Nanoparticles Immobilized on Nano-Silica Triazine Dendritic Polymer (Pd <sub>np</sub> -STDP): An Efficient and Reusable Catalyst for Suzuki-Miyaura Cross-Coupling and Heck Reactions. <i>Advanced Synthesis and Catalysis</i> , 2013, 355, 957-972. | 2.1 | 141       |
| 222 | Engineering the Mesopores of Fe <sub>3</sub> O <sub>4</sub> @Mesosilica Core-Shell Nanospheres through a Solvothermal Post-Treatment Method. <i>Chemistry - an Asian Journal</i> , 2013, 8, 582-587.   | 1.7 | 7         |
| 223 | Magnetically recyclable hollow nanocomposite catalysts for heterogeneous reduction of nitroarenes and Suzuki reactions. <i>Chemical Communications</i> , 2013, 49, 4779.   | 2.2 | 100       |
| 224 | Pseudo five-component process for the synthesis of functionalized tricarboxamides using CuI nanoparticles as reusable catalyst. <i>Chinese Chemical Letters</i> , 2013, 24, 195-198.   | 4.8 | 16        |
| 225 | Magnetic properties of jet-printer inks containing dispersed magnetite nanoparticles. <i>European Physical Journal B</i> , 2013, 86, 1.  | 0.6 | 49        |
| 226 | Photocatalytic and bactericidal activities of hydrothermally and sonochemically prepared Fe <sub>2</sub> O <sub>3</sub> -SnO <sub>2</sub> nanoparticles. <i>Materials Science in Semiconductor Processing</i> , 2013, 16, 818-824.                             | 1.9 | 23        |
| 227 | A Self-Supported Polymeric MacMillan Catalyst for Homogeneous Organocatalysis and Heterogeneous Recycling. <i>Chemistry - an Asian Journal</i> , 2013, 8, 1110-1114.   | 1.7 | 14        |
| 228 | Palladium supported on zinc ferrite: A highly active, magnetically separable catalyst for ligand free Suzuki and Heck coupling. <i>Catalysis Communications</i> , 2013, 35, 11-16.   | 1.6 | 72        |
| 229 | Biguanide/Pd(OAc) <sub>2</sub> immobilized on magnetic nanoparticle as a recyclable catalyst for the heterogeneous Suzuki reaction in aqueous media. <i>Catalysis Communications</i> , 2013, 32, 86-91.  | 1.6 | 73        |
| 230 | Hydrazine-mediated Reduction of Nitro and Azide Functionalities Catalyzed by Highly Active and Reusable Magnetic Iron Oxide Nanocrystals. <i>Journal of Organic Chemistry</i> , 2013, 78, 4530-4542.   | 1.7 | 136       |
| 231 | Synergy of Pickering Emulsion and Sol-Gel Process for the Construction of an Efficient, Recyclable Enzyme Cascade System. <i>Advanced Functional Materials</i> , 2013, 23, 1450-1458.  | 7.8 | 52        |
| 232 | One-Pot Oxidative Passerini Reaction of Alcohols Using a Magnetically Recyclable TEMPO under Metal- and Halogen-Free Conditions. <i>Advanced Synthesis and Catalysis</i> , 2013, 355, 508-516.   | 2.1 | 33        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 233 | Facile fabrication and characterization of amino-functionalized Fe <sub>3</sub> O <sub>4</sub> cluster@SiO <sub>2</sub> core/shell nanocomposite spheres. <i>Materials Research Bulletin</i> , 2013, 48, 2023-2028.  | 2.7 | 21        |
| 234 | Three-component synthesis of a polysubstituted pyrrole core containing heterocyclic scaffolds over magnetically separable nanocrystalline copper ferrite. <i>RSC Advances</i> , 2013, 3, 8637.   | 1.7 | 51        |
| 235 | Water dispersed magnetic nanoparticles (H <sub>2</sub> O-DMNPs) of $\gamma$ -Fe <sub>2</sub> O <sub>3</sub> for multicomponent coupling reactions: a green, single-pot technique for the synthesis of tetrahydro-4H-chromenes and hexahydroquinoline carboxylates. <i>Tetrahedron Letters</i> , 2013, 54, 3344-3347. | 0.7 | 93        |
| 236 | EtOAc-dispersed magnetic nanoparticles (DMNPs) of $\gamma$ -Fe <sub>2</sub> O <sub>3</sub> in the single-pot domino preparation of 5-oxo-2-thioxo-3-thiophenecarboxylate derivatives. <i>Comptes Rendus Chimie</i> , 2013, 16, 1042-1046.  | 0.2 | 6         |
| 237 | Direct catalytic C-H arylation of imidazo[1,2-a]pyridine with aryl bromides using magnetically recyclable Pd-Fe <sub>3</sub> O <sub>4</sub> nanoparticles. <i>Tetrahedron</i> , 2013, 69, 5660-5664.   | 1.0 | 65        |
| 238 | Gas-assisted growth of boron-doped nickel nanotube arrays: rapid synthesis, growth mechanisms, tunable magnetic properties, and super-efficient reduction of 4-nitrophenol. <i>Nanoscale</i> , 2013, 5, 3648.  | 2.8 | 35        |
| 239 | Asymmetric Michael Reaction Catalyzed by Proline Lithium Salt: Efficient Synthesis of $\alpha$ -Proline and Isoindoloisoquinolinone Derivatives. <i>Chemistry - A European Journal</i> , 2013, 19, 3573-3578.  | 1.7 | 50        |
| 240 | Completely Regioselective Direct C-H Functionalization of Benzo[ <i>b</i> ]thiophenes Using a Simple Heterogeneous Catalyst. <i>Journal of the American Chemical Society</i> , 2013, 135, 7450-7453.   | 6.6 | 160       |
| 241 | Immobilized Cu complex on modified Fe <sub>3</sub> O <sub>4</sub> nanoparticles as a magnetically separable catalyst for the oxidative homocoupling of terminal alkynes. <i>Reaction Kinetics, Mechanisms and Catalysis</i> , 2013, 110, 119-129.  | 0.8 | 7         |
| 242 | Metal nanoparticles assisted amine catalyzed transesterification under ambient conditions. <i>Journal of Molecular Catalysis A</i> , 2013, 377, 129-136.   | 4.8 | 11        |
| 243 | Magnetic nanoparticle supported polyoxometalate: An efficient and reusable catalyst for solvent-free synthesis of $\alpha$ -aminophosphonates. <i>Journal of Molecular Catalysis A</i> , 2013, 373, 25-29.   | 4.8 | 54        |
| 244 | Pd immobilized on magnetic chitosan as a heterogeneous catalyst for acetalization and hydrogenation reactions. <i>Applied Surface Science</i> , 2013, 279, 360-366.  | 3.1 | 68        |
| 245 | Heterogenization of a molybdenum Schiff base complex as a magnetic nanocatalyst: An eco-friendly, efficient, selective and recyclable nanocatalyst for the oxidation of alkenes. <i>Comptes Rendus Chimie</i> , 2013, 16, 814-820.   | 0.2 | 24        |
| 246 | Regioselective Nitration of Aromatics with Nanomagnetic Solid Superacid SO <sub>4</sub> <sup>2-</sup> /ZrO <sub>2</sub> -M <sub>2</sub> O <sub>3</sub> and Its Theoretical Studies. <i>ChemPlusChem</i> , 2013, 78, 310-317.   | 1.5 | 13        |
| 247 | Dendrimers or Nanoparticles as Supports for the Design of Efficient and Recoverable Organocatalysts?. <i>Advanced Synthesis and Catalysis</i> , 2013, 355, 1748-1754.  | 2.1 | 59        |
| 248 | Synthesize, Characterization and Application of Phosphine-free Polymer Supported Palladium Nanoparticles as Effective Catalyst in Suzuki-Miyaura Cross-coupling Reactions. <i>Journal of the Chinese Chemical Society</i> , 2013, 60, 425-436.   | 0.8 | 4         |
| 249 | Facile Hydrogen-Bond-Assisted Polymerization and Immobilization Method to Synthesize Hierarchical Fe <sub>3</sub> O <sub>4</sub> @Poly(4-vinylpyridine-co-divinylbenzene)@Au Nanostructures and Their Catalytic Applications. <i>Chemistry - an Asian Journal</i> , 2013, 8, 1160-1167.                              | 1.7 | 44        |
| 250 | Catecholic Chemistry To Obtain Recyclable and Reusable Hybrid Polymeric Particles as Catalytic Systems. <i>Macromolecules</i> , 2013, 46, 2951-2962.   | 2.2 | 18        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 251 | Prussian blue-coated magnetic nanoparticles for removal of cesium from contaminated environment. <i>Journal of Nanoparticle Research</i> , 2013, 15, 1.  | 0.8 | 135       |
| 252 | Highly efficient iron(0) nanoparticle-catalyzed hydrogenation in water in flow. <i>Green Chemistry</i> , 2013, 15, 2141.   | 4.6 | 96        |
| 253 | Magnetic nanoparticles of core-shell structure for recoverable photocatalysts. <i>Applied Physics Letters</i> , 2013, 102, .   | 1.5 | 7         |
| 254 | Sonohydrothermal synthesis of MFe <sub>2</sub> O <sub>4</sub> magnetic nanoparticles for adsorptive removal of tetracyclines from water. <i>Separation and Purification Technology</i> , 2013, 117, 104-110.   | 3.9 | 58        |
| 255 | In situ synthesis of silver nanostructures on magnetic Fe <sub>3</sub> O <sub>4</sub> @C core-shell nanocomposites and their application in catalytic reduction reactions. <i>Journal of Materials Chemistry A</i> , 2013, 1, 2118-2125.               | 5.2 | 262       |
| 256 | Aminopropyl coated on magnetic Fe <sub>3</sub> O <sub>4</sub> and SBA-15 nanoparticles catalyzed mild preparation of chromeno[2,3-d]pyrimidines under ambient and solvent-free conditions. <i>Catalysis Science and Technology</i> , 2013, 3, 425-428. | 2.1 | 28        |
| 257 | Recent progress of N-heterocyclic carbenes in heterogeneous catalysis. <i>Catalysis Science and Technology</i> , 2013, 3, 2161.  | 2.1 | 116       |
| 258 | Organic synthesis via magnetic attraction: benign and sustainable protocols using magnetic nanoferrites. <i>Green Chemistry</i> , 2013, 15, 398-417.   | 4.6 | 219       |
| 259 | SPE and purification of DNA using magnetic particles. <i>Journal of Separation Science</i> , 2013, 36, 2472-2485.  | 1.3 | 42        |
| 260 | Magnetic nanoparticle-supported guanidine as a highly recyclable and efficient nanocatalyst for the cyanosilylation of carbonyl compounds. <i>Catalysis Science and Technology</i> , 2013, 3, 2140.  | 2.1 | 59        |
| 261 | In situ loading of gold nanoparticles on Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> magnetic nanocomposites and their high catalytic activity. <i>Nanoscale</i> , 2013, 5, 4894.   | 2.8 | 163       |
| 262 | Application of magnetic nanoparticle-supported CuBr: a highly efficient and reusable catalyst for the one-pot and scale-up synthesis of 1,2,3-triazoles under microwave-assisted conditions. <i>Catalysis Science and Technology</i> , 2013, 3, 1301.  | 2.1 | 68        |
| 263 | Magnetite nanoparticles coated with alkyne-containing polyacrylates for click chemistry. <i>Journal of Nanoparticle Research</i> , 2013, 15, 1.  | 0.8 | 9         |
| 264 | A Strategy for Separating and Recycling Solid Catalysts Based on the pH-Triggered Pickering Emulsion Inversion. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 7455-7459.  | 7.2 | 197       |
| 265 | Highly Enantioselective Synthesis of N-Protected Î²-Amino Malonates Catalyzed by Magnetically Separable Heterogeneous Rosin-Derived Amino Thiourea Catalysts: A Stereocontrolled Approach to Î²-Amino Acids. <i>ChemCatChem</i> , 2013, 5, 2187-2190.  | 1.8 | 18        |
| 266 | Hydrothermal and sonochemical preparation and photocatalytic and bactericidal activities of ZnFe <sub>2</sub> O <sub>4</sub> @SnO <sub>2</sub> nanocomposite. <i>Superlattices and Microstructures</i> , 2013, 60, 487-499.                            | 1.4 | 12        |
| 267 | Pd nanoparticles in hollow magnetic mesoporous spheres: High activity, and magnetic recyclability. <i>Journal of Molecular Catalysis A</i> , 2013, 367, 46-51.   | 4.8 | 26        |
| 268 | Magnetic nanocatalysts: supported metal nanoparticles for catalytic applications. <i>Nanotechnology Reviews</i> , 2013, 2, 597-614.  | 2.6 | 60        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 269 | Design and FESEM/EDX investigation of functional magnetic nanocomposite particles. <i>Surface and Interface Analysis</i> , 2013, 45, 705-714.  | 0.8 | 0         |
| 270 | When Magnetic Catalyst Meets Magnetic Reactor: Etherification of FCC Light Gasoline as an Example. <i>Scientific Reports</i> , 2013, 3, 1973.  | 1.6 | 9         |
| 271 | Graphene Supported Pt/Ni Nanoparticles as Magnetically Separable Nanocatalysts. <i>Journal of Nanomaterials</i> , 2013, 2013, 1-7.   | 1.5 | 3         |
| 272 | Characterization and Functionality of Imidazolium Ionic Liquids Modified Magnetic Nanoparticles. <i>Journal of Chemistry</i> , 2013, 2013, 1-7.  | 0.9 | 2         |
| 274 | Production Techniques of Nanoparticles on a Laboratory Scale. , 2013, , 73-138.  |     | 0         |
| 276 | Nanocatalysis: Academic Discipline and Industrial Realities. <i>Journal of Nanotechnology</i> , 2014, 2014, 1-19.  | 1.5 | 52        |
| 278 | Water-medium organic synthesis over active and reusable organometal catalysts with tunable nanostructures. <i>Chemical Science</i> , 2014, 5, 3695-3707.   | 3.7 | 19        |
| 279 | Highly active, durable and recyclable ordered mesoporous magnetic organometallic catalysts for promoting organic reactions in water. <i>Journal of Materials Chemistry A</i> , 2014, 2, 484-491.   | 5.2 | 36        |
| 280 | Pickeringâ€Emulsion Inversion Strategy for Separating and Recycling Nanoparticle Catalysts. <i>ChemPhysChem</i> , 2014, 15, 841-848.   | 1.0 | 27        |
| 281 | Palladium Nanoparticles Bonded to Twoâ€Dimensional Iron Oxide Graphene Nanosheets: A Synergistic and Highly Reusable Catalyst for the Tsujiâ€Trost Reaction in Water and Air. <i>Chemistry - A European Journal</i> , 2014, 20, 11549-11555. | 1.7 | 59        |
| 282 | Nonquenching of Charge Carriers by Fe<sub>3</sub>O<sub>4</sub> Core in Fe<sub>3</sub>O<sub>4</sub>/ZnO Nanosheet Photocatalyst. <i>Langmuir</i> , 2014, 30, 15031-15039.   | 1.6 | 92        |
| 283 | Composite magnetic nanoparticles: Synthesis and cancer-related applications. <i>Chinese Physics B</i> , 2014, 23, 117504.  | 0.7 | 2         |
| 284 | Palladium Nanoparticles Supported on Magnetic Organic-Silica Hybrid Nanoparticles. <i>Journal of Physical Chemistry C</i> , 2014, 118, 30045-30056.  | 1.5 | 36        |
| 285 | Magnetically Responsive Coreâ€Shell Pd/Fe <sub>3</sub> O <sub>4</sub> @C Composite Catalysts for the Hydrogenation of Cinnamaldehyde. <i>Catalysis Letters</i> , 2014, 144, 2065-2070.   | 1.4 | 13        |
| 286 | Magnetically separable CdSâ€deposited Fe<sub>3</sub>O<sub>4</sub> â€Implanted ZnO microrods for solar photocatalysis. <i>Micro and Nano Letters</i> , 2014, 9, 529-531.  | 0.6 | 5         |
| 287 | Magnetically Recyclable Nanomaterials for Water Treatment. <i>Lecture Notes in Nanoscale Science and Technology</i> , 2014, , 225-259.   | 0.4 | 2         |
| 288 | Highly efficient magnetically separable TiO <sub>2</sub> â€graphene oxide supported SrFe <sub>2</sub> O <sub>9</sub> for direct sunlight-driven photoactivity. <i>Chemical Engineering Journal</i> , 2014, 235, 264-274.                     | 6.6 | 34        |
| 289 | Experimental analysis of di-functional magnetic oxide catalyst and its performance in the hemp plant biodiesel production. <i>Applied Energy</i> , 2014, 113, 660-669.   | 5.1 | 40        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 290 | Ultrasonic-assisted ultra-rapid synthesis of monodisperse meso-SiO <sub>2</sub> @Fe <sub>3</sub> O <sub>4</sub> microspheres with enhanced mesoporous structure. <i>Ultrasonics Sonochemistry</i> , 2014, 21, 505-512.  | 3.8 | 36        |
| 291 | Immobilization of chiral Rh catalyst on glass and application to asymmetric transfer hydrogenation of aryl ketones in aqueous media. <i>Chinese Chemical Letters</i> , 2014, 25, 613-616.   | 4.8 | 6         |
| 292 | Immobilization and catalytic properties of candida lipolytic lipase on surface of organic intercalated and modified MgAl-LDHs. <i>Solid State Sciences</i> , 2014, 31, 8-15.  | 1.5 | 31        |
| 293 | Magnetically separable and recyclable urchin-like Co@P hollow nanocomposites for catalytic hydrogen generation. <i>Journal of Power Sources</i> , 2014, 260, 100-108.   | 4.0 | 27        |
| 294 | DABCO tribromide immobilized on magnetic nanoparticle as a recyclable catalyst for the chemoselective oxidation of sulfide using H <sub>2</sub> O <sub>2</sub> under metal- and solvent-free conditions. <i>Catalysis Communications</i> , 2014, 43, 16-20.   | 1.6 | 62        |
| 295 | Synthesis and characterization of Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> @polymer-imid@Pd magnetic porous nanospheres and their application as a novel recyclable catalyst for Sonogashira@Hagihara coupling reactions. <i>Journal of the Iranian Chemical Society</i> , 2014, 11, 499-510. | 1.2 | 27        |
| 296 | Highly active Co@B, Co@Mo(W)@B amorphous nanotube catalysts for the selective hydrogenation of cinnamaldehyde. <i>Journal of Materials Science</i> , 2014, 49, 877-885.   | 1.7 | 20        |
| 297 | One-step synthesis of Pd nanoparticles functionalized crystalline nanoporous CeO <sub>2</sub> and their application for solvent-free and aerobic oxidation of alcohols. <i>Catalysis Communications</i> , 2014, 50, 87-91.  | 1.6 | 16        |
| 298 | Magnetically separable carbon nanocomposite catalysts for efficient nitroarene reduction and Suzuki reactions. <i>Applied Catalysis A: General</i> , 2014, 476, 133-139.  | 2.2 | 73        |
| 299 | Magnetic nanomaterials in catalysis: advanced catalysts for magnetic separation and beyond. <i>Green Chemistry</i> , 2014, 16, 2906.  | 4.6 | 504       |
| 300 | A facile and efficient synthesis of functionalized 4-oxo-2-(phenylimino)thiazolidin-5-ylideneacetate derivatives via a CuFe <sub>2</sub> O <sub>4</sub> magnetic nanoparticles catalyzed regioselective pathway. <i>New Journal of Chemistry</i> , 2014, 38, 2787-2791.                               | 1.4 | 33        |
| 301 | Ferric hydrogen sulfate supported on silica-coated nickel ferrite nanoparticles as new and green magnetically separable catalyst for 1,8 dioxodecahydroacridine synthesis. <i>Chinese Journal of Catalysis</i> , 2014, 35, 376-382.   | 6.9 | 41        |
| 302 | Novel high loaded magnetic nanocatalyst based on multi-layered coating of poly(1-vinylimidazole). <i>Chemical Engineering Journal</i> , 2014, 247, 85-92.   | 6.6 | 11        |
| 303 | Pd/C as a Catalyst for Completely Regioselective C-H Functionalization of Thiophenes under Mild Conditions. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 1809-1813.   | 7.2 | 170       |
| 304 | High performance, recoverable Fe <sub>3</sub> O <sub>4</sub> ZnO nanoparticles for enhanced photocatalytic degradation of phenol. <i>Chemical Engineering Journal</i> , 2014, 244, 327-334.   | 6.6 | 175       |
| 305 | A versatile cooperative template-directed coating method to synthesize hollow and yolk-shell mesoporous zirconium titanium oxide nanospheres as catalytic reactors. <i>Nano Research</i> , 2014, 7, 246-262.  | 5.8 | 71        |
| 306 | The Influence of Unsaturated Hydrocarbon Ligands on the Stabilization of Platinum Tetramer. <i>Journal of Cluster Science</i> , 2014, 25, 1187-1201.  | 1.7 | 4         |
| 307 | Synthesis and applications of CoFe <sub>2</sub> O <sub>4</sub> nanoparticles for multicomponent reactions. <i>Catalysis Science and Technology</i> , 2014, 4, 142-151.  | 2.1 | 87        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 308 | Hydrophobicity-enhanced magnetic solid sulfonic acid: A simple approach to improve the mass transfer of reaction partners on the surface of the heterogeneous catalyst in water-generating reactions. <i>Applied Catalysis A: General</i> , 2014, 472, 123-133.           | 2.2 | 60        |
| 309 | Organometallic Mo complex anchored to magnetic iron oxide nanoparticles as highly recyclable epoxidation catalyst. <i>Journal of Organometallic Chemistry</i> , 2014, 760, 2-10.  | 0.8 | 42        |
| 310 | Acid functionalized mesoporous PAN monolith as reusable heterogeneous organocatalyst. <i>Microporous and Mesoporous Materials</i> , 2014, 193, 122-126.   | 2.2 | 8         |
| 311 | Green synthesis of water-dispersable palladium nanoparticles and their catalytic application in the ligand- and copper-free Sonogashira coupling reaction under aerobic conditions. <i>Journal of Molecular Catalysis A</i> , 2014, 391, 83-87.                           | 4.8 | 81        |
| 312 | Recyclable bimetallic CuFe <sub>2</sub> O <sub>4</sub> nanoparticles: an efficient catalyst for one-pot three-component synthesis of novel dicyanomethyl-2-oxindolin-3-ylthiocarboxylic acids in a green solvent. <i>Monatshefte für Chemie</i> , 2014, 145, 1009-1015.   | 0.9 | 7         |
| 313 | Palladium on magnetite: magnetically recoverable catalyst for selective hydrogenation of acetylenic to olefinic compounds. <i>Tetrahedron</i> , 2014, 70, 3314-3318.  | 1.0 | 26        |
| 314 | Palladium Nanoparticles Supported on Magnetic Carbon-Coated Cobalt Nanobeads: Highly Active and Recyclable Catalysts for Alkene Hydrogenation. <i>Advanced Functional Materials</i> , 2014, 24, 2020-2027.  | 7.8 | 102       |
| 315 | Magnetic nanoparticle supported triphenylphosphine ligand for the Rh-catalyzed hydroformylation reaction. <i>Catalysis Communications</i> , 2014, 48, 45-49.  | 1.6 | 11        |
| 316 | Direct Covalent Attachment of DNA Microarrays by Rapid Thiol-ene Click-Chemistry. <i>Bioconjugate Chemistry</i> , 2014, 25, 618-627.  | 1.8 | 41        |
| 317 | Immobilization of 1,5,7-Triazabicyclo[4.4.0]dec-5-ene on Magnetic Fe <sub>3</sub> O <sub>4</sub> Nanoparticles: A Highly Recyclable and Efficient Nanocatalyst for the Synthesis of Organic Carbonates. <i>European Journal of Inorganic Chemistry</i> , 2014, 2080-2087. | 1.0 | 8         |
| 318 | Safe recycling of materials containing persistent inorganic and carbon nanoparticles. , 2014, , 222-250.  |     | 4         |
| 319 | Highly efficient and magnetically separable nano-CuFe <sub>2</sub> O <sub>4</sub> catalyzed S-arylation of thiourea by aryl/heteroaryl halides. <i>Chinese Chemical Letters</i> , 2014, 25, 1382-1386.  | 4.8 | 44        |
| 320 | A versatile designed synthesis of magnetically separable nano-catalysts with well-defined core-shell nanostructures. <i>Journal of Materials Chemistry A</i> , 2014, 2, 6071-6074.  | 5.2 | 63        |
| 321 | Immobilized Pd complexes over HMMS as catalysts for Heck cross-coupling and selective hydrogenation reactions. <i>New Journal of Chemistry</i> , 2014, 38, 1138.  | 1.4 | 23        |
| 322 | Magnetic Superhydrophobic Polymer Nanosphere Cage as a Framework for Micellar Catalysis in Biphasic Media. <i>ChemCatChem</i> , 2014, 6, 1626-1634.   | 1.8 | 31        |
| 323 | Palladium nanoparticles encapsulated in magnetically separable polymeric nanoreactors. <i>Journal of Materials Chemistry A</i> , 2014, 2, 3971-3977.  | 5.2 | 18        |
| 324 | Core-shell structured Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> supported cobalt(ii) or copper(ii) acetylacetonate complexes: magnetically recoverable nanocatalysts for aerobic epoxidation of styrene. <i>Catalysis Science and Technology</i> , 2014, 4, 1246.  | 2.1 | 106       |
| 325 | Temperature- and Pressure-Dependent Hydrogen Concentration in Supported PdH Nanoparticles by Pd K-Edge X-ray Absorption Spectroscopy. <i>Journal of Physical Chemistry C</i> , 2014, 118, 10416-10423.  | 1.5 | 83        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 327 | Rapid pathogen detection with bacterial-assembled magnetic mesoporous silica. <i>Biosensors and Bioelectronics</i> , 2014, 53, 123-128.   | 5.3 | 17        |
| 328 | Multi-walled carbon nanotube supported Fe <sub>3</sub> O <sub>4</sub> NPs: an efficient and reusable catalyst for the one-pot synthesis of 4H-pyran derivatives. <i>RSC Advances</i> , 2014, 4, 9509.   | 1.7 | 50        |
| 329 | Application of CuAAC for the covalent immobilization of homogeneous catalysts. <i>Tetrahedron</i> , 2014, 70, 1709-1731.  | 1.0 | 54        |
| 330 | Polymer- and Dendrimer-Coated Magnetic Nanoparticles as Versatile Supports for Catalysts, Scavengers, and Reagents. <i>Accounts of Chemical Research</i> , 2014, 47, 667-677.   | 7.6 | 264       |
| 331 | Entangled Pd complexes over Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> as supported catalysts for hydrogenation and Suzuki reactions. <i>Catalysis Science and Technology</i> , 2014, 4, 1333.  | 2.1 | 61        |
| 332 | Phosphotungstic acid-functionalized magnetic nanoparticles as an efficient and recyclable catalyst for the one-pot production of biodiesel from grease via esterification and transesterification. <i>Green Chemistry</i> , 2014, 16, 1202.   | 4.6 | 92        |
| 333 | Mono-functionalization of porous aromatic frameworks to use as compatible heterogeneous catalysts in one-pot cascade reactions. <i>Applied Catalysis A: General</i> , 2014, 469, 206-212.   | 2.2 | 57        |
| 334 | Ionic liquid supported on magnetic nanoparticles as highly efficient and recyclable catalyst for the synthesis of $\beta$ -keto enol ethers. <i>Catalysis Communications</i> , 2014, 46, 118-122.   | 1.6 | 52        |
| 335 | A Palladium Catalyst Supported on Carbon-Coated Cobalt Nanoparticles – Preparation of Palladium-Free Biaryls by Suzuki–Miyaura Reactions in Ethanol. <i>European Journal of Organic Chemistry</i> , 2014, 2014, 7699-7706.  | 1.2 | 14        |
| 336 | Periodic mesoporous organosilica (PMO) for catalytic applications. <i>Korean Journal of Chemical Engineering</i> , 2014, 31, 1707-1719.   | 1.2 | 41        |
| 337 | Sonochemically synthesized ferromagnetic Fe <sub>3</sub> O <sub>4</sub> nanoparticles as a recyclable catalyst for the preparation of pyrrolo[3,4-c]quinoline-1,3-dione derivatives. <i>RSC Advances</i> , 2014, 4, 61660-61666.  | 1.7 | 61        |
| 338 | Highly Efficient and Magnetically Recoverable Niobium Nanocatalyst for the Multicomponent Biginelli Reaction. <i>ChemCatChem</i> , 2014, 6, 3455-3463.  | 1.8 | 86        |
| 339 | One-pot synthesis of 1-aryl-1 <i>H</i> ,3 <i>H</i> -thiazolo[3,4- <i>a</i> ]benzimidazoles using magnetite-linked sulfonic acid as catalyst. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2014, 189, 1851-1857.   | 0.8 | 8         |
| 340 | Preparation and characterization of TiO <sub>2</sub> @Graphene@Fe <sub>3</sub> O <sub>4</sub> magnetic composite and its application in the removal of trace amounts of microcystin-LR. <i>RSC Advances</i> , 2014, 4, 56883-56891.   | 1.7 | 42        |
| 341 | Fabrication of magnetic amino-functionalized nanoparticles for S-arylation of heterocyclic thiols. <i>RSC Advances</i> , 2014, 4, 48980-48985.  | 1.7 | 12        |
| 342 | Diazo transfer at polydopamine – a new way to functionalization. <i>Polymer Chemistry</i> , 2014, 5, 6593-6599.   | 1.9 | 22        |
| 343 | Nano-ferrous ferric oxide (nano-Fe <sub>3</sub> O <sub>4</sub> ): magnetite catalytic system for the one-pot four-component tandem imine/enamine formation-Knoevenagel–Michael-cyclocondensation reaction of dimedone, aldehydes, $\beta$ -ketoesters and ammonium acetate under green media. <i>RSC Advances</i> , 2014, 4, 32142. | 1.7 | 49        |
| 344 | N-arylation of amines: C–N coupling of amines with arylboronic acids using Fe <sub>3</sub> O <sub>4</sub> magnetic nanoparticles-supported EDTA–Cu(II) complex in water. <i>RSC Advances</i> , 2014, 4, 49273-49279.  | 1.7 | 40        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 345 | Hybrid nanoparticles with CO <sub>2</sub> -responsive shells and fluorescence-labelled magnetic cores. <i>Journal of Materials Chemistry B</i> , 2014, 2, 437-442.  | 2.9 | 46        |
| 346 | Multifunctional ScF <sub>3</sub> :Ln <sup>3+</sup> (Ln = Tb, Eu, Yb, Er, Tm and Ho) nano/microcrystals: hydrothermal/solvothermal synthesis, electronic structure, magnetism and tunable luminescence properties. <i>Nanoscale</i> , 2014, 6, 5907-5917.    | 2.8 | 38        |
| 347 | A thermally stable and easily recycled core-shell Fe <sub>2</sub> O <sub>3</sub> @CuMgAl catalyst for hydrogenolysis of glycerol. <i>Catalysis Science and Technology</i> , 2014, 4, 912-916.   | 2.1 | 19        |
| 348 | Universal self-assembly of organosilanes with long alkyl groups into silicone nanofilaments. <i>Polymer Chemistry</i> , 2014, 5, 1132-1139.   | 1.9 | 24        |
| 349 | Anisotropically structured magnetic aerogel monoliths. <i>Nanoscale</i> , 2014, 6, 13213-13221.   | 2.8 | 37        |
| 350 | Ternary graphene-CoFe <sub>2</sub> O <sub>4</sub> /CdS nanohybrids: preparation and application as recyclable photocatalysts. <i>Journal of Materials Chemistry A</i> , 2014, 2, 535-544.   | 5.2 | 78        |
| 351 | Porous organic ligands (POLs) for synthesizing highly efficient heterogeneous catalysts. <i>Chemical Communications</i> , 2014, 50, 11844-11847.  | 2.2 | 148       |
| 352 | Palladium Supported on Magnetic Core-shell Nanoparticles: An Efficient and Reusable Catalyst for the Oxidation of Alcohols into Aldehydes and Ketones by Molecular Oxygen. <i>ChemPlusChem</i> , 2014, 79, 217-222.   | 1.3 | 27        |
| 353 | One-pot synthesis of dpa-functionalized water-dispersible magnetite nano-palladium catalyst and its application in the Suzuki and Heck reactions in water: a novel and highly active catalyst. <i>RSC Advances</i> , 2014, 4, 37761.                        | 1.7 | 24        |
| 354 | Dual Acidic Ionic Liquid Immobilized on Fe <sub>2</sub> O <sub>3</sub> /MCM-41 Magnetic Mesoporous Materials as the Hybrid Acidic Nanocatalyst for the Synthesis of Pyrimido[4,5-d]pyrimidine Derivatives. <i>Catalysis Letters</i> , 2014, 144, 1772-1783. | 1.4 | 33        |
| 355 | Stabilizing PdII on hollow magnetic mesoporous spheres: a highly active and recyclable catalyst for carbonylative cross-coupling and Suzuki coupling reactions. <i>New Journal of Chemistry</i> , 2014, 38, 1471.   | 1.4 | 48        |
| 356 | Highly efficient reduction of 4-nitrophenol by heterostructured gold-magnetite nanocatalysts. <i>Applied Catalysis A: General</i> , 2014, 486, 32-41.   | 2.2 | 122       |
| 357 | A highly efficient and recyclable cobalt ferrite chitosan sulfonic acid magnetic nanoparticle for one-pot, four-component synthesis of 2H-indazolo[2,1-b]phthalazine-triones. <i>RSC Advances</i> , 2014, 4, 51089-51097.                                   | 1.7 | 41        |
| 358 | One-pot electrochemical synthesis of polydopamine coated magnetite nanoparticles. <i>RSC Advances</i> , 2014, 4, 48353-48361.   | 1.7 | 46        |
| 359 | Immobilization of palladium catalyst on magnetically separable polyurea nanosupport. <i>RSC Advances</i> , 2014, 4, 48299-48309.  | 1.7 | 13        |
| 360 | Highly efficient synthesis of benzopyranopyridines via ZrP <sub>2</sub> O <sub>7</sub> nanoparticles catalyzed multicomponent reactions of salicylaldehydes with malononitrile and thiols. <i>Journal of Sulfur Chemistry</i> , 2014, 35, 450-457.          | 1.0 | 19        |
| 361 | Synthesis of Novel Two-Phase Co@SiO <sub>2</sub> Nanorattles with High Catalytic Activity. <i>Inorganic Chemistry</i> , 2014, 53, 9073-9079.  | 1.9 | 41        |
| 362 | 2.07 The Aldol Reaction: Organocatalysis Approach. , 2014, , 273-339.   |     | 9         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 363 | Magnetic nanoparticle $\text{Fe}_2\text{O}_3$ immobilized 1,5,7-triazabicyclo[4.4.0]decane as a highly recyclable and efficient nanocatalyst for the synthesis of indole hydroxyphosphonates. Applied Organometallic Chemistry, 2014, 28, 471-476.                               | 1.7  | 1         |
| 364 | BMIm-PF <sub>6</sub> @SiO <sub>2</sub> Microcapsules: Particulated Ionic Liquid as A New Material for the Heterogenization of Catalysts. Chemistry of Materials, 2014, 26, 4781-4787.  | 3.2  | 41        |
| 365 | Palladium on nano-magnetite: a magnetically reusable catalyst in the ligand- and copper-free Sonogashira and Stille cross-coupling reactions. RSC Advances, 2014, 4, 19731.  | 1.7  | 50        |
| 366 | Stabilizing Pd on the surface of amine-functionalized hollow $\text{Fe}_3\text{O}_4$ spheres: a highly active and recyclable catalyst for Suzuki cross-coupling and hydrogenation reactions. RSC Advances, 2014, 4, 28922-28927.   | 1.7  | 29        |
| 367 | Cobalt-impregnated Magnetite as General Heterogeneous Catalyst for the Hydroacylation Reaction of Azodicarboxylates. Advanced Synthesis and Catalysis, 2014, 356, 3039-3047.   | 2.1  | 17        |
| 368 | Immobilized Transition Metals as Catalysts for Cross-Couplings in Continuous Flow—A Critical Assessment of the Reaction Mechanism and Metal Leaching. ChemCatChem, 2014, 6, 3286-3305.   | 1.8  | 163       |
| 369 | Cross-linked poly(dimethylaminoethyl acrylamide) coated magnetic nanoparticles: a high loaded, retrievable, and stable basic catalyst for the synthesis of benzopyranes in water. RSC Advances, 2014, 4, 50047-50055.  | 1.7  | 28        |
| 370 | Recyclable gold(iii) dipyrindine complex immobilized on $\text{Fe}_3\text{O}_4$ magnetic nanoparticles: synthesis of 2,6-dihydro[2,1-a]isoindole under mild conditions. RSC Advances, 2014, 4, 43315-43320.  | 1.7  | 8         |
| 371 | Synthesis, characterization and heterogeneous catalytic activity of diamine-modified silica-coated magnetite-polyoxometalate nanoparticles as a novel magnetically-recoverable nanocatalyst. Catalysis Communications, 2014, 55, 57-64.  | 1.6  | 67        |
| 372 | C(sp <sup>2</sup> )—C(sp <sup>2</sup> ) cross coupling reactions catalyzed by an active and highly stable magnetically separable Pd-nanocatalyst in aqueous media. RSC Advances, 2014, 4, 40036.   | 1.7  | 48        |
| 373 | Magnetic nanoparticle-supported organocatalysts — an efficient way of recycling and reuse. RSC Advances, 2014, 4, 5927.  | 1.7  | 128       |
| 374 | Sulfamic acid supported on $\text{Fe}_3\text{O}_4$ @SiO <sub>2</sub> superpara magnetic nanoparticles as a recyclable heterogeneous catalyst for the synthesis of quinolines. RSC Advances, 2014, 4, 41753-41762.  | 1.7  | 26        |
| 375 | A core-shell satellite structured $\text{Fe}_3\text{O}_4$ @MS—NH <sub>2</sub> @Pd nanocomposite: a magnetically recyclable multifunctional catalyst for one-pot multistep cascade reaction sequences. Nanoscale, 2014, 6, 442-448.   | 2.8  | 47        |
| 376 | Catalytic applications of layered double hydroxides: recent advances and perspectives. Chemical Society Reviews, 2014, 43, 7040-7066.  | 18.7 | 1,381     |
| 377 | Ag— $\text{Fe}_3\text{O}_4$ nanocomposites@chitin microspheres constructed by in situ one-pot synthesis for rapid hydrogenation catalysis. Green Chemistry, 2014, 16, 2835-2845.   | 4.6  | 120       |
| 378 | Organometallic Preparation of Ni, Pd, and NiPd Nanoparticles for the Design of Supported Nanocatalysts. ACS Catalysis, 2014, 4, 1735-1742.   | 5.5  | 45        |
| 379 | Palladium nanoparticles supported on agarose-functionalized magnetic nanoparticles of $\text{Fe}_3\text{O}_4$ as a recyclable catalyst for C—C bond formation via Suzuki—Miyaura, Heck—Mizoroki and Sonogashira—Hagihara coupling reactions. RSC Advances, 2014, 4, 17060-17070. | 1.7  | 65        |
| 380 | Magnetically recoverable nanoparticles as efficient catalysts for organic transformations in aqueous medium. Green Chemistry, 2014, 16, 3401-3427.   | 4.6  | 232       |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 381 | Polydopamine as an Organocatalyst Rather than an Innocent Polymer. <i>Chemistry - A European Journal</i> , 2014, 20, 8647-8653.  | 1.7 | 72        |
| 382 | Recent progress and future challenges on the use of high performance magnetic nano-adsorbents in environmental applications. <i>Chemical Engineering Journal</i> , 2014, 256, 187-204.   | 6.6 | 325       |
| 383 | Mild oxidation of alkenes catalyzed by Fe <sub>3</sub> O <sub>4</sub> /SiO <sub>2</sub> nanoparticles. <i>Reaction Kinetics, Mechanisms and Catalysis</i> , 2014, 112, 397-408.  | 0.8 | 9         |
| 384 | Preparation of uniform magnetic recoverable catalyst microspheres with hierarchically mesoporous structure by using porous polymer microsphere template. <i>Nanoscale Research Letters</i> , 2014, 9, 163.   | 3.1 | 14        |
| 385 | Multifunctional Two-Photon Active Silica-Coated Au@MnO Janus Particles for Selective Dual Functionalization and Imaging. <i>Journal of the American Chemical Society</i> , 2014, 136, 2473-2483.   | 6.6 | 146       |
| 386 | Sulfanilic acid-functionalized silica-coated magnetite nanoparticles as an efficient, reusable and magnetically separable catalyst for the solvent-free synthesis of 1-amido- and 1-aminoalkyl-2-naphthols. <i>RSC Advances</i> , 2014, 4, 28176-28185.                        | 1.7 | 95        |
| 387 | A heterogeneous and reusable nanopolymer-supported palladium catalyst for the copper- and phosphine-free Sonogashira coupling reaction under aerobic conditions in water. <i>Tetrahedron Letters</i> , 2014, 55, 5298-5301.  | 0.7 | 33        |
| 388 | Facile cyclization in the synthesis of highly fused diaza cyclooctanoid compounds using retrievable nano magnetite-supported sulfonic acid catalyst. <i>RSC Advances</i> , 2014, 4, 23779-23789.   | 1.7 | 15        |
| 389 | Solventless mechanochemical synthesis of magnetic functionalized catalytically active mesoporous SBA-15 nanocomposites. <i>Journal of Materials Chemistry A</i> , 2014, 2, 387-393.  | 5.2 | 40        |
| 390 | Recycling Nanoparticle Catalysts without Separation Based on a Pickering Emulsion/Organic Biphasic System. <i>ChemSusChem</i> , 2014, 7, 1888-1900.  | 3.6 | 37        |
| 391 | Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> as a recyclable catalyst for the one-pot synthesis of 14-aryl- or alkyl-14H-dibenzo[a,j]xanthenes and 1,8-dioxooctahydroxanthene derivatives under various conditions. <i>New Journal of Chemistry</i> , 2014, 38, 5453-5461. | 1.4 | 45        |
| 392 | Large-Scale Synthesis of Colloidal Fe <sub>3</sub> O <sub>4</sub> Nanoparticles Exhibiting High Heating Efficiency in Magnetic Hyperthermia. <i>Journal of Physical Chemistry C</i> , 2014, 118, 8691-8701.  | 1.5 | 226       |
| 393 | Size control in the formation of magnetite nanoparticles in the presence of citrate ions. <i>Materials Chemistry and Physics</i> , 2014, 145, 75-81.   | 2.0 | 35        |
| 394 | Template-free method to prepare porous Cu-containing nanotubes with a good catalytic performance for styrene epoxidation. <i>Applied Surface Science</i> , 2014, 298, 116-124.   | 3.1 | 25        |
| 395 | Magnetically separable core-shell structural Fe <sub>3</sub> O <sub>4</sub> @Cu/Al-MCM-41 nanocomposite and its performance in heterogeneous Fenton catalysis. <i>Journal of Hazardous Materials</i> , 2014, 264, 195-202.   | 6.5 | 89        |
| 396 | Ultrasonic activated efficient synthesis of chromenes using amino-silane modified Fe <sub>3</sub> O <sub>4</sub> nanoparticles: A versatile integration of high catalytic activity and facile recovery. <i>Journal of Molecular Structure</i> , 2014, 1072, 53-60.             | 1.8 | 55        |
| 397 | Effective catalytic hydrodechlorination of 4-chlorophenol over a Rh immobilized on amine-functionalized magnetite nanoparticles in aqueous phase. <i>Catalysis Communications</i> , 2014, 52, 22-25.   | 1.6 | 15        |
| 398 | Direct Synthesis of MOF-Derived Nanoporous Carbon with Magnetic Co Nanoparticles toward Efficient Water Treatment. <i>Small</i> , 2014, 10, 2096-2107.   | 5.2 | 588       |



| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 399 | Magnetically retrievable nano crystalline CuFe <sub>2</sub> O <sub>4</sub> catalyzed multi-component reaction: a facile and efficient synthesis of functionalized dihydropyrano[2,3-c]pyrazole, pyrano[3,2-c]coumarin and 4H-chromene derivatives in aqueous media. <i>Catalysis Science and Technology</i> , 2014, 4, 822. | 2.1  | 73        |
| 400 | Ru <sup>III</sup> (OTf)SalophenCH <sub>2</sub> <sup>2</sup> â€“NHSiO <sub>2</sub> <sup>2</sup> â€“Fe: an efficient and magnetically recoverable catalyst for trimethylsilylation of alcohols and phenols with hexamethyldisilazane. <i>Applied Organometallic Chemistry</i> , 2014, 28, 304-309.                            | 1.7  | 21        |
| 401 | Fast-Growing Field of Magnetically Recyclable Nanocatalysts. <i>Chemical Reviews</i> , 2014, 114, 6949-6985.  | 23.0 | 693       |
| 402 | Highly active, water-compatible and easily separable magnetic mesoporous Lewis acid catalyst for the Mukaiyamaâ€“Aldol reaction in water. <i>Green Chemistry</i> , 2014, 16, 3768-3777.   | 4.6  | 17        |
| 403 | Pdâ€“Co bimetallic nanoparticles supported on graphene as a highly active catalyst for Suzukiâ€“Miyaura and Sonogashira cross-coupling reactions. <i>Tetrahedron</i> , 2014, 70, 5249-5253.   | 1.0  | 84        |
| 404 | Efficient aerobic oxidation of alcohols using magnetically recoverable catalysts. <i>Catalysis Communications</i> , 2014, 54, 91-93.  | 1.6  | 28        |
| 405 | Magnetic composite BiOClâ€“SrFe <sub>12</sub> O <sub>19</sub> : a novel pâ€“n type heterojunction with enhanced photocatalytic activity. <i>Dalton Transactions</i> , 2014, 43, 2211-2220.  | 1.6  | 100       |
| 406 | Facile preparation of magnetically functionalized graphite nanosheets for porcine pancreatic lipase immobilization. <i>Journal of Nanoparticle Research</i> , 2014, 16, 1.  | 0.8  | 104       |
| 407 | Recent Advances in the Application of Magnetic Nanoparticles as a Support for Homogeneous Catalysts. <i>Nanomaterials</i> , 2014, 4, 222-241.   | 1.9  | 260       |
| 408 | Magnetically Recoverable Ruthenium Catalysts in Organic Synthesis. <i>Molecules</i> , 2014, 19, 4635-4653.  | 1.7  | 27        |
| 409 | Synthesis of Î±-Aminophosphonates in the Presence of a Magnetic Recyclable Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> -2mimSO <sub>3</sub> H Nanocatalyst. <i>Bulletin of the Chemical Society of Japan</i> , 2014, 87, 982-987.  | 2.0  | 22        |
| 410 | Phenyleneâ€“Coated Magnetic Nanoparticles that Boost Aqueous Asymmetric Transfer Hydrogenation Reactions. <i>Chemistry - A European Journal</i> , 2014, 20, 1515-1519.  | 1.7  | 53        |
| 411 | Recent Applications of Magnetically Recoverable Nanocatalysts in C-C and C-X Coupling Reactions. <i>ChemCatChem</i> , 2015, 7, 1736-1789.   | 1.8  | 206       |
| 412 | Hierarchically Structured MnO <sub>2</sub> â€“Co/C Nanocomposites: Highly Efficient and Magnetically Recyclable Catalysts for the Aerobic Oxidation of Alcohols. <i>ChemCatChem</i> , 2015, 7, 2585-2589.   | 1.8  | 5         |
| 413 | â€“Prolineâ€“functionalized Fe <sub>3</sub> O <sub>4</sub> nanoparticles as a novel magnetic chiral catalyst for the direct asymmetric Mannich reaction. <i>Applied Organometallic Chemistry</i> , 2015, 29, 566-571.   | 1.7  | 40        |
| 414 | Si(OCH <sub>2</sub> F) <sub>4</sub> : Synthesis, Electrochemical Behavior, and Twin Polymerization. <i>European Journal of Inorganic Chemistry</i> , 2015, 2015, 3850-3860.   | 1.0  | 5         |
| 415 | Maghemiteâ€“Copper Nanocomposites: Applications for Ligandâ€“Free Crossâ€“Coupling (Câ“O, Câ“S, and Câ“N) Reactions. <i>ChemCatChem</i> , 2015, 7, 3495-3502.   | 1.8  | 54        |
| 416 | Zirconium oxide complexâ€“functionalized MCMâ€“41 nanostructure: an efficient and reusable mesoporous catalyst for oxidation of sulfides and oxidative coupling of thiols using hydrogen peroxide. <i>Applied Organometallic Chemistry</i> , 2015, 29, 668-673.   | 1.7  | 44        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 418 | Recent Progress on Transition Metal Catalyst Separation and Recycling in ATRP. <i>Macromolecular Rapid Communications</i> , 2015, 36, 1702-1721.  | 2.0  | 81        |
| 419 | Palladium immobilized on amidoxime- $\epsilon$ -functionalized magnetic Fe <sub>3</sub> O <sub>4</sub> nanoparticles: a highly stable and efficient magnetically recoverable nanocatalyst for sonogashira coupling reaction. <i>Applied Organometallic Chemistry</i> , 2015, 29, 834-839.   | 1.7  | 68        |
| 420 | Preparation of Mesoporous Silica-Supported Chiral Amino Alcohols for the Enantioselective Addition of Diethylzinc to Aldehyde and Asymmetric Transfer Hydrogenation to Ketones. <i>Journal of Nanomaterials</i> , 2015, 2015, 1-6.  | 1.5  | 1         |
| 421 | A Pd complex of a NNN pincer ligand supported on $\gamma$ -Fe <sub>2</sub> O <sub>3</sub> @SiO <sub>2</sub> as the first magnetically recoverable heterogeneous catalyst for C-P bond forming reactions. <i>RSC Advances</i> , 2015, 5, 36552-36559.  | 1.7  | 35        |
| 422 | Recent progress on core-shell nanocatalysts. <i>Chinese Journal of Catalysis</i> , 2015, 36, 683-691.   | 6.9  | 25        |
| 423 | Design, preparation and characterization of urea-functionalized Fe <sub>3</sub> O <sub>4</sub> /SiO <sub>2</sub> magnetic nanocatalyst and application for the one-pot multicomponent synthesis of substituted imidazole derivatives. <i>Catalysis Communications</i> , 2015, 69, 29-33.    | 1.6  | 79        |
| 424 | The Golden Age of Transfer Hydrogenation. <i>Chemical Reviews</i> , 2015, 115, 6621-6686.   | 23.0 | 1,436     |
| 425 | Preparation and catalytic applications of nanomaterials: a review. <i>RSC Advances</i> , 2015, 5, 53381-53403.  | 1.7  | 231       |
| 426 | A Tris(triazolate) Ligand for a Highly Active and Magnetically Recoverable Palladium Catalyst of Selective Alcohol Oxidation Using Air at Atmospheric Pressure. <i>Chemistry - A European Journal</i> , 2015, 21, 6501-6510.  | 1.7  | 23        |
| 427 | Homogeneous and Semi-Heterogeneous Magnetically Retrievable Bis-N-Heterocyclic Carbene Rhodium(I) Based Catalysts for Selective Hydroaminomethylation Reactions. <i>European Journal of Organic Chemistry</i> , 2015, 2015, 1961-1969.  | 1.2  | 13        |
| 428 | Pros and Cons on Magnetic Nanoparticles Use in Biomedicine and Biotechnologies Applications. , 2015, , 103-135.   |      | 2         |
| 429 | Stability and thermal evolution of transition metal and silicon clusters. <i>Russian Chemical Reviews</i> , 2015, 84, 498-539.  | 2.5  | 20        |
| 430 | Magnetic nanoparticles supported oxime palladacycle as a highly efficient and separable catalyst for room temperature Suzuki-Miyaura coupling reaction in aqueous media. <i>RSC Advances</i> , 2015, 5, 49568-49576.  | 1.7  | 44        |
| 431 | Insights into mesoporous metal phosphonate hybrid materials for catalysis. <i>Catalysis Science and Technology</i> , 2015, 5, 4258-4279.  | 2.1  | 68        |
| 432 | Magnetically separable Fe <sub>3</sub> O <sub>4</sub> -SO <sub>3</sub> H nanoparticles as an efficient solid acid support for the facile synthesis of two types of spiroindole fused dihydropyridine derivatives under solvent free conditions. <i>RSC Advances</i> , 2015, 5, 31866-31877. | 1.7  | 22        |
| 433 | Magnetic nanoparticle-supported Pd(II)-cryptand 22 complex: An efficient and reusable heterogeneous precatalyst in the Suzuki-Miyaura coupling and the formation of aryl-sulfur bonds. <i>Journal of Molecular Catalysis A</i> , 2015, 401, 55-65.  | 4.8  | 37        |
| 434 | Synthesis of a new class of pyrazole embedded spirocyclic scaffolds using magnetically separable Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> -SO <sub>3</sub> H nanoparticles as recyclable solid acid support. <i>RSC Advances</i> , 2015, 5, 107847-107856.                          | 1.7  | 18        |
| 435 | Preparation and characterization of magnetic nanocomposite catalysts with double Au nanoparticle layers. <i>RSC Advances</i> , 2015, 5, 99697-99705.  | 1.7  | 10        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 436 | Cobalt-chitosan: Magnetic and biodegradable heterogeneous catalyst for selective aerobic oxidation of alkyl arenes and alcohols. <i>Journal of Chemical Sciences</i> , 2015, 127, 1927-1935.   | 0.7 | 13        |
| 437 | Catalytic performance of Fe <sub>3</sub> O <sub>4</sub> nanoparticles for cyclocondensation synthesis of thiacyclopentanes. <i>Materials Research Express</i> , 2015, 2, 015010.   | 0.8 | 2         |
| 438 | Synergic effect of nano-catalyst and continuous flow system: Dakin-West reaction catalyzed by Nafion-H@SPIONs in a microreactor. <i>RSC Advances</i> , 2015, 5, 20132-20137.   | 1.7 | 7         |
| 439 | Cesium carbonate supported on hydroxyapatite coated Ni <sub>0.5</sub> Zn <sub>0.5</sub> Fe <sub>2</sub> O <sub>4</sub> magnetic nanoparticles as an efficient and green catalyst for the synthesis of pyrano[2,3-c]pyrazoles. <i>Chinese Chemical Letters</i> , 2015, 26, 575-579. | 4.8 | 33        |
| 440 | Bimetallic Pt <sub>3</sub> Co nanowires as electrocatalyst: the effects of thermal treatment on electrocatalytic oxidation of Methanol. <i>Electrochimica Acta</i> , 2015, 161, 124-128.   | 2.6 | 14        |
| 441 | The catalytic evaluation of in situ grown Pd nanoparticles on the surface of Fe <sub>3</sub> O <sub>4</sub> @dextran particles in the p-nitrophenol reduction reaction. <i>RSC Advances</i> , 2015, 5, 8289-8296.  | 1.7 | 37        |
| 442 | 1-Methyl-3-(propyl-3-sulfonic acid)imidazolium triflate supported on magnetic nanoparticles: an efficient and reusable catalyst for synthesis of mono- and bis-isobenzofuran-1(3H)-ones under solvent-free conditions. <i>RSC Advances</i> , 2015, 5, 15274-15282.                 | 1.7 | 16        |
| 443 | Synthesis of Small-Sized, Porous, and Low-Toxic Magnetite Nanoparticles by Thin POSS Silica Coating. <i>Chemistry - A European Journal</i> , 2015, 21, 3914-3918.  | 1.7 | 13        |
| 444 | Magnetically retrievable catalysts for asymmetric synthesis. <i>Coordination Chemistry Reviews</i> , 2015, 287, 137-156.   | 9.5 | 102       |
| 445 | Mechanochemical synthesis of advanced nanomaterials for catalytic applications. <i>Chemical Communications</i> , 2015, 51, 6698-6713.  | 2.2 | 270       |
| 446 | Functionalizing with glycopeptide dendrimers significantly enhances the hydrophilicity of the magnetic nanoparticles. <i>Chemical Communications</i> , 2015, 51, 4093-4096.  | 2.2 | 32        |
| 447 | TPPS supported on core-shell PMMA nanoparticles: the development of continuous-flow membrane-mediated electrocoagulation as a photocatalyst processing method in aqueous media. <i>Green Chemistry</i> , 2015, 17, 1907-1917.  | 4.6 | 15        |
| 448 | Fabrication of Hierarchical Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> @P(4VP@DVB)@Au Nanostructures and Their Enhanced Catalytic Properties. <i>Chemistry - An Asian Journal</i> , 2015, 10, 701-708.   | 1.7 | 25        |
| 449 | Magnetic yolk-shell structured anatase-based microspheres loaded with Au nanoparticles for heterogeneous catalysis. <i>Nano Research</i> , 2015, 8, 238-245.   | 5.8 | 62        |
| 450 | Core-shell Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> @HNbMoO <sub>6</sub> nanocomposites: new magnetically recyclable solid acid for heterogeneous catalysis. <i>Journal of Materials Chemistry A</i> , 2015, 3, 3456-3464.   | 5.2 | 23        |
| 451 | Magnetically retrievable lepidocrocite supported copper oxide nanocatalyst (Fe-CuO) for N-arylation of imidazole. <i>RSC Advances</i> , 2015, 5, 8571-8578.  | 1.7 | 19        |
| 452 | Silica-decorated magnetic nanocomposites for catalytic applications. <i>Coordination Chemistry Reviews</i> , 2015, 288, 118-143.   | 9.5 | 268       |
| 453 | Catalysis with solid lipid particles. <i>Journal of Materials Science</i> , 2015, 50, 2747-2758.   | 1.7 | 3         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 454 | Caesium carbonate supported on hydroxyapatite-encapsulated Ni <sub>0.5</sub> Zn <sub>0.5</sub> Fe <sub>2</sub> O <sub>4</sub> nanocrystallites as a novel magnetically basic catalyst for the one-pot synthesis of pyrazolo[1,2-b]phthalazine-5,10-diones. <i>Applied Organometallic Chemistry</i> , 2015, 29, 290-295.     | 1.7 | 81        |
| 455 | Controlled Synthesis of Fe <sub>3</sub> O <sub>4</sub> /ZIF-8 Nanoparticles for Magnetically Separable Nanocatalysts. <i>Chemistry - A European Journal</i> , 2015, 21, 6879-6887.  | 1.7 | 55        |
| 456 | Magnetic Fe <sub>3</sub> O <sub>4</sub> @MgAl-LDH composite grafted with cobalt phthalocyanine as an efficient heterogeneous catalyst for the oxidation of mercaptans. <i>Journal of Molecular Catalysis A</i> , 2015, 401, 48-54.  | 4.8 | 42        |
| 457 | Schiff base complex of Cu immobilized on MCM-41 as reusable catalyst for efficient oxidative coupling of thiols and oxidation of sulfides using hydrogen peroxide. <i>Journal of Porous Materials</i> , 2015, 22, 1265-1274.  | 1.3 | 24        |
| 458 | Pd-grafted functionalized mesoporous MCM-41: a novel, green and heterogeneous nanocatalyst for the selective synthesis of phenols and anilines from aryl halides in water. <i>New Journal of Chemistry</i> , 2015, 39, 6504-6512.   | 1.4 | 57        |
| 459 | Magnetic nanoparticle-supported imidazole tribromide: a green, mild, recyclable and metal-free catalyst for the oxidation of sulfides to sulfoxides in the presence of aqueous hydrogen peroxide. <i>RSC Advances</i> , 2015, 5, 53749-53756.   | 1.7 | 29        |
| 460 | Nanocrystal TiO <sub>2</sub> Engulfed SiO <sub>2</sub> -Barium Hexaferrite for Enhanced Electrons Mobility and Solar Harvesting Potential. <i>Materials Science Forum</i> , 2015, 819, 226-231.   | 0.3 | 3         |
| 461 | Preparation of Fe <sub>3</sub> O <sub>4</sub> /TiO <sub>2</sub> and Fe <sub>3</sub> O <sub>4</sub> /TiO <sub>2</sub> /CuO Nanohybrids for Photoreduction of Cr(VI). <i>Advanced Materials Research</i> , 2015, 1112, 221-227.   | 0.3 | 2         |
| 462 | A cheap and efficient catalyst with ultra-high activity for reduction of 4-nitrophenol. <i>CrystEngComm</i> , 2015, 17, 5744-5750.  | 1.3 | 21        |
| 463 | Process-structure-property relationships in nanocomposites based on piezoelectric-polymer matrix and magnetic nanoparticles. , 2015, , 255-278.   |     | 4         |
| 464 | Synthesis and characterization of glucosulfonic acid supported on Fe <sub>3</sub> O <sub>4</sub> nanoparticles as a novel and magnetically recoverable nanocatalyst and its application in the synthesis of polyhydroquinoline and 2,3-dihydroquinazolin-4(1H)-one derivatives. <i>RSC Advances</i> , 2015, 5, 59194-59203. | 1.7 | 89        |
| 465 | Direct azidation of allylic/benzylic alcohols and ethers followed by the click reaction: one-pot synthesis of 1,2,3-triazoles and 1,2,3-triazole moiety embedded macrocycles. <i>Tetrahedron</i> , 2015, 71, 7026-7045.   | 1.0 | 4         |
| 466 | Iron oxide-silver magnetic nanoparticles as simple heterogeneous catalysts for the direct inter/intramolecular nucleophilic substitution of I-activated alcohols with electron-deficient amines. <i>Tetrahedron</i> , 2015, 71, 5254-5259.  | 1.0 | 29        |
| 467 | Magnetically retrievable magnetite (Fe <sub>3</sub> O <sub>4</sub> ) immobilized ionic liquid: an efficient catalyst for the preparation of 1-carbamatoalkyl-2-naphthols. <i>Catalysis Science and Technology</i> , 2015, 5, 4806-4812.   | 2.1 | 42        |
| 468 | Schiff base complexes of Ni, Co, Cr, Cd and Zn supported on magnetic nanoparticles: As efficient and recyclable catalysts for the oxidation of sulfides and oxidative coupling of thiols. <i>Inorganica Chimica Acta</i> , 2015, 435, 223-231.  | 1.2 | 78        |
| 469 | Hydrogen-Free Cobalt-Rhodium Heterobimetallic Nanoparticle-Catalyzed Reductive Amination of Aldehydes and Ketones with Amines and Nitroarenes in the Presence of Carbon Monoxide and Water. <i>ACS Catalysis</i> , 2015, 5, 4846-4850.  | 5.5 | 82        |
| 470 | Magnetic and Dendritic Catalysts. <i>Accounts of Chemical Research</i> , 2015, 48, 1871-1880.   | 7.6 | 109       |
| 471 | Palladium encapsulated within magnetic hollow mesoporous TiO <sub>2</sub> spheres (Pd/Fe <sub>3</sub> O <sub>4</sub> @hTiO <sub>2</sub> ) as a highly efficient and recyclable catalysts for hydrodechlorination of chlorophenols. <i>RSC Advances</i> , 2015, 5, 54816-54821.  | 1.7 | 3         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 472 | Triazole-stabilized gold and related noble metal nanoparticles for 4-nitrophenol reduction. <i>New Journal of Chemistry</i> , 2015, 39, 4685-4694.   | 1.4 | 27        |
| 473 | Efficient oxidative coupling of thiols and oxidation of sulfides using UHP in the presence of Ni or Cd salen complexes immobilized on MCM-41 mesoporous as novel and recoverable nanocatalysts. <i>Microporous and Mesoporous Materials</i> , 2015, 211, 174-181.    | 2.2 | 97        |
| 474 | Encrustation of cobalt doped copper ferrite nanoparticles on solid scaffold CNTs and their comparison with corresponding ferrite nanoparticles: a study of structural, optical, magnetic and photo catalytic properties. <i>RSC Advances</i> , 2015, 5, 39052-39061. | 1.7 | 31        |
| 475 | Mechanochemical surface functionalisation of superparamagnetic microparticles with in situ formed crystalline metal-complexes: a fast novel core-shell particle formation method. <i>Chemical Communications</i> , 2015, 51, 8687-8690.                              | 2.2 | 6         |
| 476 | Calixarene-proline functionalized iron oxide magnetite nanoparticles (Calix-Pro-MN): An efficient recyclable organocatalyst for asymmetric aldol reaction in water. <i>Applied Catalysis A: General</i> , 2015, 499, 205-212.  | 2.2 | 42        |
| 477 | Cobalt(II) acetylacetonate covalently anchored onto magnetic mesoporous silica nanospheres as a catalyst for epoxidation of olefins. <i>Materials Chemistry and Physics</i> , 2015, 156, 9-15.   | 2.0 | 17        |
| 478 | Integrated nanocatalysts: a unique class of heterogeneous catalysts. <i>Journal of Materials Chemistry A</i> , 2015, 3, 8241-8245.   | 5.2 | 50        |
| 479 | Biosynthesis of Fe, Pd, and Fe-Pd bimetallic nanoparticles and their application as recyclable catalysts for [3 + 2] cycloaddition reaction: a comparative approach. <i>Catalysis Science and Technology</i> , 2015, 5, 2612-2621.                                   | 2.1 | 68        |
| 480 | Air- and Water-Resistant Noble Metal Coated Ferromagnetic Cobalt Nanorods. <i>ACS Nano</i> , 2015, 9, 2792-2804.   | 7.3 | 27        |
| 481 | Magnetic nano-Fe <sub>3</sub> O <sub>4</sub> @TiO <sub>2</sub> /Cu <sub>2</sub> O core-shell composite: an efficient novel catalyst for the regioselective synthesis of 1,2,3-triazoles using a click reaction. <i>RSC Advances</i> , 2015, 5, 45775-45784.          | 1.7 | 76        |
| 482 | Excellent catalytic activity of magnetically recoverable Fe <sub>3</sub> O <sub>4</sub> -graphene oxide nanocomposites prepared by a simple method. <i>Dalton Transactions</i> , 2015, 44, 11444-11456.  | 1.6 | 46        |
| 483 | Synthesis of polyurethane containing carbon-carbon double bonds to prepare functionalizable ultrafine fibers via electrospinning. <i>Polymer Chemistry</i> , 2015, 6, 3858-3864.   | 1.9 | 4         |
| 484 | Simple and Efficient Immobilization of Extracellular His-Tagged Enzyme Directly from Cell Culture Supernatant As Active and Recyclable Nanobiocatalyst: High-Performance Production of Biodiesel from Waste Grease. <i>ACS Catalysis</i> , 2015, 5, 3157-3161.       | 5.5 | 68        |
| 485 | A facile synthesis of Pt@Ir zigzag bimetallic nanocomplexes for hydrogenation reactions. <i>Chemical Communications</i> , 2015, 51, 9216-9219.   | 2.2 | 16        |
| 486 | A pH-switched Pickering emulsion catalytic system: high reaction efficiency and facile catalyst recycling. <i>Chemical Communications</i> , 2015, 51, 7333-7336.   | 2.2 | 68        |
| 487 | Magnetic nanoparticle supports for asymmetric catalysts. <i>Green Chemistry</i> , 2015, 17, 3671-3686.   | 4.6 | 140       |
| 488 | Chiral Ruthenium Catalyst Immobilized within Magnetically Retrievable Mesoporous Silica Microcapsules for Aqueous Asymmetric Transfer Hydrogenations. <i>European Journal of Inorganic Chemistry</i> , 2015, 2015, 2101-2109.  | 1.0 | 12        |
| 489 | Magnetic polymer nanocomposite-supported Pd: an efficient and reusable catalyst for the Heck and Suzuki reactions in water. <i>New Journal of Chemistry</i> , 2015, 39, 2052-2059.   | 1.4 | 44        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 490 | Preparation, Characterization of Fe <sub>3</sub> O <sub>4</sub> /TiO <sub>2</sub> /CuO Nanohybrid and its Potential Performance for Chromium Removal from Aqueous Solution. <i>Materials Science Forum</i> , 0, 827, 49-55.   | 0.3 | 7         |
| 491 | Chemical Bonding and Electronic Properties of the Co Adatom and Dimer Interacting with Polyaromatic Hydrocarbons. <i>Journal of Physical Chemistry C</i> , 2015, 119, 24425-24438.  | 1.5 | 9         |
| 492 | Acid-Functionalized Magnetic Nanoparticle as Heterogeneous Catalysts for Biodiesel Synthesis. <i>Journal of Physical Chemistry C</i> , 2015, 119, 26020-26028.  | 1.5 | 130       |
| 493 | Magnetically recoverable catalyst for the asymmetric Henry reaction based on a substituted imidazolidine-4-one copper(II) complex supported by Fe <sub>3</sub> O <sub>4</sub> -SiO <sub>2</sub> nanoparticles. <i>Tetrahedron: Asymmetry</i> , 2015, 26, 1300-1306. | 1.8 | 10        |
| 494 | Nickel Schiff-base complexes immobilized on boehmite nanoparticles and their application in the oxidation of sulfides and oxidative coupling of thiols as novel and reusable nano organometal catalysts. <i>RSC Advances</i> , 2015, 5, 92174-92183.                | 1.7 | 69        |
| 495 | Magnetic nanocomposites for an efficient valorization of biomass. <i>Journal of Applied Physics</i> , 2015, 117, 17D724.  | 1.1 | 12        |
| 496 | Gas-Phase Dimerization of Ethylene under Mild Conditions Catalyzed by MOF Materials Containing (bpy)Ni <sup>II</sup> Complexes. <i>ACS Catalysis</i> , 2015, 5, 6713-6718.  | 5.5 | 127       |
| 497 | Clickable complexing agents: functional crown ethers for immobilisation onto polymers and magnetic nanoparticles. <i>RSC Advances</i> , 2015, 5, 87352-87363.   | 1.7 | 5         |
| 498 | Hollow Co@C prepared from a Co-ZIF@microporous organic network: magnetic adsorbents for aromatic pollutants in water. <i>Chemical Communications</i> , 2015, 51, 17724-17727.   | 2.2 | 60        |
| 499 | Ethylenediamine-functionalized magnetic Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> nanoparticles: cooperative trifunctional catalysis for selective synthesis of nitroalkenes. <i>RSC Advances</i> , 2015, 5, 73684-73691.                                    | 1.7 | 9         |
| 500 | Surfactant-free Pd@pSiO <sub>2</sub> yolk-shell nanocatalysts for selective oxidation of primary alcohols to aldehydes. <i>New Journal of Chemistry</i> , 2015, 39, 8153-8157.  | 1.4 | 10        |
| 501 | Entangled Cu Complex Over Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> as Supported Catalyst for Synthesis of Alkenyl Nitriles with Aromatic Aldehydes and Acetonitrile. <i>Catalysis Letters</i> , 2015, 145, 2046-2054.                                       | 1.4 | 3         |
| 502 | Proof of Concept: Magnetic Fixation of Dendron-Functionalized Iron Oxide Nanoparticles Containing Palladium Nanoparticles for Continuous-Flow Suzuki Coupling Reactions. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 27254-27261.                      | 4.0 | 32        |
| 503 | Carbon for engineering of a water-oxidizing catalyst. <i>Dalton Transactions</i> , 2015, 44, 20991-20998.   | 1.6 | 7         |
| 504 | Asymmetric Transfer Hydrogenation Catalyzed by Mesoporous MCM-41-Supported Chiral Ru Complex. <i>Journal of the Chinese Chemical Society</i> , 2015, 62, 177-181.   | 0.8 | 9         |
| 505 | A comparative study of silver-graphene oxide nanocomposites as a recyclable catalyst for the aerobic oxidation of benzyl alcohol: Support effect. <i>Applied Surface Science</i> , 2015, 328, 536-547.  | 3.1 | 112       |
| 506 | Magnetically Recoverable Palladium(0) Nanocomposite Catalyst for Hydrogenation Reactions in Water. <i>ChemCatChem</i> , 2015, 7, 309-315.   | 1.8 | 37        |
| 507 | Multifunctional Au-Fe <sub>3</sub> O <sub>4</sub> @MOF core-shell nanocomposite catalysts with controllable reactivity and magnetic recyclability. <i>Nanoscale</i> , 2015, 7, 1201-1208.   | 2.8 | 130       |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 508 | Magnetically Separable Microporous Fe <sup>II</sup> -Porphyrin Networks for Catalytic Carbene Insertion into N-H Bonds. <i>ACS Catalysis</i> , 2015, 5, 350-355.   | 5.5  | 67        |
| 509 | C-H arylation of triphenylene, naphthalene and related arenes using Pd/C. <i>Chemical Science</i> , 2015, 6, 1816-1824.  | 3.7  | 87        |
| 510 | In situ synthesis of silver supported nanoporous iron oxide microbox hybrids from metal-organic frameworks and their catalytic application in p-nitrophenol reduction. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 2550-2559.   | 1.3  | 76        |
| 511 | Immobilized V-MIL-101 on modified Fe <sub>3</sub> O <sub>4</sub> nanoparticles as heterogeneous catalyst for epoxidation of allyl alcohols and alkenes. <i>Journal of Molecular Catalysis A</i> , 2015, 398, 275-281.  | 4.8  | 34        |
| 512 | Chiral oxo-vanadium (+)-pseudoephedrine complex immobilized on magnetic nanoparticles: A highly efficient and recyclable novel nanocatalyst for the chemoselective oxidation of sulfides to sulfoxides using H <sub>2</sub> O <sub>2</sub> . <i>Journal of Molecular Catalysis A</i> , 2015, 398, 170-176.   | 4.8  | 37        |
| 513 | Robust, Efficient, and Recyclable Catalysts from the Impregnation of Preformed Dendrimers Containing Palladium Nanoparticles on a Magnetic Support. <i>ChemCatChem</i> , 2015, 7, 303-308.   | 1.8  | 41        |
| 514 | Efficient and Magnetically Recoverable $\alpha$ -Click-PEGylated $\text{Fe}_2\text{O}_3$ -Pd Nanoparticle Catalysts for Suzuki-Miyaura, Sonogashira, and Heck Reactions with Positive Dendritic Effects. <i>Chemistry - A European Journal</i> , 2015, 21, 1508-1519.  | 1.7  | 62        |
| 515 | Facile and surfactant-free synthesis of Pd nanoparticles by the extract of the fruits of <i>Piper longum</i> and their catalytic performance for the Sonogashira coupling reaction in water under ligand- and copper-free conditions. <i>RSC Advances</i> , 2015, 5, 2562-2567.  | 1.7  | 69        |
| 516 | Sulfonic acid-functionalized magnetic nanoparticles as a recyclable and eco-friendly catalyst for atom economical Michael addition reactions and bis indolyl methane synthesis. <i>RSC Advances</i> , 2015, 5, 3023-3030.  | 1.7  | 32        |
| 517 | Highly active thiol-functionalized SBA-15 supported palladium catalyst for Sonogashira and Suzuki-Miyaura cross-coupling reactions. <i>RSC Advances</i> , 2015, 5, 1295-1300.  | 1.7  | 39        |
| 518 | Cellulose@Fe <sub>2</sub> O <sub>3</sub> nanoparticle composites: magnetically recyclable nanocatalyst for the synthesis of 3-aminoimidazo[1,2-a]pyridines. <i>Research on Chemical Intermediates</i> , 2015, 41, 3719-3727.   | 1.3  | 35        |
| 519 | A Rhodium Triphenylphosphine Catalyst for Alkene Hydrogenation Supported on Neat Superparamagnetic Iron Oxide Nanoparticles. <i>ChemCatChem</i> , 2015, 7, 127-136.  | 1.8  | 16        |
| 520 | Magnetic cellulose-TiO <sub>2</sub> nanocomposite microspheres for highly selective enrichment of phosphopeptides. <i>Chemical Communications</i> , 2015, 51, 338-341.   | 2.2  | 52        |
| 521 | Ion induced promotion of activity enhancement of mesoporous manganese oxides for aerobic oxidation reactions. <i>Applied Catalysis B: Environmental</i> , 2015, 165, 731-741.  | 10.8 | 60        |
| 522 | Magnetic iron oxide nanoparticles as an efficient and recyclable catalyst for the solvent-free synthesis of sulfides, vinyl sulfides, thiol esters, and thia-Michael adducts. <i>Monatshefte für Chemie</i> , 2015, 146, 135-142.  | 0.9  | 16        |
| 523 | C(sp <sup>2</sup> )-C(sp <sup>2</sup> ) cross coupling reaction catalyzed by a water-stable palladium complex supported onto nanomagnetite particles. <i>New Journal of Chemistry</i> , 2015, 39, 439-444.   | 1.4  | 58        |
| 524 | Green synthesis of Pd/Fe <sub>3</sub> O <sub>4</sub> nanoparticles using <i>Euphorbia condylocarpa</i> M. bieb root extract and their catalytic applications as magnetically recoverable and stable recyclable catalysts for the phosphine-free Sonogashira and Suzuki coupling reactions. <i>Journal of Molecular Catalysis A</i> , 2015, 396, 31-39. | 4.8  | 154       |
| 525 | Magnetically separable core-shell iron oxide@nickel nanoparticles as high-performance recyclable catalysts for chemoselective reduction of nitroaromatics. <i>Catalysis Science and Technology</i> , 2015, 5, 286-295.   | 2.1  | 55        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 526 | A magnetically separable palladium catalyst containing a bulky N-heterocyclic carbene ligand for the Suzuki–Miyaura reaction. <i>Green Chemistry</i> , 2015, 17, 413-420.  | 4.6 | 72        |
| 527 | Effective immobilisation of a metathesis catalyst bearing an ammonium-tagged NHC ligand on various solid supports. <i>Beilstein Journal of Organic Chemistry</i> , 2016, 12, 5-15.   | 1.3 | 28        |
| 528 | CuFe <sub>2</sub> O <sub>4</sub> magnetic nanoparticle catalyzed odorless synthesis of sulfides using phenylboronic acid and aryl halides in the presence of S <sub>8</sub> . <i>New Journal of Chemistry</i> , 2016, 40, 7522-7528.   | 1.4 | 19        |
| 529 | New magnetically recoverable palladium-based catalysts active in the alkoxycarbonylation of iodobenzene. <i>Pure and Applied Chemistry</i> , 2016, 88, 445-455.  | 0.9 | 6         |
| 530 | Synthesis, characterization and application of sulfonic acid supported on ferrite–silica superparamagnetic nanoparticles. <i>Applied Organometallic Chemistry</i> , 2016, 30, 408-413.   | 1.7 | 19        |
| 531 | An Expedient Synthesis of Novel Derivatives of Pyrido[2,3-d]pyrimidines Using Magnetically Supported ZrO <sub>2</sub> Nanocatalyst. <i>Journal of the Chinese Chemical Society</i> , 2016, 63, 410-416.  | 0.8 | 10        |
| 532 | Synthesis of the first magnetic nanoparticles with a thiourea dioxide-based sulfonic acid tag: application in the one-pot synthesis of 1,1,3-tri(1H-indol-3-yl) alkanes under mild and green conditions. <i>RSC Advances</i> , 2016, 6, 69595-69604.   | 1.7 | 38        |
| 533 | Solvent Assisted Room Temperature Synthesis of Magnetically Retrievable and Reusable Dipeptide Stabilized Nanocrystals for Suzuki–Miyaura Cross-Coupling. <i>Macromolecular Symposia</i> , 2016, 369, 67-73.   | 0.4 | 3         |
| 534 | Fe <sub>3</sub> O <sub>4</sub> @PEG-SO <sub>3</sub> H rod-like morphology along with the spherical nanoparticles: novel green nanocomposite design, preparation, characterization and catalytic application. <i>RSC Advances</i> , 2016, 6, 110928-110934.                                       | 1.7 | 49        |
| 535 | A facile preparation of palladium Schiff base complex supported into MCM-41 mesoporous and its catalytic application in Suzuki and Heck reactions. <i>Journal of Porous Materials</i> , 2016, 23, 967-975.   | 1.3 | 32        |
| 536 | Recognizing removal of norfloxacin by novel magnetic molecular imprinted chitosan/Fe <sub>3</sub> O <sub>3</sub> composites: Selective adsorption mechanisms, practical application and regeneration. <i>Separation and Purification Technology</i> , 2016, 165, 92-100.                         | 3.9 | 66        |
| 538 | Immobilization of O-acetylserine sulfhydrylase as a highly active and recyclable nanobiocatalyst: efficient synthesis of l <sup>2</sup> -pyrazol-1-yl-L-alanine. <i>Catalysis Science and Technology</i> , 2016, 6, 6286-6293.   | 2.1 | 10        |
| 539 | Design and preparation of easily recycled Ag <sub>2</sub> WO <sub>4</sub> @ZnO@Fe <sub>3</sub> O <sub>4</sub> ternary nanocomposites and their highly efficient degradation of antibiotics. <i>Journal of Materials Science</i> , 2016, 51, 7793-7802.   | 1.7 | 26        |
| 540 | Core/Shell Nanostructured Materials for Sustainable Processes. <i>International Journal of Chemical Reactor Engineering</i> , 2016, 14, 667-684.   | 0.6 | 7         |
| 541 | Copper(II) supported on magnetic chitosan: a green nanocatalyst for the synthesis of 2,4,6-triaryl pyridines by C–N bond cleavage of benzylamines. <i>RSC Advances</i> , 2016, 6, 27706-27713.   | 1.7 | 29        |
| 542 | Nanoparticle supported, magnetically separable manganese porphyrin as an efficient retrievable nanocatalyst in hydrocarbon oxidation reactions. <i>RSC Advances</i> , 2016, 6, 41551-41560.  | 1.7 | 40        |
| 543 | Sulfonic acid–functionalized magnetic Fe <sub>3</sub> –xTi <sub>x</sub> O <sub>4</sub> nanoparticles: New recyclable heterogeneous catalyst for one-pot synthesis of tetrahydrobenzo[b]pyrans and dihydropyrano[2,3-c]pyrazole derivatives. <i>Synthetic Communications</i> , 2016, 46, 745-758. | 1.1 | 60        |
| 544 | Fe <sub>3</sub> O <sub>4</sub> (iron oxide)-supported nanocatalysts: synthesis, characterization and applications in coupling reactions. <i>Green Chemistry</i> , 2016, 18, 3184-3209.   | 4.6 | 342       |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 545 | Synthesis and characterization of Bi( <sup>iii</sup> ) immobilized on triazine dendrimer-stabilized magnetic nanoparticles: a reusable catalyst for the synthesis of aminonaphthoquinones and bis-aminonaphthoquinones. <i>New Journal of Chemistry</i> , 2016, 40, 6171-6184.  | 1.4  | 41        |
| 546 | Electrochemically-responsive magnetic nanoparticles for reversible protein adsorption. <i>Journal of Materials Chemistry B</i> , 2016, 4, 4009-4016.  | 2.9  | 16        |
| 547 | Aminophosphines: A Double Role in the Synthesis of Colloidal Indium Phosphide Quantum Dots. <i>Journal of the American Chemical Society</i> , 2016, 138, 5923-5929.   | 6.6  | 127       |
| 548 | Heterogenization of heteropoly compounds: a review of their structure and synthesis. <i>RSC Advances</i> , 2016, 6, 46433-46466.  | 1.7  | 82        |
| 549 | Indirect conversion of ambient pressure CO <sub>2</sub> into oxazolidin-2-ones by a copper-based magnetic nanocatalyst. <i>RSC Advances</i> , 2016, 6, 87179-87187.   | 1.7  | 19        |
| 550 | Solution Combustion Synthesis of Nanoscale Materials. <i>Chemical Reviews</i> , 2016, 116, 14493-14586.   | 23.0 | 933       |
| 551 | Synthesis and biological evaluation of new pyranopyridine derivatives catalyzed by guanidinium chloride-functionalized $\text{Fe}_2\text{O}_3/\text{HAp}$ magnetic nanoparticles. <i>RSC Advances</i> , 2016, 6, 92028-92039.   | 1.7  | 20        |
| 552 | Synthesis and characterization of functionalized titania-supported Pd catalyst deriving from new orthopalladated complex of benzophenone imine: catalytic activity in the copper-free Sonogashira cross-coupling reactions at low palladium loadings. <i>RSC Advances</i> , 2016, 6, 93660-93672.                         | 1.7  | 16        |
| 553 | Nanostructured Magnesium Oxide as Efficient Recyclable Catalyst for Knoevenagel and Claisen-Schmidt Condensation Reactions. <i>ChemistrySelect</i> , 2016, 1, 4778-4784.  | 0.7  | 19        |
| 554 | A new type of SO <sub>3</sub> H-functionalized magnetic-titania as a robust magnetically-recoverable solid acid nanocatalyst for multi-component reactions. <i>RSC Advances</i> , 2016, 6, 96606-96615.   | 1.7  | 41        |
| 555 | Polymer coated magnetically separable organocatalyst for C N bond formation via aza-Michael addition. <i>Tetrahedron Letters</i> , 2016, 57, 5026-5032.   | 0.7  | 4         |
| 556 | Synthesis, characterization and immobilization of a new cobalt( <sup>ii</sup> ) complex on modified magnetic nanoparticles as catalyst for epoxidation of alkenes and oxidation of activated alkanes. <i>RSC Advances</i> , 2016, 6, 95729-95739.   | 1.7  | 30        |
| 557 | Synthesis of magnetic microporous organic nanotube networks for adsorption application. <i>RSC Advances</i> , 2016, 6, 87745-87752.   | 1.7  | 11        |
| 558 | 4-Dialkylaminopyridine modified magnetic nanoparticles: as an efficient nano-organocatalyst for one-pot synthesis of 2-amino-4H-chromene-3-carbonitrile derivatives in water. <i>RSC Advances</i> , 2016, 6, 92316-92324.   | 1.7  | 30        |
| 559 | Application of biological-based nano and nano magnetic catalysts in the preparation of arylbispyranylmethanes. <i>RSC Advances</i> , 2016, 6, 92862-92868.  | 1.7  | 24        |
| 560 | Preparation and characterization of $\text{Fe}_3\text{O}_4@\text{SiO}_2@\text{TiO}_2@\text{Pd}$ and $\text{Fe}_3\text{O}_4@\text{SiO}_2@\text{TiO}_2@\text{Pd}@\text{Ag}$ nanocomposites and their utilization in enhanced degradation systems and rapid magnetic separation. <i>RSC Advances</i> , 2016, 6, 78043-78052. | 1.7  | 48        |
| 561 | Removal of sulfamethazine antibiotics using Ce Fe-graphene nanocomposite as catalyst by Fenton-like process. <i>Journal of Environmental Management</i> , 2016, 182, 284-291.   | 3.8  | 78        |
| 562 | Hierarchical hollow nanostructured core@shell recyclable catalysts $\text{Fe}_2\text{O}_3@\text{LDH}@Au_{25-x}$ for highly efficient alcohol oxidation. <i>Green Chemistry</i> , 2016, 18, 5900-5914.   | 4.6  | 48        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 563 | Immobilization of Cellulase on Magnetic Nanocarriers. <i>ChemistryOpen</i> , 2016, 5, 183-187.   | 0.9 | 45        |
| 564 | Interfacial engineering of magnetic particles with porous shells: Towards magnetic core-shell microparticles. <i>Nano Today</i> , 2016, 11, 464-482.   | 6.2 | 61        |
| 565 | Novel magnetodielectric cobalt ferrite-titania-silica ceramic composites with tunable dielectric properties. <i>Ceramics International</i> , 2016, 42, 16650-16654.  | 2.3 | 0         |
| 566 | Novel magnetic nanoparticles with ionic liquid tags as a reusable catalyst in the synthesis of polyhydroquinolines. <i>RSC Advances</i> , 2016, 6, 82842-82853.  | 1.7 | 52        |
| 567 | Fabrication of chitosan-bond-2-hydroxy-1-naphthaldehyde Cu complex covalently linked magnetite nanoparticles as an efficient, reusable and magnetically separable catalyst for the selective oxidation of sulfides to sulfoxides using 30% H <sub>2</sub> O <sub>2</sub> under solvent-free conditions. <i>Materials Technology</i> , 2016, 31, 846-853. | 1.5 | 15        |
| 568 | Encapsulation of Homogeneous Catalysts in Porous Polymer Nanocapsules Produces Fast-Acting Selective Nanoreactors. <i>ACS Nano</i> , 2016, 10, 11397-11406.  | 7.3 | 50        |
| 569 | Development of a Sulfur-Modified Glass-Supported Pd Nanoparticle Catalyst for Suzuki-Miyaura Coupling. <i>Chemical and Pharmaceutical Bulletin</i> , 2016, 64, 1154-1160.  | 0.6 | 8         |
| 570 | Palladium Supported on Metformin-Functionalized Magnetic Polymer Nanocomposites: A Highly Efficient and Reusable Catalyst for the Suzuki-Miyaura Coupling Reaction. <i>ChemCatChem</i> , 2016, 8, 3746-3754.   | 1.8 | 31        |
| 571 | Cobalt Encapsulated in N-Doped Graphene Layers: An Efficient and Stable Catalyst for Hydrogenation of Quinoline Compounds. <i>ACS Catalysis</i> , 2016, 6, 5816-5822.  | 5.5 | 185       |
| 572 | Magnetic NiFe <sub>2</sub> O <sub>4</sub> nanoparticles: efficient, heterogeneous and reusable catalyst for synthesis of acetylferrocene chalcones and their anti-tumour activity. <i>Applied Organometallic Chemistry</i> , 2016, 30, 917-923.  | 1.7 | 87        |
| 573 | Schiff base complex of palladium immobilized on magnetic nanoparticles: an efficient and recyclable nanocatalyst for C-C coupling reactions. <i>Applied Organometallic Chemistry</i> , 2016, 30, 985-990.  | 1.7 | 22        |
| 574 | A robust synthesis and characterization of superparamagnetic CoFe <sub>2</sub> O <sub>4</sub> nanoparticles as an efficient and reusable catalyst for green synthesis of some heterocyclic rings. <i>Applied Organometallic Chemistry</i> , 2016, 30, 1022-1029.   | 1.7 | 69        |
| 575 | Metathesis Strategy for the Immobilization of Copper(II) onto Carboxymethylcellulose/Fe <sub>3</sub> O <sub>4</sub> Nanohybrid Supports: Efficient and Recoverable Magnetic Catalyst for the CuAAC Reaction. <i>Industrial &amp; Engineering Chemistry Research</i> , 2016, 55, 12301-12308.   | 1.8 | 21        |
| 576 | Magnetically Retrievable Nanocomposite Based on Thiosemicarbazide-Formaldehyde Resin as a Versatile Nucleophilic Scavenger. <i>ACS Combinatorial Science</i> , 2016, 18, 697-701.  | 3.8 | 2         |
| 577 | Recyclable and efficient heterogenized Rh and Ir catalysts for the transfer hydrogenation of carbonyl compounds in aqueous medium. <i>Green Chemistry</i> , 2016, 18, 6456-6461.   | 4.6 | 45        |
| 578 | Magnetic Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> /Pd and Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> /Pd-M (M=Ag, Cu and Zn) Catalysts for Selective Hydrogenation of Phenylacetylene. <i>ChemistrySelect</i> , 2016, 1, 5599-5606.  | 0.7 | 8         |
| 579 | Synthesis and characterization of metal-rich phosphonium polyelectrolytes and their use as precursors to nanomaterials. <i>Dalton Transactions</i> , 2016, 45, 18229-18240.  | 1.6 | 13        |
| 580 | Palladium(0) nanoparticles supported on polydopamine coated Fe <sub>3</sub> O <sub>4</sub> as magnetically isolable, highly active and reusable catalysts for hydrolytic dehydrogenation of ammonia borane. <i>RSC Advances</i> , 2016, 6, 102035-102042.  | 1.7 | 61        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 581 | Palladium- <i>S</i> -propyl-2-aminobenzothioate immobilized on Fe <sub>3</sub> O <sub>4</sub> magnetic nanoparticles as catalyst for Suzuki and Heck reactions in water or poly(ethylene glycol). Applied Organometallic Chemistry, 2016, 30, 422-430.                       | 1.7  | 51        |
| 582 | Synthesis of $\beta$ -phthalimido-alcohols via regioselective ring opening of epoxide by using reusable basic magnetic nano particles and their biological investigation. RSC Advances, 2016, 6, 62460-62466.  | 1.7  | 10        |
| 583 | Magnetically separable nano CuFe <sub>2</sub> O <sub>4</sub> : an efficient and reusable heterogeneous catalyst for the green synthesis of thiiranes from epoxides with thiourea. Journal of Sulfur Chemistry, 2016, 37, 537-545.  | 1.0  | 17        |
| 584 | Magnetic Nanocolloids. , 2016, , 75-129.   |      | 3         |
| 585 | Recent advances in catalysts immobilized on magnetic nanoparticles. Journal of the Iranian Chemical Society, 2016, 13, 1827-1845.  | 1.2  | 53        |
| 586 | Magnetically recoverable catalysts based on mono- or bis-(NHC) complexes of palladium for the Suzuki-Miyaura reaction in aqueous media: two NHC-Pd linkages are better than one. Dalton Transactions, 2016, 45, 11633-11638.   | 1.6  | 18        |
| 587 | The effect of iron catalyzed graphitization on the textural properties of carbonized cellulose: Magnetically separable graphitic carbon bodies for catalysis and remediation. Carbon, 2016, 107, 248-260.  | 5.4  | 87        |
| 588 | Magnetic Fe <sub>3</sub> O <sub>4</sub> nanoparticle catalyzed chemiluminescence for detection of nitric oxide in living cells. Analytical and Bioanalytical Chemistry, 2016, 408, 5479-5488.  | 1.9  | 16        |
| 589 | Carbon Dots Embedded Magnetic Nanoparticles @Chitosan @Metal Organic Framework as a Nanoprobe for pH Sensitive Targeted Anticancer Drug Delivery. ACS Applied Materials & Interfaces, 2016, 8, 16573-16583.  | 4.0  | 235       |
| 590 | A novel class of heterogeneous catalysts based on toluene diisocyanate: the first amine-functionalized nano-titanium dioxide as a mild and highly recyclable solid nanocatalyst for the Biginelli reaction. Reaction Kinetics, Mechanisms and Catalysis, 2016, 119, 245-258. | 0.8  | 21        |
| 591 | Silica Bonded N-(Propylcarbamoyl)sulfamic acid (SBPCSA) Mediated Expeditious Approach to C-C Bond Formation: An Innovative Pathway for Acrylonitrile Derivatives. Catalysis Letters, 2016, 146, 1687-1705.   | 1.4  | 12        |
| 592 | Rhodium-complexed hyperbranched poly(ethyleneimine) and polyamidoamine and their non-covalent immobilization on magnetic nanoparticles. Journal of Organometallic Chemistry, 2016, 818, 48-57.   | 0.8  | 6         |
| 593 | Organic Phase Syntheses of Magnetic Nanoparticles and Their Applications. Chemical Reviews, 2016, 116, 10473-10512.  | 23.0 | 492       |
| 594 | Magnetically Separable Iron Oxide Nanoparticles: An Efficient and Reusable Catalyst for Imino Diels-Alder Reaction. Bulletin of the Korean Chemical Society, 2016, 37, 142-147.  | 1.0  | 9         |
| 595 | Colloidal metal oxide nanocrystal catalysis by sustained chemically driven ligand displacement. Nature Materials, 2016, 15, 517-521.   | 13.3 | 82        |
| 596 | Diastereoselective synthesis of isoxazolidines and spiroisoxazolidines via catalytic 1,3-dipolar cycloaddition reactions in the presence of Fe <sub>3</sub> O <sub>4</sub> -l-proline nanoparticles as a magnetic organocatalyst. Tetrahedron Letters, 2016, 57, 1071-1073.  | 0.7  | 17        |
| 597 | Magnetically recoverable Fe <sub>3</sub> O <sub>4</sub> -implanted Ag-loaded ZnO nanoflakes for bacteria-inactivation and photocatalytic degradation of organic pollutants. New Journal of Chemistry, 2016, 40, 1845-1852.   | 1.4  | 28        |
| 598 | Catalytic Conversion of Biomass into Chemicals and Fuels over Magnetic Catalysts. ACS Catalysis, 2016, 6, 326-338.   | 5.5  | 194       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 599 | Magnetite and Metal-impregnated Magnetite Catalysts in Organic Synthesis: A Very Old Concept with New Promising Perspectives. <i>ChemCatChem</i> , 2016, 8, 49-67.   | 1.8 | 61        |
| 600 | Magnetically Retrievable Rh(0) Nanocomposite as Relevant Catalyst for Mild Hydrogenation of Functionalized Arenes in Water. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 1834-1839.   | 3.2 | 28        |
| 601 | PtCo bimetallic nanoparticles with high oxidase-like catalytic activity and their applications for magnetic-enhanced colorimetric biosensing. <i>Journal of Materials Chemistry B</i> , 2016, 4, 1869-1877.  | 2.9 | 90        |
| 602 | A highly dispersible, magnetically separable and environmentally friendly nano-sized catalyst for water oxidation. <i>International Journal of Hydrogen Energy</i> , 2016, 41, 4616-4623.  | 3.8 | 36        |
| 603 | Graphene oxide/carbon nanotubes-Fe <sub>3</sub> O <sub>4</sub> supported Pd nanoparticles for hydrogenation of nitroarenes and C-H activation. <i>RSC Advances</i> , 2016, 6, 16911-16916.   | 1.7 | 24        |
| 604 | Nano-NiFe <sub>2</sub> O <sub>4</sub> catalyzed microwave assisted one-pot regioselective synthesis of novel 2-alkoxyimidazo[1,2-a]pyridines under aerobic conditions. <i>RSC Advances</i> , 2016, 6, 12402-12407.   | 1.7 | 36        |
| 605 | Metal-organic gel templated synthesis of magnetic porous carbon for highly efficient removal of organic dyes. <i>Dalton Transactions</i> , 2016, 45, 4541-4547.  | 1.6 | 49        |
| 606 | I <sub>2</sub> /O <sub>2</sub> -Enabled N-S Bond Formation to Access Functionalized 1,2,3-Thiadiazoles. <i>Organic Letters</i> , 2016, 18, 1258-1261.  | 2.4 | 34        |
| 607 | Activated nanostructured bimetallic catalysts for C-C coupling reactions: recent progress. <i>Catalysis Science and Technology</i> , 2016, 6, 3341-3361.   | 2.1 | 74        |
| 608 | Hollow cobalt ferrite-polyaniline nanofibers as magnetically separable visible-light photocatalyst for photodegradation of methyl orange. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2016, 321, 257-265.                             | 2.0 | 53        |
| 609 | Fabrication and characterisation of hydrophobic magnetite composite nanoparticles for oil/water separation. <i>Materials Technology</i> , 2016, 31, 38-43.   | 1.5 | 9         |
| 610 | Recent developments in hybrid iron oxide-noble metal nanocatalysts for organic reactions. <i>Catalysis Today</i> , 2016, 278, 209-226.   | 2.2 | 14        |
| 611 | Structure Evolution and Hydrogenation Performance of IrFe Bimetallic Nanomaterials. <i>Langmuir</i> , 2016, 32, 2771-2779.   | 1.6 | 16        |
| 612 | Enhanced photocatalytic activity of magnetically separable bactericidal CuFe <sub>2</sub> O <sub>4</sub> -embedded Ag-deposited ZnO nanosheets. <i>RSC Advances</i> , 2016, 6, 1782-1791.  | 1.7 | 21        |
| 613 | Nano-K <sub>2</sub> CO <sub>3</sub> : preparation, characterization and evaluation of reactive activities. <i>RSC Advances</i> , 2016, 6, 1865-1869.   | 1.7 | 8         |
| 614 | The first report on the preparation of boehmite silica sulfuric acid and its applications in some multicomponent organic reactions. <i>New Journal of Chemistry</i> , 2016, 40, 1205-1212.   | 1.4 | 81        |
| 615 | Highly dispersible and magnetically recyclable poly(1-vinyl imidazole) brush coated magnetic nanoparticles: an effective support for the immobilization of palladium nanoparticles. <i>New Journal of Chemistry</i> , 2016, 40, 1729-1736.                 | 1.4 | 7         |
| 616 | Palladium immobilized on Fe <sub>3</sub> O <sub>4</sub> /ZnO nanoparticles: a novel magnetically recyclable catalyst for Suzuki-Miyaura and Heck reactions under ligand-free conditions. <i>Journal of the Iranian Chemical Society</i> , 2016, 13, 45-53. | 1.2 | 9         |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 617 | Research progress on iron oxide-based magnetic materials: Synthesis techniques and photocatalytic applications. <i>Ceramics International</i> , 2016, 42, 9-34.  | 2.3  | 168       |
| 618 | Preparation and photocatalytic properties of magnetically reusable Fe <sub>3</sub> O <sub>4</sub> @ZnO core/shell nanoparticles. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2016, 75, 66-71.   | 1.3  | 94        |
| 619 | Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> "imidate" PMA n magnetic porous nanosphere as recyclable catalyst for the green synthesis of quinoxaline derivatives at room temperature and study of their antifungal activities. <i>Materials Research Bulletin</i> , 2016, 73, 409-422.          | 2.7  | 32        |
| 620 | Exchange spring like magnetic behavior in cobalt ferrite nanoparticles. <i>Journal of Magnetism and Magnetic Materials</i> , 2016, 401, 1-8.   | 1.0  | 41        |
| 621 | Application of Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> @sulfamic acid magnetic nanoparticles as recyclable heterogeneous catalyst for the synthesis of imine and pyrazole derivatives in aqueous medium. <i>Research on Chemical Intermediates</i> , 2016, 42, 3169-3181.                   | 1.3  | 16        |
| 622 | Î <sup>2</sup> -Cyclodextrin Modified With Magnetic Nanoparticles Noncovalently for Î <sup>2</sup> -Naphthol Removal From Wastewater. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 2016, 46, 143-146.   | 0.6  | 9         |
| 623 | Ni-, Pt- and (Ni/Pt)-doped TiO <sub>2</sub> nanophotocatalysts: A smart approach for sustainable degradation of Rhodamine B dye. <i>Applied Catalysis B: Environmental</i> , 2016, 181, 270-278.   | 10.8 | 85        |
| 624 | Nano Fe <sub>3</sub> O <sub>4</sub> as a magnetically recyclable, powerful, and stable catalyst for the multi-component synthesis of highly functionalized dihydro-2-oxopyrroles. <i>Research on Chemical Intermediates</i> , 2016, 42, 2899-2908.   | 1.3  | 7         |
| 625 | Silica sulfuric acid-coated Fe <sub>3</sub> O <sub>4</sub> nanoparticles as high reusable nanocatalyst for the oxidation of sulfides into sulfoxides, protection and deprotection of hydroxyl groups using HMDS and Ac <sub>2</sub> O. <i>Journal of Saudi Chemical Society</i> , 2017, 21, 399-407. | 2.4  | 24        |
| 626 | In situ formation of hydrides and carbides in palladium catalyst: When XANES is better than EXAFS and XRD. <i>Catalysis Today</i> , 2017, 283, 119-126.  | 2.2  | 103       |
| 627 | Preparation and characterization of rapid magnetic recyclable Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> @TiO <sub>2</sub> "Sn photocatalyst. <i>Journal of the Iranian Chemical Society</i> , 2017, 14, 1089-1098.  | 1.2  | 11        |
| 628 | The recent development of efficient Earth-abundant transition-metal nanocatalysts. <i>Chemical Society Reviews</i> , 2017, 46, 816-854.  | 18.7 | 458       |
| 629 | Yolk-shell Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> @PMO: amphiphilic magnetic nanocomposites as an adsorbent and a catalyst with high efficiency and recyclability. <i>Green Chemistry</i> , 2017, 19, 1336-1344.   | 4.6  | 59        |
| 630 | Highly efficient epoxidation of alkenes with m-chloroperbenzoic acid catalyzed by nanomagnetic Co(III)@Fe <sub>3</sub> O <sub>4</sub> /SiO <sub>2</sub> salen complex. <i>Journal of Chemical Sciences</i> , 2017, 129, 343-352.   | 0.7  | 10        |
| 631 | MOF-derived Ni-based nanocomposites as robust catalysts for chemoselective hydrogenation of functionalized nitro compounds. <i>RSC Advances</i> , 2017, 7, 1531-1539.  | 1.7  | 59        |
| 633 | A Recoverable Ruthenium Aqua Complex Supported on Silica Particles: An Efficient Epoxidation Catalyst. <i>Chemistry - A European Journal</i> , 2017, 23, 4096-4107.  | 1.7  | 14        |
| 634 | Ferromagnetic nanoparticle-supported copper complex: A highly efficient and reusable catalyst for three-component syntheses of 1,4-disubstituted 1,2,3-triazoles and C-S coupling of aryl halides. <i>Applied Organometallic Chemistry</i> , 2017, 31, e3714.  | 1.7  | 20        |
| 635 | Factorial design evaluation of the Suzuki cross-coupling reaction using a magnetically recoverable palladium catalyst. <i>Tetrahedron Letters</i> , 2017, 58, 903-908.   | 0.7  | 11        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 636 | Palladium nanoparticles immobilized on amphiphilic and hyperbranched polymer- $\epsilon$ -functionalized magnetic nanoparticles: An efficient semi-heterogeneous catalyst for Heck reaction. <i>Applied Organometallic Chemistry</i> , 2017, 31, e3707.                                   | 1.7  | 31        |
| 637 | Magnetically Recoverable Pd/Fe <sub>3</sub> O <sub>4</sub> Core-Shell Nanowire Clusters with Increased Hydrogenation Activity. <i>ChemPlusChem</i> , 2017, 82, 347-351.   | 1.3  | 7         |
| 638 | Highly dispersed copper/ppm palladium nanoparticles as novel magnetically recoverable catalyst for Suzuki reaction under aqueous conditions at room temperature. <i>Applied Organometallic Chemistry</i> , 2017, 31, e3743.   | 1.7  | 27        |
| 639 | Microwave-assisted pseudo four-component synthesis of trans,trans-2-amino-1,3,3-tricyano-5-nitro-4,6-bis(aryl)cyclohexenes using $\gamma$ -Fe <sub>2</sub> O <sub>3</sub> nanoparticles. <i>Monatshefte für Chemie</i> , 2017, 148, 1095-1099.  | 0.9  | 1         |
| 640 | Palladium(0) nanoparticles supported on polydopamine coated CoFe <sub>2</sub> O <sub>4</sub> as highly active, magnetically isolable and reusable catalyst for hydrogen generation from the hydrolysis of ammonia borane. <i>Applied Catalysis B: Environmental</i> , 2017, 208, 104-115. | 10.8 | 141       |
| 641 | Iron-Oxide-Supported Ultrasmall ZnO Nanoparticles: Applications for Transesterification, Amidation, and O-Acylation Reactions. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 3314-3320.   | 3.2  | 21        |
| 642 | Synthesis of sulfides via reaction of aryl/alkyl halides with S <sub>8</sub> as a sulfur-transfer reagent catalyzed by Fe <sub>3</sub> O <sub>4</sub> -magnetic-nanoparticles-supported L-Histidine-Ni(II). <i>Journal of Sulfur Chemistry</i> , 2017, 38, 303-313.                       | 1.0  | 19        |
| 643 | A Recycling-Free Nanocatalyst System: The Stabilization of In Situ-Reduced Noble Metal Nanoparticles on Silicone Nanofilaments via a Mussel-Inspired Approach. <i>ACS Catalysis</i> , 2017, 7, 2412-2418.   | 5.5  | 19        |
| 644 | Small Solutions to Large Problems? Nanomaterials and Nanocomposites in Effluent, Water, and Land Management. , 2017, , 39-52.   |      | 2         |
| 645 | Design and development of a novel magnetic camphor nanospheres core/shell nanostructure. <i>Journal of Nanostructure in Chemistry</i> , 2017, 7, 149-157.   | 5.3  | 2         |
| 646 | Utilization of Human Hair as a Synergistic Support for Ag, Au, Cu, Ni, and Ru Nanoparticles: Application in Catalysis. <i>Industrial &amp; Engineering Chemistry Research</i> , 2017, 56, 1926-1939.  | 1.8  | 19        |
| 647 | Magnetic Nanoparticle-Supported N-Heterocyclic Carbene-Palladium(II): A Convenient, Efficient and Recyclable Catalyst for Suzuki-Miyaura Cross-Coupling Reactions. <i>Catalysis Letters</i> , 2017, 147, 900-918.   | 1.4  | 43        |
| 648 | Large-scale synthesis of uniformly loaded cobalt nanoparticles on alumina for efficient clean fuel production. <i>RSC Advances</i> , 2017, 7, 8852-8857.  | 1.7  | 4         |
| 649 | H <sub>3</sub> PW <sub>12</sub> O <sub>40</sub> supported on functionalized polyoxometalate organic-inorganic hybrid nanoparticles as efficient catalysts for three-component Mannich-type reactions in water. <i>RSC Advances</i> , 2017, 7, 11510-11521.                                | 1.7  | 20        |
| 650 | Enhanced base-catalyzed activity and structural stability of nitrogen-doped carbon modified MgO-MgFe <sub>2</sub> O <sub>4</sub> magnetic composites as catalysts for transesterification of tributyrin. <i>Dalton Transactions</i> , 2017, 46, 6324-6332.                                | 1.6  | 6         |
| 651 | Silica Gel-Immobilized 1,2-Benzenedisulfonimide: A New and Versatile Brønsted Acid Heterogeneous Catalyst. <i>ChemistrySelect</i> , 2017, 2, 3178-3183.   | 0.7  | 2         |
| 652 | A New Type of Magnetically-Recoverable Heteropolyacid Nanocatalyst Supported on Zirconia-Encapsulated Fe <sub>3</sub> O <sub>4</sub> Nanoparticles as a Stable and Strong Solid Acid for Multicomponent Reactions. <i>Catalysis Letters</i> , 2017, 147, 1551-1566.                       | 1.4  | 16        |
| 653 | Kinetics and feasibility studies of thiol oxidation using magnetically separable Mg-Al layered double hydroxide supported cobalt phthalocyanine catalyst. <i>Fuel Processing Technology</i> , 2017, 162, 135-146.   | 3.7  | 3         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 654 | One step hydrothermal synthesis of transition metal based coordination polymers along with magnetic and electrical conductive Ag and Au nanospheres and rods. <i>Journal of Solid State Chemistry</i> , 2017, 251, 116-121.  | 1.4 | 2         |
| 655 | A green direct preparation of a magnetic ordered mesoporous carbon catalyst containing Fe-Pd alloys: application to Suzuki-Miyaura reactions in propane-1,2-diol. <i>New Journal of Chemistry</i> , 2017, 41, 4931-4936.   | 1.4 | 10        |
| 656 | Thiourea dioxide-grafted Fe <sub>3</sub> O <sub>4</sub> /HAp magnetic nanoparticles: Efficient, green and reusable nanocatalyst for synthesis of pyranopyridine derivatives. <i>Applied Organometallic Chemistry</i> , 2017, 31, e3834.  | 1.7 | 12        |
| 657 | 2D NiFe/CeO <sub>2</sub> Basic-Site-Enhanced Catalyst via in-Situ Topotactic Reduction for Selectively Catalyzing the H <sub>2</sub> Generation from N <sub>2</sub> H <sub>4</sub> ·H <sub>2</sub> O. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 16103-16108.                    | 4.0 | 42        |
| 658 | Preparation of choline chloride-urea deep eutectic solvent-modified magnetic nanoparticles for synthesis of various 2-aminopyran derivatives in water solution. <i>Applied Organometallic Chemistry</i> , 2017, 31, e3811.   | 1.7 | 22        |
| 659 | Fabrication and characterization of Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> @TiO <sub>2</sub> @Ho nanostructures as a novel and highly efficient photocatalyst for degradation of organic pollution. <i>Journal of Energy Chemistry</i> , 2017, 26, 17-23.                            | 7.1 | 196       |
| 660 | Metal Nanoparticle Loaded Magnetic-Chitosan Microsphere: Water Dispersible and Easily Separable Hybrid Metal Nano-biomaterial for Catalytic Applications. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 489-501.   | 3.2 | 95        |
| 661 | Synthesis of highly substituted dihydro-2-oxopyrroles using Fe <sub>3</sub> O <sub>4</sub> @nano-cellulose-OPC <sub>3</sub> H as a novel bio-based magnetic nanocatalyst. <i>RSC Advances</i> , 2017, 7, 30303-30309.  | 1.7 | 38        |
| 662 | Hydroxyapatite: A review of syntheses, structure and applications in heterogeneous catalysis. <i>Coordination Chemistry Reviews</i> , 2017, 347, 48-76.  | 9.5 | 347       |
| 663 | Hydrothermal synthesis of reduced graphene oxide-CoFe <sub>2</sub> O <sub>4</sub> heteroarchitecture for high visible light photocatalytic activity: Exploration of efficiency, stability and mechanistic pathways. <i>Journal of Environmental Chemical Engineering</i> , 2017, 5, 3243-3255. | 3.3 | 38        |
| 664 | Fabrication of Core-Shell-Structured Organic-Inorganic Hybrid Nanocatalyst for the Expedient Synthesis of Polysubstituted Oxazoles via Tandem Oxidative Cyclization Pathway. <i>ACS Omega</i> , 2017, 2, 2778-2791.  | 1.6 | 29        |
| 665 | Nano-Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> supported Pd(0) as a magnetically recoverable nanocatalyst for Suzuki coupling reaction in the presence of waste eggshell as low-cost natural base. <i>Tetrahedron</i> , 2017, 73, 5624-5633.  | 1.0 | 72        |
| 666 | Magnetic nanoparticles supported Schiff-base/copper complex: An efficient nanocatalyst for preparation of biologically active 3,4-dihydropyrimidinones. <i>Journal of Colloid and Interface Science</i> , 2017, 504, 268-275.  | 5.0 | 43        |
| 667 | The structural and magnetic properties of dual phase cobalt ferrite. <i>Scientific Reports</i> , 2017, 7, 2524.  | 1.6 | 93        |
| 668 | Vanadium (V) and Tungsten (VI) Oxoperoxo-Complexes Anchored on Fe <sub>3</sub> O <sub>4</sub> Magnetic Nanoparticles: Versatile and Efficient Catalysts for the Oxidation of Alcohols and Sulfides. <i>Catalysis Letters</i> , 2017, 147, 2106-2115.   | 1.4 | 29        |
| 670 | Cobalt ferrite encapsulated in a zwitterionic chitosan derived shell: An efficient nano-magnetic catalyst for three-component syntheses of pyrano[3,2-c]quinolines and spirooxindoles. <i>Applied Organometallic Chemistry</i> , 2017, 31, e3891.  | 1.7 | 16        |
| 671 | Silica-supported NiO nanocomposites prepared via a sol-gel technique and their excellent catalytic performance for one-pot multicomponent synthesis of benzodiazepine derivatives under microwave irradiation. <i>New Journal of Chemistry</i> , 2017, 41, 5893-5903.                          | 1.4 | 26        |
| 672 | Synthesis of novel magnetic nanoparticles with urea or urethane moieties: Applications as catalysts in the Strecker synthesis of α-amino nitriles. <i>Applied Organometallic Chemistry</i> , 2017, 31, e3883.  | 1.7 | 15        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 673 | Enhanced stability and catalytic activity of bismuth nanoparticles by modified with porous silica. <i>Journal of Physics and Chemistry of Solids</i> , 2017, 110, 9-14.   | 1.9 | 22        |
| 674 | Magnetically separable Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> @TiO <sub>2</sub> nanostructures supported by neodymium(III): fabrication and enhanced photocatalytic activity for degradation of organic pollution. <i>Journal of Materials Science: Materials in Electronics</i> , 2017, 28, 14271-14281.   | 1.1 | 33        |
| 676 | Preparation of a superior liquid catalyst by hybridization of three solids of nanoZnO, urea, and choline chloride for Knoevenagel-based reactions. <i>Journal of the Iranian Chemical Society</i> , 2017, 14, 2077-2086.  | 1.2 | 6         |
| 677 | Nanomagnetically modified thioglycolic acid (Fe <sub>2</sub> O <sub>3</sub> @SiO <sub>2</sub> -SCH <sub>2</sub> CO <sub>2</sub> H): Efficient and reusable green catalyst for the one-pot domino synthesis of spiro[benzo[ a ]benzo[6,7]chromeno[2,3- c ]phenazine] and benzo[ a ]benzo[6,7]chromeno[2,3- c ]phenazines. <i>Applied Organometallic Chemistry</i> , 2017, 31, e3791. | 1.7 | 13        |
| 678 | Organic-inorganic nano-hybrid decorated by copper (II) incarceration: A versatile catalytic assembly for the swift reduction of aromatic nitro and dye compounds. <i>Molecular Catalysis</i> , 2017, 431, 15-26.  | 1.0 | 21        |
| 679 | Recyclable CoFe <sub>2</sub> O <sub>4</sub> @Ag <sub>2</sub> O magnetic photocatalyst and its visible light-driven photocatalytic performance. <i>Research on Chemical Intermediates</i> , 2017, 43, 4487-4502.   | 1.3 | 9         |
| 680 | Self-Encapsulation of Heteropolyacids in a 3D-Ordered Coke Framework for Heterogeneous Catalysis in Homogeneous Way. <i>Chemistry of Materials</i> , 2017, 29, 2676-2680.   | 3.2 | 6         |
| 681 | Synthesis of benzimidazoles/benzothiazoles by using recyclable, magnetically separable nano-Fe <sub>2</sub> O <sub>3</sub> in aqueous medium. <i>Journal of the Iranian Chemical Society</i> , 2017, 14, 1665-1671.   | 1.2 | 28        |
| 682 | Magnetically recoverable Fe <sub>3</sub> O <sub>4</sub> @Au-coated nanoscale catalysts for the A <sup>3</sup> -coupling reaction. <i>Dalton Transactions</i> , 2017, 46, 5133-5137.   | 1.6 | 40        |
| 683 | One-pot green catalytic synthesis of primary amides in aqueous medium by Cu-immobilized silica-based magnetic retrievable nanocatalyst. <i>Catalysis Communications</i> , 2017, 91, 38-42.  | 1.6 | 17        |
| 684 | Eu-functionalized ZnO@MOF heterostructures: integration of pre-concentration and efficient charge transfer for the fabrication of a ppb-level sensing platform for volatile aldehyde gases in vehicles. <i>Journal of Materials Chemistry A</i> , 2017, 5, 2215-2223.   | 5.2 | 109       |
| 685 | Highly stable magnetically separable copper nanocatalyst as an efficient catalyst for C(sp <sup>2</sup> )-C(sp) and C(sp <sup>2</sup> )-C(sp <sup>2</sup> ) cross-coupling reactions. <i>Applied Organometallic Chemistry</i> , 2017, 31, e3691.  | 1.7 | 2         |
| 686 | Nanostructured biogel templated synthesis of Fe <sub>3</sub> O <sub>4</sub> nanoparticles and its application for catalytic degradation of xylenol orange. <i>RSC Advances</i> , 2017, 7, 758-763.  | 1.7 | 5         |
| 687 | Thermoregulated phase-separable rhodium nanoparticle catalyst for selective hydrogenation of $\alpha,\beta$ -unsaturated aldehydes and ketones. <i>RSC Advances</i> , 2017, 7, 50343-50346.   | 1.7 | 5         |
| 688 | Palladium Nanoparticles Supported on Modified Hollow-Fe <sub>3</sub> O <sub>4</sub> @TiO <sub>2</sub> : Catalytic Activity in Heck and Sonogashira Cross Coupling Reactions. <i>Organic Preparations and Procedures International</i> , 2017, 49, 443-458.  | 0.6 | 20        |
| 689 | Magnetically activated adhesives: towards on-demand magnetic triggering of selected polymerisation reactions. <i>Chemical Science</i> , 2017, 8, 7758-7764.   | 3.7 | 6         |
| 690 | A magnetically retrievable heterogeneous copper nanocatalyst for the synthesis of 5-substituted tetrazoles and oxidation reactions. <i>Transition Metal Chemistry</i> , 2017, 42, 703-710.  | 0.7 | 49        |
| 691 | Encapsulated phosphomolybdic acid in TMU-16 metal organic framework: Study the catalytic activity and structural stability dependent on synthetic solvent. <i>Inorganic Chemistry Communication</i> , 2017, 86, 159-164.  | 1.8 | 9         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 692 | Regioselective synthesis and theoretical studies of novel bis(tetrahydro[1,2,4]triazolo[5,1-b]quinazolin-8(4H)-ones) catalyzed by ZnO nanoparticles. Monatshefte für Chemie, 2017, 148, 2107-2122.  | 0.9 | 37        |
| 693 | Nickel(0) nanoparticles supported on bare or coated cobalt ferrite as highly active, magnetically isolable and reusable catalyst for hydrolytic dehydrogenation of ammonia borane. Journal of Colloid and Interface Science, 2017, 508, 359-368.                                  | 5.0 | 54        |
| 694 | Novel Applications and Future Perspectives of Nanocomposites. Springer Series on Polymer and Composite Materials, 2017, , 333-398.  | 0.5 | 2         |
| 695 | Iron-Catalyzed C(sp <sup>3</sup> )-C(sp <sup>3</sup> ) Bond Formation in 3,4-Dihydro-1,4-benzoxazin-2-ones. Advanced Synthesis and Catalysis, 2017, 359, 3940-3944.   | 2.1 | 10        |
| 696 | Synthesis and characterization of magnetically nanoparticles of Fe <sub>3</sub> O <sub>4</sub> @APTMS@ZrCp <sub>2</sub> as a novel and reusable catalyst for convenient reduction of nitro compounds with glycerol. Journal of the Iranian Chemical Society, 2017, 14, 2649-2657. | 1.2 | 14        |
| 697 | Ni(II) complex on a bispyridine-based porous organic polymer as a heterogeneous catalyst for ethylene oligomerization. Catalysis Science and Technology, 2017, 7, 4351-4354.  | 2.1 | 16        |
| 698 | Catalyst recycling—A survey of recent progress and current status. Coordination Chemistry Reviews, 2017, 349, 1-65.   | 9.5 | 205       |
| 699 | Synthesis, characterization, and catalytic activity of three cobalt-based nanoparticle catalysts supported on guanidineacetic acid-functionalized cellulose. Monatshefte für Chemie, 2017, 148, 2079-2090.  | 0.9 | 1         |
| 700 | Trityl bromide versus nano-magnetic catalyst in the synthesis of henna-based xanthenes and bis-coumarins. Journal of the Iranian Chemical Society, 2017, 14, 2187-2198.   | 1.2 | 28        |
| 701 | The “bottom-up” construction of chiral porous organic polymers for heterogeneous asymmetric organocatalysis: MacMillan catalyst built-in nanoporous organic frameworks. Polymer Chemistry, 2017, 8, 5561-5569.  | 1.9 | 26        |
| 702 | Shape-controlled CoFe <sub>2</sub> O <sub>4</sub> nanoparticles as an excellent material for humidity sensing. RSC Advances, 2017, 7, 55778-55785.  | 1.7 | 64        |
| 703 | Copolymeric Schiff Base Cu: A Platform for Active and Recyclable Catalyst in Aerobic Oxidations. Industrial & Engineering Chemistry Research, 2017, 56, 15030-15037.  | 1.8 | 5         |
| 704 | Magnetically Recyclable Core-Shell Structured Pd-Based Catalysts for Semihydrogenation of Phenylacetylene. Industrial & Engineering Chemistry Research, 2017, 56, 14182-14191.  | 1.8 | 22        |
| 705 | Efficient synthesis of new pyrano[3,2-b]pyran derivatives via Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> -IL-Fc catalyzed three-component reaction. Heterocyclic Communications, 2017, 23, 439-444.   | 0.6 | 31        |
| 707 | Metal-exchanged magnetic Î <sup>2</sup> -zeolites: valorization of lignocellulosic biomass-derived compounds to platform chemicals. Green Chemistry, 2017, 19, 3856-3868.   | 4.6 | 35        |
| 708 | Magnetic nanoparticle-supported DABCO tribromide: a versatile nanocatalyst for the synthesis of quinazolinones and benzimidazoles and protection/deprotection of hydroxyl groups. New Journal of Chemistry, 2017, 41, 9033-9040.  | 1.4 | 22        |
| 709 | Surface modification of magnetite nanoparticles with molybdenum-dithiocarbamate complex: a new magnetically separable nanocatalyst. Monatshefte für Chemie, 2017, 148, 1403-1410.   | 0.9 | 4         |
| 710 | Silver nanoparticles supported over Al <sub>2</sub> O <sub>3</sub> @Fe <sub>2</sub> O <sub>3</sub> core-shell nanoparticles as an efficient catalyst for one-pot synthesis of 1,2,3-triazoles and acylation of benzyl alcohol. Molecular Catalysis, 2017, 439, 31-40.             | 1.0 | 34        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 711 | Encapsulation of Ag nanoparticles in magnetically modified silica nanostructures for reduction of 4-nitrophenol. <i>Monatshefte für Chemie</i> , 2017, 148, 1423-1431.  | 0.9 | 3         |
| 712 | Magnetically water-dispersible and recoverable rhodium organometallic catalyst derived from Wilkinson's catalyst for promoting organic reactions. <i>Applied Organometallic Chemistry</i> , 2017, 31, e3657.  | 1.7 | 4         |
| 713 | A route to magnetically separable nanocatalysts: Combined experimental and theoretical investigation of alkyl substituent role in ligand backbone towards epoxidation ability. <i>Applied Organometallic Chemistry</i> , 2017, 31, e3663.   | 1.7 | 11        |
| 714 | Magnetic Nanoparticles-Based Conducting Polymer Nanocomposites. <i>Springer Series on Polymer and Composite Materials</i> , 2017, , 45-80.  | 0.5 | 19        |
| 715 | Urea-functionalized silica-coated Fe <sub>3</sub> O <sub>4</sub> magnetic nanoparticles: as highly efficient and recyclable heterogeneous nanocatalyst for synthesis of 4H-chromene and 1H-pyrazolo[1,2-b]phthalazine-5,10-dione derivatives. <i>Journal of the Iranian Chemical Society</i> , 2017, 14, 403-418. | 1.2 | 30        |
| 716 | Ferrite nanoparticles supported on natural wool in one-pot tandem oxidative reactions: strategy to synthesize benzimidazole, quinazolinone and quinoxaline derivatives. <i>Applied Organometallic Chemistry</i> , 2017, 31, e3542.  | 1.7 | 17        |
| 717 | Comparison of catalytic activity of bismuth substituted cobalt ferrite nanoparticles synthesized by combustion and co-precipitation method. <i>Journal of Magnetism and Magnetic Materials</i> , 2017, 421, 113-119.  | 1.0 | 67        |
| 718 | An Fe <sub>3</sub> O <sub>4</sub> nanoparticle-supported Mn (II)-azo Schiff complex acts as a heterogeneous catalyst in alcoholysis of epoxides. <i>Comptes Rendus Chimie</i> , 2017, 20, 370-376.  | 0.2 | 13        |
| 719 | Pd-S-methylisothiourea supported on magnetic nanoparticles as an efficient and reusable nanocatalyst for Heck and Suzuki reactions. <i>Comptes Rendus Chimie</i> , 2017, 20, 132-139.   | 0.2 | 45        |
| 720 | Cr- and Zn-substituted cobalt ferrite nanoparticles supported on guanidine-modified graphene oxide as efficient and recyclable catalysts. <i>Journal of Materials Science</i> , 2017, 52, 96-112.   | 1.7 | 16        |
| 721 | One-pot synthesis of 2,3-dihydroquinazolin-4(1H)-ones by Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> -imid-PMAAn nano-catalyst under ultrasonic irradiation and reflux conditions. <i>Monatshefte für Chemie</i> , 2017, 148, 947-956.   | 0.9 | 22        |
| 722 | Tribromide ion immobilized on magnetic nanoparticles as an efficient catalyst for the rapid and chemoselective oxidation of sulfides to sulfoxides. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2017, 192, 53-57.  | 0.8 | 36        |
| 723 | Synthesis and characterization of D-2PA-Pd(II)@SBA-15 catalyst via click chemistry: highly active catalyst for Suzuki coupling reactions. <i>Journal of Porous Materials</i> , 2017, 24, 327-340.   | 1.3 | 20        |
| 724 | Application of a biological-based nanomagnetic catalyst in the synthesis of bis-pyrazols and pyrano[3,2- <i>b</i> ]pyrazoles. <i>Applied Organometallic Chemistry</i> , 2017, 31, e3633.  | 1.7 | 26        |
| 725 | (Triazinediyl)bis sulfamic acid-functionalized silica-coated magnetite nanoparticles: Preparation, characterization and application as an efficient catalyst for synthesis of mono-, bis-, tris- and spiro-perimidines. <i>Journal of the Iranian Chemical Society</i> , 2017, 14, 365-376.                       | 1.2 | 25        |
| 726 | Catalytic Properties of Cryogelated Noble Metal Aerogels. <i>Zeitschrift für Physikalische Chemie</i> , 2017, 231, 63-75.   | 1.4 | 19        |
| 727 | Bis(4-pyridylamino)triazine-stabilized magnetite nanoparticles: preparation, characterization and application as a retrievable catalyst for the green synthesis of 4H-pyran, 4H-thiopyran and 1,4-dihydropyridine derivatives. <i>Applied Organometallic Chemistry</i> , 2017, 31, e3557.                         | 1.7 | 31        |
| 728 | Benzylisothiourea complex of palladium on magnetic nanoparticles: A highly efficient and reusable nanocatalyst for synthesis of polyhydroquinolines and Suzuki reaction. <i>Applied Organometallic Chemistry</i> , 2017, 31, e3665.   | 1.7 | 55        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 729 | One-pot reductive-acetylation of nitroarenes with NaBH <sub>4</sub> catalyzed by separable core-shell Fe <sub>3</sub> O <sub>4</sub> @Cu(OH) <sub>x</sub> nanoparticles. <i>Journal of Colloid and Interface Science</i> , 2017, 485, 99-105.   | 5.0 | 29        |
| 730 | Synthesis of Ferrofluids Made of Iron Oxide Nanoflowers: Interplay between Carrier Fluid and Magnetic Properties. <i>Nanomaterials</i> , 2017, 7, 373.  | 1.9 | 45        |
| 731 | Synthesis and characterization of molybdic acid immobilized on modified magnetic nanoparticles as a new and recyclable catalyst for the synthesis of chromeno[4,3-b]chromenes. <i>New Journal of Chemistry</i> , 2017, 41, 11584-11590.   | 1.4 | 21        |
| 732 | Selective Oxidation of Biomass-derived Alcohols with Supported Metal Catalysts. <i>Journal of the Japan Petroleum Institute</i> , 2017, 60, 72-84.  | 0.4 | 10        |
| 733 | Reversible Phase Transfer of Carbon Dots between an Organic Phase and Aqueous Solution Triggered by CO <sub>2</sub> . <i>Angewandte Chemie</i> , 2018, 130, 3749-3753.  | 1.6 | 9         |
| 734 | Fe <sub>2</sub> O <sub>3</sub> @Cu <sub>3</sub> Al-LDH as a new Amphoteric, Highly Efficient and Recyclable Heterogeneous Catalyst for the Solvent-free Synthesis of Dihydropyrano[3,2-c]pyrazoles and dihydropyrano[3,2-c]chromens. <i>Applied Organometallic Chemistry</i> , 2018, 32, e4293.   | 1.7 | 27        |
| 735 | Facile synthesis of starch-based nanoparticle stabilized Pickering emulsion: its pH-responsive behavior and application for recyclable catalysis. <i>Green Chemistry</i> , 2018, 20, 1538-1550.   | 4.6 | 83        |
| 736 | Pd(II)/Pd(O) anchored to magnetic nanoparticles (Fe <sub>3</sub> O <sub>4</sub> ) modified with biguanidine-chitosan polymer as a novel nanocatalyst for Suzuki-Miyaura coupling reactions. <i>International Journal of Biological Macromolecules</i> , 2018, 113, 186-194.   | 3.6 | 132       |
| 737 | Synthesis and characterization of oxo-vanadium complex anchored onto SBA-15 as a green, novel and reusable nanocatalyst for the oxidation of sulfides and oxidative coupling of thiols. <i>Research on Chemical Intermediates</i> , 2018, 44, 4259-4276.  | 1.3 | 30        |
| 738 | MNPs@NHC <sub>6</sub> H <sub>4</sub> SO <sub>3</sub> H as high-performance catalyst for the synthesis of 1,4-diazepines containing tetrazole ring under microwave irradiation. <i>Journal of the Chinese Chemical Society</i> , 2018, 65, 1119-1126.  | 0.8 | 3         |
| 739 | Catalytic Conversion of Carbohydrates into 5-Ethoxymethylfurfural by a Magnetic Solid Acid Using Valerolactone as a Co-solvent. <i>Energy Technology</i> , 2018, 6, 1951-1958.  | 1.8 | 25        |
| 740 | Palladium nanoparticles supported on modified hollow Fe <sub>3</sub> O <sub>4</sub> @TiO <sub>2</sub> : Preparation, characterization, and catalytic activity in Suzuki cross-coupling reactions. <i>Journal of the Chinese Chemical Society</i> , 2018, 65, 875-882.   | 0.8 | 11        |
| 741 | Synthesis and characterization of the immobilized Ni-Zn-Fe layered double hydroxide (LDH) on silica-coated magnetite as a mesoporous and magnetically reusable catalyst for the preparation of benzylidenemalononitriles and bisdimedones (tetraketones) under green conditions. <i>New Journal of Chemistry</i> , 2018, 42, 8553-8566. | 1.4 | 49        |
| 742 | Synthesis of a molecularly defined single-active site heterogeneous catalyst for selective oxidation of N-heterocycles. <i>Nature Communications</i> , 2018, 9, 1465.   | 5.8 | 35        |
| 743 | Oxo-vanadium immobilized on polydopamine coated-magnetic nanoparticles (Fe <sub>3</sub> O <sub>4</sub> ): A heterogeneous nanocatalyst for selective oxidation of sulfides and benzylic alcohols with H <sub>2</sub> O <sub>2</sub> . <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2018, 88, 8-17.                    | 2.7 | 28        |
| 744 | A pH-responsive TiO <sub>2</sub> -based Pickering emulsion system for in situ catalyst recycling. <i>Chinese Chemical Letters</i> , 2018, 29, 778-782.  | 4.8 | 28        |
| 745 | Combustion synthesis of iron oxide/carbon nanocomposites, efficient adsorbents for anionic and cationic dyes removal from wastewaters. <i>Journal of Alloys and Compounds</i> , 2018, 741, 1235-1246.   | 2.8 | 47        |
| 746 | Synthesis and characterization of mesoporous Pd(II) organometal nanoplatelet catalyst for copper-free Sonogashira reaction in water. <i>Journal of Organometallic Chemistry</i> , 2018, 859, 92-98.   | 0.8 | 11        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 747 | Iron nanostructured catalysts: design and applications. <i>Catalysis Science and Technology</i> , 2018, 8, 1754-1776.   | 2.1 | 33        |
| 748 | Magnetically recyclable nanocatalyst with synergetic catalytic effect and its application for 4-nitrophenol reduction and Suzuki coupling reactions. <i>Carbon</i> , 2018, 130, 806-813.  | 5.4 | 99        |
| 749 | An efficient copper-based magnetic nanocatalyst for the fixation of carbon dioxide at atmospheric pressure. <i>Scientific Reports</i> , 2018, 8, 1901.  | 1.6 | 59        |
| 750 | Pd nanoparticles immobilized on carbon nanotubes with a polyaniline coaxial coating for the Heck reaction: coating thickness as the key factor influencing the efficiency and stability of the catalyst. <i>Catalysis Science and Technology</i> , 2018, 8, 1423-1434.                  | 2.1 | 28        |
| 751 | New chiral amino alcohol ligands for catalytic enantioselective addition of diethylzincs to aldehydes. <i>Organic and Biomolecular Chemistry</i> , 2018, 16, 1860-1870.   | 1.5 | 14        |
| 752 | Sonochemical method for the preparation of magnetic nanoparticles employing green precursors and its composite with praseodymium(III) nanoparticles for photocatalytic degradation of rhodamine b. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 5702-5709. | 1.1 | 1         |
| 753 | Green synthesis of Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> -Ag magnetic nanocatalyst using safflower extract and its application as recoverable catalyst for reduction of dye pollutants in water. <i>Applied Organometallic Chemistry</i> , 2018, 32, e4249.                  | 1.7 | 47        |
| 754 | Copper ferrite nanoparticle modified starch as a highly recoverable catalyst for room temperature click chemistry: multicomponent synthesis of 1,2,3-triazoles in water. <i>New Journal of Chemistry</i> , 2018, 42, 3078-3086.   | 1.4 | 57        |
| 755 | Preparation and Characterization of Ni-Modified Graphene Oxide Complex as an Efficient Catalyst for the Synthesis of Sulfides via Reaction of Arylhalides with S <sub>8</sub> or Thiourea. <i>Applied Organometallic Chemistry</i> , 2018, 32, e4248.                                   | 1.7 | 17        |
| 756 | Reversible Phase Transfer of Carbon Dots between an Organic Phase and Aqueous Solution Triggered by CO <sub>2</sub> . <i>Angewandte Chemie - International Edition</i> , 2018, 57, 3687-3691.   | 7.2 | 33        |
| 757 | Novel magnetically separable Ag <sub>3</sub> PO <sub>4</sub> /MnFe <sub>2</sub> O <sub>4</sub> nanocomposite and its high photocatalytic degradation performance for organic dyes under solar-light irradiation. <i>Solar Energy Materials and Solar Cells</i> , 2018, 178, 154-163.    | 3.0 | 92        |
| 758 | Iron(III) Amine Bis(phenolate) Complex Immobilized on Silica-Coated Magnetic Nanoparticles: A Highly Efficient Catalyst for the Oxidation of Alcohols and Sulfides. <i>ChemCatChem</i> , 2018, 10, 1889-1899.   | 1.8 | 29        |
| 759 | Fabrication of Pd/CuFe <sub>2</sub> O <sub>4</sub> hybrid nanowires: a heterogeneous catalyst for Heck couplings. <i>New Journal of Chemistry</i> , 2018, 42, 1646-1654.  | 1.4 | 18        |
| 760 | Palladium-Loaded Cucurbit[7]uril-Modified Iron Oxide Nanoparticles for C-C Cross-Coupling Reactions. <i>Chemistry - A European Journal</i> , 2018, 24, 2349-2353.   | 1.7 | 14        |
| 761 | Magnetic flocculation for nanoparticle separation and catalyst recycling. <i>Environmental Science: Nano</i> , 2018, 5, 509-519.  | 2.2 | 19        |
| 762 | PAMAM Dendrimer Functionalized Manganese Ferrite Magnetic Nanoparticles: Microwave-Assisted Synthesis and Characterization. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2018, 28, 2100-2107.  | 1.9 | 20        |
| 763 | Synthesis of new zirconium complex supported on MCM-41 and its application as an efficient catalyst for synthesis of sulfides and the oxidation of sulfur containing compounds. <i>Applied Organometallic Chemistry</i> , 2018, 32, e4340.  | 1.7 | 31        |
| 764 | Single Pd atom and Pd dimer embedded graphene catalyzed formic acid dehydrogenation: A first-principles study. <i>International Journal of Hydrogen Energy</i> , 2018, 43, 6997-7006.   | 3.8 | 36        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 765 | Nano-cellulose/BF <sub>3</sub> /Fe <sub>3</sub> O <sub>4</sub> : a magnetic bio-based nano-catalyst for the synthesis of pyrimido[2,1-b]benzothiazoles under solvent-free conditions. <i>Research on Chemical Intermediates</i> , 2018, 44, 4519-4531.   | 1.3 | 24        |
| 766 | Magnetically-separable Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> @SO <sub>4</sub> -ZrO <sub>2</sub> core-shell nanoparticle catalysts for propanoic acid esterification. <i>Molecular Catalysis</i> , 2018, 449, 137-141.   | 1.0 | 15        |
| 767 | Comparison of Colloidal versus Supported Gold Nanoparticle Catalysis. <i>Journal of Physical Chemistry C</i> , 2018, 122, 7749-7758.   | 1.5 | 29        |
| 768 | Crystal Engineering for Catalysis. <i>Annual Review of Chemical and Biomolecular Engineering</i> , 2018, 9, 283-309.   | 3.3 | 37        |
| 769 | Magnetically Separable Nanocatalyst with the Fe <sub>3</sub> O <sub>4</sub> Core and Polydopamine-Sandwiched Au Nanocrystal Shell. <i>Langmuir</i> , 2018, 34, 4298-4306.  | 1.6 | 53        |
| 770 | A green synthesis of biaryls in water catalyzed by palladium nanoparticles immobilized on N-amidinoglycine-functionalized iron oxide nanoparticles. <i>Transition Metal Chemistry</i> , 2018, 43, 295-300.   | 0.7 | 2         |
| 771 | Synthesis of Magnetic Fe <sub>3</sub> O <sub>4</sub> @polyethyleneimine.Mn(II) from Fe <sub>3</sub> O <sub>4</sub> , [3-(2,3-Epoxypropoxy)propyl]trimethoxysilane, Polyethyleneimine and Mn(II) Acetate as a Novel Silicon-Containing Polymeric Organic-Inorganic Hybrid Nanomaterial and Its Catalytic Investigation Towards the Oxidation of Cyclohexene, Ethyl Benzene and Toluene in the Presence of H <sub>2</sub> O <sub>2</sub> . <i>Silicon</i> , 2018, 10, 257-265. | 1.8 | 13        |
| 772 | Recent Progress in Application of Graphene Supported Metal Nanoparticles in C-C and C-X Coupling Reactions. <i>Chemical Record</i> , 2018, 18, 165-229.  | 2.9 | 92        |
| 773 | Magnetic Fe <sub>3</sub> O <sub>4</sub> nanoparticles supported imine/Thiophene-nickel (II) complex: A new and highly active heterogeneous catalyst for the synthesis of polyhydroquinolines and 2,3-dihydroquinazolin-4(1H)-ones. <i>Applied Organometallic Chemistry</i> , 2018, 32, e3943.  | 1.7 | 33        |
| 774 | Synthesis of nanomagnetic supported thiourea-copper(I) catalyst and its application in the synthesis of triazoles and benzamides. <i>Applied Organometallic Chemistry</i> , 2018, 32, e3933.   | 1.7 | 23        |
| 775 | Nanomagnetically modified vitamin B <sub>3</sub> (Fe <sub>3</sub> O <sub>4</sub> @Niacin): An efficient and reusable green biocatalyst for microwave-assisted rapid synthesis of 2-amino-3-cyanopyridines in aqueous medium. <i>Applied Organometallic Chemistry</i> , 2018, 32, e4103.  | 1.7 | 31        |
| 776 | ZnFe <sub>2</sub> O <sub>4</sub> nanoparticles: A green and recyclable magnetic catalyst for fast and regioselective conversion of epoxides to vicinal hydroxythiocyanates using NH <sub>4</sub> SCN under solvent-free conditions. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2018, 193, 211-217.   | 0.8 | 15        |
| 777 | Synthesis of Chromene Derivatives via Three-Component Reaction of 4-hydroxycumarin Catalyzed by Magnetic Fe <sub>3</sub> O <sub>4</sub> Nanoparticles in Water. <i>Journal of Heterocyclic Chemistry</i> , 2018, 55, 209-213.  | 1.4 | 28        |
| 778 | Catalytic application of sulfonic acid-functionalized titania-coated magnetic nanoparticles for the preparation of 1,8-dioxodecahydroacridines and 2,4,6-triarylpyridines via anomerid-based oxidation. <i>Applied Organometallic Chemistry</i> , 2018, 32, e4063.   | 1.7 | 42        |
| 779 | Structural, optical and magnetic properties of CuFe <sub>2</sub> O <sub>4</sub> nanoparticles. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 1975-1984.  | 1.1 | 52        |
| 780 | Fe <sub>3</sub> O <sub>4</sub> /SiO <sub>2</sub> nanoparticles coated with polydopamine as a novel magnetite reductant and stabilizer sorbent for palladium ions: Synthetic application of Fe <sub>3</sub> O <sub>4</sub> /SiO <sub>2</sub> @PDA/Pd for reduction of 4-nitrophenol and Suzuki reactions. <i>Journal of Industrial and Engineering Chemistry</i> , 2018, 60, 114-124.   | 2.9 | 124       |
| 781 | Cobalt ferrite nanoparticles (CoFe <sub>2</sub> O <sub>4</sub> MNPs) as catalyst and support: magnetically recoverable nanocatalysts in organic synthesis. <i>Nanotechnology Reviews</i> , 2018, 7, 43-68.   | 2.6 | 127       |
| 782 | MgFe <sub>2</sub> O <sub>4</sub> @SiO <sub>2</sub> -SO <sub>3</sub> H: an efficient, reusable catalyst for the microwave-assisted synthesis of benzoxazinone and benzthioxazinone via multicomponent reaction under solvent free condition. <i>Research on Chemical Intermediates</i> , 2018, 44, 355-372.   | 1.3 | 17        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 783 | Cobalt ferrite nanoparticles with controlled composition-peroxymonosulfate mediated degradation of 2-phenylbenzimidazole-5-sulfonic acid. <i>Applied Catalysis B: Environmental</i> , 2018, 221, 266-279.  | 10.8 | 155       |
| 784 | Synthesis of novel magnetic sulfur-doped Fe <sub>3</sub> O <sub>4</sub> nanoparticles for efficient removal of Pb(II). <i>Science China Chemistry</i> , 2018, 61, 164-171.   | 4.2  | 10        |
| 785 | Separation technology meets green chemistry: development of magnetically recoverable catalyst supports containing silica, ceria, and titania. <i>Pure and Applied Chemistry</i> , 2018, 90, 133-141.   | 0.9  | 8         |
| 786 | Tailoring magnetic properties of cobalt ferrite nanoparticles by different divalent cation substitution. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 813-822.  | 1.1  | 13        |
| 787 | Advances in Nanocatalyst Design for Biofuel Production. <i>ChemCatChem</i> , 2018, 10, 1968-1981.  | 1.8  | 65        |
| 788 | Functionalized core-shell nanostructures with inherent magnetic character: Outperforming candidates for the activation of PMS. <i>Advanced Powder Technology</i> , 2018, 29, 245-256.  | 2.0  | 15        |
| 789 | Facile pathway for synthesis of two efficient catalysts for preparation of 2-aminothiophenes and tetrahydrobenzo[b]pyrans. <i>Research on Chemical Intermediates</i> , 2018, 44, 2195-2213.  | 1.3  | 5         |
| 790 | Progress of recyclable magnetic particles for biomedical applications. <i>Journal of Materials Chemistry B</i> , 2018, 6, 366-380.   | 2.9  | 23        |
| 791 | Silver, iron, and nickel immobilized on hydroxyapatite@core-shell Fe <sub>2</sub> O <sub>3</sub> MNPs catalyzed one-pot five-component reactions for the synthesis of tetrahydropyridines by tandem condensation of amines, aldehydes, and methyl acetoacetate. <i>Applied Organometallic Chemistry</i> , 2018, 32, e4172. | 1.7  | 26        |
| 792 | Synthesis of a novel ZnO nanoplates supported hydrazone-based palladacycle as an effective and recyclable heterogeneous catalyst for the Mizoroki-Heck cross-coupling reaction. <i>Inorganica Chimica Acta</i> , 2018, 471, 664-673.   | 1.2  | 18        |
| 793 | Silica nanoparticle with a single His-tag for addressable functionalization, reversible assembly, and recycling. <i>Nano Research</i> , 2018, 11, 2512-2522.   | 5.8  | 1         |
| 794 | Synthesis, characterization and immobilization of a novel mononuclear vanadium (V) complex on modified magnetic nanoparticles as catalyst for epoxidation of allyl alcohols. <i>Applied Organometallic Chemistry</i> , 2018, 32, e4168.  | 1.7  | 23        |
| 795 | Continuous-Flow Synthesis of Supported Magnetic Iron Oxide Nanoparticles for Efficient Isoeugenol Conversion into Vanillin. <i>ChemSusChem</i> , 2018, 11, 389-396.  | 3.6  | 33        |
| 796 | Highly efficient and selective extraction of uranium from aqueous solution using a magnetic device: succinyl-β-cyclodextrin-APTES@maghemite nanoparticles. <i>Environmental Science: Nano</i> , 2018, 5, 158-168.  | 2.2  | 37        |
| 797 | Supported molybdenum complex on the surface of magnetite-mesoporous silica nanocomposite: new catalyst for the epoxidation of olefins. <i>Journal of Porous Materials</i> , 2018, 25, 1195-1201.   | 1.3  | 3         |
| 798 | Ni(II)-Adenine complex coated Fe <sub>3</sub> O <sub>4</sub> nanoparticles as high reusable nanocatalyst for the synthesis of polyhydroquinoline derivatives and oxidation reactions. <i>Applied Organometallic Chemistry</i> , 2018, 32, e3974.   | 1.7  | 66        |
| 799 | Catalytic application of [Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> @(CH <sub>2</sub> ) <sub>3</sub> -Urea-SO <sub>3</sub> H/HCl] as a magnetically recoverable solid acid at the synthesis of 2-aminobenzothiazolomethylnaphthols. <i>Research on Chemical Intermediates</i> , 2018, 44, 191-200.                  | 1.3  | 17        |
| 800 | Mesoporous poly(ionic liquid) supported palladium(II) catalyst for oxidative coupling of benzene under atmospheric oxygen. <i>Applied Surface Science</i> , 2018, 427, 575-583.  | 3.1  | 26        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 801 | Tungstic acid-functionalized Fe <sub>3</sub> O <sub>4</sub> @TiO <sub>2</sub> : preparation, characterization and its application for the synthesis of pyrano[2,3- <i>c</i> ]pyrazole derivatives as a reusable magnetic nanocatalyst. RSC Advances, 2018, 8, 40962-40967. | 1.7  | 27        |
| 802 | One-pot synthesis of 3,4-dihydropyrimidin-2(1 <i>H</i> )-ones catalyzed by SO <sub>3</sub> H@imineZCMNPs as a novel, efficient and reusable acidic nanocatalyst under solvent-free conditions. RSC Advances, 2018, 8, 40243-40251.   | 1.7  | 8         |
| 803 | Green approach for the synthesis of carboxycoumarins by using a highly active magnetically recyclable nanobiocomposite via sustainable catalysis. Micro and Nano Letters, 2018, 13, 591-594.   | 0.6  | 20        |
| 804 | Ultra-Fast Degradation of p-Aminophenol by a Nanostructured Iron Catalyst. Molecules, 2018, 23, 2166.  | 1.7  | 9         |
| 805 | Core/shell structured ZnO@SiO <sub>2</sub> -TTIP composite nanoparticles as an effective catalyst for the synthesis of 2-substituted benzimidazoles and benzothiazoles. Journal of Experimental Nanoscience, 2018, 13, 272-283.  | 1.3  | 16        |
| 806 | Synthesis of Superparamagnetic Cu <sub>0.4</sub> Zn <sub>0.6</sub> Fe <sub>2</sub> O <sub>4</sub> -Implanted Bi <sub>2</sub> S <sub>3</sub> -Capped TiO <sub>2</sub> 2D and 3D Nanostructures for Visible Light Photocatalysis. ACS Omega, 2018, 3, 18958-18966.           | 1.6  | 7         |
| 807 | Immobilization of Palladium on Modified Nanoparticles and Its Catalytic Properties on Mizoroki-Heck Reaction. ChemistrySelect, 2018, 3, 13297-13302.   | 0.7  | 7         |
| 808 | Multifunctional Ferrite Nanoparticles: From Current Trends Toward the Future. , 2018, , 59-116.  |      | 34        |
| 809 | Tribromide ion supported on boehmite nanoparticles as a reusable catalyst for organic reactions. Comptes Rendus Chimie, 2018, 21, 1011-1022.   | 0.2  | 25        |
| 810 | Magnetically Separable Nanocatalyst Ag@Ni for the Liquid-Phase Oxidation of Cumene. Theoretical and Experimental Chemistry, 2018, 54, 242-246.   | 0.2  | 7         |
| 811 | Immobilized Cu(II) Schiff base complex supported on Fe <sub>3</sub> O <sub>4</sub> magnetic nanoparticles: A highly efficient and reusable new catalyst for the synthesis of pyranopyridine derivatives. Applied Organometallic Chemistry, 2018, 32, e4541.                | 1.7  | 18        |
| 812 | Synthesis, characterization and application of monatomic catalysts. IOP Conference Series: Materials Science and Engineering, 2018, 392, 032026.   | 0.3  | 1         |
| 813 | Preparation and Reactivation of Heterogeneous Palladium Catalysts and Applications in Sonogashira, Suzuki, and Heck Reactions in Aqueous Media. ChemistryOpen, 2018, 7, 803-813.   | 0.9  | 14        |
| 814 | Recent Developments on Supported Hydrogen-bond Organocatalysts. ChemCatChem, 2018, 10, 5554-5572.  | 1.8  | 24        |
| 815 | SO <sub>3</sub> H-functionalized magnetic Fe <sub>3</sub> O <sub>4</sub> nanoparticles as an efficient and reusable catalyst for one-pot synthesis of $\alpha$ -amino phosphonates. Journal of Chemical Sciences, 2018, 130, 1.  | 0.7  | 2         |
| 816 | Functionalised heterogeneous catalysts for sustainable biomass valorisation. Chemical Society Reviews, 2018, 47, 8349-8402.  | 18.7 | 493       |
| 817 | Valorization of Biomass Derived Terpene Compounds by Catalytic Amination. Catalysts, 2018, 8, 365.   | 1.6  | 14        |
| 818 | Magnetic Nanoparticle Anchored Deep Eutectic Solvents as a Catalyst for the Etherification and Amination of Naphthols. Advanced Synthesis and Catalysis, 2018, 360, 4372-4380.   | 2.1  | 12        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 819 | Magnetically Recoverable Catalysts: Beyond Magnetic Separation. <i>Frontiers in Chemistry</i> , 2018, 6, 298.  | 1.8  | 37        |
| 820 | Exchange spring magnetic behavior of Sr <sub>0.3</sub> Ba <sub>0.4</sub> Pb <sub>0.3</sub> Fe <sub>12</sub> O <sub>19</sub> /(CuFe <sub>2</sub> O <sub>4</sub> ) <sub>x</sub> nanocomposites fabricated by a one-pot citrate sol-gel combustion method. <i>Journal of Alloys and Compounds</i> , 2018, 762, 389-397.                                   | 2.8  | 90        |
| 821 | Superparamagnetic Fe <sub>3</sub> O <sub>4</sub> Nanoparticles in a Deep Eutectic Solvent: An Efficient and Recyclable Catalytic System for the Synthesis of Primary Carbamates and Monosubstituted Ureas. <i>European Journal of Organic Chemistry</i> , 2018, 2018, 3481-3488.   | 1.2  | 34        |
| 822 | Magnetic nanoparticle supported phosphotungstic acid: An efficient catalyst for the synthesis of xanthene derivatives. <i>AIP Conference Proceedings</i> , 2018, , .   | 0.3  | 3         |
| 823 | Binary copper and iron oxides immobilized on silica-layered magnetite as a new reusable heterogeneous nanostructure catalyst for the Knoevenagel condensation in water. <i>Research on Chemical Intermediates</i> , 2018, 44, 6053-6070.   | 1.3  | 30        |
| 824 | ZnO-Nanoparticles-Catalyzed Synthesis of Poly(tetrahydrobenzimidazo[2,1-b]quinazolin-1(2H)-ones) as Novel Multi-armed Molecules. <i>Synlett</i> , 2018, 29, 1627-1633.   | 1.0  | 34        |
| 825 | Reusable N-Heterocyclic Carbene Complex Catalysts and Beyond: A Perspective on Recycling Strategies. <i>Chemical Reviews</i> , 2018, 118, 9843-9929.   | 23.0 | 169       |
| 826 | Immobilized different amines on modified magnetic nanoparticles as catalyst for biodiesel production from soybean oil. <i>Journal of the Iranian Chemical Society</i> , 2018, 15, 1625-1632.   | 1.2  | 8         |
| 827 | Controllable synthesis of magnetic Fe <sub>3</sub> O <sub>4</sub> encapsulated semimetal Bi nanospheres with excellent stability and catalytic activity. <i>Journal of Materials Science</i> , 2018, 53, 13886-13899.  | 1.7  | 11        |
| 828 | Synthesis of New Class of Copper(II) Complex-Based FeNi <sub>3</sub> /KCC-1 for the N-Formylation of Amines Using Dihydrogen and Carbon Dioxide. <i>Catalysis Letters</i> , 2018, 148, 2487-2500.  | 1.4  | 32        |
| 829 | Nanomagnetic-Supported Catalysts. , 2018, , 333-371.   |      | 5         |
| 830 | One-pot oxidative Groebke-Blackburn-Bienayme reaction of alcohols: using bio-supported and magnetically recyclable Fe <sub>2</sub> O <sub>3</sub> @cellulose and Fe <sub>2</sub> O <sub>3</sub> @cellulose-SO <sub>3</sub> H nanocomposites for the synthesis of 3-aminoimidazo[1,2-a]pyridines. <i>Monatshefte für Chemie</i> , 2018, 149, 1459-1467. | 0.9  | 5         |
| 831 | Pd-Ni BMNPs Encapsulated in UiO-66 as an Efficient Catalyst for the Activation of C-O Bonds. <i>ChemCatChem</i> , 2018, 10, 4258-4263.   | 1.8  | 7         |
| 832 | Engineered Nanomaterial for Catalysis Industry. , 2018, , 208-216.   |      | 0         |
| 833 | New Generation Hybrid Nanobiocatalysts. , 2018, , 217-231.   |      | 8         |
| 834 | New Trendy Magnetic C-Scorpionate Iron Catalyst and Its Performance towards Cyclohexane Oxidation. <i>Catalysts</i> , 2018, 8, 69.   | 1.6  | 15        |
| 835 | Magnetically retrievable nanocomposite adorned with Pd nanocatalysts: efficient reduction of nitroaromatics in aqueous media. <i>Green Chemistry</i> , 2018, 20, 3809-3817.  | 4.6  | 143       |
| 836 | Formation of 1D chain-like Fe <sub>3</sub> O <sub>4</sub> @C/Pt sandwich nanocomposites and their magnetically recyclable catalytic property. <i>Applied Surface Science</i> , 2018, 457, 1136-1141.   | 3.1  | 11        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 837 | Fe <sub>3</sub> O <sub>4</sub> -AMPD-Pd: A novel and efficient magnetic nanocatalyst for synthesis of sulfides and oxidation reactions. <i>Polyhedron</i> , 2018, 153, 104-109.  | 1.0  | 18        |
| 838 | In situ immobilized palladium nanoparticles on surface of poly-methylidopa coated-magnetic nanoparticles (Fe <sub>3</sub> O <sub>4</sub> @PMDA/Pd): A magnetically recyclable nanocatalyst for cyanation of aryl halides with K <sub>4</sub> [Fe(CN) <sub>6</sub> ]. <i>Journal of Catalysis</i> , 2018, 365, 204-212.   | 3.1  | 96        |
| 839 | Palladium Nanoparticles Immobilized on an Aminopropyl-Functionalized Silica-Magnetite Composite as a Recyclable Catalyst for Suzuki-Miyaura Reactions. <i>ChemistrySelect</i> , 2018, 3, 7970-7975.  | 0.7  | 7         |
| 840 | Oxo-vanadium complex immobilized on chitosan coated-magnetic nanoparticles (Fe <sub>3</sub> O <sub>4</sub> ): A heterogeneous and recyclable nanocatalyst for the chemoselective oxidation of sulfides to sulfoxides with H <sub>2</sub> O <sub>2</sub> . <i>Polyhedron</i> , 2018, 153, 240-247.  | 1.0  | 30        |
| 841 | Highly Efficient Oxidative Coupling of Thiols and Oxidation of Sulfides in the Presence of MCM-41@Tryptophan-Cd and MCM-41@Tryptophan-Hg as Novel and Recoverable Nanocatalysts. <i>Catalysis Letters</i> , 2018, 148, 1834-1847.  | 1.4  | 35        |
| 842 | Synthesis chemistry of metal-organic frameworks for CO <sub>2</sub> capture and conversion for sustainable energy future. <i>Renewable and Sustainable Energy Reviews</i> , 2018, 92, 570-607.   | 8.2  | 89        |
| 843 | Amphiphilic Block Copolymers Directed Interface Coassembly to Construct Multifunctional Microspheres with Magnetic Core and Monolayer Mesoporous Aluminosilicate Shell. <i>Advanced Materials</i> , 2018, 30, e1800345.  | 11.1 | 45        |
| 844 | Magnetic guanidinylated chitosan nanobiocomposite: A green catalyst for the synthesis of 1,4-dihydropyridines. <i>International Journal of Biological Macromolecules</i> , 2018, 116, 320-326.   | 3.6  | 111       |
| 845 | Palladium Niacin Complex Immobilized on Starch-Coated Magnetite Nanoparticles as an Efficient Homo- and Cross-coupling Catalyst for the Synthesis of Symmetrical and Unsymmetrical Biaryls. <i>Catalysis Letters</i> , 2018, 148, 3165-3177.   | 1.4  | 16        |
| 846 | Anchored complexes of Ni, Pt, and Pd on Fe <sub>3</sub> O <sub>4</sub> nanoparticles as new and eco-friendly nanocatalysts in Suzuki and Heck coupling reactions. <i>Journal of Coordination Chemistry</i> , 2018, 71, 2924-2940.  | 0.8  | 8         |
| 847 | Preparation and characterization of magnetically separable MgFe <sub>2</sub> O <sub>4</sub> /Mg(OH) <sub>2</sub> nanocomposite as an efficient heterogeneous catalyst for regioselective one-pot synthesis of $\alpha$ -chloroacetates from epoxides. <i>Applied Organometallic Chemistry</i> , 2018, 32, e4520.   | 1.7  | 6         |
| 848 | Novel sheet-like bismuth subcarbonate-zinc ferrite (Bi <sub>2</sub> O <sub>3</sub> /CO <sub>3</sub> /ZnFe <sub>2</sub> O <sub>4</sub> ) magnetically recyclable nanocomposites: Synthesis, characterization and enhanced catalytic performance for the reduction of nitrophenols and nitroanilines. <i>Applied Organometallic Chemistry</i> , 2018, 32, e4518. | 1.7  | 10        |
| 850 | CuO Nanoparticles as An Efficient Heterogeneous Catalyst for the 1,3-Dipolar Cycloaddition of Dicarbonyl Compounds to Azides. <i>ChemistrySelect</i> , 2018, 3, 6195-6202.   | 0.7  | 16        |
| 851 | Fabrication of Fe <sub>3</sub> O <sub>4</sub> /ZnO magnetite core shell and its application in photocatalysis using sunlight. <i>Materials Chemistry and Physics</i> , 2018, 216, 380-386.   | 2.0  | 59        |
| 852 | Recyclable Pd/CuFe <sub>2</sub> O <sub>4</sub> nanowires: a highly active catalyst for C-C couplings and synthesis of benzofuran derivatives. <i>RSC Advances</i> , 2018, 8, 21030-21039.  | 1.7  | 19        |
| 853 | TEDETA@BNPs as a basic and metal free nanocatalyst for Knoevenagel condensation and Hantzsch reaction. <i>Journal of the Iranian Chemical Society</i> , 2018, 15, 2281-2293.   | 1.2  | 23        |
| 854 | Magnetic Fe <sub>3</sub> O <sub>4</sub> @MCM-41 core-shell nanoparticles functionalized with thiol silane for efficient <i>l</i> -asparaginase immobilization. <i>Artificial Cells, Nanomedicine and Biotechnology</i> , 2018, 46, 1035-1045.  | 1.9  | 40        |
| 855 | Bisferrocene-containing ionic liquid supported on silica coated Fe <sub>3</sub> O <sub>4</sub> : A novel nanomagnetic catalyst for the synthesis of dihydropyrano[2,3-c]coumarin derivatives. <i>Journal of Organometallic Chemistry</i> , 2018, 870, 38-50.   | 0.8  | 40        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 856 | From Glucose Direct to Succinic Acid: an Optimized Recyclable Bi-functional Ru@MNP-MWCNT Catalyst. <i>Topics in Catalysis</i> , 2018, 61, 1866-1876.  | 1.3 | 6         |
| 857 | Tetramethylguanidine-Functionalized Fe <sub>3</sub> O <sub>4</sub> / Chloro-Silane Core-Shell Nanoparticles: an Efficient Heterogeneous and Reusable Organocatalyst for Aldol Reaction. <i>Silicon</i> , 2019, 11, 1441-1450.   | 1.8 | 21        |
| 858 | Imidazole-Functionalized Fe <sub>3</sub> O <sub>4</sub> /Chloro-Silane Core-Shell Nanoparticles: an Efficient Heterogeneous Organocatalyst for Esterification Reaction. <i>Silicon</i> , 2019, 11, 1745-1754.   | 1.8 | 21        |
| 859 | Green Formylation of Alcohols Catalyzed by Magnetic Nanoparticles of the Core-Shell Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> -SO <sub>3</sub> H. <i>Iranian Journal of Science and Technology, Transaction A: Science</i> , 2019, 43, 819-827.                                      | 0.7 | 8         |
| 860 | A New Avenue to the Synthesis of Symmetrically Substituted Pyridines Catalyzed by Magnetic Nano-Fe <sub>3</sub> O <sub>4</sub> : Methyl Arenes as Sustainable Surrogates of Aryl Aldehydes. <i>ChemistrySelect</i> , 2019, 4, 9241-9246.  | 0.7 | 6         |
| 861 | An intramolecular relay catalysis strategy for Knoevenagel condensation and 1,3-dipolar cycloaddition domino reactions. <i>RSC Advances</i> , 2019, 9, 23614-23621.   | 1.7 | 24        |
| 862 | Preparation, characterization and evaluation of a series of heterogeneous platinum catalysts immobilized on magnetic silica with different acid ligands. <i>Transition Metal Chemistry</i> , 2019, 44, 779-787.   | 0.7 | 4         |
| 863 | Fabrication of Magnetic Pd/MOF Hollow Nanospheres with Double-Shell Structure: Toward Highly Efficient and Recyclable Nanocatalysts for Hydrogenation Reaction. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 32251-32260.  | 4.0 | 74        |
| 864 | In Situ Immobilized Silver Nanoparticles on <i>Rubia tinctorum</i> Extract-Coated Ultrasmall Iron Oxide Nanoparticles: An Efficient Nanocatalyst with Magnetic Recyclability for Synthesis of Propargylamines by A <sup>3</sup> Coupling Reaction. <i>ACS Omega</i> , 2019, 4, 13991-14003. | 1.6 | 91        |
| 865 | Synthesis and characterization of polyvinylpyrrolidone immobilized on magnetic nanoparticles modified by ionic liquid as a novel and recyclable catalyst for the three-component synthesis of amidoalkyl naphthols. <i>Applied Organometallic Chemistry</i> , 2019, 33, e5090.              | 1.7 | 8         |
| 866 | Shape-dependent structural and magnetic properties of Fe nanoparticles studied through simulation methods. <i>RSC Advances</i> , 2019, 9, 22057-22063.  | 1.7 | 20        |
| 867 | From agriculture residue to catalyst support; A green and sustainable cellulose-based dip catalyst for C C coupling and direct arylation. <i>Carbohydrate Polymers</i> , 2019, 223, 115060.   | 5.1 | 41        |
| 868 | Intramolecular O-arylation using nano-magnetite supported <i>N</i> -heterocyclic carbene-copper complex with wingtip ferrocene. <i>Applied Organometallic Chemistry</i> , 2019, 33, e5066.  | 1.7 | 4         |
| 869 | Magnetically retrievable ferrite nanoparticles in the catalysis application. <i>Advances in Colloid and Interface Science</i> , 2019, 271, 101982.  | 7.0 | 161       |
| 870 | Synthesis, characterization and catalytic activity of supported vanadium Schiff base complex as a magnetically recoverable nanocatalyst in epoxidation of alkenes and oxidation of sulfides. <i>Journal of Organometallic Chemistry</i> , 2019, 897, 200-206.                               | 0.8 | 32        |
| 871 | Magnetic Fluorescence Molecularly Imprinted Polymer Based on FeOx/ZnS Nanocomposites for Highly Selective Sensing of Bisphenol A. <i>Polymers</i> , 2019, 11, 1210.   | 2.0 | 25        |
| 872 | Fabrication of multifunctional integrated catalysts by decorating confined Ag nanoparticles on magnetic nanostirring bars. <i>Journal of Colloid and Interface Science</i> , 2019, 555, 315-322.  | 5.0 | 7         |
| 873 | Synthesis <i>Î</i> <sup>3</sup> -Fe <sub>2</sub> O <sub>3</sub> @KIT-1 Nanocomposite and Its Catalytic Application in Preparation of Aminoalkyl naphthols. <i>Polycyclic Aromatic Compounds</i> , 2021, 41, 1331-1342.  | 1.4 | 3         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 874 | Reusable shuttles for exchangeable functional cargos: Reversibly assembled, magnetically powered organocatalysts for asymmetric aldol reactions. <i>Tetrahedron</i> , 2019, 75, 130592.   | 1.0 | 3         |
| 875 | Palladium Nanocatalysts on Hydroxyapatite: Green Oxidation of Alcohols and Reduction of Nitroarenes in Water. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 4183.  | 1.3 | 88        |
| 876 | Modifying Ligand Chemistry To Enhance Reusability of pH-Responsive Colloidal Gold Nanoparticle Catalyt. <i>Journal of Physical Chemistry C</i> , 2019, 123, 26450-26459.  | 1.5 | 12        |
| 877 | Pt and Co <sub>3</sub> O <sub>4</sub> supported on ceria and zirconia for the catalytic reduction of N <sub>2</sub> O in the presence of CO. <i>Solid State Sciences</i> , 2019, 98, 106035.  | 1.5 | 4         |
| 878 | Sustainable dipolar homo-dicopper (II) dihydrazone complex as a catalyst for Sonogashira cross couplings. <i>Journal of Organometallic Chemistry</i> , 2019, 903, 120985.   | 0.8 | 15        |
| 879 | New Complex of Copper on Boehmite Nanoparticles as Highly Efficient and Reusable Nanocatalyst for Synthesis of Sulfides and Ethers. <i>ChemistrySelect</i> , 2019, 4, 8860-8869.  | 0.7 | 7         |
| 880 | DBU-functionalized MCM-41-coated nanosized hematite (DBU-F-MCM-41-CNSH): A new magnetically separable basic nanocatalyst for the synthesis of some nucleoside-containing heterocycles. <i>Journal of Catalysis</i> , 2019, 380, 91-107.               | 3.1 | 14        |
| 881 | Metal Nanoparticles as Green Catalysts. <i>Materials</i> , 2019, 12, 3602.  | 1.3 | 109       |
| 882 | Immobilization of Pt nanoparticles on magnetite-poly (epoxyamine) nanocomposite for the reduction of p-nitrophenol. <i>SN Applied Sciences</i> , 2019, 1, 1.  | 1.5 | 6         |
| 883 | Green and Highly Efficient Strategies for the Straightforward Reduction of Carboxylic Acids to Alcohols Using Four Different and Affordable Types of Hydrogen Donors. <i>Industrial &amp; Engineering Chemistry Research</i> , 2019, 58, 16379-16388. | 1.8 | 16        |
| 884 | Non-biodegradable polymeric waste pyrolysis for energy recovery. <i>Heliyon</i> , 2019, 5, e02198.  | 1.4 | 88        |
| 885 | Magnetic Recovery of Cellulase from Cellulose Substrates with Bare Iron Oxide Nanoparticles. <i>ChemNanoMat</i> , 2019, 5, 422-426.   | 1.5 | 13        |
| 886 | Air-Stable Carbon-Fe Based Magnetic Nanostructures. <i>European Journal of Inorganic Chemistry</i> , 2019, 2019, 1374-1383.   | 1.0 | 3         |
| 887 | Sustainable Co-Synthesis of Glycolic Acid, Formamides and Formates from 1,3-Dihydroxyacetone by a Cu/Al <sub>2</sub> O <sub>3</sub> Catalyst with a Single Active Sites. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 5251-5255.      | 7.2 | 38        |
| 888 | Heterogeneous copper-catalyzed three-component reaction of 2-aminopyridines, acetophenones and benzyl cyanide towards 3-cyanoimidazo[1,2-a]pyridines. <i>Catalysis Communications</i> , 2019, 123, 11-16.   | 1.6 | 10        |
| 889 | Synthesis of MCM-41 Immobilized (Phenoxy)Imine Palladium(II) Complexes as Recyclable Catalysts in the Methoxycarbonylation of 1-Hexene. <i>Catalysts</i> , 2019, 9, 143.  | 1.6 | 19        |
| 890 | Fe <sub>3</sub> -xTi <sub>x</sub> O <sub>4</sub> -supported sulfamic acid nanoparticles: New magnetic nanocatalyst for the synthesis of hexahydroquinolines. <i>Journal of Organometallic Chemistry</i> , 2019, 895, 55-63.                           | 0.8 | 12        |
| 891 | Dual complex of amylose with iodine and magnetite nano-crystallites: Enhanced superparamagnetic and catalytic performance for synthesis of spirooxindoles. <i>Applied Organometallic Chemistry</i> , 2019, 33, e4993.                                 | 1.7 | 10        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 892 | Magnetically separable rhodium nanoparticles as catalysts for releasing hydrogen from the hydrolysis of ammonia borane. <i>Journal of Colloid and Interface Science</i> , 2019, 553, 581-587.  | 5.0 | 50        |
| 893 | Multicatalysis Combining 3D-Printed Devices and Magnetic Nanoparticles in One-Pot Reactions: Steps Forward in Compartmentation and Recyclability of Catalysts. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 25283-25294.  | 4.0 | 30        |
| 894 | Copper-catalyzed Mizoroki-Heck coupling reaction using an efficient and magnetically reusable Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> @PrNCu catalyst. <i>Journal of Organometallic Chemistry</i> , 2019, 897, 236-246.   | 0.8 | 18        |
| 895 | Sulfonated-polyvinyl amine coated on Fe <sub>3</sub> O <sub>4</sub> nanoparticles: a high-loaded and magnetically separable acid catalyst for multicomponent reactions. <i>Journal of the Iranian Chemical Society</i> , 2019, 16, 2333-2350.  | 1.2 | 8         |
| 896 | Elucidating the Structural Composition of an Fe-N-C Catalyst by Nuclear and Electron Resonance Techniques. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 10486-10492.   | 7.2 | 90        |
| 897 | Elucidating the Structural Composition of an Fe-N-C Catalyst by Nuclear and Electron Resonance Techniques. <i>Angewandte Chemie</i> , 2019, 131, 10596-10602.  | 1.6 | 13        |
| 898 | Application of two magnetic nanoparticle-supported copper(I) catalysts for the synthesis of triazole derivatives. <i>Research on Chemical Intermediates</i> , 2019, 45, 4789-4799.   | 1.3 | 7         |
| 899 | Reduction of nitroarenes catalyzed by microgel-stabilized silver nanoparticles. <i>Journal of Hazardous Materials</i> , 2019, 377, 399-408.  | 6.5 | 67        |
| 900 | Synthesis, Characterization and Catalytic Activity of Magnetic KI@Fe <sub>3</sub> O <sub>4</sub> Nanoparticles for Henry Reaction Under Solvent Free Conditions. <i>Catalysis Letters</i> , 2019, 149, 2887-2898.  | 1.4 | 6         |
| 901 | Highly stable, active and recyclable solid acid catalyst based on polymer-coated magnetic composite particles. <i>Chinese Chemical Letters</i> , 2019, 30, 2043-2046.  | 4.8 | 6         |
| 902 | Palladium on magnetic Irish moss: A new nano-biocatalyst for Suzuki type cross-coupling reactions. <i>Applied Organometallic Chemistry</i> , 2019, 33, e4859.  | 1.7 | 12        |
| 903 | A supported manganese complex with amine-bis(phenol) ligand for catalytic benzylic C(sp <sup>3</sup> )-H bond oxidation. <i>RSC Advances</i> , 2019, 9, 14343-14351.   | 1.7 | 14        |
| 904 | The relation between the composition, structure and absorption properties of ultra-high frequency radio waves of poly(vinylidene fluoride)/magnetite nanocomposites. <i>International Journal of Modern Physics B</i> , 2019, 33, 1950083.   | 1.0 | 2         |
| 905 | Eco-friendly green synthesis and characterization of novel Fe <sub>3</sub> O <sub>4</sub> /SiO <sub>2</sub> /Cu <sub>2</sub> O-Ag nanocomposites using <i>Crataegus pentagyna</i> fruit extract for photocatalytic degradation of organic contaminants. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 10994-11004. | 1.1 | 39        |
| 906 | Pyrrolidine-based chiral porous polymers for heterogeneous organocatalysis in water. <i>Polymer Chemistry</i> , 2019, 10, 3298-3305.   | 1.9 | 24        |
| 907 | Synthesis of a novel and reusable biological urea based acidic nanomagnetic catalyst: Application for the synthesis of 2-amino-3-cyano pyridines via cooperative vinylogous anomeric based oxidation. <i>Applied Organometallic Chemistry</i> , 2019, 33, e4933.   | 1.7 | 33        |
| 908 | MgFe <sub>2</sub> O <sub>4</sub> @SiO <sub>2</sub> -PrNH <sub>2</sub> /Pd/bimenthonoxime core-shell magnetic nanoparticles as a recyclable green catalyst for heterogeneous Suzuki cross-coupling in aqueous ethanol. <i>Journal of Coordination Chemistry</i> , 2019, 72, 841-859.  | 0.8 | 16        |
| 909 | Synthesis and characterization of Co(III) salen complex immobilized on cobalt ferrite-silica nanoparticle and their application in the synthesis of spirooxindoles. <i>Applied Organometallic Chemistry</i> , 2019, 33, e4743.   | 1.7 | 9         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 910 | H3PMo12O40-immobilized chitosan/Co3O4: A novel and recyclable nanocomposite for the synthesis of pyrimidinedione derivatives. <i>Applied Organometallic Chemistry</i> , 2019, 33, e4748.   | 1.7 | 9         |
| 911 | (3-oxo[1,2,4]triazolidin-1-yl)bis (butane-1-sulfonic acid) functionalized magnetic Fe <sub>2</sub> O <sub>3</sub> nanoparticles: A novel and heterogeneous nanocatalyst for one-pot and efficient four-component synthesis of novel spiro[indeno[1,2-b]quinoxaline derivatives. <i>Applied Organometallic Chemistry</i> , 2019, 33, e4901. | 1.7 | 20        |
| 912 | Synthesis and Application of Au-Fe <sub>3</sub> O <sub>4</sub> Dumbbell-Like Nanoparticles. , 2019, , 625-644.   |     | 0         |
| 913 | Synthesis and application of novel 1,2,3-triazolylferrocene-containing ionic liquid supported on Fe <sub>3</sub> O <sub>4</sub> nanocatalyst in the synthesis of new pyran-substituted Betti bases. <i>Applied Organometallic Chemistry</i> , 2019, 33, e4701.   | 1.7 | 19        |
| 914 | Fe <sub>3</sub> O <sub>4</sub> -supported Schiff base copper (II) complex: A valuable heterogeneous nanocatalyst for one-pot synthesis of new pyrano[2,3-b]pyridine-carboxamide derivatives. <i>Applied Organometallic Chemistry</i> , 2019, 33, e4918.  | 1.7 | 22        |
| 915 | Novel magnetic nanoparticles with morpholine tags as multirole catalyst for synthesis of hexahydroquinolines and 2-amino-4,6-diphenylnicotinonitriles through vinylogous anomeric-based oxidation. <i>Research on Chemical Intermediates</i> , 2019, 45, 3453-3480.  | 1.3 | 24        |
| 916 | Recyclable Covalent Triazine Framework-based Ru Catalyst for Transfer Hydrogenation of Carbonyl Compounds in Water. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 8893-8899.   | 3.2 | 25        |
| 917 | CoFe <sub>2</sub> O <sub>4</sub> @SiO <sub>2</sub> @Co(III) Salen Complex: A Magnetically Recyclable Heterogeneous Catalyst for the Synthesis of Quinoline Derivatives in Water. <i>ChemistrySelect</i> , 2019, 4, 4339-4346.  | 0.7 | 13        |
| 918 | Versatile Sulfathiazole-Functionalized Magnetic Nanoparticles as Catalyst in Oxidation and Alkylation Reactions. <i>Catalysts</i> , 2019, 9, 348.  | 1.6 | 9         |
| 919 | An efficient protocol for the synthesis of spiroindenoquinoxaline derivatives using novel NiFe <sub>2</sub> O <sub>4</sub> /Ag <sub>3</sub> PO <sub>4</sub> as a nano magnetically heterogeneous catalyst. <i>Polyhedron</i> , 2019, 164, 74-79.   | 1.0 | 12        |
| 920 | Cascade synthesis of fused polycyclic dihydropyridines by Ni-Zn-Fe hydrotalcite (HT) immobilized on silica-coated magnetite as magnetically reusable nanocatalyst. <i>Research on Chemical Intermediates</i> , 2019, 45, 2811-2825.  | 1.3 | 6         |
| 921 | Heterogeneously Catalyzed Synthesis of Imidazolones via Cycloisomerizations of Propargylic Ureas Using Ag and Au/Al SBA-15 Systems. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 5568-5575.   | 3.2 | 22        |
| 922 | Enter the Tubes: Carbon Nanotube Endohedral Catalysis. <i>Catalysts</i> , 2019, 9, 128.  | 1.6 | 21        |
| 923 | Sustainable Co-Synthesis of Glycolic Acid, Formamides and Formates from 1,3-dihydroxyacetone by a Cu/Al <sub>2</sub> O <sub>3</sub> Catalyst with a Single Active Sites. <i>Angewandte Chemie</i> , 2019, 131, 5305-5309.  | 1.6 | 5         |
| 924 | Surface functionalization of graphene oxide and graphene oxide-magnetite nanocomposite with molybdenum-bidentate Schiff base complex. <i>Journal of Physics and Chemistry of Solids</i> , 2019, 130, 6-12.   | 1.9 | 25        |
| 925 | Magnetite tethered mesoionic carbene-palladium (II): An efficient and reusable nanomagnetic catalyst for Suzuki-Miyaura and Mizoroki-Heck cross-coupling reactions in aqueous medium. <i>Applied Organometallic Chemistry</i> , 2019, 33, e4846.   | 1.7 | 29        |
| 926 | Preparation of magnetically recoverable carbon nanotube-supported Pd(II) catalyst. <i>Catalysis Today</i> , 2019, 334, 24-29.  | 2.2 | 9         |
| 927 | A practical and highly efficient synthesis of densely functionalized nicotinonitrile derivatives catalyzed by zinc oxide-decorated superparamagnetic silica attached to graphene oxide nanocomposite. <i>Applied Organometallic Chemistry</i> , 2019, 33, e4735.   | 1.7 | 15        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 928 | Heterogeneous Copper(I)-Catalyzed Cascade Addition–Oxidative Cyclization of Nitriles with 2-Aminopyridines or Amidines: Efficient and Practical Synthesis of 1,2,4-Triazoles. <i>Synthesis</i> , 2019, 51, 2014-2022.   | 1.2  | 20        |
| 929 | Oxomolybdate anchored on copper for electrocatalytic hydrogen production over the entire pH range. <i>Applied Catalysis B: Environmental</i> , 2019, 249, 227-234.  | 10.8 | 14        |
| 930 | Phosphotungstic acid supported on SiO <sub>2</sub> @NHPPhNH <sub>2</sub> functionalized nanoparticles of MnFe <sub>2</sub> O <sub>4</sub> as a recyclable catalyst for the preparation of tetrahydrobenzo[b]pyran and indazolo[2,1-b]phthalazine-triones. <i>Polyhedron</i> , 2019, 162, 263-276. | 1.0  | 38        |
| 931 | Superparamagnetic nanoparticle-catalyzed coupling of 2-amino pyridines/pyrimidines with <i>trans</i> -chalcones. <i>RSC Advances</i> , 2019, 9, 5501-5511.  | 1.7  | 23        |
| 932 | TEMPO in Chemical Transformations: From Homogeneous to Heterogeneous. <i>ACS Catalysis</i> , 2019, 9, 2777-2830.  | 5.5  | 125       |
| 933 | Selective oxidation of aldehyde over hydroxymethyl group catalyzed by gold nanoparticles in aqueous phase. <i>Chinese Journal of Chemical Physics</i> , 2019, 32, 747-752.  | 0.6  | 1         |
| 934 | The azide–alkyne cycloaddition catalysed by transition metal oxide nanoparticles. <i>New Journal of Chemistry</i> , 2019, 43, 18049-18061.  | 1.4  | 3         |
| 935 | Synthesis and Application of Imidazolium-Based Ionic Liquid Supported on Hydroxyapatite Encapsulated <sup>57</sup> Fe <sub>2</sub> O <sub>3</sub> Nanocatalyst in Preparation of Pyrido[2,3- <i>d</i> ]Pyrimidines. <i>Polycyclic Aromatic Compounds</i> , 2021, 41, 1925-1943.                   | 1.4  | 8         |
| 936 | Facile assembly of bifunctional, magnetically retrievable mesoporous silica for enantioselective cascade reactions. <i>Chemical Communications</i> , 2019, 55, 13578-13581.   | 2.2  | 6         |
| 937 | KCC-1-NH <sub>2</sub> -DPA: an efficient heterogeneous recyclable nanocomposite for the catalytic synthesis of tetrahydrodipyrzopyridines as a well-known organic scaffold in various bioactive derivatives. <i>Nanocomposites</i> , 2019, 5, 124-132.  | 2.2  | 16        |
| 938 | Dielectric and Electrostatic Properties of the Silica Nanoparticle–Water Interface by EPR of pH-Sensitive Spin Probes. <i>Journal of Physical Chemistry C</i> , 2019, 123, 29972-29985.   | 1.5  | 7         |
| 939 | Tungsten oxide multifunctional nanostructures: Enhanced environmental and sensing applications. <i>Materials Chemistry and Physics</i> , 2019, 221, 250-257.  | 2.0  | 8         |
| 940 | Recyclable Magnetic Microporous Organic Polymer (MOP) Encapsulated with Palladium Nanoparticles and Co/C Nanobeads for Hydrogenation Reactions. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 2388-2399.  | 3.2  | 29        |
| 941 | Progress in hydrometallurgical technologies to recover critical raw materials and precious metals from low-concentrated streams. <i>Resources, Conservation and Recycling</i> , 2019, 142, 177-188.   | 5.3  | 73        |
| 942 | Single- and Double-Shelled CoFe <sub>2</sub> O <sub>4</sub> Nanoparticles as Highly Efficient Magnetic Separable Photocatalysts. <i>ChemistrySelect</i> , 2019, 4, 24-30.   | 0.7  | 2         |
| 943 | Magnetic Metal/Metal Oxide Nanoparticles and Nanocomposite Materials for Water Purification. , 2019, , 473-503.   |      | 7         |
| 944 | Impact of different morphologies of CoFe <sub>2</sub> O <sub>4</sub> nanoparticles for tuning of structural, optical and magnetic properties. <i>Journal of Alloys and Compounds</i> , 2019, 778, 398-409.  | 2.8  | 56        |
| 945 | Synthesis and characterization of Ni(II) complex functionalized silica-based magnetic nanocatalyst and its application in C–N and C–C cross-coupling reactions. <i>Molecular Diversity</i> , 2019, 23, 527-539.   | 2.1  | 25        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 946 | Recyclable enzymatic recovery of pectin and punicalagin rich phenolics from waste pomegranate peels using magnetic nanobiocatalyst. <i>Food Hydrocolloids</i> , 2019, 89, 468-480.  | 5.6  | 24        |
| 947 | Synthesis and characterization of molybdenum complex supported on magnetic and non-magnetic supports: comparing their catalytic activity, selectivity, and reusability. <i>Journal of the Iranian Chemical Society</i> , 2019, 16, 673-685.   | 1.2  | 2         |
| 948 | Superparamagnetic enzyme-graphene oxide magnetic nanocomposite as an environmentally friendly biocatalyst: Synthesis and biodegradation of dye using response surface methodology. <i>Microchemical Journal</i> , 2019, 145, 547-558.   | 2.3  | 24        |
| 949 | Sonochemical in situ immobilization of Pd nanoparticles on green tea extract coated Fe <sub>3</sub> O <sub>4</sub> nanoparticles: An efficient and magnetically recyclable nanocatalyst for synthesis of biphenyl compounds under ultrasound irradiations. <i>Materials Science and Engineering C</i> , 2019, 98, 584-593.                  | 3.8  | 102       |
| 950 | Carbon-encapsulated Fe <sub>3</sub> O <sub>4</sub> for catalyzing the aerobic oxidation of benzyl alcohol and benzene. <i>Reaction Kinetics, Mechanisms and Catalysis</i> , 2019, 126, 1055-1065.   | 0.8  | 9         |
| 951 | Silica-coated MgAl <sub>2</sub> O <sub>4</sub> nanoparticles supported phosphotungstic acid as an effective catalyst for synthesis of $\alpha$ -aminophosphonates. <i>Research on Chemical Intermediates</i> , 2019, 45, 2341-2355.   | 1.3  | 3         |
| 952 | Synthesis of 1-( $\alpha$ -aminoalkyl)-2-naphthol and $\alpha$ -aminonitrile derivatives with molybdenum Schiff base complex covalently bonded on silica-coated magnetic nanoparticles and DNA interaction study of one type of derivatives using computational and spectroscopic methods. <i>Bioorganic Chemistry</i> , 2019, 85, 420-430. | 2.0  | 17        |
| 953 | Pd(0)-guanidine@MCM-41 as efficient and reusable heterogeneous catalyst for C-C coupling reactions. <i>Journal of Porous Materials</i> , 2019, 26, 1091-1101.   | 1.3  | 19        |
| 954 | A novel and reusable ionically tagged nanomagnetic catalyst: Application for the preparation of 2-amino-6-(2-oxo-2H-chromen-3-yl)-4-arylnicotinonitriles via vinylogous anomeric based oxidation. <i>Molecular Catalysis</i> , 2019, 463, 20-29.  | 1.0  | 46        |
| 955 | Iron-based photocatalytic and photoelectrocatalytic nano-structures: Facts, perspectives, and expectations. <i>Applied Catalysis B: Environmental</i> , 2019, 244, 1065-1095.   | 10.8 | 100       |
| 956 | Active cobalt induced high catalytic performances of cobalt ferrite nanobrushes for the reduction of p-nitrophenol. <i>Journal of Colloid and Interface Science</i> , 2019, 535, 499-504.   | 5.0  | 36        |
| 957 | Fe <sub>3</sub> O <sub>4</sub> -supported N-pyridin-4-amine-grafted graphene oxide as efficient and magnetically separable novel nanocatalyst for green synthesis of 4H-chromenes and dihydropyrano[2,3-c]pyrazole derivatives in water. <i>Research on Chemical Intermediates</i> , 2019, 45, 199-222.                                     | 1.3  | 32        |
| 958 | Structure, morphology and magnetic properties of Au/Fe <sub>3</sub> O <sub>4</sub> nanocomposites fabricated by a soft aqueous route. <i>Ceramics International</i> , 2019, 45, 449-456.  | 2.3  | 9         |
| 959 | An Efficient and Green Synthesis of 1- $\alpha$ -Hspiro[isindoline-1,2- $\alpha$ -quinazoline]-3,4- $\alpha$ -dione Derivatives in the Presence of Nano Fe <sub>3</sub> O <sub>4</sub> -GO-SO <sub>3</sub> H. <i>Polycyclic Aromatic Compounds</i> , 2019, 39, 413-424.   | 1.4  | 14        |
| 960 | Preparation of a novel magnetically recoverable copper complex catalyst and its application in the Henry reaction. <i>Canadian Journal of Chemical Engineering</i> , 2019, 97, 424-430.   | 0.9  | 1         |
| 961 | An Efficient and Green Stereoselective Synthesis of Functionalized 3-Indol-3-yl-oxindolin-3-yl-3-acrylates via Nano-Fe <sub>3</sub> O <sub>4</sub> -Promoted One-Pot Four-Component Domino Reactions. <i>Polycyclic Aromatic Compounds</i> , 2020, 40, 76-87.   | 1.4  | 1         |
| 962 | Core-shell zirconia-coated magnetic nanoparticles offering a strong option to prepare a novel and magnetized heteropolyacid based heterogeneous nanocatalyst for three- and four-component reactions. <i>Arabian Journal of Chemistry</i> , 2020, 13, 227-241.  | 2.3  | 14        |
| 963 | Poly(p-phenylenediamine)-based nanocomposites with metal oxide nanoparticle for optoelectronic and magneto-optic application. <i>Polymer Bulletin</i> , 2020, 77, 441-457.  | 1.7  | 22        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 964 | Organic base grafted on magnetic nanoparticles as a recoverable catalyst for the green synthesis of hydropyridine rings. <i>Journal of the Iranian Chemical Society</i> , 2020, 17, 483-492.  | 1.2 | 3         |
| 965 | Advances in the Interfacial Assembly of Mesoporous Silica on Magnetite Particles. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 15804-15817.   | 7.2 | 45        |
| 966 | Advances in the Interfacial Assembly of Mesoporous Silica on Magnetite Particles. <i>Angewandte Chemie</i> , 2020, 132, 15936-15949.  | 1.6 | 9         |
| 967 | Palladium Nanocatalysts Encapsulated on Porous Silica @ Magnetic Carbon-Coated Cobalt Nanoparticles for Sustainable Hydrogenation of Nitroarenes, Alkenes and Alkynes.. <i>ChemCatChem</i> , 2020, 12, 569-575.   | 1.8 | 20        |
| 968 | Fabricated copper catalyst on biochar nanoparticles for the synthesis of tetrazoles as antimicrobial agents. <i>Polyhedron</i> , 2020, 175, 114169.   | 1.0 | 54        |
| 969 | KCCl aminopropyl-functionalized supported on iron oxide magnetic nanoparticles as a novel magnetic nanocatalyst for the green and efficient synthesis of sulfonamide derivatives. <i>Applied Organometallic Chemistry</i> , 2020, 34, e5321.  | 1.7 | 16        |
| 970 | Zn-substituted iron oxide nanoparticles from thermal decomposition and their thermally treated derivatives for magnetic solid-phase extraction. <i>Journal of Magnetism and Magnetic Materials</i> , 2020, 498, 166083.   | 1.0 | 7         |
| 971 | Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> -(BuSO <sub>3</sub> H) <sub>3</sub> synthesis as a new efficient nanocatalyst and its application in the synthesis of heterocyclic [3.3.3] propellane derivatives. <i>Polyhedron</i> , 2020, 178, 114343.  | 1.0 | 26        |
| 972 | Non-Noble Metal Ni Nanoparticles Supported on Highly Dispersed TiO <sub>2</sub> -Modified Activated Carbon as an Efficient and Recyclable Catalyst for the Hydrogenation of Halogenated Aromatic Nitro Compounds under Mild Conditions. <i>Industrial &amp; Engineering Chemistry Research</i> , 2020, 59, 1422-1435. | 1.8 | 34        |
| 974 | Pd-ninhydrin immobilized on magnetic nanoparticles: synthesis, characterization, and application as a highly efficient and recoverable catalyst for Suzuki-Miyaura and Heck-Mizoroki C-C coupling reactions. <i>Journal of the Iranian Chemical Society</i> , 2020, 17, 1059-1072.                                    | 1.2 | 13        |
| 975 | Ionic liquid functionalized magnetic organosilica nanocomposite: A powerful and efficient support for manganese catalyst. <i>Materials Chemistry and Physics</i> , 2020, 243, 122589.   | 2.0 | 10        |
| 976 | Copper-based Schiff Base Complex Immobilized on Core-shell Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> as a magnetically recyclable and highly efficient nanocatalyst for green synthesis of 2-amino-4-hydroxychromene derivatives. <i>Applied Organometallic Chemistry</i> , 2020, 34, e5359.                   | 1.7 | 30        |
| 977 | Synthesis and characterization of molybdenum (VI) complex immobilized on polymeric Schiff base-coated magnetic nanoparticles as an efficient and retrievable nanocatalyst in olefin epoxidation reactions. <i>Applied Organometallic Chemistry</i> , 2020, 34, e5410.   | 1.7 | 8         |
| 978 | Recyclable Heterogeneous Palladium-Catalyzed Carbonylative Cyclization of 2-Iodoanilines with Aryl Iodides Leading to 2-Arylbenzoxazinones. <i>Synthesis</i> , 2020, 52, 581-590.   | 1.2 | 10        |
| 979 | Design and synthesis of Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> @mSiO <sub>2</sub> -Fe: A magnetically separable catalyst for selective oxidative cracking reaction of styrene using air as partial oxidant. <i>Applied Catalysis A: General</i> , 2020, 590, 117353.  | 2.2 | 28        |
| 980 | Two-Dimensional Tin Selenide (SnSe) Nanosheets Capable of Mimicking Key Dehydrogenases in Cellular Metabolism. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 3618-3623.  | 7.2 | 58        |
| 981 | Synthesis of Arylidene Isoquinolinones bearing Combretastatin Skeleton by Cyclocarbopalladation/cross coupling Tandem Heck-Suzuki Miura Reactions using nano catalyst Pd@Pyrene-L-SPION. <i>Applied Organometallic Chemistry</i> , 2020, 34, e5279.   | 1.7 | 5         |
| 982 | Two-Dimensional Tin Selenide (SnSe) Nanosheets Capable of Mimicking Key Dehydrogenases in Cellular Metabolism. <i>Angewandte Chemie</i> , 2020, 132, 3647-3652.   | 1.6 | 8         |



| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 983  | FeO-based nanostructures and nanohybrids for photoelectrochemical water splitting. Progress in Materials Science, 2020, 110, 100632.   | 16.0 | 47        |
| 984  | Two Schiff-base complexes of copper and zirconium oxide supported on mesoporous MCM-41 as an organic-inorganic hybrid catalysts in the chemo and homoselective oxidation of sulfides and synthesis of tetrazoles. Journal of Porous Materials, 2020, 27, 671-689.  | 1.3  | 41        |
| 985  | Facile Synthesis of Novel Pyrano-Pyrido-Carbazole Scaffolds Using Magnetic Fe <sub>3</sub> O <sub>4</sub> Nanoparticles as a Heterogeneous Green and Reusable Catalyst. ChemistrySelect, 2020, 5, 11621-11629.   | 0.7  | 5         |
| 986  | Cu II Anchored onto the Magnetic Talc: A New Magnetic Nanostructured Catalyst for the One-Pot Gram-scale Synthesis of 1 H-Pyrazolo[1,2-b]phthalazine-5,10-dione Derivatives. ChemistrySelect, 2020, 5, 11010-11019.  | 5.7  | 8         |
| 987  | Catalytic synthesis of coumarin-linked nicotinonitrile derivatives via a cooperative vinylogous anomeric-based oxidation. Research on Chemical Intermediates, 2020, 46, 5361-5376.   | 1.3  | 7         |
| 988  | Efficient and straightforward access to diverse and densely functionalized chromenes by 3-amino-1,2,4-triazole supported on hydroxyapatite-encapsulated- $\gamma$ -Fe <sub>2</sub> O <sub>3</sub> ( $\gamma$ -Fe <sub>2</sub> O <sub>3</sub> @HAp@CPTMS@AT) as a new magnetic basic nanocatalyst. Reaction Kinetics, Mechanisms and Catalysis, 2020, 130, 955-977. | 0.8  | 9         |
| 989  | Preparation and characterization of copper/polysulfonamide complex immobilized on graphene oxide as a novel catalyst for the synthesis of pyrimido[1,2-a]benzimidazoles. Applied Organometallic Chemistry, 2020, 34, e5918.  | 1.7  | 13        |
| 990  | Structural and catalytic properties of Fe <sub>3</sub> O <sub>4</sub> doped Bi <sub>2</sub> S <sub>3</sub> novel magnetic nanocomposites: p-Nitrophenol case. Journal of Environmental Chemical Engineering, 2020, 8, 104258.  | 3.3  | 31        |
| 991  | One-pot Synthesis of Pyranoquinoline Derivatives Using a New Nanomagnetic Catalyst Supported on Functionalized 4-Aminopyridine (AP) Silica. Organic Preparations and Procedures International, 2020, 52, 402-409.  | 0.6  | 6         |
| 992  | Functional magnetic catalysts for the synthesis of biomass-derived fuels and chemicals. , 2020, , 199-223.   |      | 0         |
| 993  | Multi-Component Mesocrystalline Nanoparticles with Enhanced Photocatalytic Activity. Small, 2020, 16, e2004696.  | 5.2  | 9         |
| 994  | Catalysis in Pickering emulsions. Soft Matter, 2020, 16, 10221-10243.  | 1.2  | 83        |
| 995  | Advancements in chemical methodologies for the synthesis of 3-arylimidazo[1,2-a]pyridines: an update of the decade. Synthetic Communications, 2020, 50, 3507-3534.   | 1.1  | 9         |
| 996  | Recent Advances in Noble Metal Catalysts for Hydrogen Production from Ammonia Borane. Catalysts, 2020, 10, 788.  | 1.6  | 47        |
| 997  | Magnetic Nanoparticle Supported Ionic Liquid Phase Catalyst for Oxidation of Alcohols. Australian Journal of Chemistry, 2020, 73, 1088.  | 0.5  | 6         |
| 998  | One-pot synthesis of bimetal MOFs as highly efficient catalysts for selective oxidation of styrene. Journal of Chemical Sciences, 2020, 132, 1.  | 0.7  | 11        |
| 999  | Synthetic routes to rhodanine scaffolds. Synthetic Communications, 2020, 50, 3739-3756.  | 1.1  | 9         |
| 1000 | Highly Active Ruthenium Catalyst Supported on Magnetically Separable Mesoporous Organosilica Nanoparticles. Applied Sciences (Switzerland), 2020, 10, 5769.  | 1.3  | 4         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1001 | Magnetically supported ionic liquids: a sustainable catalytic route for organic transformations. <i>Materials Horizons</i> , 2020, 7, 3097-3130.   | 6.4 | 33        |
| 1002 | Synthesis and characterization of a novel manganese ferrite-metal organic framework MIL-101(Cr) nanocomposite as an efficient and magnetically recyclable sonocatalyst. <i>New Journal of Chemistry</i> , 2020, 44, 16234-16245.   | 1.4 | 22        |
| 1003 | Biologically active tetrazole scaffolds: Catalysis in magnetic nanocomposites. <i>Synthetic Communications</i> , 2020, 50, 3685-3716.  | 1.1 | 10        |
| 1004 | Design and synthesis of magnetic Fe <sub>3</sub> O <sub>4</sub> @NFC-ImSalophCu nanocatalyst based on cellulose nanofibers as a new and highly efficient, reusable, stable and green catalyst for the synthesis of 1,2,3-triazoles. <i>RSC Advances</i> , 2020, 10, 32927-32937. | 1.7 | 50        |
| 1005 | Linear $\beta$ -amino alcohol catalyst anchored on functionalized magnetite nanoparticles for enantioselective addition of dialkylzinc to aromatic aldehydes. <i>RSC Advances</i> , 2020, 10, 29688-29695.   | 1.7 | 6         |
| 1006 | Catalytic application of zinc (II) bromide (ZnBr <sub>2</sub> ) in organic synthesis. <i>Synthetic Communications</i> , 2020, 50, 3717-3738.   | 1.1 | 7         |
| 1007 | Magnetic Ordering and Enhancement of Magnetization in Zinc-Substituted Copper Ferrite Nanoparticles. <i>Journal of Superconductivity and Novel Magnetism</i> , 2020, 33, 3577-3586.  | 0.8 | 7         |
| 1008 | Bibliometric Analysis of the Synthesis of Nanocatalyst (1999-2018). <i>IOP Conference Series: Earth and Environmental Science</i> , 2020, 558, 042042.   | 0.2 | 4         |
| 1009 | Adhesive functionalized ascorbic acid on CoFe <sub>2</sub> O <sub>4</sub> : a core-shell nanomagnetic heterostructure for the synthesis of aldoximes and amines. <i>RSC Advances</i> , 2020, 10, 41336-41352.  | 1.7 | 4         |
| 1010 | Noncovalently Linked Metallacarboranes on Functionalized Magnetic Nanoparticles as Highly Efficient, Robust, and Reusable Photocatalysts in Aqueous Medium. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 56372-56384.   | 4.0 | 15        |
| 1011 | Fe <sub>3</sub> O <sub>4</sub> @THAM-piperazine: a novel and highly reusable nanocatalyst for one-pot synthesis of 1,8-dioxo-octahydro-xanthenes and benzopyrans. <i>Research on Chemical Intermediates</i> , 2020, 46, 3651-3666.   | 1.3 | 26        |
| 1012 | Longevity of iron-activated persulfate oxidation for the remediation of 2,4-dinitrotoluene-contaminated groundwater. <i>Journal of Nanoparticle Research</i> , 2020, 22, 1.  | 0.8 | 1         |
| 1013 | A green and efficient Pd-free protocol for the Suzuki-Miyaura cross-coupling reaction using Fe <sub>3</sub> O <sub>4</sub> @APTMS@Cp <sub>2</sub> ZrCl <sub>x</sub> (x = 0, 1, 2) MNPs in PEG-400. <i>Research on Chemical Intermediates</i> , 2020, 46, 3361-3382.              | 1.3 | 15        |
| 1014 | Magnetically enhanced polymer-supported ceria nanocatalysts for the hydration of nitriles. <i>Nanotechnology</i> , 2020, 31, 405604.   | 1.3 | 2         |
| 1015 | Optimized Immobilization Strategy for Dirhodium(II) Carboxylate Catalysts for C-H Functionalization and Their Implementation in a Packed Bed Flow Reactor. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 19525-19531.   | 7.2 | 19        |
| 1016 | Current role and future developments of biopolymers in green and sustainable chemistry and catalysis. , 2020, , 131-154.   |     | 2         |
| 1017 | Contemporary approaches towards augmentation of distinctive heterogeneous catalyst for sustainable biodiesel production. <i>Environmental Technology and Innovation</i> , 2020, 19, 100906.  | 3.0 | 34        |
| 1018 | Dielectric and frequency dependent transport properties in magnesium doped CuFe <sub>2</sub> O <sub>4</sub> composite. <i>Materials Today: Proceedings</i> , 2020, 33, 5226-5231.  | 0.9 | 16        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1019 | Fabrication of Pd NPs on pectin-modified Fe <sub>3</sub> O <sub>4</sub> NPs: A magnetically retrievable nanocatalyst for efficient C–C and C–N cross coupling reactions and an investigation of its cardiovascular protective effects. <i>International Journal of Biological Macromolecules</i> , 2020, 160, 1252-1262.      | 3.6  | 59        |
| 1020 | Structural, electrochemical and optical properties of hydrothermally synthesized transition metal oxide (Co <sub>3</sub> O <sub>4</sub> , NiO, CuO) nanoflowers. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 12238-12248.   | 1.1  | 31        |
| 1021 | Magnetic nanoparticles modified by polyamidoamine-immobilized TEMPO for catalytic oxidation of monomethoxy poly (ethylene glycol). <i>Journal of Nanoparticle Research</i> , 2020, 22, 1.   | 0.8  | 3         |
| 1022 | Methyl Salicylate Functionalized Magnetic Chitosan Immobilized Palladium Nanoparticles: An Efficient Catalyst for the Suzuki and Heck Coupling Reactions in Water. <i>ChemistrySelect</i> , 2020, 5, 7129-7140.   | 0.7  | 25        |
| 1023 | Solvent-Free One-Pot Synthesis of Diverse Dihydropyrimidinones/Tetrahydropyrimidinones Using Biginelli Reaction Catalyzed by Fe <sub>3</sub> O <sub>4</sub> @C@OSO <sub>3</sub> H. <i>Polycyclic Aromatic Compounds</i> , 2022, 42, 1341-1357.  | 1.4  | 32        |
| 1024 | Synthetic application of gold complexes on magnetic supports. <i>Applied Organometallic Chemistry</i> , 2020, 34, e5626.  | 1.7  | 12        |
| 1025 | Central-radial bi-porous nanocatalysts with accessible high unit loading and robust magnetic recyclability for 4-nitrophenol reduction. <i>Dalton Transactions</i> , 2020, 49, 4669-4674.   | 1.6  | 5         |
| 1026 | Role of the Support in Gold-Containing Nanoparticles as Heterogeneous Catalysts. <i>Chemical Reviews</i> , 2020, 120, 3890-3938.  | 23.0 | 275       |
| 1027 | Nanoparticle-Catalysed 1,3-Dipolar Cycloadditions. <i>European Journal of Organic Chemistry</i> , 2020, 2020, 6173-6191.  | 1.2  | 7         |
| 1028 | Tuning the optical band gap and magnetization of oleic acid coated CoFe <sub>2</sub> O <sub>4</sub> NPs synthesized by facile hydrothermal route. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2020, 259, 114603.  | 1.7  | 31        |
| 1029 | Surface engineering of magnetic iron oxide nanoparticles by polymer grafting: synthesis progress and biomedical applications. <i>Nanoscale</i> , 2020, 12, 14957-14975.   | 2.8  | 39        |
| 1030 | Ferrites for Electrochemical Supercapacitors. , 2020, , 83-122.   |      | 7         |
| 1031 | Novel magnetic carbon supported molybdenum disulfide catalyst and its application in residue upgrading. <i>Green Energy and Environment</i> , 2021, 6, 952-960.   | 4.7  | 11        |
| 1032 | Ultrathin Nitrogen-Enriched Carbon Cover-Enhanced Stability and Wettability of Au Nanocrystals on Core-Shell Fe <sub>3</sub> O <sub>4</sub> @N-Carbon Particles for Heterogeneous Catalysis. <i>ChemistrySelect</i> , 2020, 5, 7880-7887.   | 0.7  | 1         |
| 1033 | Isomerization of $\beta$ -pinene oxide to campholenic aldehyde in the presence of Al-SiO <sub>2</sub> and magnetic Al-SiO <sub>2</sub> /Fe <sub>3</sub> O <sub>4</sub> catalysts. <i>Reaction Kinetics, Mechanisms and Catalysis</i> , 2020, 130, 919-934.  | 0.8  | 2         |
| 1034 | Catalytic performance of Cu(II)-supported graphene quantum dots modified NiFe <sub>2</sub> O <sub>4</sub> as a proficient nano-catalyst in the synthesis of 1,2,3-triazoles. <i>Monatshefte für Chemie</i> , 2020, 151, 1153-1162.  | 0.9  | 15        |
| 1035 | Optimized Immobilization Strategy for Dirhodium(II) Carboxylate Catalysts for C–H Functionalization and Their Implementation in a Packed Bed Flow Reactor. <i>Angewandte Chemie</i> , 2020, 132, 19693-19699.   | 1.6  | 1         |
| 1036 | Design, preparation, and characterization of Fe <sub>3</sub> O <sub>4</sub> nanoparticles encapsulating $\beta$ -cyclodextrin-bearing guanidine as a highly efficient and reusable heterogeneous base catalyst for synthesis of 3,4-dihydropyrano[3,2-c]chromenes. <i>Applied Organometallic Chemistry</i> , 2020, 34, e5862. | 1.7  | 6         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1037 | “Nanospace engineering” by the growth of nano metal-organic framework on dendritic fibrous nanosilica (DFNS) and DFNS/gold hybrids. <i>Nano Research</i> , 2020, 13, 775-784.   | 5.8 | 6         |
| 1038 | Catalytic reduction of 4-nitrophenol over biostabilized gold nanoparticles supported onto thioctic acid functionalized silica-coated magnetite nanoparticles and optimization using response surface methodology. <i>Inorganic and Nano-Metal Chemistry</i> , 2020, 50, 489-500.                    | 0.9 | 9         |
| 1039 | Palladium Acetate and Pd Nanoparticles Loaded Hexamethylenetetramine Anchored Magnetically Retrievable Assemblies for Catalyzing Mizoroki-Heck Type Mono and Gem-Dicoupling Reactions. <i>ChemistrySelect</i> , 2020, 5, 1961-1971.   | 0.7 | 3         |
| 1040 | Based on $MFe_2O_4$ (M=Co, Cu, and Ni): Magnetically recoverable nanocatalysts in synthesis of heterocyclic structural scaffolds. <i>Synthetic Communications</i> , 2020, 50, 1899-1935.  | 1.1 | 32        |
| 1041 | Fast Degradation of Bisphenol A in Water by Nanostructured CuNPs@CALB Biohybrid Catalysts. <i>Nanomaterials</i> , 2020, 10, 7.  | 1.9 | 11        |
| 1042 | A highly effective synthesis of pyrimido[4,5-b]quinoline-tetraones using H <sub>3</sub> PW <sub>12</sub> O <sub>40</sub> /chitosan/NiCo <sub>2</sub> O <sub>4</sub> as a novel magnetic nanocomposite. <i>Polyhedron</i> , 2020, 182, 114459.   | 1.0 | 14        |
| 1043 | Recent Advances in the Synthesis, Surface Modifications and Applications of Core-Shell Magnetic Mesoporous Silica Nanospheres. <i>Chemistry - an Asian Journal</i> , 2020, 15, 1248-1265.   | 1.7 | 39        |
| 1044 | Magnetically Separable Rh <sup>0</sup> /Co <sub>3</sub> O <sub>4</sub> Nanocatalyst Provides over a Million Turnovers in Hydrogen Release from Ammonia Borane. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 4216-4224.   | 3.2 | 64        |
| 1045 | Anchoring of Cu (II)-Schiff base complex on magnetic mesoporous silica nanoparticles: catalytic efficacy in one-pot synthesis of 5-substituted-1H-tetrazoles, antibacterial activity evaluation and immobilization of $\alpha$ -amylase. <i>Applied Organometallic Chemistry</i> , 2020, 34, e5572. | 1.7 | 22        |
| 1046 | KCC-1/Pr-SO <sub>3</sub> H: an efficient heterogeneous catalyst for green and one-pot synthesis of 2,3-dihydroquinazolin-4(1H)-one. <i>Nanocomposites</i> , 2020, 6, 31-40.   | 2.2 | 18        |
| 1047 | Recent Advances in Aqueous-Phase Catalytic Conversions of Biomass Platform Chemicals Over Heterogeneous Catalysts. <i>Frontiers in Chemistry</i> , 2019, 7, 948.  | 1.8 | 33        |
| 1048 | N-Heterocyclic Carbene (NHC)-stabilized Ru <sup>0</sup> Nanoparticles: In Situ Generation of an Efficient Transfer Hydrogenation Catalyst. <i>Chemistry - A European Journal</i> , 2020, 26, 7622-7630.   | 1.7 | 21        |
| 1049 | Aerobic oxidation of benzyl alcohol: Influence from catalysts basicity, acidity, and preparation methods. <i>Molecular Catalysis</i> , 2020, 485, 110789.   | 1.0 | 15        |
| 1050 | Ionically Tagged Magnetic Nanoparticles with Urea Linkers: Application for Preparation of 2-Aryl-quinoline-4-carboxylic Acids via an Anomeric-Based Oxidation Mechanism. <i>ACS Omega</i> , 2020, 5, 3207-3217.   | 1.6 | 48        |
| 1051 | Synthesis of nanomagnetic sulphonated impregnated Ni/Mn/Na <sub>2</sub> SiO <sub>3</sub> as catalyst for esterification of palm fatty acid distillate. <i>RSC Advances</i> , 2020, 10, 6098-6108.   | 1.7 | 17        |
| 1052 | One-step and template-free fabrication of hollow carbon-modified Fe <sub>3</sub> O <sub>4</sub> for catalyzing solvent-free aerobic oxidation of benzyl alcohol. <i>Journal of Porous Materials</i> , 2020, 27, 701-705.  | 1.3 | 3         |
| 1053 | Regioselective Ortho-C H sulfenylation of free phenols catalyzed by Co(II)-immobilized on silica-coated magnetic nanoparticles. <i>Molecular Catalysis</i> , 2020, 484, 110772.   | 1.0 | 10        |
| 1054 | Synthesis of Quinazoline Derivatives Catalyzed by a New Efficient Reusable Nanomagnetic Catalyst Supported with Functionalized Piperidinium Benzene-1,3-disulfonate Ionic Liquid. <i>ChemistrySelect</i> , 2020, 5, 944-951.  | 0.7 | 24        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1055 | Engineering Nickel/Palladium Heterojunctions for Dehydrogenation of Ammonia Borane: Improving the Catalytic Performance with 3D Mesoporous Structures and External Nitrogen-Doped Carbon Layers. <i>Inorganic Chemistry</i> , 2020, 59, 2104-2110.  | 1.9 | 15        |
| 1056 | Synthesis of Pyrimidine Derivatives Catalyzed by Nanomagnetic Pyridinium Tribromide Ionic Liquid. <i>ChemistrySelect</i> , 2020, 5, 1424-1430.  | 0.7 | 13        |
| 1057 | Immobilizing biogenically synthesized palladium nanoparticles on cellulose support as a green and sustainable dip catalyst for cross-coupling reaction. <i>Cellulose</i> , 2020, 27, 3335-3357.   | 2.4 | 37        |
| 1058 | Particle size determination from magnetization curves in reduced graphene oxide decorated with monodispersed superparamagnetic iron oxide nanoparticles. <i>Journal of Colloid and Interface Science</i> , 2020, 566, 107-119.  | 5.0 | 18        |
| 1059 | Adsorber Particles with Magnetically Supported Improved Electrochemical Conversion Behavior for Waste Water Treatment Processes. <i>Particle and Particle Systems Characterization</i> , 2020, 37, 1900487.   | 1.2 | 4         |
| 1060 | Eco-Sustainable Oilseed Biorefinery: Integrating Microwave with Magnetic Nanobiocatalysis. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 2716-2725.   | 3.2 | 6         |
| 1061 | Iron oxide magnetic nanoparticles supported on amino propyl functionalized KCCl as robust recyclable catalyst for one pot and green synthesis of tetrahydrodipyrzolo-pyridines and cytotoxicity evaluation. <i>Applied Organometallic Chemistry</i> , 2020, 34, e5440.  | 1.7 | 28        |
| 1062 | Synthesis and characterization of Fe <sub>3</sub> O <sub>4</sub> @THAMSO <sub>3</sub> H as a highly reusable nanocatalyst and its application for the synthesis of dihydropyrano[2,3-c]pyrazole derivatives. <i>Applied Organometallic Chemistry</i> , 2020, 34, e5472.   | 1.7 | 38        |
| 1063 | Magnetically recoverable Ni@Cu hybrid nanocatalysts affording spiropyrroline heterocycles from ketoximes and alkenes. <i>Asian Journal of Organic Chemistry</i> , 2020, 9, 1059-1064.   | 1.3 | 6         |
| 1064 | Synthesis of structurally enhanced magnetite cored poly(propyleneimine) dendrimer nanohybrid material and evaluation of its functionality in sustainable catalysis of condensation reactions. <i>Reactive and Functional Polymers</i> , 2020, 152, 104579.  | 2.0 | 9         |
| 1065 | Synthesis and characterization of Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> -(CH <sub>2</sub> ) <sub>3</sub> NH(CH <sub>2</sub> ) <sub>2</sub> O <sub>2</sub> P(OH) <sub>2</sub> and its catalytic application in the synthesis of benzo-[h]quinoline-4-carboxylic acids via a cooperative anomeric based oxidation mechanism. <i>Molecular Catalysis</i> , 2020, 489, 110924. | 1.0 | 20        |
| 1066 | Fe <sub>3</sub> O <sub>4</sub> @Si-MCM-41@EDTA@Ni: as a magnetically recyclable and efficient nano-catalyst in the one-pot clean production of 2-aryl-3,4-dihydroquinazolin-4(1H)-ones. <i>Journal of Porous Materials</i> , 2020, 27, 1087-1100.   | 1.3 | 6         |
| 1067 | Functionalized magnetic nanosized materials for efficient biodiesel synthesis via acid-base/enzyme catalysis. <i>Green Chemistry</i> , 2020, 22, 2977-3012.   | 4.6 | 70        |
| 1068 | Functional Nanomaterials-Catalyzed Production of Biodiesel. <i>Current Nanoscience</i> , 2020, 16, 376-391.   | 0.7 | 12        |
| 1069 | Design, Facile Synthesis and Characterization of Porphyrin-Zirconium-Ferrite@SiO <sub>2</sub> Core-Shell and Catalytic Application in Cyclohexane Oxidation. <i>Silicon</i> , 2021, 13, 451-465.  | 1.8 | 11        |
| 1070 | Rhodium(0), Ruthenium(0) and Palladium(0) nanoparticles supported on carbon-coated iron: Magnetically isolable and reusable catalysts for hydrolytic dehydrogenation of ammonia borane. <i>International Journal of Hydrogen Energy</i> , 2021, 46, 13548-13560.  | 3.8 | 37        |
| 1071 | Synthesis of Acridinediones and Biscoumarins Using Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> @Ni-Zn-Fe LDH as an Efficient Magnetically Recoverable Mesoporous Catalyst. <i>Polycyclic Aromatic Compounds</i> , 2021, 41, 15-32.   | 1.4 | 29        |
| 1072 | Sulfonated polystyrene brushes grafted onto magnetic nanoparticles as recoverable catalysts for efficient synthesis of ethyl N-phenylformimidate. <i>Journal of Applied Polymer Science</i> , 2021, 138, 49992.   | 1.3 | 0         |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1073 | Investigation into the Catalytic Performance of Cu(II) Supported Graphene Quantum Dots Modified NiFe <sub>2</sub> O <sub>4</sub> as a Proficient Nano-Catalyst in the Synthesis of Propargylamines. <i>Catalysis Letters</i> , 2021, 151, 1444-1455.  | 1.4 | 9         |
| 1074 | Magnetite (Fe <sub>3</sub> O <sub>4</sub> ) nanoparticles-supported dodecylbenzenesulfonic acid as a highly efficient and green heterogeneous catalyst for the synthesis of substituted quinolines and 1-amidoalkyl-2-naphthol derivatives. <i>Journal of the Iranian Chemical Society</i> , 2021, 18, 805-816. | 1.2 | 12        |
| 1075 | Magnetic nanoparticles supported bromine sources: Catalysis in organic synthesis. <i>Synthetic Communications</i> , 2021, 51, 325-350.  | 1.1 | 7         |
| 1076 | One-Pot Biosynthesis of Maghemite (γ-Fe <sub>2</sub> O <sub>3</sub> ) Nanoparticles in Aqueous Extract of Ficus carica Fruit and Their Application for Antioxidant and 4-Nitrophenol Reduction. <i>Waste and Biomass Valorization</i> , 2021, 12, 3575-3587.  | 1.8 | 13        |
| 1077 | Sulfonic acid-functionalized core-shell Fe <sub>3</sub> O <sub>4</sub> @carbon microspheres as magnetically recyclable solid acid catalysts. <i>Chinese Chemical Letters</i> , 2021, 32, 2079-2085.   | 4.8 | 15        |
| 1078 | A Compartmentalized-type Bifunctional Magnetic Catalyst for One-pot Aerobic Oxysulfonylation and Asymmetric Transfer Hydrogenation. <i>ChemCatChem</i> , 2021, 13, 909-915.   | 1.8 | 5         |
| 1079 | Gold nanoparticle stabilized dithiocarbamate functionalized magnetite carbon as promise clean nanocatalyst for A <sub>3</sub> -coupling organic transformation. <i>Molecular Catalysis</i> , 2021, 499, 111252.   | 1.0 | 26        |
| 1080 | In situ decorated Au NPs on chitosan-encapsulated Fe <sub>3</sub> O <sub>4</sub> -NH <sub>2</sub> NPs as magnetic nanocomposite: Investigation of its anti-colon carcinoma, anti-gastric cancer and anti-pancreatic cancer. <i>International Journal of Biological Macromolecules</i> , 2021, 171, 198-207.     | 3.6 | 10        |
| 1081 | Synthesis, characterization, and application of CoFe <sub>2</sub> O <sub>4</sub> @amino-2-naphthol-4-sulfonic acid as a novel and reusable catalyst for the synthesis of spirochromene derivatives. <i>Applied Organometallic Chemistry</i> , 2021, 35, e6119.  | 1.7 | 10        |
| 1082 | Cu(II) Schiff base complex on magnetic support: An efficient nano-catalyst for oxidation of olefins using H <sub>2</sub> O <sub>2</sub> as an eco-friendly oxidant. <i>Inorganic Chemistry Communication</i> , 2021, 125, 108373.   | 1.8 | 11        |
| 1083 | One-pot multicomponent synthesis of novel 2-(piperazin-1-yl) quinoxaline and benzimidazole derivatives, using a novel sulfamic acid functionalized Fe <sub>3</sub> O <sub>4</sub> MNPs as highly effective nanocatalyst. <i>Applied Organometallic Chemistry</i> , 2021, 35, .                                  | 1.7 | 8         |
| 1084 | Cu(II)-supported graphene quantum dots modified NiFe <sub>2</sub> O <sub>4</sub> : A green and efficient catalyst for the synthesis of 4H-pyrimido[2,1-b]benzothiazoles in water. <i>Journal of the Chinese Chemical Society</i> , 2021, 68, 121-130.   | 0.8 | 14        |
| 1085 | Green Chemistry of Recoverable Catalysts. <i>Materials Horizons</i> , 2021, , 299-322.  | 0.3 | 0         |
| 1086 | ZEUS (ZIF-based electrochemical ultrasensitive screening) device for isopentane analytics with focus on lung cancer diagnosis. <i>RSC Advances</i> , 2021, 11, 20519-20528.   | 1.7 | 13        |
| 1087 | Nanoengineered iron oxide-based sorbents for separation of various water pollutants: current status, opportunities and future outlook. <i>Environmental Science: Water Research and Technology</i> , 2021, 7, 818-860.  | 1.2 | 10        |
| 1088 | Graphitic carbon nitride-based metal-free photocatalyst. , 2021, , 449-484.   |     | 1         |
| 1089 | A green and sustainable cellulosic-carbon-shielded Pd-MNP hybrid material for catalysis and energy storage applications. <i>Journal of Nanostructure in Chemistry</i> , 2021, 11, 395-407.  | 5.3 | 38        |
| 1090 | A review on platinum(0) nanocatalysts for hydrogen generation from the hydrolysis of ammonia borane. <i>Dalton Transactions</i> , 2021, 50, 12349-12364.  | 1.6 | 35        |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1091 | Solid acids for the synthesis of biologically active heterocycles. , 2021, , 165-213.  |     | 1         |
| 1092 | Fe <sub>3</sub> O <sub>4</sub> @HcdMeen-Pd(0) Organic-Inorganic Hybrid: As a Novel Heterogeneous Nanocatalyst for Chemo and Homoselective Heck C-C Cross-Coupling Synthesis of Butyl Cinnamates. <i>Catalysis Letters</i> , 2021, 151, 2207.                                 | 1.4 | 4         |
| 1093 | New poly-imidazolium-triazole particles by CuAAC cross-linking of calix[4]arene bis-azide/alkyne amphiphiles a prospective support for Pd in the Mizoroki-Heck reaction. <i>RSC Advances</i> , 2021, 11, 584-591.  | 1.7 | 4         |
| 1094 | Continuous flow synthesis of xylidines via biphasic nitration of xylenes and nitro-reduction. <i>Journal of Flow Chemistry</i> , 2021, 11, 193-208.  | 1.2 | 5         |
| 1095 | Recycling of materials containing inorganic and carbonaceous nanomaterials. , 2021, , 459-495.   |     | 0         |
| 1096 | Recent progress in application of nanocatalysts for carbonylative Suzuki cross-coupling reactions. <i>RSC Advances</i> , 2021, 11, 2112-2125.  | 1.7 | 15        |
| 1097 | Conversion of Waste Cheap Petroleum Paraffinic Wax By-Products to Expensive Valuable Multiple Carbon Nanomaterials. <i>Topics in Mining, Metallurgy and Materials Engineering</i> , 2021, , 729-751.   | 1.4 | 8         |
| 1098 | Silica gel-immobilised chiral 1,2-benzenedisulfonimide: a Brønsted acid heterogeneous catalyst for enantioselective multicomponent Passerini reaction. <i>RSC Advances</i> , 2021, 11, 26083-26092.  | 1.7 | 10        |
| 1099 | 2D thin sheets composed of Co <sub>5.47</sub> N-MgO embedded in carbon as a durable catalyst for the reduction of aromatic nitro compounds. <i>Materials Chemistry Frontiers</i> , 2021, 5, 2798-2809.   | 3.2 | 7         |
| 1100 | Dual-catalyst engineered porous organic framework for visible-light triggered, metal-free and aerobic sp <sup>3</sup> C-H activation in highly synergistic and recyclable fashion. <i>Journal of Catalysis</i> , 2021, 394, 40-49.   | 3.1 | 16        |
| 1101 | Recent development of magnetic nanomaterial-supported M(Salen) composites as recyclable heterogeneous catalysts. <i>Chemical Papers</i> , 2021, 75, 2965-2980.   | 1.0 | 9         |
| 1102 | Preparation and Characterization of a Novel Magnetic Nano Catalyst for Synthesis and Antibacterial Activities of Novel Furan-2(5 <i>H</i> )-Ones Derivatives. <i>Polycyclic Aromatic Compounds</i> , 2022, 42, 4255-4269.  | 1.4 | 4         |
| 1103 | Structure Engineering of Yolk-Shell Magnetic Mesoporous Silica Microspheres with Broccoli-Like Morphology for Efficient Catalysis and Enhanced Cellular Uptake. <i>Small</i> , 2021, 17, e2006925.   | 5.2 | 16        |
| 1104 | Organocatalyzed Heterocyclic Transformations In Green Media: A Review. <i>Current Organocatalysis</i> , 2021, 8, 27-71.  | 0.3 | 4         |
| 1105 | Silver nanoparticles (Ag NPs) as catalyst in chemical reactions. <i>Synthetic Communications</i> , 0, , 1-21.  | 1.1 | 6         |
| 1106 | Design of Iron Nanostructured Catalysts. <i>Catalytic Science Series</i> , 2021, , 1-34.   | 0.6 | 0         |
| 1107 | Synthesis of 2-Amino-6-(1 <i>H</i> -Indol-3-yl)-4-Phenylnicotinonitriles and Bis(Indolyl) Pyridines Using a Novel Acidic Nanomagnetic Catalyst via a Cooperative Vinyllogous Anomeric-Based Oxidation Mechanism. <i>Polycyclic Aromatic Compounds</i> , 2022, 42, 4270-4285. | 1.4 | 5         |
| 1108 | Incorporation of Metals and Enzymes with Porous Imine Molecule Cages for Highly Efficient Semiheterogeneous Chemoenzymatic Catalysis. <i>ACS Catalysis</i> , 2021, 11, 5544-5553.  | 5.5 | 46        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1109 | Cu(II) complex-decorated hybrid nanomaterial: a retrievable catalyst for green synthesis of 2,3-dihydroquinazolin-4(1 <i>H</i> )-ones. <i>Journal of Coordination Chemistry</i> , 2021, 74, 1613-1627.  | 0.8 | 8         |
| 1110 | Green synthesis and biological activities assessment of some new chromeno[2,3-b]pyridine derivatives. <i>Molecular Diversity</i> , 2022, 26, 891-902.   | 2.1 | 7         |
| 1111 | Photocatalytic activity of SnO <sub>2</sub> /Fe <sub>3</sub> O <sub>4</sub> nanocomposites and the toxicity assessment of <i>Vigna radiata</i> , <i>Artemia salina</i> and <i>Danio rerio</i> in the photodegraded solution. <i>Environmental Research</i> , 2021, 195, 110787.                   | 3.7 | 11        |
| 1112 | Design of Water-Tolerant Solid Acids: A Trade-Off Between Hydrophobicity and Acid Strength and their Catalytic Performance in Esterification. <i>Catalysis Surveys From Asia</i> , 2021, 25, 279-300.   | 1.0 | 8         |
| 1113 | Magnetic nanocatalysts as multifunctional platforms in cancer therapy through the synthesis of anticancer drugs and facilitated Fenton reaction. <i>Journal of Advanced Research</i> , 2021, 30, 171-184.   | 4.4 | 33        |
| 1114 | Sustainable plant and microbes-mediated preparation of Fe <sub>3</sub> O <sub>4</sub> nanoparticles and industrial application of its chitosan, starch, cellulose, and dextrin-based nanocomposites as catalysts. <i>International Journal of Biological Macromolecules</i> , 2021, 179, 429-447. | 3.6 | 22        |
| 1115 | Copper incorporated hydroxyapatite encapsulated Kit-6 mesoporous silica as a novel and recoverable nanocatalyst for the synthesis of quinazolines. <i>Reaction Kinetics, Mechanisms and Catalysis</i> , 2021, 133, 441-454.   | 0.8 | 1         |
| 1116 | The Synthesis of $\alpha,\beta$ -Ynones and Diaryl Ketones by Palladium Nanoparticles Immobilized on the Magnetic Chitosan Support. <i>Iranian Journal of Science and Technology, Transaction A: Science</i> , 2021, 45, 1631-1643.   | 0.7 | 0         |
| 1117 | Pd nanoparticles loaded on modified chitosan-Unye bentonite microcapsules: A reusable nanocatalyst for Sonogashira coupling reaction. <i>Carbohydrate Polymers</i> , 2021, 262, 117920.   | 5.1 | 32        |
| 1118 | Magnetically separable transition metal nanoparticles as catalysts in hydrogen generation from the hydrolysis of ammonia borane. <i>International Journal of Hydrogen Energy</i> , 2021, 46, 21383-21400.   | 3.8 | 15        |
| 1119 | Controlled preparation of magnetically separable BiOBr/BiFeO <sub>3</sub> heterostructures by chemical etching process with enhanced visible light photocatalytic activities and anti-photocorrosion. <i>Materials Technology</i> , 2022, 37, 1298-1309.  | 1.5 | 3         |
| 1120 | Magnetic nanoparticles supported N-heterocyclic palladium complex: Synthesis and catalytic evaluations in Suzuki cross-coupling reaction. <i>Journal of Physics and Chemistry of Solids</i> , 2021, 153, 110007.  | 1.9 | 11        |
| 1122 | Recyclable Magnetic Fe <sub>3</sub> O <sub>4</sub> Nanoparticle-Supported Chloroaluminate Ionic Liquids for Heterogeneous Lewis Acid Catalysis. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 8797-8802.  | 3.2 | 12        |
| 1123 | Magnetically Isolable Pt <sup>0</sup> /Co <sub>3</sub> O <sub>4</sub> Nanocatalysts: Outstanding Catalytic Activity and High Reusability in Hydrolytic Dehydrogenation of Ammonia Borane. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 34341-34348.                                  | 4.0 | 44        |
| 1124 | A novel water-dispersible and magnetically recyclable nickel nanoparticles for the one-pot reduction-Schiff base condensation of nitroarenes in pure water. <i>Journal of the Chinese Chemical Society</i> , 2021, 68, 1916-1933.   | 0.8 | 16        |
| 1125 | Solid-Supported Materials-Based Synthesis of $\alpha$ -Substituted Benzothiazoles: Recent Developments and Sanguine Future. <i>ChemistrySelect</i> , 2021, 6, 6388-6449.  | 0.7 | 4         |
| 1126 | Based on C=O bond activation: Palladium catalysts in cross-coupling reactions. <i>Synthetic Communications</i> , 2021, 51, 2732-2753.   | 1.1 | 0         |
| 1127 | Preparation of Poly(ethylene glycol)@Polyurea Microcapsules Using Oil/Oil Emulsions and Their Application as Microreactors. <i>Polymers</i> , 2021, 13, 2566.   | 2.0 | 9         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1128 | Magnetic nanoparticles as green catalysts in organic synthesis-a review. <i>Synthetic Communications</i> , 2021, 51, 3059-3083.  | 1.1 | 18        |
| 1129 | Reproducibility and Scalability of Magnetic Nanoheater Synthesis. <i>Nanomaterials</i> , 2021, 11, 2059.   | 1.9 | 6         |
| 1130 | NiCo alloy decorated on porous N-doped carbon derived from ZnCo-ZIF as highly efficient and magnetically recyclable catalyst for hydrogen evolution from ammonia borane. <i>Renewable Energy</i> , 2021, 173, 273-282.   | 4.3 | 51        |
| 1131 | Nano-magnetic-iron Oxides@choline Acetate as a Heterogeneous Catalyst for the Synthesis of 1,2,3-Triazoles. <i>Catalysis Letters</i> , 2022, 152, 1678-1691.   | 1.4 | 3         |
| 1132 | Synthesis of triarylpyridines with sulfonate and sulfonamide moieties via a cooperative vinylogous anomeric-based oxidation. <i>Scientific Reports</i> , 2021, 11, 16846.  | 1.6 | 16        |
| 1133 | Cobalt ferrite supported platinum nanoparticles: Superb catalytic activity and outstanding reusability in hydrogen generation from the hydrolysis of ammonia borane. <i>Journal of Colloid and Interface Science</i> , 2021, 596, 100-107.                               | 5.0 | 54        |
| 1134 | A comprehensive survey upon diverse and prolific applications of chitosan-based catalytic systems in one-pot multi-component synthesis of heterocyclic rings. <i>International Journal of Biological Macromolecules</i> , 2021, 186, 1003-1166.                          | 3.6 | 30        |
| 1135 | Immobilizing Pd nanoparticles on Fe <sub>3</sub> O <sub>4</sub> @tris (hydroxymethyl) aminomethane MNPs as a novel catalyst for the synthesis of bis (pyrazolyl)methane derivatives. <i>Journal of Molecular Structure</i> , 2021, 1239, 130400.                         | 1.8 | 10        |
| 1136 | A TEMPO-Functionalized Ordered Mesoporous Polymer as a Highly Active and Reusable Organocatalyst. <i>Chemistry - an Asian Journal</i> , 2021, 16, 3689-3694.   | 1.7 | 9         |
| 1137 | Advanced Photocatalysts Based on Conducting Polymer/Metal Oxide Composites for Environmental Applications. <i>Polymers</i> , 2021, 13, 3031.   | 2.0 | 25        |
| 1138 | Nickel Supported MCM-Functionalized 1,2,3-Triazol-4-ylmethanamine: An Efficient Nano-particle-Heterogeneous Catalyst Activate for Suzuki Reaction. <i>Catalysis Letters</i> , 2022, 152, 2186-2199.  | 1.4 | 1         |
| 1139 | CoFe <sub>2</sub> O <sub>4</sub> /Cu(OH) <sub>2</sub> Nanocomposite: Expeditious and magnetically recoverable heterogeneous catalyst for the four component Biginelli/transesterification reaction and their DFT studies. <i>Results in Chemistry</i> , 2021, 3, 100202. | 0.9 | 10        |
| 1140 | Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> nanoparticle-supported Co(III)-Salen composites as recyclable heterogeneous catalyst for the fixation of CO <sub>2</sub> . <i>Ceramics International</i> , 2021, 47, 35320-35332.                                       | 2.3 | 11        |
| 1141 | Wet organic waste treatment via hydrothermal processing: A critical review. <i>Chemosphere</i> , 2021, 279, 130557.  | 4.2 | 77        |
| 1142 | Impact of the charge transfer process on the Fe <sup>2+</sup> /Fe <sup>3+</sup> distribution at Fe <sub>3</sub> O <sub>4</sub> magnetic surface induced by deposited Pd clusters. <i>Surface Science</i> , 2021, 712, 121879.  | 0.8 | 3         |
| 1143 | Insight into the enhanced magnetic separation and photocatalytic activity of Sn-doped TiO <sub>2</sub> core-shell photocatalyst. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 105840.   | 3.3 | 5         |
| 1145 | Thermal kinetic analysis of mustard biomass with equiatomic iron-nickel catalyst and its predictive modeling. <i>Chemosphere</i> , 2022, 286, 131901.  | 4.2 | 10        |
| 1146 | Solid catalysts for environmentally benign synthesis. , 2022, , 23-80.   |     | 0         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1147 | Oxo- $\gamma$ -vanadium(IV) unsymmetrical Schiff base complex immobilized on $\text{Fe}_2\text{O}_3$ nanoparticles: A novel and magnetically recoverable nanocatalyst for selective oxidation of sulfides and oxidative coupling of thiols. <i>Applied Organometallic Chemistry</i> , 2021, 35, e6170.   | 1.7  | 12        |
| 1148 | Synthesis of quaternary metal oxides immobilized on APTMS-coated magnetite: an efficient and reusable nanocatalyst for Knoevenagel condensation under green conditions. <i>Canadian Journal of Chemistry</i> , 0, , 1-9.   | 0.6  | 0         |
| 1149 | Alkynoates as Versatile and Powerful Chemical Tools for the Rapid Assembly of Diverse Heterocycles under Transition-Metal Catalysis: Recent Developments and Challenges. <i>Topics in Current Chemistry</i> , 2021, 379, 3.  | 3.0  | 16        |
| 1150 | Electrophilicity in heterogeneous catalysis: role of surface and sub-surface modification. <i>Catalysis Science and Technology</i> , 2021, 11, 4315-4326.  | 2.1  | 9         |
| 1151 | A novel superparamagnetic powerful guanidine-functionalized $\text{Fe}_2\text{O}_3$ based sulfonic acid recyclable and efficient heterogeneous catalyst for microwave-assisted rapid synthesis of quinazolin-4(3 <i>H</i> )-one derivatives in Green media. <i>RSC Advances</i> , 2021, 11, 29948-29959. | 1.7  | 11        |
| 1152 | Direct one-pot synthesis of imines/benzothiazoles/benzoxazoles from nitroarenes via sequential hydrogenation-condensation using Nano- $\text{NiFe}_2\text{O}_4$ as catalyst under microwave irradiation. <i>Current Research in Green and Sustainable Chemistry</i> , 2021, 4, 100149.                   | 2.9  | 4         |
| 1154 | Nanofield. <i>Nanostructure Science and Technology</i> , 2017, , 1-123.  | 0.1  | 2         |
| 1155 | Novel franklinite-like synthetic zinc-ferrite redox nanomaterial: synthesis, and evaluation for degradation of diclofenac in water. <i>Applied Catalysis B: Environmental</i> , 2020, 275, 119098.   | 10.8 | 37        |
| 1156 | Continuous synthesis of monodisperse iron@iron oxide core@shell nanoparticles. <i>Chemical Engineering Journal</i> , 2020, 396, 125299.  | 6.6  | 27        |
| 1157 | Magnetic microsphere with hierarchical LDH/polydopamine shell encapsulated $\text{Fe}_3\text{O}_4$ core for carrying Ag nanocatalyst. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2020, 601, 125022.   | 2.3  | 9         |
| 1158 | Soft-Matter Nanotubes: A Platform for Diverse Functions and Applications. <i>Chemical Reviews</i> , 2020, 120, 2347-2407.  | 23.0 | 147       |
| 1159 | Ultrathin Graphene-Like Carbon-Coated Iron Oxide Nanocrystals for Applications in Corrosive Environments. <i>ACS Applied Nano Materials</i> , 2019, 2, 667-672.  | 2.4  | 3         |
| 1160 | Greener synthesis of 1,2,3-triazoles using a copper( <i>scp</i> )-exchanged magnetically recoverable $\beta$ -zeolite as catalyst. <i>New Journal of Chemistry</i> , 2020, 44, 15046-15053.  | 1.4  | 6         |
| 1161 | Magnetically reusable nanocatalysts in biginelli synthesis of dihydropyrimidinones (DHPMs). <i>Synthetic Communications</i> , 2020, 50, 1409-1445.   | 1.1  | 32        |
| 1162 | A New Facile Ultrasound-Assisted Magnetic Nano- $[\text{CoFe}_2\text{O}_4]$ -Catalyzed One-Pot Synthesis of Pyrano[2,3- <i>c</i> ]pyrazoles. <i>Russian Journal of Organic Chemistry</i> , 2019, 55, 1925-1928.  | 0.3  | 11        |
| 1163 | Concise Review on the Applications of Magnetically Separable Brønsted Acidic Catalysts. <i>Current Organic Chemistry</i> , 2019, 23, 313-334.  | 0.9  | 10        |
| 1164 | Iron Oxide Nanoparticles: An Efficient Nano-catalyst. <i>Current Organic Chemistry</i> , 2019, 23, 994-1004.   | 0.9  | 15        |
| 1165 | Metal Doped- $\text{C}_3\text{N}_4/\text{Fe}_2\text{O}_4$ : Efficient and Versatile Heterogenous Catalysts for Organic Transformations. <i>Current Organic Chemistry</i> , 2019, 23, 1284-1306.  | 0.9  | 2         |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1166 | Modern Catalysts in A <sup>3</sup> - Coupling Reactions. Current Organic Chemistry, 2020, 23, 2783-2801.  | 0.9  | 12        |
| 1167 | Application of Bimetallic and Trimetallic Nanoparticles Supported on Graphene as novel Heterogeneous Catalysts in the Reduction of Nitroarenes, Homo-coupling, Suzuki-Miyaura and Sonogashira Reactions. Current Organic Chemistry, 2020, 24, 2216-2234.  | 0.9  | 19        |
| 1168 | Cu-Fe Spinel: First Heterogeneous and Magnetically Recoverable Catalyst for the Ferrier Rearrangement of 2-Nitroglycals. Letters in Organic Chemistry, 2019, 16, 447-453.   | 0.2  | 10        |
| 1169 | Core-Magnetic Composites Catalysts for the Valorization and Up-grading of the Renewable Feedstocks: A Minireview. Current Catalysis, 2019, 8, 2-19.   | 0.5  | 1         |
| 1170 | Solvent-free synthesis of 1-amidoalkyl-2-naphthol and 3-amino-1-phenyl-1H benzo[f]chromene-2-carbonitrile derivatives by Fe <sub>3</sub> O <sub>4</sub> @enamine-B(OSO <sub>3</sub> H) <sub>2</sub> as an efficient and novel heterogeneous magnetic nanostructure catalyst. Polish Journal of Chemical Technology, 2020, 22, 9-19.                       | 0.3  | 11        |
| 1171 | Biguanide-Functionalized Fe <sub>3</sub> O <sub>4</sub> /SiO <sub>2</sub> Magnetic Nanoparticles: An Efficient Heterogeneous Organosuperbase Catalyst for Various Organic Transformations in Aqueous Media. Bulletin of the Korean Chemical Society, 2012, 33, 2546-2552.   | 1.0  | 105       |
| 1172 | Heterogeneous Suzuki Cross-Coupling Reaction Catalyzed by Magnetically Recyclable Nanocatalyst. Bulletin of the Korean Chemical Society, 2013, 34, 1477-1480.   | 1.0  | 56        |
| 1173 | Preparation of a magnetic and recyclable superparamagnetic silica support with a boronic acid group for immobilizing Pd catalysts and its applications in Suzuki reactions. RSC Advances, 2021, 11, 33692-33702.  | 1.7  | 5         |
| 1174 | Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> @Methotrexate as efficient and nanomagnetic catalyst for the synthesis of 9-(aryl)thiazolo [4,5-d] [1,2,4]triazolo [1,5-a]pyrimidin-2(3H)-ones via a cooperative anomeric based oxidation: A joint experimental and computational mechanistic study. Journal of Molecular Structure, 2022, 1250, 131769. | 1.8  | 5         |
| 1175 | Alternative Solvents and Recycle of the Catalyst. Springer Briefs in Molecular Science, 2011, , 67-116.   | 0.1  | 0         |
| 1176 | A One-Pot Multi-Component Synthesis of N-cyclohexyl-3-arylquinoxaline- 2-amines Using ZnO Nanoparticles as a Heterogeneous Reusable Catalyst. Letters in Organic Chemistry, 2013, 10, 47-52.  | 0.2  | 7         |
| 1177 | Application of Surface Modified Magnetite as an Efficient Support for Heteropolyacids and Studying Its Catalytic Activity in Organic Synthesis. Research & Reviews Journal of Material Sciences, 2014, 02, ,  | 0.1  | 0         |
| 1178 | Nanoparticle-Assisted Organic Transformations. , 2015, , 1-28.  |      | 0         |
| 1179 | Nanoparticle-Assisted Organic Transformations. , 2016, , 769-801.   |      | 0         |
| 1180 | Multicomponent Click Synthesis of 2-Hydroxy/Benzyl 1,2,3-Triazoles Catalyzed by Magnetically Recyclable Nano Iron Oxide in Water. Canadian Chemical Transactions, 2016, , 47-61.  | 0.2  | 2         |
| 1181 | Design of Metal-free Nanocatalysts. RSC Catalysis Series, 2019, , 163-183.  | 0.1  | 0         |
| 1185 | Tuning metal catalysts via nitrogen-doped nanocarbons for energy chemistry: From metal nanoparticles to single metal sites. EnergyChem, 2021, 3, 100066.  | 10.1 | 31        |
| 1186 | Hybrid Nanozyme: More Than One Plus One. Nanostructure Science and Technology, 2020, , 367-391.   | 0.1  | 5         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1187 | Nanocatalysis in green organic synthesis. , 2020, , 71-103.  |      | 4         |
| 1188 | Supported Vanadium Catalysts: Heterogeneous Molecular Complexes, Electrocatalysis and Biomass Transformation. RSC Catalysis Series, 2020, , 241-284.   | 0.1  | 0         |
| 1190 | A systematic investigation of structural growth patterns and electronic properties of [LuGe] <sub>n</sub> +0 and [Ge+1] <sub>n</sub> +0 (n=17) nanoalloy clusters. Materials Today Communications, 2022, 30, 103018.   | 0.9  | 3         |
| 1191 | Co@C nanorods as both magnetic stirring nanobars and magnetic recyclable nanocatalysts for microcatalytic reactions. Applied Catalysis B: Environmental, 2022, 304, 120925.  | 10.8 | 12        |
| 1192 | The Presented Study of Zn-Cu Ferrites for Their Application in Photocatalytic Activities, 0, , .   |      | 1         |
| 1193 | Synthesis and DFT studies of 1,2-disubstituted benzimidazoles using expeditious and magnetically recoverable CoFe <sub>2</sub> O <sub>4</sub> /Cu(OH) <sub>2</sub> nanocomposite under solvent-free condition. Journal of Saudi Chemical Society, 2021, 25, 101394.  | 2.4  | 16        |
| 1194 | Metal Oxide Composites for Heavy Metal Ions Removal. Environmental Chemistry for A Sustainable World, 2021, , 81-104.  | 0.3  | 0         |
| 1195 | Deep-hydrogenation of aviation turbine fuel over highly active and robust magneto-sensitive nanocatalyst. Brazilian Journal of Chemical Engineering, 0, , 1.   | 0.7  | 0         |
| 1196 | Facile Synthesis of Silane-Modified Mixed Metal Oxide as Catalyst in Transesterification Processes. Nanomaterials, 2022, 12, 245.  | 1.9  | 4         |
| 1197 | Adsorption and photocatalytic properties of porphyrin loaded MIL-101 (Cr) in methylene blue degradation. Environmental Science and Pollution Research, 2022, 29, 34406-34418.  | 2.7  | 6         |
| 1198 | Facile Synthesis of Chitosan-ZnO-Fe <sub>2</sub> O <sub>3</sub> as Hybrid Nanocatalyst and Their Application in Nitrothiopheneacetate Reduction and Cyclization of Aminothiopheneacetate. Topics in Catalysis, 0, , 1.   | 1.3  | 2         |
| 1199 | Wet copper-slag: A new and eco-friendly catalyst for Knoevenagel condensation. Sustainable Chemistry and Pharmacy, 2022, 25, 100614.   | 1.6  | 3         |
| 1200 | Fabrication of a new magnetic CoFe <sub>2</sub> O <sub>4</sub> /ZrMCM-41 nanocomposite: Simple construction and application for fast reduction of Cr(IV) and nitroaromatic compounds. Journal of Molecular Structure, 2022, 1254, 132367.  | 1.8  | 4         |
| 1201 | Hierarchical mesoporous zinc oxide microspheres for ethanol gas sensor. Sensors and Actuators B: Chemical, 2022, 357, 131333.  | 4.0  | 44        |
| 1202 | Sono and nano: A perfect synergy for eco-compatible Biginelli reaction. Heterocyclic Communications, 2022, 28, 1-10.   | 0.6  | 5         |
| 1203 | Polymer microgels for the stabilization of gold nanoparticles and their application in the catalytic reduction of nitroarenes in aqueous media. RSC Advances, 2022, 12, 5105-5117.   | 1.7  | 35        |
| 1204 | Nanosized calcined mixed oxides-supported alkali metal (K <sub>2</sub> O/Al <sub>2</sub> O <sub>3</sub> -CaO) as solid base catalyst: preparation and investigation of its catalytic efficiency in the synthesis of benzylidene malonitriles/barbiturates and in pyrano[2,3-d]pyrimidines. Journal of the Iranian Chemical Society, 2022, 19, 2855-2870. | 1.2  | 4         |
| 1205 | Reusable Iron/Iron Oxide-based Nanoparticles Catalyzed Organic Reactions. Current Organic Chemistry, 2022, 26, 399-417.  | 0.9  | 2         |



| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1206 | <i>In Situ</i> EXAFS-Based Nanothermometry of Heterodimer Nanocrystals under Induction Heating. <i>Journal of Physical Chemistry C</i> , 2022, 126, 3623-3634.   | 1.5  | 11        |
| 1207 | New bifunctional amphiphilic oxyethylimidazolium derivatives of calix[4]arene containing alkynyl/azide fragments: regularities of aggregation and polymerization under azide/alkyne cycloaddition conditions. <i>Russian Chemical Bulletin</i> , 2022, 71, 131-138.  | 0.4  | 5         |
| 1208 | Designing Sites in Heterogeneous Catalysis: Are We Reaching Selectivities Competitive With Those of Homogeneous Catalysts?. <i>Chemical Reviews</i> , 2022, 122, 8594-8757.  | 23.0 | 118       |
| 1209 | DABCO-based ionic liquid-modified magnetic nanoparticles supported gold as an efficient catalyst for A3 coupling reaction in water. <i>Journal of the Iranian Chemical Society</i> , 0, , 1.   | 1.2  | 1         |
| 1210 | Heterogeneous Catalysis for Oxidation of Alcohol via 1-Methyl-2-azadamanane <i>In Situ</i> Immobilized on Magnetic Polystyrene Nanosphere. <i>ChemistrySelect</i> , 2022, 7, .   | 0.7  | 1         |
| 1211 | Design and engineering of heterogeneous nitroxide-mediated catalytic systems for selective oxidation: Efficiency and sustainability. <i>Materials Today Chemistry</i> , 2022, 24, 100872.  | 1.7  | 8         |
| 1212 | Synthesis of Fe <sub>3</sub> O <sub>4</sub> @L-proline@SO <sub>3</sub> H as a novel and reusable acidic magnetic nanocatalyst and its application for the synthesis of <i>N</i> -substituted pyrroles at room temperature under ultrasonic irradiation and without solvent. <i>Inorganic and Nano-Metal Chemistry</i> , 2022, 52, 1143-1152.   | 0.9  | 3         |
| 1213 | Synthesis and characterization of Pd supported on methane diamine (propyl silane) functionalized Fe <sub>3</sub> O <sub>4</sub> nanoparticles as a magnetic catalyst for synthesis of $\alpha$ -aminonitriles and 2-methoxy-2-phenylacetonitrile derivative via Strecker-type reaction under ambient and solvent-free conditions. <i>Inorganic and Nano-Metal Chemistry</i> , 0, , 1-15. | 0.9  | 3         |
| 1214 | Impact of dynamic capacities on the performance of food and beverage enterprises in Lagos, Nigeria. <i>Journal of Innovation and Entrepreneurship</i> , 2021, 10, .  | 1.8  | 2         |
| 1215 | Preparation and Asymmetric Induction Evaluation of the First Ephedrine-Based Ligands Immobilized on Magnetic Nanoparticles. <i>ACS Omega</i> , 2021, 6, 35641-35648.   | 1.6  | 2         |
| 1216 | Stabilization of ruthenium on biochar-nickel magnetic nanoparticles as a heterogeneous, practical, selective, and reusable nanocatalyst for the Suzuki C-C coupling reaction in water. <i>RSC Advances</i> , 2022, 12, 13523-13534.  | 1.7  | 32        |
| 1217 | Diverse and efficient catalytic applications of new cockscomb flower-like Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> @KCC-1@MPTMS@Cu <sup>II</sup> mesoporous nanocomposite in the environmentally benign reduction and reductive acetylation of nitroarenes and one-pot synthesis of some coumarin compounds. <i>RSC Advances</i> , 2022, 12, 11164-11189.                        | 1.7  | 13        |
| 1218 | Recent developments of supported Palladium nanocatalyst and magnetically separable supported Palladium nanocatalysts for Heck cross-coupling reactions. <i>Journal of Nanoparticle Research</i> , 2022, 24, .  | 0.8  | 6         |
| 1219 | Nano-CuFe <sub>2</sub> O <sub>3</sub> -catalyzed green synthesis of novel quinazolinone-tetrazole hybrids as anti-cancer agents. <i>Molecular Diversity</i> , 2023, 27, 425-441.   | 2.1  | 3         |
| 1220 | Synthesis and Reactivity of Copper and Copper Containing Magnetically Separable Catalysts. <i>ChemistrySelect</i> , 2022, 7, .   | 0.7  | 7         |
| 1221 | A Novel and Versatile Copper-Nanomagnetic Catalyst for Synthesis of Propargylamines and Diaryl Sulfides. <i>Catalysis Letters</i> , 0, , 1.  | 1.4  | 0         |
| 1222 | Materials recycling using pH/thermal-responsive materials. , 2022, , 159-169.  |      | 0         |
| 1223 | Short-Range Diffusion Enables General Synthesis of Medium-Entropy Alloy Aerogels. <i>Advanced Materials</i> , 2022, 34, .  | 11.1 | 74        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1224 | Synthesis and application of novel urea- <sup>41</sup> benzoic acid functionalized magnetic nanoparticles for the synthesis of 2,3-disubstituted thiazolidin-4-ones and hexahydroquinolines. RSC Advances, 2022, 12, 16342-16353.  | 1.7 | 8         |
| 1225 | Surface-modified nanomaterial-based catalytic materials for modern industry applications. , 2022, , 267-288.   |     | 0         |
| 1226 | Immobilized Ionic Liquids on Fe <sub>3</sub> O <sub>4</sub> Nanoparticles: A Potential Catalyst for Organic Synthesis. SSRN Electronic Journal, 0, , .   | 0.4 | 1         |
| 1227 | Nanomagnetic macrocyclic Schiff-base- <sup>42</sup> Mn( <sup>43</sup> ) complex: an efficient heterogeneous catalyst for click approach synthesis of novel <sup>44</sup> -substituted-1,2,3-triazoles. RSC Advances, 2022, 12, 17905-17918.  | 1.7 | 8         |
| 1228 | Ni <sup>45</sup> NPs entrapped within a matrix of <sup>46</sup> -glutamic acid cross-linked chitosan supported on magnetic carboxylic acid-functionalized multi-walled carbon nanotube: a new and efficient multi-task catalytic system for the green one-pot synthesis of diverse heterocyclic frameworks. RSC Advances, 2022, 12, 16454-16478. | 1.7 | 8         |
| 1229 | Para-Aminobenzoic acid grafted on silica-coated magnetic nanoparticles: a highly efficient and synergistic organocatalyst for on-water synthesis of 2,3-dihydroquinazolin-4(1H)-ones. Research on Chemical Intermediates, 2022, 48, 3061-3089.   | 1.3 | 8         |
| 1230 | Heterogeneous Copper-Free Sonogashira Cross-Coupling Reactions Catalyzed by a Recyclable Orthopalladated Azo-Complex. Catalysis Letters, 2023, 153, 1438-1449.   | 1.4 | 3         |
| 1231 | A review on advances in synthetic methodology and biological profile of spirothiazolidin- <sup>47</sup> ones. Journal of Heterocyclic Chemistry, 2022, 59, 1839-1878.  | 1.4 | 2         |
| 1232 | Homogeneity of Supported Single-Atom Active Sites Boosting the Selective Catalytic Transformations. Advanced Science, 2022, 9, .   | 5.6 | 47        |
| 1233 | Tribromide Immobilized on Amino-Functionalized Magnetic Nanoparticles: A Active Magnetically Recoverable Catalyst for the Synthesis of Heterocycles. Polycyclic Aromatic Compounds, 2023, 43, 4750-4767.   | 1.4 | 0         |
| 1234 | Carbon nanotube based magnetic composites for decontamination of organic chemical pollutants in water: A review. Applied Surface Science Advances, 2022, 10, 100270.   | 2.9 | 39        |
| 1235 | Magnetic zeolite composites: Classification, synthesis routes, and technological applications. Journal of Magnetism and Magnetic Materials, 2022, 560, 169651.   | 1.0 | 27        |
| 1236 | Biodiesel and adipic acid production using molybdenum(VI) complex of a bis(phenol) diamine ligand supported on Fe <sub>3</sub> O <sub>4</sub> magnetic nanoparticles. Fuel, 2022, 327, 124831.   | 3.4 | 5         |
| 1237 | Catalytic hydration of terminal alkynes and nitriles without reducing reagents, acidic promoters, and organic solvent over Fe <sub>3</sub> O <sub>4</sub> @Starch-Au. Journal of the Iranian Chemical Society, 2022, 19, 4523-4534.  | 1.2 | 3         |
| 1238 | Mortar-Pestle Grinding Technique as an Efficient and Green Method Accelerates the Tandem Knoevenagel-Michael Cyclocondensation Reaction in the Presence of Ethylenediamine Immobilized on the Magnetite Nanoparticles. Polycyclic Aromatic Compounds, 2023, 43, 5869-5891.   | 1.4 | 9         |
| 1239 | Fe <sub>3</sub> O <sub>4</sub> @nano-dextrin-OPO <sub>3</sub> H <sub>2</sub> : a bio-based magnetic nano-catalyst for the synthesis of 4H-pyrimido[2,1-b]benzothiazole derivatives. Journal of the Iranian Chemical Society, 2022, 19, 4377-4388.  | 1.2 | 2         |
| 1240 | Experimental and Theoretical Investigation of the Thermophysical Properties of Cobalt Oxide (Co <sub>3</sub> O <sub>4</sub> ) in Distilled Water (DW), Ethylene Glycol (EG), and DW-EG Mixture Nanofluids. Nanomaterials, 2022, 12, 2779.  | 1.9 | 5         |
| 1241 | Morphology controlled biogenic fabrication of Metal/Metal oxide nanostructures using plant extract and their application in organic transformations. Inorganic Chemistry Communication, 2022, 144, 109855.   | 1.8 | 4         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1242 | Accelerated and simplified synthesis of magnetic mesoporous nanoparticles in a continuous multistep microfluidic system. <i>Chemical Engineering and Processing: Process Intensification</i> , 2022, 181, 109104.   | 1.8 | 1         |
| 1243 | Nano cobalt ferrites: Doping, Structural, Low-temperature, and room temperature magnetic and dielectric properties – A comprehensive review. <i>Journal of Magnetism and Magnetic Materials</i> , 2022, 562, 169840.  | 1.0 | 35        |
| 1244 | Magnetic Fe <sub>3</sub> O <sub>4</sub> nanoparticles in melamine-based ternary deep eutectic solvent as a novel eco-compatible system for green synthesis of pyrido[2,3-d]pyrimidine derivatives. <i>Journal of Molecular Structure</i> , 2022, 1270, 133860.  | 1.8 | 12        |
| 1245 | Magnetically recoverable Cu <sub>2</sub> O@Fe <sub>3</sub> O <sub>4</sub> @TNT catalytic system for click chemistry in water: multi-component synthesis of 1,2,3-triazoles at room temperature. <i>Materials Advances</i> , 2022, 3, 7960-7965.   | 2.6 | 2         |
| 1246 | A green methodology for C–S cross-coupling reaction over Cu <sup>II</sup> attached to magnetic natural talc (Fe <sub>2</sub> O <sub>3</sub> /talc/Cu <sup>II</sup> NPs) as a heterogeneous and ligand-free catalyst. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2023, 198, 72-84. | 0.8 | 1         |
| 1247 | Fe <sub>3</sub> O <sub>4</sub> -supported sulfonated graphene oxide as a green and magnetically separable nanocatalyst for synthesis of 2-amino-3-cyano-4 <i>H</i> -chromene derivatives and their in-silico studies. <i>Synthetic Communications</i> , 2022, 52, 1926-1955.                            | 1.1 | 8         |
| 1248 | A novel and efficient magnetically recoverable copper catalyst [MNPs-guanidine-bis(ethanol)-Cu] for Pd-free Sonogashira coupling reaction. <i>Synthetic Communications</i> , 2022, 52, 1856-1866.   | 1.1 | 4         |
| 1249 | Novel Magnetically-Recoverable Solid Acid Catalysts with a Hydrophobic Layer in Protecting the Active Sites from Water Poisoning. <i>Processes</i> , 2022, 10, 1738.  | 1.3 | 0         |
| 1250 | A new copper Schiff-base complex of 3,4-diaminobenzophenone stabilized on magnetic MCM41 as a homoselective and reusable catalyst in the synthesis of tetrazoles and pyranopyrazoles. <i>Applied Organometallic Chemistry</i> , 2022, 36, .   | 1.7 | 30        |
| 1251 | Immobilized ionic liquids on Fe <sub>3</sub> O <sub>4</sub> nanoparticles: A potential catalyst for organic synthesis. <i>Inorganic Chemistry Communication</i> , 2022, 145, 110055.  | 1.8 | 15        |
| 1252 | An amino-triethoxysilylpropyl-tetrazole-carboxamide-based Mn-complex as a capable nanocatalyst for the synthesis of tetrahydrobenzopyrans. <i>Catalysis Communications</i> , 2022, 172, 106523.   | 1.6 | 0         |
| 1253 | Magnetic nanoparticle-supported eosin Y salt [SB-DABCO@eosin] as an efficient heterogeneous photocatalyst for the multi-component synthesis of chromeno[4,3- <i>b</i> ]chromene in the presence of visible light. <i>RSC Advances</i> , 2022, 12, 28886-28901.  | 1.7 | 21        |
| 1254 | A polyethanolamine nanodendrimer as a magnetic hybrid material for fast adsorption of heavy metal contaminants. <i>Journal of Materials Science: Materials in Electronics</i> , 0, , .  | 1.1 | 0         |
| 1255 | Designing a new ligand based on pyridine for immobilization of gold nanoparticles on reduced magnetic graphene oxide: a new catalyst for the reduction of nitro compounds. <i>Journal of the Iranian Chemical Society</i> , 0, , .  | 1.2 | 0         |
| 1256 | Application of New Magnetic Graphene Oxide-Porphyrin Nanoparticles for Synthesis of Pyridines and Pyrimidines via Anomeric-Based Oxidation. <i>ChemistrySelect</i> , 2022, 7, .   | 0.7 | 1         |
| 1257 | Metallic active-site engineering: a bridge between covalent triazine frameworks and high-performance catalysts. <i>Journal of Materials Chemistry A</i> , 2023, 11, 2070-2091.  | 5.2 | 9         |
| 1258 | Highly active and magnetically recoverable heterogeneous catalyst for hydrothermal liquefaction of biomass into high quality bio-oil. <i>Bioresource Technology</i> , 2023, 369, 128479.  | 4.8 | 13        |
| 1259 | Synthesis of superparamagnetic and whole visible light-photocatalytic Ni <sub>0.5</sub> Zn <sub>0.5</sub> Fe <sub>2</sub> O <sub>4</sub> -core/Ag <sub>2</sub> O-capped TiO <sub>2</sub> -shell nanospheres. <i>Journal of the Korean Ceramic Society</i> , 0, , .                                      | 1.1 | 0         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1261 | Stimuli-Responsive Polymer Stabilized Iron Oxide Nanoparticle as Green Catalyst for Styrene Oxidation Reaction. ACS Applied Polymer Materials, 2023, 5, 720-730.   | 2.0 | 3         |
| 1262 | Chemistry of Medicinally Important Dihydropyrimidinone-based Heterocycle Scaffolds. Mini-Reviews in Organic Chemistry, 2024, 21, 172-215.  | 0.6 | 1         |
| 1263 | On the thermal and hydrothermal stability of spinel iron oxide nanoparticles as single and core-shell hard-soft phases. Journal of Alloys and Compounds, 2023, 940, 168909.  | 2.8 | 2         |
| 1264 | Advancement in utilization of magnetic catalysts for production of sustainable biofuels. Frontiers in Chemistry, 0, 10, .  | 1.8 | 4         |
| 1265 | An efficient approach for the green synthesis of biologically active 2,3-dihydroquinazolin-4(1 <i>H</i> )-ones using a magnetic EDTA coated copper based nanocomposite. RSC Advances, 2023, 13, 1923-1932.   | 1.7 | 8         |
| 1266 | Catalytic application Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> /(CH <sub>2</sub> ) <sub>3</sub> -urea-dithiocarbamic acid for the synthesis of triazole-linked pyridone derivatives. Journal of Molecular Structure, 2023, 1277, 134885.   | 1.8 | 3         |
| 1267 | A nano-organo catalyst mediated approach towards the green synthesis of 3-methyl-4-(phenyl)methylene-isoxazole-5(4 <i>H</i> )-one derivatives and biological evaluation of the derivatives as a potent anti-fungal and anti-tubercular agent. Sustainable Chemistry and Pharmacy, 2023, 32, 100967.                    | 1.6 | 6         |
| 1268 | Magnetically retrievable graphitic carbon nitride-based nanocomposites. , 2023, , 305-358.   |     | 0         |
| 1269 | Heteropoly acid-based ionic liquid grafted on hybrid nanomaterial for deep oxidative desulfurization of diesel fuel. Research on Chemical Intermediates, 2023, 49, 1563-1579.  | 1.3 | 4         |
| 1270 | Contemporary Progress in the Applications of Iron-based Magnetic Nanoparticles in Multicomponent Synthesis: A Review. Current Organic Chemistry, 2023, 26, 2122-2142.  | 0.9 | 1         |
| 1271 | MnFe <sub>2</sub> O <sub>4</sub> @SiO <sub>2</sub> @CeO <sub>2</sub> core-shell nanostructures for applications in water remediation. RSC Advances, 2023, 13, 10513-10522.   | 1.7 | 2         |
| 1272 | Fabrication of silver nanoparticles within chitosan based microgels for catalysis. International Journal of Biological Macromolecules, 2023, 240, 124401.  | 3.6 | 7         |
| 1273 | Polystyrene Resins: Versatile and Economical Support for Heterogeneous Nanocatalysts in Sustainable Organic Reactions**. ChemCatChem, 2023, 15, .  | 1.8 | 1         |
| 1274 | Heterogeneous Iridium Single-Atom Molecular-like Catalysis for Epoxidation of Ethylene. Journal of the American Chemical Society, 2023, 145, 6658-6670.  | 6.6 | 13        |
| 1275 | Green synthesis and characterization of mixed-phase Fe <sub>2</sub> O <sub>3</sub> nanorods as a novel magnetically recoverable heterogeneous catalyst for Biginelli synthesis. Journal of Molecular Structure, 2023, 1283, 135246.  | 1.8 | 8         |
| 1276 | Synthesis, identification and application of Fe <sub>3</sub> O <sub>4</sub> @THAM-Mercaptopyrimidine nanoparticles as a novel and highly recyclable nanocatalyst in one-pot multicomponent synthesis of 1,8-dioxo-octahydroxanthenes and polyhydroquinolines. Research on Chemical Intermediates, 2023, 49, 1439-1462. | 1.3 | 1         |
| 1277 | Green nanoparticles for stereospecific and stereoselective organic synthesis. , 2023, , 195-240.   |     | 0         |
| 1278 | Recent developments in nanocatalyst-mediated ecofriendly synthesis of pyrimidine derivatives. , 2023, , 401-419.   |     | 0         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1279 | Pd-Nanoparticles-Catalyzed C(sp <sup>2</sup> )-H Arylation for the Synthesis of Functionalized Heterocycles: Recent Progress and Prospects. <i>Synthesis</i> , 2024, 56, 611-638.  | 1.2 | 2         |
| 1280 | Chiral Magnetic Oxide Nanomaterials: Magnetism Meets Chirality. <i>Advanced Optical Materials</i> , 2023, 11, .  | 3.6 | 4         |
| 1287 | Boehmite nanoparticles mediated multicomponent reaction approach towards synthesis of pharmacologically active tetrazoles. <i>AIP Conference Proceedings</i> , 2023, , .   | 0.3 | 0         |
| 1294 | Recent advances in the application of magnetic nanocatalysts in multicomponent reactions. <i>RSC Advances</i> , 2023, 13, 20530-20556.   | 1.7 | 7         |
| 1299 | Superparamagnetic iron oxide nanoparticles for drug delivery applications. , 2023, , 817-850.  |     | 0         |
| 1308 | Nanomagnetic Oxide: A Versatile Green Catalyst. <i>Contemporary Education and Teaching Research</i> , 2023, , 92-118.  | 0.2 | 0         |
| 1319 | Leveraging Dendrimer Macromolecules for the Encapsulation and Stabilisation of Nano-Sized Ruthenium Catalysts: Evaluation of Catalytic Reaction Kinetics in the Reduction of Pollutants Organic Dyes, Oxidation of Alcohols and Alkenes as Well as Hydrogenation Reactions. , 0, , . |     | 0         |
| 1322 | Adsorption process of antibiotics by carbon-based adsorbents. , 2024, , 121-215.   |     | 0         |