

Liquid-phase microextraction

TrAC - Trends in Analytical Chemistry

29, 1-14

DOI: [10.1016/j.trac.2009.10.003](https://doi.org/10.1016/j.trac.2009.10.003)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Determination of Benzoic Acid in Water Samples by Ionic Liquid Cold-Induced Aggregation Dispersive LLME Coupling with LC. <i>Chromatographia</i> , 2010, 72, 1195-1199.	1.3	17
2	Determination of organophosphorus pesticides in environmental water samples by dispersive liquid-liquid microextraction with solidification of floating organic droplet followed by high-performance liquid chromatography. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 397, 2543-2549.	3.7	73
3	Hollow fiber-based liquid phase microextraction with factorial design optimization and gas chromatography-tandem mass spectrometry for determination of cannabinoids in human hair. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010, 878, 2175-2183.	2.3	35
4	Solvent-based de-emulsification dispersive liquid-liquid microextraction combined with gas chromatography-mass spectrometry for determination of trace organochlorine pesticides in environmental water samples. <i>Journal of Chromatography A</i> , 2010, 1217, 5896-5900.	3.7	76
5	Application of ultrasound-assisted emulsification microextraction for the determination of triazine herbicides in soil samples by high performance liquid chromatography. <i>Mikrochimica Acta</i> , 2010, 170, 59-65.	5.0	47
6	Gas-diffusion microextraction. <i>Journal of Separation Science</i> , 2010, 33, 3207-3212.	2.5	43
7	Simultaneous determination of rosiglitazone and its metabolites in rat liver microsomal fraction using hollow-fiber liquid-phase microextraction for sample preparation. <i>Journal of Separation Science</i> , 2010, 33, 2872-2880.	2.5	15
8	Determination of amoxapine and nortriptyline in blood plasma and serum by salt-assisted liquid-liquid microextraction and high-performance liquid chromatography. <i>Journal of Separation Science</i> , 2010, 33, 3774-3780.	2.5	28
9	Determination of aconitine, hyaconitine and mesaconitine in urine using hollow fiber liquid-phase microextraction combined with high-performance liquid chromatography. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010, 878, 2811-2816.	2.3	37
10	Pesticides in water and the performance of the liquid-phase microextraction based techniques. A review. <i>Microchemical Journal</i> , 2010, 96, 225-237.	4.5	108
11	Dispersive liquid-liquid microextraction for determination of organic analytes. <i>TrAC - Trends in Analytical Chemistry</i> , 2010, 29, 728-751.	11.4	230
12	Liquid-phase microextraction approaches combined with atomic detection: A critical review. <i>Analytica Chimica Acta</i> , 2010, 669, 1-16.	5.4	98
13	Application of dispersive liquid-liquid microextraction and spectrophotometric detection to the rapid determination of rhodamine 6G in industrial effluents. <i>Analytica Chimica Acta</i> , 2010, 674, 206-210.	5.4	63
14	Optimization of ultrasound assisted-emulsification-dispersive liquid-liquid microextraction by experimental design methodologies for the determination of sulfur compounds in wines by gas chromatography-mass spectrometry. <i>Analytica Chimica Acta</i> , 2010, 683, 126-135.	5.4	68
15	Determination of hydroxylated benzophenone UV filters in sea water samples by dispersive liquid-liquid microextraction followed by gas chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2010, 1217, 4771-4778.	3.7	157
16	Optimisation of a dispersive liquid-liquid microextraction method for the simultaneous determination of halophenols and haloanisoles in wines. <i>Journal of Chromatography A</i> , 2010, 1217, 7630-7637.	3.7	49
17	Hollow fiber liquid-phase microextraction coupled with gas chromatography-flame ionization detection for the profiling of fatty acids in vegetable oils. <i>Journal of Chromatography A</i> , 2010, 1217, 8073-8078.	3.7	17
18	Developments in Liquid-phase Microextraction Method Based on Solidification of Floating Organic Drop. <i>Chinese Journal of Analytical Chemistry</i> , 2010, 38, 1517-1522.	1.7	31

#	ARTICLE	IF	CITATIONS
20	Optimization of dispersive liquid-liquid microextraction for analysis of levonorgestrel in water samples using uniform design. <i>Analytical Methods</i> , 2011, 3, 857.	2.7	16
21	Electromembrane extraction: a new technique for accelerating bioanalytical sample preparation. <i>Bioanalysis</i> , 2011, 3, 787-797.	1.5	74
22	One-Step Derivatization and Preconcentration Microextraction Technique for Determination of Bisphenol A in Beverage Samples by Gas Chromatography-Mass Spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 3559-3565.	5.2	52
23	On-Chip Drop-to-Drop Liquid Microextraction Coupled with Real-Time Concentration Monitoring Technique. <i>Analytical Chemistry</i> , 2011, 83, 1658-1664.	6.5	80
24	Novel strategies for sample preparation in forensic toxicology. <i>Bioanalysis</i> , 2011, 3, 2019-2046.	1.5	37
25	Determination of steroid hormones in biological and environmental samples using green microextraction techniques: An overview. <i>Analytica Chimica Acta</i> , 2011, 704, 33-46.	5.4	109
26	Recent advances in applications of single-drop microextraction: A review. <i>Analytica Chimica Acta</i> , 2011, 706, 37-65.	5.4	179
27	Atomic spectrometry update. Elemental speciation. <i>Journal of Analytical Atomic Spectrometry</i> , 2011, 26, 1561.	3.0	42
28	Fabrication of a novel nanocomposite based on sol-gel process for hollow fiber-solid phase microextraction of aflatoxins: B1 and B2, in cereals combined with high performance liquid chromatography-diode array detection. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011, 879, 3034-3040.	2.3	58
29	Models for liquid-liquid partition in the system formamide-organic solvent and their use for estimating descriptors for organic compounds. <i>Talanta</i> , 2011, 83, 1118-1125.	5.5	21
30	A new device for magnetic stirring-assisted dispersive liquid-liquid microextraction of UV filters in environmental water samples. <i>Talanta</i> , 2011, 83, 1711-1715.	5.5	132
31	Sequential injection dispersive liquid-liquid microextraction based on fatty alcohols and poly(etheretherketone)-turnings for metal determination by flame atomic absorption spectrometry. <i>Talanta</i> , 2011, 84, 1215-1220.	5.5	63
32	Ion pair-based dispersive liquid-liquid microextraction for gold determination at ppb level in solid samples after ultrasound-assisted extraction and in waters by electrothermal-atomic absorption spectrometry. <i>Talanta</i> , 2011, 84, 109-115.	5.5	50
33	Recent trends in application of multivariate curve resolution approaches for improving gas chromatography-mass spectrometry analysis of essential oils. <i>Talanta</i> , 2011, 85, 835-849.	5.5	64
34	Determination of inorganic selenium species in water and garlic samples with on-line ionic liquid dispersive microextraction and electrothermal atomic absorption spectrometry. <i>Talanta</i> , 2011, 85, 2182-2188.	5.5	82
35	Determination of nitroaromatic explosives in water samples by direct ultrasound-assisted dispersive liquid-liquid microextraction followed by gas chromatography-mass spectrometry. <i>Talanta</i> , 2011, 85, 2546-2552.	5.5	56
36	Determination of phenols in environmental water samples by two-step liquid-phase microextraction coupled with high performance liquid chromatography. <i>Talanta</i> , 2011, 85, 2581-2586.	5.5	49
37	Cloud Point Extraction-HPLC Determination of Polycyclic Aromatic Hydrocarbons Residues in Traditional Chinese Medicinal Herbs. <i>Procedia Environmental Sciences</i> , 2011, 10, 1216-1221.	1.4	10

#	ARTICLE	IF	CITATIONS
38	Current Trends in Liquid-Liquid Microextraction for Analysis of Pesticide Residues in Food and Water. , 0, , .		2
39	Analytical Methods for Viable and Rapid Determination of Organochlorine Pesticides in Water and Soil Samples. , 2011, , .		3
40	Electromembrane Extraction from Biological Fluids. Analytical Sciences, 2011, 27, 965-972.	1.6	75
41	Liquid phase microextraction applications in food analysis. Journal of Chromatography A, 2011, 1218, 7415-7437.	3.7	162
42	New home-made assembly for hollow-fibre membrane extraction of persistent organic pollutants from real world samples. Journal of Chromatography A, 2011, 1218, 7923-7935.	3.7	13
43	Ultrasound-assisted emulsificationâ€“microextraction for the sensitive determination of Brett character responsible compounds in wines. Journal of Chromatography A, 2011, 1218, 8975-8981.	3.7	27
44	Liquid-phase microextraction preconcentration of impurities. Journal of Analytical Chemistry, 2011, 66, 331-350.	0.9	40
45	Rapid determination of 226Ra in drinking water samples using dispersive liquid-liquid microextraction coupled with liquid scintillation counting. Journal of Radioanalytical and Nuclear Chemistry, 2011, 290, 415-425.	1.5	7
46	New method for microextraction of ultra trace quantities of gold in real samples using ultrasound-assisted emulsification of solidified floating organic drops. Mikrochimica Acta, 2011, 173, 249-257.	5.0	49
47	Analysis of narcotic drugs in biological samples using hollow fiber liquidâ€“phase microextraction and gas chromatography with nitrogen phosphorus detection. Mikrochimica Acta, 2011, 174, 159-166.	5.0	17
48	Determination of methylcyclopentadienyl-manganese tricarbonyl in gasoline and water via ionic-liquid headspace single drop microextraction and electrothermal atomic absorption spectrometry. Mikrochimica Acta, 2011, 174, 413-419.	5.0	28
49	Determination of phenolic compounds in water samples by HPLC following ionic liquid dispersive liquid-liquid microextraction and cold-induced aggregation. Mikrochimica Acta, 2011, 175, 341-346.	5.0	40
50	Models for Liquidâ€“Liquid Partition in the System Ethylene Glycolâ€“Organic Solvent and Their Use for Estimating Descriptors for Organic Compounds. Chromatographia, 2011, 73, 941-951.	1.3	28
51	Development of a new three-phase membrane-assisted liquid-phase microextraction method: determination of nitrite in tap water samples as model analytical application. Analytical and Bioanalytical Chemistry, 2011, 400, 595-601.	3.7	13
52	Comparison of dispersive liquidâ€“liquid microextraction and hollow fiber liquidâ€“liquidâ€“liquid microextraction for the determination of fentanyl, alfentanil, and sufentanil in water and biological fluids by high-performance liquid chromatography. Analytical and Bioanalytical Chemistry, 2011, 400, 2149-2158.	3.7	62
53	Application of in-vial membrane assisted solvent extraction to the determination of polycyclic aromatic hydrocarbons in seawater by gas chromatographyâ€“mass spectrometry. Analytica Chimica Acta, 2011, 685, 132-137.	5.4	12
54	Determination of phthalate esters in water samples by ionic liquid cold-induced aggregation dispersive liquidâ€“liquid microextraction coupled with high-performance liquid chromatography. Analytica Chimica Acta, 2011, 689, 137-142.	5.4	116
55	Orthogonal array design for the optimization of hollow fiber protected liquid-phase microextraction of salicylates from environmental waters. Analytica Chimica Acta, 2011, 689, 219-225.	5.4	17

#	ARTICLE	IF	CITATIONS
56	Ionic liquid-dispersive liquid-liquid microextraction for the simultaneous determination of pesticides and metabolites in soils using high-performance liquid chromatography and fluorescence detection. <i>Journal of Chromatography A</i> , 2011, 1218, 4808-4816.	3.7	115
57	Stir membrane liquid-liquid microextraction. <i>Journal of Chromatography A</i> , 2011, 1218, 869-874.	3.7	45
58	Low-density solvent-based solvent demulsification dispersive liquid-liquid microextraction for the fast determination of trace levels of sixteen priority polycyclic aromatic hydrocarbons in environmental water samples. <i>Journal of Chromatography A</i> , 2011, 1218, 5040-5046.	3.7	152
59	Ionic liquid-based single drop microextraction of ultra-trace copper in food and water samples before spectrophotometric determination. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2011, 79, 1941-1945.	3.9	47
60	Combination of dynamic hollow fiber liquid-phase microextraction with HPLC analysis for the determination of UV filters in cosmetic products. <i>Science China Chemistry</i> , 2011, 54, 1627-1634.	8.2	9
61	Orthogonal array design for the optimization of ionic liquid-based dispersive liquid-liquid microextraction of benzophenone-type UV filters. <i>Journal of Separation Science</i> , 2011, 34, 700-706.	2.5	58
62	Analyses of polychlorinated biphenyls in waters and wastewaters using vortex-assisted liquid-liquid microextraction and gas chromatography-mass spectrometry. <i>Journal of Separation Science</i> , 2011, 34, 574-584.	2.5	50
63	Evaluation of a novel microextraction technique for aqueous samples: Porous membrane envelope filled with multiwalled carbon nanotubes coated with molecularly imprinted polymer. <i>Journal of Separation Science</i> , 2011, 34, 707-715.	2.5	31
64	Electromembrane extraction of peptides - Fundamental studies on the supported liquid membrane. <i>Journal of Separation Science</i> , 2011, 34, 3410-3417.	2.5	47
65	Simultaneous determination of tetrahydropalmatine and tetrahydroberberine in rat urine using dispersive liquid-liquid microextraction coupled with high-performance liquid chromatography. <i>Journal of Separation Science</i> , 2011, 34, 3279-3286.	2.5	13
66	Dispersive liquid-liquid microextraction coupled with capillary electrophoresis for simultaneous determination of sulfonamides with the aid of experimental design. <i>Electrophoresis</i> , 2011, 32, 2131-2138.	2.4	79
67	LC-MS in analytical toxicology: some practical considerations. <i>Biomedical Chromatography</i> , 2011, 25, 100-123.	1.7	58
68	Models for liquid-liquid partition in the system propylene carbonate-organic solvent and their use for estimating descriptors for organic compounds. <i>Journal of Chromatography A</i> , 2011, 1218, 809-816.	3.7	29
69	A novel solid-phase microextraction using coated fiber based sol-gel technique using poly(ethylene Terephthalate) and o-xylene in water samples with gas chromatography-flame ionization detector. <i>Journal of Chromatography A</i> , 2011, 1218, 5757-5764.	3.7	86
70	Development of a dispersive liquid-liquid microextraction method for spectrophotometric determination of barbituric acid in pharmaceutical formulation and biological samples. <i>Analytical Biochemistry</i> , 2011, 412, 224-228.	2.4	42
71	Headspace hollow fiber protected liquid-phase microextraction combined with gas chromatography-mass spectrometry for speciation and determination of volatile organic compounds of selenium in environmental and biological samples. <i>Journal of Chromatography A</i> , 2011, 1218, 380-386.	3.7	41
72	Gas purge microsyringe extraction for quantitative direct gas chromatographic-mass spectrometric analysis of volatile and semivolatile chemicals. <i>Journal of Chromatography A</i> , 2011, 1218, 1549-1555.	3.7	41
73	Development of a dispersive liquid-liquid microextraction method for the simultaneous determination of the main compounds causing cork taint and Brett character in wines using gas chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2011, 1218, 1576-1584.	3.7	58

#	ARTICLE	IF	CITATIONS
74	Sensitive determination of polycyclic aromatic hydrocarbons in water samples using monolithic capillary solid-phase extraction and on-line thermal desorption prior to gas chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2011, 1218, 1802-1807.	3.7	24
75	Models for liquid-liquid partition in the system dimethyl sulfoxide-organic solvent and their use for estimating descriptors for organic compounds. <i>Journal of Chromatography A</i> , 2011, 1218, 4525-4536.	3.7	21
76	Liquid-phase and dispersive liquid-liquid microextraction techniques with derivatization: Recent applications in bioanalysis. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011, 879, 1180-1188.	2.3	87
77	Application of new approaches to liquid-phase microextraction for the determination of emerging pollutants. <i>TrAC - Trends in Analytical Chemistry</i> , 2011, 30, 731-748.	11.4	110
78	Surfactant-based extraction methods. <i>TrAC - Trends in Analytical Chemistry</i> , 2011, 30, 918-929.	11.4	138
79	Determination of volatile organic compounds in environmental water samples using three solid-phase microextraction fibers based on sol-gel technique with gas chromatography-flame ionization detector. <i>Analytical Methods</i> , 2011, 3, 1877.	2.7	30
80	Ionic liquid-based microextraction: A sample pretreatment technique for chromatographic analysis. <i>European Journal of Chemistry</i> , 2011, 2, 282-288.	0.6	13
81	The application of hollow fibre-liquid phase micro-extraction on the bioassay experiment of oestrogen chemicals. <i>International Journal of Environmental Analytical Chemistry</i> , 2012, 92, 255-267.	3.3	3
82	Recent Advances in Sample Preparation for Pesticide Analysis. , 2012, , 569-590.		7
83	Electrosorption-Enhanced Micro-Column Solid-Phase Extraction of Traces of Cresol Red in Water Using Electrodes of Stainless Steel Wire Coated with Non-Conductive Polymer. <i>Adsorption Science and Technology</i> , 2012, 30, 241-253.	3.2	4
84	Examples of Application of Solvent Extraction Techniques in Chemical, Radiochemical, Biochemical, Pharmaceutical, Analytical Separations, and Wastewater Treatment. , 2012, , 185-314.		10
85	Dispersive liquid-liquid microextraction combined with high-performance liquid chromatography-ultraviolet detection for the determination of three triazole derivatives in environmental water samples. <i>International Journal of Environmental Analytical Chemistry</i> , 2012, 92, 1176-1186.	3.3	9
86	Recent developments and applications of liquid phase microextraction in fruits and vegetables analysis. <i>Journal of Separation Science</i> , 2012, 35, 3540-3553.	2.5	44
87	Investigation and optimization of particle dimensions for needle trap device as an exhaustive active sampler. <i>Journal of Chromatography A</i> , 2012, 1260, 54-60.	3.7	13
88	Relation factor: A new strategy for quality control in the determination of pesticides in environmental aqueous matrices. <i>Talanta</i> , 2012, 93, 212-218.	5.5	24
89	An overview of liquid phase microextraction approaches combined with UV-Vis spectrophotometry. <i>Talanta</i> , 2012, 99, 1-12.	5.5	64
90	Operator care and eco-concerned development of a fast, facile and economical assay for basic nitrogenous drugs based on simplified ion-pair mini-scale extraction using safer solvent combined with drop-based spectrophotometry. <i>Talanta</i> , 2012, 98, 220-225.	5.5	3
91	An in-situ extraction-preconcentration method using ionic liquid-based surfactants for the determination of organic contaminants contained in marine sediments. <i>Talanta</i> , 2012, 99, 972-983.	5.5	57

#	ARTICLE	IF	CITATIONS
92	Analytical methods for determination of cork-taint compounds in wine. <i>TrAC - Trends in Analytical Chemistry</i> , 2012, 37, 135-147.	11.4	42
93	Role of microextraction sampling procedures in forensic toxicology. <i>Bioanalysis</i> , 2012, 4, 1805-1826.	1.5	44
94	Development of a new dispersive liquid-liquid microextraction method in a narrow-bore tube for preconcentration of triazole pesticides from aqueous samples. <i>Analytica Chimica Acta</i> , 2012, 713, 70-78.	5.4	78
95	Evaluation of single-walled carbon nanohorns as sorbent in dispersive micro solid-phase extraction. <i>Analytica Chimica Acta</i> , 2012, 714, 76-81.	5.4	77
96	Determination of non-steroidal anti-inflammatory drugs in water samples by solid-phase microextraction based sol-gel technique using poly(ethylene glycol) grafted multi-walled carbon nanotubes coated fiber. <i>Analytica Chimica Acta</i> , 2012, 720, 134-141.	5.4	105
97	Microporous silica with nanolayer structure coated with renewable organic solvent film as a novel extracting phase: A combination of solid- and liquid-phase microextraction. <i>Analytica Chimica Acta</i> , 2012, 721, 61-67.	5.4	21
98	Liquid-phase microextraction in a microfluidic-chip – High enrichment and sample clean-up from small sample volumes based on three-phase extraction. <i>Analytica Chimica Acta</i> , 2012, 735, 46-53.	5.4	61
99	Microextraction techniques in the analysis of food flavor compounds: A review. <i>Analytica Chimica Acta</i> , 2012, 738, 13-26.	5.4	173
100	Ultrahigh performance liquid chromatographic analysis and magnetic preconcentration of polycyclic aromatic hydrocarbons by Fe ₃ O ₄ -doped polymeric nanoparticles. <i>Journal of Chromatography A</i> , 2012, 1247, 1-9.	3.7	37
101	A novel method for high preconcentration of ultra trace amounts of B1, B2, G1 and G2 aflatoxins in edible oils by dispersive liquid-liquid microextraction after immunoaffinity column clean-up. <i>Journal of Chromatography A</i> , 2012, 1247, 35-41.	3.7	73
102	Vortex-assisted liquid-liquid microextraction combined with gas chromatography-mass spectrometry for the determination of organophosphate pesticides in environmental water samples and wines. <i>Journal of Separation Science</i> , 2012, 35, 2422-2429.	2.5	71
103	Determination of desipramine in biological samples using liquid-liquid microextraction combined with in-syringe derivatization, gas chromatography, and nitrogen/phosphorus detection. <i>Journal of Separation Science</i> , 2012, 35, 2637-2644.	2.5	8
104	Mass transfer resistance in a liquid-phase microextraction employing a single hollow fiber under unsteady-state conditions. <i>Journal of Separation Science</i> , 2012, 35, 2390-2398.	2.5	6
105	Magnetic retrieval of ionic liquids: Fast dispersive liquid-liquid microextraction for the determination of benzoylurea insecticides in environmental water samples. <i>Journal of Chromatography A</i> , 2012, 1254, 23-29.	3.7	115
106	Determination of Triazole Fungicides Using Hollow Fiber Liquid Phase Microextraction Prior to Gas Chromatography-mass Spectrometry Analysis. <i>Industrial & Engineering Chemistry Research</i> , 2012, 51, 3101-3107.	3.7	34
107	New needle packed with polydimethylsiloxane having a micro-bore tunnel for headspace in-needle microextraction of aroma components of citrus oils. <i>Analytica Chimica Acta</i> , 2012, 751, 86-93.	5.4	15
108	Trace analysis of three antihistamines in human urine by on-line single drop liquid-liquid microextraction coupled to sweeping micellar electrokinetic chromatography and its application to pharmacokinetic study. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012, 904, 121-127.	2.3	15
110	Dispersive Liquid-Liquid Microextraction. , 2012, , 181-212.		15

#	ARTICLE	IF	CITATIONS
111	Solvent Microextraction. , 2012, , 151-180.		1
112	Hollow Fiber Liquid-Phase Microextraction. , 2012, , 475-496.		3
113	Determination of Sulfite in Water and Dried Fruit Samples by Dispersive Liquidâ€“Liquid Microextraction Combined with UVâ€“Vis Fiber Optic Linear Array Spectrophotometry. Food Analytical Methods, 2012, 5, 1362-1367.	2.6	31
114	Zeolite imidazolate frameworks 8 as sorbent and its application to sonication-assisted emulsification microextraction combined with vortex-assisted porous membrane-protected micro-solid-phase extraction for fast analysis of acidic drugs in environmental water samples. Journal of Chromatography A, 2012, 1257, 19-24.	3.7	92
115	Extraction Procedures for Organic Pollutants Determination in Water. Environmental Chemistry for A Sustainable World, 2012, , 171-235.	0.5	3
116	Microdosing Assessment to Evaluate Pharmacokinetics and Drug Metabolism Using Liquid Chromatography-Tandem Mass Spectrometry Technology. , 0, , .		0
117	Sample Preparation of Complex Biological Samples in the Analysis of Trace-Level Contaminants. , 2012, , 681-700.		5
118	Recent Developments and Applications of Microextraction Techniques for the Analysis of Pesticide Residues in Fruits and Vegetables. , 2012, , .		4
119	Non-chromatographic speciation analysis of chromium in natural waters. International Journal of Environmental Analytical Chemistry, 2012, 92, 1262-1275.	3.3	20
120	Vortexâ€“assisted surfactantâ€“enhancedâ€“emulsification liquidâ€“liquid microextraction for the determination of triazine herbicides in water samples by microemulsion electrokinetic chromatography. Electrophoresis, 2012, 33, 2176-2183.	2.4	27
121	Hollowâ€“fiber liquidâ€“phase microextraction for the determination of pesticides and metabolites in soils and water samples using HPLC and fluorescence detection. Electrophoresis, 2012, 33, 2184-2191.	2.4	37
122	Microextraction techniques in therapeutic drug monitoring. Biomedical Chromatography, 2012, 26, 972-989.	1.7	31
123	Analysis of Arsenic Species in Environmental Samples. Critical Reviews in Analytical Chemistry, 2012, 42, 162-183.	3.5	42
124	Electromembrane extraction of stimulating drugs from undiluted whole blood. Journal of Chromatography A, 2012, 1232, 27-36.	3.7	63
125	Critical overview of selected contemporary sample preparation techniques. Journal of Chromatography A, 2012, 1221, 84-98.	3.7	241
126	Rapid analysis of organochlorine and pyrethroid pesticides in tea samples by directly suspended droplet microextraction using a gas chromatographyâ€“electron capture detector. Journal of Chromatography A, 2012, 1235, 166-173.	3.7	69
127	Dispersive liquidâ€“liquid microextraction for the determination of organochlorine pesticides residues in honey by gas chromatography-electron capture and ion trap mass spectrometric detection. Food Chemistry, 2012, 134, 1665-1672.	8.2	83
128	Application of ultrasound-assisted emulsification microextraction for determination of benzene, toluene, ethylbenzene and o-xylene in water samples by gas chromatography. Desalination, 2012, 288, 93-97.	8.2	30

#	ARTICLE	IF	CITATIONS
129	The effect of perspiration on photo-induced chemical reaction of azo dyes and the determination of aromatic amine products. <i>Dyes and Pigments</i> , 2012, 94, 55-59.	3.7	24
130	Recent advances in dispersive liquid-liquid microextraction using organic solvents lighter than water. A review. <i>Microchemical Journal</i> , 2012, 102, 11-17.	4.5	252
131	Ultrasound- assisted emulsification microextraction for separation of trace amounts of antimony prior to FAAS determination. <i>Mikrochimica Acta</i> , 2012, 176, 185-192.	5.0	26
132	Comparative study of the sol-gel based solid phase microextraction fibers in extraction of naphthalene, fluorene, anthracene and phenanthrene from saffron samples extractants. <i>Mikrochimica Acta</i> , 2012, 176, 317-325.	5.0	37
133	Microextraction techniques for the determination of volatile and semivolatile organic compounds from plants: A review. <i>Analytica Chimica Acta</i> , 2013, 799, 8-22.	5.4	79
134	Ionic liquid-based dispersive liquid-liquid microextraction for determination of trace amounts of iron in water, rock and human blood serum samples. <i>Journal of the Iranian Chemical Society</i> , 2013, 10, 1167-1173.	2.2	13
135	Simultaneous derivatization and extraction of iodine from milk samples by hollow fiber liquid-phase microextraction followed by gas chromatography-electron capture detection. <i>Journal of the Iranian Chemical Society</i> , 2013, 10, 643-651.	2.2	8
136	Direct determination of chlorophenols in water samples through ultrasound-assisted hollow fiber liquid-liquid microextraction on-line coupled with high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 2013, 1271, 41-49.	3.7	68
137	In-syringe-stirring: A novel approach for magnetic stirring-assisted dispersive liquid-liquid microextraction. <i>Analytica Chimica Acta</i> , 2013, 788, 52-60.	5.4	77
138	Application of ionic liquids for liquid-liquid microextraction. <i>Analytical Methods</i> , 2013, 5, 5376.	2.7	43
139	Determination of phthalate esters in bottled water using dispersive liquid-liquid microextraction coupled with GC-MS. <i>Journal of Separation Science</i> , 2013, 36, 2003-2009.	2.5	58
140	Ionic Liquid-Based Dispersive Liquid-Liquid Microextraction Following High-Performance Liquid Chromatography for the Determination of Fungicides in Fruit Juices. <i>Food Analytical Methods</i> , 2013, 6, 481-487.	2.6	18
141	Room temperature ionic liquid-based dispersive liquid-liquid microextraction combined with flame atomic absorption spectrometry for the speciation of chromium(III) and chromium(VI). <i>Journal of Molecular Liquids</i> , 2013, 180, 59-64.	4.9	38
142	Solvent microextraction: A review of recent efforts at automation. <i>Microchemical Journal</i> , 2013, 110, 599-607.	4.5	64
143	Application of two-phase hollow fiber liquid phase microextraction coupled with high-performance liquid chromatography for the study of the echinacoside pharmacokinetics in Parkinson's disease rat plasma. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013, 81-82, 27-33.	2.8	23
144	Surface Acoustic Wave Enhancing Drop-Drop Microextraction with an Original Position Loop for Stabilizing Drops. <i>Ferroelectrics</i> , 2013, 445, 152-160.	0.6	1
145	Simultaneous derivatization and extraction of nitrophenols in soil and rain samples using modified hollow-fiber liquid-phase microextraction followed by gas chromatography-mass spectrometry. <i>Environmental Monitoring and Assessment</i> , 2013, 185, 9055-9065.	2.7	8
146	Monitoring polycyclic aromatic hydrocarbons in seawaters and wastewaters using a dispersive liquid-liquid microextraction method. <i>Environmental Technology (United Kingdom)</i> , 2013, 34, 607-616.	2.2	11

#	ARTICLE	IF	CITATIONS
147	Hollow-fiber liquid-phase microextraction for the determination of natural and synthetic estrogens in milk samples. <i>Journal of Chromatography A</i> , 2013, 1313, 175-184.	3.7	42
148	Greener bioanalytical approach for LC/MS-MS assay of enalapril and enalaprilat in human plasma with total replacement of acetonitrile throughout all analytical stages. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2013, 927, 124-132.	2.3	18
149	Liquid-Liquid Microextraction of Nitrophenols Using Supramolecular Solvent and Their Determination by HPLC with UV Detection. <i>Chromatographia</i> , 2013, 76, 1641-1647.	1.3	31
150	Determination of Trace PCB in Water by GC-MS with Ionic Liquid Based Headspace Single-Drop Microextraction under Ultrasound. <i>Advanced Materials Research</i> , 2013, 726-731, 74-80.	0.3	7
151	Highly sensitive determination of chlorpromazine by electrochemically treated pencil graphite fiber as both solid-phase microextraction fiber and working electrode for use in voltammetry method. <i>Analytical Methods</i> , 2013, 5, 5024.	2.7	7
152	Application of ultrasound-assisted emulsification microextraction for spectrophotometric determination of trace amounts of antimony(v) in drinking water samples using rhodamine B. <i>Analytical Methods</i> , 2013, 5, 6848.	2.7	7
153	MCM-41 solid phase membrane tip extraction combined with liquid chromatography for the determination of non-steroidal anti-inflammatory drugs in human urine. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2013, 940, 59-65.	2.3	37
154	Models for Liquid-Liquid Partition in the System Ethanolamine-Organic Solvent and Their Use for Estimating Descriptors for Organic Compounds. <i>Chromatographia</i> , 2013, 76, 157-164.	1.3	14
155	Hollow-Fibre Liquid-Phase Microextraction for the Determination of Polycyclic Aromatic Hydrocarbons in Johannesburg Jukskei River, South Africa. <i>Chromatographia</i> , 2013, 76, 427-436.	1.3	16
156	Dispersive liquid-liquid microextraction of phenolic compounds using solidified floating organic droplets, and their determination by HPLC. <i>Mikrochimica Acta</i> , 2013, 180, 341-346.	5.0	20
157	Phase transfer catalyst assisted directly suspended droplet microextraction of platinum from geological and spent automobile converter samples prior to HR-CS AAS determination. <i>Analytical Methods</i> , 2013, 5, 2343.	2.7	7
158	Dispersive liquid-liquid microextraction for chemical speciation and determination of ultra-trace concentrations of metal ions. <i>TrAC - Trends in Analytical Chemistry</i> , 2013, 44, 12-24.	11.4	90
159	Analysis of Pesticides in Tomato Combining QuEChERS and Dispersive Liquid-Liquid Microextraction Followed by High-Performance Liquid Chromatography. <i>Food Analytical Methods</i> , 2013, 6, 559-568.	2.6	44
160	<sc>PDMS</sc> extraction bars for the determination of volatile aromatic hydrocarbons in water and wastewater. <i>Journal of Separation Science</i> , 2013, 36, 362-368.	2.5	3
161	Two-phase electromembrane extraction followed by gas chromatography-mass spectrometry analysis. <i>Journal of Separation Science</i> , 2013, 36, 736-743.	2.5	47
162	Water-based gas purge microsyringe extraction coupled with liquid chromatography for determination of alkylphenols from sea food <i>Laminaria japonica</i> Aresh. <i>Journal of Chromatography A</i> , 2013, 1300, 38-42.	3.7	24
163	Liquid-liquid microextraction based on a dispersion of Pd nanoparticles combined with ETAAS for sensitive Hg determination in water samples. <i>Talanta</i> , 2013, 108, 46-52.	5.5	15
164	Simultaneous speciation and preconcentration of ultra trace concentrations of mercury and selenium species in environmental and biological samples by hollow fiber liquid phase microextraction prior to high performance liquid chromatography coupled to inductively coupled plasma mass spectrometry. <i>Journal of Chromatography A</i> , 2013, 1300, 43-50.	3.7	45

#	ARTICLE	IF	CITATIONS
165	A new strategy based on cholesterol-functionalized iron oxide magnetic nanoparticles for determination of polycyclic aromatic hydrocarbons by high-performance liquid chromatography with cholesterol column. <i>Analytica Chimica Acta</i> , 2013, 780, 28-35.	5.4	19
166	Development of solvent micro-extraction combined with derivatization. <i>Journal of Chromatography A</i> , 2013, 1296, 235-242.	3.7	24
167	Simultaneous trace determination of acidic non-steroidal anti-inflammatory drugs in purified water, tap water, juice, soda and energy drink by hollow fiber-based liquid-phase microextraction and ultra-high pressure liquid chromatography coupled to tandem mass spectrometry. <i>Talanta</i> , 2013, 109, 177-184.	5.5	49
168	Determination of molybdenum in plants by vortex-assisted emulsification solidified floating organic drop microextraction and flame atomic absorption spectrometry. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2013, 86, 142-145.	2.9	27
169	An on-line push/pull perfusion-based hollow-fiber liquid-phase microextraction system for high-performance liquid chromatographic determination of alkylphenols in water samples. <i>Analyst</i> , 2013, 138, 3271.	3.5	18
170	Determination of aromatic amines from textiles using dispersive liquid-liquid microextraction. <i>Journal of Separation Science</i> , 2013, 36, 947-952.	2.5	15
171	Greening sample preparation in inorganic analysis. <i>TrAC - Trends in Analytical Chemistry</i> , 2013, 45, 79-92.	11.4	65
172	Enhancement of sensitivity for the spectrophotometric determination of carbaryl using dispersive liquid microextraction combined with dispersive 1/4-solid phase extraction. <i>Analytical Methods</i> , 2013, 5, 789-796.	2.7	23
173	Hollow Fiber Liquid-Phase Microextraction with in Situ Derivatization Combined with Gas Chromatography-Mass Spectrometry for the Determination of Root Exudate Phenylamine Compounds in Hot Pepper (<i>Capsicum annuum</i> L.). <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 5494-5499.	5.2	8
174	Liquid phase microextraction for the analysis of trace elements and their speciation. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2013, 86, 14-30.	2.9	78
175	Liquid phase microextraction strategies combined with total reflection X-ray spectrometry for the determination of low amounts of inorganic antimony species in waters. <i>Analytica Chimica Acta</i> , 2013, 786, 8-15.	5.4	54
176	Rapid on-line microextraction of neutral analytes in plastic-bottled beverages through ultrasound-assisted push/pull perfusion hollow-fiber liquid-liquid microextraction. <i>Microchemical Journal</i> , 2013, 110, 386-394.	4.5	13
177	Combination of hollow-fiber liquid-phase microextraction and capillary electrophoresis for pioglitazone and its main metabolites determination in rat liver microsomal fraction. <i>Electrophoresis</i> , 2013, 34, 862-869.	2.4	10
178	Highly sensitive and selective organophosphate screening in twelve commodities of fruits, vegetables and herbal medicines by dispersive liquid-liquid microextraction. <i>Analytica Chimica Acta</i> , 2013, 775, 58-66.	5.4	58
179	Current trends in liquid-liquid and solid-liquid extraction for cosmetic analysis: a review. <i>Analytical Methods</i> , 2013, 5, 323-340.	2.7	53
180	Surfactant-enhanced liquid-liquid microextraction coupled to micro-solid phase extraction onto highly hydrophobic magnetic nanoparticles. <i>Mikrochimica Acta</i> , 2013, 180, 775-782.	5.0	21
181	Determination of organic pollutants in coking wastewater by dispersive liquid-liquid microextraction/GC/MS. <i>Journal of Separation Science</i> , 2013, 36, 1644-1651.	2.5	21
182	A glance at achievements in the coupling of headspace and direct immersion single-drop microextraction with chromatographic techniques. <i>Journal of Separation Science</i> , 2013, 36, 3758-3768.	2.5	25

#	ARTICLE	IF	CITATIONS
183	Analytical Methodologies for the Determination of Endocrine Disrupting Compounds in Biological and Environmental Samples. <i>BioMed Research International</i> , 2013, 2013, 1-23.	1.9	71
184	Displacement-Dispersive Liquidâ€“Liquid Microextraction Based on Solidification of Floating Organic Drop of Trace Amounts of Palladium in Water and Road Dust Samples Prior to Graphite Furnace Atomic Absorption Spectrometry Determination. <i>Journal of AOAC INTERNATIONAL</i> , 2013, 96, 880-886.	1.5	17
185	DISPERSIVE LIQUIDâ€“LIQUID MICROEXTRACTION BASED ON SOLIDIFICATION OF FLOATING ORGANIC DROPLET FOR HPLC DETERMINATION OF TANSINONES IN TRADITIONAL CHINESE MEDICINAL INJECTIONS CONTAINING SALVIA MILTIORRHIZA BUNGE. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2013, 36, 2095-2106.	1.0	3
187	HIGH-PERFORMANCE LIQUID CHROMATOGRAPHIC DETRMINATION OF NAPROXEN IN PLASMA AFTER EXTRACTION BY A NOVEL IN-TUBE SOLID PHASE-LIQUID LIQUID LIQUID EXTRACTION METHOD. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2013, 36, 1280-1295.	1.0	2
188	Rapid determination of Î±-tocopherol in cereal grains using dispersive liquidâ€“liquid microextraction followed by <sc>HPLC</sc>. <i>Journal of Separation Science</i> , 2013, 36, 1135-1141.	2.5	9
189	Simultaneous Extraction and Derivatization of Volatile Organic Acids in Flue-Cured Tobacco with Headspace Solid-Phase Microextraction Followed by GC-MS. <i>Analytical Letters</i> , 2013, 46, 640-650.	1.8	6
190	Development of a Cascade Preconcentration and Separation System for High-powered Condensation and Its Application to Analytical Chemistry. <i>Bunseki Kagaku</i> , 2013, 62, 317-323.	0.2	2
191	Determination of Diuretics in Urine Using Immobilized Multiâ€“Walled Carbon Nanotubes in Hollow Fiber Liquidâ€“Phase Microextraction Combined with Liquid Chromatographyâ€“Tandem Mass Spectrometry. <i>Journal of the Chinese Chemical Society</i> , 2013, 60, 1033-1042.	1.4	7
192	Electromembrane extraction: Distribution or electrophoresis?. <i>Electrophoresis</i> , 2013, 34, 792-799.	2.4	63
193	On-line Sample Preconcentration by Large-volume Sample Stacking with an Electroosmotic Flow Pump (LVSEP) in Microscale Electrophoresis. <i>Analytical Sciences</i> , 2013, 29, 1129-1139.	1.6	35
194	Use of Dispersive Liquid-Liquid Microextraction and UV-Vis Spectrophotometry for the Determination of Cadmium in Water Samples. <i>Journal of Spectroscopy</i> , 2014, 2014, 1-4.	1.3	11
195	7. Verteilung zwischen zwei FlÃ¼ssigkeiten. , 2014, , 65-98.		0
196	Liquid-Phase Extraction and Microextraction. , 2014, , 107-152.		3
197	Current bioanalytical methods for pharmacokinetic studies of drugs used in neglected tropical diseases. <i>Bioanalysis</i> , 2014, 6, 1711-1723.	1.5	2
198	DISPERSIVE LIQUID-LIQUID MICROEXTRACTION AND HIGH-PERFORMANCE LIQUID CHROMATOGRAPHIC DETERMINATION OF ANTHRAQUINONE DERIVATIVES IN HUMAN URINE AFTER ORAL ADMINISTRATION OF SAN-HUANG TABLETS. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2014, 37, 2062-2071.	1.0	6
199	Determination of Fungicides in Fruit Juice by Ultrasound-Assisted Dispersive Liquidâ€“Liquid Microextraction Based on Solidification of Floating Organic Solvent Droplets Followed by High Performance Liquid Chromatography. <i>Journal of AOAC INTERNATIONAL</i> , 2014, 97, 183-187.	1.5	7
200	Application of Dispersive Liquid-Liquid Microextraction in Separation and Preconcentration of Silver prior its Determination by Flame Atomic Absorption Spectrometry. <i>Croatica Chemica Acta</i> , 2014, 87, 241-248.	0.4	4
201	Chemometric Study and Optimization of Headspace Solid-Phase Microextraction Parameters for the Determination of Multiclass Pesticide Residues in Processed Cocoa from Nigeria Using Gas Chromatography/Mass Spectrometry. <i>Journal of AOAC INTERNATIONAL</i> , 2014, 97, 1007-1011.	1.5	7

#	ARTICLE	IF	CITATIONS
202	Trace Determination of Petroleum Pollutants in Water Samples by Dispersive Liquid-Phase Microextraction Method. <i>Clean - Soil, Air, Water</i> , 2014, 42, 1106-1114.	1.1	6
203	Sample Preparation Techniques for GC. , 2014, , 577-602.		0
204	The recent developments in dispersive liquid-Phase microextraction for preconcentration and determination of inorganic analytes. <i>Journal of Saudi Chemical Society</i> , 2014, 18, 745-761.	5.2	96
205	Recent applications of on-line sample preconcentration techniques in capillary electrophoresis. <i>Journal of Chromatography A</i> , 2014, 1335, 43-60.	3.7	179
206	Optimization of Headspace Single-Drop Microextraction Coupled with Gas Chromatography-Mass Spectrometry for Determining Volatile Oxidation Compounds in Mayonnaise by Response Surface Methodology. <i>Food Analytical Methods</i> , 2014, 7, 438-448.	2.6	11
207	Comparative study on lanthanum(III) sorption onto Lewatit TP 207 and Lewatit TP 260. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2014, 299, 439-446.	1.5	30
208	Graphene Reinforced Hollow Fiber Liquid-Phase Microextraction Combined with HPLC for the Determination of Bisphenol A and 4-Tert-Butylphenol in Bottled Juice. <i>Food Analytical Methods</i> , 2014, 7, 1381-1386.	2.6	17
209	Stability and efficiency of supported liquid membranes in electromembrane extraction—a link to solvent properties. <i>Analytical and Bioanalytical Chemistry</i> , 2014, 406, 2151-2161.	3.7	42
210	Dispersive liquid-Phase microextraction in food analysis. A critical review. <i>Analytical and Bioanalytical Chemistry</i> , 2014, 406, 2067-2099.	3.7	179
211	Coacervative extraction as a green technique for sample preparation for the analysis of organic compounds. <i>Journal of Chromatography A</i> , 2014, 1339, 1-12.	3.7	34
212	Two-phase hollow fiber liquid phase microextraction based on magnetofluid for simultaneous determination of Echinacoside, Tubuloside B, Acteoside and Isoacteoside in rat plasma after oral administration of Cistanche salsa extract by high performance liquid chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014, 94, 30-35.	2.8	19
213	Determination of lewisite constituents in aqueous samples using hollow-fibre liquid-phase microextraction followed by gas chromatography-mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2014, 406, 5103-5110.	3.7	6
214	New coatings for stir-bar sorptive extraction of polar emerging organic contaminants. <i>TrAC - Trends in Analytical Chemistry</i> , 2014, 54, 11-23.	11.4	114
215	Solid-based disperser liquid-liquid microextraction for the preconcentration of phthalate esters and di-(2-ethylhexyl) adipate followed by gas chromatography with flame ionization detection or mass spectrometry. <i>Journal of Separation Science</i> , 2014, 37, 1177-1184.	2.5	21
216	Ionic liquid-based ultrasound-assisted surfactant-emulsified microextraction for simultaneous determination of three important flavoring compounds in plant extracts and urine samples. <i>Food Research International</i> , 2014, 62, 761-770.	6.2	30
217	Online coupling lab on valve-dispersive liquid-Phase microextraction-multisyringe flow injection with gas chromatography-mass spectrometry for the determination of sixteen priority PAHs in water. <i>Analytical Methods</i> , 2014, 6, 3335-3344.	2.7	16
218	Hollow fiber liquid based microextraction combined with high-performance liquid-chromatography for the analysis of lidocaine in biological and pharmaceutical samples. <i>Analytical Methods</i> , 2014, 6, 2506.	2.7	24
219	Automated in-syringe dispersive liquid-liquid microextraction. <i>TrAC - Trends in Analytical Chemistry</i> , 2014, 59, 1-8.	11.4	75

#	ARTICLE	IF	CITATIONS
220	Two-step microextraction combined with high performance liquid chromatographic analysis of pyrethroids in water and vegetable samples. <i>Talanta</i> , 2014, 120, 289-296.	5.5	50
221	Green aspects, developments and perspectives of liquid phase microextraction techniques. <i>Talanta</i> , 2014, 119, 34-45.	5.5	285
222	Stripping voltammetry microprobe (SPV): A new approach in electroanalysis. <i>Electrochemistry Communications</i> , 2014, 41, 8-11.	4.7	10
223	Liquid phase microextraction of pesticides: a review on current methods. <i>Mikrochimica Acta</i> , 2014, 181, 829-851.	5.0	85
224	Determination of Aroma Components in Chinese Southwest Tobacco by Directly Suspended Droplet Microextraction Combined with GC-MS. <i>Journal of Chromatographic Science</i> , 2014, 52, 1317-1325.	1.4	5
225	Directly suspended droplet microextraction coupled with electrothermal atomic absorption spectrometry for the speciation of chromium(III)/chromium(VI). <i>Analytical Methods</i> , 2014, 6, 9777-9782.	2.7	17
226	Development of ultrasonic-assisted closed in-syringe extraction and derivatization for the determination of labile abietic acid and dehydroabietic acid in cosmetics. <i>Journal of Chromatography A</i> , 2014, 1371, 20-29.	3.7	12
227	Three-phase hollow fiber liquid-phase microextraction based on a magnetofluid for the analysis of aristolochic acids in plasma by high-performance liquid chromatography. <i>Journal of Separation Science</i> , 2014, 37, 1622-1631.	2.5	10
228	Trace analysis of herbicides in wastewaters by a dispersive liquid-liquid microextraction approach and liquid chromatography with quadrupole linear ion trap mass spectrometry: Evaluation of green parameters. <i>Journal of Separation Science</i> , 2014, 37, 1511-1520.	2.5	7
229	In-syringe magnetic stirring assisted dispersive liquid-liquid micro-extraction with solvent washing for fully automated determination of cationic surfactants. <i>Analytical Methods</i> , 2014, 6, 9601-9609.	2.7	30
230	Extraction of natural estrogens in environmental waters by dispersive multiwalled carbon nanotube-based agitation-assisted adsorption and ultrasound-assisted desorption. <i>Analytical Methods</i> , 2014, 6, 1235-1241.	2.7	13
231	Dispersive liquid-liquid microextraction for preconcentration and determination of phenytoin in real samples using response surface methodology-high performance liquid chromatography. <i>RSC Advances</i> , 2014, 4, 62190-62196.	3.6	17
232	Rapid preparation of robust polyaniline coating on an etched stainless steel wire for solid-phase microextraction of dissolved bisphenol A in drinking water and beverages. <i>Analytical Methods</i> , 2014, 6, 3467-3473.	2.7	11
233	Natural cotton fibers as adsorbent for solid-phase extraction of polycyclic aromatic hydrocarbons in water samples. <i>Analyst</i> , 2014, 139, 3593-3599.	3.5	43
234	Spectrofluorimetric determination of zearalenone using dispersive liquid-liquid microextraction coupled to micro-solid phase extraction onto magnetic nanoparticles. <i>RSC Advances</i> , 2014, 4, 45065-45073.	3.6	19
235	Recent developments in sample-pretreatment techniques for mass spectrometry-based metabolomics. <i>TrAC - Trends in Analytical Chemistry</i> , 2014, 61, 157-167.	11.4	108
236	Applications of liquid-phase microextraction techniques in natural product analysis: A review. <i>Journal of Chromatography A</i> , 2014, 1368, 1-17.	3.7	83
237	Rapid determination of trace phenols migrating into drinking water from plastic-based pipe materials and household water treatment equipment using vortex-assisted emulsification microextraction. <i>Analytical Methods</i> , 2014, 6, 3482-3489.	2.7	5

#	ARTICLE	IF	CITATIONS
238	Fe ₃ O ₄ nanoparticles and ultrasound assisted dispersive liquid-liquid microextraction of lead(^{II}) for its microsampling flame atomic absorption spectrometric determination in food and environmental samples. RSC Advances, 2014, 4, 55610-55614.	3.6	17
239	Gas Pressure Assisted Microliquid-Liquid Extraction Coupled Online to Direct Infusion Mass Spectrometry: A New Automated Screening Platform for Bioanalysis. Analytical Chemistry, 2014, 86, 10323-10330.	6.5	16
240	Deep eutectic solvents as novel extraction media for phenolic compounds from model oil. Chemical Communications, 2014, 50, 11749-11752.	4.1	121
241	Ionic liquid-based microextraction techniques for trace-element analysis. TrAC - Trends in Analytical Chemistry, 2014, 60, 54-70.	11.4	57
242	Extraction and Enrichment of Triazole and Triazine Pesticides from Honey Using Air-Assisted Liquid-Liquid Microextraction. Journal of Food Science, 2014, 79, H2140-8.	3.1	44
243	A non-ionic surfactant-mediated sol-gel coating for solid-phase microextraction of benzene, toluene, ethylbenzene and o-xylene in water samples using a gas chromatography-flame ionization detector. New Journal of Chemistry, 2014, 38, 4486.	2.8	11
244	Second-order calibration for simultaneous determination of pharmaceuticals in water samples by solid-phase extraction and fast high-performance liquid chromatography with diode array detector. Chemometrics and Intelligent Laboratory Systems, 2014, 137, 146-154.	3.5	16
245	Application of vortex-assisted supramolecular solvent liquid-liquid microextraction for trace determination of nitroaniline isomers. International Journal of Environmental Analytical Chemistry, 2014, 94, 812-821.	3.3	9
246	A simple method for benzoyl chloride derivatization of biogenic amines for high performance liquid chromatography. Analytical Methods, 2014, 6, 1482.	2.7	33
247	Solid-phase extraction combined with dispersive liquid-liquid microextraction for the spectrophotometric determination of ultra-trace amounts of azide ion in water samples. Analytical Methods, 2014, 6, 5784-5791.	2.7	2
248	Multiwalled carbon nanotube modified dummy-template magnetic molecularly imprinted microspheres as solid-phase extraction material for the determination of polychlorinated biphenyls in fish. Journal of Separation Science, 2014, 37, 1591-1600.	2.5	29
249	Biological sample preparation: attempts on productivity increasing in bioanalysis. Bioanalysis, 2014, 6, 1691-1710.	1.5	41
250	Determination of Parathion in Water Sample Using Ionic Liquid Head Space Microextraction Followed by HPLC. Advanced Materials Research, 0, 881-883, 594-597.	0.3	4
251	Continuous sample drop flow-based microextraction method as a microextraction technique for determination of organic compounds in water sample. Talanta, 2014, 129, 309-314.	5.5	26
252	Microextraction Techniques Used in the Procedures for Determining Organomercury and Organotin Compounds in Environmental Samples. Molecules, 2014, 19, 7581-7609.	3.8	32
253	Applications of Liquid-Phase Microextraction in the Sample Preparation of Environmental Solid Samples. Molecules, 2014, 19, 6776-6808.	3.8	48
255	Choice of the Mode of Sample Preparation in the Analysis of Pesticides on the Basis of the Properties of the Matrix. Chromatographic Science, 2015, , 115-138.	0.1	0
259	Comparison of air-agitated liquid-liquid microextraction and ultrasound-assisted emulsification microextraction for polycyclic aromatic hydrocarbons determination in hookah water. Journal of Separation Science, 2015, 38, 2496-2502.	2.5	25

#	ARTICLE	IF	CITATIONS
260	Ultrasound-assisted emulsification microextraction coupled with high-performance liquid chromatography for the simultaneous determination of fragrance allergens in cosmetics and water. <i>Journal of Separation Science</i> , 2015, 38, 1561-1569.	2.5	26
261	Extraction and preconcentration of hemin from human blood serum and breast cancer supernatant. <i>Journal of Separation Science</i> , 2015, 38, 4286-4291.	2.5	15
262	Determination of polycyclic aromatic hydrocarbons in water samples by hollow fiber extraction coupled with GC-MS. <i>Analytical Methods</i> , 2015, 7, 1071-1075.	2.7	4
263	Application of hollow fiber liquid phase microextraction for simultaneous determination of regulated and emerging iodinated trihalomethanes in drinking water. <i>Journal of Chromatography A</i> , 2015, 1402, 8-16.	3.7	22
264	Chemical Derivatization Processes Applied to Amine Determination in Samples of Different Matrix Composition. <i>Chemical Reviews</i> , 2015, 115, 4693-4718.	47.7	53
265	Dispersive liquid-phase microextraction for determination of phthalates in water. <i>Journal of Water Chemistry and Technology</i> , 2015, 37, 78-84.	0.6	5
266	Hollow Fiber Liquid Based Microextraction of Nalidixic Acid in Urine Samples Using Aliquat 336 as a Carrier Combined with High-Performance Liquid Chromatography. <i>Journal of Chromatographic Science</i> , 2015, 54, bmv117.	1.4	8
267	A validated liquid chromatographic method for the determination of polycyclic aromatic hydrocarbons in honey after homogeneous liquid-liquid extraction using hydrophilic acetonitrile and sodium chloride as mass separating agent. <i>Journal of Chromatography A</i> , 2015, 1377, 46-54.	3.7	34
268	A dispersive liquid-liquid micellar microextraction for the determination of pharmaceutical compounds in wastewaters using ultra-high-performance liquid chromatography with DAD detection. <i>Biomedical Chromatography</i> , 2015, 29, 353-356.	1.7	7
269	Ultrasound-assisted dispersive solid phase extraction of cadmium(II) and lead(II) using a hybrid nano-adsorbent composed of graphene and the zeolite clinoptilolite. <i>Mikrochimica Acta</i> , 2015, 182, 1263-1272.	5.0	47
270	Ionic-liquid-based dispersive liquid-liquid microextraction combined with high-performance liquid chromatography for the determination of multiclass pesticide residues in water samples. <i>Journal of Separation Science</i> , 2015, 38, 829-835.	2.5	16
271	Simultaneous derivatization and solid-based dispersive liquid-liquid microextraction for extraction and preconcentration of some antidepressants and an antiarrhythmic agent in urine and plasma samples followed by GC-FID. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2015, 983-984, 55-61.	2.3	30
272	Determination of Carbamate Pesticides in Vegetables by Octadecyl Modified Graphene Reinforced Hollow Fiber Liquid Phase Microextraction Combined with High-Performance Liquid Chromatography. <i>Analytical Letters</i> , 2015, 48, 1671-1685.	1.8	14
273	Membrane-based microextraction techniques in analytical chemistry: A review. <i>Analytica Chimica Acta</i> , 2015, 880, 8-25.	5.4	134
274	In-tube electro-membrane extraction with a sub-microliter organic solvent consumption as an efficient technique for synthetic food dyes determination in foodstuff samples. <i>Journal of Chromatography A</i> , 2015, 1410, 35-43.	3.7	41
275	Dynamic microwave-assisted extraction online coupled with single drop microextraction of organophosphorus pesticides in tea samples. <i>Journal of Chromatography A</i> , 2015, 1407, 42-51.	3.7	32
276	In-situ suspended aggregate microextraction: A sample preparation approach for the enrichment of organic compounds in aqueous solutions. <i>Journal of Chromatography A</i> , 2015, 1408, 63-71.	3.7	10
277	Rotative liquid-liquid microextraction as a preconcentration method in combination with fiber optic-linear array detection spectrophotometry for the determination of cobalt in pharmaceutical samples. <i>Separation Science and Technology</i> , 0, , 150610070032005.	2.5	2

#	ARTICLE	IF	CITATIONS
278	Recent achievements in solidified floating organic drop microextraction. <i>TrAC - Trends in Analytical Chemistry</i> , 2015, 68, 48-77.	11.4	88
279	Calibration of pre-equilibrium HF-LPME and its application to the rapid determination of free analytes in biological fluids. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2015, 980, 28-33.	2.3	13
280	Vortex-assisted liquid-liquid microextraction (VALLME) technique: A new microextraction approach for direct liquid chromatography and capillary electrophoresis analysis. <i>Talanta</i> , 2015, 143, 394-401.	5.5	24
281	Ultra-trace arsenic and mercury speciation and determination in blood samples by ionic liquid-based dispersive liquid-liquid microextraction combined with flow injection-hydride generation/cold vapor atomic absorption spectroscopy. <i>Chemical Papers</i> , 2015, 69, .	2.2	18
282	Microextraction methods for the determination of phthalate esters in liquid samples: A review. <i>Journal of Separation Science</i> , 2015, 38, 2470-2487.	2.5	44
283	pH-sensitive hydrogel for coacervative cloud point extraction and spectrophotometric determination of Cu (II): optimization by central composite design. <i>Journal of the Iranian Chemical Society</i> , 2015, 12, 1781-1787.	2.2	14
284	Liquid-liquid microextraction and spectrophotometric determination of anionic surfactants using Astra Phloxine FF. <i>International Journal of Environmental Analytical Chemistry</i> , 2015, 95, 217-224.	3.3	10
285	Determination of trace amounts of hexavalent chromium in drinking waters by dispersive microsolid-phase extraction using modified multiwalled carbon nanotubes combined with total reflection X-ray fluorescence spectrometry. <i>Spectrochimica Acta, Part B: Atomic Spectroscopy</i> , 2015, 107, 170-177.	2.9	61
286	Vortex- and Shaker-Assisted Liquid-Liquid Microextraction (VSA-LLME) Coupled with Gas Chromatography and Mass Spectrometry (GC-MS) for Analysis of 16 Polycyclic Aromatic Hydrocarbons (PAHs) in Offshore Produced Water. <i>Water, Air, and Soil Pollution</i> , 2015, 226, 1.	2.4	28
287	Determination of lipoic acid in biological samples. <i>Bioanalysis</i> , 2015, 7, 1785-1798.	1.5	14
288	Hollow fiber-liquid phase microextraction for trace enrichment of the residues of atrazine and its major degradation products from environmental water and human urine samples. <i>Analytical Methods</i> , 2015, 7, 9940-9948.	2.7	25
289	Solvent Extraction. , 2015, , 131-189.		8
290	Advanced analytical techniques for the extraction and characterization of plant-derived essential oils by gas chromatography with mass spectrometry. <i>Journal of Separation Science</i> , 2015, 38, 483-501.	2.5	30
291	Chromatographic Methods for Analysis of Triazine Herbicides. <i>Critical Reviews in Analytical Chemistry</i> , 2015, 45, 226-240.	3.5	22
292	Determination of Organochlorine Pesticides in Tea Beverage by Directly Suspended Droplet Microextraction Combined with GC-ECD. <i>Food Analytical Methods</i> , 2015, 8, 147-153.	2.6	5
293	Liquid Phase Microextraction Techniques as a Sample Preparation Step for Analysis of Pesticide Residues in Food. <i>Separation and Purification Reviews</i> , 2015, 44, 1-18.	5.5	35
294	Miniaturized counter current liquid-liquid extraction for organophosphorus pesticides determination. <i>Arabian Journal of Chemistry</i> , 2016, 9, 38-42.	4.9	15
295	Solidified floating organic drop microextraction for speciation of Se (IV) and Se (VI) in water samples prior to electrothermal atomic absorption spectrometric detection. <i>Turkish Journal of Chemistry</i> , 2016, 40, 1012-1018.	1.2	5

#	ARTICLE	IF	CITATIONS
296	Analytical capabilities of two-phase hollow-fiber liquid phase microextraction for trace multielement determination in aqueous samples by means of portable total reflection X-ray instrumentation. Turkish Journal of Chemistry, 2016, 40, 1002-1011.	1.2	5
297	Use of volatile organic solvents in headspace liquid-liquid phase microextraction by direct cooling of the organic drop using a simple cooling capsule. Journal of Separation Science, 2016, 39, 3011-3018.	2.5	8
298	Novel mode of liquid-liquid phase microextraction: A magnetic stirrer as the extractant phase holder. Journal of Separation Science, 2016, 39, 399-404.	2.5	12
299	Ultrasound-assisted magnetic dispersive solid-liquid phase microextraction: A novel approach for the rapid and efficient microextraction of naproxen and ibuprofen employing experimental design with high-performance liquid chromatography. Journal of Separation Science, 2016, 39, 1082-1089.	2.5	63
300	Chromium speciation using task specific ionic liquid/aqueous phase biphasic system combined with flame atomic absorption spectrometry. Journal of Molecular Liquids, 2016, 221, 798-804.	4.9	21
301	Determination of atenolol in human plasma using ionic-liquid-based ultrasound-assisted in situ solvent formation microextraction followed by high-performance liquid chromatography. Journal of Separation Science, 2016, 39, 2138-2145.	2.5	19
302	Control of halophenol and haloanisole concentration in wine cellar environments, wines, corks and wood staves using gas chromatography with mass spectrometry. Australian Journal of Grape and Wine Research, 2016, 22, 391-398.	2.1	7
304	Measurement of selected polychlorinated biphenyls (PCBs) in water via ultrasound assisted emulsification-microextraction (USAEME) using low-density organic solvents. Journal of Water and Health, 2016, 14, 214-222.	2.6	14
306	Deep eutectic solvent-based liquid-phase microextraction for detection of plant growth regulators in edible vegetable oils. Analytical Methods, 2016, 8, 3511-3516.	2.7	49
307	Vortex-assisted dispersive liquid-liquid microextraction trace amounts of melatonin prior to HPLC determination in fruit juice samples. Separation Science and Technology, 2016, , 1-6.	2.5	3
308	A novel supramolecular aggregated liquid-solid microextraction method for the preconcentration and determination of trace amounts of lead in saline solutions and food samples using electrothermal atomic absorption spectrometry. RSC Advances, 2016, 6, 49076-49082.	3.6	15
309	Glycine functionalized multiwall carbon nanotubes as a novel hollow fiber solid-phase microextraction sorbent for pre-concentration of venlafaxine and o-desmethylenlafaxine in biological and water samples prior to determination by high-performance liquid chromatography. Analytical and Bioanalytical Chemistry, 2016, 408, 4247-4256.	3.7	36
310	Ultrasound-assisted emulsification microextraction and preconcentration of trace amounts of silver ions as a cyclam complex. Journal of Analytical Science and Technology, 2016, 7, .	2.1	4
311	A Microextraction Method Based on Ligandless Ion-Pair Formation for Measuring the Cadmium Cation in Real Samples by Flame Atomic Absorption Spectrometry. Food Analytical Methods, 2016, 9, 2887-2895.	2.6	3
312	Simultaneous synthesis of a deep eutectic solvent and its application in liquid-liquid microextraction of polycyclic aromatic hydrocarbons from aqueous samples. RSC Advances, 2016, 6, 47990-47996.	3.6	65
313	Development of natural sorbent based micro-solid-phase extraction for determination of phthalate esters in milk samples. Analytica Chimica Acta, 2016, 924, 35-44.	5.4	71
314	Modern solutions in the field of microextraction using liquid as a medium of extraction. TrAC - Trends in Analytical Chemistry, 2016, 85, 46-64.	11.4	88
315	Ceramic micro/ultra-filtration of low-concentration ultrafine sulfur in desulfurization wastewater. Journal of Chemical Technology and Biotechnology, 2016, 91, 3088-3095.	3.2	7

#	ARTICLE	IF	CITATIONS
316	Highly porous nanostructured copper foam fiber impregnated with an organic solvent for headspace liquid-phase microextraction. <i>Journal of Chromatography A</i> , 2016, 1469, 25-34.	3.7	9
317	An efficient approach to selective electromembrane extraction of naproxen by means of molecularly imprinted polymer-coated multi-walled carbon nanotubes-reinforced hollow fibers. <i>Journal of Chromatography A</i> , 2016, 1470, 19-26.	3.7	34
318	Solid-phase microextraction of ultra-trace amounts of tramadol from human urine by using a carbon nanotube/flower-shaped zinc oxide hollow fiber. <i>Journal of Separation Science</i> , 2016, 39, 4449-4457.	2.5	15
319	Layer-by-layer coated molecular-imprinted solid-phase microextraction fibers for the determination of polar compounds in water samples. <i>RSC Advances</i> , 2016, 6, 94098-94104.	3.6	3
320	Dynamic single-interface hollow fiber liquid phase microextraction of Cr(VI) using ionic liquid containing supported liquid membrane. <i>Talanta</i> , 2016, 161, 730-734.	5.5	26
321	Cooling-Assisted Headspace Hollow Fiber-Based Liquid-Phase Microextraction Setup for Direct Determination of PAHs in Solid Samples by Using Volatile Solvents. <i>Chromatographia</i> , 2016, 79, 1187-1195.	1.3	15
322	Miniscale Liquid-Liquid Extraction Coupled with Full Evaporation Dynamic Headspace Extraction for the Gas Chromatography/Mass Spectrometric Analysis of Polycyclic Aromatic Hydrocarbons with 4000-to-14000-fold Enrichment. <i>Analytical Chemistry</i> , 2016, 88, 9095-9102.	6.5	17
323	Simultaneous separation and preconcentration of ultra-trace of Cu(II), Pb(II) and Zn(II) in water samples by air-assisted liquid-liquid microextraction prior to determination by graphite furnace atomic absorption spectrometry. <i>Journal of the Iranian Chemical Society</i> , 2016, 13, 2219-2227.	2.2	10
324	Rapid determination of some beta-blockers in complicated matrices by tandem dispersive liquid-liquid microextraction followed by high performance liquid chromatography. <i>Analytical and Bioanalytical Chemistry</i> , 2016, 408, 8163-8176.	3.7	16
325	Ultrasound assisted extraction and spectrophotometric determination of trace selenium in water, food and vegetable samples. <i>Analytical Methods</i> , 2016, 8, 8208-8218.	2.7	7
326	Ionic liquids-based microextraction techniques. , 2016, , 189-232.		0
327	Electromembrane extraction through a virtually rotating supported liquid membrane. <i>Electrophoresis</i> , 2016, 37, 339-346.	2.4	14
328	Stir-bar supported micro-solid-phase extraction for the determination of polychlorinated biphenyl congeners in serum samples. <i>Journal of Chromatography A</i> , 2016, 1455, 37-44.	3.7	34
329	Magnetic dispersive solid-phase extraction based on a novel adsorbent for the detection of triazole pesticide residues in honey by HPLC-MS/MS. <i>Analytical Methods</i> , 2016, 8, 5296-5303.	2.7	23
330	Current sample preparation methodologies for analysis of emerging pollutants in different environmental matrices. <i>TrAC - Trends in Analytical Chemistry</i> , 2016, 82, 199-207.	11.4	148
331	Single-drop microextraction combined in-line with capillary electrophoresis for the determination of nonsteroidal anti-inflammatory drugs in urine samples. <i>Electrophoresis</i> , 2016, 37, 274-281.	2.4	23
332	State of the art of environmentally friendly sample preparation approaches for determination of PBDEs and metabolites in environmental and biological samples: A critical review. <i>Analytica Chimica Acta</i> , 2016, 905, 24-41.	5.4	57
333	Analysis of 17- β -estradiol and 17- β -ethinylestradiol in biological and environmental matrices – A review. <i>Microchemical Journal</i> , 2016, 126, 243-262.	4.5	112

#	ARTICLE	IF	CITATIONS
334	Trace determination of manganese(II) by temperature-controlled/assisted ionic liquid-based dispersive liquid-phase microextraction and electrothermal atomic absorption spectrometry. Journal of the Iranian Chemical Society, 2016, 13, 715-722.	2.2	6
335	Cooling-assisted microextraction: Comparison of techniques and applications. TrAC - Trends in Analytical Chemistry, 2016, 77, 54-65.	11.4	39
336	Tandem dispersive liquid-liquid microextraction as an efficient method for determination of basic drugs in complicated matrices. Journal of Chromatography A, 2016, 1429, 13-21.	3.7	54
337	Application of hollow fiber liquid phase microextraction and dispersive liquid-liquid microextraction techniques in analytical toxicology. Journal of Food and Drug Analysis, 2016, 24, 264-276.	1.9	109
338	Automation of static and dynamic non-dispersive liquid phase microextraction. Part 1: Approaches based on extractant drop-, plug-, film- and microflow-formation. Analytica Chimica Acta, 2016, 906, 22-40.	5.4	85
339	Headspace in-tube microextraction coupled with micellar electrokinetic chromatography of neutral aromatic compounds. Talanta, 2016, 148, 729-733.	5.5	4
340	A novel approach to the consecutive extraction of drugs with different properties via on chip electromembrane extraction. Analyst, The, 2016, 141, 311-318.	3.5	38
341	Electrophoretic micro-preconcentration of ionizable compounds as a green approach in sample preparation. Microchemical Journal, 2016, 125, 124-129.	4.5	11
342	Preconcentration of polar phenolic compounds from water samples and soil extract by liquid-phase microextraction and determination via liquid chromatography with ultraviolet detection. Talanta, 2016, 148, 292-300.	5.5	28
343	Determination of Herbicides in Milk Using Vortex-Assisted Surfactant-Enhanced Emulsification Microextraction Based on the Solidification of a Floating Organic Droplet. Food Analytical Methods, 2016, 9, 427-436.	2.6	15
344	Dynamic microwave-assisted extraction combined with continuous-flow microextraction for determination of pesticides in vegetables. Food Chemistry, 2016, 192, 596-602.	8.2	44
345	Electro-enhanced hollow fiber membrane liquid phase microextraction of Cr(VI) oxoanions in drinking water samples. Talanta, 2016, 148, 680-685.	5.5	25
346	A new solid-phase microextraction fiber for separation and determination of methamphetamines in human urine using sol-gel technique. Journal of Sol-Gel Science and Technology, 2017, 81, 247-260.	2.4	18
347	Centrifuge-free dispersive liquid-liquid microextraction based on the salting-out effect followed by high performance liquid chromatography for simple and sensitive determination of polycyclic aromatic hydrocarbons in water samples. Analytical Methods, 2017, 9, 1732-1740.	2.7	17
348	Occurrence of erythromycin and its degradation products residues in honey. Validation of an analytical method. Journal of Separation Science, 2017, 40, 1353-1360.	2.5	5
349	Porous membrane protected micro-solid-phase extraction: A review of features, advancements and applications. Analytica Chimica Acta, 2017, 965, 36-53.	5.4	104
350	Introduction of a coiled solid-phase microextraction fiber based on a coating of animal bone waste for chromatographic analysis. Journal of Separation Science, 2017, 40, 1747-1754.	2.5	5
351	An ionic liquid-based nanofluid of titanium dioxide nanoparticles for effervescence-assisted dispersive liquid-liquid extraction for acaricide detection. Journal of Chromatography A, 2017, 1497, 1-8.	3.7	35

#	ARTICLE	IF	CITATIONS
352	Forced vortex assisted liquid phase microextraction for preconcentration and spectrophotometric determination of mefenamic acid in biological samples. Separation and Purification Technology, 2017, 176, 126-133.	7.9	18
353	Glyoxal and methylglyoxal as urinary markers of diabetes. Determination using a dispersive liquid-liquid microextraction procedure combined with gas chromatography-mass spectrometry. Journal of Chromatography A, 2017, 1509, 43-49.	3.7	30
354	Combination of magnetic dispersive micro solid-phase extraction and supramolecular solvent-based microextraction followed by high-performance liquid chromatography for determination of trace amounts of cholesterol-lowering drugs in complicated matrices. Analytical and Bioanalytical Chemistry, 2017, 409, 4395-4407.	3.7	25
355	Rapid Analysis of some Endocrine Disruptor Chemicals Leaching from Baby Milk Feeding Bottles Using SPME and SDME Techniques. Food Analytical Methods, 2017, 10, 2607-2618.	2.6	4
356	Modified dispersive solid-liquid microextraction coupled to HPLC and application of experimental design methodology to determine the trace amount of levothyroxine in human real samples. Microchemical Journal, 2017, 133, 417-422.	4.5	4
357	Rapid determination of some psychotropic drugs in complex matrices by tandem dispersive liquid-liquid microextraction followed by high performance liquid chromatography. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1052, 51-59.	2.3	27
358	Coupling Front-End Separations, Ion Mobility Spectrometry, and Mass Spectrometry For Enhanced Multidimensional Biological and Environmental Analyses. Annual Review of Analytical Chemistry, 2017, 10, 71-92.	5.4	84
359	Centrifugeless dispersive liquid-liquid microextraction based on salting-out phenomenon as an efficient method for determination of phenolic compounds in environmental samples. Analytical and Bioanalytical Chemistry, 2017, 409, 3007-3016.	3.7	21
360	Poly (indole-co-thiophene)/Fe ₃ O ₄ as novel adsorbents for the extraction of aniline derivatives from water samples. Microchemical Journal, 2017, 131, 174-181.	4.5	25
361	Preconcentration and spectrophotometric determination of trace amount of formaldehyde using hollow fiber liquid-phase microextraction based on derivatization by Hantzsch reaction. Journal of the Iranian Chemical Society, 2017, 14, 763-769.	2.2	14
362	Effect of different operating conditions in cloud point assisted extraction of thymol from Ajwain (Trachyspermum Ammi L.) seeds and recovery using solvent. Journal of Food Science and Technology, 2017, 54, 4353-4361.	2.8	8
363	Extraction optimization and pixel-based chemometric analysis of semi-volatile organic compounds in groundwater. Analytical Methods, 2017, 9, 5970-5979.	2.7	1
364	A twin purification/enrichment procedure based on two versatile solid/liquid extracting agents for efficient uptake of ultra-trace levels of lorazepam and clonazepam from complex bio-matrices. Journal of Chromatography A, 2017, 1524, 1-12.	3.7	20
365	Magnetic ionic liquid assisted single-drop microextraction of ascorbic acid before its voltammetric determination. Journal of Separation Science, 2017, 40, 4041-4049.	2.5	30
366	Identification of antibiotics in wastewater: current state of extraction protocol and future perspectives. Journal of Water and Health, 2017, 15, 982-1003.	2.6	17
367	Multi-class of endocrine disrupting compounds in aquaculture ecosystems and health impacts in exposed biota. Chemosphere, 2017, 188, 375-388.	8.2	54
368	Graphene grown on stainless steel mesh as a highly efficient sorbent for sorptive microextraction of polycyclic aromatic hydrocarbons from water samples. Analytica Chimica Acta, 2017, 994, 29-37.	5.4	27
369	Polymer inclusion membranes (PIMs) in chemical analysis - A review. Analytica Chimica Acta, 2017, 987, 1-14.	5.4	129

#	ARTICLE	IF	CITATIONS
370	Ultrasound assisted deep eutectic solvent based on dispersive liquid liquid microextraction of arsenic speciation in water and environmental samples by electrothermal atomic absorption spectrometry. <i>Journal of Molecular Liquids</i> , 2017, 242, 441-446.	4.9	69
371	Ultrasonic assisted switchable solvent based on liquid phase microextraction combined with micro sample injection flame atomic absorption spectrometry for determination of some heavy metals in water, urine and tea infusion samples. <i>Journal of Molecular Liquids</i> , 2017, 242, 492-496.	4.9	53
372	Trace determination of chlorpheniramine in human plasma using magnetic dispersive solid-phase extraction based on a graphene oxide/Fe ₃ O ₄ @polythionine nanocomposite combined with high-performance liquid chromatography. <i>RSC Advances</i> , 2017, 7, 53210-53218.	3.6	12
373	Bioanalytical methods for the detection of antidiabetic drugs: a review. <i>Bioanalysis</i> , 2017, 9, 2015-2025.	1.5	4
374	A Review on Recent Applications of High-Performance Liquid Chromatography in Metal Determination and Speciation Analysis. <i>Critical Reviews in Analytical Chemistry</i> , 2017, 47, 524-537.	3.5	46
375	Recent Microextraction Techniques for Determination and Chemical Speciation of Selenium. <i>Open Chemistry</i> , 2017, 15, 103-122.	1.9	9
376	Determination of emerging contaminants in aqueous matrices with hollow fiber-supported dispersive liquid-liquid microextraction (HF-DLLME) and separation/detection by liquid chromatography – Diode array detection. <i>Microchemical Journal</i> , 2017, 130, 371-376.	4.5	21
377	Salting-out assisted liquid–liquid extraction coupled to ultra-high performance liquid chromatography–tandem mass spectrometry for the determination of tetracycline residues in infant foods. <i>Food Chemistry</i> , 2017, 221, 1763-1769.	8.2	76
378	Sample pre-treatment techniques for use with ICP-MS hyphenated techniques for elemental speciation in biological samples. <i>Journal of Analytical Atomic Spectrometry</i> , 2017, 32, 58-77.	3.0	31
379	Development of garlic bioactive compounds analytical methodology based on liquid phase microextraction using response surface design. Implications for dual analysis: Cooked and biological fluids samples. <i>Food Chemistry</i> , 2017, 215, 493-500.	8.2	30
380	Laser-Induced Single Microdroplet Formation and Simultaneous Water-to-Single Microdroplet Extraction/Detection in Aqueous 1-Butanol Solutions. <i>Bulletin of the Chemical Society of Japan</i> , 2017, 90, 404-410.	3.2	6
381	Trends in Microextraction-Based Methods for the Determination of Sulfonamides in Milk. <i>Separations</i> , 2017, 4, 23.	2.4	13
382	Overview of Green Sample Preparation Techniques in Food Analysis. , 0, , .		8
383	Recent Advances in Microextraction Techniques of Antipsychotics in Biological Fluids Prior to Liquid Chromatography Analysis. <i>Separations</i> , 2017, 4, 18.	2.4	26
385	Quantification of Meloxicam in Human Plasma Using Ionic Liquid-Based Ultrasound-Assisted In Situ Solvent Formation Microextraction Followed by High-Performance Liquid Chromatography. <i>Journal of Chromatographic Science</i> , 2018, 56, 443-451.	1.4	6
386	Selective Determination of Chromium(VI) in Industrial Wastewater Samples by Micro-Electromembrane Extraction Combined with Electrothermal Atomic Absorption Spectrometry. <i>Water, Air, and Soil Pollution</i> , 2018, 229, 1.	2.4	11
387	Ionic liquid-modified luffa sponge fibers for dispersive solid-phase extraction of benzoylurea insecticides from water and tea beverage samples. <i>New Journal of Chemistry</i> , 2018, 42, 8791-8799.	2.8	15
388	Ultrasound-assisted low-density-solvent-based solvent-emulsified dispersive liquid–liquid microextraction for the quantification of amino acids in biological samples. <i>Separation Science Plus</i> , 2018, 1, 280-287.	0.6	1

#	ARTICLE	IF	CITATIONS
389	A heating-assisted liquid-liquid microextraction approach using menthol: Separation of benzoic acid in juice samples followed by HPLC-UV determination. <i>Journal of Molecular Liquids</i> , 2018, 261, 265-270.	4.9	21
390	Spectrophotometric determination of Hg(II) in water samples by dispersive liquid liquid microextraction with use ionic liquid after derivatization with a water soluble Fe(II) phthalocyanine. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2018, 90, 331-339.	1.6	6
391	Magnetic solid-phase extraction of non-steroidal anti-inflammatory drugs from environmental water samples using polyamidoamine dendrimer functionalized with magnetite nanoparticles as a sorbent. <i>Talanta</i> , 2018, 183, 149-157.	5.5	82
392	Simple determination of some antimentia drugs in wastewater and human plasma samples by tandem dispersive liquid-liquid microextraction followed by high-performance liquid chromatography. <i>Journal of Separation Science</i> , 2018, 41, 2214-2220.	2.5	4
393	A hybrid material composed of a polyoxometalate of type BeW ₁₂ O ₄₀ and an ionic liquid immobilized onto magnetic nanoparticles as a sorbent for the extraction of organophosphorus pesticides prior to their determination by gas chromatography. <i>Mikrochimica Acta</i> , 2018, 185, 176.	5.0	36
394	Analysis of malondialdehyde in human plasma samples through derivatization with 2,4-dinitrophenylhydrazine by ultrasound-assisted dispersive liquid-liquid microextraction-GC-FID approach. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018, 1089, 60-69.	2.3	31
395	Aromatic hydrocarbons in air, water, and soil: Sampling and pretreatment techniques. <i>TrAC - Trends in Analytical Chemistry</i> , 2018, 103, 56-73.	11.4	28
396	A simple vortex-assisted graphene oxide nanosheets dispersive micro-solid phase extraction combined with high-performance liquid chromatography for UV-Vis detection of tramadol in biological samples. <i>Separation Science and Technology</i> , 2018, 53, 1689-1697.	2.5	9
397	Investigation of directly suspended droplet micro extraction method for extraction of trihalomethane and halomethane in water samples. <i>Egyptian Journal of Petroleum</i> , 2018, 27, 195-199.	2.6	1
398	High throughput 1/4-SPE based elution coupled with UPLC-MS/MS for determination of eluxadoline in plasma sample: Application in pharmacokinetic characterization of PLGA nanoparticle formulations in rats. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018, 149, 172-178.	2.8	11
399	Efficient and relatively safe emulsification microextraction using a deep eutectic solvent for influential enrichment of trace main anti-depressant drugs from complicated samples. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018, 1072, 50-59.	2.3	41
400	A new solidified effervescent tablet-assisted dispersive liquid-liquid microextraction for the analysis of fungicides in fruit juice samples. <i>Analytical Methods</i> , 2018, 10, 330-337.	2.7	21
401	Carrier-mediated solvent bar microextraction coupled with HPLC-DAD for the quantitative analysis of the hydrophilic antihypertensive peptide VLPVPR in human plasma. <i>Analytical Methods</i> , 2018, 10, 69-75.	2.7	9
402	Analysis of diclofenac in water samples using <i>in situ</i> derivatization-vortex-assisted liquid-liquid microextraction with gas chromatography-mass spectrometry. <i>Acta Pharmaceutica</i> , 2018, 68, 313-324.	2.0	10
403	A novel method for PAHs in aqueous samples based on ultrasound-assisted solidified floating organic drop microextraction. <i>IOP Conference Series: Earth and Environmental Science</i> , 2018, 121, 022017.	0.3	2
404	Optimization of a dispersive liquid-liquid microextraction method followed by UHPLC analysis for fluoxetine quantification in environmental water resources. <i>Journal of Separation Science</i> , 2018, 41, 4246-4252.	2.5	5
405	Dispersive liquid-liquid microextraction based on the solidification of floating organic droplets for preconcentration of amino acids in human plasma samples. <i>Separation Science Plus</i> , 2018, 1, 650-659.	0.6	1
406	Extraction and determination of tricyclic antidepressants in real samples using air-dispersed liquid-liquid microextraction prior to gas chromatography and flame ionization detection. <i>Journal of Separation Science</i> , 2018, 41, 4340-4347.	2.5	17

#	ARTICLE	IF	CITATIONS
407	Coupling of salting-out assisted liquid-liquid extraction with on-line stacking for the analysis of tyrosine kinase inhibitors in human plasma by capillary zone electrophoresis. <i>Journal of Chromatography A</i> , 2018, 1579, 121-128.	3.7	24
408	Determination of Four Chiral Pesticides in Soil by QuEChERS-Ultra Performance Liquid Chromatography-Tandem Mass Spectrometry. <i>Wuhan University Journal of Natural Sciences</i> , 2018, 23, 369-375.	0.4	3
409	Poly(pyrrole-co-aniline)@graphene oxide/Fe ₃ O ₄ sorbent for the extraction and preconcentration of polycyclic aromatic hydrocarbons from water samples. <i>New Journal of Chemistry</i> , 2018, 42, 16744-16751.	2.8	39
410	Current trends on the determination of organic UV filters in environmental water samples based on microextraction techniques—A review. <i>Analytica Chimica Acta</i> , 2018, 1034, 22-38.	5.4	57
411	Recent trends in microextraction techniques used in determination of arsenic species. <i>TrAC - Trends in Analytical Chemistry</i> , 2018, 105, 121-136.	11.4	39
412	Development of a coupled dispersive liquid-liquid micro-extraction with supported liquid phase micro-extraction for triclosan determination in wastewater. <i>Water S A</i> , 2018, 44, .	0.4	4
413	Basic principles, recent trends and future directions of microextraction techniques for the analysis of aqueous environmental samples. <i>Trends in Environmental Analytical Chemistry</i> , 2018, 19, e00060.	10.3	53
414	Sensing phenomena, extraction and recovery of Cu ²⁺ followed by smart phone application using a luminescent pyrene based chemosensor. <i>Journal of Luminescence</i> , 2018, 204, 145-153.	3.1	13
415	Microfluidics contribution to pharmaceutical sciences: From drug discovery to post marketing product management. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018, 159, 348-362.	2.8	22
416	Trace determination of cobalt in biological fluids based on preconcentration with a new competitive ligand using dispersive liquid-liquid microextraction combined with slotted quartz tube-flame atomic absorption spectrophotometry. <i>Journal of Trace Elements in Medicine and Biology</i> , 2018, 49, 13-18.	3.0	18
417	Opportunities for green microextractions in comprehensive two-dimensional gas chromatography / mass spectrometry-based metabolomics — A review. <i>Analytica Chimica Acta</i> , 2018, 1040, 1-18.	5.4	37
418	Simultaneous derivatization and air-assisted liquid-liquid microextraction based on solidification of lighter than water deep eutectic solvent followed by gas chromatography-mass spectrometry: An efficient and rapid method for trace analysis of aromatic amines in aqueous samples. <i>Analytica Chimica Acta</i> , 2018, 1032, 48-55.	5.4	70
419	Principles and Recent Advancements in Microextraction Techniques. <i>Comprehensive Analytical Chemistry</i> , 2018, , 257-294.	1.3	15
420	Investigation of adsorption performance of graphene oxide/polyaniline reinforced hollow fiber membrane for preconcentration of Ivermectin in some environmental samples. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2018, 204, 409-415.	3.9	24
421	Applications of Nanomaterials in Miniaturized Extraction Techniques. , 2018, , 157-200.		2
422	Liquid-phase microextraction — The different principles and configurations. <i>TrAC - Trends in Analytical Chemistry</i> , 2019, 112, 264-272.	11.4	189
423	Carrier-mediated hollow fiber liquid-phase microextraction for preconcentration followed by spectrophotometric determination of amoxicillin. <i>Journal of the Iranian Chemical Society</i> , 2019, 16, 2683-2692.	2.2	7
424	A simple methodology based on cloud point extraction prior to HPLC-PDA analysis for tetracycline residues in food samples. <i>Microchemical Journal</i> , 2019, 150, 104170.	4.5	35

#	ARTICLE	IF	CITATIONS
425	New Achievements in the Field of Extraction of Trace Analytes from Samples Characterized by Complex Composition of the Matrix. <i>Green Chemistry and Sustainable Technology</i> , 2019, , 103-150.	0.7	1
426	Separation/preconcentration of chromium species with continuous liquid-liquid extraction device and its determination by AAS. <i>Microchemical Journal</i> , 2019, 150, 104077.	4.5	13
427	The role of microextraction techniques in occupational exposure assessment. A review. <i>Microchemical Journal</i> , 2019, 150, 104086.	4.5	25
428	Ionic liquid-based water treatment technologies for organic pollutants: Current status and future prospects of ionic liquid mediated technologies. <i>Science of the Total Environment</i> , 2019, 690, 604-619.	8.0	128
429	Dispersive solid phase microextraction. <i>TrAC - Trends in Analytical Chemistry</i> , 2019, 118, 793-809.	11.4	152
430	Determination of lead in milk samples using vortex assisted deep eutectic solvent based liquid phase microextraction-slotted quartz tube-flame atomic absorption spectrometry system. <i>Food Chemistry</i> , 2019, 299, 125065.	8.2	49
431	Comparison of threeâ€‘phase hollow fiber liquidâ€‘phase microextraction based on reverse micelle with conventional twoâ€‘phase hollow fiber liquidâ€‘phase microextraction and their applications for analysis of cinnamic acids in traditional Chinese medicines. <i>Journal of Separation Science</i> , 2019, 42, 2977-2984.	2.5	13
432	An analytical strategy for propoxur determination in raisin samples with matrix matching method after dispersive liquid-liquid microextraction. <i>Journal of Food Composition and Analysis</i> , 2019, 84, 103315.	3.9	5
433	Extraction Procedures for Hair Forensic Toxicological Analysis: A Mini-Review. <i>Chemical Research in Toxicology</i> , 2019, 32, 2367-2381.	3.3	25
434	Determination of some red dyes in food samples using a hydrophobic deep eutectic solvent-based vortex assisted dispersive liquid-liquid microextraction coupled with high performance liquid chromatography. <i>Journal of Chromatography A</i> , 2019, 1591, 15-23.	3.7	117
435	Green sample preparations for the bioanalysis of drugs of abuse in complex matrices. <i>Bioanalysis</i> , 2019, 11, 295-312.	1.5	23
437	A review of the application of hollow-fiber liquid-phase microextraction in bioanalytical methods â€‘ A systematic approach with focus on forensic toxicology. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2019, 1108, 32-53.	2.3	41
438	Hybrid nanocomposites prepared from a metal-organic framework of type MOF-199(Cu) and graphene or fullerene as sorbents for dispersive solid phase extraction of polycyclic aromatic hydrocarbons. <i>Mikrochimica Acta</i> , 2019, 186, 131.	5.0	60
439	Simultaneous extraction of acidic and basic drugs <i>via</i> on-chip electromembrane extraction using a single-compartment microfluidic device. <i>Analyst, The</i> , 2019, 144, 1159-1166.	3.5	40
440	Separation, enrichment and spectrophotometric determination of erythrosine (E127) in drug, cosmetic and food samples by heat-induced homogeneous liquidâ€‘liquid microextraction method. <i>International Journal of Environmental Analytical Chemistry</i> , 2019, 99, 1135-1147.	3.3	23
441	Liquidâ€‘phase microextraction: A review of reviews. <i>Microchemical Journal</i> , 2019, 149, 103989.	4.5	143
442	Solvent Front Position Extraction with Semi-Automatic Device as a Powerful Sample Preparation Procedure Prior to Quantitative Instrumental Analysis. <i>Molecules</i> , 2019, 24, 1358.	3.8	15
443	Analysis of four antidepressants in plasma and urine by gas chromatography-mass spectrometry combined with sensitive and selective derivatization. <i>Journal of Chromatography A</i> , 2019, 1600, 33-40.	3.7	13

#	ARTICLE	IF	CITATIONS
444	Three-phase hollow-fiber liquid-phase microextraction based on deep eutectic solvent as acceptor phase for extraction and preconcentration of main active compounds in a traditional Chinese medicinal formula. Journal of Separation Science, 2019, 42, 2239-2246.	2.5	29
445	Determination of Mycotoxins Using Hollow Fiber Dispersive Liquid-Liquid Microextraction (HF-DLLME) Prior to High-Performance Liquid Chromatography Tandem Mass Spectrometry (HPLC-) Tj ETQq1 1.0.784314 rgBT /O	1.0	0
447	Synthesis of a zinc-based metal-organic framework with histamine as an organic linker for the dispersive solid-phase extraction of organophosphorus pesticides in water and fruit juice samples. Journal of Chromatography A, 2019, 1597, 39-45.	3.7	85
448	Highly selective determination of some antidepressant drugs in complicated matrices by dual emulsification liquid-phase microextraction based on filtration followed by high-performance liquid chromatography. Separation Science Plus, 2019, 2, 129-136.	0.6	3
449	UHPLC assisted simultaneous separation of apigenin and prednisolone and its application in the pharmacokinetics of apigenin. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2019, 1117, 58-65.	2.3	4
450	Determination of N-nitrosamines in water resources using Al-AC sorbent for stir-bar supported micro-solid-phase extraction coupled with gas chromatography mass-spectrometry. Microchemical Journal, 2019, 146, 622-629.	4.5	9
451	Automated online coupling of robot-assisted single drop microextraction and liquid chromatography. Journal of Chromatography A, 2019, 1595, 66-72.	3.7	34
452	Single drop microextraction in a 96-well plate format: A step toward automated and high-throughput analysis. Analytica Chimica Acta, 2019, 1063, 159-166.	5.4	67
453	Switchable fatty acid based CO ₂ -effervescence ameliorated emulsification microextraction prior to high performance liquid chromatography for efficient analyses of toxic azo dyes in foodstuffs. Food Chemistry, 2019, 286, 185-190.	8.2	39
454	Optimization and Validation of a novel Nebulizer-assisted Liquid Phase Microextraction Followed by HPLC-DAD for Diazinon Analysis in Plasma Samples. , 2019, 9, 221-232.		0
455	Ultrasound-assisted solvent extraction of porous membrane packed solid samples: A new approach for extraction of target analytes from solid samples. Microchemical Journal, 2019, 144, 117-123.	4.5	19
456	Extraction and preconcentration of organophosphorus pesticides from water samples and fruit juices utilizing hydroxyapatite/Fe ₃ O ₄ nanocomposite. Microchemical Journal, 2019, 144, 261-269.	4.5	44
457	Microextractions in forensic toxicology: The potential role of ionic liquids. TrAC - Trends in Analytical Chemistry, 2019, 111, 73-84.	11.4	10
458	Dry ice fog extraction of volatile organic compounds. Journal of Chromatography A, 2019, 1585, 196-201.	3.7	6
459	Combination of Modified QuEChERS Extraction Method and Dispersive Liquid-Liquid Microextraction as an Efficient Sample Preparation Approach for Extraction and Preconcentration of Pesticides from Fruit and Vegetable Samples. Food Analytical Methods, 2019, 12, 534-543.	2.6	36
460	Polycyclic aromatic hydrocarbons extraction and removal from wastewater by carbon nanotubes: A review of the current technologies, challenges and prospects. Chemical Engineering Research and Design, 2019, 122, 68-82.	5.6	74
461	Speciation of mercury in water and freshwater fish samples using two-step hollow fiber liquid phase microextraction with electrothermal atomic absorption spectrometry. Spectrochimica Acta, Part B: Atomic Spectroscopy, 2019, 152, 102-108.	2.9	37
462	Determination of chlorinated hydrocarbons in milk samples using sol-gel based polymer coated silica sorbent for stir-bar supported micro-solid-phase extraction coupled with gas chromatography mass-spectrometry. Journal of Saudi Chemical Society, 2019, 23, 702-710.	5.2	4

#	ARTICLE	IF	CITATIONS
463	Environmentally friendly etching of stainless steel wire for plunger-in-needle liquid-phase microextraction of polycyclic aromatic hydrocarbons. <i>Talanta</i> , 2019, 197, 465-471.	5.5	12
464	Rapid liquid-phase microextraction of analytes from complex samples on superwetting porous silicon for onsite SALDI-MS analysis. <i>Talanta</i> , 2019, 198, 63-70.	5.5	15
465	Luminescent Sensing, Selective Extraction and Recovery of Cu ²⁺ from Aqueous Environment by a Novel Turn-on Chemosensor. <i>Journal of Fluorescence</i> , 2019, 29, 27-40.	2.5	9
466	Headspace mode of liquid phase microextraction: A review. <i>TrAC - Trends in Analytical Chemistry</i> , 2019, 110, 8-14.	11.4	70
467	Tolerance intervals modeling for design space of a salt assisted liquid-liquid microextraction of trimethoprim and six common sulfonamide antibiotics in environmental water samples. <i>Journal of Chromatography A</i> , 2019, 1586, 18-29.	3.7	19
468	Critical evaluation of microextraction pretreatment techniques – Part 1: Single drop and sorbent-based techniques. <i>Journal of Separation Science</i> , 2019, 42, 273-284.	2.5	18
469	An automated homogeneous liquid-liquid microextraction based on deep eutectic solvent for the HPLC-UV determination of caffeine in beverages. <i>Microchemical Journal</i> , 2019, 144, 469-473.	4.5	72
470	Evaluation of carbon foam as an adsorbent in stir-bar supported micro-solid-phase extraction coupled with gas chromatography–mass spectrometry for the determination of polyaromatic hydrocarbons in wastewater samples. <i>Microchemical Journal</i> , 2019, 144, 361-368.	4.5	24
471	Multi-elemental ionic liquid-based solvent bar micro-extraction of priority and emerging trace metallic pollutants (Cd, Ag, Pd) in natural waters. <i>Journal of Hazardous Materials</i> , 2019, 370, 63-69.	12.4	22
472	4-Ethylphenol, 4-ethylguaicol and 4-ethylcatechol in red wines: Microbial formation, prevention, remediation and overview of analytical approaches. <i>Critical Reviews in Food Science and Nutrition</i> , 2019, 59, 1367-1391.	10.3	35
473	Liquid phase microextraction techniques combined with chromatography analysis: a review. <i>Acta Chromatographica</i> , 2020, 32, 69-79.	1.3	23
474	A fully automated on-line salting-out assisted liquid-liquid extraction capillary electrophoresis methodology: Application to tyrosine kinase inhibitors in human plasma. <i>Talanta</i> , 2020, 208, 120391.	5.5	20
475	Extraction of chromium (VI) in water samples by dispersive liquid–liquid microextraction based on deep eutectic solvent and determination by UV–Vis spectrophotometry. <i>International Journal of Environmental Analytical Chemistry</i> , 2020, 100, 1146-1159.	3.3	27
476	On-chip ion pair-based dispersive liquid-liquid extraction for quantitative determination of histamine H2 receptor antagonist drugs in human urine. <i>Talanta</i> , 2020, 206, 120235.	5.5	13
477	A handling-free methodology for rapid determination of Cu species in seawater based on direct solid micro-samplers analysis by high-resolution continuum source graphite furnace atomic absorption spectrometry. <i>Talanta</i> , 2020, 206, 120249.	5.5	10
478	Feasibility of liquid phase microextraction based on a new supramolecular solvent for spectrophotometric determination of orthophosphate using response surface methodology optimization. <i>Journal of Molecular Liquids</i> , 2020, 297, 111768.	4.9	13
479	Unidirectional solute transfer using a Janus membrane. <i>Journal of Membrane Science</i> , 2020, 596, 117723.	8.2	15
480	Ultrasound-assisted solvent extraction of organochlorine pesticides from porous membrane packed tea samples followed by GC–MS analysis. <i>Microchemical Journal</i> , 2020, 152, 104464.	4.5	21

#	ARTICLE	IF	CITATIONS
481	Homogenizer assisted dispersive liquid-phase microextraction for the extraction-enrichment of phenols from aqueous samples and determination by gas chromatography. Journal of Chromatography A, 2020, 1614, 460733.	3.7	13
482	Fast Hollow Fiber Liquid-Phase Microextraction as a Greener Alternative for the Determination of N,N-Dimethyltryptamine and Harmala Alkaloids in Human Urine. Frontiers in Chemistry, 2020, 8, 558501.	3.6	5
483	Development of a stirring-assisted ferrofluid-based liquid phase microextraction method coupled with dispersive liquid-liquid microextraction for the extraction of some widely used pesticides from herbal distillates. International Journal of Environmental Analytical Chemistry, 2022, 102, 7419-7432.	3.3	8
484	Advancement in analytical techniques for the extraction of grape and wine volatile compounds. Food Research International, 2020, 137, 109712.	6.2	39
485	Nucleic acid extraction: Fundamentals of sample preparation methodologies, current advancements, and future endeavors. TrAC - Trends in Analytical Chemistry, 2020, 130, 115985.	11.4	48
486	Trends in sorbent development for dispersive micro-solid phase extraction. Microchemical Journal, 2020, 158, 105250.	4.5	99
487	Automated accelerated solvent extraction coupled with ultra-high-performance liquid chromatography for the analysis of piperazine in egg samples. Journal Fur Verbraucherschutz Und Lebensmittelsicherheit, 2020, 15, 363-371.	1.4	0
489	Ionic liquid-based membrane-protected micro-solid-phase extraction of organochlorine pesticides in environmental water samples. Microchemical Journal, 2020, 158, 105295.	4.5	21
490	Progress in the Pretreatment and Analysis of Flavonoids: An Update since 2013. Separation and Purification Reviews, 2022, 51, 11-37.	5.5	9
491	Microextraction Techniques with Deep Eutectic Solvents. Molecules, 2020, 25, 6026.	3.8	54
492	Application of Hollow Fibre-Liquid Phase Microextraction Technique for Isolation and Pre-Concentration of Pharmaceuticals in Water. Membranes, 2020, 10, 311.	3.0	25
493	Supramolecular solvents in separation and preconcentration of organic and inorganic species. , 2020, , 319-346.		0
494	Spectrophotometric determination of traces allura red in environmental samples after a deep eutectic solvent-based microextraction. International Journal of Environmental Analytical Chemistry, 2022, 102, 1520-1530.	3.3	12
495	Critical review of micro-extraction techniques used in the determination of polycyclic aromatic hydrocarbons in biological, environmental and food samples. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2020, 37, 1004-1026.	2.3	20
496	Graphene oxide/polydimethylsiloxane-coated stainless steel mesh for use in solid-phase extraction cartridges and extraction of polycyclic aromatic hydrocarbons. Mikrochimica Acta, 2020, 187, 213.	5.0	40
497	Solvent holder-assisted liquid-phase microextraction using nano-structure biomass-derived carbonaceous aerogel combined with ion mobility spectrometry for simultaneous determination of ethion and chlorpyrifos. Mikrochimica Acta, 2020, 187, 232.	5.0	9
498	An environmentally friendly sample pre-treatment method based on magnetic ionic liquids for trace determination of nitrotoluene compounds in soil and water samples by gas chromatography-mass spectrometry using response surface methodology. Chemical Papers, 2020, 74, 2929-2943.	2.2	11
499	Effective extraction of organophosphorus pesticides using sol-gel based coated stainless steel mesh as novel solid-phase extraction sorbent. Journal of Chromatography A, 2020, 1620, 461020.	3.7	53

#	ARTICLE	IF	CITATIONS
500	A simple strategy based on fibers coated with surfactant-functionalized multiwalled carbon nanotubes to improve the properties of solid-phase microextraction of phenols in aqueous solution. BMC Chemistry, 2020, 14, 15.	3.8	8
501	Direct immersion single-drop microextraction of semi-volatile organic compounds in environmental samples: A review. Journal of Hazardous Materials, 2020, 393, 122403.	12.4	32
502	MASS SPECTROMETRY ANALYSIS OF DRUGS OF ABUSE: CHALLENGES AND EMERGING STRATEGIES. Mass Spectrometry Reviews, 2020, 39, 703-744.	5.4	38
503	Trends in sensitive detection and rapid removal of sulfonamides: A review. Journal of Separation Science, 2020, 43, 1634-1652.	2.5	29
504	On-disc electromembrane extraction-dispersive liquid-liquid microextraction: A fast and effective method for extraction and determination of ionic target analytes from complex biofluids by GC/MS. Analytica Chimica Acta, 2020, 1105, 95-104.	5.4	19
505	Bioanalytical Applications of Microextraction Techniques: A Review of Reviews. Chromatographia, 2020, 83, 567-577.	1.3	26
506	Hollow fiber liquid phase microextraction combined with total reflection X-ray fluorescence spectrometry for the determination of trace level inorganic arsenic species in waters. Talanta, 2020, 217, 121005.	5.5	12
507	Novel materials for dispersive (micro) solid-phase extraction of polycyclic aromatic hydrocarbons in environmental water samples: A review. Analytica Chimica Acta, 2021, 1141, 246-262.	5.4	86
508	Gel electro-membrane extraction of propranolol and atenolol from blood serum samples: Effect of graphene-based nanomaterials on extraction efficiency of gel membrane. Talanta, 2021, 222, 121557.	5.5	12
509	Microfluidic-based liquid-liquid microextraction in combination with smartphone-based on-chip detection for the determination of copper in biological, environmental, and food samples. Microchemical Journal, 2021, 160, 105655.	4.5	11
510	UV-Vis. spectrophotometric method for oil and grease determination in water, soil and different matrices based on emulsion. Microchemical Journal, 2021, 160, 105620.	4.5	12
511	Synthesis of graphitic carbon nitride on 3D porous anodized aluminum wire as new fiber for microextraction of polycyclic aromatic hydrocarbons in water and wastewater samples. Separation Science and Technology, 2021, 56, 2398-2406.	2.5	6
512	Microextraction and its application for petroleum and crude oil samples. Journal of Chromatography A, 2021, 1636, 461795.	3.7	10
513	Deep eutectic solvent-based continuous sample drop flow microextraction combined with electrothermal atomic absorption spectrometry for speciation and determination of chromium ions in aqueous samples. Microchemical Journal, 2021, 162, 105834.	4.5	13
514	Combining of modified QuEChERS and dispersive liquid-liquid microextraction as an efficient sample preparation method for extraction of acetamiprid and imidacloprid from pistachio samples. Journal of the Iranian Chemical Society, 2021, 18, 641-649.	2.2	13
515	Analytical Methods for Phthalates in Water Samples. Environmental Chemistry for A Sustainable World, 2021, , 539-575.	0.5	1
516	Solvent extraction. , 2021, , 191-279.		1
517	Development of a high-throughput device for liquid-phase microextraction coupled with gas chromatography-mass spectrometry for the determination of benzene derivatives in environmental water. Analytical Methods, 2021, 13, 2865-2870.	2.7	0

#	ARTICLE	IF	CITATIONS
518	Surface nanodroplet-based nanoextraction from sub-milliliter volumes of dense suspensions. Lab on A Chip, 2021, 21, 2574-2585.	6.0	10
519	Trends in the Direct and Indirect Chromatographic Determination of Organosulfur Compounds in Various Matrices. Separation and Purification Reviews, 0, , 1-13.	5.5	0
520	Determination of Organochlorine Pesticide Residues in Some Evaporated Milk Samples in Nigeria Using Gas Chromatography-Mass Spectrometry. Chemistry Africa, 2021, 4, 349.	2.4	6
521	Quality assessment of environmental water by a simple and fast non-ionic hydrophobic natural deep eutectic solvent-based extraction procedure combined with liquid chromatography tandem mass spectrometry for the determination of plastic migrants. Analytical and Bioanalytical Chemistry, 2021, 413, 1967-1981.	3.7	35
522	Ultrasound-assisted deep eutectic solvent microextraction procedure for traces Ponceau 4R in water and cosmetic samples. International Journal of Environmental Science and Technology, 2022, 19, 189-196.	3.5	18
523	On-line coupling of two-phase microelectroextraction to capillary electrophoresis â€“ Mass spectrometry for metabolomics analyses. Microchemical Journal, 2021, 162, 105741.	4.5	10
524	Spontaneous Ouzo Emulsions Coexist with Pre-Ouzo Ultraflexible Microemulsions. Langmuir, 2021, 37, 3817-3827.	3.5	22
525	A high-throughput, ultrafast, and online three-phase electro-extraction method for analysis of trace level pharmaceuticals. Analytica Chimica Acta, 2021, 1149, 338204.	5.4	9
526	Electromembrane extractionâ€“highâ€“performance liquid chromatographyâ€“ultraviolet detection of phenobarbital and phenytoin in human plasma, saliva, and urine. Journal of the Chinese Chemical Society, 2021, 68, 1522-1530.	1.4	11
527	New frontiers and prospects of metal-organic frameworks for removal, determination, and sensing of pesticides. Environmental Research, 2021, 194, 110654.	7.5	30
528	Application of Microextraction-Based Techniques for Screening-Controlled Drugs in Forensic Contextâ€“A Review. Molecules, 2021, 26, 2168.	3.8	7
529	Application of Tandem Dispersive Liquidâ€“Liquid Microextraction as an Efficient Method for Preconcentration of Two Antidepressant Drugs in Real Samples Combined with High Performance Liquid Chromatography. Journal of Chromatographic Science, 2021, , .	1.4	3
530	Accurate and sensitive analytical method for trace iron determination in clove tea and tap water samples by slotted quartz tube-flame atomic absorption spectrometry after its preconcentration with supramolecular solvent-based liquid-phase microextraction. Chemical Papers, 2021, 75, 4157-4164.	2.2	3
531	Pretreatment and determination methods for benzimidazoles: An update since 2005. Journal of Chromatography A, 2021, 1644, 462068.	3.7	8
532	Preparation of environmental samples for chemical speciation of metal/metalloids: A review of extraction techniques. Talanta, 2021, 226, 122119.	5.5	30
533	Trends in microextraction approaches for handling human hair extracts - A review. Analytica Chimica Acta, 2021, 1185, 338792.	5.4	4
534	Atrazine: From Detection to Remediation â€“ A Minireview. Analytical Letters, 2022, 55, 411-426.	1.8	3
535	The Problem of Phthalate Occurrence in Aquatic Environment. Chemical and Biochemical Engineering Quarterly, 2021, 35, 81-104.	0.9	3

#	ARTICLE	IF	CITATIONS
536	Solid-phase extraction of non-steroidal anti-inflammatory drugs in human plasma and water samples using solâ€gel-based metal-organic framework coating. Journal of Chromatography A, 2021, 1648, 462168.	3.7	29
537	Recent Advances in Sample Preparation for Cosmetics and Personal Care Products Analysis. Molecules, 2021, 26, 4900.	3.8	24
538	Application of a synthetic ligand in rapidly synergistic cloud point method for separation and preconcentration trace amounts of copper of water samples. Separation Science Plus, 2021, 4, 370.	0.6	2
539	Latest advanced oxidative processes applied for the removal of endocrine disruptors from aqueous media â€ A critical report. Journal of Environmental Chemical Engineering, 2021, 9, 105748.	6.7	26
540	A low-voltage electro-membrane extraction for quantification of imatinib and sunitinib in biological fluids. Bioanalysis, 2021, 13, 1401-1413.	1.5	10
541	Ultrasoundâ€assisted dispersive liquidâ€phase microextraction by solidifying Lâ€mentholâ€decanoic acid hydrophobic deep eutectic solvents for detection of five fungicides in fruit juices and tea drinks. Journal of Separation Science, 2021, 44, 3870-3882.	2.5	20
542	Dispersive liquidâ€liquid microextraction of multi-elements in seawater followed by inductively coupled plasma-mass spectrometric analysis and evaluation of its greenness. Microchemical Journal, 2021, 169, 106565.	4.5	10
543	Total sulfonamides determination in bovine milk using smartphone-based digital images. Microchemical Journal, 2021, 170, 106657.	4.5	10
544	Biodegradable materials and their applications in sample preparation techniquesâ€A review. Microchemical Journal, 2021, 171, 106831.	4.5	9
545	Vortex assisted dispersive liquidâ€liquid microextraction based on low transition temperature mixture solvent for the HPLC determination of pyrethroids in water samples: Experimental study and COSMO-RS. Microchemical Journal, 2021, 171, 106780.	4.5	3
546	Green Chemistry in Analytical Chemistry. , 2018, , 1-24.		3
547	Modern Sample Preparation Techniques for Gas Chromatography-Mass Spectrometry Analysis of Environmental Markers of Chemical Warfare Agents Use. NATO Science for Peace and Security Series A: Chemistry and Biology, 2014, , 33-67.	0.5	1
548	Liquid-phase microextraction of polycyclic aromatic hydrocarbons: A review. Reviews in Analytical Chemistry, 2020, 39, 1-19.	3.2	31
549	Quantitative analysis of phenobarbital in biological fluids: Analyte enrichment by an electrically-assisted microextraction technique. Brazilian Journal of Pharmaceutical Sciences, 0, 56, .	1.2	6
550	A Review on Microextraction Techniques for Selected Triazole Fungicides Determination in Water and Food Samples. Journal of Food Chemistry and Nanotechnology, 2016, 2, .	0.3	9
551	Experimental central composite design-based dispersive liquid-liquid microextraction for HPLC-DAD determination of diazinon in human urine samples: method development and validation. Arhiv Za Higijenu Rada I Toksikologiju, 2020, 71, 48-55.	0.7	5
552	Application of Switchable Hydrophobicity Solvents for Extraction of Emerging Contaminants in Wastewater Samples. Molecules, 2020, 25, 86.	3.8	13
554	In-Vessel Headspace Liquid Phase Microextraction Coupled to Spectrophotometry for Iodate Determination. Methods and Objects of Chemical Analysis, 2021, 16, 137-146.	0.4	3

#	ARTICLE	IF	CITATIONS
555	Preconcentration and determination of four antibiotics in biological samples using nanofluid-assisted magnetic dispersive micro-solid-phase extraction coupled with high-performance liquid chromatography. <i>Chemical Papers</i> , 2022, 76, 901-911.	2.2	6
556	Ultrasound assisted deep eutectic solvent based liquid phase microextraction for the preconcentration and spectrophotometric determination of amaranth (E123) in water and food samples. <i>Instrumentation Science and Technology</i> , 2022, 50, 203-218.	1.8	14
558	Drop-drop Microextraction Enhanced by Two Opposite Surface Acoustic Waves. <i>TELKOMNIKA Indonesian Journal of Electrical Engineering</i> , 2013, 11, .	0.1	0
559	Analysis of PCBs in Waters. , 2013, , 765-788.		0
560	Simultaneous Determination of Tetracycline Antibiotics by 3-Phase Hollow Fiber-Liquid Phase Microextraction (HF-LPME) and HPLC-UV/Vis. <i>Journal of the Korean Chemical Society</i> , 2014, 58, 535-542.	0.2	0
561	A Multiclass Analytical Method for Pesticides Determination in Water using DLLME and GC-MS. <i>Revista Virtual De Quimica</i> , 0, , 548-562.	0.4	0
562	RECENT ADVANCEMENT IN FORENSIC TOXIC DRUG ANALYSIS BY DESORPTION ELECTROSPRAY IONIZATION MASS SPECTROMETRY (DESI-MS). , 0, , .		0
563	Influence of relevant parameters on the extraction efficiency and the stability of the microdrop in the single drop microextraction. <i>Acta Chimica Slovaca</i> , 2018, 11, 60-67.	0.8	3
564	Aplica��o do modelo de Scheff� no sistema de microextra��o l�quido-l�quido dispersiva de baixa densidade em amostra de soro de ruminantes para determina��o de �cido linoleico. <i>Brazilian Journal of Development</i> , 2019, 5, 28457-28466.	0.1	0
565	Green Chemistry in Analytical Chemistry. , 2019, , 613-636.		1
566	Sample matrix influence on microdrop hold-up in single drop microextraction. <i>Acta Chimica Slovaca</i> , 2020, 13, 19-25.	0.8	0
567	Cypermethrin analysis in groundwaters with stir bar sorptive bar and extraction technique. <i>Journal of Health Sciences and Medicine</i> , 2020, 3, 278-284.	0.1	0
568	Protocols for Extraction of Pesticide Residues. <i>Sustainable Agriculture Reviews</i> , 2021, , 77-128.	1.1	0
569	Chemical Pesticides: Integrated Methods in Assessment and Monitoring. , 2020, , 39-63.		1
570	Development of Sodium Sulfate Induced Water Based Dispersive Liquid��Liquid Microextraction for the Extraction of Four Tricyclic Antidepressants in Urine Samples Prior to Their Determination by Gas Chromatography��Mass Spectrometry. <i>Pharmaceutical Sciences</i> , 2020, 27, 76-85.	0.2	0
572	Development and Validation of a Simple and Rapid HPLC Method for the Evaluation of Pesticide Residues in Plasma Samples of Farmers; Application in Toxicological and Risk Assessment Studies. <i>Pharmaceutical Sciences</i> , 2020, 26, 332-337.	0.2	1
573	Achievements and perspectives of using deep eutectic solvents in the analytical chemistry field. , 2022, , 33-72.		1
574	A review of green solvent extraction techniques and their use in antibiotic residue analysis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2022, 209, 114487.	2.8	24

#	ARTICLE	IF	CITATIONS
575	Advances in sample pretreatment and detection of PCBs in the environment. Journal of Hazardous Materials Advances, 2021, 4, 100028.	3.0	5
576	Development of a fast, online three-phase electroextraction hyphenated to fast liquid chromatography–mass spectrometry for analysis of trace-level acid pharmaceuticals in plasma. Analytica Chimica Acta, 2022, 1192, 339364.	5.4	2
577	Green Analytical Toxicology for the Determination of Cocaine Metabolites. Journal of Analytical Toxicology, 2023, 46, 965-978.	2.8	8
578	Ionic liquid screening of Octachlorodibenzo-p-dioxin captured from water samples by <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si38.svg"><mml:mi>f</mml:mi></mml:math>-profile analysis for microextraction applications. Journal of Ionic Liquids, 2022, 2, 100017.	2.7	4
579	Î ² -Agonist in the environmental waters: a review on threats and determination methods. Green Chemistry Letters and Reviews, 2022, 15, 233-252.	4.7	7
580	Simultaneous preconcentration of both polar and non-polar Q-markers of flavonoids in traditional Chinese medicine by reverse micellar floating solidification liquid-phase microextraction. Journal of Liquid Chromatography and Related Technologies, 2021, 44, 689-698.	1.0	1
581	Salting-out Assisted Liquid-Liquid Extraction for the rapid and simple simultaneous analysis of pyrrolizidine alkaloids and related N-oxides in honey and pollen. Journal of Food Composition and Analysis, 2022, 108, 104457.	3.9	11
582	Critical review on microextraction techniques used in determination of histamine in food samples. , 2022, 2, 1.		10
583	Sustainable approach to quality control of grape and wine. , 2022, , 327-349.		0
584	COSMO-RS evaluation as a tool for prediction of solvents in dispersive liquid-phase microextraction: Evaluation of conventional solvents and ionic liquids as extractants. Journal of Molecular Liquids, 2022, 354, 118861.	4.9	1
585	GC–MS determination of malondialdehyde, acrolein, and 4-hydroxy-2-nonenal by ultrasound-assisted dispersive liquid-liquid microextraction in beverages. Food Chemistry, 2022, 384, 132530.	8.2	15
586	Microextraction techniques for sampling and determination of polychlorinated biphenyls: A comprehensive review. Microchemical Journal, 2022, 179, 107442.	4.5	8
587	In-syringe cotton fiber-supported liquid extraction coupled with gas chromatography-tandem mass spectrometry for the determination of free 3-mono-chloropropane-1,2-diol in edible oils. Journal of Chromatography A, 2022, 1673, 463081.	3.7	13
588	CHAPTER 12. Pretreatment Processes for the Analysis of Organic Pollutants with Nanomaterials. RSC Detection Science, 0, , 306-354.	0.0	0
589	Integrated Platform Enabling Simultaneous Microextraction and Chemical Analysis On-Chip by Using Impedance Technique. SSRN Electronic Journal, 0, , .	0.4	0
590	Recent developments in microextraction techniques for detection and speciation of heavy metals. Advances in Sample Preparation, 2022, 2, 100019.	3.0	8
591	A simulation study of an applied approach to enhance drug recovery through electromembrane extraction. Journal of Molecular Liquids, 2022, 358, 119210.	4.9	33
592	Smartphone-based colorimetric determination of triclosan in aqueous samples after ultrasound assisted-dispersive liquid–liquid microextraction under optimized response surface method conditions. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2022, 278, 121323.	3.9	8

#	ARTICLE	IF	CITATIONS
593	Developments of Microextraction (Extraction) Procedures for Sample Preparation of Antidepressants in Biological and Water Samples, a Review. Critical Reviews in Analytical Chemistry, 2023, 53, 1285-1312.	3.5	8
594	Analytical methodologies and techniques for pesticide residue analysis in water and wastewater. , 2022, , 55-73.		1
595	Ultrasound-assisted surfactant-enhanced emulsification microextraction and determination of caffeine and theophylline in human plasma and cocoa powder. Chemical Papers, 0, , .	2.2	3
596	Preparation of a magnetic sorbent based on Tanacetum extract and its application in the extraction of Cu(II) and Pb(II) ions from milk performed in a narrow-bore tube followed by dispersive liquid-liquid microextraction. Journal of Food Composition and Analysis, 2022, 112, 104654.	3.9	7
599	Current Role of Mass Spectrometry in the Determination of Pesticide Residues in Food. Separations, 2022, 9, 148.	2.4	9
600	A review of active and passive hybrid systems based on Dielectrophoresis for the manipulation of microparticles. Journal of Chromatography A, 2022, 1676, 463268.	3.7	21
601	An efficient configuration for simultaneous electromembrane extraction of acidic and basic drugs on a chip. Advances in Sample Preparation, 2022, , 100028.	3.0	0
602	Deep eutectic solvent (DES) based dispersive Liquid-Phase microextraction of Sunset yellow FCF in food and pharmaceutical products. Microchemical Journal, 2022, 181, 107734.	4.5	21
603	Overview of Different Modes and Applications of Liquid Phase-Based Microextraction Techniques. Processes, 2022, 10, 1347.	2.8	7
604	Determination of Sudan III in Food by Supramolecular Microextraction and Spectrophotometry. Analytical Letters, 2023, 56, 997-1006.	1.8	3
605	Liquid-phase extraction combined with X-ray fluorescence spectrometry for the elemental determination. Applied Spectroscopy Reviews, 0, , 1-19.	6.7	0
606	Miniaturization of Liquid-Liquid extraction; the barriers and the enablers. Microchemical Journal, 2022, 182, 107863.	4.5	34
607	Advances in on-site analytical sample preparation for analysis of environmental waters: A review. Trends in Environmental Analytical Chemistry, 2022, 36, e00175.	10.3	13
608	Sample preparation in a green perspective. , 2023, , 151-172.		2
609	Microextraction Techniques for Sample Preparation of Amphetamines in Urine: A Comprehensive Review. Critical Reviews in Analytical Chemistry, 0, , 1-16.	3.5	1
610	Hollow Fibre-Supported Liquid Membrane for the Determination of Sulfonamide Residues in Egg Samples. Journal of Chemistry, 2022, 2022, 1-14.	1.9	1
611	A New Trend and Future Perspectives of the Miniaturization of Conventional Extraction Methods for Elemental Analysis in Different Real Samples: A Review. Critical Reviews in Analytical Chemistry, 0, , 1-19.	3.5	4
612	Lab-in-Syringe, a Useful Technique for the Analysis and Detection of Pollutants of Emerging Concern in Environmental and Food Samples. Molecules, 2022, 27, 7279.	3.8	2

#	ARTICLE	IF	CITATIONS
613	An automated online three-phase electro-extraction setup with machine-vision process monitoring hyphenated to LC-MS analysis. <i>Analytica Chimica Acta</i> , 2022, 1235, 340521.	5.4	3
614	On-chip electromembrane extraction of some polar acidic drugs from plasma samples by the development of an active and efficient polymeric support for liquid membrane based on electrospinning process. <i>Analytica Chimica Acta</i> , 2023, 1238, 340628.	5.4	1
615	Extraction and preconcentration of parabens in liquid pharmaceutical samples by Dispersive Liquid-Liquid Microextraction based on deep eutectic solvent. <i>Biomedical Chromatography</i> , 0, , .	1.7	3
616	Recent advancements in nucleic acid detection with microfluidic chip for molecular diagnostics. <i>TrAC - Trends in Analytical Chemistry</i> , 2023, 158, 116871.	11.4	17
617	Development and Factorial Experimental Design Optimization of Deep Eutectic Solvent-Based Microextraction of Carmoisine (E122) in Candy and Water Samples. <i>Analytical Letters</i> , 2023, 56, 2172-2181.	1.8	4
618	Nanoliter Scale Parallel Liquid-Liquid Extraction for High-Throughput Purification on a Droplet Microarray. <i>Small</i> , 2023, 19, .	10.0	4
620	Research progress in the use of liquid-liquid extraction for food flavour analysis. <i>Trends in Food Science and Technology</i> , 2023, 132, 138-149.	15.1	21
621	Dispersive liquid-liquid microextraction based on a supramolecular solvent followed by high-performance liquid chromatographic analysis of lignans in <i>Forsythiae Fructus</i> . <i>Journal of Separation Science</i> , 2023, 46, .	2.5	1
622	Membrane-based inverted liquid-liquid extraction of organochlorine pesticides in aqueous samples: evaluation, merits, and demerits. <i>Chemical Papers</i> , 2023, 77, 3003-3013.	2.2	2
623	A miniaturized liquid-liquid extraction method for further Na, K, Ca, and Mg determination in crude oil by FAAS. <i>Talanta</i> , 2023, 257, 124297.	5.5	2
624	Microfluidic formation of surface nanodroplets using green deep eutectic solvents for liquid-liquid nanoextraction and controlled precipitation. <i>Journal of Colloid and Interface Science</i> , 2023, 643, 82-91.	9.4	6
625	Development of Nickel-Impregnated Nitrogen-Doped Activated Carbon for Micro-solid-phase Extraction of Chlorinated Hydrocarbons from Wastewater. <i>Arabian Journal for Science and Engineering</i> , 0, , .	3.0	0
626	A new application of continuous sample drop flow microextraction using octanoic acid as a green extraction solvent for the determination of antibiotic drugs in urine samples. <i>Analytical Sciences</i> , 2023, 39, 893-900.	1.6	1
627	Head Space Single Drop Micro Extraction Gas Chromatography Flame Ionization Detection (HS-SDME-GC-FID) Method for the Analysis of Common Fatty Acids. <i>Turkish Journal of Pharmaceutical Sciences</i> , 2024, 20, 397-404.	1.4	0
628	Sample preparation strategies for the analysis of contaminants in foods. , 2023, , 231-251.		0
629	FMS-TTP-SPE –n Hazarlı Sistemleri Kullanılarak Polisiklik Aromatik Hidrokarbonların Analizi için Yöntem Geliştirilmesi: Yöntemin Isparta ilinde Geliştirilen Gıda ve İçeceklerden Alınan Su Numunelerine Uygulanması. <i>SDU Journal of Science</i> , 2023, 18, 170-180.		0
630	Liquid Phase Microextraction of Hazardous Compounds in Dairy Products; Principal and Practical Aspects. <i>Critical Reviews in Analytical Chemistry</i> , 0, , 1-17.	3.5	2
631	Efficient flat membrane based liquid phase microextraction of cathinones from environmental water and biological samples. <i>Talanta Open</i> , 2023, 7, 100232.	3.7	3

#	ARTICLE	IF	CITATIONS
632	Improving greenness and sustainability of standard analytical methods by microextraction techniques: A critical review. <i>Analytica Chimica Acta</i> , 2023, 1271, 341468.	5.4	18
633	Dispersive liquid-liquid microextraction for the spectrophotometric determination of Fe ³⁺ with a water soluble Cu(II) phthalocyanine compound. <i>Turkish Journal of Analytical Chemistry</i> ., 2023, 5, 70-76.	0.8	0
635	Current Applications of Green Sample Preparation in Pharmaceutical Analysis. , 2023, , 364-391.		0
637	A novel integrated platform enabling simultaneous microextraction and chemical analysis on-chip. <i>Microchemical Journal</i> , 2023, 193, 109044.	4.5	0
638	Efficient decontamination of organic pollutants from wastewater by covalent organic framework-based materials. <i>Science of the Total Environment</i> , 2023, 901, 166453.	8.0	8
639	A review of bioanalytical applications of microextraction techniques combined with derivatization. <i>Bioanalysis</i> , 2023, 15, 937-954.	1.5	2
640	Advances in Extraction Techniques for Beer Flavor Compounds. <i>Beverages</i> , 2023, 9, 71.	2.8	0
641	Traditional methods and biosensors for detecting disinfection by-products in water: A review. <i>Environmental Research</i> , 2023, 237, 116935.	7.5	5
642	Advances in the analysis of odorous substances derived from drinking water disinfection. <i>TrAC - Trends in Analytical Chemistry</i> , 2023, 167, 117224.	11.4	1
643	Volatile Methylsiloxanes in Complex Samples: Recent Updates on Pretreatment and Analysis Methods. <i>Critical Reviews in Analytical Chemistry</i> , 0, , 1-21.	3.5	0
644	Synthesis of magnetic covalent organic framework composites for effective extraction of benzimidazole fungicides from food samples. <i>Microchemical Journal</i> , 2023, 195, 109419.	4.5	4
645	Accurate LC-MS/MS Analysis of Diacylglycerols in Human Plasma with Eliminating Matrix Effect by Phospholipids Using Fluorous Biphasic Extraction. <i>Analytical Chemistry</i> , 2023, 95, 14898-14904.	6.5	3
646	Exploring the use of CO ₂ -expanded ionic liquids as solvents in microextraction of 3,3',4,4'-tetrachlorobiphenyl from aqueous solutions. <i>Journal of Ionic Liquids</i> , 2024, 4, 100072.	2.7	0
647	Sample preparation techniques for the determination of some food contaminants (Polycyclic) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T		
648	Development of an analytical method for the determination of pesticides in tropical fruits by LC-QTOF-MS/MS after QuEChERS extraction sample cleanup and DLLME preconcentration. <i>Methods and Applications in Fluorescence</i> , 2024, 12, 015008.	2.3	0
649	Dispersive solid-phase microextraction of organic and inorganic analytes in food and beverage samples. , 2023, , .		0
650	Surface nanodroplets as platforms for small scale chemical engineering. <i>Chemical Engineering Journal</i> , 2024, 483, 149252.	12.7	0
651	Spectrophotometric determination of phenol impurity in phenoxyethanol and phenol index of drinking water and municipal wastewater effluent after salting-out assisted liquid phase microextraction (SA-LPME). <i>Heliyon</i> , 2024, 10, e27143.	3.2	0

#	ARTICLE	IF	CITATIONS
652	Development of a hollow fiber-liquid phase microextraction method using tissue culture oil for the extraction of free metoprolol from plasma samples. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2024, 1237, 124089.	2.3	0
653	A MWCNTs@CuAl ₂ O ₄ @SiO ₂ Nanocomposite for the Speciation of Cr(III), Cr(VI), and Total Chromium Prior to High-Resolution Continuum Source Flame Atomic Absorption Spectrometric Determination. Water, Air, and Soil Pollution, 2024, 235, .	2.4	0
654	Single Cell mass spectrometry: Towards quantification of small molecules in individual cells. TrAC - Trends in Analytical Chemistry, 2024, 174, 117657.	11.4	0