

Fresh-Water Ostracoda from Florida and North Carolina

American Midland Naturalist

17, 491

DOI: 10.2307/2419975

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Ostracoda. International Review of Hydrobiology, 1937, 34, 188-207. | 0.6 | 28 |
| 2 | The Origin of Nearctic Fresh-Water Ostracods. Ecology, 1944, 25, 369-372. | 3.2 | 3 |
| 3 | Die Ostrakoden des Interglazials von Elze. Palaontologische Zeitschrift, 1955, 29, 146-169. | 1.6 | 8 |
| 4 | A new genus and species of cypridid ostracod from India, with notes on its biology. Zoological Journal of the Linnean Society, 1978, 64, 283-292. | 2.3 | 3 |
| 5 | Ostracoda of the Lake Flirt Formation (Pleistocene) of Southern Florida. Micropaleontology, 1980, 26, 337. | 1.0 | 8 |
| 6 | Freshwater Ostracods (Crustacea: Ostracoda) of the Genus <i>Cypretta VAVRA</i> , 1895 from Malaysia, Indonesia and the Philippines. International Review of Hydrobiology, 1981, 66, 415-433. | 0.6 | 11 |
| 7 | Ostracoda from Tidal Freshwater Wetlands at Stockport, Hudson River Estuary: Abundance, Distribution, and Composition. Estuaries and Coasts, 1994, 17, 680. | 1.7 | 7 |
| 8 | OSTRACODA. , 2001, , 811-848. | | 16 |
| 9 | Origins of clonal diversity in the hypervariable asexual ostracode <i>Cypridopsis vidua</i> . Journal of Evolutionary Biology, 2002, 15, 134-145. | 1.7 | 29 |
| 10 | Distribution, diversity and ecology of modern freshwater ostracodes (Crustacea), and hydrochemical characteristics of Lago PetÃ©n ItzÃ©, Guatemala. Journal of Limnology, 2010, 69, 146. | 1.1 | 41 |
| 11 | Late Quaternary (24â€“10Â ka BP) environmental history of the Neotropical lowlands inferred from ostracodes in sediments of Lago PetÃ©n ItzÃ©, Guatemala. Journal of Paleolimnology, 2011, 46, 59-74. | 1.6 | 38 |
| 12 | Superfamily Cypridoidea Baird 1845 (Suborder Cypridocopina Jones 1901). , 2012, , 175-564. | | 1 |
| 14 | Stable isotope values ($\delta^{18}\text{O}$ & $\delta^{13}\text{C}$) of multiple ostracode species in a large Neotropical lake as indicators of past changes in hydrology. Quaternary Science Reviews, 2013, 66, 96-111. | 3.0 | 30 |
| 15 | Ostracods (Crustacea) with soft part preservation from Miocene cave deposits of the Riversleigh World Heritage Area, NW Queensland, Australia. Journal of Systematic Palaeontology, 2013, 11, 789-819. | 1.5 | 15 |
| 16 | The shoemaker's son always goes barefoot: intercontinental dispersal of Ostracoda (Crustacea) by scientists attending an IBS excursion. Frontiers of Biogeography, 2014, 6, . | 1.8 | 1 |
| 17 | Integrative taxonomy of freshwater ostracodes (Crustacea: Ostracoda) of the YucatÃ¡n Peninsula, implications for paleoenvironmental reconstructions in the northern Neotropical region. Zoologischer Anzeiger, 2018, 275, 20-36. | 0.9 | 10 |
| 18 | Drought in the northern Bahamas from 3300 to 2500 years ago. Quaternary Science Reviews, 2018, 186, 169-185. | 3.0 | 17 |
| 19 | Freshwater ostracods (Crustacea) from Tiantong National Forest Park and Dongqian Lake, eastern China, with descriptions of two new species. Journal of Natural History, 2018, 52, 1825-1868. | 0.5 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 20 | Testing for human impacts in the mismatch of living and dead ostracode assemblages at nested spatial scales in subtropical lakes from the Bahamian archipelago. <i>Paleobiology</i> , 2018, 44, 758-782. | 2.0 | 8 |
| 21 | A striking case of convergent evolution in two species of Cypricercinae (Crustacea, Ostracoda), with the description of a new genus and species from Brazil. <i>Zoologischer Anzeiger</i> , 2019, 283, 1-11. | 0.9 | 6 |
| 22 | Paleolimnological assessment of six lakes on the Kissimmee Chain, with implications for restoration of the Kissimmeeâ€œOkeechobeeâ€œEverglades system, Florida, USA. <i>Lake and Reservoir Management</i> , 2020, 36, 218-242. | 1.3 | 3 |
| 23 | Extant freshwater ostracodes (Crustacea: Ostracoda) from Lago PetÃ©n ItzÃ¡, Guatemala. <i>Revista De Biología Tropical</i> , 2010, 58, 871-95. | 0.4 | 29 |
| 24 | Bioindicators of climate and trophic state in lowland and highland aquatic ecosystems of the Northern Neotropics. <i>Revista De Biología Tropical</i> , 2013, 61, 603-44. | 0.4 | 52 |
| 25 | Heterocypris incongruens (Ramdohr, 1808)â€™in seksÃ¼el popÃ¼lasyonunun insan yapÄ±mÄ± bir gÃ¶lette (KahramanmaraÅŸ, TÃ¼rkkiye) rapor edilmesi ve Heterocypris Claus, 1892 cinsinin hemipenislerinin karÅŸÄ±laÅŸtÄ±rÄ±lmasÄ±. <i>Acta Aquatica Turcica</i> , 0, , 139-150. | 0.6 | 3 |
| 26 | A subjective global checklist of the extant non-marine Ostracoda (Crustacea). <i>European Journal of Taxonomy</i> , 2019, , . | 0.6 | 51 |
| 27 | An updated checklist of recent non-marine Ostracoda (Crustacea) from Venezuela. <i>Zootaxa</i> , 2023, 5369, 485-512. | 0.5 | 0 |
| 28 | Ostracods response to environmental anthropogenic disruption in a neotropical karstic lake in southern Mexico. <i>Journal of South American Earth Sciences</i> , 2024, 137, 104864. | 1.4 | 0 |