

CITATION REPORT

List of articles citing

Evolution of dispersive liquid-liquid microextraction method

DOI: 10.1016/j.chroma.2009.11.088

Journal of Chromatography A, 2010, 1217, 2342-57.

Source: <https://exaly.com/paper-pdf/48356800/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
799	Application of DLLME Based on the Solidification of Floating Organic Droplets for the Determination of Dinitrobenzenes in Aqueous Samples. 2010 , 72, 695-699		25
798	Ionic Liquid-Based Headspace Liquid-Phase Micro-Extraction for the Determination of Dichlorobenzene Isomers in Soils. 2010 , 72, 1137-1141		8
797	Dispersive liquid-liquid microextraction followed by gas chromatography-mass spectrometry for the rapid and sensitive determination of UV filters in environmental water samples. 2010 , 398, 995-1004		65
796	Solvent-based de-emulsification dispersive liquid-liquid microextraction combined with gas chromatography-mass spectrometry for determination of trace organochlorine pesticides in environmental water samples. <i>Journal of Chromatography A</i> , 2010 , 1217, 5896-900	4.5	74
795	Dispersive liquid-liquid microextraction combined with nonaqueous capillary electrophoresis for the determination of fluoroquinolone antibiotics in waters. 2010 , 31, 3457-65		55
794	Pesticides in water and the performance of the liquid-phase microextraction based techniques. A review. 2010 , 96, 225-237		101
793	Dispersive liquid-liquid microextraction for determination of organic analytes. 2010 , 29, 728-751		219
792	Supercritical fluid extraction combined with dispersive liquid-liquid microextraction as a sensitive and efficient sample preparation method for determination of organic compounds in solid samples. 2010 , 55, 161-168		54
791	A novel solidified floating organic drop microextraction method for preconcentration and determination of copper ions by flow injection flame atomic absorption spectrometry. 2010 , 667, 83-7		68
790	Ultrasound-assisted emulsification microextraction with simultaneous derivatization coupled to fibre optics-based cuvetteless UV-vis micro-spectrophotometry for formaldehyde determination in cosmetic samples. 2010 , 674, 59-63		53
789	Determination of hydroxylated benzophenone UV filters in sea water samples by dispersive liquid-liquid microextraction followed by gas chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2010 , 1217, 4771-8	4.5	136
788	A new 1,3-dibutylimidazolium hexafluorophosphate ionic liquid-based dispersive liquid-liquid microextraction to determine organophosphorus pesticides in water and fruit samples by high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 2010 , 1217, 5013-20	4.5	89
787	Ultrasound-assisted dispersive liquid-liquid microextraction for the determination of six pyrethroids in river water. <i>Journal of Chromatography A</i> , 2010 , 1217, 5152-7	4.5	79
786	Extraction of pesticides in water samples using vortex-assisted liquid-liquid microextraction. <i>Journal of Chromatography A</i> , 2010 , 1217, 5868-71	4.5	82
785	Dispersive Liquid-Liquid Microextraction. 2010 ,		1
784	Use of Ionic Liquids in Microextraction Techniques. 2010 ,		1
783	Temperature-assisted ionic liquid dispersive liquid-liquid microextraction combined with high performance liquid chromatography for the determination of anthraquinones in Radix et Rhizoma Rhei samples. 2010 , 82, 1010-6		76

782	Quantification of free and total bisphenol A and bisphenol B in human urine by dispersive liquid-liquid microextraction (DLLME) and heart-cutting multidimensional gas chromatography-mass spectrometry (MD-GC/MS). 2010 , 83, 117-25	151
781	Determination of alkylphenols in eluates from pyrolysis solid residues using dispersive liquid-liquid microextraction. 2010 , 79, 1026-32	20
780	Optimization of dispersive liquid-liquid microextraction for analysis of levonorgestrel in water samples using uniform design. 2011 , 3, 857	14
779	An online ionic liquid-based microextraction system coupled to electrothermal atomic absorption spectrometry for determination in environmental samples and pharmaceutical formulations. 2011 , 3, 664-672	47
778	Green aspects of techniques for the determination of currently used pesticides in environmental samples. 2011 , 12, 7785-805	32
777	One-step derivatization and preconcentration microextraction technique for determination of bisphenol A in beverage samples by gas chromatography-mass spectrometry. 2011 , 59, 3559-65	49
776	Dispersive liquid-liquid micro extraction of uranium(VI) from groundwater and seawater samples and determination by inductively coupled plasma-optical emission spectrometry and flow injection-inductively coupled plasma mass spectrometry. 2011 , 3, 2140	60
775	Atomic spectrometry update. Environmental analysis. 2011 , 26, 250	21
774	Modified dispersive liquid-liquid microextraction followed by high-performance liquid chromatography for the determination of clenbuterol in swine urine. 2011 , 28, 1006-12	16
773	Current role of liquid chromatography coupled to mass spectrometry in clinical toxicology screening methods. 2011 , 49, 1091-103	18
772	Recent advances in applications of single-drop microextraction: a review. 2011 , 706, 37-65	156
771	Atomic spectrometry update. Elemental speciation. 2011 , 26, 1561	33
770	Recent advances in environmental analysis. 2011 , 83, 4579-613	88
769	Extraction and determination of opium alkaloids in urine samples using dispersive liquid-liquid microextraction followed by high-performance liquid chromatography. 2011 , 879, 2978-83	71
768	Models for liquid-liquid partition in the system formamide-organic solvent and their use for estimating descriptors for organic compounds. 2011 , 83, 1118-25	20
767	A new device for magnetic stirring-assisted dispersive liquid-liquid microextraction of UV filters in environmental water samples. 2011 , 83, 1711-5	127
766	A dispersive liquid-liquid microextraction procedure for determination of boron in water after ultrasound-assisted conversion to tetrafluoroborate. 2011 , 85, 541-5	38
765	Dispersive liquid-liquid microextraction followed by gas chromatography-mass spectrometry for the determination of nitro musks in surface water and wastewater samples. 2011 , 85, 1990-5	29

764	Solventless and solvent-minimized sample preparation techniques for determining currently used pesticides in water samples: a review. 2011 , 86, 8-22		117
763	Simultaneous determination of bisphenol A and bisphenol B in beverages and powdered infant formula by dispersive liquid-liquid micro-extraction and heart-cutting multidimensional gas chromatography-mass spectrometry. 2011 , 28, 513-26		95
762	Current Trends in Liquid-Liquid Microextraction for Analysis of Pesticide Residues in Food and Water. 2011 ,		
761	Cloud Point Extraction of Pesticide Residues. 2011 ,		2
760	Identification of dimethoate-containing water using partitioned dispersive liquid-liquid microextraction coupled with near-infrared spectroscopy. 2011 , 131, 977-83		3
759	Rapid and sensitive determination of benzaldehyde arising from benzyl alcohol used as preservative in an injectable formulation solution using dispersive liquid-liquid microextraction followed by gas chromatography. 2011 , 27, 865-8		16
758	Application of dispersive liquid-liquid microextraction for the determination of aflatoxins B1, B2, G1 and G2 in cereal products. <i>Journal of Chromatography A</i> , 2011 , 1218, 7648-54	4-5	85
757	Liquid phase microextraction applications in food analysis. <i>Journal of Chromatography A</i> , 2011 , 1218, 7415-37	4-5	150
756	Dispersive liquid-liquid microextraction using non-chlorinated, lighter than water solvents for gas chromatography-mass spectrometry determination of fungicides in wine. <i>Journal of Chromatography A</i> , 2011 , 1218, 6603-11	4-5	47
755	Comparison of the performance of conventional, temperature-controlled, and ultrasound-assisted ionic liquid dispersive liquid-liquid microextraction combined with high-performance liquid chromatography in analyzing pyrethroid pesticides in honey samples. <i>Journal of Chromatography A</i> , 2011 , 1218, 6631-9	4-5	101
754	Development of liquid phase microextraction based on manual shaking and ultrasound-assisted emulsification method for analysis of organochlorine pesticides in aqueous samples. <i>Journal of Chromatography A</i> , 2011 , 1218, 9142-8	4-5	43
753	Trace Analysis of Methyl Tert-butyl Ether in Water Samples Using New Ultrasound-assisted Dispersive Liquid-liquid Microextraction and Gas Chromatography-flame Ionization Detection. 2011 , 58, 332-339		9
752	SAMPLE PREPARATION FOR HIGH PERFORMANCE LIQUID CHROMATOGRAPHY: RECENT PROGRESS. 2011 , 34, 1157-1267		13
751	Rapid determination of ²²⁶ Ra in drinking water samples using dispersive liquid-liquid microextraction coupled with liquid scintillation counting. 2011 , 290, 415-425		5
750	Determination of Se(IV) using solidified floating organic drop microextraction coupled to ultrasound-assisted back-extraction and hydride generation atomic fluorescence spectrometry. 2011 , 173, 267-273		17
749	Dispersive liquid-liquid microextraction for the preconcentration and determination of some organic sulfur compounds in aqueous samples. 2011 , 142, 555-560		10
748	Reverse Homogeneous Liquid-Liquid Extraction as a Miniaturized Method for Extraction of Aflatoxins from Pistachio and Wheat and LC Post-column Derivatization-Fluorescence Detection. 2011 , 73, 1005-1008		8
747	Models for Liquid-Liquid Partition in the System Ethylene Glycol-Organic Solvent and Their Use for Estimating Descriptors for Organic Compounds. 2011 , 73, 941-951		25

746	Separation and Preconcentration by Dispersive Liquid-Liquid Microextraction Procedure: Recent Applications. 2011 , 74, 651-679		56
745	GC-MS determination of parabens, triclosan and methyl triclosan in water by in situ derivatisation and stir-bar sorptive extraction. 2011 , 399, 945-53		70
744	Use of dispersive liquid-liquid microextraction for the determination of carbamates in juice samples by sweeping-micellar electrokinetic chromatography. 2011 , 400, 1329-38		66
743	Comparison of dispersive liquid-liquid microextraction and hollow fiber liquid-liquid-liquid microextraction for the determination of fentanyl, alfentanil, and sufentanil in water and biological fluids by high-performance liquid chromatography. 2011 , 400, 2149-58		56
742	Comparison of different sample treatments for the analysis of ochratoxin A in wine by capillary HPLC with laser-induced fluorescence detection. 2011 , 401, 2987-94		30
741	Determination of clenbuterol in porcine tissues using solid-phase extraction combined with ultrasound-assisted dispersive liquid-liquid microextraction and HPLC-UV detection. 2011 , 879, 90-4		87
740	Ionic liquid-dispersive liquid-liquid microextraction for the simultaneous determination of pesticides and metabolites in soils using high-performance liquid chromatography and fluorescence detection. <i>Journal of Chromatography A</i> , 2011 , 1218, 4808-16	4.5	105
739	Low-density solvent-based solvent demulsification dispersive liquid-liquid microextraction for the fast determination of trace levels of sixteen priority polycyclic aromatic hydrocarbons in environmental water samples. <i>Journal of Chromatography A</i> , 2011 , 1218, 5040-6	4.5	140
738	Dispersive Solid-Phase Extraction Clean-up Combined with Dispersive Liquid-Liquid Microextraction for the Determination of Neonicotinoid Insecticides in Vegetable Samples by High-Performance Liquid Chromatography. 2011 , 4, 559-566		69
737	Dispersive liquid-liquid microextraction combined with high-performance liquid chromatography for the determination of clozapine and chlorpromazine in urine. 2011 , 31, 277-284		13
736	Quantitation of antioxidants in water samples using ionic liquid dispersive liquid-liquid microextraction followed by high-performance liquid chromatography-ultraviolet detection. 2011 , 34, 77-82		19
735	Extraction and preconcentration technique for triazole pesticides from cow milk using dispersive liquid-liquid microextraction followed by GC-FID and GC-MS determinations. 2011 , 34, 1309-16		52
734	Validated dispersive liquid-liquid microextraction for analysis of organophosphorous pesticides in water. 2011 , 34, 1326-32		20
733	Rapid analysis of aldehydes by simultaneous microextraction and derivatization followed by GC-MS. 2011 , 34, 1607-12		20
732	Optimization of simultaneous derivatization and extraction of aliphatic amines in water samples with dispersive liquid-liquid microextraction followed by HPLC. 2011 , 34, 2719-25		46
731	Simultaneous determination of tetrahydropalmatine and tetrahydroberberine in rat urine using dispersive liquid-liquid microextraction coupled with high-performance liquid chromatography. 2011 , 34, 3279-86		13
730	Models for liquid-liquid partition in the system propylene carbonate-organic solvent and their use for estimating descriptors for organic compounds. <i>Journal of Chromatography A</i> , 2011 , 1218, 809-16	4.5	28
729	Development of a dispersive liquid-liquid microextraction method for spectrophotometric determination of barbituric acid in pharmaceutical formulation and biological samples. 2011 , 412, 224-8		38

728	Determination of N-methylcarbamate insecticides in water samples using dispersive liquid-liquid microextraction and HPLC with the aid of experimental design and desirability function. 2011 , 699, 113-9		98
727	Ionic liquid dispersive liquid-liquid microextraction of lead as pyrrolidinedithiocarbamate chelate prior to its flame atomic absorption spectrometric determination. 2011 , 275, 297-301		124
726	Headspace hollow fiber protected liquid-phase microextraction combined with gas chromatography-mass spectroscopy for speciation and determination of volatile organic compounds of selenium in environmental and biological samples. <i>Journal of Chromatography A</i> , 2011 , 1218, 380-6	4-5	39
725	Effective indirect enrichment and determination of nitrite ion in water and biological samples using ionic liquid-dispersive liquid-liquid microextraction combined with high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 2011 , 1218, 3595-600	4-5	80
724	Models for liquid-liquid partition in the system dimethyl sulfoxide-organic solvent and their use for estimating descriptors for organic compounds. <i>Journal of Chromatography A</i> , 2011 , 1218, 4525-36	4-5	18
723	Microextraction of mebendazole across supported liquid membrane forced by pH gradient and electrical field. 2011 , 54, 1173-9		62
722	Liquid-phase and dispersive liquid-liquid microextraction techniques with derivatization: recent applications in bioanalysis. 2011 , 879, 1180-8		79
721	Application of new approaches to liquid-phase microextraction for the determination of emerging pollutants. 2011 , 30, 731-748		103
720	Ionic liquid-based microextraction: A sample pretreatment technique for chromatographic analysis. 2011 , 2, 282-288		12
719	Recent Advances in Sample Preparation for Pesticide Analysis. 2012 , 569-590		5
718	Recent Advances in Dispersive Liquid - Liquid Microextraction for Organic Compounds Analysis in Environmental Water: A Review. 2012 , 8, 78-90		75
717	Isolation and quantitative methods for analysis of non-steroidal anti-inflammatory drugs. 2012 , 11, 65-95		21
716	WITHDRAWN: Aqueous two-phase system coupled with ultrasound for the extraction of lignans from seeds of <i>Schisandra chinensis</i> (turcz.) Baill. 2012 ,		
715	Determination of bisphenol A and bisphenol B in canned seafood combining QuEChERS extraction with dispersive liquid-liquid microextraction followed by gas chromatography-mass spectrometry. 2012 , 404, 2453-63		113
714	Materials-based approaches to minimizing solvent usage in analytical sample preparation. 2012 , 39, 228-244		47
713	Determination of endocrine-disrupting phenols in water samples by a new manual shaking-enhanced, ultrasound-assisted emulsification microextraction method. 2012 , 137, 2143-50		19
712	Determination of three endocrine disrupting chemicals, triclosan, 4-n-nonylphenol, and di-n-butyl phthalate using stir bar sorptive extraction in samples of different matrices. 2012 , 94, 1027-1033		12
711	Recent advances in liquid microextraction techniques coupled with MS for determination of small-molecule drugs in biological samples. 2012 , 4, 725-39		10

710	Recent developments and applications of liquid phase microextraction in fruits and vegetables analysis. 2012 , 35, 3540-53		43
709	XV International Symposium on Luminescence Spectrometry [Biophysical and Analytical Aspects, Extended Abstracts, 19-22 June 2012, Barcelona, Spain - (ISLS 2012). 2012 , 27, 534-572		4
708	Temperature-controlled ionic liquid dispersive liquid-phase microextraction combined with HPLC with ultraviolet detector for the determination of fungicides. 2012 , 35, 3569-74		35
707	Chemometrics assisted dispersive liquid-liquid microextraction for quantification of seven UV filters in urine samples by HPLC-DAD. 2012 , 35, 3575-85		8
706	Investigation of the ultrasound effect and target analyte selectivity of dispersive liquid-liquid microextraction and its application to a quinocetone pharmacokinetic study. <i>Journal of Chromatography A</i> , 2012 , 1268, 1-8	4-5	16
705	Determination of benfothiamine in nutraceuticals using dispersive liquid-liquid microextraction coupled to liquid chromatography. 2012 , 4, 2759		2
704	Solid-phase extraction combined with dispersive liquid-liquid microextraction as an efficient and simple method for the determination of carbamazepine in biological samples. 2012 , 4, 2887		17
703	Extraction and determination of biphenyl and biphenyl oxide in water samples by using ultrasound-assisted emulsification microextraction-gas chromatography-flame ionization detection. 2012 , 4, 2062		1
702	DISPERSIVE LIQUID-LIQUID MICROEXTRACTION FOLLOWED BY HIGH-PERFORMANCE LIQUID CHROMATOGRAPHY AS AN EFFICIENT AND SENSITIVE TECHNIQUE FOR THE SIMULTANEOUS DETERMINATION OF ALPRAZOLAM, OXAZEPAM, AND DIAZEPAM IN HUMAN URINE SAMPLES. 2012 , 35, 988-999		13
701	Dispersive Liquid-Liquid Microextraction Coupled to Gas Chromatography-Electron Capture Detection for the Analysis of Trihalomethane Formation Potential. 2012 , 45, 2198-2209		4
700	Determination of ppb-level phenol index using in-syringe dispersive liquid-liquid microextraction and liquid waveguide capillary cell spectrophotometry. 2012 , 179, 91-98		23
699	A new coupling of spectrophotometric determination with ultrasound-assisted emulsification dispersive liquid-liquid microextraction of trace silver. 2012 , 97, 782-7		23
698	Optimization of supercritical fluid extraction combined with dispersive liquid-liquid microextraction as an efficient sample preparation method for determination of 4-nitrotoluene and 3-nitrotoluene in a complex matrix. 2012 , 88, 50-3		29
697	Dispersive liquid-liquid microextraction and preconcentration of thallium species in water samples by two ionic liquids applied as ion-pairing reagent and extractant phase. 2012 , 88, 277-83		48
696	Determination of six pyrethroid insecticides in fruit juice samples using dispersive liquid-liquid microextraction combined with high performance liquid chromatography. 2012 , 88, 209-15		102
695	An overview of liquid phase microextraction approaches combined with UV-Vis spectrophotometry. 2012 , 99, 1-12		58
694	Dispersive liquid-liquid microextraction with non-halogenated extractants for trihalomethanes determination in tap and swimming pool water. 2012 , 99, 846-52		15
693	Vortex solvent bar microextraction for phthalate esters from aqueous matrices. 2012 , 100, 64-70		29

692	Role of microextraction sampling procedures in forensic toxicology. 2012 , 4, 1805-26		37
691	Surfactant-assisted dispersive liquid-liquid microextraction followed by high-performance liquid chromatography for determination of amphetamine and methamphetamine in urine samples. 2012 , 4, 1357		41
690	High-throughput quantification of palladium in water samples by ion pair based-surfactant assisted microextraction. 2012 , 728, 26-30		20
689	Determination of eight fluoroquinolones in groundwater samples with ultrasound-assisted ionic liquid dispersive liquid-liquid microextraction prior to high-performance liquid chromatography and fluorescence detection. 2012 , 748, 20-7		82
688	Determination of ochratoxin A in wines by capillary liquid chromatography with laser induced fluorescence detection using dispersive liquid-liquid microextraction. 2012 , 135, 368-72		68
687	Dispersive liquid-liquid microextraction using a low density extraction solvent for the determination of 17 N-methylcarbamates by micellar electrokinetic chromatography-electrospray-mass spectrometry employing a volatile surfactant. <i>Journal of</i>	4.5	29
686	Molecularly imprinted-solid phase extraction combined with simultaneous derivatization and dispersive liquid-liquid microextraction for selective extraction and preconcentration of methamphetamine and ecstasy from urine samples followed by gas chromatography. <i>Journal of Chromatography A</i> , 2012 , 1248, 24-31	4.5	86
685	A novel dispersive liquid-liquid microextraction (DLLME) gas chromatography-mass spectrometry (GC/MS) method for the determination of eighteen biogenic amines in beer. 2012 , 25, 380-388		131
684	Programed nebulizing-gas pressure mode for quantitative capillary electrophoresis-mass spectrometry analysis of endocrine disruptors in honey. 2012 , 33, 2374-81		14
683	Simple, rapid, and sensitive determination of beta-blockers in environmental water using dispersive liquid-liquid microextraction followed by liquid chromatography with fluorescence detection. 2012 , 35, 2184-92		13
682	Vortex-assisted extraction combined with dispersive liquid-liquid microextraction for the determination of polycyclic aromatic hydrocarbons in sediment by high performance liquid chromatography. 2012 , 35, 2796-804		52
681	Simultaneous preconcentration and determination of 2,4-D, alachlor and atrazine in aqueous samples using dispersive liquid-liquid microextraction followed by high-performance liquid chromatography ultraviolet detection. 2012 , 35, 2718-24		39
680	A membrane microcontactor as a tool for integrated sample preparation. 2012 , 35, 2407-13		2
679	Magnetic retrieval of ionic liquids: fast dispersive liquid-liquid microextraction for the determination of benzoylurea insecticides in environmental water samples. <i>Journal of Chromatography A</i> , 2012 , 1254, 23-9	4.5	106
678	Simultaneous determination of amphetamine and related compounds in human urine using ultrasound-assisted emulsification microextraction and gas chromatography. 2012 , 4, 3212		16
677	Optimized Ultrasound-Assisted Emulsification-Microextraction Followed by ICP-OES for Simultaneous Determination of Lanthanum and Cerium in Urine and Water Samples. 2012 , 45, 1426-1439		20
676	Liquid-Based Microextraction Techniques for Environmental Analysis. 2012 , 835-862		5
675	Diethyldithiophosphate (DDTP): A Review on Properties, General Applications, and Use in Analytical Spectrometry. 2012 , 47, 583-619		13

674	Lab in a syringe: fully automated dispersive liquid-liquid microextraction with integrated spectrophotometric detection. 2012 , 404, 909-17			82
673	Determination of free and total valproic acid in human plasma by capillary electrophoresis with contactless conductivity detection. 2012 , 907, 74-8			21
672	Determination of very low amounts of chromium(III) and (VI) using dispersive liquid-liquid microextraction by in situ formation of an ionic liquid followed by electrothermal atomic absorption spectrometry. 2012 , 27, 874			45
671	Dispersive Liquid-Liquid Microextraction. 2012 , 181-212			13
670	Determination of hydroxylated stilbenes in wine by dispersive liquid-liquid microextraction followed by gas chromatography mass spectrometry. <i>Journal of Chromatography A</i> , 2012 , 1258, 21-9	4-5		31
669	Solvent Microextraction. 2012 , 151-180			1
668	Sample Preparation for Direct MS Analysis of Food. 2012 , 535-557			6
667	Sample Preparation for Food Contaminant Analysis. 2012 , 819-833			2
666	A Miniaturized Preconcentration Method Based on Dispersive Liquid-Liquid Microextraction for the Spectrophotometric Determination of Aziridine in Food Simulants. 2012 , 5, 1398-1403			3
665	Dispersive solid phase micro-extraction of dopamine from human serum using a nano-structured Ni-Al layered double hydroxide, and its direct determination by spectrofluorometry. 2012 , 179, 25-32			33
664	Determination of polycyclic aromatic hydrocarbons in soil samples using flotation-assisted homogeneous liquid-liquid microextraction. <i>Journal of Chromatography A</i> , 2012 , 1265, 52-6	4-5		46
663	pH-controlled dispersive liquid-liquid microextraction for the analysis of ionisable compounds in complex matrices: Case study of ochratoxin A in cereals. 2012 , 754, 61-6			29
662	Emulsification liquid phase microextraction followed by on-line phase separation coupled to high performance liquid chromatography. 2012 , 751, 79-85			44
661	Application of Gas Chromatography on the Evaluation of Grape and Wine Aroma in Atlantic Viticulture (NW Iberian Peninsula). 2012 ,			4
660	Recent Developments and Applications of Microextraction Techniques for the Analysis of Pesticide Residues in Fruits and Vegetables. 2012 ,			2
659	Ionic liquids in microextraction techniques. 2012 , 10, 652-674			36
658	Dispersive liquid-liquid micro-extraction for simultaneous preconcentration of 14 lanthanides at parts per trillion levels from groundwater and determination using a micro-flow nebulizer in inductively coupled plasma-quadrupole mass spectrometry. 2012 , 27, 1024			29
657	Pressurized Liquid Extraction Combined with Dispersive Liquid-liquid Micro-extraction as an Efficient Sample Preparation Method for Determination of Volatile Components in Tobacco. 2012 , 59, 909-916			2

656	Methods for determination of polybrominated diphenyl ethers in environmental samples--review. 2012 , 35, 2075-87	45
655	Determination of rifaximin in rat serum by ionic liquid based dispersive liquid-liquid microextraction combined with RP-HPLC. 2012 , 35, 1945-52	15
654	Dispersive liquid-liquid microextraction of organophosphorous pesticides using nonhalogenated solvents. 2012 , 35, 2653-8	20
653	Dispersive liquid-liquid microextraction of pesticides and metabolites from soils using 1,3-dipentylimidazolium hexafluorophosphate ionic liquid as an alternative extraction solvent. 2012 , 33, 1449-57	19
652	Determination of endocrine disrupting chemicals in water samples by dispersive liquid-liquid microextraction combined with liquid chromatography-fluorescence detection. 2012 , 42, 77-82	5
651	Evaluation of lithium separation by dispersive liquid-liquid microextraction using benzo-15-crown-5. 2012 , 293, 247-254	12
650	Comparative study of hollow-fiber liquid-phase micro-extraction and an aqueous two-phase system for determination of phytohormones in soil. 2012 , 403, 1743-9	8
649	Micro-scale quantitation of ten phthalate esters in water samples and cosmetics using capillary liquid chromatography coupled to UV detection: effective strategies to reduce the production of organic waste. 2012 , 177, 167-175	23
648	Temperature-assisted ionic liquid dispersive liquid-liquid microextraction combined with high performance liquid chromatography for the determination of PCBs and PBDEs in water and urine samples. 2012 , 177, 229-236	32
647	Improved Homogeneous Liquid-Liquid Extraction Combined with GC-ECD for the Determination of Organochlorinated Pesticides in Water. 2012 , 75, 379-385	7
646	Critical overview of selected contemporary sample preparation techniques. <i>Journal of Chromatography A</i> , 2012 , 1221, 84-98	4-5 211
645	Determination of aqueous fullerene aggregates in water by ultrasound-assisted dispersive liquid-liquid microextraction with liquid chromatography-atmospheric pressure photoionization-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2012 , 1223, 15-23	4-5 46
644	Mixed-mode solid-phase extraction followed by dispersive liquid-liquid microextraction for the sensitive determination of ethylphenols in red wines. <i>Journal of Chromatography A</i> , 2012 , 1229, 79-85	4-5 27
643	Microwave-assisted extraction and dispersive liquid-liquid microextraction followed by gas chromatography-mass spectrometry for isolation and determination of polycyclic aromatic hydrocarbons in smoked fish. <i>Journal of Chromatography A</i> , 2012 , 1237, 30-6	4-5 90
642	In-line cold column trapping of organic phase in dispersive liquid-liquid microextraction: enrichment and determination of curcumin in human serum. <i>Journal of Chromatography A</i> , 2012 , 1244, 14-9	4-5 26
641	Microwave assisted extraction combined with dispersive liquid-liquid microextraction as a sensitive sample preparation method for the determination of haloanisoles and halophenols in cork stoppers and oak barrel sawdust. 2012 , 132, 2202-2210	25
640	Dispersive liquid-liquid microextraction for the determination of organochlorine pesticides residues in honey by gas chromatography-electron capture and ion trap mass spectrometric detection. 2012 , 134, 1665-72	72
639	Application of ultrasound-assisted emulsification microextraction for determination of benzene, toluene, ethylbenzene and o-xylene in water samples by gas chromatography. 2012 , 288, 93-97	28

638	Recent advances in coupling single-drop and dispersive liquid-liquid microextraction with UV-vis spectrophotometry and related detection techniques. 2012 , 102, 1-10	74
637	Recent advances in dispersive liquid-liquid microextraction using organic solvents lighter than water. A review. 2012 , 102, 11-17	229
636	An ammonium sulfate/ethanol aqueous two-phase system combined with ultrasonication for the separation and purification of lithospermic acid B from <i>Salvia miltiorrhiza</i> Bunge. 2012 , 19, 719-24	42
635	Considerations on the application of miniaturized sample preparation approaches for the analysis of organic compounds in environmental matrices. 2012 , 10, 433-449	8
634	Comparison of dispersive liquid-liquid microextraction based on organic solvent and ionic liquid combined with high-performance liquid chromatography for the analysis of emodin and its metabolites in urine samples. 2012 , 35, 145-52	44
633	Graphene-coated fiber for solid-phase microextraction of triazine herbicides in water samples. 2012 , 35, 193-9	84
632	Orthogonal array optimization of ionic liquid based dispersive liquid-liquid microextraction for toxic anilines in foods. 2012 , 55, 277-284	8
631	Completely automated in-syringe dispersive liquid-liquid microextraction using solvents lighter than water. 2012 , 402, 1383-8	64
630	Determination of synthetic polycyclic musks in aqueous samples by ultrasound-assisted dispersive liquid-liquid microextraction and gas chromatography-mass spectrometry. 2012 , 402, 1723-30	24
629	Optimization of a dispersive liquid-liquid microextraction method for the analysis of benzotriazoles and benzothiazoles in water samples. 2012 , 402, 1679-95	35
628	Application of dispersive liquid-liquid microextraction for the determination of selected organochlorine pesticides in honey by gas chromatography-mass spectrometry. 2012 , 234, 223-230	30
627	Evaluation of Dispersive Liquid-Liquid Microextraction-HPLC-UV for Determination of Deoxynivalenol (DON) in Wheat Flour. 2013 , 6, 176-180	26
626	Microextraction techniques for the determination of volatile and semivolatile organic compounds from plants: a review. 2013 , 799, 8-22	69
625	Determination of the Migration of Bisphenol A from Polycarbonate by Dispersive Liquid-Liquid Microextraction Combined with High Performance Liquid Chromatography. 2013 , 46, 1342-1354	12
624	In-syringe magnetic-stirring-assisted liquid-liquid microextraction for the spectrophotometric determination of Cr(VI) in waters. 2013 , 405, 6761-9	37
623	Dispersive liquid-liquid microextraction followed by high-performance liquid chromatography-ultraviolet detection to determination of opium alkaloids in human plasma. 2013 , 85, 14-20	48
622	Ultra-Preconcentration and Determination of Multiple Pesticide Residues in Water Samples Using Ultrasound-Assisted Dispersive Liquid-Liquid Microextraction and GC-FID. 2013 , 76, 671-678	9
621	Ultrasound-assisted surfactant-enhanced emulsification microextraction based on the solidification of a floating organic droplet used for the simultaneous determination of six fungicide residues in juices and red wine. <i>Journal of Chromatography A</i> , 2013 , 1300, 64-9	4.5 57

620	Sensitive determination of trace molybdenum in natural waters using dispersive liquid-liquid microextraction and electrothermal atomic absorption spectrometry. 2013 , 5, 2098	8
619	Determination of abamectin in citrus fruits using SPE combined with dispersive liquid-liquid microextraction and HPLC-UV detection. 2013 , 36, 2629-34	17
618	Ionic liquids in dispersive liquid-liquid microextraction. 2013 , 51, 87-106	220
617	Dispersive liquid-liquid microextraction for the determination of three cytokinin compounds in fruits and vegetables by liquid chromatography with time-of-flight mass spectrometry. 2013 , 116, 376-81	24
616	In-syringe-stirring: a novel approach for magnetic stirring-assisted dispersive liquid-liquid microextraction. 2013 , 788, 52-60	70
615	Developments in ultrasound-assisted microextraction techniques for isolation and preconcentration of organic analytes from aqueous samples. 2013 , 49, 45-54	51
614	Ultrasound-assisted dispersive liquid-liquid microextraction for the speciation of traces of chromium using electrothermal atomic absorption spectrometry. 2013 , 115, 166-71	51
613	Utilization of an ionic liquid in situ preconcentration method for the determination of the 15 + 1 European Union polycyclic aromatic hydrocarbons in drinking water and fruit-tea infusions. 2013 , 36, 2496-506	12
612	Determination of polycyclic aromatic hydrocarbons in smoked fish samples by a new microextraction technique and method optimisation using response surface methodology. 2013 , 141, 2459-65	35
611	Selective preconcentration of silver by one-step displacement dispersive liquid-liquid microextraction and determination by graphite furnace atomic absorption spectrometry. 2013 , 5, 4419	6
610	Response surface methodology optimized dispersive liquid-liquid microextraction coupled with UV-Vis spectrophotometry for determination of quinine. 2013 , 5, 5253	8
609	Room temperature ionic liquid-based dispersive liquid-liquid microextraction combined with flame atomic absorption spectrometry for the speciation of chromium(III) and chromium(VI). 2013 , 180, 59-64	36
608	Rapid analysis of aflatoxin M1 in milk using dispersive liquid-liquid microextraction coupled with ultrahigh pressure liquid chromatography tandem mass spectrometry. 2013 , 405, 8645-52	31
607	Green methodology based on dispersive liquid-liquid microextraction and micellar electrokinetic chromatography for 5-nitroimidazole analysis in water samples. 2013 , 36, 3050-8	17
606	Application of dispersive liquid-liquid microextraction for the determination of phosphatidylethanol in blood by liquid chromatography tandem mass spectrometry. 2013 , 111, 189-95	27
605	Simultaneous derivatization and ultrasound-assisted dispersive liquid-liquid microextraction of chloropropanols in soy milk and other aqueous matrices combined with gas-chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2013 , 1319, 35-45	4.5 26
604	Dispersive liquid-liquid microextraction for the determination of vitamins D and K in foods by liquid chromatography with diode-array and atmospheric pressure chemical ionization-mass spectrometry detection. 2013 , 115, 806-13	50
603	Ultrasound-assisted dispersive liquid-liquid microextraction plus simultaneous silylation for rapid determination of salicylate and benzophenone-type ultraviolet filters in aqueous samples. <i>Journal of Chromatography A</i> , 2013 , 1302, 20-7	4.5 63

602	Determination of Dechlorane compounds in aqueous samples using ultrasound-assisted dispersive liquid-liquid microextraction and gas chromatography-electron-capture negative ion-mass spectrometry. 2013 , 5, 7001		8
601	Ultrasound-assisted low-density solvent dispersive liquid-liquid extraction for the determination of alkanolamines and alkylamines in cosmetics with ion chromatography. 2013 , 115, 518-25		16
600	Determination of pesticide residues and related compounds in water and industrial effluent by solid-phase extraction and gas chromatography coupled to triple quadrupole mass spectrometry. 2013 , 405, 7697-709		23
599	Determination of Anilines and Toluidines in Water by Salt-Assisted Dispersive Liquid-Liquid Microextraction Combined with GC-FID. 2013 , 76, 1747-1753		11
598	Application of ultrasound-assisted emulsification microextraction for spectrophotometric determination of trace amounts of antimony(V) in drinking water samples using rhodamine B. 2013 , 5, 6848		7
597	Models for Liquid-Liquid Partition in the System Ethanolamine-Organic Solvent and Their Use for Estimating Descriptors for Organic Compounds. 2013 , 76, 157-164		13
596	Dispersive liquid-liquid microextraction combined with capillary electrophoresis and time-of-flight mass spectrometry for urine analysis. 2013 , 73, 82-9		55
595	Aqueous two-phase system coupled with ultrasound for the extraction of lignans from seeds of <i>Schisandra chinensis</i> (turcz.) Baill. 2013 , 20, 125-32		44
594	Dispersive liquid-liquid microextraction for chemical speciation and determination of ultra-trace concentrations of metal ions. 2013 , 44, 12-24		82
593	Dispersive liquid-liquid microextraction and microsample injection system coupled with inductively coupled plasma-mass spectrometry for inorganic arsenic speciation in natural waters. 2013 , 93, 1065-1073		13
592	Combination of QuEChERS and DLLME for GC-MS determination of pesticide residues in orange samples. 2013 , 30, 286-97		36
591	Analysis of Pesticides in Tomato Combining QuEChERS and Dispersive Liquid-Liquid Microextraction Followed by High-Performance Liquid Chromatography. 2013 , 6, 559-568		39
590	Ionic liquid-based microwave-assisted surfactant-improved dispersive liquid-liquid microextraction and derivatization of aminoglycosides in milk samples. 2013 , 36, 585-92		36
589	Preconcentration and determination of methyl methacrylate by dispersive liquid-liquid microextraction. 2013 , 36, 356-61		13
588	Low cost methodology for estrogens monitoring in water samples using dispersive liquid-liquid microextraction and HPLC with fluorescence detection. 2013 , 115, 980-5		42
587	An in situ benzoylation-dispersive liquid-liquid microextraction method based on solidification of floating organic droplets for determination of biogenic amines by liquid chromatography-ultraviolet analysis. <i>Journal of Chromatography A</i> , 2013 , 1282, 1-10	4.5	46
586	Evaluation of dispersive liquid-liquid microextraction in the stereoselective determination of cetirizine following the fungal biotransformation of hydroxyzine and analysis by capillary electrophoresis. 2013 , 116, 743-52		20
585	Dispersive liquid-liquid microextraction for the determination of macrocyclic lactones in milk by liquid chromatography with diode array detection and atmospheric pressure chemical ionization ion-trap tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2013 , 1282, 20-6	4.5	36

584	Multiclass mycotoxin analysis in <i>Silybum marianum</i> by ultra high performance liquid chromatography-tandem mass spectrometry using a procedure based on QuEChERS and dispersive liquid-liquid microextraction. <i>Journal of Chromatography A</i> , 2013 , 1282, 11-9	4.5	96
583	Determination of three phenoxyacid herbicides in environmental water samples by the application of dispersive liquid-liquid microextraction coupled with micellar electrokinetic chromatography. 2013 , 11, 394-403		4
582	Simultaneous derivatization and air-assisted liquid-liquid microextraction of some aliphatic amines in different aqueous samples followed by gas chromatography-flame ionization detection. 2013 , 775, 50-7		36
581	Determination of priority pollutants in aqueous samples by dispersive liquid-liquid microextraction. 2013 , 773, 60-67		16
580	Multi-residue method for determination of selected neonicotinoid insecticides in honey using optimized dispersive liquid-liquid microextraction combined with liquid chromatography-tandem mass spectrometry. 2013 , 111, 125-33		105
579	Recent advances in unique sample preparation techniques for bioanalysis. 2013 , 5, 915-32		35
578	Application of ultrasonic irradiation and vortex agitation in solvent microextraction. 2013 , 49, 1-19		97
577	Development of a new gas chromatography-mass spectrometry (GC-MS) methodology for the evaluation of 5 β -reductase activity. 2013 , 107, 154-61		15
576	Homogeneous liquid-liquid microextraction via flotation assistance for rapid and efficient determination of polycyclic aromatic hydrocarbons in water samples. 2013 , 762, 54-60		42
575	Development of solvent micro-extraction combined with derivatization. <i>Journal of Chromatography A</i> , 2013 , 1296, 235-42	4.5	22
574	Optimization of dispersive liquid-liquid microextraction with central composite design for preconcentration of chlordiazepoxide drug and its determination by HPLC-UV. 2013 , 36, 1734-42		75
573	Recent development and applications of dispersive liquid-liquid microextraction. <i>Journal of Chromatography A</i> , 2013 , 1295, 1-15	4.5	195
572	Ionic liquid-linked dual magnetic microextraction: a novel and facile procedure for the determination of pyrethroids in honey samples. 2013 , 107, 81-7		69
571	Suspended nanoparticles in surfactant media as a microextraction technique for simultaneous separation and preconcentration of cobalt, nickel and copper ions for electrothermal atomic absorption spectrometry determination. 2013 , 106, 150-4		23
570	Determination of aromatic amines from textiles using dispersive liquid-liquid microextraction. 2013 , 36, 947-52		14
569	Mercury species determination by task specific ionic liquid-based ultrasound-assisted dispersive liquid-liquid microextraction combined with cold vapour generation atomic absorption spectrometry. 2013 , 110, 28-35		76
568	Novel coupling of surfactant assisted emulsification dispersive liquid-liquid microextraction with spectrophotometric determination for ultra trace nickel. 2013 , 104, 64-9		30
567	Dispersive Liquid-Liquid Extraction Based on Freezing of the Organic Drop, Followed by GC for the Determination of Methyl Methacrylate in Wastewater. 2013 , 76, 565-570		9

566	A new approach in sample treatment combined with UHPLC-MS/MS for the determination of multiclass mycotoxins in edible nuts and seeds. 2013 , 115, 61-7		85
565	Dispersive liquid-liquid micro extraction of boron as tetrafluoroborate ion (BF ₄ ⁻) from natural waters, wastewater and seawater samples and determination using a micro-flow nebulizer in inductively coupled plasma-quadrupole mass spectrometry. 2013 , 28, 142-149		10
564	Analysis of amino acids in tobacco by derivatization and dispersive liquid-liquid microextraction based on solidification of floating organic droplet method. <i>Journal of Chromatography A</i> , 2013 , 1296, 243-7	4-5	35
563	Liquid phase microextraction for the analysis of trace elements and their speciation. 2013 , 86, 14-30		72
562	Elemental analysis by surface-enhanced Laser-Induced Breakdown Spectroscopy combined with liquid-liquid microextraction. 2013 , 79-80, 88-93		88
561	Rapid screening of clenbuterol hydrochloride in chicken samples by molecularly imprinted matrix solid-phase dispersion coupled with liquid chromatography. 2013 , 923-924, 136-40		28
560	Determination of Brilliant Blue FCF in food and cosmetic samples by ionic liquid independent dispersive liquid-liquid micro-extraction. 2013 , 5, 4021		27
559	Hybrid flow analyzer for automatic hollow-fiber-assisted ionic liquid-based liquid-phase microextraction with in-line membrane regeneration. 2013 , 405, 3279-88		24
558	Dispersive liquid-liquid microextraction combined with field-amplified sample stacking in capillary electrophoresis for the determination of non-steroidal anti-inflammatory drugs in milk and dairy products. 2013 , 138, 890-7		55
557	Evaluation of dispersive liquid-liquid microextraction for the determination of patulin in apple juices using micellar electrokinetic capillary chromatography. 2013 , 31, 353-358		53
556	Current trends in liquid-liquid and solid-liquid extraction for cosmetic analysis: a review. 2013 , 5, 323-340		43
555	Surfactant-enhanced liquid-liquid microextraction coupled to micro-solid phase extraction onto highly hydrophobic magnetic nanoparticles. 2013 , 180, 775-782		20
554	Liquid chromatography with diode array detection and tandem mass spectrometry for the determination of neonicotinoid insecticides in honey samples using dispersive liquid-liquid microextraction. 2013 , 61, 4799-805		65
553	Determination of organic pollutants in coking wastewater by dispersive liquid-liquid microextraction/GC/MS. 2013 , 36, 1644-51		19
552	DISPERSIVE LIQUID-LIQUID MICROEXTRACTION BASED ON SOLIDIFICATION OF FLOATING ORGANIC DROP COMBINED WITH COUNTER-ELECTROSMOTIC FLOW NORMAL STACKING MODE IN CAPILLARY ELECTROPHORESIS FOR THE DETERMINATION OF BISPENOL A IN WATER AND URINE SAMPLES. 2013 , 36, 2855-2870		9
551	Enantioselective analysis of ranolazine and desmethyl ranolazine in microsomal medium using dispersive liquid-liquid microextraction and LC-MS/MS. 2013 , 5, 171-83		4
550	Dispersive liquid-liquid microextraction combined with online preconcentration MEKC for the determination of some phenoxyacetic acids in drinking water. 2013 , 36, 3067-74		11
549	HIGH-PERFORMANCE LIQUID CHROMATOGRAPHIC DETERMINATION OF NAPROXEN IN PLASMA AFTER EXTRACTION BY A NOVEL IN-TUBE SOLID PHASE-LIQUID LIQUID LIQUID EXTRACTION METHOD. 2013 , 36, 1280-1295		2

548	Rapid determination of Tocopherol in cereal grains using dispersive liquid-liquid microextraction followed by HPLC. 2013 , 36, 1135-41	9
547	Ultrasound assisted dispersive liquid-liquid microextraction followed by injector port silylation: a novel method for rapid determination of quinine in urine by GC-MS. 2013 , 5, 2277-86	17
546	Homogeneous liquid-liquid extraction (HoLLE) via flotation combined with gas chromatography-flame ionization detection as a very simple, rapid and sensitive method for the determination of fenitrothion in water samples. 2013 , 29, 837-41	1
545	Application of Homogeneous Liquid-Liquid Microextraction via Flotation Assistance Followed by Gas Chromatography for Determination of Butachlor in Water Samples. 2013 , 86, 1282-1286	3
544	Advances in Liquid Phase Micro-Extraction Techniques for Metal, Metalloid and Organometallic Species Determination. 2013 , 9, 250-278	1
543	Analysis of Halogenated Flame Retardants by Gas Chromatography Coupled to LRMS, HRMS, MSMS, and TOF-MS. 2013 , 373-401	1
542	Evaluation of dispersive liquid-liquid microextraction for the determination of cobalt and cadmium by flame atomic absorption spectrometry: application in water and food samples. 2014 , 2,	1
541	Liquid-Phase Extraction and Microextraction. 2014 , 107-152	2
540	New Sample Preparation Strategies for Analytical Determinations. 2014 , 1-98	3
539	Multi-target screening of biological samples using LC-MS/MS: focus on chromatographic innovations. 2014 , 6, 1255-73	20
538	Chemometric study and optimization of headspace solid-phase microextraction parameters for the determination of multiclass pesticide residues in processed cocoa from Nigeria using gas chromatography/mass spectrometry. 2014 , 97, 1007-11	6
537	Determination of Acrylates in Wastewater by Dispersive Liquid-Liquid Microextraction Coupled to Capillary Gas Chromatography. 2014 , 881-883, 627-630	2
536	Determination of four sulfonylurea herbicides in tea by matrix solid-phase dispersion cleanup followed by dispersive liquid-liquid microextraction. 2014 , 37, 2380-7	18
535	Determination of Aromatic Amines in Wastewater by Dispersive Liquid-Liquid Microextraction Coupled to Capillary Gas Chromatography. 2014 , 881-883, 631-634	2
534	Sample Preparation Techniques for GC. 2014 , 577-602	
533	The recent developments in dispersive liquid-liquid microextraction for preconcentration and determination of inorganic analytes. 2014 , 18, 745-761	82
532	Determination of polybrominated diphenyl ethers in river water by combination of liquid-liquid extraction and gas chromatography-mass spectrometry. 2014 , 25, 1225-1229	4
531	Development of a Dispersive Liquid-Liquid Microextraction Method for the Determination of Tocopherol in Pigmented Wheat by High-Performance Liquid Chromatography. 2014 , 7, 21-30	10

530	Development of ultrasound-assisted dispersive liquid-liquid microextraction-large volume injection-gas chromatography-tandem mass spectrometry method for determination of pyrethroid metabolites in brain of cypermethrin-treated rats. 2014 , 32, 19-29	13
529	Combination of ionic liquid dispersive liquid-phase microextraction and high performance liquid chromatography for the determination of triazine herbicides in water samples. 2014 , 25, 745-748	20
528	Rapid analysis of aflatoxins B1, B2, and ochratoxin A in rice samples using dispersive liquid-liquid microextraction combined with HPLC. 2014 , 37, 92-8	55
527	Development of multiresidue DLLME and QuEChERS based LCMS/MS method for determination of selected neonicotinoid insecticides in honey liqueur. 2014 , 55, 11-19	64
526	Modified nanoporous carbon as a novel sorbent before solvent-based de-emulsification dispersive liquid-liquid microextraction for ultra-trace detection of cadmium by flame atomic absorption spectrophotometry. 2014 , 51, 174-181	42
525	Electrical field-induced extraction and separation techniques: promising trends in analytical chemistry--a review. 2014 , 814, 1-22	154
524	Novel method for determination of anthracene by coupling dispersive liquid-liquid extraction to first-derivative synchronous spectrofluorimetry. 2014 , 24, 787-93	2
523	Vortex-assisted ionic liquid based liquid-liquid microextraction of selected pesticides from a manufacturing wastewater sample. 2014 , 12, 98-106	4
522	Dispersive liquid-liquid microextraction in food analysis. A critical review. 2014 , 406, 2067-99	154
521	Simultaneous Determination of Deltamethrin and Permethrin in Water Samples Using Homogeneous Liquid-Liquid Microextraction via Flotation Assistance and GC-FID. 2014 , 77, 715-721	14
520	A novel method for the high preconcentration of trace amounts of the aflatoxins in pistachios by dispersive liquid-liquid microextraction after solid-phase extraction. 2014 , 6, 3456-3461	40
519	Ultrasound-assisted dispersive liquid-liquid microextraction based on solidification of floating organic droplets coupled with gas chromatography for the determination of pesticide residues in water samples. 2014 , 6, 3388	11
518	Application of optimized dispersive liquid-liquid microextraction for determination of melatonin by HPLC-UV in plasma samples. 2014 , 960, 1-7	40
517	Determination of estrogens in environmental water samples using 1,3-dipentylimidazolium hexafluorophosphate ionic liquid as extraction solvent in dispersive liquid-liquid microextraction. 2014 , 35, 2479-87	24
516	Automated in-syringe dispersive liquid-liquid microextraction. 2014 , 59, 1-8	68
515	Recent developments in dispersive liquid-liquid microextraction. 2014 , 406, 2027-66	146
514	Green aspects, developments and perspectives of liquid phase microextraction techniques. 2014 , 119, 34-45	251
513	Vortex-assisted low density solvent based demulsified dispersive liquid-liquid microextraction and high-performance liquid chromatography for the determination of organophosphorus pesticides in water samples. 2014 , 103, 51-8	100

512	Mycotoxins in cereals and related foodstuffs: A review on occurrence and recent methods of analysis. 2014 , 36, 96-136	216
511	Development of on-line spectroscopic determination approach of dispersive liquid-liquid microextraction based on an effective device. 2014 , 124, 159-64	9
510	Determination of herbicides and their metabolites in natural waters by capillary zone electrophoresis combined with dispersive liquid-liquid microextraction and on-line preconcentration. 2014 , 69, 72-82	8
509	Emulsion-based liquid-phase microextraction: a review. 2014 , 11, 1087-1101	23
508	New trends in sample preparation techniques for environmental analysis. 2014 , 44, 142-85	72
507	A Rapid Quantification of β -Carotene in Fruits and Vegetables by Dispersive Liquid-Liquid Microextraction Coupled with UV-Vis Spectrophotometry: Optimized by Response Surface Methodology. 2014 , 7, 1481-1488	8
506	Liquid phase microextraction of pesticides: a review on current methods. 2014 , 181, 829-851	69
505	Rapid determination of phthalate esters in alcoholic beverages by conventional ionic liquid dispersive liquid-liquid microextraction coupled with high performance liquid chromatography. 2014 , 119, 291-8	68
504	DETERMINATION OF CHLORPYRIFOS AND ITS MAIN DEGRADATION PRODUCT TCP IN WATER SAMPLES BY DISPERSIVE LIQUID-LIQUID MICROEXTRACTION BASED ON SOLIDIFICATION OF FLOATING ORGANIC DROPLET COMBINED WITH HIGH-PERFORMANCE LIQUID CHROMATOGRAPHY. 2014 , 37, 1499-1512	14
503	Off-line sample preparation by electrophoretic concentration using a micropipette and hydrogel. <i>Journal of Chromatography A</i> , 2014 , 1369, 186-90	4.5 9
502	Trace level enrichment of lead from environmental water samples utilizing dispersive liquid-liquid microextraction and quantitative determination by graphite furnace atomic absorption spectrometry. 2014 , 49, 833-42	5
501	Dispersive Liquid-Liquid Microextraction of Nickel Prior to Its Determination by Microsample Injection System-Flame Atomic Absorption Spectrometry. 2014 , 47, 2195-2208	10
500	In-syringe magnetic stirring assisted dispersive liquid-liquid micro-extraction with solvent washing for fully automated determination of cationic surfactants. 2014 , 6, 9601-9609	24
499	Extraction of natural estrogens in environmental waters by dispersive multiwalled carbon nanotube-based agitation-assisted adsorption and ultrasound-assisted desorption. 2014 , 6, 1235-1241	11
498	Development of a gas chromatography-mass spectrometry method for the determination of ultraviolet filters in beach sand samples. 2014 , 6, 7772-7780	22
497	Determination of parent and methylated polycyclic aromatic hydrocarbons in water samples by dispersive liquid-liquid microextraction-two dimensional gas chromatography-time-of-flight mass spectrometry. 2014 , 6, 6678	9
496	Analysis of trace bromadiolone and brodifacoum in environmental water samples by ionic liquid ultrasound-assisted dispersive liquid-liquid microextraction and LC-MS/MS. 2014 , 6, 5879-5885	6
495	Determination of Food Preservatives in Drinks by Dispersive Liquid-Liquid Microextraction Coupled to Capillary Gas Chromatography. 2014 , 1030-1032, 357-360	3

494	Spectrofluorimetric determination of zearalenone using dispersive liquid-liquid microextraction coupled to micro-solid phase extraction onto magnetic nanoparticles. 2014 , 4, 45065-45073		17
493	Ultrasound-assisted emulsification magnetic microextraction: a fast and green method for the determination of triazole fungicides in fruit juice. 2014 , 6, 8328-8336		11
492	Applications of liquid-phase microextraction techniques in natural product analysis: a review. <i>Journal of Chromatography A</i> , 2014 , 1368, 1-17	4.5	79
491	Determination of phthalate acid esters in soybean milk using dispersive liquid-liquid microextraction coupled with gas chromatography and mass spectrometric detection. 2014 , 6, 7361-7366		9
490	A new analytical method to determine non-steroidal anti-inflammatory drugs in surface water using in situ derivatization combined with ultrasound-assisted emulsification microextraction followed by gas chromatography-mass spectrometry. 2014 , 129, 552-9		36
489	Fiber-assisted emulsification microextraction coupled with gas chromatography-mass spectrometry for the determination of aromatic amines in aqueous samples. <i>Journal of Chromatography A</i> , 2014 , 1361, 16-22	4.5	6
488	Water-contained surfactant-based vortex-assisted microextraction method combined with liquid chromatography for determination of synthetic antioxidants from edible oil. <i>Journal of Chromatography A</i> , 2014 , 1361, 9-15	4.5	23
487	Dispersive liquid-liquid microextraction for the determination of phenols by acetonitrile stacking coupled with sweeping-micellar electrokinetic chromatography with large-volume injection. <i>Journal of Chromatography A</i> , 2014 , 1361, 291-8	4.5	22
486	Determination of lewisite metabolite 2-chlorovinylarsonous acid in urine by use of dispersive derivatization liquid-liquid microextraction followed by gas chromatography-mass spectrometry. 2014 , 406, 5221-30		17
485	Application of Solid-Phase Extraction Coupled with Dispersive Liquid-Liquid Microextraction for the Determination of Benzaldehyde in Injectable Formulation Solutions. 2014 , 77, 951-955		8
484	Ionic liquid based dispersive liquid-liquid microextraction followed by RP-HPLC determination of balofloxacin in rat serum. 2014 , 6, 1674		7
483	Pressurized liquid extraction and dispersive liquid-liquid microextraction for determination of tocopherols and tocotrienols in plant foods by liquid chromatography with fluorescence and atmospheric pressure chemical ionization-mass spectrometry detection. 2014 , 119, 98-104		52
482	Feasibility of corona discharge ion mobility spectrometry for direct analysis of samples extracted by dispersive liquid-liquid microextraction. <i>Journal of Chromatography A</i> , 2014 , 1343, 63-8	4.5	27
481	Rapid extraction and determination of amphetamines in human urine samples using dispersive liquid-liquid microextraction and solidification of floating organic drop followed by high performance liquid chromatography. 2014 , 94, 145-51		76
480	A simple method for benzoyl chloride derivatization of biogenic amines for high performance liquid chromatography. 2014 , 6, 1482		30
479	Solid-phase extraction combined with dispersive liquid-liquid microextraction for the spectrophotometric determination of ultra-trace amounts of azide ion in water samples. 2014 , 6, 5784-5791		2
478	A novel method based on combining ultrasonic-assisted dispersive solid-phase extraction and low-density solvent dispersive liquid-liquid microextraction (UA-DSPE-LDS-DLLME) for the determination of organophosphorus pesticides in soil. 2014 , 6, 7335-7342		16
477	A review of the extraction and chromatographic determination methods for the analysis of parabens. 2014 , 969, 139-48		55

476	Advances in the Analysis of Challenging Food Contaminants: Nanoparticles, Bisphenols, Mycotoxins, and Brominated Flame Retardants. 2014 , 8, 35-105	12
475	Application of modern sample preparation techniques to the determination of chloropropanols in food samples. 2014 , 62, 173-183	16
474	Nanostructured solvent based microextraction followed by a novel strategy for online phase separation coupled with HPLC for determination of ethinyl estradiol. 2014 , 6, 2936	9
473	Determination of fenvalerate in tomato by ultrasound-assisted solvent extraction combined with dispersive liquid-liquid microextraction. 2014 , 52, 944-9	9
472	Determination of pyrethroid pesticides residues in vegetable oils using liquid-liquid extraction and dispersive liquid-liquid microextraction followed by gas chromatography-flame ionization detection. 2014 , 34, 128-135	65
471	HOMOGENEOUS LIQUID-LIQUID MICROEXTRACTION VIA FLOTATION ASSISTANCE FOLLOWED BY HIGH-PERFORMANCE LIQUID CHROMATOGRAPHY AS AN EFFICIENT AND SENSITIVE TECHNIQUE FOR THE DETERMINATION OF ABAMECTIN IN AQUATIC SAMPLES. 2014 , 37, 2559-2570	3
470	Sensitive quantitation of polyamines in plant foods by ultrasound-assisted benzoylation and dispersive liquid-liquid microextraction with the aid of experimental designs. 2014 , 62, 4276-84	16
469	Taguchi L32 Orthogonal Array Design for Evaluation of Three Dispersive Microextraction Methods: A Case Study for Determination of Methyl Methacrylate in Produced Water by DLLME, DLLME-SLW, DLLME-SFO. 2014 , 39, 53-66	5
468	Determination of pesticides and related compounds in water by dispersive liquid-liquid microextraction and gas chromatography-triple quadrupole mass spectrometry. 2014 , 6, 5020	13
467	Comparative study for determination of some polycyclic aromatic hydrocarbons (PAHs) by a new spectrophotometric method and multivariate calibration coupled with dispersive liquid-liquid extraction. 2014 , 133, 119-29	15
466	Applications of liquid-phase microextraction in the sample preparation of environmental solid samples. 2014 , 19, 6776-808	38
465	4 Liquid-phase Microextraction Techniques. 2014 , 191-252	2
464	Liquid-Phase Microextraction. 2015 , 1625-1658	
463	Analysis of Sudan I in Food by QuEChERS Combined with Ultrasound-assisted Dispersive Liquid-liquid Microextraction with Solidification of Floating Organic Drop (UADLLME-SFO) Prior to HPLC-PAD. 2015 , 21, 659-664	8
462	Response surface methodology for the optimization of dispersive liquid-liquid microextraction of chloropropanols in human plasma. 2015 , 38, 3428-34	6
461	Surfactant-assisted dispersive liquid-liquid microextraction of nitrazepam and lorazepam from plasma and urine samples followed by high-performance liquid chromatography with UV analysis. 2015 , 38, 3905-3913	17
460	Determination of N-nitrosamines by automated dispersive liquid-liquid microextraction integrated with gas chromatography and mass spectrometry. 2015 , 38, 1741-8	21
459	Nano polypyrrole-coated magnetic solid phase extraction followed by dispersive liquid phase microextraction for trace determination of megestrol acetate and levonorgestrel. 2015 , 885, 98-105	43

458	Sensitive monitoring of benzoylurea insecticides in water and juice samples treated with multiple monolithic fiber solid-phase microextraction and liquid chromatographic analysis. 2015 , 860, 29-36		48
457	Determination of tranexamic acid in various matrices using microwave-assisted derivatization followed by dispersive liquid-liquid microextraction. <i>Journal of Chromatography A</i> , 2015 , 1377, 35-45	4.5	10
456	A dispersive liquid-liquid micellar microextraction for the determination of pharmaceutical compounds in wastewaters using ultra-high-performance liquid chromatography with DAD detection. 2015 , 29, 353-6		7
455	Second-order calibration for the determination of fatty acids in pomegranate seeds by vortex-assisted extraction-dispersive liquid-liquid micro-extraction and gas chromatography-mass spectrometry. 2015 , 5, 11633-11643		11
454	Analysis of Methamphetamine in Human Urine Using Ionic Liquid Dispersive Liquid-Phase Microextraction Combined with HPLC. 2015 , 78, 515-520		22
453	Trace determination of lead, chromium and cadmium in herbal medicines using ultrasound-assisted emulsification microextraction combined with graphite furnace atomic absorption spectrometry. 2015 , 26, 209-14		27
452	Dispersive liquid-liquid microextraction combined with non-aqueous capillary electrophoresis for the determination of imazalil, prochloraz and thiabendazole in apples, cherry tomatoes and grape juice. 2015 , 95, 745-51		21
451	Low density solvent based dispersive liquid-liquid microextraction followed by vortex-assisted magnetic nanoparticle based solid-phase extraction and surfactant enhanced spectrofluorimetric detection for the determination of aflatoxins in pistachio nuts. 2015 , 5, 12747-12754		20
450	Determination of furfural and hydroxymethyl furfural from baby formula using dispersive liquid-liquid microextraction coupled with high performance liquid chromatography and method optimization by response surface methodology. 2015 , 40, 1-7		35
449	Vortex-assisted magnetic Cyclodextrin/attapulgate-linked ionic liquid dispersive liquid-liquid microextraction coupled with high-performance liquid chromatography for the fast determination of four fungicides in water samples. <i>Journal of Chromatography A</i> , 2015 , 1381, 37-47	4.5	43
448	Determination of parabens in human milk and other food samples by capillary electrophoresis after dispersive liquid-liquid microextraction with back-extraction. 2015 , 181, 1-8		60
447	Dispersive Liquid-Liquid Microextraction Combined With Micellar Electrokinetic Chromatography for the Determination of Some Photoinitiators in Fruit Juice. 2015 , 8, 973-981		3
446	In-coupled syringe assisted octanol-water partition microextraction coupled with high-performance liquid chromatography for simultaneous determination of neonicotinoid insecticide residues in honey. 2015 , 139, 21-6		33
445	One-step extraction and concentration of estrogens for an adequate monitoring of wastewater using ionic-liquid-based aqueous biphasic systems. 2015 , 17, 2570-2579		40
444	In situ ionic liquid dispersive liquid-liquid microextraction and determination of Au(III) by flame atomic absorption spectrometry. 2015 , 12, 1391-1398		9
443	Determination of hormones, a plasticizer, preservatives, perfluoroalkylated compounds, and a flame retardant in water samples by ultrasound-assisted dispersive liquid-liquid microextraction based on the solidification of a floating organic drop. 2015 , 143, 335-343		45
442	Exploitation of pulsed flows for on-line dispersive liquid-liquid microextraction: Spectrophotometric determination of formaldehyde in milk. 2015 , 144, 1189-94		36
441	Dispersive liquid-liquid microextraction: An efficient approach for the extraction of Cd and Pb from honey and determination by flame atomic absorption spectrometry. 2015 , 123, 211-217		38

- 440 Fast Analytical Techniques Based on Microextraction. **2015**, 67, 85-134 7
- 439 Application of an Ultrasound-assisted Polymer Surfactant-enhanced Emulsification Microextraction for Determination of Aromatic Amines in Water Sample. **2015**, 43, 957-963 9
- 438 In-situ suspended aggregate microextraction: A sample preparation approach for the enrichment of organic compounds in aqueous solutions. *Journal of Chromatography A*, **2015**, 1408, 63-71 4.5 7
- 437 Lead preconcentration as rac-(E,E)-N,N'-bis(2-chlorobenzylidene)cyclohexane-1,2-diamine complexes from water and tobacco samples by dispersive liquid-liquid microextraction. **2015**, 70, 691-695 9
- 436 Recent achievements in solidified floating organic drop microextraction. **2015**, 68, 48-77 73
- 435 Dispersive liquid-liquid microextraction combined with laser-induced breakdown spectrometry and inductively coupled plasma optical emission spectrometry to elemental analysis. **2015**, 121, 219-226 35
- 434 Ionic Liquid-Based Ultrasonic-Assisted Extraction Combined with HPLC/MS/MS for the Determination of Seven Mercapturic Acids in Human Urine. **2015**, 78, 641-648 10
- 433 Supercritical fluid extraction combined with ultrasound-assisted dispersive liquid-liquid microextraction for analyzing alkylphenols in soil samples. **2015**, 12, 1287-1292 8
- 432 Application of cinnamoyl derivative as a new ligand for dispersive liquid-liquid microextraction and spectrophotometric determination of cobalt. **2015**, 70, 298-304 11
- 431 Perspectives on the replacement of harmful organic solvents in analytical methodologies: a framework toward the implementation of a generation of eco-friendly alternatives. **2015**, 17, 3687-3705 150
- 430 Vortex-assisted liquid-liquid-liquid microextraction (VALLLME) technique: A new microextraction approach for direct liquid chromatography and capillary electrophoresis analysis. **2015**, 143, 394-401 20
- 429 Microextraction methods for the determination of phthalate esters in liquid samples: A review. **2015**, 38, 2470-87 39
- 428 Zeolitic imidazolate framework dispersions for the fast and highly efficient extraction of organic micropollutants. **2015**, 5, 28203-28210 27
- 427 Determination of estrogenic mycotoxins in environmental water samples by low-toxicity dispersive liquid-liquid microextraction and liquid chromatography-tandem mass spectrometry. *Journal of Chromatography A*, **2015**, 1391, 1-8 4.5 25
- 426 Solid phase microextraction of diclofenac using molecularly imprinted polymer sorbent in hollow fiber combined with fiber optic-linear array spectrophotometry. **2015**, 147, 26-30 38
- 425 Magnetic silica nanomaterials for solid-phase extraction combined with dispersive liquid-liquid microextraction of ultra-trace quantities of plasticizers. **2015**, 182, 1491-1499 28
- 424 Determination of Urinary PAH Metabolites Using DLLME Hyphenated to Injector Port Silylation and GC-MS-MS. **2015**, 39, 365-73 30
- 423 Dispersive liquid-liquid microextraction: trends in the analysis of biological samples. **2015**, 7, 2211-25 27

422	Analysis of oxybutynin and N-desethyloxybutynin in human urine by dispersive liquid-liquid microextraction (DLLME) and capillary electrophoresis (CE). 2015 , 7, 8763-8770		6
421	Rapid screening of haloacetamides in water using salt-assisted liquid-liquid extraction coupled injection-port silylation gas chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2015 , 1422, 340-344	4-5	15
420	Magnetic nanoparticle based dispersive micro-solid-phase extraction for the determination of malachite green in water samples: optimized experimental design. 2015 , 39, 9813-9823		132
419	Low density solvent based dispersive liquid-liquid microextraction and preconcentration of multiresidue pesticides in environmental waters for liquid chromatographic analysis. 2015 , 70, 1199-1206		12
418	Analytical methods for the assessment of endocrine disrupting chemical exposure during human fetal and lactation stages: a review. 2015 , 892, 27-48		49
417	Ionic liquid dispersive microextraction and spectrophotometric determination of trace uranyl ion in water samples. 2015 , 306, 385-392		4
416	Dispersive Liquid-Liquid Microextraction for the Preconcentration of Multiple Classes of Pesticides in Water. 2015 , 48, 2754-2772		13
415	Derivatization in gas chromatographic determination of phenol and aniline traces in aqueous media. 2015 , 84, 653-664		1
414	Progress of Extraction Solvent Dispersion Strategies for Dispersive Liquid-liquid Microextraction. 2015 , 43, 1231-1240		23
413	Applications of Experimental Design to the Optimization of Microextraction Sample Preparation Parameters for the Analysis of Pesticide Residues in Fruits and Vegetables. 2015 , 98, 1171-85		8
412	Optimized Dispersive Liquid-Liquid Microextraction Method and High Performance Liquid Chromatography with Ultraviolet Detection for Simultaneous Determination of Sorbic and Benzoic Acids and Evaluation of Contamination of These Preservatives in Iranian Foods. 2015 , 98, 962-70		10
411	Analysis of drugs of abuse in human plasma by dispersive liquid-liquid microextraction and high-performance liquid chromatography. 2015 , 35, 418-25		30
410	A Rapid and Sensitive Method for Semicarbazide Screening in Foodstuffs by HPLC with Fluorescence Detection. 2015 , 8, 1804-1811		17
409	Solvent Extraction. 2015 , 131-189		3
408	Latest approaches on green chemistry preconcentration methods for trace metal determination in seawater--a review. 2015 , 151, 44-55		34
407	Determination of five antiarrhythmic drugs in human plasma by dispersive liquid-liquid microextraction and high-performance liquid chromatography. 2015 , 134, 681-689		53
406	Ultrasound assisted microextraction-nano material solid phase dispersion for extraction and determination of thymol and carvacrol in pharmaceutical samples: experimental design methodology. 2015 , 975, 34-9		43
405	Rapid Monitoring and Determination of Class 1 Residual Solvents in Pharmaceuticals Using Dispersive Liquid-Liquid Microextraction and Gas Chromatography-Mass Spectrometry. 2015 , 53, 1020-5		16

404	Rapid determination of nitrosamines in sausage and salami using microwave-assisted extraction and dispersive liquid-liquid microextraction followed by gas chromatography-mass spectrometry. 2015 , 240, 441-450	40
403	Ionic Liquid-Magnetic Nanoparticle Microextraction of Safranin T in Food Samples. 2015 , 8, 541-548	12
402	Determination of Mercury in Food and Water Samples by Displacement-Dispersive Liquid-Liquid Microextraction Coupled with Graphite Furnace Atomic Absorption Spectrometry. 2015 , 8, 236-242	16
401	Rapid and sensitive analysis of nine fungicide residues in chrysanthemum by matrix extraction-vortex-assisted dispersive liquid-liquid microextraction. 2015 , 975, 9-17	23
400	Liquid Phase Microextraction Techniques as a Sample Preparation Step for Analysis of Pesticide Residues in Food. 2015 , 44, 1-18	30
399	Vortex-assisted low density solvent liquid-liquid microextraction and salt-induced demulsification coupled to high performance liquid chromatography for the determination of five organophosphorus pesticide residues in fruits. 2015 , 132, 769-74	75
398	Microwave-assisted of dispersive liquid-liquid microextraction and spectrophotometric determination of uranium after optimization based on Box-Behnken design and chemometrics methods. 2015 , 135, 69-75	42
397	Dispersive liquid-liquid microextraction for metals enrichment: a useful strategy for improving sensitivity of laser-induced breakdown spectroscopy in liquid samples analysis. 2015 , 131, 348-53	61
396	Vortex-assisted ionic liquid dispersive liquid-liquid microextraction for the determination of sulfonyleurea herbicides in wine samples by capillary high-performance liquid chromatography. 2015 , 170, 348-53	61
395	A novel hydrogel based microextraction of analytes. 2016 , 20, S624-S631	2
394	Recent Advances in Analysis of Pesticides in Food and Drink Samples Using LPME Techniques Coupled to GC-MS and LC-MS: a Review. 2016 , 99, 1383-1394	22
393	Determination of Levetiracetam in Human Plasma by Dispersive Liquid-Liquid Microextraction Followed by Gas Chromatography-Mass Spectrometry. 2016 , 2016, 5976324	7
392	Contaminants in the Marine Environment. 2016 , 1-34	6
391	Microstructure-Enhanced Liquid-Liquid Extraction in a Real-Time Fluorescence Detection Microfluidic Chip. 2016 , 7,	7
390	Dispersive Liquid-Liquid Microextraction Combined with High-Performance Liquid Chromatography for the Simultaneous Analysis of Matrine Alkaloids in Traditional Chinese Medicine. 2016 , 54, 1687-1693	5
389	Towards controlled liquid-liquid microextraction. 2016 , 804, 1-4	13
388	Dispersive liquid-liquid microextraction with back extraction using an immiscible organic solvent for determination of benzodiazepines in water, urine, and plasma samples. 2016 , 6, 114198-114207	4
387	Ion-association dispersive liquid-liquid microextraction of ultra-trace amount of gold in water samples using Aliquat 336 prior to inductively coupled plasma atomic emission spectrometry determination. 2016 , 7,	5

386	Measurement of selected polychlorinated biphenyls (PCBs) in water via ultrasound assisted emulsification-microextraction (USAEME) using low-density organic solvents. 2016 , 14, 214-22		10
385	Analytical Methods for Pesticide Detection in Foodstuffs. 2016 , 221-269		3
384	A fast method for bisphenol A and six analogues (S, F, Z, P, AF, AP) determination in urine samples based on dispersive liquid-liquid microextraction and liquid chromatography-tandem mass spectrometry. 2016 , 154, 511-9		78
383	Dispersive liquid-liquid microextraction for simultaneous preconcentration of platinum group elements (Pd, Os, Ir, and Pt) and selected transition elements (Ag, Cd, Ta, and Re) at parts per trillion levels in water and their determination by inductively coupled plasma-mass spectrometry. 2016 , 154, 511-9		13
382	A sensitive and efficient method for the determination of 8 chlorophenoxy acid herbicides in crops by dispersive liquid-liquid microextraction and HPLC with fluorescence detection and identification by MS. 2016 , 8, 3536-3544		8
381	Development of Solid-Phase Extraction Coupled with Dispersive Liquid-Liquid Microextraction Method for the Simultaneous Determination of Three Benzodiazepines in Human Urine and Plasma. 2016 , 54, 1068-73		12
380	Application of multicriteria decision analysis in solvent type optimization for chlorophenols determination with a dispersive liquid-liquid microextraction. <i>Journal of Chromatography A</i> , 2016 , 1446, 21-6	4.5	20
379	Simultaneous determination of 12 pharmaceuticals in water samples by ultrasound-assisted dispersive liquid-liquid microextraction coupled with ultra-high performance liquid chromatography with tandem mass spectrometry. 2016 , 408, 8099-8109		33
378	Tailor-made approach for selective isolation and elution of low-density lipoproteins by immunoaffinity sorbent on silica. 2016 , 514, 12-23		7
377	Effervescence-assisted dispersive liquid-liquid microextraction based on the solidification of a floating ionic liquid with a special collection method for the rapid determination of benzoylurea insecticides in water samples. 2016 , 6, 95283-95291		24
376	Large Scale Flow-Mediated Formation and Potential Applications of Surface Nanodroplets. 2016 , 8, 22679-87		19
375	Development of a microfluidic-chip system for liquid-phase microextraction based on two immiscible organic solvents for the extraction and preconcentration of some hormonal drugs. 2016 , 160, 592-599		23
374	Recent advances in the analysis of TBBPA/TBBPS, TBBPA/TBBPS derivatives and their transformation products. 2016 , 83, 14-24		41
373	Development and application of ultrasound-assisted microextraction to analysis of fenitrothion in environmental samples. 2016 , 408, 7473-9		1
372	Faster dispersive liquid-liquid microextraction methods using magnetic ionic liquids as solvents. <i>Journal of Chromatography A</i> , 2016 , 1463, 11-9	4.5	62
371	Quantification of free auxins in semi-hardwood plant cuttings and microshoots by dispersive liquid-liquid microextraction/microwave derivatization and GC/MS analysis. 2016 , 8, 6089-6098		4
370	Solid-phase extraction combined with dispersive liquid-liquid microextraction and chiral liquid chromatography-tandem mass spectrometry for the simultaneous enantioselective determination of representative proton-pump inhibitors in water samples. 2016 , 408, 6381-92		25
369	Capillary electrochromatography coupled with dispersive liquid-liquid microextraction for the analysis of benzimidazole residues in water samples. 2016 , 161, 8-14		16

- 368 Simultaneous separation and preconcentration of ultra-trace of Cu(II), Pb(II) and Zn(II) in water samples by air-assisted liquid-liquid microextraction prior to determination by graphite furnace atomic absorption spectrometry. **2016**, 13, 2219-2227 8
- 367 Miniaturization of aqueous two-phase extraction for biological applications: From micro-tubes to microchannels. **2016**, 11, 1498-1512 21
- 366 Sol-gel coating of poly(ethylene glycol)-grafted multiwalled carbon nanotubes for stir bar sorptive extraction and its application to the analysis of polycyclic aromatic hydrocarbons in water. **2016**, 39, 3445-56 23
- 365 Effects of ultrasonic processing on degradation of salvianolic acid B in aqueous solution. **2016**, 129, 252-259 4
- 364 Electrochemical immunosensor based on gold nanoparticles deposited on a conductive polymer to determine estrone in water samples. **2016**, 129, 71-77 20
- 363 Bio-sorption based dispersive liquid-liquid microextraction for the highly efficient enrichment of trace-level bisphenol A from water samples prior to its determination by HPLC. **2016**, 1028, 186-191 18
- 362 Combination of homogenous liquid-liquid extraction and dispersive liquid-liquid microextraction for extraction and preconcentration of amantadine from biological samples followed by its indirect determination by flame atomic absorption spectrometry. **2016**, 6, 108603-108610 39
- 361 Application of multiwalled carbon nanotubes for the preconcentration and determination of organochlorine pesticides in water samples by gas chromatography with mass spectrometry. **2016**, 39, 4219-4226 20
- 360 Simultaneous determination of nitroimidazoles and amphenicol antibiotics in water samples using ultrasound-assisted dispersive liquid-liquid microextraction coupled with ultra-high-performance liquid chromatography with tandem mass spectrometry. **2016**, 8, 8219-8226 9
- 359 Application of tandem dispersive liquid-liquid microextraction for the determination of doxepin, citalopram, and fluvoxamine in complicated samples. **2016**, 39, 4828-4834 15
- 358 Determination of metal ions in tea samples using task-specific ionic liquid-based ultrasound-assisted dispersive liquid-liquid microextraction coupled to liquid chromatography with ultraviolet detection. **2016**, 39, 1411-7 25
- 357 Preconcentration of valsartan by dispersive liquid-liquid microextraction based on solidification of floating organic drop and its determination in urine sample: Central composite design. **2016**, 39, 1935-44 15
- 356 Bioanalytical challenge: A review of environmental and pharmaceuticals contaminants in human milk. **2016**, 130, 318-325 13
- 355 Ionic liquid-based fluorescence sensing paper: rapid, ultrasensitive, and in-site detection of methamphetamine in human urine. **2016**, 6, 52372-52376 9
- 354 Dispersive liquid-liquid microextraction for the determination of nitrophenols in soils by microval insert large volume injection-gas chromatography-mass spectrometry. *Journal of Chromatography A*, **2016**, 1456, 27-33 4.5 18
- 353 Baseline-Corrected Second-Order Derivative Electroanalysis Combined With Ultrasound-Assisted Liquid-Liquid Microextraction: Simultaneous Quantification of Fluoroquinolones at Low Levels. **2016**, 88, 6554-62 10
- 352 Determination of Vanillin in Milk Powder by Capillary Electrophoresis Combined with Dispersive Liquid-Liquid Microextraction. **2016**, 9, 1706-1712 27
- 351 Using β -cyclodextrin/attapulgite-immobilized ionic liquid as sorbent in dispersive solid-phase microextraction to detect the benzoylurea insecticide contents of honey and tea beverages. **2016**, 197 Pt B, 1064-72 48

350	A novel vortex-assisted liquid-liquid microextraction approach using auxiliary solvent: Determination of iodide in mineral water samples. 2016 , 149, 110-116		21
349	Automated Agitation-Assisted Demulsification Dispersive Liquid-Liquid Microextraction. 2016 , 88, 2548-52		31
348	Solid-Phase Extraction Combined with Dispersive Liquid-Liquid Microextraction for the Simultaneous Determination of Deltamethrin and Permethrin in Honey by Gas Chromatography-Mass Spectrometry. 2016 , 9, 2613-2620		11
347	Salt-induced ionic liquid dispersive liquid-liquid microextraction and filter separation. 2016 , 8, 1096-1102		13
346	Optimization of ultrasound assisted dispersive liquid-liquid microextraction of six antidepressants in human plasma using experimental design. 2016 , 124, 189-197		40
345	Tandem air-agitated liquid-liquid microextraction as an efficient method for determination of acidic drugs in complicated matrices. 2016 , 917, 44-52		48
344	Tandem dispersive liquid-liquid microextraction as an efficient method for determination of basic drugs in complicated matrices. <i>Journal of Chromatography A</i> , 2016 , 1429, 13-21	4-5	48
343	Application of hollow fiber liquid phase microextraction and dispersive liquid-liquid microextraction techniques in analytical toxicology. 2016 , 24, 264-276		89
342	Development of on-line molecularly imprinted solid phase extraction-liquid chromatography-mass spectrometry for triazine analysis in corn samples. 2016 , 8, 1181-1186		24
341	Hydrophilic interaction chromatography combined with dispersive liquid-liquid microextraction as a preconcentration tool for the simultaneous determination of the panel of underivatized neurotransmitters in human urine samples. <i>Journal of Chromatography A</i> , 2016 , 1431, 111-121	4-5	40
340	Acid-base reaction-based dispersive liquid-liquid microextraction method for extraction of three classes of pesticides from fruit juice samples. <i>Journal of Chromatography A</i> , 2016 , 1431, 8-16	4-5	10
339	Determination of Rhodamine B in Food Using Ionic Liquid-Coated Multiwalled Carbon Nanotube-Based Ultrasound-Assisted Dispersive Solid-Phase Microextraction Followed by High-Performance Liquid Chromatography. 2016 , 9, 1696-1705		25
338	Determination of free (unconjugated) amphetamine-type stimulants in urine samples by dispersive liquid-liquid microextraction and gas chromatography coupled to mass spectrometry (DLLME-GC-MS). 2016 , 125, 230-235		19
337	Dispersive liquid-liquid microextraction coupled with single-drop microextraction for the fast determination of sulfonamides in environmental water samples by high performance liquid chromatography-ultraviolet detection. 2016 , 8, 517-525		25
336	One-step displacement dispersive liquid-liquid microextraction coupled with graphite furnace atomic absorption spectrometry for the selective determination of methylmercury in environmental samples. 2016 , 149, 1-5		16
335	Development and application of a dispersive liquid-liquid microextraction method for the determination of tetracyclines in beef by liquid chromatography mass spectrometry. 2016 , 148, 321-8		48
334	Novel analytical procedure using a combination of hollow fiber supported liquid membrane and dispersive liquid-liquid microextraction for the determination of aflatoxins in soybean juice by high performance liquid chromatography - Fluorescence detector. 2016 , 196, 292-300		33
333	Ultrasonically treated liquid interfaces for progress in cleaning and separation processes. 2016 , 18, 21-46		43

- 332 Determination of Carbamate Insecticides in Water, Fruit, and Vegetables by Ultrasound-Assisted Dispersive Liquid-Liquid Microextraction and High-Performance Liquid Chromatography. **2016**, 49, 753-767 19
- 331 Preconcentration and Simultaneous Determination of Heterocyclic Aromatic Amines in Grilled Pork Samples by Ion-Pair-Based Surfactant-Assisted Dispersive Liquid-Liquid Microextraction and High-Performance Liquid Chromatography. **2016**, 9, 1120-1127 19
- 330 Ion-pair dispersive liquid-liquid microextraction solidification of floating organic droplets method for the rapid and sensitive detection of phenolic acids in wine samples using liquid chromatography combined with a core-shell particle column. **2016**, 45, 73-79 15
- 329 Dispersive Liquid-Liquid Microextraction for the Determination of Emerging Fusarium Mycotoxins in Water. **2016**, 9, 856-862 10
- 328 Development of a new extraction method based on counter current salting-out homogenous liquid-liquid extraction followed by dispersive liquid-liquid microextraction: Application for the extraction and preconcentration of widely used pesticides from fruit juices. **2016**, 146, 772-9 43
- 327 Dispersive liquid-liquid microextraction based on solidification of floating organic drop and high-performance liquid chromatography to the analysis of cocaine & major adulterants in human urine. **2017**, 376, 102-112 23
- 326 Determination of N-nitrosodiethanolamine in cosmetic products by reversed-phase dispersive liquid-liquid microextraction followed by liquid chromatography. **2017**, 166, 81-86 9
- 325 New procedure for the examination of the degradation of volatile organonitrogen compounds during the treatment of industrial effluents. **2017**, 40, 1301-1309 19
- 324 Spectrophotometric monitoring of nitrite in seawater after liquid microextraction of its derivative with 2,3-diaminonaphthalene. **2017**, 52, 11-17 8
- 323 Ultrasound assisted dispersive liquid-liquid microextraction coupled with high performance liquid chromatography designated for bioavailability studies of felodipine combinations in rat plasma. **2017**, 1046, 200-210 9
- 322 Rapid characterization of trace aflatoxin B in groundnuts, wheat and maize by dispersive liquid-liquid microextraction followed by direct electrospray probe tandem mass spectrometry. **2017**, 31, 728-736 7
- 321 Centrifuge-free dispersive liquid-liquid microextraction based on the salting-out effect followed by high performance liquid chromatography for simple and sensitive determination of polycyclic aromatic hydrocarbons in water samples. **2017**, 9, 1732-1740 14
- 320 In Situ and in Operando Characterization of Mixing Dynamics in Liquid-Phase Reactions by Xe NMR Spectroscopy. **2017**, 18, 1513-1516
- 319 Ultrasound-assisted dispersive liquid-liquid microextraction for the determination of seven recreational drugs in human whole blood using gas chromatography-mass spectrometry. **2017**, 1046, 177-184 36
- 318 A new tunable dispersive liquid-liquid micro extraction method developed for the simultaneous preconcentration of lead and cadmium from lakes water: a multivariate study. **2017**, 183, 417-424 13
- 317 Dispersive liquid-liquid microextraction as an effective preanalytical step for the determination of estradiol in human urine. **2017**, 40, 2620-2628 20
- 316 Determination of chlorophenols in water using dispersive liquid-liquid microextraction coupled with water-in-oil microemulsion electrokinetic chromatography in normal stacking mode. **2017**, 40, 2662-2670 14
- 315 Solid-phase extraction assisted dispersive liquid-liquid microextraction based on solidification of floating organic droplet to determine sildenafil and its analogues in dietary supplements. **2017**, 40, 3120-3129 5

314	Application of Ultrasound-Assisted Surfactant-Enhanced Emulsification Microextraction Based on Solidification of Floating Organic Droplets and High Performance Liquid Chromatography for Preconcentration and Determination of Alprazolam and Chlordiazepoxide in Human Serum Samples. 2017 , 55, 669-675			3
313	Simultaneous determination of pyrethroids and pyrethrins by dispersive liquid-liquid microextraction and liquid chromatography triple quadrupole mass spectrometry in environmental samples. 2017 , 409, 4787-4799			23
312	Dispersive liquid-liquid microextraction for the determination of menthol residue in fish by GCMS. 2017 , 133, 70-75			9
311	Modified dispersive solid-liquid microextraction coupled to HPLC and application of experimental design methodology to determine the trace amount of levothyroxine in human real samples. 2017 , 133, 417-422			3
310	Comparison of green sample preparation techniques in the analysis of pyrethrins and pyrethroids in baby food by liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2017 , 1497, 28-37	4-5		33
309	An overview of advances in dispersive liquid-liquid microextraction for the extraction of pesticides and emerging contaminants from environmental samples. 2017 , 14, 1-18			58
308	Rapid determination of some psychotropic drugs in complex matrices by tandem dispersive liquid-liquid microextraction followed by high performance liquid chromatography. 2017 , 1052, 51-59			15
307	Dispersive liquid-liquid microextraction coupled with digital image colorimetric analysis for detection of total iron in water and food samples. 2017 , 230, 667-672			26
306	Evaluation of various approaches to the isolation of steroid hormones from urine samples prior to FASS-MEKC analysis. 2017 , 38, 1632-1643			6
305	Rapid and sensitive analysis of polychlorinated biphenyls and acrylamide in food samples using ionic liquid-based in situ dispersive liquid-liquid microextraction coupled to headspace gas chromatography. <i>Journal of Chromatography A</i> , 2017 , 1481, 1-11	4-5		50
304	Toxicology: GCMS. 2017 , 131-163			6
303	Development of supramolecular solvent based microextraction prior to high performance liquid chromatography for simultaneous determination of phenols in environmental water. 2017 , 7, 50143-50149			22
302	Polycyclic aromatic hydrocarbons as model solutes for carbon nanomaterials in ionic liquids. 2017 , 19, 27694-27703			8
301	Development of a simple and valid method for the trace determination of phthalate esters in human plasma using dispersive liquid-liquid microextraction coupled with gas chromatography-mass spectrometry. 2017 , 40, 4403-4410			19
300	Universal nanodroplet branches from confining the Ouzo effect. 2017 , 114, 10332-10337			36
299	Supramolecular-based solvent microextraction of carbaryl in water samples followed by high performance liquid chromatography determination. 2017 , 1-13			1
298	Deep eutectic solvent-based ultrasound-assisted dispersive liquid-liquid microextraction coupled with high-performance liquid chromatography for the determination of ultraviolet filters in water samples. <i>Journal of Chromatography A</i> , 2017 , 1516, 1-8	4-5		78
297	Application of solvent demulsification dispersive liquid-liquid microextraction for nicotine and cotinine measurement in human urine combined with hydrophilic interaction chromatography tandem mass spectrometry. 2017 , 9, 4311-4318			4

296	Ligandless, Task-Specific Ionic Liquid-Based Ultrasound-Assisted Dispersive Liquid-Liquid Microextraction for the Determination of Cobalt Ions by Electrothermal Atomic Absorption Spectrometry. 2017 , 50, 2884-2899	13
295	A simple method for point-of-need extraction, concentration and rapid multi-mycotoxin immunodetection in feeds using aqueous two-phase systems. <i>Journal of Chromatography A</i> , 2017 , 1511, 15-24	4.5 15
294	The impact of estrogens on aquatic organisms and methods for their determination. 2017 , 47, 909-963	24
293	Characterization of Deep Eutectic Solvents for Dispersive Liquid-Liquid Microextraction for Phenolics. 2017 , 50, 2177-2188	7
292	In situ solvent formation microextraction combined with magnetic dispersive micro-solid-phase extraction for the determination of benzoylurea insecticides in water samples. 2017 , 40, 442-448	18
291	Ultrasound-Assisted Upper Liquid Microextraction Coupled to Molecular Fluorescence for Detection of Bisphenol A in Commercial Beverages. 2017 , 10, 1575-1581	5
290	Determination of emerging contaminants in aqueous matrices with hollow fiber-supported dispersive liquid-liquid microextraction (HF-DLLME) and separation/detection by liquid chromatography-Diode array detection. 2017 , 130, 371-376	18
289	Dispersive liquid-liquid microextraction based on solidification of floating organic drop and fluorescence detection for the determination of nitrated polycyclic aromatic hydrocarbons in aqueous samples. 2017 , 131, 1-8	49
288	Automation of dispersive liquid-liquid microextraction and related techniques. Approaches based on flow, batch, flow-batch and in-syringe modes. 2017 , 86, 39-55	68
287	Sample pre-treatment techniques for use with ICP-MS hyphenated techniques for elemental speciation in biological samples. 2017 , 32, 58-77	23
286	Quick, Easy, Cheap, Effective, Rugged, and Safe Method Followed by Ionic Liquid-Dispersive Liquid-Liquid Microextraction for the Determination of Trace Amount of Bisphenol A in Canned Foods. 2017 , 10, 764-772	25
285	In-syringe dispersive liquid-liquid microextraction based on the solidification of ionic liquids for the determination of benzoylurea insecticides in water and tea beverage samples. 2017 , 162, 625-633	56
284	Ultrasound-Assisted Extraction Followed by Solid-Phase Extraction Followed by Dispersive Liquid-Liquid Microextraction for the Sensitive Determination of Diazinon and Chlorpyrifos in Rice. 2017 , 10, 885-891	12
283	Sensitive determination of melamine in milk and powdered infant formula samples by high-performance liquid chromatography using dabsyl chloride derivatization followed by dispersive liquid-liquid microextraction. 2017 , 221, 139-146	36
282	Monitoring trihalomethanes in chlorinated waters using a dispersive liquid-liquid microextraction method with a non-chlorinated organic solvent and gas chromatography-mass spectrometry. 2017 , 38, 718-729	2
281	Development of a dispersive liquid-liquid microextraction (DLLME) method coupled with GC/MS as a simple and valid method for simultaneous determination of phthalate metabolites in plasma. 2017 , 97, 1362-1377	6
280	Extraction and determination of Rose Bengal in water samples by dispersive liquid-liquid microextraction coupled to UV-Vis spectrophotometry. 2017 , 10, S2518-S2522	15
279	Liquid-Phase Microextraction. 2017 ,	2

278	Sample preparation for liquid chromatography. 2017 , 1-37	5
277	Simple and Rapid Dual-Dispersive Liquid-Liquid Microextraction as an Innovative Extraction Method for Uranium in Real Water Samples Prior to the Determination of Uranium by a Spectrophotometric Technique. 2017 , 100, 1848-1853	7
276	Response to Comment on salt-assisted dispersion effects in dispersive liquid-liquid microextraction of haloacetonitriles. <i>Journal of Chromatography A</i> , 2018 , 1551, 76	4-5
275	Solid phase microextraction method using a novel polystyrene oleic acid imidazole polymer in micropipette tip of syringe system for speciation and determination of antimony in environmental and food samples. 2018 , 184, 115-121	22
274	Development of a new pH assisted homogeneous liquid-liquid microextraction by a solvent with switchable hydrophilicity: Application for GC-MS determination of methamphetamine. 2018 , 184, 103-108	45
273	Temperature-controlled liquid-liquid microextraction combined with high-performance liquid chromatography for the simultaneous determination of diazinon and fenitrothion in water and fruit juice samples. 2018 , 41, 2411-2418	16
272	Gas chromatography-mass spectrometry determination of polycyclic aromatic hydrocarbons in baby food using QuEChERS combined with low-density solvent dispersive liquid-liquid microextraction. 2018 , 257, 44-52	42
271	Solvent-terminated dispersive liquid-liquid microextraction: a tutorial. 2018 , 1016, 1-11	33
270	Determination of nitrated and oxygenated polycyclic aromatic hydrocarbons in water samples by a liquid-liquid phase microextraction procedure based on the solidification of a floating organic drop followed by solvent assisted back-extraction and liquid chromatography-tandem mass spectrometry. 2018 , 139, 164-173	24
269	Comment on Salt-assisted dispersive liquid-liquid microextraction coupled with programmed temperature vaporization gas chromatography-mass spectrometry for the determination of haloacetonitriles in drinking water. <i>Journal of Chromatography A</i> , 2018 , 1551, 75	4-5
268	Development of an ultrasonic-assisted restricted access supramolecular solvent-based liquid phase microextraction (UA-RAS-LPME) method for separation-preconcentration and UV-VIS spectrophotometric detection of curcumin. 2018 , 53, 2612-2621	11
267	Pre-concentration and determination of cadmium and lead ions in real water, soil and food samples using a simple and sensitive green solvent-based ultrasonic assisted dispersive liquid-liquid microextraction and graphite furnace atomic absorption spectrometry. 2018 , 10, 2041-2047	18
266	Implementation of multicriteria decision analysis in design of experiment for dispersive liquid-liquid microextraction optimization for chlorophenols determination. <i>Journal of Chromatography A</i> , 2018 , 1553, 25-31	4-5 11
265	Dispersive liquid-liquid microextraction for the quantification of venlafaxine in environmental waters. 2018 , 217, 71-77	15
264	Simultaneous enantiomeric analysis of eight pesticides in soils and river sediments by chiral liquid chromatography-tandem mass spectrometry. 2018 , 204, 210-219	35
263	Spectrophotometric determination of Hg(II) in water samples by dispersive liquid liquid microextraction with use ionic liquid after derivatization with a water soluble Fe(II) phthalocyanine. 2018 , 90, 331-339	5
262	Determination of free formaldehyde in cosmetics containing formaldehyde-releasing preservatives by reversed-phase dispersive liquid-liquid microextraction and liquid chromatography with post-column derivatization. <i>Journal of Chromatography A</i> , 2018 , 1543, 34-39	4-5 21
261	A review of methodology for the analysis of pyrethrin and pyrethroid residues in food of animal origin. 2018 , 35, 911-940	18

260	Rapid Determination of Non-steroidal Anti-inflammatory Drugs in Aquatic Matrices by Two-phase Micro-electrodriven Membrane Extraction Combined with Liquid Chromatography. 2018 , 56, 166-176	7
259	Recent Advances on Sample Preparation Procedures for Elemental Determination in Biodiesel. 2018 , 127-157	
258	Solvent-based de-emulsification dispersive liquid-liquid microextraction coupled with UPLC-MS/MS for the fast determination of ultratrace levels of nitrated and oxygenated polycyclic aromatic hydrocarbons in environmental samples. 2018 , 10, 910-919	6
257	Formation, growth and applications of femtoliter droplets on a microlens. 2018 , 20, 4226-4237	6
256	Fast, sensitive and reliable multi-residue method for routine determination of 34 pesticides from various chemical groups in water samples by using dispersive liquid-liquid microextraction coupled with gas chromatography-mass spectrometry. 2018 , 410, 1533-1550	35
255	Magnetic ionic liquids as versatile extraction phases for the rapid determination of estrogens in human urine by dispersive liquid-liquid microextraction coupled with high-performance liquid chromatography-diode array detection. 2018 , 410, 4689-4699	47
254	β-Cyclodextrin polymer@Fe ₃ O ₄ based magnetic solid-phase extraction coupled with HPLC for the determination of benzoylurea insecticides from honey, tomato, and environmental water samples. 2018 , 41, 1539-1547	19
253	Simultaneous determination of Brilliant Green and Crystal Violet dyes in fish and water samples with dispersive liquid-liquid micro-extraction using ionic liquid followed by zero crossing first derivative spectrophotometric analysis method. 2018 , 201, 134-142	20
252	Pre-concentration and Extraction of Aflatoxins from Rice Using Air-Assisted Dispersive Liquid-Liquid Microextraction. 2018 , 11, 2816-2821	8
251	Sample preparation procedure using extraction and derivatization of carboxylic acids from aqueous samples by means of deep eutectic solvents for gas chromatographic-mass spectrometric analysis. <i>Journal of Chromatography A</i> , 2018 , 1555, 10-19	4.5 53
250	Modern approaches in dispersive liquid-liquid microextraction (DLLME) based on ionic liquids: A review. 2018 , 259, 319-339	177
249	Formation of Multicomponent Surface Nanodroplets by Solvent Exchange. 2018 , 122, 8647-8654	23
248	Evaluation of stir-bar sorptive extraction coupled with thermal desorption GC-MS for the detection of leachables from polymer single use systems to drugs. 2018 , 152, 66-73	5
247	Determination of benzodiazepines in beverages using green extraction methods and capillary HPLC-UV detection. 2018 , 154, 492-500	15
246	A green deep eutectic solvent dispersive liquid-liquid micro-extraction (DES-DLLME) for the UHPLC-PDA determination of oxyprenylated phenylpropanoids in olive, soy, peanuts, corn, and sunflower oil. 2018 , 245, 578-585	78
245	Determination of parabens using two microextraction methods coupled with capillary liquid chromatography-UV detection. 2018 , 241, 411-418	26
244	Vortex assisted deep eutectic solvent (DES)-emulsification liquid-liquid microextraction of trace curcumin in food and herbal tea samples. 2018 , 243, 442-447	113
243	Application of the Ultrasonic-Assisted Extraction and Dispersive Liquid-Liquid Microextraction for the Analysis of AFB ₁ in Egg. 2018 , 11, 913-920	9

242	Emerging materials for sample preparation. 2018 , 41, 262-287	26
241	Application of Ultrasound-Assisted Extraction Followed by Solid-Phase Extraction Followed by Dispersive Liquid-Liquid Microextraction for the Determination of Chloramphenicol in Chicken Meat. 2018 , 11, 759-767	10
240	Development and validation of a high-performance liquid chromatography method for determination of lisinopril in human plasma by magnetic solid-phase extraction and pre-column derivatization. 2018 , 32, e4120	5
239	Trace determination of volatile polycyclic aromatic hydrocarbons in natural waters by magnetic ionic liquid-based stir bar dispersive liquid microextraction. 2018 , 176, 253-261	55
238	Coupling dispersive liquid-liquid microextraction to inductively coupled plasma atomic emission spectrometry: An oxymoron?. 2018 , 176, 374-381	15
237	Air-assisted liquid-liquid extraction coupled with dispersive liquid-liquid microextraction and a drying step for extraction and preconcentration of some phthalate esters from edible oils prior to their determination by GC. 2019 , 42, 736-743	3
236	Optimization of a dispersive liquid-liquid microextraction method followed by UHPLC analysis for fluoxetine quantification in environmental water resources. 2018 , 41, 4246-4252	1
235	Pharmaceutical applications of liquid-phase microextraction. 2018 , 108, 296-305	21
234	Ultrasound-Assisted Emulsification Microextraction in an Online System for Determination of Cadmium in Water and Tea Samples. 2018 , 101, 1647-1652	5
233	Response surface methodology for optimization and determination of Riluzole by microfunnel magnetic stirring-assisted liquid-liquid microextraction coupled with high-performance liquid chromatography. 2018 , 53, 2926-2934	
232	Electrospun nanofiber cloud for ultrafast solid phase micro-extraction of trace organics in water samples. <i>Journal of Chromatography A</i> , 2018 , 1574, 42-49	4-5 11
231	Trace enantioselective determination of triazole fungicides in honey by a sensitive and efficient method. 2018 , 74, 62-70	10
230	Ultrasound-assisted dispersive liquid-liquid microextraction followed by ion mobility spectrometry for the simultaneous determination of bendiocarb and azinphos-ethyl in water, soil, food and beverage samples. 2018 , 165, 459-466	25
229	Dispersive liquid-liquid microextraction based binary extraction techniques prior to chromatographic analysis: A review. 2018 , 108, 167-182	67
228	Magnetic extractant with an FeO@SiO core and aqueous ammonia coating for microextraction of petroleum acids. 2018 , 8, 19486-19493	8
227	Application of a surfactant-assisted dispersive liquid-liquid microextraction method along with central composite design for micro-volume based spectrophotometric determination of low level of Cr(VI) ions in aquatic samples. 2018 , 202, 36-40	21
226	Effective and sensitive determination of eleven disinfection byproducts in drinking water by DLLME and GC-MS. 2018 , 639, 208-216	16
225	Nanoparticle-templated hierarchically porous polymer/zeolitic imidazolate framework as a solid-phase microextraction coatings. <i>Journal of Chromatography A</i> , 2018 , 1567, 55-63	4-5 23

224	Oxidized multiwalled carbon nanotubes coated fibers for headspace solid-phase microextraction of amphetamine-type stimulants in human urine. 2018 , 290, 49-55		17
223	A novel magnetic multi-walled carbon nanotube-based magnetic solid-phase extraction combined with dispersive liquid-liquid microextraction method for the determination of four phenoxy carboxylic acid herbicides in food crops by using ultra-high performance liquid chromatography-tandem mass spectrometry. 2018 , 10, 3263-3272		12
222	Applications and opportunities of experimental design for the dispersive liquid-liquid microextraction method - A review. 2018 , 190, 335-356		86
221	Basic principles, recent trends and future directions of microextraction techniques for the analysis of aqueous environmental samples. 2018 , 19, e00060		42
220	2-Naphthalenthioal derivatization followed by dispersive liquid-liquid microextraction as an efficient and sensitive method for determination of acrylamide in bread and biscuit samples using high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 2018 , 1558, 14-20	4-5	26
219	Determination of indium using vortex assisted solid phase microextraction based on oleic acid coated magnetic nanoparticles combined with slotted quartz tube-flame atomic absorption spectrometry. 2018 , 141, 7-11		17
218	Analysis of opioids in postmortem urine samples by dispersive liquid-liquid microextraction and high performance liquid chromatography with photo diode array detection. 2018 , 8,		8
217	Pharmaceutical Analysis Sample Preparation. 2018 , 231-231		2
216	Sensitive targeted methods for brain metabolomic studies in microdialysis samples. 2018 , 161, 192-205		11
215	Determination of N-nitrosamines in cosmetic products by vortex-assisted reversed-phase dispersive liquid-liquid microextraction and liquid chromatography with mass spectrometry. 2018 , 41, 3143-3151		11
214	Development and validation of ultra high performance-liquid chromatography-tandem mass spectrometry based methods for the determination of neonicotinoid insecticides in honey. 2018 , 266, 215-222		21
213	Ultrasound-assisted emulsification microextraction combined with graphite furnace atomic absorption spectrometry for the chromium speciation in water samples. 2019 , 191, 94-102		17
212	State-of-the-art on the technique of dispersive liquid-liquid microextraction. 2019 , 51, 369-377		33
211	New Achievements in the Field of Extraction of Trace Analytes from Samples Characterized by Complex Composition of the Matrix. 2019 , 103-150		1
210	Ionic liquid-based water treatment technologies for organic pollutants: Current status and future prospects of ionic liquid mediated technologies. 2019 , 690, 604-619		72
209	Novel hydrophobic deep eutectic solvent for vortex assisted dispersive liquid-liquid micro-extraction of two auxins in water and fruit juice samples and determination by high performance liquid chromatography. 2019 , 150, 104130		26
208	Synthesis of a green high density deep eutectic solvent and its application in microextraction of seven widely used pesticides from honey. <i>Journal of Chromatography A</i> , 2019 , 1603, 51-60	4-5	23
207	(4-Hydroxy-2-oxo-2H-chromen-3-yl)methyl pyrrolidine-1-carbodithioate as a novel, highly selective and sensitive ligand for determination of copper in water and food samples by dispersive liquid-liquid microextraction coupled with microvolume UV-Vis spectrophotometry. 2019 , 16, 1579-1589		5

206 Sample Preparation Strategies for Analytical Determinations. **2019**, 1-132

205	Application of response surface modeling and chemometrics methods for the determination of Atenolol, Metoprolol and Propranolol in blood sample using dispersive liquid-liquid microextraction combined with HPLC-DAD. 2019 , 1132, 121823		8
204	Determination of some red dyes in food samples using a hydrophobic deep eutectic solvent-based vortex assisted dispersive liquid-liquid microextraction coupled with high performance liquid chromatography. <i>Journal of Chromatography A</i> , 2019 , 1591, 15-23	4-5	83
203	Determination of copper(II) by flame atomic absorption spectrometry after its preconcentration by a highly selective and environmentally friendly dispersive liquid-liquid microextraction technique. 2019 , 10,		21
202	Ionic liquid-based vortex-assisted DLLME followed by RP-LC-PDA method for bioassay of daclatasvir in rat serum: application to pharmacokinetics. 2019 , 10,		2
201	Geochemical exposure of heavy metals in environmental samples from the vicinity of old gas mining area in northern part of Sindh Pakistan. Adverse impact on children. 2019 , 255, 113305		3
200	Inkjet-Based Dispersive Liquid-Liquid Microextraction Method Coupled with UHPLC-MS/MS for the Determination of Aflatoxins in Wheat. 2019 , 91, 3027-3034		17
199	Current direction and advances in analytical sample extraction techniques for drugs with special emphasis on bioanalysis. 2019 ,		9
198	Application of deep eutectic solvent in ultrasound-assisted emulsification microextraction of quercetin from some fruits and vegetables. 2019 , 279, 571-577		46
197	Low-density solvent-based dispersive liquid-liquid microextraction followed by HPLC-ICP-MS for speciation analysis of phenylarsenics in lake water. 2019 , 99, 87-100		6
196	Liquid-phase microextraction: A review of reviews. 2019 , 149, 103989		91
195	Paradigm Shift in the Arena of Sample Preparation and Bioanalytical Approaches Involving Liquid Chromatography Mass Spectroscopic Technique. 2019 , 35, 1069-1082		5
194	Sequence-specific preconcentration of a mutation prone KRAS fragment from plasma using ion-tagged oligonucleotides coupled to qPCR compatible magnetic ionic liquid solvents. 2019 , 1068, 1-10		14
193	Clothianidin residues in green bean, pepper and watermelon crops and dietary exposure evaluation based on dispersive liquid-liquid microextraction and LCMS/MS. 2019 , 14, 293-300		5
192	Microextraction Techniques in LC-MS Bioanalysis. 2019 , 98-116		2
191	The selection and mechanism of composite solvent containing ionic liquid in liquid-liquid microextraction process. 2019 , 138, 7-14		4
190	Advances in sample preparation in chromatography for organic environmental pollutants analyses. 2019 , 42, 137-160		13
189	Development of an efficient sample preparation method for the speciation of Se(IV)/Se(VI) and total inorganic selenium in blood of children with acute leukemia. 2019 , 43, 6951-6958		32

188	An in situ derivatization combined with magnetic ionic liquid-based fast dispersive liquid-liquid microextraction for determination of biogenic amines in food samples. 2019 , 199, 212-219	30
187	Analysis of 32 priority substances from EU water framework directive in wastewaters, surface and drinking waters with a fast sample treatment methodology. 2019 , 99, 16-32	6
186	Enhancement of liquid chromatography-ion trap mass spectrometry analysis of 4(5)-methylimidazole in biscuits through derivatization with dansyl chloride. <i>Journal of Chromatography A</i> , 2019 , 1596, 1-7	4-5 3
185	Dispersive liquid-liquid microextraction of parabens from pharmaceuticals and personal care products prior to their determination using HPLC-DAD. 2019 , 43, 1634-1645	2
184	β-Cyclodextrin Assisted Liquid-Liquid Microextraction Based on Solidification of the Floating Organic Droplets Method for Determination of Neonicotinoid Residues. 2019 , 24,	2
183	. 2019 ,	6
182	Method development for determination of trace organochlorine pesticides residues in a water matrix by using gas chromatography mass spectrometry (GCMS) method. 2019 ,	
181	Determination of microcystins in water samples by deep eutectic solvent-based vortex-assisted liquid-liquid microextraction coupled with ultrahigh-performance liquid chromatography-high resolution mass spectrometry.. 2019 , 9, 38669-38676	10
180	Association of exposure to Bisphenol A with obesity and cardiometabolic risk factors in children and adolescents. 2019 , 29, 94-106	42
179	Development of magnetic solid-phase extraction coupled with dispersive liquid-liquid microextraction method for the simultaneous determination of biphenyl and biphenyl oxide in water samples. 2019 , 31, 1-7	2
178	Hexafluoroisopropanol-based hydrophobic deep eutectic solvents for dispersive liquid-liquid microextraction of pyrethroids in tea beverages and fruit juices. 2019 , 274, 891-899	89
177	Ultrasound assisted dispersive liquid-liquid microextraction for fast and accurate analysis of chloramphenicol in honey. 2019 , 115, 572-579	27
176	Determination of 17 potential endocrine-disrupting chemicals in human saliva by dispersive liquid-liquid microextraction and liquid chromatography-tandem mass spectrometry. 2019 , 196, 271-276	27
175	Determination of acidic drugs in biological and environmental matrices by membrane-based dual emulsification liquid-phase microextraction followed by high-performance liquid chromatography. 2019 , 42, 897-905	4
174	A new robust, deep eutectic-based floating organic droplets microextraction method for determination of lead in a portable syringe system directly couple with FAAS. 2019 , 196, 71-77	43
173	Miniaturized sample preparation methods for saliva analysis. 2019 , 11, 119-148	12
172	Heterocyclic aromatic amines in cooked food: A review on formation, health risk-toxicology and their analytical techniques. 2019 , 280, 240-254	67
171	Functional Femtoliter Droplets for Ultrafast Nanoextraction and Supersensitive Online Microanalysis. 2019 , 15, e1804683	19

170	Ultrasound-assisted emulsification liquid phase microextraction method based on deep eutectic solvent as extraction solvent for determination of five pesticides in traditional Chinese medicine. 2019 , 166, 213-221			22
169	Determination of glyoxal, methylglyoxal, and diacetyl in red ginseng products using dispersive liquid-liquid microextraction coupled with GC-MS. 2019 , 42, 1230-1239			9
168	Determination of acrylamide in brewed coffee by dispersive liquid-liquid microextraction (DLLME) and ultra-performance liquid chromatography tandem mass spectrometry (UPLC-MS/MS). 2019 , 282, 120-126			41
167	Simultaneous determination of selected herbicides in dam lake, river and well water samples by gas chromatography mass spectrometry after vortex assisted binary solvent liquid phase microextraction. 2019 , 145, 168-172			15
166	Highly porous nanostructured copper oxide foam fiber as a sorbent for head space solid-phase microextraction of BTEX from aqueous solutions. 2019 , 145, 210-217			13
165	Critical evaluation of microextraction pretreatment techniques-Part 2: Membrane-supported and homogenous phase based techniques. 2019 , 42, 303-318			4
164	Validated RP-HPLC method for quantification of felodipine in rabbit plasma: Application in a bioequivalence study. 2019 , 77, 15-27			1
163	Tolerance intervals modeling for design space of a salt assisted liquid-liquid microextraction of trimethoprim and six common sulfonamide antibiotics in environmental water samples. <i>Journal of Chromatography A</i> , 2019 , 1586, 18-29	4.5		10
162	A sensitive and accurate vortex-assisted liquid-liquid microextraction-gas chromatography-mass spectrometry method for urinary triazoles. <i>Journal of Chromatography A</i> , 2019 , 1586, 9-17	4.5		8
161	Liquid phase microextraction associated with flow injection systems for the spectrometric determination of trace elements. 2019 , 110, 357-366			23
160	Critical evaluation of microextraction pretreatment techniques - Part 1: Single drop and sorbent-based techniques. 2019 , 42, 273-284			14
159	Recent trends in replacement of disperser solvent in dispersive liquid-liquid microextraction methods. 2019 , 48, 159-178			41
158	Ionic liquid dispersive liquid-liquid microextraction for pesticide residue analysis in honey. 2020 , 59, 458-467			5
157	Micro-solid-phase extraction. 2020 , 443-471			1
156	Dispersive liquid-liquid microextraction coupled with surface enhanced Raman scattering for the rapid detection of sodium benzoate. 2020 , 208, 120360			16
155	Surfactant-Based Extraction Systems. 2020 , 209-239			4
154	Extraction of chromium (VI) in water samples by dispersive liquid-liquid microextraction based on deep eutectic solvent and determination by UV-Vis spectrophotometry. 2020 , 100, 1146-1159			15
153	On-chip ion pair-based dispersive liquid-liquid extraction for quantitative determination of histamine H receptor antagonist drugs in human urine. 2020 , 206, 120235			5

152	An accurate determination method for cobalt in sage tea and cobalamin: Slotted quartz tube-flame atomic absorption spectrometry after preconcentration with switchable liquid-liquid microextraction using a Schiff base. 2020 , 302, 125336	9
151	Milestones in the Development of Liquid-Phase Extraction Techniques. 2020 , 1-44	10
150	Review of Ionic Liquids in Microextraction Analysis of Pesticide Residues in Fruit and Vegetable Samples. 2020 , 83, 11-33	7
149	Nanomaterials for microextraction techniques in bioanalysis. 2020 , 43-56	1
148	Promoted reaction microextraction for determining pesticide residues in environmental water samples using gas chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2020 , 1612, 460639 ⁴⁵	7
147	A novel cloud point extraction based on fatty acid deep eutectic solvent combined with high-performance liquid chromatography for determination of ultraviolet absorbent in food packaging bags. 2020 , 153, 104466	6
146	Emulsification solidified floating organic drop microextraction assisted by ultrasound for the determination of nickel, cobalt and copper in oyster and fish samples. 2020 , 12, 865-871	7
145	Determination of organophosphorus pesticides in wastewater samples using vortex-assisted dispersive liquid-liquid microextraction with liquid chromatography-mass spectrometry. 2020 , 17, 2325-2336	12
144	A Novel Hollow-Fiber Membrane Embedded Co-axial Microdevice for Simultaneous Extraction and Stripping. 2020 , 38, 103-119	0
143	Dispersive Liquid-Liquid Microextraction Method for the Simultaneous Determination of Four Isomers of Hexachlorocyclohexane and Six Pyrethroid Pesticides in Milk by Gas Chromatography Electron Capture Detector. 2020 , 13, 370-381	3
142	Ion-association dispersive liquid-liquid microextraction of trace amount of gold in water samples and ore using Aliquat 336 prior to inductivity coupled plasma atomic emission spectrometry determination. 2020 , 86, 47-52	2
141	Orthogonal array design optimisation of an in situ ionic liquid dispersive liquid-liquid microextraction for the detection of phenol and endocrine-disrupting phenols in aqueous samples. 2020 , 17, 825-838	4
140	A green and simple procedure based on deep eutectic solvents for the extraction of phthalates from beverages. 2020 , 312, 125798	21
139	Development of a sensitive method for determining traces of prohibited acrylamide in cosmetic products based on dispersive liquid-liquid microextraction followed by liquid chromatography-ultraviolet detection. 2020 , 159, 105402	1
138	Automatic multicommuted flow systems applied in sample treatment for radionuclide determination in biological and environmental analysis. 2020 , 223-224, 106390	1
137	Development of a new magnetic nanogel based on a copolymer of polyacrylic acid-co-acrylamide-co- β -cyclodextrin for extraction/pre-concentration of doxorubicin from biological samples. 2020 , 17, 3205-3216	2
136	Dispersive Liquid-Liquid Microextraction of Organic Compounds: An Overview of Reviews. 2020 , 75, 1237-1251	19
135	Quantification of steroid hormones in human urine by DLLME and UHPLC-HRMS detection. 2020 , 1159, 122390	4

134	Physicochemical hydrodynamics of droplets out of equilibrium. 2020 , 2, 426-443	54
133	Microextraction and analysis of contaminants adsorbed on atmospheric fine particulate matter: A review. <i>Journal of Chromatography A</i> , 2020 , 1627, 461433	4-5 7
132	Ultrasound-Vortex-Assisted Dispersive Liquid-Liquid Microextraction Combined with High Performance Liquid Chromatography-Diode Array Detection for Determining UV Filters in Cosmetics and the Human Stratum Corneum. 2020 , 25,	3
131	Moore-Benrose generalized inverse mixture design applied in low-density dispersive liquid-liquid microextraction. 2020 , 34, e3275	
130	Microextraction Techniques with Deep Eutectic Solvents. 2020 , 25,	25
129	Preparation of a ternary deep eutectic solvent as extraction solvent for dispersive liquid-liquid microextraction of nitrophenols in water samples. 2020 , 8, 103948	22
128	Menthol-Based Deep Eutectic Solvent Dispersive Liquid-Liquid Microextraction: A Simple and Quick Approach for the Analysis of Phthalic Acid Esters from Water and Beverage Samples. 2020 , 8, 8783-8794	20
127	A novel preconcentration/extraction method for fenitrothion residues and its electrochemical sensing in pistachio kernels. 2020 , 31, 11268-11275	3
126	Determination of Kresoxim-Methyl in Water and in Grapes by High-Performance Liquid Chromatography (HPLC) Using Photochemical-Induced Fluorescence and Dispersive Liquid-Liquid Microextraction (DLLME). 2020 , 53, 2202-2221	7
125	Volcanic ashes as a source for nitrated and oxygenated polycyclic aromatic hydrocarbon pollution. 2020 , 27, 16972-16982	2
124	Deep eutectic solvent-based dispersive liquid-liquid micro-extraction for extraction of malachite green and crystal violet in water samples prior their determination using high performance liquid chromatography. 2020 , 1-9	5
123	An Eco-Friendly Hydrophobic Deep Eutectic Solvent-Based Dispersive Liquid-Liquid Microextraction for the Determination of Neonicotinoid Insecticide Residues in Water, Soil and Egg Yolk Samples. 2020 , 25,	14
122	Dispersive liquid-liquid microextraction followed by green high-performance liquid chromatography for fluconazole determination in cerebrospinal fluid with the aid of chemometric tools. 2020 , 12, 3106-3114	2
121	Determination of phenytoin in exhaled breath condensate using electromembrane extraction followed by capillary electrophoresis. 2020 , 41, 666-677	5
120	Green, fast and simple dispersive liquid-liquid microextraction method by using hydrophobic deep eutectic solvent for analysis of folic acid in fortified flour samples before liquid chromatography determination. 2020 , 320, 126486	15
119	Combining ultrasound-assisted extraction and vortex-assisted liquid-liquid microextraction for the sensitive assessment of aflatoxins in aquaculture fish species. 2020 , 43, 1331-1338	7
118	On-disc electromembrane extraction-dispersive liquid-liquid microextraction: A fast and effective method for extraction and determination of ionic target analytes from complex biofluids by GC/MS. 2020 , 1105, 95-104	13
117	A fast DLLME-LC-MS/MS method for risperidone and its metabolite 9-hydroxyrisperidone determination in plasma samples for therapeutic drug monitoring of patients. 2020 , 156, 104894	4

116	Bioactive ingredients of saffron: extraction, analysis, applications. 2020 , 261-290	4
115	dLLME-BPE extraction coupled to HPLC-ESI-MS/MS for the determination of F2IsoPs in human urine. 2020 , 186, 113302	4
114	Novel strategy for disposable pipette extraction (DPX): Low-cost Parallel-DPX for determination of phthalate migration from common plastic materials to saliva simulant with GC-MS. 2021 , 221, 121443	3
113	A novel magnetic solid-phase extraction method for detection of 14 heterocyclic aromatic amines by UPLC-MS/MS in meat products. 2021 , 337, 127630	8
112	A miniaturized spray-assisted fine-droplet-formation-based liquid-phase microextraction method for the simultaneous determination of fenpiclonil, nitrofen and fenoxaprop-ethyl as pesticides in soil samples. 2021 , 35, e8943	0
111	Ultrasound-assisted dispersive liquid-liquid microextraction for determination of enrofloxacin in surface waters. 2021 , 160, 105633	6
110	Ultra-trace Extraction of Two Bactericides Via Ultrasound-Assisted Dispersive Liquid-Liquid Microextraction. 2021 , 59, 182-190	1
109	Modern microextraction techniques for natural products. 2021 , 42, 219-232	1
108	Essential oil-based dispersive liquid-liquid microextraction for the determination of N,N-dimethyltryptamine and Ecabrolines in human plasma: A novel solvent-free alternative. 2021 , 225, 121976	2
107	Combining of modified QuEChERS and dispersive liquid-liquid microextraction as an efficient sample preparation method for extraction of acetamiprid and imidacloprid from pistachio samples. 2021 , 18, 641-649	3
106	Solvent extraction. 2021 , 191-279	
105	Dispersive liquid-liquid microextraction for the isolation and HPLC-DAD determination of three major capsaicinoids in Capsicum annum L. 2021 , 45, 420-429	
104	Sample preparation for gas chromatography. 2021 , 615-653	
103	A review of extraction, analytical, and advanced methods for the determination of neonicotinoid insecticides in environmental water matrices. 2021 , 40, 187-203	5
102	Multiresidue Analytical Method for Pesticides in Soybean Extract. 2021 , 59, 305-311	
101	Ultrasound assisted supramolecular liquid phase microextraction procedure for Sudan I at trace level in environmental samples. 2021 , 45, 1327-1335	1
100	Dissolution of microdroplets in a sparsely miscible liquid confined by leaky walls. 2021 , 912,	3
99	Implementation of a spraying-assisted fine droplet formation-based simultaneous liquid-phase microextraction method for the determination of copper in clove extract samples. 2021 , 75, 2929-2935	2

98	Universality in microdroplet nucleation during solvent exchange in Hele-Shaw-like channels. 2021 , 912,		0
97	Quality assessment of environmental water by a simple and fast non-ionic hydrophobic natural deep eutectic solvent-based extraction procedure combined with liquid chromatography tandem mass spectrometry for the determination of plastic migrants. 2021 , 413, 1967-1981		7
96	A Simple and Efficient Extraction Method for the Preconcentration of Copper in Tap Water and Linden Tea Samples Prior to FAAS Measurement. 2021 , 6, 2906-2912		2
95	Spontaneous Ouzo Emulsions Coexist with Pre-Ouzo Ultraflexible Microemulsions. 2021 , 37, 3817-3827		8
94	Liquid Chromatographic Determination of Trace Bioavailable Neonicotinoids in Soil with Dispersive Liquid-Liquid Microextraction and Its Application for Experimental Monitoring. 2021 , 69, 4284-4293		3
93	Automated method for volatile fatty acids determination in anaerobic processes using in-syringe magnetic stirring assisted dispersive liquid-liquid microextraction and gas chromatography with flame ionization detector. <i>Journal of Chromatography A</i> , 2021 , 1643, 462034	4.5	0
92	Multi-residue analytical methods for pesticides in teas: a review. 2021 , 247, 1839-1858		6
91	Extraction strategies of PAHs from grilled meat for their determination by HPLC/DAD. 2021 , 75, 3859-3871		0
90	Review of sample preparation methods for chromatographic analysis of neonicotinoids in agricultural and environmental matrices: From classical to state-of-the-art methods. <i>Journal of Chromatography A</i> , 2021 , 1643, 462042	4.5	9
89	Polybrominated diphenyl ethers in the environmental systems: a review. 2021 , 19, 1229-1247		7
88	Development and validation of vortex-assisted dispersive liquid-liquid microextraction method based on solidification of floating hydrophobic deep eutectic solvent for the determination of endocrine disrupting chemicals in sewage. 2021 , 163, 105915		6
87	Fundamentals and applications of stir bar sorptive dispersive microextraction: A tutorial review. 2021 , 1153, 338271		16
86	Solid-Liquid-Liquid Microextraction (SLLLE) Method for Determining Persistent Pollutants in Microplastics. 2021 , 232, 1		0
85	Phase diagrams and microstructures of aqueous short alkyl chain polyethylene glycol ether carboxylate and carboxylic acid triblock surfactant solutions. 2021 , 590, 375-386		6
84	Determination of long-chain fatty acids in anaerobic digester supernatant and olive mill wastewater exploiting an in-syringe dispersive liquid-liquid microextraction and derivatization-free GC-MS method. 2021 , 413, 3833-3845		0
83	Pretreatment and determination methods for benzimidazoles: An update since 2005. <i>Journal of Chromatography A</i> , 2021 , 1644, 462068	4.5	2
82	An overview of sample preparation approaches prior to liquid chromatography methods for the determination of parabens in biological matrices. 2021 , 164, 105995		7
81	Determinations of new psychoactive substances in biological matrices with focus on microextraction techniques: a review of fundamentals and state-of-the-art extraction methods. 2021 , 39, 350		2

80	Trends in microextraction approaches for handling human hair extracts - A review. 2021 , 1185, 338792		2
79	Determination of eight endocrine disruptor pesticides in bovine milk at trace levels by dispersive liquid-liquid microextraction followed by GC-MS determination. 2021 , 44, 2982-2995		1
78	Molecular Forces in Liquid-Liquid Extraction. 2021 , 37, 10637-10656		10
77	An effervescence-assisted dispersive liquid-liquid micro-extraction of captopril based on hydrophobic deep eutectic solvent.		0
76	The recent advances in magnetic sorbents and their applications. 2021 , 141, 116302		19
75	Recent Advances in Sample Preparation for Cosmetics and Personal Care Products Analysis. 2021 , 26,		7
74	Application of thermal ultrasound-assisted liquid-liquid micro-extraction coupled with HPLC-UV for rapid determination of synthetic phenolic antioxidants in edible oils. 2021 , 98, 969		1
73	Comparison of Two Extraction Procedures, SPE and DLLME, for Determining Plasticizer Residues in Hot Drinks at Vending Machines. 2021 , 9, 1588		1
72	Recent developments in sample preparation techniques combined with high-performance liquid chromatography: A critical review. <i>Journal of Chromatography A</i> , 2021 , 1654, 462444	4-5	13
71	Novel hydrophobic deep eutectic solvents for ultrasound-assisted dispersive liquid-liquid microextraction of trace non-steroidal anti-inflammatory drugs in water and milk samples. 2021 , 170, 106686		8
70	Total sulfonamides determination in bovine milk using smartphone-based digital images. 2021 , 170, 106657		1
69	Vortex-assisted dispersive liquid-liquid microextraction based on hydrophobic deep eutectic solvent for the simultaneous identification of eight synthetic dyes in jellies and drinks using HPLC-PDA. 2021 , 170, 106671		5
68	A dispersive liquid-liquid microextraction method based on solidification of floating organic droplet for determination of antiviral agents in environmental water using HPLC/UV. 2021 , 171, 106790		2
67	Encyclopedia of Sustainability Science and Technology. 2018 , 1-24		2
66	In situ acetylation dispersive liquid-liquid microextraction followed by gas chromatography-mass spectrometry for the simultaneous determination of musks, triclosan and methyl-triclosan in wastewaters. 2019 , 99, 1-15		13
65	Bubble puzzles: From fundamentals to applications. 2018 , 3,		58
64	Liquid-phase microextraction of polycyclic aromatic hydrocarbons: A review. 2020 , 39, 1-19		14
63	Deep Eutectic Solvent-based Vortex-assisted Dispersive Liquid-liquid Microextraction Combined with High Performance Liquid Chromatography for the Determination of Phenolic Acids in Vegetable Oils. 2019 , 25, 563-568		3

62	Characterization of pecan nut expeller cake and effect of storage on its microbiological and oxidative quality. 2017 , 68, 226	12
61	Development, Optimization, and Validation of Methods for Routine Testing. 449-506	1
60	CHROMATOGRAPHY: RECENT PROGRESS. 150527103729000	
59	Green Chemistry in Analytical Chemistry. 2019 , 613-636	1
58	Technological Developments in the Determination of Emerging Contaminants in Water. 2020 , 81-108	
57	Analysis of Organophosphorus Pesticides (OPPs) in Paddy Field Water Using IL-DLLME. 2020 , 65-77	
56	Meloxicam quantification in rabbit plasma by RP-HPLC: optimization and application to pharmacokinetic study. 2020 , 6,	
55	A Dispersive Liquid-Liquid Micro-Extraction Technique for the Pre-concentration and Quantification of Vitamin D in Milk and Yogurt Samples Using a Non-Aqueous HPLC Method. 2019 , 18, 677-685	1
54	Analytical Methods for the Determination of Heavy Metals in Water. 2021 , 1-50	
53	A review of green solvent extraction techniques and their use in antibiotic residue analysis. 2021 , 209, 114487	4
52	Relation between solubility and microextraction recovery data of lamotrigine for prediction of partitioning properties. 2021 , 118114	0
51	Green Analytical Toxicology for the Determination of Cocaine Metabolites.. 2022 ,	0
50	Interfacial Partitioning Enhances Microextraction by Multicomponent Nanodroplets. 2022 , 126, 1326-1336	3
49	Hydrophobic Eutectic Solvents Based on Perfluorinated Hydrogen Bond Donors as Extractants for Dispersive Liquid-Liquid Microextraction. 2022 , 85, 255	0
48	Multi-analyte gas chromatography-mass spectrometry method to monitor bisphenols, musk fragrances, ultraviolet filters, and pesticide residues in seafood.. <i>Journal of Chromatography A</i> , 2021 , 1663, 462755	4.5 0
47	Vortex- assisted liquid- liquid microextraction for the trace determination of potassium bromate in flour food products.. 2022 , 378, 132109	0
46	Determination of aromatic amines in environmental water samples by deep eutectic solvent-based dispersive liquid-liquid microextraction followed by HPLC-UV. 2022 , 15, 103783	1
45	Rapid analysis of triazine herbicides in fruit juices using evaporation-assisted dispersive liquid-liquid microextraction with solidification of floating organic droplets and HPLC-DAD.. 2022 ,	

- 44 Magnetic Nanomaterials and Nanostructures in Sample Preparation Prior to Liquid Chromatography. **2022**, 8, 29
- 43 Development and validation of dispersive liquid-liquid microextraction method for the determination of 15 polycyclic aromatic hydrocarbons in 200 Antarctica samples by gas chromatography mass spectrometry.. **2022**, 194, 328 0
- 42 COSMO-RS evaluation as a tool for prediction of solvents in dispersive liquid-phase microextraction: Evaluation of conventional solvents and ionic liquids as extractants. **2022**, 354, 118861 1
- 41 Improved enrichment and analysis of heterocyclic aromatic amines in thermally processed foods by magnetic solid phase extraction combined with HPLC-MS/MS. **2022**, 137, 108929 0
- 40 Application of Polypyrrole/Fe₃O₄ Composite for the Extraction of Chlorpyrifos Using Magnetic Solid-Phase Extraction Combined with Dispersive Liquid-Liquid Microextraction. **2021**, 76, 1422-1429 1
- 39 Dispersive liquid-liquid microextraction based on solidification of floating organic drop: Determination of nonsteroidal anti-inflammatory drugs in water. **2022**, 5, 32-39
- 38 Dispersive liquid-liquid microextraction: Evolution in design, application areas, and green aspects. **2022**, 116636 5
- 37 Development of a deep eutectic solvent-based dispersive liquid-liquid microextraction method followed by back-extraction and diazotization coupled to spectrophotometry for determination of total primary aromatic amines from food simulants. 1
- 36 Polycyclic Aromatic Hydrocarbons in Antarctic Ice Core: Prior Study by Homogeneous Liquid-Liquid Extraction and High-Performance Liquid Chromatography.. **2022**, 94, e20210628
- 35 Methodology for Determining Phthalate Residues by Ultrasound-Vortex-Assisted Dispersive Liquid-Liquid Microextraction and GC-IT/MS in Hot Drink Samples by Vending Machines. **2022**, 3, 213-227
- 34 Green Extraction Techniques as Advanced Sample Preparation Approaches in Biological, Food, and Environmental Matrices: A Review.. **2022**, 27, 2
- 33 Inverse dispersive liquid-liquid microextraction(I-DLLME) for the simultaneous and green preconcentration of DEET and permethrin from freshwater. **2022**, 27, 100669
- 32 Response surface optimization of a vortex-assisted dispersive liquid-liquid microextraction method for highly sensitive determination of repaglinide in environmental water by HPLC/UV.. **2022**, 16, 33 0
- 31 A Simple and Reliable Dispersive Liquid-Liquid Microextraction with Smartphone-Based Digital Images for Determination of Carbaryl Residues in Andrographis paniculata Herbal Medicines Using Simple Peroxidase Extract from Senna siamea Lam. Bark. **2022**, 27, 3261 0
- 30 Optimisation of the conditions of dispersive liquid-liquid microextraction for environmentally friendly determination of bisphenols and benzophenone in complex water matrices by LC-MS/MS. **2022**, 107636 0
- 29 Evaluation of green silicone surfactant-based vortex assisted dispersive liquid-liquid microextraction for sample preparation of organophosphorus pesticide residues in honey and fruit sample.
- 28 Green Chromatography Techniques. **2022**, 379-432
- 27 Spectrophotometric Determination of Palladium in Water Samples by Microextraction Procedure. **2022**, 12, 285-295

- 26 Three-dimensional (3D) thermal controlled polymer for simplified dispersive liquid-liquid microextraction in phthalic acid esters detection of straw. **2022**, 181, 107668 ○
- 25 Ionic Liquid-Assisted DLLME and SPME for the Determination of Contaminants in Food Samples. **2022**, 9, 170 ○
- 24 Liquid-phase extraction combined with X-ray fluorescence spectrometry for the elemental determination. 1-19
- 23 Analysis of Persistent Contaminants and Personal Care Products by Dispersive Liquid-Liquid Microextraction using Hydrophobic Magnetic Deep Eutectic Solvents. **2022**, 463429 ○
- 22 Oscillatory droplet dissolution from competing Marangoni and gravitational flows. **2022**, 7, ○
- 21 Development of ultrasound-assisted extraction followed by solid-phase extraction followed by dispersive liquid-liquid microextraction followed by gas chromatography for the sensitive determination of diazinon in garden parsley as vegetable samples. **2022**, ○
- 20 Factorial design optimization of dispersive liquid-liquid microextraction for analysis of metals in natural and drinking waters. **2022**, 108029 ○
- 19 Nanoextraction based on surface nanodroplets for chemical preconcentration and determination. **2022**, 16, 051502 ○
- 18 Determination of diflufenican and azaconazole pesticides in wastewater samples by GCMS after preconcentration with stearic acid functionalized magnetic nanoparticles based dispersive solid-phase extraction. **2023**, 195, ○
- 17 Lab-in-Syringe, a Useful Technique for the Analysis and Detection of Pollutants of Emerging Concern in Environmental and Food Samples. **2022**, 27, 7279 ○
- 16 Combination of mixed mode dispersive solid phase extraction with magnetic ionic liquids based dispersive liquid-liquid microextraction for the extraction of anticoagulant drugs from urine samples. **2022**, 183, 108065 ○
- 15 On-chip electromembrane extraction of some polar acidic drugs in plasma samples by the development of an active and efficient polymeric support of liquid membrane based on electrospinning process. **2022**, 340628 ○
- 14 Copper determination in beer by flame atomic absorption spectrometry after extraction and preconcentration by dispersive liquid-liquid microextraction. **2022**, 108181 ○
- 13 A Natural Monoterpene Enol for Dispersive Liquid-Liquid Microextraction Based on Solidification of Floating Organic Droplets for Determination of Benzophenone Compounds in Water Samples. **2023**, 10, 1 1
- 12 Vortex-assisted supramolecular solvent dispersive liquid-liquid microextraction of ketoprofen and naproxen from environmental water before chromatographic analysis: response surface methodology optimisation. **2022**, 13, ○
- 11 Two Types of Liquid Phase Separation Induced by Soft Centrifugation in Aqueous Ethyl Acetate Using Ethanol as Cosolvent. ○
- 10 Simultaneous Determination of a Polychlorinated Dibenzo-p-Dioxin and Dibenzo-p-Furan in Environmental Water by Dispersive Liquid-Liquid Microextraction (DLLME) and a Modified QuEChERS Procedure with High-Performance Liquid Chromatography Diode Array Detection (HPLC-DAD). 1-20 ○
- 9 On enhancing interfacial mass transport through microextraction in dispersed droplet systems. **2023**, 203, 123776 ○

- 8 Comparison of three cyclodextrins to optimize bisphenol A extraction from source water: Computational, spectroscopic, and analytical studies. 2300012
- 7 In situ formation of deep eutectic solvents based dispersive liquid-liquid microextraction for the enrichment of trace phthalate esters in aqueous samples. **2023**, 189, 108537
- 6 Tumbling vial extraction of 2,4-dinitrophenylhydrazones of carbonyl compounds in bottled water, beer and milk using naphthalene-based magnetic polyimide as sorbent and HPLC-DAD. **2023**, 189, 108573
- 5 Environmentally-friendly supramolecular solvent microextraction method for rapid identification of Sudan IV from food and beverages. **2023**, 414, 135713
- 4 Aromatic hydrocarbons extracted by headspace and microextraction methods in water-soluble fractions from crude oil, fuels and lubricants. **2023**, 39, 573-587
- 3 Quantitative Analysis of Lysergic Acid Diethylamide and Metabolite in Urine by Automated Extraction and Liquid Chromatography-Tandem Mass Spectrometry.
- 2 Recent Research Advancements of Coffee Quality Detection: Targeted Analyses vs. Nontargeted Fingerprinting and Related Issues. **2023**, 2023, 1-19
- 1 Ultrasound-assisted dispersive liquid-liquid microextraction combined with ion mobility spectrometry for the simultaneous preconcentration and determination of dimethoate and chlorpyrifos in fruit, vegetable, and water samples. 1-13