

CITATION REPORT

List of articles citing

Determination of polyphenolic compounds by liquid chromatography-mass spectrometry in Thymus species

DOI: 10.1016/j.chroma.2010.07.042

Journal of Chromatography A, 2010, 1217, 7972-80.

Source: <https://exaly.com/paper-pdf/48357265/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
106	Rapid identification and determination of 11 polyphenols in Herba lycopi by HPLC/MS/MS with multiple reactions monitoring mode (MRM). 2011 , 24, 1069-1072		24
105	Recent developments in the HPLC separation of phenolic compounds. 2011 , 34, 854-76		96
104	Polyphenols as chemotaxonomic markers in Italian "long-storage" tomato genotypes. 2012 , 60, 309-14		32
103	Simultaneous determination of caffeic acid phenethyl ester and its metabolite caffeic acid in dog plasma using liquid chromatography tandem mass spectrometry. 2012 , 94, 232-9		13
102	Development of a phenol-enriched olive oil with both its own phenolic compounds and complementary phenols from thyme. 2012 , 60, 3105-12		44
101	Rapid UPLC/MS/MS method for the analysis of isoflavonoids and other phenylpropanoids. 2012 , 26, 36-42		42
100	Thymus serpyllum L. (Lamiaceae): Serpolet. 2012 , 349-356		
99	Validation of determination of plasma metabolites derived from thyme bioactive compounds by improved liquid chromatography coupled to tandem mass spectrometry. 2012 , 905, 75-84		32
98	Research on the phenolic compounds and antioxidant activities of Tunisian Thymus capitatus. 2012 , 4, 661-669		61
97	Chemical composition and antioxidant and anticandidal activities of essential oils from different wild Moroccan Thymus species. 2012 , 9, 1188-97		56
96	Electrochemical behavior of chlorogenic acid at a boron-doped diamond electrode and estimation of the antioxidant capacity in the coffee samples based on its oxidation peak. 2012 , 77, C408-13		35
95	Analysis of flavonoids from lotus (Nelumbo nucifera) leaves using high performance liquid chromatography/photodiode array detector tandem electrospray ionization mass spectrometry and an extraction method optimized by orthogonal design. <i>Journal of Chromatography A</i> , 2012 , 1227, 145-53	4.5	68
94	Effects of the operation parameters on HILIC separation of flavonoids on zwitterionic column. 2013 , 115, 284-90		30
93	Polyphenol composition and antioxidant and metal chelating activities of the solid residues from the essential oil industry. 2013 , 49, 150-159		71
92	HPLC-DAD analysis of Thymus serpyllum based natural pigments and investigation of their antimicrobial properties. 2013 , 43, 19-25		3
91	Molecular recognition of rosmarinic acid from Salvia sclareoides extracts by acetylcholinesterase: a new binding site detected by NMR spectroscopy. 2013 , 19, 6641-9		29
90	Fast HPLC-DAD quantification of nine polyphenols in honey by using second-order calibration method based on trilinear decomposition algorithm. 2013 , 138, 62-9		50

89	Re-evaluation of traditional Mediterranean foods. The local landraces of Cipolla di GiarratanaP (Allium cepa L.) and long-storage tomato(Lycopersicon esculentum L.): quality traits and polyphenol content. 2013 , 93, 3512-9	19
88	Phytochemical Evaluation of Lythrum Salicaria Extracts and Their Effects on Guinea-Pig Ileum. 2013 , 8, 1934578X1300800	1
87	Plant Polyphenol Profiles as a Tool for Traceability and Valuable Support to Biodiversity. 2014 , 15-33	9
86	Simultaneous and sensitive quantification of seven active compounds in Huan-Nao-Yi-Cong-Fang and rat serum by UFLC-ESI/MS. 2014 , 6, 5727	5
85	Optimization of extraction based on the thin-layer chromatographic fingerprints of common thyme. 2014 , 97, 1274-81	8
84	A comprehensive review on flavanones, the major citrus polyphenols. 2014 , 33, 85-104	219
83	Intra-population chemical polymorphism in Thymus pannonicus All. growing in Slovakia. 2014 , 28, 1557-66	7
82	Correlation between phenolic compounds and antioxidant activity of Anzer tea (Thymus praecox Opiz subsp. caucasicus var. caucasicus). 2014 , 52, 687-694	32
81	Are analysts doing method validation in liquid chromatography?. <i>Journal of Chromatography A</i> , 2014 , 1353, 2-9	4-5 18
80	Strategies in the Analysis of Plant Flavonoids. 2014 , 1-25	
79	Anthocyanins profiling of Thymus praecox opiz subsp. caucasicus var. caucasicus. 2015 , 77, 748-753	3
78	Microsatellites for genetic and taxonomic research on thyme (Thymus L.). 2015 , 39, 147-159	11
77	Production of an anthocyanin-rich food colourant from Thymus moroderi and its application in foods. 2015 , 95, 1283-93	19
76	Secondary metabolites from Thymus numidicus Poiret.. 2015 , 59, 104-106	3
75	Contribution of the main polyphenols of Thymus mastichina subsp. mastichina to its antioxidant properties. 2015 , 66, 291-298	19
74	Determination of phenolic compounds by ultra high liquid chromatography-tandem mass spectrometry: Applications in nuts. 2015 , 64, 42-49	20
73	Phytochemical analysis of Vernonanthurra tweedieana and a validated UPLC-PDA method for the quantification of eriodictyol. 2015 , 25, 375-381	26
72	A Comparison of Antibacterial Activity of Selected Thyme (Thymus) Species by Means of the Dot Blot Test with Direct Bioautographic Detection. 2015 , 98, 871-5	4

71	Determination of Luteolin and Apigenin in Herbs by Capillary Electrophoresis with Diode Array Detection. 2015 , 43, 611-625	15
70	Assessing the response of plant flavonoids to UV radiation: an overview of appropriate techniques. 2015 , 14, 273-297	74
69	Decoction, infusion and hydroalcoholic extract of cultivated thyme: antioxidant and antibacterial activities, and phenolic characterisation. 2015 , 167, 131-7	102
68	Effects of gamma irradiation on cytotoxicity and phenolic compounds of <i>Thymus vulgaris</i> L. and <i>Mentha x piperita</i> L.. 2016 , 71, 370-377	25
67	Bioactivity of herbal tea of Hungarian thyme based on the composition of volatiles and polyphenolics. 2016 , 89, 14-20	18
66	Antibacterial effect of <i>Gracilaria verrucosa</i> bioactive on fish pathogenic bacteria. 2016 , 42, 405-410	9
65	Infusions from <i>Thymus vulgaris</i> L. treated at different gamma radiation doses: Effects on antioxidant activity and phenolic composition. 2016 , 74, 34-39	14
64	Phytochemical overview and medicinal importance of <i>Coffea</i> species from the past until now. 2016 , 9, 1127-1135	46
63	In vitro antifungal activity of residues from essential oil industry against <i>Penicillium verrucosum</i> , a common contaminant of ripening cheeses. 2016 , 73, 226-232	16
62	Determination of Eriodictyol by a Modified Multi-Walled Carbon Nanotube Glassy Carbon Electrode. 2016 , 49, 1502-1512	1
61	A polyphenol complex from <i>Thymus vulgaris</i> L. plants cultivated in the Campania Region (Italy): New perspectives against neuroblastoma. 2016 , 20, 253-266	38
60	Characterization of aroma-active and phenolic profiles of wild thyme (<i>Thymus serpyllum</i>) by GC-MS-Olfactometry and LC-ESI-MS/MS. 2016 , 53, 1957-65	40
59	A Comparison of Antioxidant, Antibacterial, and Anticancer Activity of the Selected Thyme Species by Means of Hierarchical Clustering and Principal Component Analysis. 2016 , 28, 207-221	3
58	Phytochemical composition and antioxidant activity of medicinal plants collected from the Tunisian flora. 2017 , 31, 1583-1588	15
57	Optimization of the extraction process of polyphenols from <i>Thymus serpyllum</i> L. herb using maceration, heat- and ultrasound-assisted techniques. 2017 , 179, 369-380	148
56	Determination of anthocyanins and non-anthocyanin polyphenols by ultra performance liquid chromatography/electrospray ionization mass spectrometry (UPLC/ESI-MS) in jussara () extracts. 2017 , 54, 2135-2144	25
55	Flavone polyphenols dominate in <i>Thymus schimperi</i> Ronniger: LC-ESI-MS/MS characterization and study of anti-proliferative effects of plant extract on AGS and HepG2 cancer cells. 2017 , 1053, 1-8	19
54	Determination of phenolic compounds in medicinal plants from the Lamiaceae family. 2017 , 72, 342-348	25

53	Phenological changes in triterpenic and phenolic composition of <i>Thymus L.</i> species. 2017 , 109, 445-451	19
52	The chemical composition of the pharmacologically active <i>Thymus</i> species, its antibacterial activity against <i>Streptococcus mutans</i> and the antiadherent effects of <i>T. vulgaris</i> on the bacterial colonization of the in situ pellicle. 2017 , 121, 118-128	22
51	LC/DAD/MSn and ICP-AES Assay and Correlations between Phenolic Compounds and Toxic Metals in Endemic <i>Thymus alsarensis</i> from the Thallium Enriched Allchar Locality. 2017 , 12, 1934578X1701200	1
50	<i>Coffea arabica</i> : A Plant with Rich Content in Caffeine. 2017 ,	3
49	A Review on Pharmacological and Analytical Aspects of Naringenin. 2018 , 24, 551-560	84
48	Cretan tea (<i>Origanum dictamnus L.</i>) as a functional beverage: an investigation on antiglycative and carbonyl trapping activities. 2018 , 9, 1545-1556	11
47	Potential use of deodorised water extracts: polyphenol-rich extract of <i>All.</i> as a chemopreventive agent. 2018 , 55, 560-567	5
46	Variation of phenolic constituents of Tunisian <i>Thymus capitatus (L.) Hoff. et Link.</i> populations. 2018 , 77, 10-15	14
45	Phytochemical profiling of anti-inflammatory <i>Lavandula</i> extracts via RP-HPLC-DAD-QTOF-MS and -MS/MS: Assessment of their qualitative and quantitative differences. 2018 , 39, 1284-1293	18
44	Characterization of bioactive and volatile profiles of thyme (<i>Thymus vulgaris L.</i>) teas as affected by infusion times. 2018 , 12, 2570-2580	8
43	Phenolic Compounds from Siberian Species <i>Thymus baicalensis</i> and <i>T. sibiricus</i> . 2018 , 54, 572-576	6
42	Thyme extract increases mucociliary-beating frequency in primary cell lines from chronic obstructive pulmonary disease patients. 2018 , 105, 1248-1253	11
41	Qualitative and Quantitative Analysis of Polyphenols in Lamiaceae Plants-A Review. 2018 , 7,	35
40	Challenges in Separations of Proteins and Small Biomolecules and the Role of Modern Mass Spectroscopy Tools for Solving Them, as Well as Bypassing Them, in Structural Analytical Studies of Complex Biomolecular Mixtures. 2018 , 5, 11	1
39	<i>Thymus lanceolatus</i> ethanolic extract protects human cells from t-BHP induced oxidative damage. 2018 , 9, 3665-3672	10
38	Chemical composition and antioxidant activity of phenolic compounds and essential oils from <i>Calamintha nepeta L.</i> 2018 , 15,	5
37	<i>Thymus pulegioides L.</i> as a rich source of antioxidant, anti-proliferative and neuroprotective phenolic compounds. 2018 , 9, 3617-3629	22
36	Phenolic compounds characterization by LC-DAD- ESI/MSn and bioactive properties of <i>Thymus algeriensis Boiss. & Reut.</i> and <i>Ephedra alata Decne.</i> 2019 , 116, 312-319	38

35	Phytochemistry, Chemotaxonomy, Ethnopharmacology, and Nutraceuticals of Lamiaceae. 2019 , 62, 125-178		28
34	Comparative study of polyphenolic composition and anti-inflammatory activity of Thymus species. 2019 , 245, 1951-1962		4
33	LC/MS method development for the determination of the phenolic compounds of Tunisian Ephedra alata hydro-methanolic extract and its fractions and evaluation of their antioxidant activities. <i>South African Journal of Botany</i> , 2019 , 124, 102-110	2.9	18
32	Magnetic dispersive micro-solid phase extraction with the CuO/ZnO@FeO-CNTs nanocomposite sorbent for the rapid pre-concentration of chlorogenic acid in the medical extract of plants, food, and water samples. 2019 , 144, 2684-2695		76
31	Extraction and chromatographic determination of phenolic compounds from medicinal herbs in the Lamiaceae and Hypericaceae families: A review. 2019 , 145, 1036-1049		21
30	Comparison of essential oils and hydromethanol extracts of cultivated and wild growing Thymus pannonicus All.. 2019 , 130, 162-169		10
29	Effect of the solvent composition on the profile of phenolic compounds extracted from chia seeds. 2019 , 275, 489-496		48
28	Effect of solvent evaporation method on phenolic compounds and the antioxidant activity of Moringa oleifera cultivated in Southern Tunisia. <i>South African Journal of Botany</i> , 2020 , 129, 181-190	2.9	11
27	The effects of preparation and cooking processes on vitamins and antioxidant capacity of sour and spicy potato silk. 2020 , 55, 3475-3483		2
26	Thymus algeriensis Bioss & Reut: Relationship of phenolic compounds composition with in vitro/in vivo antioxidant and antibacterial activity. 2020 , 136, 109500		13
25	Determination of Bioactive Polyphenols in Mangrove Species and Their in-Vitro anti-Candida Activities by Ultra-High-Performance Liquid Chromatography [Electrospray Ionization] Tandem Mass Spectrometry (UPLC-ESI-MS/MS). 2021 , 54, 608-624		3
24	Green coffee beans. 2021 , 725-748		0
23	Dietary use of Rosmarinus officinalis and Thymus vulgaris as anticoccidial alternatives in poultry. 2021 , 273, 114826		5
22	Polyphenolic and molecular variation in Thymus species using HPLC and SRAP analyses. 2021 , 11, 5019		5
21	Pressurized-Liquid Extraction as an Efficient Method for Valorization of Herbal Dust towards Sustainable Production of Antioxidants. 2021 , 26,		7
20	Optimization of antioxidants recovery from wild thyme (Thymus serpyllum L.) by ultrasound-assisted extraction: Multi-response approach. <i>Journal of Applied Research on Medicinal and Aromatic Plants</i> , 2021 , 24, 100333	2.6	3
19	Antimicrobial Potential and Phytochemical Profile of Wild and Cultivated Populations of Thyme (sp.) Growing in Western Romania. 2021 , 10,		4
18	Influence of lyophilized Thymus serpyllum L. extracts on the gastrointestinal system: Spasmolytic, antimicrobial and antioxidant properties. <i>South African Journal of Botany</i> , 2021 , 142, 274-283	2.9	0

17	Flavan-3-ols in Vitis seeds: Their extraction and analysis by HPLC-ESI-MS/MS. 2021 , 139, 109911		2
16	Impact of Virgin Olive Oil and Phenol-Enriched Virgin Olive Oils on the HDL Proteome in Hypercholesterolemic Subjects: A Double Blind, Randomized, Controlled, Cross-Over Clinical Trial (VOHF Study). 2015 , 10, e0129160		33
15	Effect of environmentally sustainable microbial fertilizer on Insect-induced plant responses. 2020 , 21, 1-11		1
14	Ethanol Thymus serpyllum extracts: Evaluation of extraction conditions via total polyphenol content and radical scavenging activity. 2019 , 23-29		2
13	Persian Thyme (Thymus persicus): A Plant Containing Active Metabolites with Antioxidant, Anti-diabetic and Anti-Alzheimer Effects. 2019 , 2, 97-109		
12	Strategies in the Analysis of Plant Flavonoids: An Update. 1-40		
11	Therapeutic potential of flavonoids in cancer: ROS-mediated mechanisms.. 2022 , 146, 112442		11
10	Natural Deep Eutectic Solvent (NADES) Extraction Improves Polyphenol Yield and Antioxidant Activity of Wild Thyme (L.) Extracts.. 2022 , 27,		3
9	Polyphenols Recovery from Industrial Waste Using Microwave-Assisted Extraction-Comparative RSM and ANN Approach for Process Optimization.. 2022 , 11,		0
8	Non-Volatile and Volatile Bioactives of Salvia officinalis L., Thymus serpyllum L. and Laurus nobilis L. Extracts with Potential Use in the Development of Functional Beverages. 2022 , 11, 1140		2
7	Substantiable bioconversion of the aromatic plant extracts biomass as feed additives in broiler performance: effects and prefeasibility comparison of thyme (Thymus vulgaris).		
6	Comprehensive study of chemical composition and biological activity of Thymus pubescens Boiss. et Kotschy ex Celak. <i>South African Journal of Botany</i> , 2022 , 149, 425-434	2.9	0
5	Multi-response optimization of extraction yield, total phenols-flavonoids contents, and antioxidant activity of extracts from moroccan Lavandula stoechas leaves: Predictive modeling using simplex-centroid design. <i>Biocatalysis and Agricultural Biotechnology</i> , 2022 , 102430	4.2	1
4	Quality characteristics of oils extracted from γ -irradiated chia (Salvia hispanica L.) seeds. <i>JAOCS, Journal of the American Oil Chemists Society</i> ,	1.8	
3	Polyphenol extraction in microwave reactor using by-product of Thymus serpyllum L. and biological potential of the extract. <i>Journal of Applied Research on Medicinal and Aromatic Plants</i> , 2022 , 100417	2.6	1
2	CHROMATOGRAFICZNE METODY IZOLACJI I IDENTYFIKACJI FENOLOKWASŃ. 2012 , 10, 40-48		0
1	Thymus Species from Romanian Spontaneous Flora as Promising Source of Phenolic Secondary Metabolites with Health-Related Benefits. 2023 , 12, 390		0