

Domestic electricity use: A high-resolution energy dem.

Energy and Buildings

42, 1878-1887

DOI: [10.1016/j.enbuild.2010.05.023](https://doi.org/10.1016/j.enbuild.2010.05.023)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Wireless network performance for residential demand-side participation. , 2010, , .		12
2	Investigating the effects of dynamic demand side management within intelligent Smart Energy communities of future decentralized power system. , 2011, , .		31
3	Time averaging and threshold effect on statistics of residential power consumption. , 2011, , .		2
4	Information Hiding. Lecture Notes in Computer Science, 2011, , .	1.0	22
5	Peak-load shaving in smart homes via online scheduling. , 2011, , .		35
6	The Application of a Data Mining Framework to Energy Usage Profiling in Domestic Residences Using UK Data. SSRN Electronic Journal, 0, , .	0.4	8
7	Application of a Clustering Framework to UK Domestic Electricity Data. SSRN Electronic Journal, 2011, , .	0.4	7
8	Integrating physical and virtual environments to conserve energy in buildings. Energy and Buildings, 2011, 43, 3710-3717.	3.1	17
9	Markovian models for home electricity consumption. , 2011, , .		61
10	Load Models for Home Energy System and micro grid simulations. , 2012, , .		18
11	On the use of teletraffic theory in power distribution systems. , 2012, , .		12
12	Electricity markets meet the home through demand response. , 2012, , .		15
13	Exploring the uncertainties of probabilistic LV network analysis. , 2012, , .		5
14	Multi-scale electrical load modelling for demand-side management. , 2012, , .		10
15	Coordinated optimal dispatch of distributed energy resources within a smart energy community cell. , 2012, , .		14
16	Potential of plug-in electric vehicles for supporting regional power distribution system operation with high penetration of wind generation. , 2012, , .		1
17	A framework for low voltage network planning in the era of low carbon technology and active consumers. , 2012, , .		1
18	A System Architecture for Autonomous Demand Side Load Management in Smart Buildings. IEEE Transactions on Smart Grid, 2012, 3, 2157-2165.	6.2	218

#	ARTICLE	IF	CITATIONS
19	Assessing the Collective Harmonic Impact of Modern Residential Loads”Part II: Applications. IEEE Transactions on Power Delivery, 2012, 27, 1947-1955.	2.9	50
20	Assessing the Collective Harmonic Impact of Modern Residential Loads”Part I: Methodology. IEEE Transactions on Power Delivery, 2012, 27, 1937-1946.	2.9	102
21	Evaluation of domestic electrical demand and its effect on low voltage network. , 2012, , .		2
22	Residential Energy Load Profile Generation Using a Probabilistic Approach. , 2012, , .		26
23	Learning from residential load data: Impacts on LV network planning and operation. , 2012, , .		12
24	Assessing electrical bottlenecks at feeder level for residential net zero-energy buildings by integrated system simulation. Applied Energy, 2012, 96, 74-83.	5.1	171
25	Measured end-use electric load profiles for 12 Canadian houses at high temporal resolution. Energy and Buildings, 2012, 49, 519-530.	3.1	81
26	A review and an analysis of the residential electric load curve models. Renewable and Sustainable Energy Reviews, 2012, 16, 6539-6565.	8.2	198
27	A local-community-level, physically-based model of end-use energy consumption by Australian housing stock. Energy Policy, 2012, 49, 586-596.	4.2	45
28	Energy and environmental appraisal of domestic laundering appliances. Building Research and Information, 2012, 40, 679-699.	2.0	9
29	Neural Information Processing. Lecture Notes in Computer Science, 2012, , .	1.0	1
30	Enabling distributed frequency response using smart meters. , 2012, , .		1
31	Demand Side Management for the European Supergrid: Occupancy variances of European single-person households. Energy Policy, 2012, 44, 199-206.	4.2	86
32	Energy behaviours as promoters of energy efficiency: A 21st century review. Renewable and Sustainable Energy Reviews, 2012, 16, 4095-4104.	8.2	223
33	Reporting Available Demand Response. IEEE Transactions on Smart Grid, 2013, 4, 1842-1851.	6.2	65
34	Energy management research using emulators of renewable generation and loads. , 2013, , .		3
35	The Role of Aggregators in Smart Grid Demand Response Markets. IEEE Journal on Selected Areas in Communications, 2013, 31, 1247-1257.	9.7	395
36	Residential demand response: An overview of recent simulation and modeling applications. , 2013, , .		27

#	ARTICLE	IF	CITATIONS
37	Experimental validation of a real time energy management system for microgrids in islanded mode using a local day-ahead electricity market and MINLP. Energy Conversion and Management, 2013, 76, 314-322.	4.4	199
38	Assessment of end-use electricity consumption and peak demand by Townsville's housing stock. Energy Policy, 2013, 61, 888-893.	4.2	14
39	A Highly Configurable Simulator for Assessing Energy Usage. Energy Procedia, 2013, 42, 308-317.	1.8	4
40	Estimating the load response to voltage changes at UK primary substations. , 2013, , .		16
41	Energy consumption of audiovisual devices in the residential sector: Economic impact of harmonic losses. Energy, 2013, 60, 292-301.	4.5	23
42	Sensitivity analysis of the effect of occupant behaviour on the energy consumption of passive house dwellings. Energy and Buildings, 2013, 66, 183-192.	3.1	107
43	Distributed demand-side optimization with load uncertainty. , 2013, , .		14
44	Wireless sensor network and stochastic models for household power management. IEEE Transactions on Consumer Electronics, 2013, 59, 483-491.	3.0	23
45	Context-aware microgrid storage using electric cars. , 2013, , .		1
46	Load modelling and simulation of household electricity consumption for the evaluation of demand-side management strategies. , 2013, , .		7
47	On Scaling Perturbation Based Privacy-Preserving Schemes in Smart Metering Systems. , 2013, , .		10
48	Suricatta: A platform to model smart grid technologies in the distribution system. , 2013, , .		4
49	Economic and environmental impact of lead-acid batteries in grid-connected domestic PV systems. Applied Energy, 2013, 104, 239-249.	5.1	109
50	Analysis and modeling of active occupancy of the residential sector in Spain: An indicator of residential electricity consumption. Energy Policy, 2013, 62, 742-751.	4.2	82
51	The significance of occupancy steadiness in residential consumer response to Time-of-Use pricing: Evidence from a stochastic adjustment model. Utilities Policy, 2013, 27, 49-56.	2.1	12
52	Residential Electrical Load Model Based on Mixture Model Clustering and Markov Models. IEEE Transactions on Industrial Informatics, 2013, 9, 1561-1569.	7.2	108
53	A highly resolved modeling technique to simulate residential power demand. Applied Energy, 2013, 107, 465-473.	5.1	179
54	Optimal Control of End-User Energy Storage. IEEE Transactions on Smart Grid, 2013, 4, 789-797.	6.2	136

#	ARTICLE	IF	CITATIONS
55	Optimal management of stationary lithium-ion battery system in electricity distribution grids. Journal of Power Sources, 2013, 242, 742-755.	4.0	61
56	Multiscale Markov models with random transitions for energy demand management. Energy and Buildings, 2013, 61, 267-274.	3.1	21
57	Smart Consumers, Smart Controls, Smart Grid. Smart Innovation, Systems and Technologies, 2013, , 381-389.	0.5	7
58	Incorporating technology buying behaviour into UK-based long term domestic stock energy models to provide improved policy analysis. Energy Policy, 2013, 52, 363-372.	4.2	22
59	A bottom-up stochastic model to predict building occupants' time-dependent activities. Building and Environment, 2013, 60, 254-264.	3.0	147
60	Energy storage optimization strategies for smart grids. , 2013, , .		25
61	Constrained tÃ¢tonnement for fast and incentive compatible distributed demand management in smart grids. , 2013, , .		5
62	From Emplaced Knowing to Interdisciplinary Knowledge. Senses and Society, 2013, 8, 335-353.	0.3	46
63	A Methodology for Defining Electricity Demand in Energy Simulations Referred to the Italian Context. Energies, 2013, 6, 6274-6292.	1.6	23
64	A model for predicting household end-use energy consumption and greenhouse gas emissions in Australia. International Journal of Sustainable Building Technology and Urban Development, 2013, 4, 210-228.	1.0	51
65	Integrated simulation of photovoltaic micro-generation and domestic electricity demand: a one-minute resolution open-source model. Proceedings of the Institution of Mechanical Engineers, Part A: Journal of Power and Energy, 2013, 227, 73-81.	0.8	40
66	A Statistical Survey of the UK Residential Sector Electrical Loads. International Journal of Emerging Electric Power Systems, 2013, 14, 509-523.	0.6	11
67	Participation of electric heat pump resources in electricity markets under uncertainty. , 2013, , .		4
68	Establishing the zero-carbon performance of compact urban dwellings. Journal of Building Performance Simulation, 2013, 6, 319-334.	1.0	6
69	Monte Carlo-based assessment of PV impacts on real UK low voltage networks. , 2013, , .		51
70	A Fuzzy Logic tool for household electrical consumption modeling. , 2013, , .		22
71	Energy Management System proposal for efficient smart homes. , 2013, , .		8
72	Physical modeling of electro-thermal domestic heating systems with quantification of economic and environmental costs. , 2013, , .		13

#	ARTICLE	IF	CITATIONS
73	Neural networks based home energy management system in residential PV scenario. , 2013, , .		7
74	Microgrid power balancing with redox flow batteries. , 2014, , .		4
75	Recent research quantifying anthropogenic CO ₂ emissions at the street scale within the urban domain. Carbon Management, 2014, 5, 309-320.	1.2	16
76	An investigation for improved home energy management. , 2014, , .		1
77	Smart control for battery energy storage system in a community grid. , 2014, , .		4
78	Security of supply implication of residential photovoltaic panels in low voltage network. , 2014, , .		0
79	Collaborative placement and sharing of storage resources in the Smart Grid. , 2014, , .		19
80	Energy efficient building automation: A survey paper on approaches and technologies for optimized building operation. , 2014, , .		9
81	A qualitative study of perspectives on household and societal impacts of demand response. Technology Analysis and Strategic Management, 2014, 26, 1131-1143.	2.0	27
82	Planned communities as microgrid applications. , 2014, , .		8
83	Impact of electric vehicles on LV feeder voltages. , 2014, , .		2
84	Household power consumption simulator with compact representation of occupant behaviors. , 2014, , .		4
85	Estimating human interactions with electrical appliances for activity-based energy savings recommendations. , 2014, , .		4
86	European End-User's Level of Energy Consumption and Attitude Toward Smart Homes: A Case Study of Residential Sectors in Austria and Italy. Energy Technology & Policy, 2014, 1, 97-105.	1.1	9
87	Fuzzy logic simulator for energy management algorithms testing. , 2014, , .		0
88	Proactive fault-tolerant aggregation protocol for privacy-assured smart metering. , 2014, , .		38
89	Rule-based demand-side management of domestic hot water production with heat pumps in zero energy neighbourhoods. Journal of Building Performance Simulation, 2014, 7, 271-288.	1.0	60
90	Intertemporal trading economy model for smart grid household energy consumption. , 2014, , .		0

#	ARTICLE	IF	CITATIONS
91	Cost and emission savings from the deployment of variable electricity tariffs and advanced domestic energy hub storage management. , 2014, , .		6
92	Optimal Energy Consumption Model for Smart Grid Households With Energy Storage. IEEE Journal on Selected Topics in Signal Processing, 2014, 8, 1154-1166.	7.3	43
93	Power Flow Control for Power and Voltage Management in Future Smart Energy Communities. , 2014, , .		4
94	Discrete elastic residential load response under variable pricing schemes. , 2014, , .		14
95	Modeling of end-use energy profile: An appliance-data-driven stochastic approach. , 2014, , .		11
96	Home energy management benefits evaluation through fuzzy logic consumptions simulator. , 2014, , .		6
97	Modelling of household electro-thermal technologies for demand response applications. , 2014, , .		10
98	A method for the identification and modelling of realistic domestic occupancy sequences for building energy demand simulations and peer comparison. Building and Environment, 2014, 75, 67-78.	3.0	139
99	Activities related with electricity consumption in the Spanish residential sector: Variations between days of the week, Autonomous Communities and size of towns. Energy and Buildings, 2014, 79, 84-97.	3.1	31
100	Agent based modeling of energy networks. Energy Conversion and Management, 2014, 82, 308-319.	4.4	46
101	Energy systems modeling for twenty-first century energy challenges. Renewable and Sustainable Energy Reviews, 2014, 33, 74-86.	8.2	735
102	The role of hydrogen in achieving the decarbonization targets for the UK domestic sector. International Journal of Hydrogen Energy, 2014, 39, 4158-4169.	3.8	36
103	Residential Energy Consumption Scheduling: A Coupled-Constraint Game Approach. IEEE Transactions on Smart Grid, 2014, 5, 1340-1350.	6.2	186
104	Application-oriented modelling of domestic energy demand. International Journal of Electrical Power and Energy Systems, 2014, 61, 656-664.	3.3	27
105	Agent-based model for electricity consumption and storage to evaluate economic viability of tariff arbitrage for residential sector demand response. Applied Energy, 2014, 126, 297-306.	5.1	100
106	A UK-based assessment of hybrid PV and solar-thermal systems for domestic heating and power: System performance. Applied Energy, 2014, 122, 288-309.	5.1	238
107	Advanced control of heat pumps for improved flexibility of Net-ZEB towards the grid. Energy and Buildings, 2014, 69, 74-84.	3.1	100
108	Using fuzzy logic to model the behavior of residential electrical utility customers. Applied Energy, 2014, 115, 384-393.	5.1	31

#	ARTICLE	IF	CITATIONS
109	Modeling of PV generation, battery and hydrogen storage to investigate the benefits of energy storage for single dwelling. Sustainable Cities and Society, 2014, 10, 1-10.	5.1	73
110	Modelling steady state performance of a local electricity distribution system under UK 2050 carbon pathway scenarios. Energy, 2014, 78, 604-621.	4.5	2
111	Agent-based simulation of home energy management system in residential demand response. , 2014, , .		8
112	Runtime optimization of hybrid energy source from an UPS back-upping critical consumer. , 2014, , .		0
113	A method for modeling household occupant behavior to simulate residential energy consumption. , 2014, , .		36
114	Fuzzy logic home energy consumption modeling for residential photovoltaic plant sizing in the new Italian scenario. Energy, 2014, 74, 359-367.	4.5	52
115	Development of Low-Voltage Load Models for the Residential Load Sector. IEEE Transactions on Power Systems, 2014, 29, 2180-2188.	4.6	133
116	High Efficiency SiC AC Chopper for LV networks. , 2014, , .		1
117	Forecasting household consumer electricity load profiles with a combined physical and behavioral approach. Applied Energy, 2014, 131, 267-278.	5.1	86
118	Optimal and Compact Control Policies for Energy Storage Units With Single and Multiple Batteries. IEEE Transactions on Smart Grid, 2014, 5, 1308-1317.	6.2	19
119	Self-Learning Load Characteristic Models for Smart Appliances. IEEE Transactions on Smart Grid, 2014, 5, 2432-2439.	6.2	31
120	Optimal privacy-preserving energy management for smart meters. , 2014, , .		39
121	Performance assessment of tariff-based air source heat pump load shifting in a UK detached dwelling featuring phase change-enhanced buffering. Applied Thermal Engineering, 2014, 71, 809-820.	3.0	60
122	Models for generating place and time dependent urban energy demand profiles. Applied Energy, 2014, 130, 256-264.	5.1	45
123	A review of time use models of residential electricity demand. Renewable and Sustainable Energy Reviews, 2014, 37, 265-272.	8.2	131
124	Impact of simulation time-resolution on the matching of PV production and household electric demand. Applied Energy, 2014, 128, 192-208.	5.1	106
125	A Stochastic Activity-Based Approach for Forecasting Occupant-Related Energy Consumption in Residential Buildings. , 2014, , .		3
126	Urbanization and the carbon cycle: Current capabilities and research outlook from the natural sciences perspective. Earth's Future, 2014, 2, 473-495.	2.4	159

#	ARTICLE	IF	CITATIONS
127	Residential electricity demand modelling: Activity based modelling for a model with high time and spatial resolution. , 2015, , .		6
128	EHP in low voltage networks: Understanding the effects of heat emitters and room temperatures. , 2015, , .		2
129	Deploying and Evaluating Pufferfish Privacy for Smart Meter Data. , 2015, , .		9
130	Modeling Lighting as Part of the USER Model Based on Stochastic Time Budget Survey Data. Energy Procedia, 2015, 78, 1659-1664.	1.8	3
131	Testing integrated electric vehicle charging and domestic heating strategies for future UK housing. Energy and Buildings, 2015, 105, 377-392.	3.1	12
132	Peak residential electricity demand and social practices: Deriving flexibility and greenhouse gas intensities from time use and locational data. Indoor and Built Environment, 2015, 24, 891-912.	1.5	48
133	La metamorfosis competitiva y sus impactos en el consumo energético de la ciudad. Cuadernos De Vivienda Y Urbanismo, 2015, 8, 6.	0.1	0
134	A New Differentially Private Data Aggregation With Fault Tolerance for Smart Grid Communications. IEEE Internet of Things Journal, 2015, 2, 248-258.	5.5	107
135	Impacts of Raw Data Temporal Resolution Using Selected Clustering Methods on Residential Electricity Load Profiles. IEEE Transactions on Power Systems, 2015, 30, 3217-3224.	4.6	96
136	Challenges and barriers to demand response deployment and evaluation. Applied Energy, 2015, 152, 1-10.	5.1	228
137	Microgeneration in buildings with low energy demand in load sharing application. Energy Conversion and Management, 2015, 100, 78-89.	4.4	29
138	A simplified model for the electrical energy consumption of washing machines. Journal of Building Engineering, 2015, 2, 69-76.	1.6	8
139	Realistic and very fast simulation of individual electricity consumptions. , 2015, , .		2
140	Residential electric load curve profile based on fuzzy systems. , 2015, , .		9
141	Fair pricing mechanism for coalitions in rural areas. , 2015, , .		0
142	Real-time deterministic power flow control through dispatch of distributed energy resources. IET Generation, Transmission and Distribution, 2015, 9, 2724-2735.	1.4	10
143	Investigating the impact of varying the number of distributed energy resources on controlling the power flow within a microgrid. , 2015, , .		1
144	Assessing the effects of load models on MV network losses. , 2015, , .		3

#	ARTICLE	IF	CITATIONS
145	Design of an agent-based simulator for real-time estimation of power consumption/generation in residential buildings. , 2015, , .		3
146	Privacy Preserving for Network Coding in Smart Grid. Lecture Notes in Computer Science, 2015, , 640-654.	1.0	0
147	On the integrated PV hosting capacity of MV and LV distribution networks. , 2015, , .		19
148	Optimal flow of energy-hub including heat pumps at residential level. , 2015, , .		2
149	A finite state based residential demand generator for scarce statistical data scenarios. , 2015, , .		1
150	Evaluation of Household Electricity Savings. Analysis of Household Electricity Demand Profile and User Activities. Energy Procedia, 2015, 72, 285-292.	1.8	26
151	Sequential pattern mining " A study to understand daily activity patterns for load forecasting enhancement. , 2015, , .		5
152	Energy storage sizing for peak hour utility applications. , 2015, , .		6
153	Estimating Demand Response Potential in Building Clusters. Energy Procedia, 2015, 78, 3391-3396.	1.8	20
154	Load shifting for tertiary control power provision. , 2015, , .		3
155	Residential precinct demand forecasting using optimised solar generation and battery storage. , 2015, , .		4
156	On the Energy Demands of Small Appliances in Homes. Energy Procedia, 2015, 78, 3384-3390.	1.8	3
157	A statistical analysis of EV charging behavior in the UK. , 2015, , .		66
158	An Occupant-Based Energy Consumption Model for User-Focused Design of Residential Buildings. Journal of Mechanical Design, Transactions of the ASME, 2015, 137, .	1.7	13
159	Transformer operating conditions under introduction of PV and EVs in an eco-district. , 2015, , .		8
160	Model predictive control technique for energy optimization in residential appliances. , 2015, , .		3
161	Cooperative game-theoretic approach to load balancing in smart grids with community energy storage. , 2015, , .		10
162	Cost-Effective and Privacy-Preserving Energy Management for Smart Meters. IEEE Transactions on Smart Grid, 2015, 6, 486-495.	6.2	112

#	ARTICLE	IF	CITATIONS
163	Assessing the benefits of domestic hot fill washing appliances. Energy and Buildings, 2015, 93, 282-294.	3.1	11
164	A comparison of thermal energy storage models for building energy system optimization. Energy and Buildings, 2015, 93, 23-31.	3.1	45
165	Model for electric load profiles with high time resolution for German households. Energy and Buildings, 2015, 92, 170-179.	3.1	132
166	A clustering approach to domestic electricity load profile characterisation using smart metering data. Applied Energy, 2015, 141, 190-199.	5.1	382
167	A study and a directory of energy consumption data sets of buildings. Energy and Buildings, 2015, 94, 91-99.	3.1	44
168	Optimization Under Uncertainty of Thermal Storage-Based Flexible Demand Response With Quantification of Residential Users' Discomfort. IEEE Transactions on Smart Grid, 2015, 6, 2333-2342.	6.2	165
169	Four-state domestic building occupancy model for energy demand simulations. Energy and Buildings, 2015, 96, 30-39.	3.1	81
170	PV in historic dwellings: The potential to reduce domestic CO2 emissions. Journal of Building Engineering, 2015, 3, 70-78.	1.6	10
171	Fuzzy logic based economical analysis of photovoltaic energy management. Neurocomputing, 2015, 170, 296-305.	3.5	42
172	A novel temporal perturbation based privacy-preserving scheme for real-time monitoring systems. Computer Networks, 2015, 88, 72-88.	3.2	12
173	An ontology to represent energy-related occupant behavior in buildings. Part I: Introduction to the DNAs framework. Building and Environment, 2015, 92, 764-777.	3.0	219
174	Towards more effective behavioural energy policy: An integrative modelling approach to residential energy consumption in Europe. Energy Research and Social Science, 2015, 7, 84-98.	3.0	41
175	Integration between electric vehicle charging and micro-cogeneration system. Energy Conversion and Management, 2015, 98, 115-126.	4.4	32
176	Demand response modeling: A comparison between tools. Applied Energy, 2015, 146, 288-297.	5.1	67
177	Influence of occupant's behavior on heating needs and energy system performance: A case of well-insulated detached houses in cold climates. Building Simulation, 2015, 8, 499-513.	3.0	31
178	Electrical network capacity support from demand side response: Techno-economic assessment of potential business cases for small commercial and residential end-users. Energy Policy, 2015, 82, 222-232.	4.2	66
179	Increasing the PV hosting capacity of LV networks: OLTC-fitted transformers vs. reinforcements. , 2015, , .		40
180	Impact analysis of distributed PV and energy storage systems in unbalanced LV networks. , 2015, , .		17

#	ARTICLE	IF	CITATIONS
181	Deployment of a load simulator in simulating residential household appliances. , 2015, , .		2
182	Reducing Household Electricity Consumption through Demand Side Management: The Role of Home Appliance Scheduling and Peak Load Reduction. Energy Procedia, 2015, 72, 222-229.	1.8	47
183	Modelling of Energy Demand in a Modern Domestic Dwelling. Energy Procedia, 2015, 75, 1803-1808.	1.8	4
184	Statistical analysis of driving factors of residential energy demand in the greater Sydney region, Australia. Energy and Buildings, 2015, 105, 9-25.	3.1	64
185	Efficient Clustering of DERs in a Virtual Association for Profit Optimization. , 2015, , .		2
186	On Information-theoretic Measures for Quantifying Privacy Protection of Time-series Data. , 2015, , .		8
187	Energy optimization in an eco-district with electric vehicles smart charging. , 2015, , .		3
188	Impact of HP, CHP, PV and EVs on households' electric load profiles. , 2015, , .		10
189	On binary decomposition based privacy-preserving aggregation schemes in real-time monitoring systems. , 2015, , .		2
190	The shape of future electricity demand: Exploring load curves inÂ2050s Germany and Britain. Energy, 2015, 90, 1317-1333.	4.5	184
191	Simulating Electricity Consumption Pattern for Household Appliances using Demand Side Strategies. , 2015, , .		4
192	Investigating the impact of varying the number of distributed energy resources on controlling the power flow within a microgrid. , 2015, , .		2
193	Performance of OLTC-based control strategies for LV networks with photovoltaics. , 2015, , .		17
194	A Vanadium-Redox-Flow-Battery Model for Evaluation of Distributed Storage Implementation in Residential Energy Systems. IEEE Transactions on Energy Conversion, 2015, 30, 421-430.	3.7	43
195	An assessment of solar-powered organic Rankine cycle systems for combined heating and power in UK domestic applications. Applied Energy, 2015, 138, 605-620.	5.1	231
196	Factors influencing residentsâ€™ energy useâ€™A study of energy-related behaviour in 57 Swedish homes. Energy and Buildings, 2015, 87, 243-252.	3.1	22
197	User activity recognition for energy saving in smart homes. Pervasive and Mobile Computing, 2015, 16, 156-170.	2.1	51
198	High resolution modelling of multi-energy domestic demand profiles. Applied Energy, 2015, 137, 193-210.	5.1	97

#	ARTICLE	IF	CITATIONS
199	Electrical Market Management Considering Power System Constraints in Smart Distribution Grids. Energies, 2016, 9, 405.	1.6	19
200	Hybrid LSA-ANN Based Home Energy Management Scheduling Controller for Residential Demand Response Strategy. Energies, 2016, 9, 716.	1.6	69
201	Multivariate stochastic modeling of washing machine loads profile in Iran. Sustainable Cities and Society, 2016, 26, 170-185.	5.1	9
202	Development of a bottom-up methodology for modelling electrical residential load from event data. , 2016, , .		1
203	An investigation into the technical impacts of microgeneration on uk-type LV distribution networks. , 2016, , .		8
204	Temporal association rules for electrical activity detection in residential homes. , 2016, , .		3
205	Assessment of EV and ESS performance based load scheduling in Smart home. , 2016, , .		1
206	Aggregator trading and demand dispatch under price and load uncertainty. , 2016, , .		5
207	Estimating human interactions with electrical appliances for activity-based energy savings recommendations. , 2016, , .		6
208	Low-voltage distribution network reconfiguration considering high penetration of electric vehicles #x2014; A UK case study. , 2016, , .		10
209	Methodology for close to real time profiling of aggregated demand using data streams from smart meters. , 2016, , .		0
210	Simulation platform for autonomous smart multi-terminal DC micro-grid. , 2016, , .		3
211	CVR assessment in UK residential LV networks considering customer types. , 2016, , .		4
212	An investigation into the technical impacts of microgeneration on UK-type LV distribution networks. , 2016, , .		3
213	Statistical load and generation modelling for long term studies of low voltage networks in presence of sparse smart metering data. , 2016, , .		4
214	A Matlab-based home energy management algorithm development toolbox. , 2016, , .		1
215	Propagation of electrical disturbances to automotive batteries in vehicle-to-grid context. , 2016, , .		0
216	Demand response for renewable energy integration and load balancing in smart grid communities. , 2016, , .		16

#	ARTICLE	IF	CITATIONS
217	A distributed gossip-based voltage control algorithm for peer-to-peer microgrids. , 2016, , .		10
218	Investigating the effects of conservation voltage reduction on UK-type residential networks. , 2016, , .		6
219	Electric Vehicle charging management algorithm for a UK low-voltage residential distribution network. , 2016, , .		4
220	Distribution network voltage control for peak load alleviation. , 2016, , .		1
221	Assessing the performances of residential ESSs control by means of a Monte Carlo analysis. , 2016, , .		0
222	Statistical analysis of residential demand behavior in Costa Rica: Creation of load profiles. , 2016, , .		2
223	Efficient indirect real-time EV charging method based on imperfect competition market. , 2016, , .		5
224	The influence of simulation time-resolution on the matching between on-site micro-wind generation and building electric demand. Journal of Building Performance Simulation, 2016, 9, 449-468.	1.0	2
225	Household electricity demand profiles “ A high-resolution load model to facilitate modelling of energy flexible buildings. Energy, 2016, 103, 487-501.	4.5	94
226	Privacy-Enhancing Aggregation Techniques for Smart Grid Communications. Wireless Networks, 2016, , .	0.3	25
227	Domestic electricity load modelling by multiple Gaussian functions. Energy and Buildings, 2016, 126, 455-462.	3.1	26
228	Techno-economic and business case assessment of low carbon technologies in distributed multi-energy systems. Applied Energy, 2016, 167, 158-172.	5.1	54
229	A cooperative net zero energy community to improve load matching. Renewable Energy, 2016, 93, 1-13.	4.3	85
230	Occupant behavior in building energy simulation: Towards a fit-for-purpose modeling strategy. Energy and Buildings, 2016, 121, 188-204.	3.1	226
231	A framework for allocating personalized appliance-level disaggregated electricity consumption to daily activities. Energy and Buildings, 2016, 111, 337-350.	3.1	34
232	A Dynamic Residential Load Model Based on a Non-homogeneous Poisson Process. Journal of Control, Automation and Electrical Systems, 2016, 27, 670-679.	1.2	4
233	Preventing Unauthorized Access to Sensor Data. , 2016, , 319-346.		0
234	Quantifying self-consumption linked to solar home battery systems: Statistical analysis and economic assessment. Applied Energy, 2016, 182, 58-67.	5.1	173

#	ARTICLE	IF	CITATIONS
235	Laundry, energy and time: Insights from 20 years of time-use diary data in the United Kingdom. Energy Research and Social Science, 2016, 22, 125-136.	3.0	65
236	Data granularity and the optimal planning of distributed generation. Energy, 2016, 112, 342-352.	4.5	20
237	Uncertainty and error analysis of calculation procedures for PV self-consumption and its significance to investment decisions. , 2016, , .		4
238	An integrated approach to modelling end-use energy and water consumption of Australian households. Sustainable Cities and Society, 2016, 26, 344-353.	5.1	21
239	Probabilistic behavioural modeling in building performance simulationâ€”The Brescia eLUX lab. Energy and Buildings, 2016, 128, 119-131.	3.1	53
240	Analysing socioeconomic diversity and scaling effects on residential electricity load profiles in the context of low carbon technology uptake. Energy Policy, 2016, 97, 13-26.	4.2	25
242	Optimised operation of an off-grid hybrid wind-diesel-battery system using genetic algorithm. Energy Conversion and Management, 2016, 126, 446-462.	4.4	57
243	Optimal structure of a Smart DC micro-grid for a cluster of zero net energy buildings. , 2016, , .		3
244	Analysis of diversified residential demand in London using smart meter and demographic data. , 2016, , .		4
245	A time-of-use-based residential electricity demand model for smart grid applications. , 2016, , .		15
246	Smart community load matching using stochastic demand modeling and historical production data. , 2016, , .		3
247	Modeling of demand side management scenarios in apartment buildings. , 2016, , .		2
248	A review of occupant behavior models in residential building: Sensing, modeling, and prediction. , 2016, , .		7
249	Structural, geographic, and social factors in urban building energy use: Analysis of aggregated account-level consumption data in a megacity. Energy Policy, 2016, 96, 179-192.	4.2	52
250	A linear programming approach to the optimization of residential energy systems. Journal of Energy Storage, 2016, 7, 24-37.	3.9	50
251	Probabilistic analysis of solar photovoltaic selfâ€”consumption using Bayesian network models. IET Renewable Power Generation, 2016, 10, 448-455.	1.7	14
252	Incentivising consumers in smart grids to shift their electricity use. , 2016, , .		2
253	High-resolution stochastic integrated thermalâ€”electrical domestic demand model. Applied Energy, 2016, 165, 445-461.	5.1	223

#	ARTICLE	IF	CITATIONS
254	Reliability and risk assessment of post-contingency demand response in smart distribution networks. Sustainable Energy, Grids and Networks, 2016, 7, 1-12.	2.3	53
255	Determining the relationship between a household's lifestyle and its electricity consumption in Japan by analyzing measured electric load profiles. Energy and Buildings, 2016, 119, 200-210.	3.1	48
256	Bottom-up Markov Chain Monte Carlo approach for scenario based residential load modelling with publicly available data. Energy and Buildings, 2016, 112, 121-129.	3.1	57
257	Combined residential demand side management strategies with coordination and economic analysis. International Journal of Electrical Power and Energy Systems, 2016, 79, 150-160.	3.3	78
258	Voltage Control of PV-Rich LV Networks: OLTC-Fitted Transformer and Capacitor Banks. IEEE Transactions on Power Systems, 2016, 31, 4016-4025.	4.6	125
259	Assessment of the Cost and Environmental Impact of Residential Demand-Side Management. IEEE Transactions on Industry Applications, 2016, 52, 2486-2495.	3.3	31
260	Probabilistic evaluation of solar photovoltaic systems using Bayesian networks: a discounted cash flow assessment. Progress in Photovoltaics: Research and Applications, 2016, 24, 1592-1605.	4.4	3
261	On Binary Decomposition Based Privacy-Preserving Aggregation Schemes in Real-Time Monitoring Systems. IEEE Transactions on Parallel and Distributed Systems, 2016, 27, 2967-2983.	4.0	19
262	Variability between domestic buildings: the impact on energy use. Journal of Building Performance Simulation, 2016, 9, 162-175.	1.0	18
263	Dynamic coupled thermal-and-electrical modelling of sheet-and-tube hybrid photovoltaic/thermal (PVT) collectors. Applied Thermal Engineering, 2016, 101, 778-795.	3.0	184
264	Estimation of the contribution of the residential sector to summer peak demand reduction in Japan using an energy end-use simulation model. Energy and Buildings, 2016, 112, 80-92.	3.1	43
265	Modeling office building consumer load with a combined physical and behavioral approach: Simulation and validation. Applied Energy, 2016, 162, 472-485.	5.1	32
266	Optimum allocation of distributed generation in multi-feeder systems using long term evaluation and assuming voltage-dependent loads. Sustainable Energy, Grids and Networks, 2016, 5, 13-26.	2.3	15
267	Control of EV Charging Points for Thermal and Voltage Management of LV Networks. IEEE Transactions on Power Systems, 2016, 31, 3028-3039.	4.6	107
268	Hybrid PV and solar-thermal systems for domestic heat and power provision in the UK: Techno-economic considerations. Applied Energy, 2016, 161, 512-532.	5.1	162
269	Probabilistic Impact Assessment of Low Carbon Technologies in LV Distribution Systems. IEEE Transactions on Power Systems, 2016, 31, 2192-2203.	4.6	210
270	Modelling uncertainty in district energy simulations by stochastic residential occupant behaviour. Journal of Building Performance Simulation, 2016, 9, 431-447.	1.0	76
271	Privacy-Assured Aggregation Protocol for Smart Metering: A Proactive Fault-Tolerant Approach. IEEE/ACM Transactions on Networking, 2016, 24, 1661-1674.	2.6	25

#	ARTICLE	IF	CITATIONS
272	MIP approach for designing heating systems in residential buildings and neighbourhoods. Journal of Building Performance Simulation, 2016, 9, 316-330.	1.0	20
273	Residential Load Modeling of Price-Based Demand Response for Network Impact Studies. IEEE Transactions on Smart Grid, 2016, 7, 2285-2294.	6.2	109
274	Incorporating Practice Theory in Sub-Profile Models for Short Term Aggregated Residential Load Forecasting. IEEE Transactions on Smart Grid, 2017, 8, 1591-1598.	6.2	131
275	An Analytical Method for Probabilistic Modeling of the Steady-State Behavior of Secondary Residential System. IEEE Transactions on Smart Grid, 2017, 8, 2575-2584.	6.2	17
276	A Stochastic Sizing Approach for Sharing-Based Energy Storage Applications. IEEE Transactions on Smart Grid, 2017, 8, 1075-1084.	6.2	67
277	Optimal Residential Demand Response for Multiple Heterogeneous Homes With Real-Time Price Prediction in a Multiagent Framework. IEEE Transactions on Smart Grid, 2017, 8, 1173-1184.	6.2	99
278	An evaluation of combinations of lossy compression and change-detection approaches for time-series data. Information Systems, 2017, 65, 65-77.	2.4	7
279	Urban residential energy consumption modeling in the Integrated Urban Metabolism Analysis Tool (IUMAT). Building and Environment, 2017, 114, 429-444.	3.0	19
280	Impacts of microgrids with renewables on secondary distribution networks. Applied Energy, 2017, 201, 308-319.	5.1	36
281	Improved occupancy monitoring in non-domestic buildings. Sustainable Cities and Society, 2017, 30, 97-107.	5.1	41
282	Statistical analysis of drivers of residential peak electricity demand. Energy and Buildings, 2017, 141, 205-217.	3.1	50
283	Energy Consumption Analysis Based on Energy Efficiency Approach: A Case of Suburban Area. MATEC Web of Conferences, 2017, 87, 02003.	0.1	10
284	A disaggregated, probabilistic, high resolution method for assessment of domestic occupancy and electrical demand. Energy and Buildings, 2017, 140, 171-187.	3.1	20
285	Assessing the Future Trends of Reactive Power Demand of Distribution Networks. IEEE Transactions on Power Systems, 2017, 32, 4278-4288.	4.6	35
286	Autonomous plug and play electric vehicle charging scenarios including reactive power provision: a probabilistic load flow analysis. IET Generation, Transmission and Distribution, 2017, 11, 768-775.	1.4	15
287	Taylor series approximation of ZIP model for on-line estimation of residential loads' parameters. , 2017, , .		6
288	Historical-Data-Based Energy Management in a Microgrid With a Hybrid Energy Storage System. IEEE Transactions on Industrial Informatics, 2017, 13, 2597-2605.	7.2	51
289	Rooftop solar potential based on LiDAR data: Bottom-up assessment at neighbourhood level. Renewable Energy, 2017, 111, 463-475.	4.3	55

#	ARTICLE	IF	CITATIONS
290	Occupant behaviour modelling in domestic buildings: the case of household electrical appliances. Journal of Building Performance Simulation, 2017, 10, 582-600.	1.0	34
291	A generalised model of electrical energy demand from small household appliances. Energy and Buildings, 2017, 135, 350-366.	3.1	20
292	Communicating energy system modelling to the wider public: An analysis of German media coverage. Renewable and Sustainable Energy Reviews, 2017, 80, 1389-1398.	8.2	10
293	Privacy Preserving Smart Meter Streaming Against Information Leakage of Appliance Status. IEEE Transactions on Information Forensics and Security, 2017, 12, 2227-2241.	4.5	45
294	Dezentrale Steuerung eines Pools von Wärmepumpen auf Basis spieltheoretischer Methoden. Zeitschrift für Energiewirtschaft, 2017, 41, 237-259.	0.2	1
295	Feasibility of Peer-to-Peer Energy Trading in Low Voltage Electrical Distribution Networks. Energy Procedia, 2017, 105, 2227-2232.	1.8	100
296	Assessing the combined effect of the diffusion of solar rooftop generation, energy conservation and efficient appliances in households. Journal of Cleaner Production, 2017, 162, 491-503.	4.6	22
297	The role of context in residential energy interventions: A meta review. Renewable and Sustainable Energy Reviews, 2017, 77, 1146-1168.	8.2	38
298	Appliances in the residential sector: Economic impact of harmonic losses. , 2017, , .		0
299	Model for Optimal Operation of Water Distribution Pumps with Uncertain Demand Patterns. Water Resources Management, 2017, 31, 3867-3880.	1.9	18
300	Exploratory data analysis of the electrical energy demand in the time domain in Greece. Energy, 2017, 134, 902-918.	4.5	13
301	Synthesizing residential load profiles using behavior simulation. Energy Procedia, 2017, 122, 655-660.	1.8	60
302	Tailoring domestic retrofit by incorporating occupant behaviour. Energy Procedia, 2017, 122, 427-432.	1.8	12
303	Electrical load forecasting models: A critical systematic review. Sustainable Cities and Society, 2017, 35, 257-270.	5.1	287
304	A stochastic model to predict occupants' activities at home for community-/urban-scale energy demand modelling. Journal of Building Performance Simulation, 2017, 10, 565-581.	1.0	22
305	PV-battery community energy systems: Economic, energy independence and network deferral analysis. , 2017, , .		10
306	Techno-economic analysis of the viability of residential photovoltaic systems using lithium-ion batteries for energy storage in the United Kingdom. Applied Energy, 2017, 206, 12-21.	5.1	143
307	Modeling energy consumption in residential buildings: A bottom-up analysis based on occupant behavior pattern clustering and stochastic simulation. Energy and Buildings, 2017, 147, 47-66.	3.1	155

#	ARTICLE	IF	CITATIONS
308	Comparative analysis of domestic and feeder connected batteries for low voltage networks with high photovoltaic penetration. Journal of Energy Storage, 2017, 13, 334-343.	3.9	10
309	Hidden Markov Models revealing the household thermal profiling from smart meter data. Energy and Buildings, 2017, 154, 127-140.	3.1	10
310	Modeling of district load forecasting for distributed energy system. Applied Energy, 2017, 204, 181-205.	5.1	91
311	Application of data analytics for advanced demand profiling of residential load using smart meter data. , 2017, , .		9
312	An agent based approach for Virtual Power Plant valuing thermal flexibility in energy markets. , 2017, , .		3
313	Statistical representation of demand for GIS-based load profile allocation in distribution networks. , 2017, , .		3
314	Privacy preservation with channel-based jamming for data aggregation in smart grids. , 2017, , .		2
315	Assessment of distribution networks performance considering residential photovoltaic systems with demand response applications. Journal of Renewable and Sustainable Energy, 2017, 9, .	0.8	9
316	Optimal design of energy conversion units for residential buildings considering German market conditions. Energy, 2017, 139, 895-915.	4.5	14
317	A genetic algorithm approach for modelling low voltage network demands. Applied Energy, 2017, 203, 463-473.	5.1	16
318	The diversity of residential electricity demand â€“ A comparative analysis of metered and simulated data. Energy and Buildings, 2017, 151, 121-131.	3.1	40
319	Exploring additional determinants of energy-saving behaviour: The influence of individuals' participation in cultural activities. Energy Policy, 2017, 108, 503-511.	4.2	39
320	Optimal residential load scheduling model in smart grid environment. , 2017, , .		17
321	Achieving Privacy Protection Using Distributed Load Scheduling: A Randomized Approach. IEEE Transactions on Smart Grid, 2017, 8, 2460-2473.	6.2	35
322	A survey on behind the meter energy management systems in smart grid. Renewable and Sustainable Energy Reviews, 2017, 72, 1208-1232.	8.2	96
323	Electrical-end-use data from 23 houses sampled each minute for simulating micro-generation systems. Applied Thermal Engineering, 2017, 114, 1449-1456.	3.0	23
324	HPC-Based Probabilistic Analysis of LV Networks With EVs: Impacts and Control. IEEE Transactions on Smart Grid, 2017, 8, 1479-1487.	6.2	34
325	Consumption modeling based on Markov chains and Bayesian networks for a demand side management design of isolated microgrids. International Journal of Energy Research, 2017, 41, 365-376.	2.2	8

#	ARTICLE	IF	CITATIONS
326	Massive data analysis to assess PV/ESS integration in residential unbalanced LV networks to support voltage profiles. <i>Electric Power Systems Research</i> , 2017, 143, 206-214.	2.1	29
327	Optimal design of energy conversion units and envelopes for residential building retrofits using a comprehensive MILP model. <i>Applied Energy</i> , 2017, 185, 1-15.	5.1	67
328	Open and Closed-Loop Residential Load Models for Assessment of Conservation Voltage Reduction. <i>IEEE Transactions on Power Systems</i> , 2017, 32, 2995-3005.	4.6	19
329	Combined domestic demand response and energy hub optimisation with renewable generation uncertainty. <i>Energy Procedia</i> , 2017, 142, 1985-1990.	1.8	5
330	Multi-agent transactive energy management system considering high levels of renewable energy source and electric vehicles. <i>IET Generation, Transmission and Distribution</i> , 2017, 11, 3713-3721.	1.4	86
331	Load estimation based on self-organizing maps and Bayesian networks for microgrids design in rural zones. , 2017, , .		5
332	A nonparametric Bayesian model for forecasting residential solar generation. , 2017, , .		3
333	Distributed discrete level energy scheduling for residential load control in smart grids. , 2017, , .		1
334	A methodology to assess home PV capacity to mitigate wind power forecasting errors. , 2017, , .		0
335	The Effect of Temporal Resolution on the Accuracy of Predicting Building Occupant Behaviour based on Markov Chain Models. <i>Procedia Engineering</i> , 2017, 205, 1698-1704.	1.2	3
336	Energy management of micro renewable energy source and electric vehicles at home level. <i>Journal of Modern Power Systems and Clean Energy</i> , 2017, 5, 979-990.	3.3	31
337	Autonomous coordination of smart buildings in microgrids based on a double-sided auction. , 2017, , .		2
338	AMBAL: Realistic load signature generation for load disaggregation performance evaluation. , 2017, , .		20
339	A hybrid vanadium redox/lithium-ion energy storage system for off-grid renewable power. , 2017, , .		3
340	Smart meter-driven estimation of residential load flexibility. <i>CIREC - Open Access Proceedings Journal</i> , 2017, 2017, 1993-1997.	0.1	1
341	Comparison of centralised and distributed battery energy storage systems in LV distribution networks on operational optimisation and financial benefits. <i>Journal of Engineering</i> , 2017, 2017, 1671-1675.	0.6	9
342	Modelling and valuing multi-energy flexibility from community energy systems. , 2017, , .		4
343	Coalitional game theoretic optimization of electricity cost for communities of smart households. , 2017, , .		5

#	ARTICLE	IF	CITATIONS
344	Impacts of community and distributed energy storage systems on unbalanced low voltage networks. , 2017, , .		2
345	Collaborative approach for energy cost minimization in smart grid communities. , 2017, , .		1
346	Predictive control of demand and storage for residential prosumers. , 2017, , .		8
347	Peer-to-peer energy trading in a community microgrid. , 2017, , .		165
348	Right-sizing Solar PV and Storage for Household Consumer Using Agent Based Modeling. Energy Procedia, 2017, 142, 432-438.	1.8	2
349	Residential load variability and diversity at different sampling time and aggregation scales. , 2017, , .		3
350	Efficient Energy Consumption Scheduling: Towards Effective Load Leveling. Energies, 2017, 10, 105.	1.6	11
351	Characterization and Analysis of Energy Demand Patterns in Airports. Energies, 2017, 10, 119.	1.6	23
352	Optimization of Hybrid Energy Storage Systems at the Building Level with Combined Heat and Power Generation. Energies, 2017, 10, 606.	1.6	12
353	Sizing Combined Heat and Power Units and Domestic Building Energy Cost Optimisation. Energies, 2017, 10, 771.	1.6	16
354	Hosting Capacity of the Power Grid for Renewable Electricity Production and New Large Consumption Equipment. Energies, 2017, 10, 1325.	1.6	108
355	PV Hosting Capacity Analysis and Enhancement Using High Resolution Stochastic Modeling. Energies, 2017, 10, 1488.	1.6	20
356	Transactive Demand Side Management Programs in Smart Grids with High Penetration of EVs. Energies, 2017, 10, 1640.	1.6	9
357	A Hybrid Agent-Based and Probabilistic Model for Fine-Grained Behavioural Energy Waste Simulation. , 2017, , .		4
358	Economic analysis of multi-service provision from PV and battery based community energy systems. , 2017, , .		6
359	Optimal scheduling of time shiftable loads in a task scheduling based demand response program by symbiotic organisms search algorithm. , 2017, , .		10
360	Techno-economic assessment of community energy solutions to network capacity issues. , 2017, , .		2
361	Ancillary services provided by residential ESSs in LV networks: Assessing the opportunity costs. , 2017, , .		4

#	ARTICLE	IF	CITATIONS
362	Predicting key features of a substation without monitoring. Mathematics-in-Industry Case Studies, 2017, 8, .	0.9	2
363	Discovering energy communities for microgrids on the power grid. , 2017, , .		7
364	The Risk of Residential Peak Electricity Demand: A Comparison of Five European Countries. Energies, 2017, 10, 385.	1.6	13
365	The choice of operating strategy for a complex polygeneration system: A case study for a residential building in Italy. Energy Conversion and Management, 2018, 163, 278-291.	4.4	36
368	Impact of probabilistic small-scale photovoltaic generation forecast on energy management systems. Solar Energy, 2018, 165, 136-146.	2.9	18
369	Droop based Demand Dispatch for Residential Loads in Smart Grid Application. International Journal of Emerging Electric Power Systems, 2018, 19, .	0.6	0
370	A stochastic multi-energy simulation model for UK residential buildings. Energy and Buildings, 2018, 168, 470-489.	3.1	7
371	Forecasting Demand Flexibility of Aggregated Residential Load Using Smart Meter Data. IEEE Transactions on Power Systems, 2018, 33, 5446-5455.	4.6	93
372	Energy Management in Electrical Smart Grid Environment Using Robust Optimization Algorithm. IEEE Transactions on Industry Applications, 2018, 54, 2714-2726.	3.3	100
373	Modeling human activity in Spain for different economic sectors: The potential link between occupancy and energy usage. Journal of Cleaner Production, 2018, 183, 1093-1109.	4.6	7
374	Distribution Power System Reliability Assessment Considering Cold Load Pickup Events. IEEE Transactions on Power Systems, 2018, 33, 4197-4206.	4.6	21
375	Impact of uncoordinated plug-in electric vehicle charging on residential power demand. Nature Energy, 2018, 3, 193-201.	19.8	360
376	Sizing of hybrid energy storage system for a PV based microgrid through design space approach. Applied Energy, 2018, 212, 640-653.	5.1	150
377	Smart Meter Privacy: Exploiting the Potential of Household Energy Storage Units. IEEE Internet of Things Journal, 2018, 5, 69-78.	5.5	76
378	Linking intra-day variations in residential electricity demand loads to consumersâ€™ activities: What's missing?. Energy and Buildings, 2018, 161, 63-71.	3.1	13
379	A stochastic modelling and simulation approach to heating and cooling electricity consumption in the residential sector. Energy, 2018, 144, 1080-1091.	4.5	24
380	Measurement-based modelling of composite load using genetic algorithm. Electric Power Systems Research, 2018, 158, 82-91.	2.1	20
381	Modeling and experimental validation of residential cyclic loads. International Journal of Electrical Power and Energy Systems, 2018, 98, 100-107.	3.3	4

#	ARTICLE	IF	CITATIONS
382	The increasing impact of weather on electricity supply and demand. <i>Energy</i> , 2018, 145, 65-78.	4.5	202
383	A new method for household energy use modeling: A questionnaire-based approach. <i>Energy and Buildings</i> , 2018, 162, 32-41.	3.1	22
384	Residential Demand Forecasting With Solar-Battery Systems: A Survey-Less Approach. <i>IEEE Transactions on Sustainable Energy</i> , 2018, 9, 1499-1507.	5.9	17
385	How real time pricing modifies Chinese households' electricity consumption. <i>Journal of Cleaner Production</i> , 2018, 178, 776-790.	4.6	34
386	Markov Chain Monte Carlo simulation of electric vehicle use for network integration studies. <i>International Journal of Electrical Power and Energy Systems</i> , 2018, 99, 85-94.	3.3	93
388	A review of uncertainty characterisation approaches for the optimal design of distributed energy systems. <i>Renewable and Sustainable Energy Reviews</i> , 2018, 88, 258-277.	8.2	134
389	Estimation of Aggregate Reserve With Point-of-Load Voltage Control. <i>IEEE Transactions on Smart Grid</i> , 2018, 9, 4649-4658.	6.2	9
390	Simulating residential demand response: Improving socio-technical assumptions in activity-based models of energy demand. <i>Energy Efficiency</i> , 2018, 11, 1583-1597.	1.3	32
391	Building Stochastic Non-Stationary Daily Load/Generation Profiles for Distribution Planning Studies. <i>IEEE Transactions on Power Systems</i> , 2018, 33, 911-920.	4.6	12
392	Voltage-Led Load Management in Whole Distribution Networks. <i>IEEE Transactions on Power Systems</i> , 2018, 33, 1544-1554.	4.6	31
393	Influence of occupant behavior and operation on performance of a residential Zero Emission Building in Norway. <i>Energy and Buildings</i> , 2018, 159, 75-88.	3.1	35
394	Techno-economic and business case assessment of multi-energy microgrids with co-optimization of energy, reserve and reliability services. <i>Applied Energy</i> , 2018, 210, 896-913.	5.1	68
395	Computational intelligence modelling based on variables interlinked with behavioral tendencies for energy usage profile – A necessity. <i>Renewable and Sustainable Energy Reviews</i> , 2018, 82, 60-72.	8.2	18
396	Fuzzy model of residential energy decision-making considering behavioral economic concepts. <i>Applied Energy</i> , 2018, 213, 611-625.	5.1	25
397	Adaptation and validation of an existing bottom-up model for simulating temporal and inter-dwelling variations of residential appliance and lighting demands. <i>Journal of Building Performance Simulation</i> , 2018, 11, 350-368.	1.0	7
398	Thermo-economic sensitivity analysis by dynamic simulations of a small Italian solar district heating system with a seasonal borehole thermal energy storage. <i>Energy</i> , 2018, 143, 757-771.	4.5	55
399	A minimal simulation of the electricity demand of a domestic hot water cylinder for smart control. <i>Applied Energy</i> , 2018, 211, 104-112.	5.1	27
400	Assessing the implications of socioeconomic diversity for low carbon technology uptake in electrical distribution networks. <i>Applied Energy</i> , 2018, 210, 856-869.	5.1	20

#	ARTICLE	IF	CITATIONS
401	Optimal operation of interconnected energy hubs by using decomposed hybrid particle swarm and interior-point approach. International Journal of Electrical Power and Energy Systems, 2018, 95, 36-46.	3.3	57
402	Complexities associated with modeling of residential electricity consumption. , 2018, , .		6
403	INVESTIGATION AND MODELLING OF LOAD SHEDDING AND ITS MITIGATION USING HYBRID RENEWABLE ENERGY SYSTEM. , 2018, , .		3
404	Benefits of Virtual Community Energy Storages Compared to Individual Batteries Based on Behaviour Based Synthetic Load Profiles. , 2018, , .		8
405	Energy Storage Systems to Prevent Distribution Transformers Overload with High NZEB Penetration. , 2018, , .		2
406	Data Requirements for a Reliable Demand Decomposition in Sparsely Monitored Power Networks. , 2018, , .		1
407	Domestic Battery and Power-to-Heat Storage for Self-Consumption and Provision of Primary Control Reserve. , 2018, , .		2
408	First activities and power-hardware-in-the-loop tests at the public research laboratory LabZERO. , 2018, , .		8
409	High Resolution Heating Load Profiles for Simulation and Analysis of Small Scale Energy Systems. Energy Procedia, 2018, 149, 122-131.	1.8	8
410	Emergency power supply from photovoltaic battery systems in private households in case of a blackout " A scenario analysis. Energy Procedia, 2018, 155, 165-178.	1.8	8
411	Energy Efficiency: Improving the renewable energy penetration in a smart and green community. Procedia Computer Science, 2018, 134, 352-357.	1.2	7
412	Performance of Different Back-up Technologies for Micro-Scale Solar Hybrid District Heating Systems with Long-term Thermal Energy Storage. Energy Procedia, 2018, 149, 565-574.	1.8	1
413	Feasibility of Generic Load Modeling for State Estimation in Distribution System. , 2018, , .		0
414	Two-stage stochastic demand response in smart grid considering random appliance usage patterns. IET Generation, Transmission and Distribution, 2018, 12, 4163-4171.	1.4	26
415	A Documentation Scheme for Improved Traceability of Derivative Databases and Reproducible Data Preprocessing. , 2018, , .		0
416	Review of Optimal Energy Management Applied on Ice Thermal Energy Storage for an Air Conditioning System in Commercial Buildings. , 2018, , .		4
417	Seasonal variation in household electricity demand: A comparison of monitored and synthetic daily load profiles. Energy and Buildings, 2018, 179, 292-300.	3.1	25
418	An activity-based modelling framework for quantifying occupants' energy consumption in residential buildings. Computers in Industry, 2018, 103, 1-13.	5.7	15

#	ARTICLE	IF	CITATIONS
419	Explaining shifts in UK electricity demand using time use data from 1974 to 2014. Energy Policy, 2018, 123, 544-557.	4.2	33
420	The Time Resolution of the Load Profile and its Impact on a Photovoltaic-Battery System. , 2018, , .		3
421	Optimisation for interconnected energy hub system with combined ground source heat pump and borehole thermal storage. Frontiers in Energy, 2018, 12, 529-539.	1.2	5
422	Modelling the demand and uncertainty of low voltage networks and the effect of non-domestic consumers. Sustainable Energy, Grids and Networks, 2018, 16, 341-350.	2.3	0
423	Statistical Representation of EV Charging: Real Data Analysis and Applications. , 2018, , .		31
424	System-level assessment of reliability and resilience provision from microgrids. Applied Energy, 2018, 230, 374-392.	5.1	47
425	Electricity self-sufficiency of single-family houses in Germany and the Czech Republic. Applied Energy, 2018, 228, 902-915.	5.1	25
426	A review of urban energy systems at building cluster level incorporating renewable-energy-source (RES) envelope solutions. Applied Energy, 2018, 230, 1034-1056.	5.1	81
427	Unlocking CVR Benefits Using Active Voltage Control in LV Networks. , 2018, , .		3
428	A Bottom-Up Model for Household Load Profile Based on the Consumption Behavior of Residents. Energies, 2018, 11, 2112.	1.6	29
429	Blockchain and smart metering towards sustainable prosumers. , 2018, , .		15
430	Modeling the electrical energy consumption profile for residential buildings in Iran. Sustainable Cities and Society, 2018, 41, 481-489.	5.1	58
431	Optimal design of decentralized energy conversion systems for smart microgrids using decomposition methods. Energy, 2018, 156, 250-263.	4.5	24
432	End-user electricity consumption modelling for power quality analysis in residential building. , 2018, , .		9
433	The electricity footprint of household activities - implications for demand models. Energy and Buildings, 2018, 174, 635-641.	3.1	23
434	Global and local environmental and energy advantages of a geothermal heat pump interacting with a low temperature thermal micro grid. Energy Conversion and Management, 2018, 172, 540-553.	4.4	22
435	A sizing approach for stand-alone hybrid photovoltaic-wind-battery systems: A Sicilian case study. Journal of Cleaner Production, 2018, 199, 817-830.	4.6	56
436	Rule Based Coordinated Control of Domestic Combined Micro-CHP and Energy Storage System for Optimal Daily Cost. Applied Sciences (Switzerland), 2018, 8, 8.	1.3	12

#	ARTICLE	IF	CITATIONS
437	Modeling Aggregate Hourly Energy Consumption in a Regional Building Stock. <i>Energies</i> , 2018, 11, 78.	1.6	10
438	A review on occupant behavior in urban building energy models. <i>Energy and Buildings</i> , 2018, 174, 276-292.	3.1	121
439	First Approach to a Holistic Tool for Assessing RES Investment Feasibility. <i>Sustainability</i> , 2018, 10, 1153.	1.6	2
440	Reinforcement Learning Based Pricing for Demand Response. , 2018, , .		18
441	A Market-Based Optimization Approach for Domestic Thermal and Electricity Energy Management System: Formulation and Assessment. <i>Information (Switzerland)</i> , 2018, 9, 120.	1.7	3
442	Demand side flexibility schemes for facilitating the high penetration of residential distributed energy resources. <i>IET Generation, Transmission and Distribution</i> , 2018, 12, 4079-4088.	1.4	22
443	Influence of time resolution in the estimation of self-consumption and self-sufficiency of photovoltaic facilities. <i>Applied Energy</i> , 2018, 229, 990-997.	5.1	18
444	Mitigation versus adaptation: Does insulating dwellings increase overheating risk?. <i>Building and Environment</i> , 2018, 143, 740-759.	3.0	81
445	Peer-to-peer energy sharing through a two-stage aggregated battery control in a community Microgrid. <i>Applied Energy</i> , 2018, 226, 261-276.	5.1	366
446	Real-time visualisation of residential load flexibility for advanced demand side management. , 2018, , .		2
447	Comparison of clustering algorithms for the selection of typical demand days for energy system synthesis. <i>Renewable Energy</i> , 2018, 129, 570-582.	4.3	79
448	A cross analysis of existing methods for modelling household appliance use. <i>Journal of Building Performance Simulation</i> , 2019, 12, 160-179.	1.0	22
449	Optimization-based estimation of power capacity profiles for activity-based residential loads. <i>International Journal of Electrical Power and Energy Systems</i> , 2019, 104, 664-672.	3.3	7
450	Defining Customer Export Limits in PV-Rich Low Voltage Networks. <i>IEEE Transactions on Power Systems</i> , 2019, 34, 87-97.	4.6	34
451	Optimization of a stand-alone photovoltaicâ€“windâ€“dieselâ€“battery system with multi-layered demand scheduling. <i>Renewable Energy</i> , 2019, 131, 333-347.	4.3	48
452	Model Centric Development of Genetic Algorithm Based Optimal Load Scheduler for Smart Home. , 2019, , .		0
453	Planning for sustainable cities by estimating building occupancy with mobile phones. <i>Nature Communications</i> , 2019, 10, 3736.	5.8	56
454	The Effect of the Type and Composition of Demand on the Influence of DSM on Power System Angular Stability. , 2019, , .		1

#	ARTICLE	IF	CITATIONS
455	A novel core-shell structured biosorbent derived from chemi-mechanical pulp for heavy metal ion removal. <i>Cellulose</i> , 2019, 26, 8789-8799.	2.4	15
456	The Benefits of Randomly Delayed Charging of Electric Vehicles. <i>Sustainability</i> , 2019, 11, 3722.	1.6	3
457	Energy Policy Instruments for Distributed Ledger Technology Empowered Peer-to-Peer Local Energy Markets. <i>IEEE Access</i> , 2019, 7, 82888-82900.	2.6	55
458	The Effect of Load-follow-generation Motivated DSM Programme on Losses and Loadability of a Distribution Network with Renewable Generation. , 2019, , .		5
459	Quantifying energy demand reduction considering householder willingness to apply measures. <i>Building Research and Information</i> , 2019, 47, 850-864.	2.0	4
460	Reducing Computational Load for Mixed Integer Linear Programming: An Example for a District and an Island Energy System. <i>Energies</i> , 2019, 12, 2825.	1.6	14
461	Influence of thermal zoning and electric radiator control on the energy flexibility potential of Norwegian detached houses. <i>E3S Web of Conferences</i> , 2019, 111, 06030.	0.2	6
462	On the topology for a smart direct current microgrid for a cluster of zero-net energy buildings. , 2019, , 455-481.		4
463	Reversible Solid Oxide Cell (ReSOC) as flexible polygeneration plant integrated with CO2 capture and reuse. <i>E3S Web of Conferences</i> , 2019, 113, 02009.	0.2	1
464	Influence of User Electricity Load Profile and Calculation Time Step on the Photovoltaic System Balance. <i>IOP Conference Series: Earth and Environmental Science</i> , 2019, 290, 012082.	0.2	0
465	Discovering communities for microgrids with spatial-temporal net energy. <i>Journal of Modern Power Systems and Clean Energy</i> , 2019, 7, 1536-1546.	3.3	8
466	Objective Trade-off in MPC Based Energy Management for Microgrids. , 2019, , .		3
467	Load modeling and scheduling optimization for energy sharing in prosumers network. , 2019, , .		2
468	Energy demand projection based on consumption habits in the residential sector. <i>Energy Efficiency</i> , 2019, 12, 1921-1935.	1.3	1
469	Robustness of energy consumption and comfort in high-performance residential building with respect to occupant behavior. <i>Energy</i> , 2019, 188, 115978.	4.5	32
470	Modelling household electricity load profiles based on Danish time-use survey data. <i>Energy and Buildings</i> , 2019, 202, 109355.	3.1	37
471	Sizing and Operation of an Isolated Microgrid with Cold Storage. , 2019, , .		2
472	Simulation analysis of an innovative micro-solar 2kWe Organic Rankine Cycle plant coupled with a multi-apartments building for domestic hot water supply. <i>Energy Procedia</i> , 2019, 158, 2225-2230.	1.8	1

#	ARTICLE	IF	CITATIONS
473	Impact of variations in residential use of household electricity on the energy and power demand for space heating – Variations from measurements in 1000 apartments. <i>Applied Energy</i> , 2019, 254, 113599.	5.1	11
474	Impact of seasonal thermal energy storage design on the dynamic performance of a solar heating system serving a small-scale Italian district composed of residential and school buildings. <i>Journal of Energy Storage</i> , 2019, 25, 100889.	3.9	33
475	Energy-consumption simulation of a distributed air-conditioning system integrated with occupant behavior. <i>Applied Energy</i> , 2019, 256, 113914.	5.1	21
476	Optimal Scheduling of Energy Supply Entities in Home Area Power Network. , 2019, , .		5
477	Comparing smart metered, residential power demand with standard load profiles. <i>Sustainable Energy, Grids and Networks</i> , 2019, 20, 100248.	2.3	13
478	Exploring the Effect of Data Granularity on Personalized Normative Messaging Interventions for Reducing Household Energy Consumption. , 2019, , .		0
479	A unified probabilistic model for predicting occupancy, domestic hot water use and electricity use in residential buildings. <i>Energy and Buildings</i> , 2019, 202, 109375.	3.1	30
480	Solar-hydrogen renewable supply system optimisation based on demand side management. <i>International Journal of Ambient Energy</i> , 2022, 43, 754-763.	1.4	3
481	Meter-based synthesis of equipment schedules for improved models of electrical demand in multifamily buildings. <i>Journal of Building Performance Simulation</i> , 2019, 12, 388-403.	1.0	3
482	OPF-Based CVR Operation in PV-Rich MV–LV Distribution Networks. <i>IEEE Transactions on Power Systems</i> , 2019, 34, 2778-2789.	4.6	44
483	Two approaches for synthesizing scalable residential energy consumption data. <i>Future Generation Computer Systems</i> , 2019, 95, 586-600.	4.9	10
484	Effects of solar field design on the energy, environmental and economic performance of a solar district heating network serving Italian residential and school buildings. <i>Renewable Energy</i> , 2019, 143, 596-610.	4.3	39
485	A behavior-centered framework for real-time control and load-shedding using aggregated residential energy resources in distribution microgrids. <i>Energy and Buildings</i> , 2019, 198, 275-290.	3.1	24
486	Development of occupancy-integrated archetypes: Use of data mining clustering techniques to embed occupant behaviour profiles in archetypes. <i>Energy and Buildings</i> , 2019, 198, 84-99.	3.1	30
487	Optimal coordinated operation of a multi-energy community considering interactions between energy storage and conversion devices. <i>Applied Energy</i> , 2019, 248, 256-273.	5.1	57
488	Comparison of centralized and decentralized air-conditioning systems for a multi-storey/multi users building integrated with electric and diesel vehicles and considering the evolution of the national energy system. <i>Energy</i> , 2019, 177, 319-333.	4.5	14
489	Generating high-resolution multi-energy load profiles for remote areas with an open-source stochastic model. <i>Energy</i> , 2019, 177, 433-444.	4.5	62
490	Enhanced Electric Vehicle Integration in the UK Low-Voltage Networks With Distributed Phase Shifting Control. <i>IEEE Access</i> , 2019, 7, 46796-46807.	2.6	24

#	ARTICLE	IF	CITATIONS
491	Temperature sensitive load modelling for dynamic thermal ratings in distribution network overhead lines. International Journal of Electrical Power and Energy Systems, 2019, 112, 1-11.	3.3	7
492	Results of a literature review on methods for estimating buildings energy demand at district level. Energy, 2019, 175, 1130-1137.	4.5	48
493	Modelling electric and heat load profiles of non-residential buildings for use in long-term aggregate load forecasts. Utilities Policy, 2019, 58, 63-88.	2.1	62
494	Energizing Demand Side Participation. , 2019, , 115-181.		0
495	A realistic energy optimization model for smart home appliances. International Journal of Energy Research, 2019, 43, 3237-3262.	2.2	35
496	Learning-Based Demand Response for Privacy-Preserving Users. IEEE Transactions on Industrial Informatics, 2019, 15, 4988-4998.	7.2	32
497	The nature of combining energy storage applications for residential battery technology. Applied Energy, 2019, 239, 1343-1355.	5.1	38
498	Implementable Three-Phase OPF Formulations for MV-LV Distribution Networks: MILP and MIQCP. , 2019, , .		16
499	The Tariff Value Chain: A Study of Three Customers of the Enugu Electricity Distribution Company. , 2019, , .		0
500	An Advanced GIS-based Tool for the Analysis of Future Distribution Networks. , 2019, , .		3
501	Chance-Constrained Optimization for Multienergy Hub Systems in a Smart City. IEEE Transactions on Industrial Electronics, 2019, 66, 1402-1412.	5.2	83
502	Realistic Multi-Scale Modeling of Household Electricity Behaviors. IEEE Access, 2019, 7, 2467-2489.	2.6	26
503	Automated urban energy system modeling and thermal building simulation based on OpenStreetMap data sets. Building and Environment, 2019, 149, 630-639.	3.0	55
504	Limitations in Energy Management Systems: A Case Study for Resilient Interconnected Microgrids. IEEE Transactions on Smart Grid, 2019, 10, 5675-5685.	6.2	22
505	A performance evaluation of future low voltage grids in presence of prosumers modelled in high temporal resolution. Sustainable Cities and Society, 2019, 44, 702-714.	5.1	7
506	Influence of building envelopes, climates, and occupancy patterns on residential HVAC demand. Journal of Building Engineering, 2019, 22, 33-47.	1.6	47
507	Building-to-grid flexibility: Modelling and assessment metrics for residential demand response from heat pump aggregations. Applied Energy, 2019, 233-234, 709-723.	5.1	79
508	Building energy demand modeling. , 2019, , 79-136.		2

#	ARTICLE	IF	CITATIONS
509	Flexible Demand Through Point-of-Load Voltage Control in Domestic Sector. IEEE Transactions on Smart Grid, 2019, 10, 4662-4672.	6.2	10
510	Combined Stochastic Optimization of Frequency Control and Self-Consumption With a Battery. IEEE Transactions on Smart Grid, 2019, 10, 1971-1981.	6.2	55
511	Coalitional Game-Based Cost Optimization of Energy Portfolio in Smart Grid Communities. IEEE Transactions on Smart Grid, 2019, 10, 1960-1970.	6.2	86
512	Smart Residential Load Simulator for Energy Management in Smart Grids. IEEE Transactions on Industrial Electronics, 2019, 66, 1443-1452.	5.2	65
513	Data-Driven Energy Management in a Home Microgrid Based on Bayesian Optimal Algorithm. IEEE Transactions on Industrial Informatics, 2019, 15, 869-877.	7.2	42
514	Simultaneous activities in the household and residential electricity demand in Spain. Time and Society, 2019, 28, 175-199.	0.8	9
516	Daily life and demand: an analysis of intra-day variations in residential electricity consumption with time-use data. Energy Efficiency, 2020, 13, 433-458.	1.3	27
517	Multi-domain urban-scale energy modelling tools: A review. Sustainable Cities and Society, 2020, 54, 101872.	5.1	61
518	Cluster analysis and prediction of residential peak demand profiles using occupant activity data. Applied Energy, 2020, 260, 114246.	5.1	79
519	Sizing of district heating systems based on smart meter data: Quantifying the aggregated domestic energy demand and demand diversity in the UK. Energy, 2020, 193, 116780.	4.5	30
520	An energy-cyber-physical system for personalized normative messaging interventions: Identification and classification of behavioral reference groups. Applied Energy, 2020, 260, 114237.	5.1	15
521	A bottom-up approach to evaluate the harmonics and power of home appliances in residential areas. Applied Energy, 2020, 259, 114207.	5.1	11
522	Bottom-up energy supply optimization of a national building stock. Energy and Buildings, 2020, 209, 109667.	3.1	24
523	A modular high-resolution demand-side management model to quantify benefits of demand-flexibility in the residential sector. Energy Conversion and Management, 2020, 205, 112339.	4.4	89
524	A Nonparametric Bayesian Methodology for Synthesizing Residential Solar Generation and Demand Data. IEEE Transactions on Smart Grid, 2020, 11, 2511-2519.	6.2	7
525	Impact of emerging technologies on the electricity load profile of residential areas. Energy and Buildings, 2020, 208, 109614.	3.1	26
526	Modeling and analysis of the electricity consumption profile of the residential sector in Spain. Energy and Buildings, 2020, 207, 109629.	3.1	20
527	Online Convex Optimization of Multi-Energy Building-to-Grid Ancillary Services. IEEE Transactions on Control Systems Technology, 2020, 28, 2416-2431.	3.2	12

#	ARTICLE	IF	CITATIONS
528	Energy and Climate Policy—An Evaluation of Global Climate Change Expenditure 2011–2018. <i>Energies</i> , 2020, 13, 4839.	1.6	38
529	The Energy Performance and Techno-Economic Analysis of Zero Energy Bill Homes. <i>Energy and Buildings</i> , 2020, 228, 110426.	3.1	3
530	High resolution stochastic generator of European household specific electricity demand load curves for decentralized power self-production applications. <i>Energy and Buildings</i> , 2020, 229, 110480.	3.1	8
531	A novel population-based occupancy modeling approach for district-scale simulations compared to standard-based methods. <i>Building and Environment</i> , 2020, 181, 107084.	3.0	24
532	Evaluating Japan’s national greenhouse gas reduction policy using a bottom-up residential end-use energy simulation model. <i>Applied Energy</i> , 2020, 279, 115792.	5.1	19
533	Robust Policy-Based Distributed Voltage Control Provided by PV-Battery Inverters. <i>IEEE Access</i> , 2020, 8, 124939-124948.	2.6	3
534	Optimal energy management of Ice thermal energy storage-based air conditioning system for commercial buildings in real-time – A review based on POET framework. <i>Journal of Physics: Conference Series</i> , 2020, 1577, 012049.	0.3	3
535	Upgrading the Smartness of Retrofitting Packages towards Energy-Efficient Residential Buildings in Cold Climate Countries: Two Case Studies. <i>Buildings</i> , 2020, 10, 200.	1.4	14
536	Reduction and transformation of energy use data for end-user group categorization in dormitory buildings. <i>Journal of Building Engineering</i> , 2020, 32, 101524.	1.6	4
537	Comparison of Two Solar PV-Driven Air Conditioning Systems with Different Tracking Modes. <i>Energies</i> , 2020, 13, 3585.	1.6	5
538	Non-Invasive Behavioral Reference Group Categorization Considering Temporal Granularity and Aggregation Level of Energy Use Data. <i>Energies</i> , 2020, 13, 3678.	1.6	3
539	Synthesising Residential Electricity Load Profiles at the City Level Using a Weighted Proportion (Wepro) Model. <i>Energies</i> , 2020, 13, 3543.	1.6	6
540	It’s only a matter of time: Flexibility, activities and time of use tariffs in the United Kingdom. <i>Energy Research and Social Science</i> , 2020, 69, 101697.	3.0	21
541	Simulating Tariff Impact in Electrical Energy Consumption Profiles With Conditional Variational Autoencoders. <i>IEEE Access</i> , 2020, 8, 131949-131966.	2.6	12
542	How weaponizing disinformation can bring down a city’s power grid. <i>PLoS ONE</i> , 2020, 15, e0236517.	1.1	18
543	A bottom-up weather-sensitive residential demand model for developing countries. A case study of Abuja, Nigeria. <i>Energy for Sustainable Development</i> , 2020, 58, 138-149.	2.0	0
544	Energy and environmental performance of a heat pump in different power grid scenarios. <i>International Journal of Energy Research</i> , 2020, 44, 10576-10598.	2.2	3
545	Simultaneous Provision of Voltage and Frequency Control by PV-Battery Systems. <i>IEEE Access</i> , 2020, 8, 152820-152836.	2.6	17

#	ARTICLE	IF	CITATIONS
546	Improving Optimal Power Flow Approximations With Resistive Aware Linear Formulations. , 2020, , .		1
547	Comparative study between Gaussian process regression and long short-term memory neural networks for intraday grid load forecasting. , 2020, , .		0
548	Fuzzy Based Particle Swarm Optimization for Modeling Home Appliances Towards Energy Saving and Cost Reduction Under Demand Response Consideration. IEEE Access, 2020, 8, 210784-210799.	2.6	28
549	Combined Heat and Power Units Sizing and Energy Cost Optimization of a Residential Building by Using an Artificial Bee Colony Algorithm. IEEE Access, 2020, 8, 218289-218303.	2.6	10
550	Multi-objective Optimization of Solar System Sizing in Households with Common Heat Sources. IOP Conference Series: Earth and Environmental Science, 2020, 505, 012010.	0.2	1
551	Integration of Micro-Cogeneration Units and Electric Storages into a Micro-Scale Residential Solar District Heating System Operating with a Seasonal Thermal Storage. Energies, 2020, 13, 5456.	1.6	8
552	Residential Electrical Load Monitoring and Modeling â€“ State of the Art and Future Trends for Smart Homes and Grids. Electric Power Components and Systems, 2020, 48, 1125-1143.	1.0	17
553	Synthesis of Fe₃O₄/TiO₂ Nanocomposite as Photocatalyst in Photoreduction Reaction of CO₂ Conversion to Methanol. Key Engineering Materials, 0, 840, 454-458.	0.4	0
554	Coupling the heating and power sectors: The role of centralised combined heat and power plants and district heat in a European decarbonised power system. Applied Energy, 2020, 270, 115134.	5.1	70
555	Stochastic Optimization for Residential Demand Response under Time of Use. , 2020, , .		4
556	Value of Point-of-Load Voltage Control for Enhanced Frequency Response in Future GB Power System. IEEE Transactions on Smart Grid, 2020, 11, 4938-4948.	6.2	4
557	Modelling urban-scale occupant behaviour, mobility, and energy in buildings: A survey. Building and Environment, 2020, 183, 106964.	3.0	48
558	Energy, environmental and economic dynamic assessment of a solar hybrid heating network operating with a seasonal thermal energy storage serving an Italian small-scale residential district: Influence of solar and back-up technologies. Thermal Science and Engineering Progress, 2020, 19, 100591.	1.3	14
559	Appliance use behavior modelling and evaluation in residential buildings: A case study of television energy use. Building Simulation, 2020, 13, 787-801.	3.0	16
560	Integrated Electricityâ€“Heatâ€“Gas Systems: Technoâ€“Economic Modeling, Optimization, and Application to Multienergy Districts. Proceedings of the IEEE, 2020, 108, 1392-1410.	16.4	59
561	Occupant-based energy upgrades selection for Canadian residential buildings based on field energy data and calibrated simulations. Journal of Cleaner Production, 2020, 271, 122430.	4.6	13
562	A hierarchical multi-resolution agent-based modeling and simulation framework for household electricity demand profile. Simulation, 2020, 96, 655-678.	1.1	13
563	All-Day Energy Harvesting Power System Utilizing a Thermoelectric Generator with Water-Based Heat Storage. Sustainability, 2020, 12, 3659.	1.6	7

#	ARTICLE	IF	CITATIONS
564	Energy efficiency of end-user groups for personalized HVAC control in multi-zone buildings. Energy, 2020, 206, 118116.	4.5	29
565	Distributed Optimization in Low Voltage Distribution Networks via Broadcast Signals. Energies, 2020, 13, 43.	1.6	6
566	Influence and Impact of Data Averaging and Temporal Resolution on the Assessment of Energetic, Economic and Technical Issues of Hybrid Photovoltaic-Battery Systems. Energies, 2020, 13, 354.	1.6	19
567	Appliance-Level Flexible Scheduling for Socio-Technical Smart Grid Optimization. IEEE Access, 2020, 8, 119880-119898.	2.6	13
568	A Heuristic to Create Prosumer Community Groups in the Social Internet of Energy. Sensors, 2020, 20, 3704.	2.1	11
569	Modelling energy retrofit using household archetypes. Energy and Buildings, 2020, 224, 110224.	3.1	16
570	Layered stochastic approach for residential demand response based on real-time pricing and incentive mechanism. IET Generation, Transmission and Distribution, 2020, 14, 423-431.	1.4	21
571	Predicting the demand flexibility of wet appliances at national level: The case of France. Energy and Buildings, 2020, 214, 109900.	3.1	25
572	The impact of building automation control systems as retrofitting measures on the energy efficiency of a typical Norwegian single-family house. IOP Conference Series: Earth and Environmental Science, 2020, 410, 012054.	0.2	7
573	Assessing the financial value of real-time energy trading services for privately owned non-commercial electric vehicles. Transportation Research, Part D: Transport and Environment, 2020, 80, 102229.	3.2	4
574	Energy and environmental analysis of a flexible Power-to-X plant based on Reversible Solid Oxide Cells (rSOCs) for an urban district. Journal of Energy Storage, 2020, 29, 101314.	3.9	22
575	Maximizing Demand Response Aggregator Compensation through Optimal RES Utilization: Aggregation in Johannesburg, South Africa. Applied Sciences (Switzerland), 2020, 10, 594.	1.3	3
576	Data Analytics-Based Demand Profiling and Advanced Demand Side Management for Flexible Operation of Sustainable Power Networks. Springer Theses, 2020, , .	0.0	5
577	The application of quality control charts for identifying changes in time-series home energy data. Energy and Buildings, 2020, 215, 109841.	3.1	6
578	Temporal aggregation: Time use methodologies applied to residential electricity demand. Utilities Policy, 2020, 64, 101039.	2.1	11
579	DSM interactions: What is the impact of appliance energy efficiency measures on the demand response (peak load management)?. Energy Policy, 2020, 139, 111323.	4.2	34
580	Feature based clustering technique for investigation of domestic load profiles and probabilistic variation assessment: Smart meter dataset. Sustainable Energy, Grids and Networks, 2020, 22, 100346.	2.3	24
581	A Tractable Approximation Approach to Deal with the Binary Nature of Shiftable Loads in Multi-Period Optimal Power Flow. , 2020, , .		3

#	ARTICLE	IF	CITATIONS
582	A Fuzzy-SOM Method for Fraud Detection in Power Distribution Networks with High Penetration of Roof-Top Grid-Connected PV. <i>Energies</i> , 2020, 13, 1287.	1.6	5
583	Impact of solar field design and back-up technology on dynamic performance of a solar hybrid heating network integrated with a seasonal borehole thermal energy storage serving a small-scale residential district including plug-in electric vehicles. <i>Renewable Energy</i> , 2020, 154, 684-703.	4.3	28
584	Photovoltaic Hosting Capacity Sensitivity to Active Distribution Network Management. <i>IEEE Transactions on Power Systems</i> , 2021, 36, 107-117.	4.6	41
585	Effects of smart meter time resolution when analyzing photovoltaic self-consumption system on a daily and annual basis. <i>Renewable Energy</i> , 2021, 164, 889-896.	4.3	23
586	Stochastic distributed optimization of shapeable energy resources in low voltage distribution networks under limited communications. <i>International Journal of Energy Research</i> , 2021, 45, 991-1006.	2.2	2
587	A Spatio-Temporal Analysis of electric appliance end-use demand in the residential sector: Case study of Tours (France). <i>Sustainable Cities and Society</i> , 2021, 65, 102635.	5.1	6
588	Multi-year planning of LV networks with EVs accounting for customers, emissions and techno-economic aspects: A practical and scalable approach. <i>IET Generation, Transmission and Distribution</i> , 2021, 15, 468-479.	1.4	5
589	On modelling effects in the battery and thermal storage scheduling problem. <i>Journal of Building Performance Simulation</i> , 2021, 14, 38-51.	1.0	2
590	IoT-Enabled Proposal for Adaptive Self-Powered Renewable Energy Management in Home Systems. <i>IEEE Access</i> , 2021, 9, 64808-64827.	2.6	11
591	A Probabilistic Model to Predict Household Occupancy Profiles for Home Energy Management Applications. <i>IEEE Access</i> , 2021, 9, 38187-38201.	2.6	10
592	Novel Donation Sharing Mechanisms Under Smart Energy Cyber-Physical-Social System and DLT to Contend the Energy Poverty Problem. <i>IEEE Access</i> , 2021, 9, 127037-127053.	2.6	5
593	Protection issues in the presence of power electronic converters in smart LV residential networks. <i>IET Smart Grid</i> , 2021, 4, 94-106.	1.5	0
594	Heuristic Strategies for NFV-Enabled Renewable and Non-Renewable Energy Management in the Future IoT World. <i>IEEE Access</i> , 2021, 9, 125000-125031.	2.6	6
595	Quantifying the effects of medium voltage low voltage distribution network constraints and distributed energy resource reactive power capabilities on aggregators. <i>IET Generation, Transmission and Distribution</i> , 2021, 15, 2019-2032.	1.4	7
596	The Electrification-Appliance Uptake Gap: Assessing the Off-Grid Appliance Market in Rwanda Using the Multi-Tier Framework. , 0, , .		1
597	Stochastic Optimization for Residential Demand Response With Unit Commitment and Time of Use. <i>IEEE Transactions on Industry Applications</i> , 2021, 57, 1767-1778.	3.3	28
598	A Cross-Country Model for End-Use Specific Aggregated Household Load Profiles. <i>Energies</i> , 2021, 14, 2167.	1.6	6
599	Agent-based stochastic model of thermostat adjustments: A demand response application. <i>Energy and Buildings</i> , 2021, 238, 110846.	3.1	18

#	ARTICLE	IF	CITATIONS
600	OCHRE: The Object-oriented, Controllable, High-resolution Residential Energy Model for Dynamic Integration Studies. <i>Applied Energy</i> , 2021, 290, 116732.	5.1	14
601	Maximizing Hosting Capacity of Uncertain Photovoltaics by Coordinated Management of OLTC, VAR Sources and Stochastic EVs. <i>International Journal of Electrical Power and Energy Systems</i> , 2021, 127, 106627.	3.3	47
602	Impact of Coupling Thermal and Electrical Carriers on the Optimal Management of a Multi-energy Network. , 2021, , .		0
603	Using neural networks to model long-term dependencies in occupancy behavior. <i>Energy and Buildings</i> , 2021, 240, 110879.	3.1	6
604	Modelling the Costs and Benefits of Modern Energy Cooking Servicesâ€™ Methods and Case Studies. <i>Energies</i> , 2021, 14, 3371.	1.6	8
605	A comprehensive review of time use surveys in modelling occupant presence and behavior: Data, methods, and applications. <i>Building and Environment</i> , 2021, 196, 107785.	3.0	21
606	A hierarchical and decentralized energy management system for peer-to-peer energy trading. <i>Applied Energy</i> , 2021, 291, 116766.	5.1	36
607	Virtual Microgrid Management via Software-Defined Energy Network for Electricity Sharing: Benefits and Challenges. <i>IEEE Systems, Man, and Cybernetics Magazine</i> , 2021, 7, 10-19.	1.2	13
608	Techno-Economic Modelling of Micro-Hydropower Mini-Grids in Nepal to Improve Financial Sustainability and Enable Electric Cooking. <i>Energies</i> , 2021, 14, 4232.	1.6	4
609	Neural Network Based Home Energy Management for Modelling and Controlling Home Appliances under Demand Response. <i>Journal of Physics: Conference Series</i> , 2021, 1963, 012097.	0.3	3
610	Forecasting the Demand of Oil in Ghana: A Statistical Approach. <i>Management Science and Business Decisions</i> , 2021, 1, 29-43.	0.4	9
611	Nearly Zero Energy Buildings, Home Flexibility and Electrical Vehicles impact over Energy Community Microgrid. , 2021, , .		1
612	Mapping the knowledge development and trend of household energy consumption. <i>Environment, Development and Sustainability</i> , 2022, 24, 6053-6071.	2.7	5
613	Improving demandâ€™response scheme in smart grids using reinforcement learning. <i>International Journal of Energy Research</i> , 2021, 45, 21082-21095.	2.2	4
614	The role of service charges in the application of priority service pricing. <i>Energy Systems</i> , 2022, 13, 1099-1128.	1.8	2
615	Energy unit cost assessment of six photovoltaic-battery configurations. <i>Renewable Energy</i> , 2021, 173, 24-41.	4.3	30
616	Design, Analysis, and Operation of Photovoltaic Power in a Microgrid with an EESS. , 2021, , .		3
617	A systems dynamics approach to the bottom-up simulation of residential appliance load. <i>Energy and Buildings</i> , 2021, 247, 111164.	3.1	4

#	ARTICLE	IF	CITATIONS
618	A Computational Intelligence Approach to Predict Energy Demand Using Random Forest in a Cloudera Cluster. Applied Sciences (Switzerland), 2021, 11, 8635.	1.3	6
619	Distributional effects of Time of Use tariffs based on electricity demand and time use. Energy Policy, 2021, 156, 112412.	4.2	14
620	Residential energy flexibility characterization using non-intrusive load monitoring. Sustainable Cities and Society, 2021, 75, 103321.	5.1	13
621	Modelling of individual domestic occupancy and energy demand behaviours using existing datasets and probabilistic modelling methods. Energy and Buildings, 2021, 252, 111373.	3.1	5
622	Iterative sizing of solar-assisted mixed district heating network and local electrical grid integrating demand-side management. Energy, 2022, 238, 121517.	4.5	10
623	Structural analysis of energy demand. , 2021, , 67-107.		0
624	Energy Consumption Prediction in a Novel Automated Photovoltaic Design Platform. E3S Web of Conferences, 2021, 239, 00014.	0.2	0
625	A Top-Oil Thermal Model for Power Transformers That Considers Weather Factors. IEEE Transactions on Power Delivery, 2022, 37, 2163-2171.	2.9	6
626	A Comprehensive Review of Residential Electricity Load Profile Models. IEEE Access, 2021, 9, 12114-12133.	2.6	63
627	The Energy Saving Motivation of Certain Categories of Personnel in the Company. Advances in Intelligent Systems and Computing, 2018, , 1224-1233.	0.5	18
628	Cascading Probability Distributions in Agent-Based Models: An Application to Behavioural Energy Wastage. Lecture Notes in Computer Science, 2018, , 489-503.	1.0	3
629	I Have a DREAM! (Differentially privatE smArt Metering). Lecture Notes in Computer Science, 2011, , 118-132.	1.0	200
630	Markovian Models for Electrical Load Prediction in Smart Buildings. Lecture Notes in Computer Science, 2012, , 632-639.	1.0	5
631	Privacy-Preserving Meter Reading Transmission in Smart Grid. Springer Briefs in Electrical and Computer Engineering, 2017, , 33-52.	0.3	1
632	A Domestic Demand Model for India. Springer Proceedings in Energy, 2020, , 743-753.	0.2	3
633	A hierarchical two-stage energy management for a home microgrid using model predictive and real-time controllers. Applied Energy, 2020, 269, 115118.	5.1	52
634	How different power grid efficiency scenarios affect the energy and environmental feasibility of a polygeneration system. Energy, 2020, 201, 117576.	4.5	18
635	Controlling a retailer's short-term financial risk exposure using demand response. IET Generation, Transmission and Distribution, 2019, 13, 5160-5170.	1.4	5

#	ARTICLE	IF	CITATIONS
636	Development and assessment of a market-based Multi-Agent System for domestic heat and electricity management. , 2016, , .		3
637	Integrating occupant behaviour in the simulation of coupled electric and thermal systems in buildings. , 2011, , .		3
638	Dynamic Anthropogenic activities impacting Heat emissions (DASH v1.0): development and evaluation. Geoscientific Model Development, 2020, 13, 4891-4924.	1.3	12
640	Low Voltage Distribution Networks Modeling and Unbalanced (Optimal) Power Flow: A Comprehensive Review. IEEE Access, 2021, 9, 143026-143084.	2.6	5
641	Coalition Game Approach for Electricity Sharing in Multi-Energy Multi-Microgrid Network. , 2021, , .		2
642	Impact of Time-Use Behaviour on Residential Energy Consumption in the United Kingdom. Energies, 2021, 14, 6286.	1.6	9
643	Solar thermoelectric lab-scale system with sensible/latent heat storage for reversible power generation and warm water heating. Journal of Energy Storage, 2021, 44, 103278.	3.9	0
644	Investigating the Effects of Incorporating Seasonal Variation in a Domestic Active Occupancy Model. Smart Innovation, Systems and Technologies, 2012, , 447-455.	0.5	0
645	Technologies in the Built Environment to Enable Sustainability and Energy Conservation. FEBS Journal, 2012, 5, 589-596.	2.2	0
646	Demand Management for Home Energy Networks using Cost-optimal Appliance Scheduling. , 2014, , .		0
647	Household Electrical Consumptions Modeling and Management Through Neural Networks and Fuzzy Logic Approaches. Studies in Fuzziness and Soft Computing, 2015, , 437-467.	0.6	0
648	Research and Development Trend of Energy End Use Model. IEEJ Transactions on Power and Energy, 2015, 135, 347-350.	0.1	1
651	Differentially Private Data Aggregation with Fault Tolerance. Wireless Networks, 2016, , 129-151.	0.3	1
652	Adaptive multi-tiered resource allocation policy for microgrids. AIMS Energy, 2016, 4, 300-312.	1.1	1
653	End-use Appliance Control Technique for Domestic Peak Load Management. , 2016, , .		2
654	A Survey of Methods for Achieving Efficiency in Electricity Consumption. International Journal of Applied Information Systems, 2016, 10, 1-9.	0.1	1
656	11 Synthetic Fuel and Renewable Energy. Green Chemistry and Chemical Engineering, 2017, , 373-456.	0.0	0
657	AkÄ±llÄ± Åžebekelerde Rassel Modelleme ile Enerji Depolama Sistemi Kapasite HesaplamasÄ±. Gazi Åceniversitesi Fen Bilimleri Dergisi, 2019, 7, 1-10.	0.2	1

#	ARTICLE	IF	CITATIONS
658	Activity-Based Modeling for Integration of Energy Systems for House and Electric Vehicle. Power Electronics and Power Systems, 2020, , 3-25.	0.6	0
659	Cooperative benefit allocation for domestic electricity of smart communities based on coalitional game theory. , 2020, , .		1
660	Forecasting voltage harmonic distortion in residential distribution networks using smart meter data. International Journal of Electrical Power and Energy Systems, 2022, 136, 107653.	3.3	31
662	Advanced Demand Profiling. Springer Theses, 2020, , 99-143.	0.0	0
663	Energy Disaggregation Using Energy Demand Model and IoT-Based Control. IEEE Transactions on Industry Applications, 2021, 57, 1746-1754.	3.3	11
664	Modeling and Optimizing Energy Supply and Demand in Home Area Power Network (HAPN). IEEE Access, 2020, 8, 2052-2072.	2.6	9
665	Residentsâ€™ Perceptions of Behavioral Reference Groups for Personalized Normative Messaging Interventions. , 2020, , .		0
667	A Dual Distributed Optimal Energy Management Method for Distribution Grids With Electric Vehicles. IEEE Transactions on Intelligent Transportation Systems, 2022, 23, 13666-13677.	4.7	11
668	Uncertainty modeling of household appliance loads for smart energy management. Energy Reports, 2022, 8, 232-237.	2.5	1
669	Do in-home and virtual activities impact out-of-home activity participation? Investigating end-user activity behaviour and time use for residential energy applications. Energy and Buildings, 2022, 257, 111764.	3.1	3
670	Occupant-centric urban building energy modeling: Approaches, inputs, and data sources - A review. Energy and Buildings, 2022, 257, 111809.	3.1	30
671	The Effect of the Type and Composition of Demand on DSM Contribution to System Frequency Stability. , 2020, , .		0
672	The Influence of Advanced DSM on Performance of Distribution Networks with Renewable Generation. , 2020, , .		1
673	A Modified Particle Swarm Optimization Based Algorithm for the Energy Management Strategy of a Regional Integrated Energy System. , 2020, , .		2
674	Generating Synthetic Energy Usage Data to Enable Machine Learning for Sustainable Accommodation. , 2021, , .		0
675	Uncertainty-Aware Model Predictive Control for Residential Buildings Participating in Intraday Markets. IEEE Access, 2022, 10, 7834-7851.	2.6	2
676	Numerical modelling of wind flow for solar power generation in a case study of the tropical zones. Modeling Earth Systems and Environment, 2022, 8, 4123-4134.	1.9	3
677	Economic real-time energy trading services for electric vehicles with uncertain mobility demand. Journal of Cleaner Production, 2022, 340, 130639.	4.6	5

#	ARTICLE	IF	CITATIONS
679	Analysis on occupant behavior of split air conditioner in hotel buildings in the Yangze River Region. <i>Energy and Buildings</i> , 2022, 265, 112042.	3.1	6
680	Generating hourly electricity demand data for large-scale single-family buildings by a decomposition-recombination method. <i>Energy and Built Environment</i> , 2023, 4, 418-431.	2.9	2
681	Data acquisition for urban building energy modeling: A review. <i>Building and Environment</i> , 2022, 217, 109056.	3.0	43
682	Dissemination of PV-Battery systems in the German residential sector up to 2050: Technological diffusion from multidisciplinary perspectives. <i>Energy</i> , 2022, 248, 123477.	4.5	4
683	Estimating Residential Electricity Consumption for Appliance Use: A Statistical Model Approach. , 2021, , .		0
684	A Flexible Top-Down Data-Driven Stochastic Model for Synthetic Load Profiles Generation. <i>Energies</i> , 2022, 15, 269.	1.6	3
685	A Bottom-up model for simulating residential harmonic injections. <i>Energy and Buildings</i> , 2022, 265, 112103.	3.1	3
689	Two-Stage Clustering Approach for the Household Electricity Load Profiles by Fuzzy Logic and Neural Network Techniques. <i>Düzce Üniversitesi Bilim Ve Teknoloji Dergisi</i> , 0, , 981-990.	0.2	0
690	Food Practice Lifestyles: Identification and Implications for Energy Sustainability. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 5638.	1.2	0
691	Occupant-Driven End Use Load Models for Demand Response and Flexibility Service Participation of Residential Grid-Interactive Buildings. <i>SSRN Electronic Journal</i> , 0, , .	0.4	1
693	Influences of usage intensity and weather on optimal building energy system design with multiple storage options. <i>Energy and Buildings</i> , 2022, 270, 112222.	3.1	2
694	Platform for transverse evaluation of control strategies for multi-energy smart grids. <i>Smart Energy</i> , 2022, 7, 100079.	2.6	6
695	A novel stochastic model for hourly electricity load profile analysis of rural districts in Fujian, China. <i>Science and Technology for the Built Environment</i> , 2022, 28, 1166-1183.	0.8	4
696	From energy behaviours to lifestyles: Contribution of behavioural archetypes to the description of energy consumption patterns in the residential sector. <i>Energy and Buildings</i> , 2022, 269, 112249.	3.1	3
697	Photovoltaic Rooftops in Smart Energy Systems. , 2022, , 1-28.		1
698	Cloud-based Optimal Energy Scheduling of Photovoltaics and Electric Vehicle-integrated Community Microgrids. , 2022, , .		0
699	Development of a Vehicle-to-Grid (V2G) Energy Management System to Mitigate Local Operational Challenges in Low Voltage Distribution Networks with Photovoltaics. , 2022, , .		2
700	Documenting occupant models for building performance simulation: a state-of-the-art. <i>Journal of Building Performance Simulation</i> , 2022, 15, 634-655.	1.0	3

#	ARTICLE	IF	CITATIONS
701	Investigation of Residential Demand Response Flexibility Including the Effects of the COVID-19 Pandemic on Energy Usage Habits in Turkey. , 2022, , .		1
702	A Novel Learning Algorithm Based on Bayesian Statistics: Modelling Thermostat Adjustments for Heating and Cooling in Buildings. Mathematics, 2022, 10, 2363.	1.1	2
703	Using OLTC-Fitted Distribution Transformer to Increase Residential PV Hosting Capacity: Decentralized Voltage Management Approach. Energies, 2022, 15, 4836.	1.6	5
704	Techno-economic analysis of a hybrid photovoltaic-thermal solar-assisted heat pump system for domestic hot water and power generation. Renewable Energy, 2022, 196, 720-736.	4.3	26
705	Energy data generation with Wasserstein Deep Convolutional Generative Adversarial Networks. Energy, 2022, 257, 124694.	4.5	25
706	Accurate Household Occupant Behavior Modeling Based on Data Mining Techniques. Proceedings of the AAAI Conference on Artificial Intelligence, 2014, 28, .	3.6	6
707	Online Optimization with Dynamic Temporal Uncertainty: Incorporating Short Term Predictions for Renewable Integration in Intelligent Energy Systems. Proceedings of the AAAI Conference on Artificial Intelligence, 2013, 27, 1291-1297.	3.6	6
709	Residential Harmonic Injection Models Based on Field Measurements. IEEE Transactions on Power Delivery, 2023, 38, 575-587.	2.9	0
710	Modelling community-scale renewable energy and electric vehicle management for cold-climate regions using machine learning. Energy Strategy Reviews, 2022, 43, 100930.	3.3	35
711	A data-driven household electricity synthesiser for South Africa using enveloped sum of Gaussians. Energy for Sustainable Development, 2022, 70, 93-105.	2.0	3
712	Stochastic modelling of flexible load characteristics of split-type air conditioners using grey-box modelling and random forest method. Energy and Buildings, 2022, 273, 112370.	3.1	9
713	Investigating the hybridisation of micro-scale concentrated solar trigeneration systems and wind turbines for residential applications using a dynamic model. Energy Conversion and Management, 2022, 269, 116159.	4.4	5
714	Stochastic simulation of occupant-driven energy use in a bottom-up residential building stock model. Applied Energy, 2022, 325, 119890.	5.1	12
715	Synergies Between Low Carbon Technologies in a Large-Scale MV/LV Distribution System. IEEE Access, 2022, 10, 88655-88666.	2.6	2
716	Transactive Energy System for Distribution Network Management: Procuring Residential Flexibility Services Under Dynamic Pricing. IEEE Access, 2022, 10, 102019-102032.	2.6	1
717	A new approach of optimal appliance scheduling for peak load reduction of an off-grid residential building. Journal of Building Performance Simulation, 2023, 16, 131-143.	1.0	1
718	Consumer demand profile management through Demand side load management: a review. , 2022, , .		0
719	Optimization of peak-valley pricing policy based on a residential electricity demand model. Journal of Cleaner Production, 2022, 380, 134761.	4.6	9

#	ARTICLE	IF	CITATIONS
720	High Resolution Space-time Data: Methodology For Residential Building Simulation Modelling. , 2013, , .		11
721	Household-Differentiated Demand Modelling for Communities. , 2015, , .		0
722	Optimal Design of Energy Systems in Residential Districts with Interconnected Local Heating And Electrical Networks. , 2015, , .		3
723	The Socio-Economics and Energy Demand “ United Kingdom Model (SEED-UK) Understanding the Dynamics, Diversity and Socio-Economics of the UK Domestic Stock. , 2017, , .		0
724	Behavioral and Population Data-Driven Distribution System Load Modeling. , 2022, , .		2
725	A demand-side management assessment of residential consumers by a clustering approach. Electrical Engineering, 2023, 105, 493-508.	1.2	1
726	Electricity consumption and load prediction method for Chinese rural residences based on the randomness and seasonality in electricity usage behavior. Energy and Buildings, 2023, 279, 112647.	3.1	1
727	Internal heat loads profiles for buildings“™ energy modelling: comparison of different standards. Sustainable Cities and Society, 2023, 89, 104306.	5.1	1
728	Analysing municipal energy system transformations in line with national greenhouse gas reduction strategies. Applied Energy, 2023, 332, 120515.	5.1	9
729	The Influence of Deployment of DSM on Power System Angular and Frequency Transients and Stability. , 2022, , .		0
730	A systematic review of building electricity use profile models. Energy and Buildings, 2023, 281, 112753.	3.1	7
731	Opportunities and economic assessment for a third-party delivering electricity, heat and cold to residential buildings. Energy, 2023, 272, 127019.	4.5	0
732	Integrating degradation forecasting into distribution grids“™ advanced distribution management systems. International Journal of Electrical Power and Energy Systems, 2023, 150, 109071.	3.3	9
733	Federated-WDCGAN: A federated smart meter data sharing framework for privacy preservation. Applied Energy, 2023, 334, 120711.	5.1	15
734	A novel load profile generation method based on the estimation of regional usage habit parameters with genetic algorithm. Electric Power Systems Research, 2023, 217, 109165.	2.1	3
735	Simulation“data“driven load disaggregation based on multi“channel neural network for industrial and commercial users. IET Generation, Transmission and Distribution, 2023, 17, 1652-1662.	1.4	0
736	A Fast Method for Calculating the Impact of Occupancy on Commercial Building Energy Consumption. Buildings, 2023, 13, 567.	1.4	1
737	Development of a benchmark tool for whole of home energy rating for Australian new housing. Energy and Buildings, 2023, 285, 112921.	3.1	2

#	ARTICLE	IF	CITATIONS
738	Local Renewable Energy Communities: Classification and Sizing. <i>Energies</i> , 2023, 16, 2389.	1.6	1
739	Voltage constraint-oriented management of low carbon technologies in a large-scale distribution network. <i>Journal of Cleaner Production</i> , 2023, 408, 137160.	4.6	2
745	Modeling of energy management with electric load curve using fuzzy logic system for office electricity consumers. <i>AIP Conference Proceedings</i> , 2023, , .	0.3	0
746	Generating Hourly Electricity Demand Data for Large-Scale Single-Family Buildings by a Decompositionâ€Recombination Method. <i>Sustainable Development Goals Series</i> , 2023, , 331-354.	0.2	0
747	Integration of Urban Energy Systems with Renewable Envelope Solutions at Building Cluster Level. <i>Sustainable Development Goals Series</i> , 2023, , 9-48.	0.2	0
751	Multi-factor modelling of electric grids for social and technical impact studies. , 2023, , .		0
755	Photovoltaic Rooftops in Smart Energy Systems. , 2023, , 1767-1794.		0
771	Peer-To-Peer Energy Trading Using MMR Mechanism in Microgrid. , 2023, , .		0