

# CITATION REPORT

List of articles citing

## Comparison of ELF, FibroTest and FibroScan for the non-invasive assessment of liver fibrosis

DOI: 10.1186/1471-230x-10-103  
BMC Gastroenterology, 2010, 10, 103.

**Source:** <https://exaly.com/paper-pdf/48386222/citation-report.pdf>

**Version:** 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
100	Comparison of non-invasive assessment to diagnose liver fibrosis in chronic hepatitis B and C patients. <i>Scandinavian Journal of Gastroenterology</i> , <b>2011</b> , 46, 962-72	2.4	43
99	Histological subclassification of cirrhosis using the Laennec fibrosis scoring system correlates with clinical stage and grade of portal hypertension. <i>Journal of Hepatology</i> , <b>2011</b> , 55, 1004-9	13.4	128
98	Noninvasive tools to assess liver disease. <i>Current Opinion in Gastroenterology</i> , <b>2011</b> , 27, 210-6	3	11
97	A comparison of 31P magnetic resonance spectroscopy and microbubble-enhanced ultrasound for characterizing hepatitis c-related liver disease. <i>Journal of Viral Hepatitis</i> , <b>2011</b> , 18, e530-4	3.4	7
96	A brief review on molecular, genetic and imaging techniques for HCV fibrosis evaluation. <i>Virology Journal</i> , <b>2011</b> , 8, 53	6.1	26
95	Non-invasive markers for hepatic fibrosis. <i>BMC Gastroenterology</i> , <b>2011</b> , 11, 91	3	197
94	Proteomics in chronic kidney disease: The issues clinical nephrologists need an answer for. <i>Proteomics - Clinical Applications</i> , <b>2011</b> , 5, 233-40	3.1	16
93	Noninvasive methods to evaluate liver fibrosis in chronic HCV infection. <i>Hepatitis Monthly</i> , <b>2011</b> , 11, 758-98	1	1
92	Liver biopsy in modern clinical practice: a pediatric point-of-view. <i>Advances in Anatomic Pathology</i> , <b>2012</b> , 19, 250-62	5.1	77
91	Biopsy-controlled liver fibrosis staging using the enhanced liver fibrosis (ELF) score compared to transient elastography. <i>PLoS ONE</i> , <b>2012</b> , 7, e51906	3.7	23
90	Molecular serum markers of liver fibrosis. <i>Biomarker Insights</i> , <b>2012</b> , 7, 105-17	3.5	105
89	Comparative study concerning the value of acoustic radiation force impulse elastography (ARFI) in comparison with transient elastography (TE) for the assessment of liver fibrosis in patients with chronic hepatitis B and C. <i>Ultrasound in Medicine and Biology</i> , <b>2012</b> , 38, 1310-6	3.5	49
88	[Evaluation of the costs of transient elastography (FibroScan®) in the diagnosis of liver fibrosis in HIV patients with hepatitis C virus]. <i>Enfermedades Infecciosas Y Microbiología Clínica</i> , <b>2012</b> , 30, 294-9	0.9	6
87	Role of hyaluronic acid and laminin as serum markers for predicting significant fibrosis in patients with chronic hepatitis B. <i>Brazilian Journal of Infectious Diseases</i> , <b>2012</b> , 16, 9-14	2.8	24
86	Non-invasive algorithms for liver fibrosis: authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2012</b> , 35, 311-313	6.1	
85	Drug targeting to the diseased liver. <i>Journal of Controlled Release</i> , <b>2012</b> , 161, 188-97	11.7	120
84	[Diagnostic and interventional abdominal ultrasonography]. <i>Der Internist</i> , <b>2012</b> , 53, 261-70	0	1

83	Diagnostic accuracy of enhanced liver fibrosis test to assess liver fibrosis in patients with chronic hepatitis C. <i>Hepatobiliary and Pancreatic Diseases International</i> , <b>2013</b> , 12, 500-7	2.1	13
82	Biomarkers of liver fibrosis. <i>Advances in Clinical Chemistry</i> , <b>2013</b> , 62, 33-122	5.8	5
81	Cirrhosis and other liver disease in cystic fibrosis. <i>Journal of Cystic Fibrosis</i> , <b>2013</b> , 12, 116-24	4.1	104
80	Patients with HCV and F1 and F2 fibrosis stage: treat now or wait?. <i>Liver International</i> , <b>2013</b> , 33 Suppl 1, 105-10	7.9	18
79	Noninvasive detection of hepatic steatosis in patients without ultrasonographic evidence of fatty liver using the controlled attenuation parameter evaluated with transient elastography. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2013</b> , 25, 1330-4	2.2	25
78	Normal enhanced liver fibrosis (ELF) values in apparently healthy subjects undergoing a health check-up and in living liver donors in South Korea. <i>Liver International</i> , <b>2013</b> , 33, 706-13	7.9	13
77	Gastrointestinal complications of diabetes mellitus. <i>World Journal of Diabetes</i> , <b>2013</b> , 4, 51-63	4.7	103
76	Percutaneous liver biopsy practice patterns among Canadian hepatologists. <i>Canadian Journal of Gastroenterology &amp; Hepatology</i> , <b>2013</b> , 27, e31-4		8
75	Impact of Aging on Liver Histological Findings of Autoimmune Liver Diseases. <i>Diseases (Basel, Switzerland)</i> , <b>2014</b> , 2, 308-321	4.4	
74	The performance of enhanced liver fibrosis (ELF) test for the staging of liver fibrosis: a meta-analysis. <i>PLoS ONE</i> , <b>2014</b> , 9, e92772	3.7	44
73	Serum liver fibrosis test. <i>Journal of the Korean Medical Association</i> , <b>2014</b> , 57, 704	0.5	0
72	Impact of contacting study authors to obtain additional data for systematic reviews: diagnostic accuracy studies for hepatic fibrosis. <i>Systematic Reviews</i> , <b>2014</b> , 3, 107	3	36
71	Impact of a single nucleotide polymorphism upstream of the IL28B gene in patients positive for anti-HCV antibody in an HCV hyperendemic area in Japan. <i>Journal of Medical Virology</i> , <b>2014</b> , 86, 1877-85	19.7	4
70	Noninvasive scoring algorithm to identify significant liver fibrosis among treatment-naive chronic hepatitis C patients. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2014</b> , 26, 1108-15	2.2	7
69	4Ps medicine of the fatty liver: the research model of predictive, preventive, personalized and participatory medicine-recommendations for facing obesity, fatty liver and fibrosis epidemics. <i>EPMA Journal</i> , <b>2014</b> , 5, 21	8.8	24
68	Comparison between transient elastography (Fibroscan) and liver biopsy for the diagnosis of hepatic fibrosis in chronic hepatitis C genotype 4. <i>Egyptian Liver Journal</i> , <b>2014</b> , 4, 106-111	1.6	7
67	New Tools for the Noninvasive Assessment of Cirrhosis. <i>Current Hepatology Reports</i> , <b>2014</b> ,	1	2
66	Predictive value of FIB-4 and APRI versus METAVIR on sustained virologic response in genotype 1 hepatitis C patients. <i>Hepatology International</i> , <b>2014</b> , 8, 83-93	8.8	6

65	Multiparametric magnetic resonance for the non-invasive diagnosis of liver disease. <i>Journal of Hepatology</i> , <b>2014</b> , 60, 69-77	13.4	272
64	FibroTest/Fibrosure for significant liver fibrosis and cirrhosis in chronic hepatitis B: a meta-analysis. <i>American Journal of Gastroenterology</i> , <b>2014</b> , 109, 796-809	0.7	55
63	ELF score $\geq 8$ indicates advanced hepatic fibrosis and is influenced by age, steatosis and histological activity. <i>Liver International</i> , <b>2015</b> , 35, 1673-81	7.9	43
62	Is liver biopsy still needed in children with chronic viral hepatitis?. <i>World Journal of Gastroenterology</i> , <b>2015</b> , 21, 12141-9	5.6	25
61	Validation of Ten Noninvasive Diagnostic Models for Prediction of Liver Fibrosis in Patients with Chronic Hepatitis B. <i>PLoS ONE</i> , <b>2015</b> , 10, e0144425	3.7	16
60	Biomarkers in HCV Infection. <i>Advances in Clinical Chemistry</i> , <b>2015</b> , 70, 131-96	5.8	1
59	Transient Elastography (FibroScan) Is Not Correlated With Liver Fibrosis but With Cholestasis in Patients With Long-Term Home Parenteral Nutrition. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2015</b> , 39, 719-24	4.2	41
58	Non-invasive evaluation of liver fibrosis: More well-validated tests available for patient management. <i>Liver International</i> , <b>2015</b> , 35, 1643-5	7.9	3
57	Using Ultrasonic Transient Elastometry (FibroScan) to Predict Esophageal Varices in Patients with Viral Liver Cirrhosis. <i>Ultrasound in Medicine and Biology</i> , <b>2015</b> , 41, 1530-7	3.5	18
56	Enhanced liver fibrosis panel as a predictor of liver fibrosis in chronic hepatitis C patients. <i>Journal of Clinical Gastroenterology</i> , <b>2015</b> , 49, 235-41	3	29
55	Serological Tests Do Not Predict Residual Fibrosis in Hepatitis C Cirrhotics with a Sustained Virological Response to Interferon. <i>PLoS ONE</i> , <b>2016</b> , 11, e0155967	3.7	19
54	Multiplex Serum Protein Analysis Identifies Novel Biomarkers of Advanced Fibrosis in Patients with Chronic Liver Disease with the Potential to Improve Diagnostic Accuracy of Established Biomarkers. <i>PLoS ONE</i> , <b>2016</b> , 11, e0167001	3.7	22
53	Fibrosis Assessment in Nonalcoholic Fatty Liver Disease (NAFLD) in 2016. <i>Digestive Diseases and Sciences</i> , <b>2016</b> , 61, 1356-64	4	85
52	Enhanced liver fibrosis (ELF) score: Analytical performance and distribution range in a large cohort of blood donors. <i>Clinica Chimica Acta</i> , <b>2016</b> , 461, 151-5	6.2	2
51	Controlled attenuation parameter for the detection of hepatic steatosis in patients with chronic hepatitis B. <i>Infectious Diseases</i> , <b>2016</b> , 48, 670-5	3.1	4
50	Association of HIV, Hepatitis C Virus, and Liver Fibrosis Severity With the Enhanced Liver Fibrosis Score. <i>Journal of Infectious Diseases</i> , <b>2016</b> , 213, 1079-86	7	13
49	Comparison of Doppler ultrasound and transient elastography in the diagnosis of significant fibrosis in patients with nonalcoholic steatohepatitis. <i>Abdominal Radiology</i> , <b>2016</b> , 41, 1505-10	3	6
48	Utility of Noninvasive Markers of Fibrosis in Cholestatic Liver Diseases. <i>Clinics in Liver Disease</i> , <b>2016</b> , 20, 143-58	4.6	14

47	Early changes in dynamic biomarkers of liver fibrosis in hepatitis C virus-infected patients treated with sofosbuvir. <i>Digestive and Liver Disease</i> , <b>2016</b> , 48, 291-7	3.3	31
46	Hyaluronic acid as a non-invasive biomarker of liver fibrosis. <i>Clinical Biochemistry</i> , <b>2016</b> , 49, 302-15	3.5	60
45	An analysis of intrinsic variations of low-frequency shear wave speed in a stochastic tissue model: the first application for staging liver fibrosis. <i>Physics in Medicine and Biology</i> , <b>2017</b> , 62, 1149-1171	3.8	5
44	Use of Current and New Endpoints in the Evaluation of Experimental Hepatitis B Therapeutics. <i>Clinical Infectious Diseases</i> , <b>2017</b> , 64, 1283-1288	11.6	15
43	Interim assessment of liver damage in patients with sickle cell disease using new non-invasive techniques. <i>British Journal of Haematology</i> , <b>2017</b> , 176, 643-650	4.5	11
42	Detecting liver disease in primary care: are we ready for change?. <i>British Journal of General Practice</i> , <b>2017</b> , 67, 202-203	1.6	6
41	The non-invasive serum biomarker soluble Axl accurately detects advanced liver fibrosis and cirrhosis. <i>Cell Death and Disease</i> , <b>2017</b> , 8, e3135	9.8	22
40	Non-invasive evaluation of the liver disease severity in children with chronic viral hepatitis using FibroTest and ActiTest - comparison with histopathological assessment. <i>Clinical and Experimental Hepatology</i> , <b>2017</b> , 3, 187-193	2.2	4
39	Analysis of genotyping for predicting liver injury marker, procollagen III in persons at risk of non-alcoholic fatty liver disease. <i>Liver International</i> , <b>2018</b> , 38, 1832-1838	7.9	2
38	Acoustic Radiation Force Impulse US Imaging: Liver Stiffness in Patients with Chronic Hepatitis B with and without Antiviral Therapy. <i>Radiology</i> , <b>2018</b> , 288, 293-299	20.5	8
37	Invasive and non-invasive assessment of portal hypertension. <i>Hepatology International</i> , <b>2018</b> , 12, 44-55	8.8	31
36	Enhanced liver fibrosis test using ELISA assay accurately discriminates advanced stage of liver fibrosis as determined by transient elastography fibroscan in treatment naïve chronic HCV patients. <i>Clinical and Experimental Medicine</i> , <b>2018</b> , 18, 45-50	4.9	7
35	MR Spectroscopy-derived Proton Density Fat Fraction Is Superior to Controlled Attenuation Parameter for Detecting and Grading Hepatic Steatosis. <i>Radiology</i> , <b>2018</b> , 286, 547-556	20.5	52
34	Cytokeratin-18 and enhanced liver fibrosis scores in type 1 and type 2 diabetes and effects of two different insulins. <i>Journal of Investigative Medicine</i> , <b>2018</b> , 66, 661-668	2.9	3
33	Pharmacotherapy for NASH: Current and emerging. <i>Journal of Hepatology</i> , <b>2018</b> , 68, 362-375	13.4	160
32	The hepatobiliary complications of malnutrition and nutritional support in adults. <i>Irish Journal of Medical Science</i> , <b>2019</b> , 188, 109-117	1.9	2
31	Appraising diagnostic performance of ELF test by pathological staging and digital quantification of liver fibrosis. <i>Annals of Hepatology</i> , <b>2019</b> , 18, 833-840	3.1	2
30	Safety profile of autologous macrophage therapy for liver cirrhosis. <i>Nature Medicine</i> , <b>2019</b> , 25, 1560-1565	50.5	63

29	Characterizing Fatty Liver in vivo in Rabbits, Using Quantitative Ultrasound. <i>Ultrasound in Medicine and Biology</i> , <b>2019</b> , 45, 2049-2062	3.5	7
28	The Many Roles of Cell Adhesion Molecules in Hepatic Fibrosis. <i>Cells</i> , <b>2019</b> , 8,	7.9	19
27	Derivation and Performance of Standardized Enhanced Liver Fibrosis (ELF) Test Thresholds for the Detection and Prognosis of Liver Fibrosis. <i>Journal of Applied Laboratory Medicine</i> , <b>2019</b> , 3, 815-826	2	14
26	Improvement in Hepatic Fibrosis Biomarkers Associated With Chemokine Receptor Inactivation Through Mutation or Therapeutic Blockade. <i>Clinical Infectious Diseases</i> , <b>2019</b> , 68, 1911-1918	11.6	11
25	A review of the clinical utility of the Enhanced Liver Fibrosis test in multiple aetiologies of chronic liver disease. <i>Annals of Clinical Biochemistry</i> , <b>2020</b> , 57, 36-43	2.2	0
24	Validation and Refinement of Noninvasive Methods to Assess Hepatic Fibrosis: Magnetic Resonance Elastography Versus Enhanced Liver Fibrosis Index. <i>Digestive Diseases and Sciences</i> , <b>2020</b> , 65, 1252-1257	4	5
23	Serum Scoring and Quantitative Magnetic Resonance Imaging in Intestinal Failure-Associated Liver Disease: A Feasibility Study. <i>Nutrients</i> , <b>2020</b> , 12,	6.7	0
22	How Much Liver Tissue Is Required for Sufficient Histological Staging in Patients with Primary Biliary Cholangitis?. <i>Digestion</i> , <b>2021</b> , 102, 428-436	3.6	0
21	Somatically acquired mutations in primary myelofibrosis: A case report and meta-analysis. <i>Experimental and Therapeutic Medicine</i> , <b>2021</b> , 21, 193	2.1	
20	Systematic review: Accuracy of the enhanced liver fibrosis test for diagnosing advanced liver fibrosis and cirrhosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2021</b> , 36, 1788-1802	4	1
19	Analysis of Results of Liver-related Health Care Checkup in Mongolian Immigrants: A Comparison with Results from Koreans. <i>Laboratory Medicine Online</i> , <b>2021</b> , 11, 88-92	0.2	
18	Non-invasive staging of liver fibrosis by two-dimensional shear wave elastography (2D-SWE) in patients with chronic hepatitis C and B. <i>Egyptian Journal of Radiology and Nuclear Medicine</i> , <b>2021</b> , 52,	1.4	
17	Enhanced liver fibrosis score as a surrogate of liver-related complications and mortality in primary biliary cholangitis. <i>Medicine (United States)</i> , <b>2021</b> , 100, e27403	1.8	0
16	Low Pretreatment Acoustic Radiation Force Impulse Imaging (ARFI) Values Predict Sustained Virological Response in Antiviral Hepatitis C Virus (HCV) Therapy. <i>Medical Science Monitor</i> , <b>2016</b> , 22, 3500-3505 <sup>1</sup>	2.2	
15	Prospective validation of ELF test in comparison with Fibroscan and FibroTest to predict liver fibrosis in Asian subjects with chronic hepatitis B. <i>PLoS ONE</i> , <b>2012</b> , 7, e41964	3.7	59
14	Quantitative liver MRI combining phase contrast imaging, elastography, and DWI: assessment of reproducibility and postprandial effect at 3.0 T. <i>PLoS ONE</i> , <b>2014</b> , 9, e97355	3.7	54
13	Noninvasive diagnosis of pediatric nonalcoholic fatty liver disease. <i>Korean Journal of Pediatrics</i> , <b>2013</b> , 56, 45-51	2.4	5
12	Recent research trends and updates on nonalcoholic fatty liver disease. <i>Clinical and Molecular Hepatology</i> , <b>2019</b> , 25, 1-11	6.9	47

11	Non-invasive prediction of forthcoming cirrhosis-related complications. <i>World Journal of Gastroenterology</i> , <b>2014</b> , 20, 2613-23	5.6	9
10	Chronic hepatitis C virus infection: Serum biomarkers in predicting liver damage. <i>World Journal of Gastroenterology</i> , <b>2016</b> , 22, 1367-81	5.6	21
9	Non-invasive assessment of liver fibrosis: Between prediction/prevention of outcomes and cost-effectiveness. <i>World Journal of Gastroenterology</i> , <b>2016</b> , 22, 1711-20	5.6	46
8	Fatty liver disease in diabetes mellitus. <i>Hepatobiliary Surgery and Nutrition</i> , <b>2015</b> , 4, 101-8	2.1	78
7	Noninvasive Methods to Evaluate Liver Fibrosis in Chronic HCV Infection. <i>Hepatitis Monthly</i> , <b>2011</b> , 11, 758-759	1.8	
6	  <i>Klinichna Khirurgiia</i> , <b>2019</b> , 85, 9-12	0	
5	Le CAP (Controlled attenuation parameter), un indicateur de risque et de sévérité du syndrome métabolique?. <i>Nutrition Clinique Et Metabolisme</i> , <b>2021</b> ,	0.8	
4	Prognostic Value of Inflammatory Indicators in Chronic Hepatitis B Patients With Significant Liver Fibrosis: A Multicenter Study in China. <i>Frontiers in Pharmacology</i> , <b>2021</b> , 12, 653751	5.6	0
3	Enhanced Liver Fibrosis Score as a Biomarker for Vascular Damage Assessment in Patients with Takayasu Arteritis-A Pilot Study.. <i>Journal of Cardiovascular Development and Disease</i> , <b>2021</b> , 8,	4.2	1
2	Enhanced Liver Fibrosis Score: Is It Useful for Evaluation of Fibrosis Severity in Chronic Hepatitis C Infection?. <i>Cureus</i> , <b>2022</b> , 14, e21168	1.2	
1	Nonalcoholic fatty liver disease. <b>2023</b> , 83-97		0