CITATION REPORT List of articles citing

Intestinal epithelial serum amyloid A modulates bacterial growth in vitro and pro-inflammatory responses in mouse experimental colitis

DOI: 10.1186/1471-230x-10-133 BMC Gastroenterology, 2010, 10, 133.

Source: https://exaly.com/paper-pdf/48386253/citation-report.pdf

Version: 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
85	Innate immune responses and modified extracellular matrix regulation characterize bacterial infection and cellular/connective tissue changes in scarring trachoma. <i>Infection and Immunity</i> , 2012 , 80, 121-30	3.7	29
84	Metabolome and inflammasome in inflammatory bowel disease. <i>Translational Research</i> , 2012 , 160, 1-28	3 11	22
83	Global endometrial transcriptomic profiling: transient immune activation precedes tissue proliferation and repair in healthy beef cows. <i>BMC Genomics</i> , 2012 , 13, 489	4.5	22
82	Uropathogenic Escherichia coli induces serum amyloid a in mice following urinary tract and systemic inoculation. <i>PLoS ONE</i> , 2012 , 7, e32933	3.7	14
81	Serum amyloid A levels associated with gastrointestinal manifestations in Henoch-Schilein purpura. <i>Inflammation</i> , 2012 , 35, 1251-5	5.1	4
80	Why working with porcine circulating serum amyloid A is a pig of a job. <i>Journal of Theoretical Biology</i> , 2013 , 317, 119-25	2.3	12
79	Differential colonization with segmented filamentous bacteria and Lactobacillus murinus do not drive divergent development of diet-induced obesity in C57BL/6 mice. <i>Molecular Metabolism</i> , 2013 , 2, 171-83	8.8	25
78	Host cell responses to persistent mycoplasmasdifferent stages in infection of HeLa cells with Mycoplasma hominis. <i>PLoS ONE</i> , 2013 , 8, e54219	3.7	39
77	Commensal microbiota stimulate systemic neutrophil migration through induction of serum amyloid A. <i>Cellular Microbiology</i> , 2014 , 16, 1053-67	3.9	71
76	Serum amyloid A proteins take retinol for a ride. <i>Trends in Immunology</i> , 2014 , 35, 505-6	14.4	3
75	Up-regulation of MUC2 mucin expression by serum amyloid A3 protein in mouse colonic epithelial cells. <i>Journal of Veterinary Medical Science</i> , 2014 , 76, 985-91	1.1	16
74	Serum Amyloid A Stimulates PKR Expression and HMGB1 Release Possibly through TLR4/RAGE Receptors. <i>Molecular Medicine</i> , 2015 , 21, 515-25	6.2	22
73	Inflammasome activation contributes to interleukin-23 production in response to Clostridium difficile. <i>MBio</i> , 2015 , 6,	7.8	43
72	The localization and differential expression of Serum Amyloid A in bovine liver and adipose tissue depots. <i>Veterinary Immunology and Immunopathology</i> , 2015 , 168, 35-9	2	0
71	Molecular and functional characterization of goldfish (Carassius auratus L.) Serum Amyloid A. <i>Fish and Shellfish Immunology</i> , 2015 , 47, 942-53	4.3	7
7º	Identification of a Serum amyloid A gene and the association of SNPs with Vibrio-resistance and growth traits in the clam Meretrix meretrix. <i>Fish and Shellfish Immunology</i> , 2015 , 43, 301-9	4.3	13
69	IL-17A promotes protective IgA responses and expression of other potential effectors against the lumen-dwelling enteric parasite Giardia. <i>Experimental Parasitology</i> , 2015 , 156, 68-78	2.1	58

68	The transcriptome of a complete episode of acute otitis media. <i>BMC Genomics</i> , 2015 , 16, 259	4.5	39
67	Noninvasive biomarkers of necrotizing enterocolitis. <i>Journal of Perinatal and Neonatal Nursing</i> , 2015 , 29, 69-80	1.5	14
66	An IL-23R/IL-22 Circuit Regulates Epithelial Serum Amyloid A to Promote Local Effector Th17 Responses. <i>Cell</i> , 2015 , 163, 381-93	56.2	330
65	Attenuation of Colitis by Serum-Derived Bovine Immunoglobulin/Protein Isolate in a Defined Microbiota Mouse Model. <i>Digestive Diseases and Sciences</i> , 2015 , 60, 3293-303	4	26
64	The effect of memantine on trinitrobenzene sulfonic acid-induced ulcerative colitis in mice. <i>European Journal of Pharmacology</i> , 2016 , 793, 28-34	5.3	15
63	Serum amyloid A1: Structure, function and gene polymorphism. <i>Gene</i> , 2016 , 583, 48-57	3.8	99
62	Intraluminal Injection of Mesenchymal Stromal Cells in Spheroids Attenuates Experimental Colitis. Journal of Crohnis and Colitis, 2016 , 10, 953-64	1.5	17
61	Effect of salbutamol against the experimental acute colitis in rat model. <i>Comparative Clinical Pathology</i> , 2017 , 26, 591-598	0.9	1
60	A single-cell survey of the small intestinal epithelium. <i>Nature</i> , 2017 , 551, 333-339	50.4	676
59	Suppression of Lipopolysaccharide-Induced Inflammatory Response by Fragments from Serum Amyloid A. <i>Journal of Immunology</i> , 2017 , 199, 1105-1112	5.3	20
58	Porcine serum amyloid A3 is expressed in extrahepatic tissues and facilitates viral replication during porcine respiratory and reproductive syndrome virus infection. <i>Developmental and Comparative Immunology</i> , 2018 , 79, 51-58	3.2	2
57	Biomarkers of necrotizing enterocolitis: a review of literature. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018 , 31, 3051-3064	2	17
56	Dietary fibers inhibit obesity in mice, but host responses in the cecum and liver appear unrelated to fiber-specific changes in cecal bacterial taxonomic composition. <i>Scientific Reports</i> , 2018 , 8, 15566	4.9	22
55	Serum amyloid A - a review. <i>Molecular Medicine</i> , 2018 , 24, 46	6.2	161
54	Elevated Expression of Serum Amyloid A 3 Protects Colon Epithelium Against Acute Injury Through TLR2-Dependent Induction of Neutrophil IL-22 Expression in a Mouse Model of Colitis. <i>Frontiers in Immunology</i> , 2018 , 9, 1503	8.4	22
53	Serum amyloid A promotes LPS clearance and suppresses LPS-induced inflammation and tissue injury. <i>EMBO Reports</i> , 2018 , 19,	6.5	52
52	Specific changes in faecal microbiota are associated with familial Mediterranean fever. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 1398-1404	2.4	5
51	Lipopolysaccharide and lipoteichoic acid enhance serum amyloid A3 mRNA expression in murine alveolar epithelial cells. <i>Journal of Veterinary Medical Science</i> , 2019 , 81, 1409-1412	1.1	1

50	Determining factors and interspecific modeling for serum amyloid a concentrations in working horses, donkeys, and mules. <i>Research in Veterinary Science</i> , 2019 , 125, 256-265	2.5	7
49	Serum Amyloid A and Immunomodulation. 2019 ,		1
48	Transcriptome analysis of the effect of C-C chemokine receptor 5 deficiency on cell response to Toxoplasma gondii in brain cells. <i>BMC Genomics</i> , 2019 , 20, 705	4.5	3
47	Multi-omics of the gut microbial ecosystem in inflammatory bowel diseases. <i>Nature</i> , 2019 , 569, 655-662	50.4	761
46	Epithelial retinoic acid receptor degulates serum amyloid A expression and vitamin A-dependent intestinal immunity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 10911-10916	11.5	18
45	Hepatocytes direct the formation of a pro-metastatic niche in the liver. <i>Nature</i> , 2019 , 567, 249-252	50.4	131
44	Intestinal Serum amyloid A suppresses systemic neutrophil activation and bactericidal activity in response to microbiota colonization. <i>PLoS Pathogens</i> , 2019 , 15, e1007381	7.6	32
43	Antifungal Activity of Mammalian Serum Amyloid A1 against. <i>Antimicrobial Agents and Chemotherapy</i> , 2019 , 64,	5.9	5
42	Blockade of TIM-1 on the donor graft ameliorates graft-versus-host disease following hematopoietic cell transplantation. <i>Blood Advances</i> , 2019 , 3, 3419-3431	7.8	2
41	Molecular basis for retinol binding by serum amyloid A during infection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 19077-19082	11.5	14
40	Retinoid acid induced 16 deficiency aggravates colitis and colitis-associated tumorigenesis in mice. <i>Cell Death and Disease</i> , 2019 , 10, 958	9.8	8
39	Serum Amyloid A Proteins Induce Pathogenic Th17 Cells and Promote Inflammatory Disease. <i>Cell</i> , 2020 , 180, 79-91.e16	56.2	102
38	Serum amyloid A3 confers protection against acute lung injury in -infected mice. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2020 , 318, L314-L322	5.8	7
37	Serum amyloid A exhibits pH dependent antibacterial action and contributes to host defense against cutaneous infection. <i>Journal of Biological Chemistry</i> , 2020 , 295, 2570-2581	5.4	8
36	TNF Receptor 1 Promotes Early-Life Immunity and Protects against Colitis in Mice. <i>Cell Reports</i> , 2020 , 33, 108275	10.6	4
35	Proteomic Evaluation of the Natural History of the Acute Radiation Syndrome of the Gastrointestinal Tract in a Non-human Primate Model of Partial-body Irradiation with Minimal Bone Marrow Sparing Includes Dysregulation of the Retinoid Pathway. <i>Health Physics</i> , 2020 , 119, 604-620	2.3	11
34	and expression of serum amyloid A3 in mouse lung epithelia. Experimental Lung Research, 2020, 46, 352	-361	1
33	Serum Amyloid A1 (SAA1) Revisited: Restricted Leukocyte-Activating Properties of Homogeneous SAA1. <i>Frontiers in Immunology</i> , 2020 , 11, 843	8.4	15

32	Fat-Shaped Microbiota Affects Lipid Metabolism, Liver Steatosis, and Intestinal Homeostasis in Mice Fed a Low-Protein Diet. <i>Molecular Nutrition and Food Research</i> , 2020 , 64, e1900835	5.9	7
31	Oral epithelial IL-22/STAT3 signaling licenses IL-17-mediated immunity to oral mucosal candidiasis. <i>Science Immunology</i> , 2020 , 5,	28	29
30	The Als3 Cell Wall Adhesin Plays a Critical Role in Human Serum Amyloid A1-Induced Cell Death and Aggregation in Candida albicans. <i>Antimicrobial Agents and Chemotherapy</i> , 2020 , 64,	5.9	1
29	Intestinal Epithelial Expression of MHCII Determines Severity of Chemical, T-Cell-Induced, and Infectious Colitis in Mice. <i>Gastroenterology</i> , 2020 , 159, 1342-1356.e6	13.3	5
28	Soluble pattern recognition molecules: Guardians and regulators of homeostasis at airway mucosal surfaces. <i>European Journal of Immunology</i> , 2020 , 50, 624-642	6.1	13
27	Serum amyloid A is a better predictive biomarker of mucosal healing than C-reactive protein in ulcerative colitis in clinical remission. <i>BMC Gastroenterology</i> , 2020 , 20, 85	3	8
26	The turning away of serum amyloid A biological activities and receptor usage. <i>Immunology</i> , 2021 , 163, 115-127	7.8	4
25	Seq-Scope: Submicrometer-resolution spatial transcriptomics for single cell and subcellular studies.		4
24	p300 Serine 89: A Critical Signaling Integrator and Its Effects on Intestinal Homeostasis and Repair. <i>Cancers</i> , 2021 , 13,	6.6	3
23	Induction of Serum Amyloid A3 in Mouse Mammary Epithelial Cells Stimulated with Lipopolysaccharide and Lipoteichoic Acid. <i>Animals</i> , 2021 , 11,	3.1	
23		3.1 56.2	48
	Lipopolysaccharide and Lipoteichoic Acid. <i>Animals</i> , 2021 , 11,		·
22	Lipopolysaccharide and Lipoteichoic Acid. <i>Animals</i> , 2021 , 11, Microscopic examination of spatial transcriptome using Seq-Scope. <i>Cell</i> , 2021 , 184, 3559-3572.e22 MTADV 5-MER peptide suppresses chronic inflammations as well as autoimmune pathologies and	56.2	·
22	Lipopolysaccharide and Lipoteichoic Acid. <i>Animals</i> , 2021 , 11, Microscopic examination of spatial transcriptome using Seq-Scope. <i>Cell</i> , 2021 , 184, 3559-3572.e22 MTADV 5-MER peptide suppresses chronic inflammations as well as autoimmune pathologies and unveils a new potential target-Serum Amyloid A. <i>Journal of Autoimmunity</i> , 2021 , 124, 102713 The N-terminal region of serum amyloid A3 protein activates NF-B and up-regulates MUC2 mucin	56.2 15.5	1
22 21 20	Lipopolysaccharide and Lipoteichoic Acid. <i>Animals</i> , 2021 , 11, Microscopic examination of spatial transcriptome using Seq-Scope. <i>Cell</i> , 2021 , 184, 3559-3572.e22 MTADV 5-MER peptide suppresses chronic inflammations as well as autoimmune pathologies and unveils a new potential target-Serum Amyloid A. <i>Journal of Autoimmunity</i> , 2021 , 124, 102713 The N-terminal region of serum amyloid A3 protein activates NF-B and up-regulates MUC2 mucin mRNA expression in mouse colonic epithelial cells. <i>PLoS ONE</i> , 2017 , 12, e0181796 MyD88 signaling in dendritic cells and the intestinal epithelium controls immunity against intestinal	56.2 15.5 3.7	1 11
22 21 20	Lipopolysaccharide and Lipoteichoic Acid. <i>Animals</i> , 2021 , 11, Microscopic examination of spatial transcriptome using Seq-Scope. <i>Cell</i> , 2021 , 184, 3559-3572.e22 MTADV 5-MER peptide suppresses chronic inflammations as well as autoimmune pathologies and unveils a new potential target-Serum Amyloid A. <i>Journal of Autoimmunity</i> , 2021 , 124, 102713 The N-terminal region of serum amyloid A3 protein activates NF-B and up-regulates MUC2 mucin mRNA expression in mouse colonic epithelial cells. <i>PLoS ONE</i> , 2017 , 12, e0181796 MyD88 signaling in dendritic cells and the intestinal epithelium controls immunity against intestinal infection with C. rodentium. <i>PLoS Pathogens</i> , 2017 , 13, e1006357 MicroRNA-146a constrains multiple parameters of intestinal immunity and increases susceptibility	56.2 15.5 3.7 7.6	1 11 20
22 21 20 19	Lipopolysaccharide and Lipoteichoic Acid. <i>Animals</i> , 2021 , 11, Microscopic examination of spatial transcriptome using Seq-Scope. <i>Cell</i> , 2021 , 184, 3559-3572.e22 MTADV 5-MER peptide suppresses chronic inflammations as well as autoimmune pathologies and unveils a new potential target-Serum Amyloid A. <i>Journal of Autoimmunity</i> , 2021 , 124, 102713 The N-terminal region of serum amyloid A3 protein activates NF-B and up-regulates MUC2 mucin mRNA expression in mouse colonic epithelial cells. <i>PLoS ONE</i> , 2017 , 12, e0181796 MyD88 signaling in dendritic cells and the intestinal epithelium controls immunity against intestinal infection with C. rodentium. <i>PLoS Pathogens</i> , 2017 , 13, e1006357 MicroRNA-146a constrains multiple parameters of intestinal immunity and increases susceptibility to DSS colitis. <i>Oncotarget</i> , 2015 , 6, 28556-72 Serum amyloid A is a retinol binding protein that transports retinol during bacterial infection. <i>ELife</i> ,	56.2 15.5 3.7 7.6	1 11 20 36

14	Intestinal Serum Amyloid A suppresses systemic neutrophil activation and bactericidal activity in response to microbiota colonization.		
13	Epithelial retinoic acid receptor [regulates serum amyloid A expression and vitamin A-dependent intestinal immunity.		1
12	Serum Amyloid A Proteins Induce Pathogenic TH17 Cells and Promote Inflammatory Disease.		
11	Gastrointestinal Tract Barrier Efficiency: Function and Threats. <i>The Microbiomes of Humans, Animals, Plants, and the Environment</i> , 2022 , 13-32		
10	Altered Gut Structure and Anti-Bacterial Defense in Adult Mice Treated with Antibiotics during Early Life <i>Antibiotics</i> , 2022 , 11,	4.9	O
9	Serum amyloid protein (SAA) as a healthy marker for immune function in Tridacna crocea <i>Fish and Shellfish Immunology</i> , 2022 , 122, 495-500	4.3	
8	Promoting mechanism of serum amyloid a family expression in mouse intestinal epithelial cells <i>PLoS ONE</i> , 2022 , 17, e0264836	3.7	О
7	Image_1.PDF. 2018 ,		
7	Image_1.PDF. 2018 , Image_2.PDF. 2018 ,		
		4	O
6	Image_2.PDF. 2018, Effect of colostrum on the acute-phase response in neonatal dairy calves <i>Journal of Dairy Science</i> ,	4	0
6 5	Image_2.PDF. 2018, Effect of colostrum on the acute-phase response in neonatal dairy calves Journal of Dairy Science, 2022,	4	
654	Image_2.PDF. 2018, Effect of colostrum on the acute-phase response in neonatal dairy calves Journal of Dairy Science, 2022, Alterations of the gut microbiota in patients with immunoglobulin light chain amyloidosis. 13,	4	0