

CITATION REPORT

List of articles citing

Prevalence of liver fibrosis and risk factors in a general population using non-invasive biomarkers (FibroTest)

DOI: 10.1186/1471-230x-10-40
BMC Gastroenterology, 2010, 10, 40.

Source: <https://exaly.com/paper-pdf/48386295/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
156	FibroTest and Fibroscan performances revisited in patients with chronic hepatitis C. Impact of the spectrum effect and the applicability rate. 2011 , 35, 720-30		24
155	[Non-alcoholic fatty liver disease. How and who to screen]. <i>Gastroenterología Y Hepatología</i> , 2011 , 34, 278-88	0.9	
154	Biological or relational screening for liver disease?. <i>Journal of Hepatology</i> , 2011 , 55, 1162	13.4	
153	First-line assessment of patients with chronic liver disease with non-invasive techniques and without recourse to liver biopsy. <i>Journal of Hepatology</i> , 2011 , 54, 586-7	13.4	21
152	Biomarkers of liver fibrosis. 2011 , 26, 802-9		71
151	What are the best reference values for a normal serum alanine transaminase activity (ALT)? Impact on the presumed prevalence of drug induced liver injury (DILI). 2011 , 60, 290-5		29
150	Applicability and precautions of use of liver injury biomarker FibroTest. A reappraisal at 7 years of age. <i>BMC Gastroenterology</i> , 2011 , 11, 39	3	53
149	Maternal allergy acts synergistically with cigarette smoke exposure during pregnancy to induce hepatic fibrosis in adult male offspring. 2011 , 8, 258-64		6
148	Developing a 'traffic light' test with potential for rational early diagnosis of liver fibrosis and cirrhosis in the community. 2012 , 62, e616-24		21
147	Fibrose h�patique. 2012 , 7, 1-9		
146	The association between adipocytokines and biomarkers for nonalcoholic fatty liver disease-induced liver injury: a study in the general population. 2012 , 24, 262-9		25
145	A new site for venous access: superficial veins of portal collateral circulation. 2012 , 30, 258.e1-2		1
144	Presence and severity of non-alcoholic fatty liver disease in a large prospective primary care cohort. <i>Journal of Hepatology</i> , 2012 , 56, 234-40	13.4	213
143	Touching some firm ground in the epidemiology of NASH. <i>Journal of Hepatology</i> , 2012 , 56, 23-5	13.4	16
142	Relative performances of FibroTest, Fibroscan, and biopsy for the assessment of the stage of liver fibrosis in patients with chronic hepatitis C: a step toward the truth in the absence of a gold standard. <i>Journal of Hepatology</i> , 2012 , 56, 541-8	13.4	65
141	Validation of liver fibrosis biomarker (FibroTest) for assessing liver fibrosis progression: proof of concept and first application in a large population. <i>Journal of Hepatology</i> , 2012 , 57, 541-8	13.4	52
140	Hepatitis C virus-specific cellular immune responses in individuals with no evidence of infection. 2012 , 9, 76		8

139	Noninvasive methods to assess liver disease in patients with hepatitis B or C. 2012 , 142, 1293-1302.e4		455
138	Performances of Elasto-FibroTest(®), a combination between FibroTest(®) and liver stiffness measurements for assessing the stage of liver fibrosis in patients with chronic hepatitis C. 2012 , 36, 455-63		12
137	[Early detection of chronic liver disease in primary care in the apparently health adult population]. <i>Gastroenterología Y Hepatología</i> , 2012 , 35 Suppl 2, 23-9	0.9	1
136	"Normal" liver stiffness measure (LSM) values are higher in both lean and obese individuals: a population-based study from a developing country. <i>Hepatology</i> , 2012 , 55, 584-93	11.2	62
135	Hepatic steatosis, fibrosis, and cancer in elderly cadavers. <i>Anatomical Record</i> , 2012 , 295, 40-50	2.1	18
134	Biomarkers of liver fibrosis. 2013 , 62, 33-122		5
133	The burden of liver disease in Europe: a review of available epidemiological data. <i>Journal of Hepatology</i> , 2013 , 58, 593-608	13.4	858
132	NAFLD in the Community. 2013 , 17-26		
131	Diagnostic value of fibronectin discriminant score for predicting liver fibrosis stages in chronic hepatitis C virus patients. <i>Annals of Hepatology</i> , 2013 , 12, 44-53	3.1	23
130	Liver fibrosis markers in alcoholic liver disease. <i>World Journal of Gastroenterology</i> , 2014 , 20, 8018-23	5.6	33
129	Addressing liver disease in the UK: a blueprint for attaining excellence in health care and reducing premature mortality from lifestyle issues of excess consumption of alcohol, obesity, and viral hepatitis. 2014 , 384, 1953-97		371
128	[Using transient elastography as a screening tool for liver fibrosis in addiction service]. 2014 , 43, e17-31		3
127	[Prognosis assessment of alcoholic liver disease: how and why?]. 2014 , 43, 124-34		3
126	FibroTest (FT) has similar accuracy for cirrhosis in 'intention-to-diagnose' which is superior to transient elastography (TE) in chronic hepatitis B. <i>Liver International</i> , 2014 , 34, 1128-9	7.9	
125	Therapy of chronic hepatitis C virus infection in the era of direct-acting and host-targeting antiviral agents. 2014 , 68, 1-20		61
124	[Alcohol use in France]. 2014 , 43, 1067-79		18
123	Calcitonin gene-related peptide regulates mitogen-activated protein kinase pathway to decrease transforming growth factor β -induced hepatic plasminogen activator inhibitor-1 mRNA expression in HepG2 cells. <i>Bioscience, Biotechnology and Biochemistry</i> , 2014 , 78, 787-90	2.1	6
122	Variability in definitions of transaminase upper limit of the normal impacts the APRI performance as a biomarker of fibrosis in patients with chronic hepatitis C: "APRI c'est fini?". 2014 , 38, 432-9		9

121	Hepatic stellate cell-expressed endosialin balances fibrogenesis and hepatocyte proliferation during liver damage. 2015 , 7, 332-8		52
120	Awareness of the severity of liver disease re-examined using software-combined biomarkers of liver fibrosis and necroinflammatory activity. 2015 , 5, e010017		9
119	ELF score 0.8 indicates advanced hepatic fibrosis and is influenced by age, steatosis and histological activity. <i>Liver International</i> , 2015 , 35, 1673-81	7.9	43
118	Fibrosis Related Inflammatory Mediators: Role of the IL-10 Cytokine Family. 2015 , 2015, 764641		149
117	The cytokines of pulmonary fibrosis: Much learned, much more to learn. 2015 , 74, 88-100		58
116	Sarcopenia is a risk factor for elevated aminotransferase in men independently of body mass index, dietary habits, and physical activity. <i>Digestive and Liver Disease</i> , 2015 , 47, 303-8	3.3	4
115	Screening for significant chronic liver disease by using three simple ultrasound parameters. 2015 , 84, 1466-1472		4
114	Evaluation of work-based screening for early signs of alcohol-related liver disease in hazardous and harmful drinkers: the PrevAIL study. 2015 , 15, 532		6
113	Direct targeting of risk factors significantly increases the detection of liver cirrhosis in primary care: a cross-sectional diagnostic study utilising transient elastography. 2015 , 5, e007516		66
112	Antifibrotic mechanism of deferoxamine in concanavalin A induced-liver fibrosis: Impact on interferon therapy. 2015 , 98, 231-42		19
111	Coffee consumption and nonalcoholic fatty liver onset: a prospective study in the general population. 2015 , 165, 428-36		47
110	Impact of common risk factors of fibrosis progression in chronic hepatitis C. 2015 , 64, 1605-15		69
109	Evaluation of the utility of serum prolidase as a marker for liver fibrosis. 2015 , 29, 208-13		6
108	Imaging modalities for the diagnosis of hepatic fibrosis and cirrhosis. 2015 , 39, 38-44		13
107	Pharmacological Intervention in Hepatic Stellate Cell Activation and Hepatic Fibrosis. 2016 , 7, 33		68
106	Automatic detection of cirrhosis in hospitalized patients: a pragmatic experience. 2016 , 28, 74-81		
105	Screening for liver fibrosis in the general population: a call for action. 2016 , 1, 256-260		81
104	Diagnostic performance of T lymphocyte subpopulations in assessment of liver fibrosis stages in hepatitis C virus patients: simple noninvasive score. 2016 , 28, 931-9		3

103	The fibrolytic potentials of vitamin D and thymoquinone remedial therapies: insights from liver fibrosis established by CCl4 in rats. 2016 , 14, 281	21
102	Systematic review with meta-analysis: direct comparisons of biomarkers for the diagnosis of fibrosis in chronic hepatitis C and B. 2016 , 43, 16-29	69
101	Diagnostic performance of FibroTest, SteatoTest and ActiTest in patients with NAFLD using the SAF score as histological reference. 2016 , 44, 877-89	54
100	PAK proteins and YAP-1 signalling downstream of integrin beta-1 in myofibroblasts promote liver fibrosis. 2016 , 7, 12502	109
99	Reliability and applicability of two-dimensional shear-wave elastography for the evaluation of liver stiffness. 2016 , 28, 1204-9	18
98	Organ- and species-specific biological activity of rosmarinic acid. 2016 , 32, 261-8	25
97	Shear wave elastography: An accurate technique to stage liver fibrosis in chronic liver diseases. 2016 , 97, 91-9	39
96	Successful Retreatment of Chronic HCV Genotype-1 Infection With Ledipasvir and Sofosbuvir After Initial Short Course Therapy With Direct-Acting Antiviral Regimens. 2016 , 62, 280-288	41
95	Emerging therapeutic targets for the treatment of hepatic fibrosis. 2016 , 21, 369-75	61
94	Management of Nonalcoholic Fatty Liver Disease in Patients With Type 2 Diabetes: A Call to Action. 2017 , 40, 419-430	172
93	Prevalence of clinically significant liver disease within the general population, as defined by non-invasive markers of liver fibrosis: a systematic review. 2017 , 2, 288-297	80
92	Diagnostic Accuracy of Noninvasive Fibrosis Scores in a Population of Individuals With a Low Prevalence of Fibrosis. 2017 , 15, 1453-1460.e1	20
91	Liver fibrosis, cirrhosis, and cirrhosis-related nodules: Imaging diagnosis and surveillance. 2017 , 98, 455-468	15
90	Screening studies of transient elastography and FibroTest in the general population. 2017 , 2, 246	1
89	Screening studies of transient elastography and FibroTest in the general population - Authors' reply. 2017 , 2, 246-247	
88	Concordance of transient elastography and shear wave elastography for measurement of liver stiffness. 2017 , 4, 141-145	4
87	[Care pathway of patients with hepatocellular carcinoma in France: State of play in 2017]. 2017 , 104, 752-761	
86	[Screening of hepatocellular carcinoma in patients with uncomplicated cirrhosis in real life: Practices survey of general practionners from three towns of Seine-Saint-Denis (north-east suburb of Paris)]. 2017 , 104, 618-624	1

85	Differentiation of Intrahepatic Cholangiocellular Carcinoma from Hepatocellular Carcinoma in the Cirrhotic Liver Using Contrast-enhanced MR Imaging. 2017 , 24, 1491-1500		9
84	Non-alcoholic fatty liver disease: A poorly known pandemic. 2017 , 149, 542-548		17
83	Non-alcoholic fatty liver disease: A poorly known pandemic. 2017 , 149, 542-548		0
82	Role of Interleukin-22 in chronic liver injury. 2017 , 98, 107-114		19
81	Occult liver disease burden: Analysis from a large general practitioners' database. 2017 , 5, 982-986		5
80	Ameliorative Effects of Nilotinib on CCl4 Induced Liver Fibrosis Via Attenuation of RAGE/HMGB1 Gene Expression and Oxidative Stress in Rat. 2017 , 53, 118-126		18
79	Molecularly Targeted MR Imaging Agent in Liver Fibrosis: High Sensitivity and Low Gadolinium Mean High Translational Potential. 2018 , 287, 590-591		4
78	Diagnostic performance of a new noninvasive test for nonalcoholic steatohepatitis using a simplified histological reference. 2018 , 30, 569-577		13
77	Diagnosis of non-alcoholic fatty liver disease/non-alcoholic steatohepatitis: Non-invasive tests are enough. <i>Liver International</i> , 2018 , 38 Suppl 1, 67-70	7.9	43
76	Impact of steatosis and inflammation definitions on the performance of NASH tests. 2018 , 30, 384-391		7
75	Cucurbitacin-B attenuates CCl ₄ -induced hepatic fibrosis in mice through inhibition of STAT-3. 2018 , 91, 933-941		18
74	Prospects in non-invasive assessment of liver fibrosis: Liquid biopsy as the future gold standard?. 2018 , 1864, 1024-1036		29
73	Hepatitis C in Patients With Minimal or No Hepatic Fibrosis: The Impact of Treatment and Sustained Virologic Response on Patient-Reported Outcomes. 2018 , 66, 1742-1750		20
72	Advanced liver fibrosis but not steatosis is independently associated with albuminuria in Chinese patients with type 2 diabetes. <i>Journal of Hepatology</i> , 2017 ,	13.4	49
71	Angiotensin II: a key mediator in the development of liver fibrosis and cancer. 2018 , 42,		18
70	Doppler ultrasonography devices, including elastography, allow for accurate diagnosis of severe liver fibrosis. 2018 , 108, 133-139		3
69	Pomegranate action in curbing the incidence of liver injury triggered by Diethylnitrosamine by declining oxidative stress via Nrf2 and NFB regulation. <i>Scientific Reports</i> , 2018 , 8, 8606	4.9	22
68	Chitinase 3-like 1 deficiency ameliorates liver fibrosis by promoting hepatic macrophage apoptosis. 2019 , 49, 1316-1328		13

67	Knockout of Calcitonin gene-related peptide attenuates cholestatic liver injury by differentially regulating cellular senescence of hepatic stellate cells and cholangiocytes. 2019 , 99, 764-776		10
66	Effect of diet-induced weight loss on cytokeratin-18 levels in overweight and obese patients with liver fibrosis. 2019 , 13, 989-994		5
65	Noninvasive Assessment of Liver Disease in Patients With Nonalcoholic Fatty Liver Disease. 2019 , 156, 1264-1281.e4		447
64	Prediabetes Is Associated With Increased Liver Stiffness Identified by Noninvasive Liver Fibrosis Assessment: ElastPQ Ultrasound Shear Wave Elastography Study. 2019 , 35, 330-338		4
63	The diagnostic performance of a simplified blood test (SteatoTest-2) for the prediction of liver steatosis. 2019 , 31, 393-402		8
62	Molecular characterization of a precision-cut rat liver slice model for the evaluation of antifibrotic compounds. <i>American Journal of Physiology - Renal Physiology</i> , 2019 , 316, G15-G24	5.1	2
61	Benefit of Early versus Deferred Antiretroviral Therapy on Progression of Liver Fibrosis among People with HIV in the START Randomized Trial. <i>Hepatology</i> , 2019 , 69, 1135-1150	11.2	8
60	Prevalence and Factors Associated With Liver Fibrosis Among Adult HIV-Infected Patients Attending Urban and Rural Care Clinics in Uganda. 2020 , 7, ofaa483		2
59	Impact of Reverse Micelle Loaded Lipid Nanocapsules on the Delivery of Gallic Acid into Activated Hepatic Stellate Cells: A Promising Therapeutic Approach for Hepatic Fibrosis. 2020 , 37, 180		10
58	Unmet needs in patients with moderate-to-severe plaque psoriasis treated with methotrexate in real world practice: FirST study. 2020 , 1-10		2
57	SIRT1/IGFBP1/TGF β axis involved in cucurbitacin B ameliorating concanavalin A-induced mice liver fibrosis. 2020 , 127, 371-379		5
56	Impact of the Fibrosis-4 Index on Risk Stratification of Cardiovascular Events and Mortality in Patients with Atrial Fibrillation: Findings from a Japanese Multicenter Registry. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	14
55	Prevalence of liver fibrosis in an unselected general population with high prevalence of obesity and diabetes mellitus. Time for screening?. <i>Annals of Hepatology</i> , 2020 , 19, 258-264	3.1	4
54	Number needed to screen to prevent progression of liver fibrosis to cirrhosis at primary health centers: An experience from Delhi. <i>Journal of Family Medicine and Primary Care</i> , 2021 , 10, 1412-1418	1.5	
53	Prospective screening of liver fibrosis in a primary care cohort using systematic calculation of fib-4 in routine results.		
52	Study on the effect of Mongolian medicine Qiwei Qinggan Powder on hepatic fibrosis through JAK2/STAT3 pathway. <i>Bioscience, Biotechnology and Biochemistry</i> , 2021 , 85, 775-785	2.1	1
51	Autoimmune Hepatitis with Elevated Serum IgG4 Levels Have a High Prevalence of Cirrhosis at Diagnosis. <i>Canadian Journal of Gastroenterology and Hepatology</i> , 2021 , 2021, 6692511	2.8	1
50	Protective effects of paclitaxel on thioacetamide-induced liver fibrosis in a rat model. <i>Journal of Biochemical and Molecular Toxicology</i> , 2021 , 35, e22745	3.4	2

49	Elastografİ en tiempo real (Supersonic), experiencia de un centro en Bogotİ <i>Revista Colombiana De Gastroenterologia</i> , 2021 , 36, 58-64	0.2	
48	A Positive Relationship between Betel Nut Chewing and Significant Liver Fibrosis in NAFLD Subjects, but Not in Non-NAFLD Ones. <i>Nutrients</i> , 2021 , 13,	6.7	3
47	The incidence trends of liver cirrhosis caused by nonalcoholic steatohepatitis via the GBD study 2017. <i>Scientific Reports</i> , 2021 , 11, 5195	4.9	5
46	Hydrogen-rich water protects against liver injury in nonalcoholic steatohepatitis through HO-1 enhancement via IL-10 and Sirt 1 signaling. <i>American Journal of Physiology - Renal Physiology</i> , 2021 , 320, G450-G463	5.1	4
45	Prospective screening of liver fibrosis in a primary care cohort using systematic calculation of fib-4 in routine results. <i>PLoS ONE</i> , 2021 , 16, e0254939	3.7	0
44	Liver fibrosis assessed by transient elastography and albuminuria. <i>Digestive and Liver Disease</i> , 2021 , 53, 1057	3.3	1
43	Population screening for liver fibrosis: Toward early diagnosis and intervention for chronic liver diseases. <i>Hepatology</i> , 2021 ,	11.2	8
42	Fibroageing: An ageing pathological feature driven by dysregulated extracellular matrix-cell mechanobiology. <i>Ageing Research Reviews</i> , 2021 , 70, 101393	12	7
41	Targeting the Wnt Signaling Pathway in Liver Fibrosis for Drug Options: An Update.. <i>Journal of Clinical and Translational Hepatology</i> , 2021 , 9, 960-971	5.2	0
40	Reliable Liver Fibrosis Assessment from Ultrasound Using Global Hetero-Image Fusion and View-Specific Parameterization. <i>Lecture Notes in Computer Science</i> , 2020 , 606-615	0.9	2
39	Diagnostic accuracy of hepatocyte growth factor, Fas/CD95 and Endostatin for non-invasive assessment of hepatic fibrosis in biopsy-proven hepatitis C virus patients. <i>Infection, Genetics and Evolution</i> , 2020 , 85, 104526	4.5	1
38	Shear wave elastography in assessment of liver stiffness and prediction of gastro-esophageal varices in patients with liver cirrhosis. <i>Egyptian Journal of Radiology and Nuclear Medicine</i> , 2019 , 50,	1.4	5
37	Performance of biomarkers FibroTest, ActiTest, SteatoTest, and NashTest in patients with severe obesity: meta analysis of individual patient data. <i>PLoS ONE</i> , 2012 , 7, e30325	3.7	95
36	Performance of serum apolipoprotein-A1 as a sentinel of Covid-19. <i>PLoS ONE</i> , 2020 , 15, e0242306	3.7	4
35	Building shared experience to advance practical application of pathway-based toxicology: liver toxicity mode-of-action. <i>ALTEX: Alternatives To Animal Experimentation</i> , 2014 , 31, 500-19	4.3	11
34	Missed Diagnosis of Liver Cirrhosis Leads to Disparities in Care for Older Patients. <i>Gastroenterology Research</i> , 2018 , 11, 333-339	1.8	1
33	[Diabetes mellitus and nonalcoholic fatty liver disease: The verges of contingency]. <i>Terapevticheskie Arkhiv</i> , 2017 , 89, 59-65	0.9	7
32	Comparison of TGF-İPDGF, and CTGF in hepatic fibrosis models using DMN, CCl4, and TAA. <i>Drug and Chemical Toxicology</i> , 2016 , 39, 111-8	2.3	11

31	Epidemiology of fatty liver: an update. <i>World Journal of Gastroenterology</i> , 2014 , 20, 9050-4	5.6	59
30	Non-invasive methods for the diagnosis of nonalcoholic fatty liver disease. <i>World Journal of Hepatology</i> , 2015 , 7, 638-48	3.4	49
29	Hépatopathies chroniques. 2017 , 29-62		
28	Fibrose hépatique : Les myofibroblastes en question. <i>Bulletin De L'Académie Nationale De Médecine</i> , 2017 , 201, 741-753	0.1	
27	Screening for Liver Fibrosis in General or At-Risk Populations Using Transient Elastography. 2020 , 545-550		1
26	Performance of serum apolipoprotein-A1 as a sentinel of Covid-19.		1
25	Thymoquinone restores liver fibrosis and improves oxidative stress status in a lipopolysaccharide-induced inflammation model in rats. <i>Avicenna Journal of Phytomedicine</i> , 2017 , 7, 502-510	1.4	9
24	Clinical significance of the albumin-bilirubin score in patients with heart failure undergoing cardiac resynchronization therapy.. <i>Heart and Vessels</i> , 2022 , 1	2.1	0
23	Validation of the performance of A1HPV6, a triage blood test for the early diagnosis and prognosis of SARS-CoV-2 infection.. 2022 ,		1
22	Development and validation of a model to predict incident chronic liver disease in the general population: the CLivD score.. <i>Journal of Hepatology</i> , 2022 ,	13.4	1
21	Hyperuricemia Is Associated with Significant Liver Fibrosis in Subjects with Nonalcoholic Fatty Liver Disease, but Not in Subjects without It.. <i>Journal of Clinical Medicine</i> , 2022 , 11,	5.1	1
20	Comparative Review on Effects of Pien Tze Huang and AnGong NiuHuang Pill and their Potential on Treatment of Central Nervous System Diseases.. <i>Mini-Reviews in Medicinal Chemistry</i> , 2022 ,	3.2	0
19	Non-alcoholic fatty liver disease in patients with type 2 diabetes in Greenland: a register-based cross-sectional study.. <i>International Journal of Circumpolar Health</i> , 2022 , 81, 2065755	1.7	1
18	Human umbilical cord blood mesenchymal stem cells as a potential therapy for schistosomal hepatic fibrosis: an experimental study.. <i>Pathogens and Global Health</i> , 2022 , 1-13	3.1	
17	A review of hepatic fibrosis-associated histopathology in aged cadavers.. <i>Anatomical Record</i> , 2022 ,	2.1	1
16	Management of alcohol-related liver disease: the French Association for the Study of the Liver and the French Alcohol Society clinical guidelines.. <i>Liver International</i> , 2022 ,	7.9	0
15	D-Carvone Attenuates CCl4-Induced Liver Fibrosis in Rats by Inhibiting Oxidative Stress and TGF- β 1/SMAD3 Signaling Pathway. <i>Biology</i> , 2022 , 11, 739	4.9	2
14	AEEH Consensus about detection and referral of hidden prevalent liver diseases.. <i>Gastroenterology Y Hepatología</i> , 2022 ,	0.9	

13	Impact of non-invasive biomarkers on hepatology practice: Past, present and future.. <i>Journal of Hepatology</i> , 2022 , 76, 1362-1378	13.4	1
12	Postmortem survey of haemoglobin A1c, non-alcoholic steatohepatitis and liver fibrosis within a general population.. <i>Journal of Clinical Pathology</i> , 2022 ,	3.9	
11	Systematic screening for advanced liver fibrosis in patients with coronary artery disease: The CORONASH study. <i>PLoS ONE</i> , 2022 , 17, e0266965	3.7	0
10	Fibroscan [®] and Shear Wave correlated well in hepatic fibrosis evaluation of patients with chronic liver diseases in real life situation [®] 2022 , 101, e30025		0
9	Changes over time in the Chronic Liver Disease risk score predict liver-related outcomes: longitudinal analysis of the Whitehall II study. 1-8		
8	Geographical similarity and differences in the burden and genetic predisposition of NAFLD.		3
7	Role of non-invasive methods in detecting liver impairment in familial Mediterranean fever adult patients with persistent hepatic cytolysis. 2022 , 12,		0
6	Global burden of non-alcoholic fatty liver disease in 204 countries and territories from 1990 to 2019. 2023 , 47, 102068		0
5	Effect of Curcumin on Interleukin-6 Expression and Malondialdehyde Levels in Liver Fibrosis. 2022 , 10, 2319-2326		0
4	Diagnostic Value of Non-invasive Liver Function Tests in Liver Fibrosis and Changes in These Parameters Post-metabolic Surgery.		0
3	Meta-analysis: Enhanced liver fibrosis test to identify hepatic fibrosis in chronic liver diseases.		1
2	Validation of a screening algorithm for hepatic fibrosis by Doppler ultrasound and elastography in a general population. 028418512211385		0
1	AEEH "Consensus about detection and referral of hidden prevalent liver diseases". 2023 ,		0