

CITATION REPORT

List of articles citing

Toll-like receptor-2 deficiency enhances non-alcoholic steato

DOI: 10.1186/1471-230x-10-52
BMC Gastroenterology, 2010, 10, 52.

Source: <https://exaly.com/paper-pdf/48386308/citation-report.pdf>

Version: 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
64	Nuclear factor high-mobility group box1 mediating the activation of Toll-like receptor 4 signaling in hepatocytes in the early stage of nonalcoholic fatty liver disease in mice. <i>Hepatology</i> , 2011 , 54, 1620-30	11.2	166
63	Toll-like receptors in secondary obstructive cholangiopathy. <i>Gastroenterology Research and Practice</i> , 2011 , 2011, 265093	2	3
62	Gut-liver axis: the impact of gut microbiota on non alcoholic fatty liver disease. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2012 , 22, 471-6	4.5	270
61	Dietary fat source alters hepatic gene expression profile and determines the type of liver pathology in rats overfed via total enteral nutrition. <i>Physiological Genomics</i> , 2012 , 44, 1073-89	3.6	21
60	Toll-like receptors in liver fibrosis: cellular crosstalk and mechanisms. <i>Frontiers in Physiology</i> , 2012 , 3, 138	4.6	109
59	Kupffer cells in the liver. <i>Comprehensive Physiology</i> , 2013 , 3, 785-97	7.7	306
58	From NAFLD to NASH to cirrhosis-new insights into disease mechanisms. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2013 , 10, 627-36	24.2	381
57	Excess iron modulates endoplasmic reticulum stress-associated pathways in a mouse model of alcohol and high-fat diet-induced liver injury. <i>Laboratory Investigation</i> , 2013 , 93, 1295-312	5.9	69
56	Nonalcoholic fatty liver disease: for better or worse, blame the gut microbiota?. <i>Journal of Parenteral and Enteral Nutrition</i> , 2013 , 37, 787-93	4.2	20
55	Immune and inflammatory pathways in NASH. <i>Hepatology International</i> , 2013 , 7 Suppl 2, 771-81	8.8	121
54	Influence of dietary saturated fat content on adiposity, macrophage behavior, inflammation, and metabolism: composition matters. <i>Journal of Lipid Research</i> , 2013 , 54, 152-63	6.3	80
53	Regulation of wound healing and organ fibrosis by toll-like receptors. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2013 , 1832, 1005-17	6.9	99
52	Carvacrol Protects against Hepatic Steatosis in Mice Fed a High-Fat Diet by Enhancing SIRT1-AMPK Signaling. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013 , 2013, 290104	2.3	22
51	Multiple hits, including oxidative stress, as pathogenesis and treatment target in non-alcoholic steatohepatitis (NASH). <i>International Journal of Molecular Sciences</i> , 2013 , 14, 20704-28	6.3	234
50	Mice lacking C1q are protected from high fat diet-induced hepatic insulin resistance and impaired glucose homeostasis. <i>Journal of Biological Chemistry</i> , 2013 , 288, 22565-75	5.4	23
49	Toll-like receptor 2 and palmitic acid cooperatively contribute to the development of nonalcoholic steatohepatitis through inflammasome activation in mice. <i>Hepatology</i> , 2013 , 57, 577-89	11.2	184
48	Pathophysiology of NASH: perspectives for a targeted treatment. <i>Current Pharmaceutical Design</i> , 2013 , 19, 5250-69	3.3	110

47	Molecular mechanisms and new treatment strategies for non-alcoholic steatohepatitis (NASH). <i>International Journal of Molecular Sciences</i> , 2014 , 15, 7352-79	6.3	87
46	Augmented hepatic Toll-like receptors by fatty acids trigger the pro-inflammatory state of non-alcoholic fatty liver disease in mice. <i>Hepatology Research</i> , 2014 , 44, 920-34	5.1	23
45	Role of innate immune response in non-alcoholic Fatty liver disease: metabolic complications and therapeutic tools. <i>Frontiers in Immunology</i> , 2014 , 5, 177	8.4	91
44	Obesity and NAFLD: the role of bacteria and microbiota. <i>Clinics in Liver Disease</i> , 2014 , 18, 59-71	4.6	72
43	The effects of dietary saturated fat on basal hypothalamic neuroinflammation in rats. <i>Brain, Behavior, and Immunity</i> , 2014 , 36, 35-45	16.6	58
42	NASH and the Cross-Talk Between the Gut and Liver. <i>Current Pediatrics Reports</i> , 2014 , 2, 211-217	0.7	1
41	Role of gut microbiota and Toll-like receptors in nonalcoholic fatty liver disease. <i>World Journal of Gastroenterology</i> , 2014 , 20, 7381-91	5.6	209
40	Pathophysiological role of host microbiota in the development of obesity. <i>Nutrition Journal</i> , 2016 , 15, 43	4.3	69
39	The Crosstalk between Hypoxia and Innate Immunity in the Development of Obesity-Related Nonalcoholic Fatty Liver Disease. <i>BioMed Research International</i> , 2015 , 2015, 319745	3	10
38	Animal Models Correlating Immune Cells for the Development of NAFLD/NASH. <i>Journal of Clinical and Experimental Hepatology</i> , 2015 , 5, 239-45	4.1	12
37	Role of serum toll-like receptors 2 and 4 in non-alcoholic steatohepatitis and liver fibrosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015 , 30, 1190-6	4	28
36	Down-regulation of miR-144 elicits proinflammatory cytokine production by targeting toll-like receptor 2 in nonalcoholic steatohepatitis of high-fat-diet-induced metabolic syndrome E3 rats. <i>Molecular and Cellular Endocrinology</i> , 2015 , 402, 1-12	4.4	30
35	Role of NLRP3 Inflammasome in the Progression of NAFLD to NASH. <i>Canadian Journal of Gastroenterology and Hepatology</i> , 2016 , 2016, 6489012	2.8	79
34	Increased Expression Profile and Functionality of TLR6 in Peripheral Blood Mononuclear Cells and Hepatocytes of Morbidly Obese Patients with Non-Alcoholic Fatty Liver Disease. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	17
33	Toll-like receptor 7 affects the pathogenesis of non-alcoholic fatty liver disease. <i>Scientific Reports</i> , 2016 , 6, 27849	4.9	27
32	Toll-like Receptor 4 on Macrophage Promotes the Development of Steatohepatitis-related Hepatocellular Carcinoma in Mice. <i>Journal of Biological Chemistry</i> , 2016 , 291, 11504-17	5.4	38
31	Toll-like receptors mediating vascular malfunction: Lessons from receptor subtypes. <i>Pharmacology & Therapeutics</i> , 2016 , 158, 91-100	13.9	29
30	Targeting gut-liver axis for the treatment of nonalcoholic steatohepatitis: translational and clinical evidence. <i>Translational Research</i> , 2016 , 167, 116-24	11	57

29	Lipid oxidation products in the pathogenesis of non-alcoholic steatohepatitis. <i>Free Radical Biology and Medicine</i> , 2017 , 111, 173-185	7.8	75
28	Pure total flavonoids from citrus improve non-alcoholic fatty liver disease by regulating TLR/CCL signaling pathway: A preliminary high-throughput omics study. <i>Biomedicine and Pharmacotherapy</i> , 2017 , 93, 316-326	7.5	12
27	CD18 deficiency improves liver injury in the MCD model of steatohepatitis. <i>PLoS ONE</i> , 2017 , 12, e0183913	7	5
26	The Roles of the Gut Microbiota and Toll-like Receptors in Obesity and Nonalcoholic Fatty Liver Disease. <i>Journal of Obesity and Metabolic Syndrome</i> , 2017 , 26, 86-96	4.4	10
25	Gut microbiota, fatty liver disease, and hepatocellular carcinoma. <i>Liver Research</i> , 2018 , 2, 43-51	4.1	44
24	Gut Microbiota as a Driver of Inflammation in Nonalcoholic Fatty Liver Disease. <i>Mediators of Inflammation</i> , 2018 , 2018, 9321643	4.3	38
23	Role of Innate Immune Signaling in Non-Alcoholic Fatty Liver Disease. <i>Trends in Endocrinology and Metabolism</i> , 2018 , 29, 712-722	8.8	41
22	The role of IFN in the development of NAFLD and NASH. <i>Cytokine</i> , 2019 , 124, 154519	4	17
21	Pattern Recognition Receptor-Mediated Chronic Inflammation in the Development and Progression of Obesity-Related Metabolic Diseases. <i>Mediators of Inflammation</i> , 2019 , 2019, 5271295	4.3	16
20	Interplay between early-life malnutrition, epigenetic modulation of the immune function and liver diseases. <i>Nutrition Research Reviews</i> , 2019 , 32, 128-145	7	20
19	Paediatricians play a key role in preventing early harmful events that could permanently influence the development of the gut microbiota in childhood. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2019 , 108, 1942-1954	3.1	5
18	Innate Immune Signaling in Nonalcoholic Fatty Liver Disease and Cardiovascular Diseases. <i>Annual Review of Pathology: Mechanisms of Disease</i> , 2019 , 14, 153-184	34	38
17	The role of the microbiome in NAFLD and NASH. <i>EMBO Molecular Medicine</i> , 2019 , 11,	12	185
16	Innate Immune Signaling and Its Role in Metabolic and Cardiovascular Diseases. <i>Physiological Reviews</i> , 2019 , 99, 893-948	47.9	39
15	Intestinal Microbiota Protects against MCD Diet-Induced Steatohepatitis. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	19
14	The Gut Microbiota: How Does It Influence the Development and Progression of Liver Diseases. <i>Biomedicines</i> , 2020 , 8,	4.8	12
13	IFN- γ contributes to the hepatic inflammation in HFD-induced nonalcoholic steatohepatitis by STAT1/TLR2 signaling pathway. <i>Molecular Immunology</i> , 2021 , 134, 118-128	4.3	4
12	Intestinal dysbiosis in nonalcoholic fatty liver disease (NAFLD): focusing on the gut-liver axis. <i>Critical Reviews in Food Science and Nutrition</i> , 2021 , 1-18	11.5	8

11	Toll-like receptor 1 as a possible target in non-alcoholic fatty liver disease. <i>Scientific Reports</i> , 2021 , 11, 17815	4.9	0
10	Toll-like receptor 2 signaling in liver pathophysiology. <i>Life Sciences</i> , 2021 , 284, 119941	6.8	0
9	Pathogenesis of Nonalcoholic Fatty Liver Disease. 2018 , 369-390.e14		1
8	Genetic polymorphism in gene, a co-receptor of TLR4 associated with non-alcoholic fatty liver disease. <i>World Journal of Gastroenterology</i> , 2016 , 22, 9346-9355	5.6	15
7	Concomitant inhibition of renin angiotensin system and Toll-like receptor 2 attenuates renal injury in unilateral ureteral obstructed mice. <i>Korean Journal of Internal Medicine</i> , 2016 , 31, 323-34	2.5	3
6	Cellular and molecular functions of hepatic stellate cells in inflammatory responses and liver immunology. <i>Hepatobiliary Surgery and Nutrition</i> , 2014 , 3, 344-63	2.1	99
5	Innate immune signaling and gut-liver interactions in non-alcoholic fatty liver disease. <i>Hepatobiliary Surgery and Nutrition</i> , 2014 , 3, 377-85	2.1	25
4	Innate Immunity and the Liver. 2016 , 3-24		1
3	Toll-like receptors and metabolic (dysfunction)-associated fatty liver disease. 2022 , 185, 106507		0
2	Gut-liver axis in the progression of nonalcoholic fatty liver disease: From the microbial derivatives-centered perspective. 2023 , 321, 121614		0
1	Pattern recognition receptors in the development of nonalcoholic fatty liver disease and progression to hepatocellular carcinoma: An emerging therapeutic strategy. 14,		0