

CITATION REPORT

List of articles citing

Mouse model of carbon tetrachloride induced liver fibrosis: Histopathological changes and expression of CD133 and epidermal growth factor

DOI: 10.1186/1471-230x-10-79
BMC Gastroenterology, 2010, 10, 79.

Source: <https://exaly.com/paper-pdf/48386337/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
135	Hepatoprotective versus oncogenic functions of STAT3 in liver tumorigenesis. 2011 , 179, 714-24		45
134	Human hepatic stellate cell line (LX-2) exhibits characteristics of bone marrow-derived mesenchymal stem cells. 2011 , 91, 664-72		43
133	Protective effect of probucol on liver injury induced by carbon tetrachloride in rats. 2011 , 5, 899-905		6
132	The impaired disposition of probe drugs is due to both liver and kidney dysfunctions in CCl(4)-model rats. 2012 , 33, 453-8		2
131	Mechanisms of fibrosis: therapeutic translation for fibrotic disease. 2012 , 18, 1028-40		1900
130	Inhibitory effects of salvianolic acid B on CCl(4)-induced hepatic fibrosis through regulating NF- κ B signaling. 2012 , 144, 592-8		56
129	Bioluminescence imaging of NADPH oxidase activity in different animal models. 2012 ,		11
128	Oxidative stress and pulmonary changes in experimental liver cirrhosis. 2012 , 2012, 486190		8
127	Strain of experimental animals and modulation of nitric oxide pathway: their influence on development of renal failure in an experimental model of hepatorenal syndrome. 2012 , 8, 555-62		7
126	Using ultrasound Nakagami imaging to assess liver fibrosis in rats. 2012 , 52, 215-22		53
125	Non-invasive detection of drug toxicity in rats by solid-phase extraction and MALDI-TOF analysis of urine samples. 2013 , 405, 2311-20		8
124	Molecular mechanisms of fibrosis-associated promotion of liver carcinogenesis. 2013 , 132, 53-63		66
123	Lung and liver changes due to the induction of cirrhosis in two experimental models. 2013 , 50, 208-13		6
122	Red ginseng extract protects against carbon tetrachloride-induced liver fibrosis. 2013 , 37, 45-53		45
121	Suppression of fibrogenic gene expression and liver fibrosis using a synthetic prostacyclin agonist. 2013 , 34, 241-50		3
120	Hepatoprotective effect of aged black garlic extract in rodents. 2014 , 30, 49-54		49
119	Application of urine proteomics for biomarker discovery in drug-induced liver injury. 2014 , 44, 823-41		16

118	Hepatoprotective Effects of Silybum marianum (Silymarin) and Glycyrrhiza glabra (Glycyrrhizin) in Combination: A Possible Synergy. 2014 , 2014, 641597	29
117	. 2014 ,	
116	Transient SNAIL1 expression is necessary for metastatic competence in breast cancer. 2014 , 74, 6330-40	140
115	Preventive supplementation with fresh and preserved peach attenuates CCl4-induced oxidative stress, inflammation and tissue damage. 2014 , 25, 1282-95	14
114	The DEN and CCl4 -Induced Mouse Model of Fibrosis and Inflammation-Associated Hepatocellular Carcinoma. 2014 , 66, 14.30.1-10	69
113	Age-associated change of C/EBP family proteins causes severe liver injury and acceleration of liver proliferation after CCl4 treatments. 2014 , 289, 1106-18	25
112	Oral hepatoprotective ability evaluation of purple sweet potato anthocyanins on acute and chronic chemical liver injuries. 2014 , 69, 539-48	22
111	The EGFR signalling system in the liver: from hepatoprotection to hepatocarcinogenesis. 2014 , 49, 9-23	89
110	Hepatoprotective effect of fermented rice bran against carbon tetrachloride-induced toxicity in mice. 2014 , 23, 165-171	5
109	Epidermal growth factor receptor inhibition attenuates liver fibrosis and development of hepatocellular carcinoma. 2014 , 59, 1577-90	216
108	The effects of Lipoic acid on liver oxidative stress and free fatty acid composition in methionine-choline deficient diet-induced NAFLD. 2014 , 17, 254-61	40
107	Early detection of liver fibrosis in rats using 3-D ultrasound Nakagami imaging: a feasibility evaluation. 2014 , 40, 2272-84	16
106	Fast food diet with CCl4 micro-dose induced hepatic-fibrosis--a novel animal model. <i>BMC Gastroenterology</i> , 2014 , 14, 89	3 17
105	Genetic and epigenetic changes in fibrosis-associated hepatocarcinogenesis in mice. 2014 , 134, 2778-88	30
104	The promotion of functional urinary bladder regeneration using anti-inflammatory nanofibers. 2014 , 35, 9311-21	35
103	Establishment of a standardized mouse model of hepatic fibrosis for biomedical research. 2014 , 1,	2
102	CD147 promotes liver fibrosis progression via VEGF-A/VEGFR2 signalling-mediated cross-talk between hepatocytes and sinusoidal endothelial cells. 2015 , 129, 699-710	29
101	Hepato-protective effect of rutin via IL-6/STAT3 pathway in CCl4-induced hepatotoxicity in rats. 2015 , 48, 30	51

100	Free Radical-Scavenging, Anti-Inflammatory/Anti-Fibrotic and Hepatoprotective Actions of Taurine and Silymarin against CCl ₄ Induced Rat Liver Damage. <i>PLoS ONE</i> , 2015 , 10, e0144509	3-7	91
99	Ginkgo biloba extract mitigates liver fibrosis and apoptosis by regulating p38 MAPK, NF- κ B/IB κ and Bcl-2/Bax signaling. 2015 , 9, 6303-17		31
98	Melatonin limits the expression of profibrogenic genes and ameliorates the progression of hepatic fibrosis in mice. 2015 , 165, 346-57		34
97	Liver fibrosis occurs through dysregulation of MyD88-dependent innate B-cell activity. 2015 , 61, 2067-79		46
96	Preventative effects of prostaglandin E1 in combination with iodized olive oil on liver fibrosis after transcatheter arterial chemoembolization in a rabbit model of CCl ₄ -induced liver fibrosis. 2015 , 93, 451-7		6
95	The carbon tetrachloride model in mice. 2015 , 49, 4-11		134
94	Mesenchymal stem cells: In vivo therapeutic application ameliorates carbon tetrachloride induced liver fibrosis in rats. 2015 , 68, 109-18		16
93	iTRAQ-based proteomic analysis of combination therapy with taurine, epigallocatechin gallate, and genistein on carbon tetrachloride-induced liver fibrosis in rats. 2015 , 232, 233-45		27
92	EGFR Signaling in Liver Diseases. 2015 , 17,		100
91	Involvement of TGF- β /Smad3 Signaling in Carbon Tetrachloride-Induced Acute Liver Injury in Mice. <i>PLoS ONE</i> , 2016 , 11, e0156090	3-7	34
90	Deferoxamine alleviates liver fibrosis induced by CCl ₄ in rats. 2016 , 43, 760-8		14
89	Hepatocyte ERBB3 and EGFR are required for maximal CCl ₄ -induced liver fibrosis. 2016 , 311, G807-G816		14
88	Liver carcinogenesis: from naughty chemicals to soothing fat and the surprising role of NRF2. 2016 , 37, 541-6		40
87	Adverse impact of low skeletal muscle index on the prognosis of hepatocellular carcinoma after hepatic resection. 2016 , 30, 136-42		31
86	Protective effects of seed melon extract on CCl ₄ -induced hepatic fibrosis in mice. 2016 , 193, 531-537		21
85	Characterization of copy number alterations in a mouse model of fibrosis-associated hepatocellular carcinoma reveals concordance with human disease. 2016 , 5, 574-85		5
84	Carvedilol suppresses circulating and hepatic IL-6 responsible for hepatocarcinogenesis of chronically damaged liver in rats. 2016 , 311, 1-11		5
83	[Mechanism of and Therapy for Kidney Fibrosis]. 2016 , 38, 25-34		9

82	Potential effects of samsun ant, <i>Brachyponera sennaarensis</i> , venom on TNF- α /NF- κ B mediated inflammation in CCL4-toxicity in vivo. 2016 , 15, 198	8
81	A Novel Approach to Ultrasound-Mediated Tissue Decellularization and Intra-Hepatic Cell Delivery in Rats. 2016 , 42, 1958-67	19
80	A new fluorescence-based optical imaging method to non-invasively monitor hepatic myofibroblasts in vivo. 2016 , 65, 75-83	11
79	Hepatoprotective effects of polymethoxyflavones against acute and chronic carbon tetrachloride intoxication. 2016 , 91, 91-9	24
78	Gene Expression Patterns Associated With Histopathology in Toxic Liver Fibrosis. 2016 , 149, 67-88	36
77	Toxicogenomic assessment of liver responses following subchronic exposure to furan in Fischer F344 rats. 2016 , 90, 1351-67	40
76	The Synthetic Triterpenoid RTA 405 (CDDO-EA) Halts Progression of Liver Fibrosis and Reduces Hepatocellular Carcinoma Size Resulting in Increased Survival in an Experimental Model of Chronic Liver Injury. 2016 , 149, 111-20	16
75	Efficiency of cell transplantation in repair of mouse liver damage. 2017 , 48, 49-55	
74	Silencing of α 2-macroglobulin protein-2 reverses alcohol- and cytokine-induced fibrogenesis in hepatic stellate cells. 2017 , 1, 70-79	11
73	Comparative study on the effect of low intensity laser and growth factors on stem cells used in experimentally-induced liver fibrosis in mice. 2017 , 18, 87-97	4
72	The Protective Effects of Helix B Surface Peptide on Experimental Acute Liver Injury Induced by Carbon Tetrachloride. 2017 , 62, 1537-1549	9
71	Methanol extract of <i>Nymphaea lotus</i> ameliorates carbon tetrachloride-induced chronic liver injury in rats via inhibition of oxidative stress. 2017 , 28, 43-50	7
70	Determination of extracellular matrix collagen fibril architectures and pathological remodeling by polarization dependent second harmonic microscopy. 2017 , 7, 12197	29
69	A frequent misinterpretation in current research on liver fibrosis: the vessel in the center of CCl ₄ -induced pseudolobules is a portal vein. 2017 , 91, 3689-3692	11
68	The protective effect of vitamin D against carbon tetrachloride damage to the rat liver. 2017 , 92, 513-523	3
67	Inflammation, Wound Healing, and Fibrosis. 2017 , 195-209	1
66	CRISPR/Cas9 Engineering of Adult Mouse Liver Demonstrates That the Dnajb1-Prkaca Gene Fusion Is Sufficient to Induce Tumors Resembling Fibrolamellar Hepatocellular Carcinoma. 2017 , 153, 1662-1673.e10	46
65	Dose-dependent effects of alpha-naphthylisothiocyanate disconnect biliary fibrosis from hepatocellular necrosis. 2017 , 31, 1-7	9

64	Interspecies NASH disease activity whole-genome profiling identifies a fibrogenic role of PPAR β -regulated dermatopontin. 2017 , 2,	53
63	Tissue Section Image-Based Liver Scar Detection. 2018 , 38, 857-866	4
62	Mechanisms of cholangiocyte responses to injury. 2018 , 1864, 1262-1269	41
61	Inhibition of EGFR attenuates fibrosis and stellate cell activation in diet-induced model of nonalcoholic fatty liver disease. 2018 , 1864, 133-142	20
60	GOLGA2 loss causes fibrosis with autophagy in the mouse lung and liver. 2018 , 495, 594-600	22
59	Bacterial Translocation Is Linked to Increased Intestinal IFN- γ , IL-17, and mucin-2 in Cholestatic Rats. 2018 , 17, 318-329	25
58	Anatomy and Physiology of the Biliary Epithelium. 2018 , 41-96	
57	Clove (<i>Syzygium aromaticum</i>) and honey extracts significantly reduce inflammatory cytokines and liver function enzymes in experimental rats fed on carbon tetrachloride (CCl ₄)Peer review under responsibility of The Egyptian Society of Radiation Sciences and Applications.View all notes. 2018 , 11, 416-422	5
56	Synthesis, characterization, and pharmacological evaluation of zinc oxide nanoparticles formulation. 2018 , 34, 753-763	2
55	Antifibrogenic Influence of L. Essential Oil against CCl-Induced Liver Fibrosis in Rats. 2018 , 2018, 4039753	13
54	Matrix Remodeling Associated 7 Deficiency Alleviates Carbon Tetrachloride-Induced Acute Liver Injury in Mice. 2018 , 9, 773	10
53	Protective effects of <i>Mentha piperita</i> L. leaf essential oil against CCl induced hepatic oxidative damage and renal failure in rats. 2018 , 17, 9	19
52	Animal models for hepatocellular carcinoma. 2019 , 1865, 993-1002	9
51	Antioxidant and hepatopreventive effects of extract against carbon tetrachloride-induced hepatotoxicity in rats. 2021 , 127, 486-496	4
50	Oct4 and Hnf4 β Induced hepatic stem cells ameliorate chronic liver injury in liver fibrosis model. <i>PLoS ONE</i> , 2019 , 14, e0221085	3-7 6
49	Camellia Oleifera Seed Extract Mildly Ameliorates Carbon Tetrachloride-Induced Hepatotoxicity in Rats by Suppressing Inflammation. 2019 , 84, 1586-1591	5
48	Preclinical insights into cholangiopathies: disease modeling and emerging therapeutic targets. 2019 , 23, 461-472	9
47	Models for the Study of Fibrosis. 2019 , 8, 645-654	14

46	Animal Models of Hepatocellular Carcinoma Prevention. 2019 , 11,	6
45	Induced Liver Fibrosis Is Accompanied in Young and Old Animals by Age-Dependent Changes in Bone Marrow Cells. 2019 , 9, 289-297	2
44	Proteomics in the Study of Liver Diseases. 2019 , 165-193	3
43	A two-dimensional (2D) systems biology-based discrete liver tissue model: A simulation study with implications for ultrasound elastography of liver fibrosis. 2019 , 104, 227-234	1
42	Hedgehog signaling pathway regulates hexavalent chromium-induced liver fibrosis by activation of hepatic stellate cells. 2020 , 320, 1-8	15
41	Intestinal Can Cause Liver Injury through the Occurrence of Inflammation and Damage to Hepatocytes. 2020 , 2020, 7929610	1
40	Antioxidant, anti-inflammatory and hepatoprotective effects of olive fruit pulp extract: in vivo and in vitro study. 2020 , 14, 1660-1670	4
39	Total Flavonoids Alleviate Schistosomiasis-Induced Liver Fibrosis by Altering TGF-1 and Smad7 Expression. 2020 , 2020, 2083697	1
38	Indole-3-Carbinol Derivative DIM Mitigates Carbon Tetrachloride-Induced Acute Liver Injury in Mice by Inhibiting Inflammatory Response, Apoptosis and Regulating Oxidative Stress. 2020 , 21,	19
37	miR-23b-3p Plays an Oncogenic Role in Hepatocellular Carcinoma. 2021 , 28, 3416-3426	6
36	TRIM26 Induces Ferroptosis to Inhibit Hepatic Stellate Cell Activation and Mitigate Liver Fibrosis Through Mediating SLC7A11 Ubiquitination. 2021 , 9, 644901	9
35	Combinatorial enumeration of stereo, chiral and position isomers of polysubstituted halocarbons: applications to machine learning of proton and ³⁵ Cl NMR spectroscopy of halocarbons. <i>Theoretical Chemistry Accounts</i> , 2021 , 140, 1	1.9
34	Animal and Organoid Models of Liver Fibrosis. <i>Frontiers in Physiology</i> , 2021 , 12, 666138	4.6 5
33	The DEN and CCl ₄ -Induced Mouse Model of Fibrosis and Inflammation-Associated Hepatocellular Carcinoma. <i>Current Protocols</i> , 2021 , 1, e211	1
32	Pterostilbene is more efficacious than hydroxystilbenes in protecting liver fibrogenesis in a carbon tetrachloride-induced rat model. <i>Journal of Functional Foods</i> , 2021 , 84, 104604	5.1 1
31	Dual inhibition of reactive oxygen species and spleen tyrosine kinase as a therapeutic strategy in liver fibrosis. <i>Free Radical Biology and Medicine</i> , 2021 , 175, 193-205	7.8 1
30	Mitochondrial transplantation therapy inhibit carbon tetrachloride-induced liver injury through scavenging free radicals and protecting hepatocytes. <i>Bioengineering and Translational Medicine</i> , 2021 , 6, e10209	14.8 9
29	Hepatocellular Carcinogenesis. 2017 , 119-140	1

28	Amelioration of liver injury by continuously targeted intervention against TNFRp55 in rats with acute-on-chronic liver failure. <i>PLoS ONE</i> , 2013 , 8, e68757	3.7	14
27	Mouse Models of Hepatocellular Carcinoma. 69-94		6
26	Verapamil and rifampin effect on p-glycoprotein expression in hepatocellular carcinoma. <i>Jundishapur Journal of Natural Pharmaceutical Products</i> , 2014 , 9, e17741	1.1	3
25	Role of activin A in carbon tetrachloride-induced acute liver injury. <i>World Journal of Gastroenterology</i> , 2013 , 19, 3802-9	5.6	11
24	Thymoquinone, an Active Constituent of Black Seed Attenuates CCl4 Induced Liver Injury in Mice via Modulation of Antioxidant Enzymes, PTEN, P53 and VEGF Protein. <i>Open Access Macedonian Journal of Medical Sciences</i> , 2019 , 7, 311-317	1	11
23	The Protective Effect of Nitroglycerin, N-Acetyl Cysteine and Metoprolol in CCL4 Induced Animal Model of Acute Liver Injury. <i>Open Access Macedonian Journal of Medical Sciences</i> , 2019 , 7, 1739-1743	1	3
22	Effect of nitric oxide pathway regulation on water/sodium balance and renal function in a rodent model of acute liver and renal failure. <i>Medical Science Monitor</i> , 2014 , 20, 1735-44	3.2	2
21	CD133 and EpCAM as Biomarkers in Liver Diseases. <i>Exposure and Health</i> , 2015 , 1-24	8.8	
20	CD133 and EpCAM as Biomarkers in Liver Diseases. <i>Biomarkers in Disease</i> , 2017 , 349-372		1
19	Extracellular histones stimulate collagen expression and promote liver fibrogenesis in a mouse model the TLR4-MyD88 signaling pathway. <i>World Journal of Gastroenterology</i> , 2020 , 26, 7513-7527	5.6	3
18	The Role of RECK in Hepatobiliary Neoplasia Reveals Its Therapeutic Potential in NASH. <i>Frontiers in Endocrinology</i> , 2021 , 12, 770740	5.7	0
17	Multi-omics analysis of aspirin treatment response in mice provide molecular insights and targets linked to liver fibrosis regression.		
16	Extracellular histones stimulate collagen expression and potentially promote liver fibrogenesis via TLR4-MyD88 signalling pathway.		
15	Anti-fibrotic effects of the Masson pine pollen aqueous extract on hepatic fibrosis rat model. <i>International Journal of Clinical and Experimental Pathology</i> , 2015 , 8, 4651-61	1.4	1
14	Potential biomarkers in the fibrosis progression of nonalcoholic steatohepatitis (NASH).. <i>Journal of Endocrinological Investigation</i> , 2022 , 1	5.2	1
13	Targeting A-Kinase Anchoring Protein 12 Phosphorylation in Hepatic Stellate Cells Regulates Liver Injury and Fibrosis in Mouse Models.		
12	Resolvin D1 attenuates CCl4 Induced Liver Fibrosis by Inhibiting Autophagy-Mediated HSC activation AKT/mTOR Pathway.. <i>Frontiers in Pharmacology</i> , 2021 , 12, 792414	5.6	0
11	data_sheet_1.docx. 2018 ,		

- 10 Targeting A-kinase anchoring protein 12 phosphorylation in hepatic stellate cells regulates liver injury and fibrosis in mouse models. 11, ○
- 9 CCL4 inhibits the expressions of hepatic taurine biosynthetic enzymes and taurine synthesis in the progression of mouse liver fibrosis. **2022**, 41, 096032712211350 ○
- 8 Anti-liver fibrosis activity of curcumin/chitosan-coated green silver nanoparticles. **2022**, 12, ○
- 7 Resolving the conflicts around Par2 opposing roles in regeneration by comparing immune-mediated and toxic-induced injuries. **2022**, 42, ○
- 6 S100A6 Activates Kupffer Cells via the p-P38 and p-JNK Pathways to Induce Inflammation, Mononuclear/macrophage Infiltration Sterile Liver Injury in Mice. ○
- 5 Liver fibrosis has a different effect on the "lifespan" of lymphocytes and neutrophils in the in vitro system isolated from the bone marrow of young and old rats. 36-40 ○
- 4 Combinatorial and quantum techniques for large data sets: hypercubes and halocarbons. **2023**, 187-217 1
- 3 Direct-acting antivirals sofosbuvir and daclatasvir attenuate carbon tetrachloride-induced liver fibrosis in mice. **2023**, 7, 71-81 ○
- 2 Thermoneutral housing shapes hepatic inflammation and damage in mouse models of non-alcoholic fatty liver disease. 14, ○
- 1 The anti-toxic effect of the date palm fruit extract loaded on chitosan nanoparticles against CCL4-induced liver fibrosis in a mouse model. **2023**, 235, 123804 ○