CITATION REPORT List of articles citing

A simple index of lipid overaccumulation is a good marker of liver steatosis

DOI: 10.1186/1471-230x-10-98 BMC Gastroenterology, 2010, 10, 98.

Source: https://exaly.com/paper-pdf/48386358/citation-report.pdf

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
161	The Finnish Diabetes Risk Score (FINDRISC) and other non-invasive scores for screening of hepatic steatosis and associated cardiometabolic risk. 2011 , 43, 413-7		11
160	Systematic review: the epidemiology and natural history of non-alcoholic fatty liver disease and non-alcoholic steatohepatitis in adults. 2011 , 34, 274-85		2020
159	Validation of fatty liver index and lipid accumulation product for predicting fatty liver in Korean population. 2011 , 31, 1600-1		56
158	ASH and NASH. 2011 , 29, 202-10		59
157	Fatty liver index in polycystic ovary syndrome. 2011 , 165, 935-43		40
156	Diagnosis and evaluation of nonalcoholic fatty liver disease. 2012 , 2012, 145754		145
155	Predicting incident fatty liver using simple cardio-metabolic risk factors at baseline. <i>BMC Gastroenterology</i> , 2012 , 12, 84	3	24
154	Can NASH be diagnosed, graded, and staged noninvasively?. 2012 , 16, 567-85		53
153	The lipid accumulation product is highly related to serum alanine aminotransferase level in male adults. 2012 , 32, 581-7		5
152	[Early detection of chronic liver disease in primary care in the apparently health adult population]. 2012 , 35 Suppl 2, 23-9		1
151	Hepatic steatosis index and lipid accumulation product as middle-term predictors of incident metabolic syndrome in a large population sample: data from the Brisighella Heart Study. 2013 , 8, 265-7		20
150	The fatty liver index is associated with increased mortality in subjects referred to coronary angiography. 2013 , 23, 1231-8		22
149	Noninvasive evaluation of NAFLD. 2013 , 10, 666-75		198
148	Docosahexaenoic acid for the treatment of fatty liver: randomised controlled trial in children. 2013 , 23, 1066-70		93
147	External validation of the fatty liver index for identifying nonalcoholic fatty liver disease in a population-based study. 2013 , 11, 1201-4		128
146	Review article: the diagnosis of non-alcoholic fatty liver disease availability and accuracy of non-invasive methods. 2013 , 37, 392-400		126
145	Non-invasive diagnosis of non-alcoholic fatty liver disease. A critical appraisal. 2013 , 58, 1007-19		259

(2014-2013)

144	The lipid accumulation product for the early prediction of gestational insulin resistance and glucose dysregulation. 2013 , 22, 362-7		8
143	Short-term multidisciplinary non-pharmacological intervention is effective in reducing liver fat content assessed non-invasively in patients with nonalcoholic fatty liver disease (NAFLD). 2013 , 37, 353-8		29
142	Relationship between alcohol intake and lipid accumulation product in middle-aged men. 2013, 48, 535-4	2	16
141	Clinical characteristics and plasma lipids in subjects with familial combined hypolipidemia: a pooled analysis. 2013 , 54, 3481-90		55
140	Non-alcoholic fatty liver disease: non-invasive investigation and risk stratification. 2013 , 66, 1033-45		54
139	Gender difference in hepatic steatosis index and lipid accumulation product ability to predict incident metabolic syndrome in the historical cohort of the Brisighella Heart Study. 2013 , 11, 412-6		20
138	Nonalcoholic fatty liver in nondiabetic patients with acute coronary syndromes. 2013 , 43, 429-38		31
137	Non-laboratory-based self-assessment screening score for non-alcoholic fatty liver disease: development, validation and comparison with other scores. <i>PLoS ONE</i> , 2014 , 9, e107584	s.7	53
136	Diagnosis of Non-alcoholic Fatty Liver Disease. 2014 , 15, 82		
135	Non-alcoholic fatty liver disease: what the clinician needs to know. <i>World Journal of Gastroenterology</i> , 2014 , 20, 12956-80	5.6	117
134	Non-invasive score identifies ultrasonography-diagnosed non-alcoholic fatty liver disease and predicts mortality in the USA. 2014 , 12, 154		32
133	Insulin resistance in the liver: deficiency or excess of insulin?. 2014 , 13, 2494-500		33
132	External validation of the fatty liver index and lipid accumulation product indices, using 1H-magnetic resonance spectroscopy, to identify hepatic steatosis in healthy controls and obese, insulin-resistant individuals. 2014 , 171, 561-9		80
131	Comparison of serum ferritin and vitamin d in association with the severity of nonalcoholic Fatty liver disease in korean adults. <i>Endocrinology and Metabolism</i> , 2014 , 29, 479-88	5.5	10
131		.5	7
	liver disease in korean adults. <i>Endocrinology and Metabolism</i> , 2014 , 29, 479-88 Republished: Non-alcoholic fatty liver disease: non-invasive investigation and risk stratification.	3-5	
130	liver disease in korean adults. <i>Endocrinology and Metabolism</i> , 2014 , 29, 479-88 Republished: Non-alcoholic fatty liver disease: non-invasive investigation and risk stratification. 2014 , 90, 254-66	3.5	7

126	Relationship between glucose metabolism and non-alcoholic fatty liver disease severity in morbidly obese women. 2014 , 37, 739-744		10
125	Fitting Proportional Odds Model to Case-Control data with Incorporating Hardy-Weinberg Equilibrium. <i>Scientific Reports</i> , 2015 , 5, 17286	4.9	4
124	Visceral adiposity index and insulin secretion and action in first-degree relatives of subjects with type 2 diabetes. 2015 , 31, 315-21		16
123	External validation of fatty liver index for identifying ultrasonographic fatty liver in a large-scale cross-sectional study in Taiwan. <i>PLoS ONE</i> , 2015 , 10, e0120443	3.7	61
122	Non-invasive diagnostic approach to non-alcoholic fatty liver disease: current evidence and future perspectives. 2015 , 9, 1039-53		9
121	Betel-quid and alcohol use were associated with lipid accumulation product among male factory workers in Taiwan. 2015 , 7, 218-22		2
12 0	Impact of Nonalcoholic Fatty Liver Disease on Myocardial Perfusion in Nondiabetic Patients Undergoing Primary Percutaneous Coronary Intervention for ST-Segment Elevation Myocardial Infarction. 2015 , 116, 1810-4		24
119	Validation of noninvasive methods for detecting hepatic steatosis in patients with human immunodeficiency virus infection. 2015 , 13, 402-5		10
118	Fatty liver indices in the multiethnic United States National Health and Nutrition Examination Survey. 2015 , 41, 65-76		140
117	Nonalcoholic fatty liver disease and type 2 diabetes: common pathophysiologic mechanisms. 2015 , 15, 607		74
116	Efficacy of lifestyle changes in subjects with non-alcoholic liver steatosis and metabolic syndrome may be improved with an antioxidant nutraceutical: a controlled clinical study. 2015 , 15, 21-5		29
115	Prevalence of Reduced Kidney Function by Estimated Glomerular Filtration Rate Using an Equation Based on Creatinine and Cystatin C in Metabolic Syndrome and Its Components in Korean Adults. <i>Endocrinology and Metabolism</i> , 2016 , 31, 446-453	3.5	4
114	Diagnostic accuracy and clinical utility of a new noninvasive index for hepatic steatosis in patients with hepatitis B virus infection. <i>Scientific Reports</i> , 2016 , 6, 32875	4.9	12
113	Non-alcoholic fatty liver disease is associated with insulin resistance and lipid accumulation product in women with polycystic ovary syndrome. 2016 , 31, 1347-53		64
112	Mid-infrared fibre evanescent wave spectroscopy of serum allows fingerprinting of the hepatic metabolic status in mice. 2016 , 141, 6259-6269		4
111	Exenatide improves both hepatic and adipose tissue insulin resistance: A dynamic positron emission tomography study. 2016 , 64, 2028-2037		58
110	Clinical Presentation and Patient Evaluation in Nonalcoholic Fatty Liver Disease. 2016 , 20, 277-92		24
109	DiagnEtico de esteatosis heptica por mtodos clíticos, bioquíhicos y por imtenes. 2017 , 54, 37-46		1

108	Clinical risk scoring for predicting non-alcoholic fatty liver disease in metabolic syndrome patients (NAFLD-MS score). 2017 , 37, 1535-1543	11
107	Prevalence and Predictors of Significant Fibrosis Among Subjects with Transient Elastography-Defined Nonalcoholic Fatty Liver Disease. <i>Digestive Diseases and Sciences</i> , 2017 , 62, 2150-2458	13
106	NAFL screening score: A basic score identifying ultrasound-diagnosed non-alcoholic fatty liver. 2017 , 475, 44-50	5
105	Non-invasive diagnosis of hepatic steatosis. 2017 , 11, 70-78	64
104	Fatty Liver Index and Lipid Accumulation Product Can Predict Metabolic Syndrome in Subjects without Fatty Liver Disease. 2017 , 2017, 9279836	9
103	Fatty liver index is associated to pulse wave velocity in healthy subjects: Data from the Brisighella Heart Study. 2018 , 53, 29-33	20
102	Clinical phenotyping of newly diagnosed type 2 diabetes in Yemen. 2018 , 6, e000587	1
101	Prevalence of and risk factors for fatty liver in the general population of Northern Italy: the Bagnacavallo Study. <i>BMC Gastroenterology</i> , 2018 , 18, 177	15
100	Obesity and Nonalcoholic Fatty Liver Disease: Role of Oxidative Stress. 2018 , 111-133	4
99	Non-alcoholic fatty liver disease: Relationship with cardiovascular risk markers and clinical endpoints. 2018 , 144, 144-152	14
98	Validation of simple indexes for nonalcoholic fatty liver disease in western China: a retrospective cross-sectional study. 2018 , 65, 373-381	10
97	Anthropometric and blood parameters for the prediction of NAFLD among overweight and obese adults. <i>BMC Gastroenterology</i> , 2018 , 18, 113	14
96	Visceral adiposity index for the diagnosis of nonalcoholic fatty liver disease in premenopausal women with and without polycystic ovary syndrome. 2018 , 116, 1-7	20
95	Current Status in Testing for Nonalcoholic Fatty Liver Disease (NAFLD) and Nonalcoholic Steatohepatitis (NASH). 2019 , 8,	64
94	Nonalcoholic Fatty Liver Disease: An Update on the Diagnosis. 2019 , 19, 187-198	10
93	A powerful test for ordinal trait genetic association analysis. 2019 , 18,	O
92	Bile Acid and Fibroblast Growth Factor 19 Regulation in Obese Diabetics, and Non-Alcoholic Fatty Liver Disease after Sleeve Gastrectomy. 2019 , 8,	19
91	Emerging Circulating Biomarkers for The Diagnosis and Assessment of Treatment Responses in Patients with Hepatic Fat Accumulation, Nash and Liver Fibrosis. 2019 , 423-448	4

90	Diabetes and dyslipidaemia are associated with oxidative stress independently of inflammation in long-term antiretroviral-treated HIV-infected patients. 2019 , 45, 573-581	12
89	Noninvasive Assessment of Liver Disease in Patients With Nonalcoholic Fatty Liver Disease. 2019 , 156, 1264-1281.e4	447
88	Reconstruction of context-specific genome-scale metabolic models using multiomics data to study metabolic rewiring. 2019 , 15, 1-11	20
87	Nonalcoholic Fatty Liver Disease. 2019 , 523-546	
86	The fatty liver index, a simple and useful predictor of metabolic syndrome: analysis of the Korea National Health and Nutrition Examination Survey 2010-2011. 2019 , 12, 181-190	19
85	A Powerful Method To Test Associations Between Ordinal Traits and Genotypes. 2019 , 9, 2573-2579	O
84	Sex- and Age-Related Differences in the Contribution of Ultrasound-Measured Visceral and Subcutaneous Abdominal Fat to Fatty Liver Index in Overweight and Obese Caucasian Adults. **Nutrients**, 2019 , 11,	3
83	The ZJU index is a powerful surrogate marker for NAFLD in severely obese North American women. <i>PLoS ONE</i> , 2019 , 14, e0224942	5
82	A gathering storm: HIV infection and nonalcoholic fatty liver disease in low and middle-income countries. 2019 , 33, 1105-1115	9
81	Role of Fatty Liver Index and Metabolic Factors in the Prediction of Nonalcoholic Fatty Liver Disease in a Lean Population Receiving Health Checkup. 2019 , 10, 1-8	15
80	Effects of phytosomal curcumin on anthropometric parameters, insulin resistance, cortisolemia and non-alcoholic fatty liver disease indices: a double-blind, placebo-controlled clinical trial. 2020 , 59, 477-483	41
79	Validation of a Non-Laboratory Based Screening Tool for Predicting Non-Alcoholic Fatty Liver Disease in an Egyptian Setting. 2020 , 360, 662-677	3
78	Could Inflammatory Indices and Metabolic Syndrome Predict the Risk of Cancer Development? Analysis from the Bagnacavallo Population Study. 2020 , 9,	9
77	Non-invasive diagnosis of non-alcoholic fatty liver disease using an algorithm combining clinical indexes and ultrasonographic measures. 2021 , 21, 100264	1
76	Epidemiology, Pathogenesis, Diagnosis and Emerging Treatment of Nonalcoholic Fatty Liver Disease. 2021 , 52, 25-37	25
75	The Plasma Metabolomic Profile is Differently Associated with Liver Fat, Visceral Adipose Tissue, and Pancreatic Fat. 2021 , 106, e118-e129	2
74	Association between the liver fat score (LFS) and cardiovascular diseases in the national health and nutrition examination survey 1999-2016. 2021 , 53, 1065-1073	2
73	External Validation of Surrogate Indices of Fatty Liver in the General Population: the Bagnacavallo Study. 2021 , 10,	5

(2016-2021)

72	Performance of Serum-Based Scores for Identification of Mild Hepatic Steatosis in HBV Mono-infected and HBV-HIV Co-infected Adults. <i>Digestive Diseases and Sciences</i> , 2021 , 1	4	2
71	Development and Internal Validation of Fatty Liver Prediction Models in Obese Children and Adolescents. 2021 , 10,		2
70	Diagnostic Accuracy of Non-Imaging and Ultrasound-Based Assessment of Hepatic Steatosis Using Controlled Attenuation Parameter (CAP) as Reference. 2021 , 10,		3
69	Investigation of the Association between Smoking Behavior and Metabolic Syndrome Using Lipid Accumulation Product Index among South Korean Adults. 2021 , 18,		O
68	Non-invasive diagnosis of non-alcoholic fatty liver disease using an algorithm combining clinical indexes and ultrasonographic measures. 2021 , 22, 100335		
67	Nonalcoholic fatty liver disease: use of diagnostic biomarkers and modalities in clinical practice. 2021 , 21, 1065-1078		1
66	Diagnostic significance of clinical and laboratory indices in predicting non-alcoholic fatty liver disease during screening studies. 2021 , 93, 883-889		1
65	Exogenous Drug Disposition as a Diagnostic Biomarker Strategy for Non-Alcoholic Steatohepatitis. 2021 ,		1
64	Diabetes and metabolic dysfunction-associated fatty liver disease. 2021 , 123, 154868		1
63	The Ability of the Framingham Steatosis Index (FSI) to Predict Non-alcoholic Fatty Liver Disease (NAFLD): A Cohort Study. 2021 , 45, 101567		1
62	Predicting Non-Alcoholic Fatty Liver Disease for Adults Using Practical Clinical Measures: Evidence from the Multi-ethnic Study of Atherosclerosis. 2021 , 36, 2648-2655		О
61	Recent advances in non-invasive diagnosis and medical management of non-alcoholic fatty liver disease in adult. <i>Egyptian Liver Journal</i> , 2020 , 10,	1.6	10
60	Differences between adiposity indicators for predicting all-cause mortality in a representative sample of United States non-elderly adults. <i>PLoS ONE</i> , 2012 , 7, e50428	3.7	32
59	Phenotype, Body Composition, and Prediction Equations (Indian Fatty Liver Index) for Non-Alcoholic Fatty Liver Disease in Non-Diabetic Asian Indians: A Case-Control Study. <i>PLoS ONE</i> , 2015 , 10, e0142260	3.7	11
58	Association of Body Shape Index (ABSI) with cardio-metabolic risk factors: A cross-sectional study of 6081 Caucasian adults. <i>PLoS ONE</i> , 2017 , 12, e0185013	3.7	46
57	Increased serum fetuin-B concentration is associated with HOMA-land indices of liver steatosis in women with polycystic ovary syndrome: a pilot study. <i>Endocrine Connections</i> , 2019 , 8, 1159-1167	3.5	5
56	Role of the PNPLA3 polymorphism rs738409 on silymarin + vitamin E response in subjects with non-alcoholic fatty liver disease. <i>Revista Espanola De Enfermedades Digestivas</i> , 2018 , 110, 634-640	0.9	7
55	Risk factor compositions of nonalcoholic fatty liver disease change with body mass index in males and females. <i>Oncotarget</i> , 2016 , 7, 35632-35642	3.3	15

54	Development and Validation of a Simple Index Based on Non-Enhanced CT and Clinical Factors for Prediction of Non-Alcoholic Fatty Liver Disease. <i>Korean Journal of Radiology</i> , 2020 , 21, 413-421	6.9	4
53	Calorie-Restricted Mediterranean and Low-Fat Diets Affect Fatty Acid Status in Individuals with Nonalcoholic Fatty Liver Disease. <i>Nutrients</i> , 2020 , 13,	6.7	10
52	Which Metabolic Index is Appropriate for Predicting Non-alcoholic Steatohepatitis?. <i>Middle East Journal of Digestive Diseases</i> , 2020 , 12, 99-105	1.1	2
51	Endocrine causes of nonalcoholic fatty liver disease. World Journal of Gastroenterology, 2015, 21, 11053	-₹.6	43
50	Noninvasive Evaluation of Nonalcoholic Fatty Liver Disease. <i>Endocrinology and Metabolism</i> , 2020 , 35, 243-259	3.5	5
49	Non-alcoholic fatty liver disease associated with hepatocellular carcinoma: An increasing concern. <i>Indian Journal of Medical Research</i> , 2019 , 149, 9-17	2.9	30
48	Comparison of four non-alcoholic fatty liver disease detection scores in a Caucasian population. <i>World Journal of Hepatology</i> , 2020 , 12, 149-159	3.4	9
47	Non-invasive methods for the diagnosis of nonalcoholic fatty liver disease. <i>World Journal of Hepatology</i> , 2015 , 7, 638-48	3.4	49
46	Composite prognostic models across the non-alcoholic fatty liver disease spectrum: Clinical application in developing countries. <i>World Journal of Hepatology</i> , 2015 , 7, 1192-208	3.4	7
45	Development and validation of a neural network for NAFLD diagnosis. Scientific Reports, 2021, 11, 2024	0 4.9	2
44	Serum Fetuin-B Levels Are Elevated in Women with Metabolic Syndrome and Associated with Increased Oxidative Stress. <i>Oxidative Medicine and Cellular Longevity</i> , 2021 , 2021, 6657658	6.7	1
43	Alcohol and Nutrition as Risk Factors for Chronic Liver Disease. 2013 , 497-506		
42	Fructose, High Fructose Corn Syrup, Sucrose, and Nonalcoholic Fatty Liver Disease. 2014 , 325-339		1
41	Differences between Adiposity Indicators for Predicting All-Cause Mortality in a Representative Sample of United States Non-Elderly Adults. 2014 , 71-99		
40	Diagnosis and Assessment. 2015 , 71-87		
39	Benefit: "therapeutic indication". <i>Deutsches A&#x0308;rzteblatt International</i> , 2015 , 112, 143-4	2.5	
38	Nonalcoholic Fatty Liver Disease. 2056-2069		
37	Relationship between the Lipid Accumulation Product Index and Alanine Aminotransferase in Korean Adult Men. <i>Korean Journal of Clinical Laboratory Science</i> , 2017 , 49, 374-381	0.4	

(2021-2018)

36	The Comparison of Simple Anthropometric and Biochemical Parameters for Predicting Liver Steatosis in Obese Balinese Young Women. <i>Open Access Macedonian Journal of Medical Sciences</i> , 2018 , 6, 2062-2066	1	
35	Noninvasive tool for the diagnosis of NAFLD in association with atherosclerotic cardiovascular risk. <i>Egyptian Liver Journal</i> , 2019 , 9,	1.6	O
34	Biochemical Biomarkers of NAFLD/NASH. 2020 , 89-114		1
33	Detection of NAFLD/NASH in the General Population and in Primary Care Clinics. 2020 , 11-27		
32	Comparison of noninvasive scoring systems for the prediction of nonalcoholic fatty liver disease in metabolic syndrome patients. <i>Medicine (United States)</i> , 2020 , 99, e23619	1.8	О
31	Extracellular Vesicles in Non-alcoholic Fatty Liver Disease: Key Players in Disease Pathogenesis and Promising Biomarker Tools. 2020 , 157-180		
30	Supplementation of Low Ratio n-6:n-3 PUFA Reduces Body Fatness in Young Obese Balinese Women: A Randomized Study with Optimized Energy Regulation. <i>Current Research in Nutrition and Food Science</i> , 2020 , 584-595	1.1	
29	External validation of biomarkers of fatty liver in the general population: the Bagnacavallo study. <i>Qeios</i> ,	Ο	
28	Assessment of hepatic steatosis algorithms in non-alcoholic fatty liver disease. <i>Hippokratia</i> , 2018 , 22, 10-16	0.4	2
27	Exogenous and Endogenous Serine Deficiency Exacerbates Hepatic Lipid Accumulation. <i>Oxidative Medicine and Cellular Longevity</i> , 2021 , 2021, 4232704	6.7	
26	Exogenous and Endogenous Serine Deficiency Exacerbates Hepatic Lipid Accumulation. <i>Oxidative Medicine and Cellular Longevity</i> , 2021 , 2021, 1-10	6.7	О
25	Anthropometric clinical indicators of visceral adiposity as predictors of nonalcoholic fatty liver disease <i>Revista Da Associa Mdica Brasileira</i> , 2021 , 67, 1544-1549	1.4	O
24	MAFLD/NAFLD Biopsy-Free Scoring Systems for Hepatic Steatosis, NASH, and Fibrosis Diagnosis <i>Frontiers in Medicine</i> , 2021 , 8, 774079	4.9	2
23	Dietary fucoidan from a brown marine algae (Ecklonia cava) attenuates lipid accumulation in differentiated 3T3-L1 cells and alleviates high-fat diet-induced obesity in mice <i>Food and Chemical Toxicology</i> , 2022 , 162, 112862	4.7	1
22	Prevalence of Metabolic-associated Fatty Liver Disease in Mexico and Development of a Screening Tool: The MAFLD-S Score. 2022 , 1, 352-358		0
21	Accuracy of Non-invasive Indices for Diagnosing Hepatic Steatosis Compared to Imaging in a Real-World Cohort <i>Digestive Diseases and Sciences</i> , 2022 , 1	4	O
20	Long-term exposure to air pollution, habitual physical activity and risk of non-alcoholic fatty liver disease: A prospective cohort study <i>Ecotoxicology and Environmental Safety</i> , 2022 , 235, 113440	7	О
19	Nonalcoholic Fatty Liver Disease (NAFLD): Pathogenesis and Noninvasive Diagnosis <i>Biomedicines</i> , 2021 , 10,	4.8	3

18	Effect of resveratrol supplementation on hepatic steatosis and cardiovascular indices in overweight subjects with type 2 diabetes: a double-blind, randomized controlled trial <i>BMC Cardiovascular Disorders</i> , 2022 , 22, 212	2.3	O
17	Effect of Dietary Supplementation with Eufortyn Colesterolo Plus on Serum Lipids, Endothelial Reactivity, Indexes of Non-Alcoholic Fatty Liver Disease and Systemic Inflammation in Healthy Subjects with Polygenic Hypercholesterolemia: The ANEMONE Study. <i>Nutrients</i> , 2022 , 14, 2099	6.7	2
16	Non-invasive diagnosis and staging of non-alcoholic fatty liver disease. <i>Hormones</i> ,	3.1	0
15	Association between the severity of metabolic dysfunction-associated fatty liver disease and the risk of colorectal neoplasm: a systematic review and meta-analysis. <i>Lipids in Health and Disease</i> , 2022 , 21,	4.4	1
14	Non-Alcoholic Fatty Liver Disease and Extrahepatic Cancers: A Wolf in Sheep∃ Clothing?. <i>Current Oncology</i> , 2022 , 29, 4478-4510	2.8	0
13	External validation and comparison of simple tools to screen for nonalcoholic fatty liver disease in Chinese community population. <i>European Journal of Gastroenterology and Hepatology</i> , 2022 , 34, 865-8	72 ^{2.2}	O
12	Cardiometabolic profiles in women with adenomyosis. 1-6		
11	Association between hepatic steatosis and fibrosis indices and dietary habits, physical activity, and quality of life. 2022 ,		
10	Curcumin Offers No Additional Benefit to Lifestyle Intervention on Cardiometabolic Status in Patients with Non-Alcoholic Fatty Liver Disease. 2022 , 14, 3224		O
9	Improvement of non-invasive tests of liver steatosis and fibrosis as indicators for non-alcoholic fatty liver disease in type 2 diabetes mellitus patients with elevated cardiovascular risk profile using the PPAR-和gonist aleglitazar. 2022 , 17, e0277706		O
8	Epidemiology, natural history, and diagnosis of metabolic dysfunction-associated fatty liver disease: a comparative review with nonalcoholic fatty liver disease. 2022 , 13, 204201882211396		O
7	Diagnostic ability using fatty liver and metabolic markers for metabolic-associated fatty liver disease stratified by metabolic/glycemic abnormalities.		1
6	The Burden of Non-Alcoholic Fatty Liver Disease in Adolescents with Polycystic Ovary Syndrome: A Case®Iontrol Study. 2023 , 12, 557		1
5	Prevalence of non-alcoholic fatty liver disease and its association with lifestyle habits in adults in Chile: a cross-sectional study from the National Health Survey 2016-2017. 1-30		O
4	Cardiovascular risk factors in metalworking industry workers. 2023, 101, 1482-1487		O
3	Advances in the Diagnosis and Treatment of Non-Alcoholic Fatty Liver Disease. 2023, 24, 2844		O
2	Noninvasive serum biomarkers for liver steatosis in nonalcoholic fatty liver disease: Current and future developments. 2023 , 29, S150-S156		0
1	Plasma Metabolite Signatures in Male Carriers of Genetic Variants Associated with Non-Alcoholic Fatty Liver Disease. 2023 , 13, 267		O

CITATION REPORT