

The six minute walk test accurately estimates mean peak

BMC Pulmonary Medicine

10, 31

DOI: [10.1186/1471-2466-10-31](https://doi.org/10.1186/1471-2466-10-31)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Associations of the Stair Climb Power Test With Muscle Strength and Functional Performance in People With Chronic Obstructive Pulmonary Disease: A Cross-Sectional Study. <i>Physical Therapy</i> , 2010, 90, 1774-1782.	1.1	46
2	Maximal Aerobic Power versus Performance in Two Aerobic Endurance Tests among Young and Old Adults. <i>Gerontology</i> , 2011, 57, 502-512.	1.4	14
3	A randomized study of the effects of exercise training on patients with atrial fibrillation. <i>American Heart Journal</i> , 2011, 162, 1080-1087.	1.2	78
5	Measurement properties of the 6-minute walk test in individuals with exercise-induced pulmonary arterial hypertension. <i>Internal Medicine Journal</i> , 2011, 41, 679-687.	0.5	8
6	Reconstructing sickle cell disease: A data-based analysis of the hyperhemolysis paradigm for pulmonary hypertension from the perspective of evidence-based medicine. <i>American Journal of Hematology</i> , 2011, 86, 123-154.	2.0	139
7	The 6-Minute Walk Test as a Predictor of Objectively Measured Aerobic Fitness in Healthy Working-Aged Adults. <i>Physician and Sportsmedicine</i> , 2011, 39, 133-139.	1.0	134
8	Association Between Emphysema Score, Six-Minute Walk and Cardiopulmonary Exercise Tests in COPD. <i>Open Respiratory Medicine Journal</i> , 2012, 6, 104-110.	1.3	13
9	Is the six-minute walk test appropriate for detecting changes in cardiorespiratory fitness in healthy elderly men?. <i>Journal of Science and Medicine in Sport</i> , 2012, 15, 259-265.	0.6	18
10	Walking tests during the exercise training: Specific use for the cardiac rehabilitation. <i>Annals of Physical and Rehabilitation Medicine</i> , 2013, 56, 561-575.	1.1	45
11	The Six-Minute Walk Test Cannot Predict Peak Cardiopulmonary Fitness in Ambulatory Adolescents and Young Adults With Cerebral Palsy. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013, 94, 2227-2233.	0.5	15
12	Relation Between Six-Minute Walk Test Performance and Outcomes After Transcatheter Aortic Valve Implantation (from the PARTNER Trial). <i>American Journal of Cardiology</i> , 2013, 112, 700-706.	0.7	70
13	Cardiac Rehabilitation and Cardiovascular Disability. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2013, 33, 1-11.	1.2	23
14	Is an Individual Prediction of Maximal Work Rate by 6-Minute Walk Distance and Further Measurements Reliable in Male Patients with Different Lung Diseases?. <i>Respiration</i> , 2013, 86, 384-392.	1.2	5
15	Estimating exercise capacity from walking tests in elderly individuals with stable coronary artery disease. <i>Disability and Rehabilitation</i> , 2013, 35, 1853-1858.	0.9	23
16	The quick and the dead. <i>Anaesthesia</i> , 2013, 68, 799-803.	1.8	3
17	To assess exertional breathlessness you must exert the breathless. <i>European Journal of Heart Failure</i> , 2013, 15, 713-714.	2.9	7
18	Oxygen Consumption at 30%W of Exercise Is Surrogate for Peak Oxygen Consumption in Evaluation of Cardiorespiratory Fitness in Young-Adult African-American Females. <i>ISRN Physiology</i> , 2013, 2013, 1-5.	0.4	0
19	The Role of Exercise Testing in the Modern Management of Pulmonary Arterial Hypertension. <i>Diseases (Basel, Switzerland)</i> , 2014, 2, 120-147.	1.0	5

#	ARTICLE	IF	CITATIONS
20	Prehabilitation program for elective coronary artery bypass graft surgery patients: a pilot randomized controlled study. <i>Clinical Rehabilitation</i> , 2014, 28, 648-657.	1.0	121
21	Reference equations for 6-min walk test in healthy Indian subjects (25-80 years). <i>Lung India</i> , 2014, 31, 35.	0.3	30
22	Cross-Validation of the Recumbent Stepper Submaximal Exercise Test to Predict Peak Oxygen Uptake in Older Adults. <i>Physical Therapy</i> , 2014, 94, 722-729.	1.1	19
23	Aerobic capacity and upper limb strength are reduced in women diagnosed with breast cancer: a systematic review. <i>Journal of Physiotherapy</i> , 2014, 60, 189-200.	0.7	59
24	Transthoracic echocardiographic and cardiopulmonary exercise testing parameters in Eisenmenger's syndrome. <i>Herz</i> , 2014, 39, 633-637.	0.4	7
25	An official systematic review of the European Respiratory Society/American Thoracic Society: measurement properties of field walking tests in chronic respiratory disease. <i>European Respiratory Journal</i> , 2014, 44, 1447-1478.	3.1	652
26	The effects of Zumba training on cardiovascular and neuromuscular function in female college students. <i>European Journal of Sport Science</i> , 2014, 14, 569-577.	1.4	57
28	Behavioral Medicine, Clinical Nutrition, Education, and Exercise. <i>Diabetes</i> , 2014, 63, A582-A594.	0.3	1
29	Cardiopulmonary Response to Exercise in COPD and Overweight Patients: Relationship between Unloaded Cycling and Maximal Oxygen Uptake Profiles. <i>BioMed Research International</i> , 2015, 2015, 1-7.	0.9	1
30	Perioperative Implications of Neoadjuvant Therapies and Optimization Strategies for Cancer Surgery. <i>Current Anesthesiology Reports</i> , 2015, 5, 305-317.	0.9	10
31	A study of the 200-metre fast walk test as a possible new assessment tool to predict maximal heart rate and define target heart rate for exercise training of coronary heart disease patients. <i>Clinical Rehabilitation</i> , 2015, 29, 175-183.	1.0	5
32	Protocol for the PREHAB study-Pre-operative Rehabilitation for reduction of Hospitalization After coronary Bypass and valvular surgery: a randomised controlled trial. <i>BMJ Open</i> , 2015, 5, e007250-e007250.	0.8	87
33	Quantifying prosthetic gait deviation using simple outcome measures. <i>World Journal of Orthopedics</i> , 2016, 7, 383.	0.8	15
34	Understanding and optimizing health-related quality of life and physical functional capacity in idiopathic pulmonary fibrosis. <i>Patient Related Outcome Measures</i> , 2016, 7, 29.	0.7	17
35	The test-retest reliability of four functional mobility tests in apparently healthy adults. <i>Isokinetics and Exercise Science</i> , 2016, 24, 171-179.	0.2	13
36	The Effect of Individualized Exercise Parameters Applied to Two Patients Recovering from Implanted Left Ventricular Assist Devices in Korea. <i>The Korean Journal of Sports Medicine</i> , 2016, 34, 78.	0.3	0
37	The effectiveness of rehabilitation on pain-free farming in agriculture workers with low back pain in India. <i>Work</i> , 2016, 55, 399-411.	0.6	7
38	Outpatient-based physical rehabilitation for survivors of prolonged critical illness: A randomized controlled trial. <i>Physiotherapy Theory and Practice</i> , 2016, 32, 179-190.	0.6	23

#	ARTICLE	IF	CITATIONS
39	Community Screening for Nonischemic Cardiomyopathy in Asymptomatic Subjects ≥ 65 Years With Stage B Heart Failure. <i>American Journal of Cardiology</i> , 2016, 117, 1959-1965.	0.7	21
40	The Role of Body Habitus in Predicting Cardiorespiratory Fitness: The FRIEND Registry. <i>International Journal of Sports Medicine</i> , 2016, 37, 863-869.	0.8	15
41	Exercise pathophysiology and the role of oxygen therapy in idiopathic interstitial pneumonia. <i>Respirology</i> , 2016, 21, 1005-1014.	1.3	26
42	Importance of Assessing Cardiorespiratory Fitness in Clinical Practice: A Case for Fitness as a Clinical Vital Sign: A Scientific Statement From the American Heart Association. <i>Circulation</i> , 2016, 134, e653-e699.	1.6	1,423
43	Echocardiographic screening for nonischemic stage B heart failure in the community. <i>European Journal of Heart Failure</i> , 2016, 18, 1331-1339.	2.9	63
44	Perioperative Evaluation of Patients with Pulmonary Conditions Undergoing Non-Cardiothoracic Surgery. <i>Health Services Insights</i> , 2016, 9s1, HSI.S40541.	0.6	23
45	Assessment of physical function in geriatric oncology based on International Classification of Functioning, Disability and Health (ICF) framework. <i>Current Geriatrics Reports</i> , 2016, 5, 200-212.	1.1	0
46	Predicting Peak Oxygen Uptake From the 6-Minute Walk Test in Patients With Pulmonary Hypertension. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2016, 36, 203-208.	1.2	17
47	Validity and Reliability of the 6-Minute Step Test in Healthy Individuals. <i>Clinical Journal of Sport Medicine</i> , 2016, 26, 69-75.	0.9	69
48	Hypertension and functional capacities in community-dwelling older women: a cross-sectional study. <i>Blood Pressure</i> , 2017, 26, 156-165.	0.7	20
49	Assessing the accuracy of algorithm-derived cardiorespiratory fitness in surgical patients: a prospective cohort study. <i>Canadian Journal of Anaesthesia</i> , 2017, 64, 361-369.	0.7	2
50	Six-Minute Walk Test for Assessing Physical Functional Capacity in Chronic Heart Failure. <i>Current Heart Failure Reports</i> , 2017, 14, 158-166.	1.3	52
52	Prioritizing Functional Capacity as a Principal End Point for Therapies Oriented to Older Adults With Cardiovascular Disease: A Scientific Statement for Healthcare Professionals From the American Heart Association. <i>Circulation</i> , 2017, 135, e894-e918.	1.6	190
53	Could peak oxygen uptake be estimated from proposed equations based on the six-minute walk test in chronic heart failure subjects?. <i>Brazilian Journal of Physical Therapy</i> , 2017, 21, 100-106.	1.1	7
54	Do graded activity therapies cause harm in chronic fatigue syndrome?. <i>Journal of Health Psychology</i> , 2017, 22, 1146-1154.	1.3	28
55	The six-minute walk test predicts cardiorespiratory fitness in individuals with aneurysmal subarachnoid hemorrhage. <i>Topics in Stroke Rehabilitation</i> , 2017, 24, 250-255.	1.0	18
56	Early declines in physical function among aging adults with type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 347-352.	1.2	21
57	What Is the Best Treatment before Bariatric Surgery? Exercise, Exercise and Group Therapy, or Conventional Waiting: a Randomized Controlled Trial. <i>Obesity Surgery</i> , 2017, 27, 763-773.	1.1	37

#	ARTICLE	IF	CITATIONS
58	A Review of Clinical Trial Endpoints of Patients with Pulmonary Arterial Hypertension and Chronic Thromboembolic Pulmonary Hypertension and How They Relate to Patient Outcomes in the United States. <i>Journal of Managed Care & Specialty Pharmacy</i> , 2017, 23, 92-104.	0.5	12
59	The cardiorespiratory response and physiological determinants of the assisted 6-minute handbike cycle test in adult males with muscular dystrophy. <i>Muscle and Nerve</i> , 2018, 58, 427-433.	1.0	17
60	Clinical impact of the lower limit of normal of FEV1/FVC on detecting chronic obstructive pulmonary disease: A follow-up study based on cross-sectional data. <i>Respiratory Medicine</i> , 2018, 139, 27-33.	1.3	14
61	Relationships Between Glycemic Control and Cardiovascular Fitness. <i>Biological Research for Nursing</i> , 2018, 20, 422-428.	1.0	7
62	The physical capabilities underlying timed "Up and Go" test are time-dependent in community-dwelling older women. <i>Experimental Gerontology</i> , 2018, 104, 138-146.	1.2	49
63	Impaired Trunk Flexor Strength, Fatigability, and Steadiness in Postpartum Women. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 1558-1569.	0.2	25
64	Effects of the applied ancient boxing exercise on leg strength and quality of life in patients with osteoarthritis. <i>Journal of Exercise Rehabilitation</i> , 2018, 14, 1059-1066.	0.4	4
65	Exercise Training in Heart Failure Patients With Persistent Atrial Fibrillation: a Practical Approach. <i>Cardiac Failure Review</i> , 2018, 4, 107.	1.2	9
66	Peak oxygen uptake (VO ₂ peak) across childhood, adolescence and young adulthood in Barth syndrome: Data from cross-sectional and longitudinal studies. <i>PLoS ONE</i> , 2018, 13, e0197776.	1.1	13
67	Development of a Self-Determination Theory-Based Physical Activity Intervention for Aged Care Workers: Protocol for the Activity for Well-being Program. <i>Frontiers in Public Health</i> , 2018, 6, 341.	1.3	11
68	Fatigability of the Lumbopelvic Stabilizing Muscles in Women 8 and 26 Weeks Postpartum. <i>Journal of Women's Health Physical Therapy</i> , 2018, 42, 128-138.	0.5	16
69	Efficacy of heart failure reversal treatment in patients with low ejection fraction. <i>Journal of Ayurveda and Integrative Medicine</i> , 2018, 9, 285-289.	0.9	2
70	Aerobic exercise program with or without motor complexity as an add-on to the pharmacological treatment of depression " study protocol for a randomized controlled trial. <i>Trials</i> , 2018, 19, 545.	0.7	1
71	Prediction equation to estimate heart rate at individual ventilatory threshold in female and male obese adults. <i>PLoS ONE</i> , 2018, 13, e0197255.	1.1	12
72	Association Between the 6-Minute Walk Test Distance and Peak Cardiorespiratory Fitness Among People Living with HIV Varies by Fitness Level. <i>Journal of the Association of Nurses in AIDS Care</i> , 2018, 29, 775-781.	0.4	9
73	Whole body vibration training increases physical measures and quality of life without altering inflammatory-oxidative biomarkers in patients with moderate COPD. <i>Journal of Applied Physiology</i> , 2018, 125, 520-528.	1.2	16
74	Validation of the Modified Shuttle Test to Predict Peak Oxygen Uptake in Youth Asthma Patients Under Regular Treatment. <i>Frontiers in Physiology</i> , 2018, 9, 919.	1.3	6
75	The effectiveness of exercise-based rehabilitation to patients with myeloproliferative neoplasms-An explorative study. <i>European Journal of Cancer Care</i> , 2018, 27, e12865.	0.7	8

#	ARTICLE	IF	CITATIONS
76	Outcomes following a locomotor training protocol on balance, gait, exercise capacity, and community integration in an individual with a traumatic brain injury: a case report. <i>Physiotherapy Theory and Practice</i> , 2019, 35, 1343-1354.	0.6	0
77	2018 AHA/ACC Guideline for the Management of Adults With Congenital Heart Disease: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. <i>Circulation</i> , 2019, 139, e698-e800.	1.6	536
78	2018 AHA/ACC Guideline for the Management of Adults With Congenital Heart Disease: Executive Summary. <i>Journal of the American College of Cardiology</i> , 2019, 73, 1494-1563.	1.2	452
79	2018 AHA/ACC Guideline for the Management of Adults With Congenital Heart Disease. <i>Journal of the American College of Cardiology</i> , 2019, 73, e81-e192.	1.2	595
80	High-intensity interval training improves metabolic syndrome and body composition in outpatient cardiac rehabilitation patients with myocardial infarction. <i>Cardiovascular Diabetology</i> , 2019, 18, 104.	2.7	43
81	Impacts of aquatic walking on arterial stiffness, exercise tolerance, and physical function in patients with peripheral artery disease: a randomized clinical trial. <i>Journal of Applied Physiology</i> , 2019, 127, 940-949.	1.2	28
82	Home-Based Cardiac Rehabilitation Alone and Hybrid With Center-Based Cardiac Rehabilitation in Heart Failure: A Systematic Review and Meta-Analysis. <i>Journal of the American Heart Association</i> , 2019, 8, e012779.	1.6	75
83	Childhood Acute Lymphoblastic Leukemia Survivors Have a Substantially Lower Cardiorespiratory Fitness Level Than Healthy Canadians Despite a Clinically Equivalent Level of Physical Activity. <i>Journal of Adolescent and Young Adult Oncology</i> , 2019, 8, 674-683.	0.7	21
84	MitraClip improves cardiopulmonary exercise test in patients with systolic heart failure and functional mitral regurgitation. <i>ESC Heart Failure</i> , 2019, 6, 867-873.	1.4	8
85	ABCA7 Risk Genotype Diminishes the Neuroprotective Value of Aerobic Fitness in Healthy Older African Americans. <i>Frontiers in Aging Neuroscience</i> , 2019, 11, 73.	1.7	6
86	Aerobic Exercise Training with Brisk Walking Increases Intestinal Bacteroides in Healthy Elderly Women. <i>Nutrients</i> , 2019, 11, 868.	1.7	103
87	Physiological Responses and Prognostic Value of Common Exercise Testing Modalities in Idiopathic Pulmonary Fibrosis. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2019, 39, 193-198.	1.2	5
88	Reliability and Validity of Self-Report Questionnaires as Indicators of Fatigue in RYR1-Related Disorders. <i>Journal of Neuromuscular Diseases</i> , 2019, 6, 133-141.	1.1	3
89	Effect of home-based high-intensity interval training and behavioural modification using information and communication technology on cardiorespiratory fitness and exercise habits among sedentary breast cancer survivors: habit-B study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2019, 9, e030911.	0.8	10
90	The Relationship Between Physical Activity and Cardiorespiratory Fitness Among People Living With Human Immunodeficiency Virus Throughout the Life Span. <i>Journal of Cardiovascular Nursing</i> , 2019, 34, 364-371.	0.6	13
91	Validity of the 6-Minute Walk Test and YMCA Submaximal Cycle Test During Midpregnancy. <i>Journal of Strength and Conditioning Research</i> , 2021, 35, 3236-3242.	1.0	3
92	Validation of Submaximal Step Tests and the 6-Min Walk Test for Predicting Maximal Oxygen Consumption in Young and Healthy Participants. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4858.	1.2	28
93	2018 AHA/ACC Guideline for the Management of Adults With Congenital Heart Disease: Executive Summary: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. <i>Circulation</i> , 2019, 139, e637-e697.	1.6	225

#	ARTICLE	IF	CITATIONS
95	Validation of the 6-min Walk Test for Predicting Peak $\dot{V}\dot{E}^{\text{TM}}\text{O}_2$ in Cancer Survivors. <i>Medicine and Science in Sports and Exercise</i> , 2019, 51, 271-277.	0.2	17
96	Cardiorespiratory fitness and cardiovascular disease - The past, present, and future. <i>Progress in Cardiovascular Diseases</i> , 2019, 62, 86-93.	1.6	159
97	Effect of group health behaviour change coaching on psychosocial constructs associated with physical activity among university employees. <i>International Journal of Sport and Exercise Psychology</i> , 2020, 18, 93-107.	1.1	12
98	Randomized Controlled Trial of Exercise and Nutrition Supplementation on Physical and Cognitive Function in Older Chinese Adults Aged 50 Years and Older. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 395-403.	1.2	8
99	Impact of Zumba on Cognition and Quality of Life is Independent of APOE4 Carrier Status in Cognitively Unimpaired Older Women: A 6-Month Randomized Controlled Pilot Study. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2020, 35, 153331751986837.	0.9	10
100	Predictors of pre-rehabilitation exercise capacity in elderly European cardiac patients – The EU-CaRE study. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 1702-1712.	0.8	18
101	Criterion validity of the Ekblom-Bak and the Åstrand submaximal test in an elderly population. <i>European Journal of Applied Physiology</i> , 2020, 120, 307-316.	1.2	5
102	ABCA7 Genotype Moderates the Effect of Aerobic Exercise Intervention on Generalization of Prior Learning in Healthy Older African Americans. <i>Journal of Alzheimer's Disease</i> , 2020, 74, 309-318.	1.2	5
103	Using the 6-min Walk Test to Monitor Peak Oxygen Uptake Response to Cardiac Rehabilitation in Patients With Heart Failure. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2020, 40, 378-382.	1.2	8
104	Low body mass and high-quality sleep maximize the ability of aerobic fitness to promote improved cognitive function in older African Americans. <i>Ethnicity and Health</i> , 2022, 27, 909-928.	1.5	4
105	The Mediating Role of the Self-Concept Between the Relationship of the Body Satisfaction and the Intention to Be Physically Active in Primary School Students. <i>Frontiers in Public Health</i> , 2020, 8, 113.	1.3	9
106	Randomized Trial of Combined Aerobic, Resistance, and Cognitive Training to Improve Recovery From Stroke: Feasibility and Safety. <i>Journal of the American Heart Association</i> , 2020, 9, e015377.	1.6	15
107	Comparative Effects of High-Intensity Interval Training vs Moderate-Intensity Continuous Training in Phase III of a Tennis-Based Cardiac Rehabilitation Program: A Pilot Randomized Controlled Trial. <i>Sustainability</i> , 2020, 12, 4134.	1.6	5
108	Six-minute walking distance in healthy Chinese people older than 60 years. <i>BMC Pulmonary Medicine</i> , 2020, 20, 177.	0.8	7
109	Cardiac rehabilitation of elderly patients in eight rehabilitation units in western Europe: Outcome data from the EU-CaRE multi-centre observational study. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 1716-1729.	0.8	26
110	Developing and validating equations to predict $\dot{V}\dot{E}^{\text{TM}}\text{O}_{2\text{peak}}$ from the 6MWT in Childhood ALL Survivors. <i>Disability and Rehabilitation</i> , 2021, 43, 2937-2944.	0.9	5
111	Children's Physical Self-Concept and Body Image According to Weight Status and Physical Fitness. <i>Sustainability</i> , 2020, 12, 782.	1.6	15
112	Test-retest reliability of six-minute walk tests over a one-year period in patients with chronic heart failure. <i>Clinical Physiology and Functional Imaging</i> , 2020, 40, 284-289.	0.5	10

#	ARTICLE	IF	CITATIONS
113	Kinesiologist-guided functional exercise in addition to intradialytic cycling program in end-stage kidney disease patients: a randomised controlled trial. <i>Scientific Reports</i> , 2020, 10, 5717.	1.6	20
114	Independent and combined associations of cardiorespiratory fitness and muscle strength with metabolic syndrome in older adults: A cross-sectional study. <i>Experimental Gerontology</i> , 2020, 135, 110923.	1.2	4
115	Toward telemedicine-compatible physical functioning assessments in kidney transplant candidates. <i>Clinical Transplantation</i> , 2021, 35, e14173.	0.8	9
116	Increased dynamic flexibility in the medial temporal lobe network following an exercise intervention mediates generalization of prior learning. <i>Neurobiology of Learning and Memory</i> , 2021, 177, 107340.	1.0	10
117	Predicting maximal oxygen uptake from the 6-minute walk test in patients with heart failure. <i>ESC Heart Failure</i> , 2021, 8, 47-54.	1.4	10
118	Characterization of physical, functional, and cognitive performance in 15 adults with hypophosphatasia. <i>Bone</i> , 2021, 142, 115695.	1.4	11
119	Evaluation of exercise capacity using two field tests in patients with metabolic syndrome. <i>Disability and Rehabilitation</i> , 2021, 43, 1015-1021.	0.9	1
120	Performance versus Risk Factor-Based Approaches to Coronary Artery Disease Screening in Waitlisted Kidney Transplant Candidates. <i>CardioRenal Medicine</i> , 2021, 11, 140-150.	0.7	1
121	A real-world prospective cohort study to examine the relationship between simple physical functioning tests and complications following abdominal surgery. <i>Physiotherapy Practice and Research</i> , 2021, 41, 177-185.	0.1	0
122	A Knowledge Translation Framework for Optimizing Physical Therapy in Patients With Heart Failure. <i>Physical Therapy</i> , 2021, 101, .	1.1	7
123	Targeting physical health in schizophrenia: Results from the Physical Activity Can Enhance Life (PACE-Life) 24-week open trial. <i>Mental Health and Physical Activity</i> , 2021, 20, 100393.	0.9	8
124	Using the Behaviour Change Wheel Program Planning Model to Design Games for Health: Development Study. <i>JMIR Serious Games</i> , 2021, 9, e29964.	1.7	3
125	Comparing Two Treatment Approaches for Patients with Type 1 Diabetes During Aerobic Exercise: a Randomised, Crossover Study. <i>Sports Medicine - Open</i> , 2021, 7, 29.	1.3	3
126	Cardiodynamic variables measured by impedance cardiography during a 6-minute walk test are reliable predictors of peak oxygen consumption in young healthy adults. <i>PLoS ONE</i> , 2021, 16, e0252219.	1.1	7
127	Impact of a Pilot Structured Mobile Technology Based Lifestyle Intervention for Patients with Nonalcoholic Fatty Liver Disease. <i>Digestive Diseases and Sciences</i> , 2022, 67, 481-491.	1.1	11
128	The 6-Minute Walk Test and Anthropometric Characteristics as Assessment Tools in Patients with Obstructive Sleep Apnea Syndrome. A Preliminary Report during the Pandemic. <i>Journal of Personalized Medicine</i> , 2021, 11, 563.	1.1	7
129	Modest Gains After an 8-Week Exercise Program Correlate With Reductions in Non-traditional Markers of Cardiovascular Risk. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 669110.	1.1	3
130	Prediction of Exercise Capacity and Training Prescription from the 6-Minute Walk Test and Rating of Perceived Exertion. <i>Journal of Functional Morphology and Kinesiology</i> , 2021, 6, 52.	1.1	6

#	ARTICLE	IF	CITATIONS
131	Implementing Cardiorespiratory Fitness as a Routine Measure in Health Care Settings. <i>Bioengineered</i> , 2021, 10, 62-69.	1.4	3
132	The Physiological Burden of the 6-Minute Walk Test Compared With Cardiopulmonary Exercise Stress Test in Patients With Severe Aortic Stenosis. <i>CJC Open</i> , 2021, 3, 769-777.	0.7	2
133	Distancia recorrida en la prueba de caminata de seis minutos en población adulta sana en una institución de salud de la ciudad de Barranquilla. <i>Revista Colombiana De Neumología</i> , 2021, 32, 20-26.	0.1	1
134	Translation, cross-cultural adaptation, reliability, and validity of the Turkish version of the Duke Activity Status Index in patients with pulmonary hypertension. <i>Pulmonology</i> , 2021, , .	1.0	0
135	Objective and subjective physical function in allogeneic hematopoietic stem cell transplant recipients. <i>Bone Marrow Transplantation</i> , 2021, 56, 2897-2903.	1.3	10
136	Detection of Walk Tests in Free-Living Activities Using a Wrist-Worn Device. <i>Frontiers in Physiology</i> , 2021, 12, 706545.	1.3	11
137	Determinants and Prediction Equations of Six-Minute Walk Test Distance Immediately After Cardiac Surgery. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 685673.	1.1	5
138	Pilot study of functional circuit exercise in older adults. <i>Research in Sports Medicine</i> , 2023, 31, 249-254.	0.7	4
139	OSA and cardiorespiratory fitness: a review. <i>Journal of Clinical Sleep Medicine</i> , 2021, , .	1.4	2
140	Can functional walk tests add value to the prediction of cardiorespiratory fitness after stroke? A prospective cohort study. <i>PLoS ONE</i> , 2021, 16, e0255308.	1.1	2
141	Eight Weeks Unsupervised Pulmonary Rehabilitation in Previously Hospitalized of SARS-CoV-2 Infection. <i>Journal of Personalized Medicine</i> , 2021, 11, 806.	1.1	28
142	Comparison of Methods for the Estimation of the Maximum Oxygen Uptake of Men Drug Addicts. <i>Frontiers in Physiology</i> , 2021, 12, 683942.	1.3	0
143	Reference values and regression equations for predicting the 6-minute walk distance in Saudi adults aged 50-80 years: A cross-sectional study. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2021, 34, 783-793.	0.4	2
144	Testing of a Self-administered 6-Minute Walk Test Using Technology: Usability, Reliability and Validity Study. <i>JMIR Rehabilitation and Assistive Technologies</i> , 2021, 8, e22818.	1.1	6
145	EU-CaRE study: Could exercise-based cardiac telerehabilitation also be cost-effective in elderly?. <i>International Journal of Cardiology</i> , 2021, 340, 1-6.	0.8	11
146	Muscle function, physical performance and body composition changes in men with prostate cancer undergoing androgen deprivation therapy. <i>Asian Journal of Andrology</i> , 2012, 14, 204-221.	0.8	59
147	Physical Performance Testing in Kidney Transplant Candidates at the Top of the Waitlist. <i>American Journal of Kidney Diseases</i> , 2020, 76, 815-825.	2.1	17
148	Physical and functional follow-up of tuberculosis patients in initial intensive phase of treatment in Cameroon using the 6-min walk test. <i>Journal of Exercise Rehabilitation</i> , 2016, 12, 333-339.	0.4	10

#	ARTICLE	IF	CITATIONS
149	Prognostic Value of 6-Minute Walk Distance in Patients Undergoing Percutaneous Coronary Intervention: a Veterans Affairs Prospective Study. <i>Texas Heart Institute Journal</i> , 2020, 47, 10-14.	0.1	7
150	Exercise-based cardiac rehabilitation for chronic heart failure: the EXTRAMATCH II individual participant data meta-analysis. <i>Health Technology Assessment</i> , 2019, 23, 1-98.	1.3	34
151	Outcome Expectations for Exercise and Decisional Balance Questionnaires Predict Adherence and Efficacy of Exercise Programs in Dialysis Patients. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3175.	1.2	12
152	Ambulatory Function in Men with and without HIV Infection: Association with Cardiorespiratory Fitness. <i>Journal of AIDS & Clinical Research</i> , 2013, 04, .	0.5	2
153	Community-Based Cardiac Rehabilitation Conducted in a Public Health Center in South Korea: A Preliminary Study. <i>Annals of Rehabilitation Medicine</i> , 2020, 44, 481-492.	0.6	7
154	Can functional inoperability in lung cancer patients be changed by pulmonary rehabilitation?. <i>Turkish Journal of Thoracic and Cardiovascular Surgery</i> , 2019, 27, 212-218.	0.2	8
155	Exercise and non-exercise aerobic power prediction models using six-minute walk test. <i>Medical Express</i> , 2016, 3, .	0.2	1
156	The Effect of Pre-operative Exercise Intervention on Patient Outcomes Following Bariatric Surgery: a Systematic Review and Meta-analysis. <i>Obesity Surgery</i> , 2022, 32, 160-169.	1.1	8
157	Rehabilitation program combining physical exercise and heart rate variability biofeedback in hematologic patients: a feasibility study. <i>Supportive Care in Cancer</i> , 2021, , 1.	1.0	3
158	Evaluation of functional capacity, body composition and pulmonary function after bariatric surgery. <i>Health</i> , 2013, 05, 47-53.	0.1	1
159	Correlation between 6-min walk test and cardiopulmonary exercise test in Chinese patients. <i>Pediatric Respiriology and Critical Care Medicine</i> , 2018, 2, 32.	0.4	1
160	AssociaÃ§Ã£o entre consumo de oxigÃªnio de pico e teste de caminhada de seis minutos em pacientes apÃ³s cirurgia cardÃaca. <i>Fisioterapia E Pesquisa</i> , 2019, 26, 407-412.	0.3	0
163	A Comparison of Cardiopulmonary Exercise Testing and Field Walking Tests in Community-Dwelling Older Adults With Mild-to-Moderate Alzheimerâ€™s Dementia. <i>Journal of Aging and Physical Activity</i> , 2020, 28, 911-919.	0.5	1
164	Physical Activity Patterns and Health-Related Fitness Indicators in Adults Living with HIV in South Texas. <i>Physical Activity and Health</i> , 2020, 4, 40-51.	0.6	0
165	Physiological response to the Glittre-ADL test in elderly COPD patients. <i>Fisioterapia Em Movimento</i> , 0, 33, .	0.4	0
167	Comparison of the 6-Min Propulsion and Arm Crank Ergometer Tests to Assess Aerobic Fitness in Manual Wheelchair Users With a Spinal Cord Injury. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2020, 99, 1099-1108.	0.7	4
168	Early initiation of post-sternotomy cardiac rehabilitation exercise training (SCAR): study protocol for a randomised controlled trial and economic evaluation. <i>BMJ Open</i> , 2018, 8, e019748.	0.8	4
169	Normative Values of Cardio-Respiratory Endurance in Adults in Benin. <i>Open Journal of Therapy and Rehabilitation</i> , 2021, 09, 143-153.	0.1	0

#	ARTICLE	IF	CITATIONS
170	Effectiveness of Therapeutic Exercise and Patient Education on Cancer-Related Fatigue in Breast Cancer Survivors: A Randomised, Single-Blind, Controlled Trial with a 6-Month Follow-Up. <i>Journal of Clinical Medicine</i> , 2022, 11, 269.	1.0	5
171	Physical Fitness Differences, Amenable to Hypoxia-Driven and Sarcopenia Pathophysiology, between Sleep Apnea and COVID-19. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 669.	1.2	4
172	Accuracy of exercise-based tests for estimating cardiorespiratory fitness and muscle strength in early-stage breast cancer survivors in Japan. <i>Supportive Care in Cancer</i> , 2022, 30, 3857.	1.0	1
173	Anthropometric, Psychosocial, Physiological, and Postural Observances During Ramadan in Men With Chronic Obstructive Pulmonary Disease. <i>American Journal of Men's Health</i> , 2022, 16, 155798832210781.	0.7	1
174	Prediction of maximal oxygen uptake from 6-min walk test in pulmonary hypertension. <i>ERJ Open Research</i> , 2022, 8, 00664-2021.	1.1	1
175	Measurement Properties of Aerobic Capacity Measures in Neuromuscular Diseases: A Systematic Review. <i>Journal of Rehabilitation Medicine</i> , 2022, 54, jrm00289.	0.8	0
176	Changes Observed in the 6-minute Walk Test in Response to Exercise-based Cardiac Rehabilitation. <i>Exercise Medicine</i> , 0, 6, 2.	0.0	2
177	Effects of an individualized and progressive multicomponent exercise program on blood pressure, cardiorespiratory fitness, and body composition in long-term care residents: Randomized controlled trial. <i>Geriatric Nursing</i> , 2022, 45, 77-84.	0.9	3
178	Significance of pulmonary hypertension probability in predicting six-minute walking distance in uncorrected acyanotic grown-up congenital heart disease at Sanglah General Hospital, Bali. <i>Indonesia Journal of Biomedical Science</i> , 2020, 15, 13-18.	0.1	0
179	Peak oxygen uptake and metabolic equivalents explained by six-minute walk test: A prospective observational study in predicting heart failure patient readmission. <i>Annals of Medicine and Surgery</i> , 2022, , 103652.	0.5	1
181	Early initiation of post-sternotomy cardiac rehabilitation exercise training (SCAR): study protocol for a randomised controlled trial and economic evaluation. <i>BMJ Open</i> , 2018, 8, e019748.	0.8	10
182	Valorization of Natural Cardio Trekking Trails Through Open Innovation for the Promotion of Sustainable Cross-generational Health-Oriented Tourism in the Connect2Move Project: Protocol for a Cross-sectional Study. <i>JMIR Research Protocols</i> , 2022, 11, e39038.	0.5	5
184	Objective methods for preoperative assessment of functional capacity. <i>BJA Education</i> , 2022, 22, 312-320.	0.6	6
185	Submaximal Walking Tests: A Review of Clinical Use. <i>Bioengineered</i> , 2022, 11, 62-74.	1.4	1
186	The Effects of Aerobic Exercise Training on Cerebrovascular and Cognitive Function in Sedentary, Obese, Older Adults. <i>Frontiers in Aging Neuroscience</i> , 0, 14, .	1.7	3
187	Potential benefits of a virtual, home-based combined exercise and mindfulness training program for HSC transplant survivors: a single-arm pilot study. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2022, 14, .	0.7	1
188	Exercise performance in children and adolescents with cystic fibrosis with and without abnormal glucose tolerance: a single center cross-sectional study. <i>Physiotherapy Theory and Practice</i> , 2024, 40, 230-240.	0.6	1
189	Comparison of physiological responses after incremental shuttle walking test and 6-minute walk test in patients with systemic sclerosis. <i>Wiener Klinische Wochenschrift</i> , 0, , .	1.0	0

#	ARTICLE	IF	CITATIONS
190	The Comparison of High-Intensity Interval Training Versus Moderate-Intensity Continuous Training after Coronary Artery Bypass Graft: A Systematic Review of Recent Studies. <i>Journal of Cardiovascular Development and Disease</i> , 2022, 9, 328.	0.8	6
191	Effect of intra-dialytic physical exercise on depression in prevalent hemodialysis patients. <i>Egyptian Journal of Neurology, Psychiatry and Neurosurgery</i> , 2022, 58, .	0.4	1
192	Minimal Clinically Important Differences in 6-Minute Walk Test in Patients With HFrEF and Iron Deficiency. <i>Journal of Cardiac Failure</i> , 2023, 29, 760-770.	0.7	5
193	Reproducibility of the 6-minute walk test in lung transplant recipients. <i>Wiener Klinische Wochenschrift</i> , 0, , .	1.0	0
194	Six-minute walk test may be a reliable predictor of peak oxygen uptake in patients undergoing hemodialysis. <i>Renal Replacement Therapy</i> , 2023, 9, .	0.3	1
195	The impact of Virtual Reality on Anxiety and Functional Capacity in Cardiac Rehabilitation: A Systematic Review and Meta-analysis. <i>Current Problems in Cardiology</i> , 2023, 48, 101628.	1.1	7
196	Early Heart Rate Recovery after a 6-min Walking Test Predicts Clinical Benefits in Patients after Percutaneous Aortic Valve Implantation. <i>International Journal of Environmental Research and Public Health</i> , 2023, 20, 4270.	1.2	0
197	Virtual group-based walking intervention for persons with schizophrenia: A pilot randomized controlled trial. <i>Mental Health and Physical Activity</i> , 2023, 24, 100515.	0.9	2