

CITATION REPORT

List of articles citing

Response surface methodology

DOI: 10.1002/wics.73

Wiley Interdisciplinary Reviews: Computational
Statistics, 2010, 2, 128-149.

Source: <https://exaly.com/paper-pdf/48419994/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|-----|---|----|-----------|
| 977 | Review of the quantitative structure-activity relationship modelling methods on estimation of formation constants of macrocyclic compounds with different guest molecules. 2011 , 23, 614-629 | | 20 |
| 976 | Application of response surface methodology in the optimization of photocatalytic removal of environmental pollutants using nanocatalysts. 2011 , 33, 1669-84 | | 72 |
| 975 | Application of statistical methodology for the evaluation of mechanically activated phase transformation in nanocrystalline TiO ₂ . 2011 , 509, 8912-8916 | | 11 |
| 974 | A review of recent developments in electrical machine design optimization methods with a permanent magnet synchronous motor benchmark study. 2011 , | | 22 |
| 973 | Optimization of medium components and cultural variables for enhanced production of acidic high maltose-forming and Ca ²⁺ -independent α -amylase by <i>Bacillus acidicola</i> . 2011 , 111, 550-3 | | 27 |
| 972 | Joint optimization of independent multiple responses. 2011 , 27, 689-703 | | 3 |
| 971 | The nonlinear influence of design parameters on the performance of brushless PM machines. 2012 , | | |
| 970 | Non-linear scaling rules for brushless PM synchronous machines based on optimal design studies for a wide range of power ratings. 2012 , | | 11 |
| 969 | Optimal experimentation for nuclear medicine imaging system design. 2012 , | | |
| 968 | Optimization of factors with C/N ratio and flocs biomass concentration in simulated aquaculture bio-flocs systems by response surface methodology. 2012 , 33, 907-14 | | 3 |
| 967 | Optimization of Factors Influencing the Aspect Ratio of Mullite Whiskers Based on Single Factor Analysis and Response Surface Methodology. 2012 , 581-582, 782-785 | | |
| 966 | Response surface methodology in docking study of small molecule BACE-1 inhibitors. 2012 , 18, 4567-76 | | 11 |
| 965 | Evolutionary response surfaces for classification: an interpretable model. 2012 , 37, 463-474 | | 2 |
| 964 | Characteristics of Fluidized-Bed Combustion with Intermittent Feeding Using Woodblocks and Rubber. 1. Combustion Behavior. 2012 , 26, 5569-5576 | | 3 |
| 963 | Media optimization for elevated molecular weight and mass production of pigment-free pullulan. 2012 , 89, 928-34 | | 35 |
| 962 | Performance evaluation of an integrated photo-Fenton Γ Electrocoagulation process applied to pollutant removal from tannery effluent in batch system. 2012 , 197, 1-9 | | 76 |
| 961 | Taguchi orthogonal array design for the optimization of hydrogel nanoparticles for the intravenous delivery of small-molecule drugs. 2012 , 126, 1714-1724 | | 15 |

| | | |
|-----|---|-----|
| 960 | Measurement and analysis of surface roughness in turning of aerospace titanium alloy (gr5). 2012 , 45, 1266-1276 | 96 |
| 959 | Expanded ethanol with CO ₂ and pressurized ethyl lactate to obtain fractions enriched in Linolenic Acid from <i>Arthrospira platensis</i> (Spirulina). 2012 , 62, 109-115 | 81 |
| 958 | Performance evaluation of a photo-Fenton process applied to pollutant removal from textile effluents in a batch system. 2012 , 104, 1-8 | 45 |
| 957 | Modelling the size and polydispersity of magnetic hybrid nanoparticles for luminescent sensing of oxygen. 2013 , 180, 1201-1209 | 2 |
| 956 | The use and importance of design of experiments (DOE) in process modelling in food science and technology. 2013 , 1-18 | 9 |
| 955 | A New Screening Model for Gas and Water Based EOR Processes. 2013 , | 2 |
| 954 | Application of the central composite design in optimization of machining parameters in drilling hybrid metal matrix composites. 2013 , 46, 1470-1481 | 99 |
| 953 | Toxicity assessment of tannery effluent treated by an optimized photo-Fenton process. 2013 , 34, 653-61 | 18 |
| 952 | Designing enantioselectivity in chiral self-assembly at a solid substrate: a theoretical study of competing interactions. 2013 , 9, 7988 | 5 |
| 951 | Application of response surface methodology for optimization of azocarmine B removal by heterogeneous photo-Fenton process using hydroxy-iron/aluminum pillared bentonite. 2013 , 280, 926-932 | 36 |
| 950 | Computational investigation on the factors influencing thermal comfort for impinging jet ventilation. 2013 , 66, 29-41 | 48 |
| 949 | Use of physiological information and process optimisation enhances production of extracellular nuclease by a marine strain of <i>Bacillus licheniformis</i> . 2013 , 130, 552-8 | 6 |
| 948 | Effect of the culture media optimization, pH and temperature on the biohydrogen production and the hydrogenase activities by <i>Klebsiella pneumoniae</i> ECU-15. 2013 , 137, 9-17 | 47 |
| 947 | Polymer Partitioning Approach for Petroleum Hydrocarbon Reduction in a Clay Soil. 2013 , 224, 1 | 5 |
| 946 | Assessments of experimental designs in response surface modelling process: Estimating ventilation rate in naturally ventilated livestock buildings. 2013 , 62, 570-580 | 36 |
| 945 | Framework for the inter-comparison of ecological footprint of universities. 2013 , 32, 276-284 | 17 |
| 944 | A Review of Recent Developments in Electrical Machine Design Optimization Methods With a Permanent-Magnet Synchronous Motor Benchmark Study. 2013 , 49, 1268-1275 | 165 |
| 943 | Optimizing Bi ₂ O ₃ and TiO ₂ to achieve the maximum non-linear electrical property of ZnO low voltage varistor. 2013 , 7, 137 | 8 |

| | | |
|-----|---|----|
| 942 | Design and evaluation of a breast specific collimator using response surface methodology and Monte Carlo simulations. 2013, | |
| 941 | Mixed response surface models and Bayesian analysis of variance components for electrically conductive adhesives. 2013, 29, 387-398 | 6 |
| 940 | Sensitivity analysis for studying the relation between biochemical reactions and metabolic phenotypes. 2013, 11, 1340002 | 1 |
| 939 | The use and importance of design of experiments (DOE) in process modelling in food science and technology. 2013, 1-18 | 10 |
| 938 | Modeling of Particulate Processes for the Continuous Manufacture of Solid-Based Pharmaceutical Dosage Forms. 2013, 1, 67-127 | 64 |
| 937 | Intensification of Azo Dye Removal Rate in the Presence of Immobilized Nanoparticles and Inorganic Anions under UV-C Irradiation: Optimization by Response Surface Methodology. 2013, 2013, 1-11 | 5 |
| 936 | Thermal performance analysis of the double-sided linear switched reluctance motor. 2014, | 1 |
| 935 | Multiobjective optimization of IPM synchronous motor using Response Surface Methodology and filtered Monte Carlo approach. 2014, | 3 |
| 934 | Adaptive Response Surface Method Based Efficient Monte Carlo Simulation. 2014, | 1 |
| 933 | Performance Optimization, Prediction, and Adequacy by Response Surfaces Methodology with Allusion to DRF Technique. 2014, 2014, 1-12 | 1 |
| 932 | Response Surface Based Performance Analysis of an Air-Defense Missile System Against Maneuvering Targets. 2014, | |
| 931 | Simulated solar light photooxidation of azocarmine B over hydroxyl iron/aluminum pillared bentonite using hydrogen peroxide. 2014, 100, 35-42 | 10 |
| 930 | Relevance of ions in pressurized fluid extraction of carbohydrates and phenolics from barley hull. 2014, 93, 27-37 | 16 |
| 929 | Intelligent BEMS design using detailed thermal simulation models and surrogate-based stochastic optimization. 2014, 24, 846-855 | 15 |
| 928 | Optimization of phytochemicals production from potato peel using subcritical water: Experimental and dynamic modeling. 2014, 90, 8-17 | 42 |
| 927 | Effects of vertical irregularity and thickness of unreinforced masonry infill on the robustness of RC framed buildings. 2014, 43, 205-223 | 18 |
| 926 | Optimization of inductive angle sensor using response surface methodology and finite element method. 2014, 48, 252-262 | 21 |
| 925 | Factorial experimental designs as tools to optimize rearing conditions of fish larvae. 2014, 422-423, 253-260 | 8 |

| | | |
|-----|--|-----|
| 924 | Optimizing conditions for E-and Z-ajoene formation from garlic juice using response surface methodology. 2014 , 2, 605-11 | 3 |
| 923 | Synthesis of lignin-based epoxy resins: optimization of reaction parameters using response surface methodology. 2014 , 4, 31745-31753 | 64 |
| 922 | Subcritical water extraction of steviol glycosides from Stevia rebaudiana leaves and characterization of the raffinate phase. 2014 , 95, 422-430 | 25 |
| 921 | Finite element simulation and experimental investigation of tool temperature during ultrasonically assisted turning of aerospace aluminum using multicoated carbide inserts. 2014 , 75, 1163-1175 | 18 |
| 920 | Process Optimization of a Superfinishing Machine through Experimental Design and Mixed Response Surface Models. 2014 , 26, 404-415 | 3 |
| 919 | Application of response surface methodology for optimization of Orange II removal by heterogeneous Fenton-like process using Fe ₃ O ₄ nanoparticles. 2014 , 25, 1455-1460 | 31 |
| 918 | Nonlinear Scaling Rules for Brushless PM Synchronous Machines Based on Optimal Design Studies for a Wide Range of Power Ratings. 2014 , 50, 1044-1052 | 13 |
| 917 | Simultaneous recovery of vanadium and nickel from power plant fly-ash: optimization of parameters using response surface methodology. 2014 , 34, 2687-96 | 29 |
| 916 | Optimization a Gasoil Vacuum Dryer Using Response Surface Methodology. 2014 , 37, 229-239 | 3 |
| 915 | A systematic study on metal-assisted chemical etching of high aspect ratio silicon nanostructures. 2014 , 616, 442-448 | 11 |
| 914 | Optimization of Lipase-Catalyzed Interesterification of Flaxseed Oil and Tricaprylin Using Response Surface Methodology. 2014 , 91, 395-403 | 8 |
| 913 | A comparative study of multiresponse optimization criteria working ability. 2014 , 138, 171-177 | 8 |
| 912 | Quadratic response models for N and P mineralization in domestic sewage sludge for mininig dump reclamation. 2014 , 75, 106-115 | 15 |
| 911 | Hybrid simulation optimization methods: A taxonomy and discussion. 2014 , 46, 118-134 | 128 |
| 910 | Effect of particle size and temperature on rheological, thermal, and structural properties of pumpkin flour dispersion. 2014 , 124, 43-53 | 45 |
| 909 | Robust response design for heterogeneous systems based on metamodels. 2014 , | 0 |
| 908 | Revealing the characteristics of a novel bioflocculant and its flocculation performance in Microcystis aeruginosa removal. 2015 , 5, 17465 | 54 |
| 907 | Optimization of Linear Oxide Width Using Local Anodic Oxidation Lithography for Fabrication of Semiconductor and Metal Nanowires. 2015 , 1109, 500-504 | |

| | | |
|-----|--|----|
| 906 | An Evaluative Continuous Time Markov Chain Model for a Three Echelon Supply Chain with Stochastic Demand and Lead Time. 2015 , 48, 248-253 | 3 |
| 905 | Application of metamodeling to the valuation of large variable annuity portfolios. 2015 , | 9 |
| 904 | Effects of Deposition Conditions of TiO ₂ Film and Substrate Prestrain on Film Void Geometries and Optical Properties in TiO ₂ /PET Specimens. 2015 , 12, E217-E230 | 1 |
| 903 | Optimization of ADC Channels of A Smart Energy Meter Including Random Noise Effects. 2015 , 31, 1209-1222 | 1 |
| 902 | Graphical Evaluation of the Prediction Capabilities of Partially Replicated Orthogonal Central Composite Designs. 2015 , 31, 707-717 | 3 |
| 901 | Generation of nanofibers via electrostatic-Induction-assisted solution blow spinning. 2015 , 132, n/a-n/a | 15 |
| 900 | Optimization of Gentsides Extraction from <i>Gentiana rigescens</i> Franch. ex Hemsl. by Response Surface Methodology. 2015 , 2015, 819067 | 4 |
| 899 | Improving the Performance of Metaheuristics: An Approach Combining Response Surface Methodology and Racing Algorithms. 2015 , 2015, 1-9 | 5 |
| 898 | Assessment and Optimization for Novel Gas Materials Through the Evaluation of Mixed Response Surface Models. 2015 , 64, 1084-1092 | 12 |
| 897 | The effect of different parameters on mechanical properties of PA-6/clay nanocomposite through genetic algorithm and response surface methods. 2015 , 5, 133-140 | 18 |
| 896 | Robust Design of Accelerated Life Testing and Reliability Optimization: Response Surface Methodology Approach. 2015 , 329-364 | |
| 895 | Rotational and ply-level uncertainty in response of composite shallow conical shells. 2015 , 131, 594-605 | 44 |
| 894 | Wear Behaviour of Polyurethane Coated Aerospace Aluminium Alloy (7075). 2015 , 813-814, 252-256 | 1 |
| 893 | Optimum Experimental Design applied to MEMS accelerometer calibration for 9-parameter auto-calibration model. 2015 , 2015, 3145-8 | 2 |
| 892 | Improvement of Hydrodynamic Performance of a Multiphase Pump Using Design of Experiment Techniques. 2015 , 137, | 66 |
| 891 | Investigation in the Near-Field of a Row of Interacting Jets. 2015 , 137, | 6 |
| 890 | . 2015 , | |
| 889 | Isolation and Optimization of Growth Condition of <i>Bacillus</i> sp. from Fermented Shrimp Paste for High Fibrinolytic Enzyme Production. 2015 , 40, 23-28 | 15 |

| | | |
|-----|---|----|
| 888 | Structural Damage Identification Using Response Surface-Based Multi-objective Optimization: A Comparative Study. 2015 , 40, 1027-1044 | 45 |
| 887 | Multi-response analysis in the processing of poly (methyl methacrylate) nano-fibres membrane by electrospinning based on response surface methodology: Fibre diameter and bead formation. 2015 , 65, 193-206 | 33 |
| 886 | Design and optimization of a novel six-axis force/torque sensor for space robot. 2015 , 65, 135-148 | 53 |
| 885 | Biodegradability and toxicity assessment of a real textile wastewater effluent treated by an optimized electrocoagulation process. 2015 , 36, 496-506 | 24 |
| 884 | A Monte Carlo simulation based inverse propagation method for stochastic model updating. 2015 , 60-61, 928-944 | 18 |
| 883 | Optimization for production of liquid nitrogen fertilizer from the degradation of chicken feather by iron-oxide (Fe ₃ O ₄) magnetic nanoparticles coupled keratinase. 2015 , 4, 632-644 | 13 |
| 882 | Double-fold localized multiple matrixized learning machine. 2015 , 295, 196-220 | 7 |
| 881 | Uncertainty analysis of impact indicators for the integrity of combined caprock during CO ₂ geosequestration. 2015 , 196, 37-46 | 21 |
| 880 | A new method to investigate the energy absorption characteristics of thin-walled metal circular tube using finite element analysis. 2015 , 95, 24-30 | 27 |
| 879 | Characterization of the anaerobic denitrification bacterium <i>Acinetobacter</i> sp. SZ28 and its application for groundwater treatment. 2015 , 192, 654-9 | 51 |
| 878 | Predicting the axial capacity of piles in sand. 2015 , 69, 485-495 | 8 |
| 877 | Synergistic metabolic benefits of an exenatide analogue and cholecystokinin in diet-induced obese and leptin-deficient rodents. 2015 , 17, 61-73 | 42 |
| 876 | Multiscale approach with RSM for stress-strain behaviour prediction of micro-void-considered metal alloy. 2015 , 83, 129-137 | 17 |
| 875 | Biosorption of copper(II) ions by flax meal: Empirical modeling and process optimization by response surface methodology (RSM) and artificial neural network (ANN) simulation. 2015 , 83, 364-379 | 85 |
| 874 | Direct determination of astragalosides and isoflavonoids from fresh <i>Astragalus membranaceus</i> hairy root cultures by high speed homogenization coupled with cavitation-accelerated extraction followed by liquid chromatography-tandem mass spectrometry. 2015 , 5, 34672-34681 | 6 |
| 873 | Optimization of pin through hole connector in thermal fluid-structure interaction analysis of wave soldering process using response surface methodology. 2015 , 57, 45-57 | 10 |
| 872 | RSM base study of the effect of deposition temperature and hydrogen flow on the wear behavior of DLC films. 2015 , 91, 23-31 | 14 |
| 871 | Emulsion flooding for enhanced oil recovery: Interactive optimization of phase behavior, microvisual and core-flood experiments. 2015 , 29, 382-391 | 75 |

| | | |
|-----|---|----|
| 870 | Processing method and corn cultivar affected anthocyanin concentration from dried distillers grains with solubles. 2015 , 63, 3205-18 | 25 |
| 869 | Multiple Matrix Learning Machine with Five Aspects of Pattern Information. 2015 , 83, 13-31 | 6 |
| 868 | Parameterized and DC-Compliant Small-Signal Macromodels of RF Circuit Blocks. 2015 , 5, 508-522 | 9 |
| 867 | Multi-objective optimization of stamping forming process of head using Pareto-based genetic algorithm. 2015 , 22, 3287-3295 | 3 |
| 866 | Operational management of renewable energy systems with storage using an optimisation-based simulation methodology. 2015 , 9, 263-278 | 4 |
| 865 | Statistical approaches to developing a multiplex immunoassay for determining human exposure to environmental pathogens. 2015 , 425, 1-9 | 10 |
| 864 | Efficient pullulan production by bioconversion using <i>Aureobasidium pullulans</i> as the whole-cell catalyst. 2015 , 99, 211-20 | 13 |
| 863 | Preparation of a new-style composite containing a key bioflocculant produced by <i>Pseudomonas aeruginosa</i> ZJU1 and its flocculating effect on harmful algal blooms. 2015 , 284, 215-21 | 46 |
| 862 | Isolation of a novel beta-cypermethrin degrading strain <i>Bacillus subtilis</i> BSF01 and its biodegradation pathway. 2015 , 99, 2849-59 | 81 |
| 861 | Optimization of Thermal and Thermosonication Treatments on Pectin Methyl Esterase Inactivation of Sour Orange Juice (<i>Citrus aurantium</i>). 2015 , 39, 567-573 | 20 |
| 860 | Carbon mineralization from sewage sludge-amended mine dump by response surface methodology. 2015 , 12, 125-138 | 6 |
| 859 | Optimization study of binary metal oxides catalyzed transesterification system for biodiesel production. 2015 , 94, 430-440 | 31 |
| 858 | Improved bioconversion of crude glycerol to hydrogen by statistical optimization of media components. 2015 , 75, 583-589 | 32 |
| 857 | Response surface design of solid waste based geopolymer. 2015 , 5, 1598-1604 | 6 |
| 856 | Production, purification, and antibiofilm activity of a novel exopolysaccharide from <i>Arthrobacter</i> sp. B4. 2015 , 45, 192-204 | 17 |
| 855 | Optimization of ultrasound-assisted extraction conditions for euphol from the medicinal plant, <i>Euphorbia tirucalli</i> , using response surface methodology. 2015 , 63, 197-202 | 40 |
| 854 | Modeling and Design Optimization of A Shaft-Coupled Motor and Magnetic Gear. 2016 , 5, 10 | 0 |
| 853 | Innovative Calibration Method for System Level Simulation Models of Internal Combustion Engines. 2016 , 9, 708 | 4 |

| | | |
|-----|---|----|
| 852 | A Nonlinear Integer Programming Approach to Solving the Robust Parameter Design Optimization Problem. 2016 , 32, 2859-2870 | 19 |
| 851 | A data-driven smart proxy model for a comprehensive reservoir simulation. 2016 , | 10 |
| 850 | Data-driven Surrogate Model Approach for Improving the Performance of Reactive Transport Simulations. 2016 , 97, 447-453 | 16 |
| 849 | Effect of graphene oxide nanosheets on the physico-mechanical properties of chitosan/bacterial cellulose nanofibrous composites. 2016 , 85, 113-122 | 50 |
| 848 | Optimisation of recovery protocols for double-base smokeless powder residues analysed by total vapourisation (TV) SPME/GC-MS. 2016 , 158, 368-374 | 11 |
| 847 | Modeling and predicting the tensile strength of poly (lactic acid)/graphene nanocomposites by using support vector regression. 2016 , 30, 1650052 | 1 |
| 846 | Sequential optimization strategy for maximum l -asparaginase production from <i>Aspergillus oryzae</i> CCT 3940. 2016 , 6, 33-39 | 19 |
| 845 | Optimizing the biosorption of Bi ³⁺ ions by <i>Streptomyces rimosus</i> using experimental design and applicability in kinetics and isotherm modeling. 2016 , 6, 40287-40295 | 9 |
| 844 | N-doped TiO ₂ nanosheets for photocatalytic degradation and mineralization of diazinon under simulated solar irradiation: Optimization and modeling using a response surface methodology. 2016 , 220, 183-191 | 84 |
| 843 | Surface roughness prediction for the milling of Ti-6Al-4V ELI alloy with the use of statistical and soft computing techniques. 2016 , 90, 25-35 | 80 |
| 842 | Double Dutch: A Tool for Designing Combinatorial Libraries of Biological Systems. 2016 , 5, 507-17 | 27 |
| 841 | Statistical optimization of airlift photobioreactor for high concentration production of torularhodin pigment. 2016 , 8, 197-203 | 6 |
| 840 | Optimization of pea (<i>Pisum sativum</i>) seeds hydropriming by application of response surface methodology. 2016 , 38, 1 | 2 |
| 839 | Role of aliasing and interacting factors in the enhanced production of dehalogenase from <i>Yarrowia lipolytica</i> for degradation of brominated compounds. 2016 , 41, 114-121 | 1 |
| 838 | Modeling the hydromechanical responses of sandwich structure faults during underground fluid injection. 2016 , 75, 1 | 10 |
| 837 | Modeling BOD and COD removal from Palm Oil Mill Secondary Effluent in floating wetland by <i>Chrysopogon zizanioides</i> (L.) using response surface methodology. 2016 , 181, 343-352 | 46 |
| 836 | Optimization on the impeller of a low-specific-speed centrifugal pump for hydraulic performance improvement. 2016 , 29, 992-1002 | 29 |
| 835 | Optimization of pulsed DC PACVD parameters: Toward reducing wear rate of the DLC films. 2016 , 389, 521-531 | 15 |

| | | |
|-----|--|-----|
| 834 | Multi-point optimization on meridional shape of a centrifugal pump impeller for performance improvement. 2016 , 30, 4949-4960 | 29 |
| 833 | Data driven uncertainty evaluation for complex engineered system design. 2016 , 29, 889-900 | 4 |
| 832 | Statistical modeling and optimization of culture conditions by response surface methodology for 2,4- and 2,6-dinitrotoluene biodegradation using <i>Rhodococcus pyridinivorans</i> NT2. 2016 , 6, 155 | 11 |
| 831 | Application of central composite design method to coal flotation: Modelling, optimization and verification. 2016 , 183, 609-616 | 32 |
| 830 | Advances in Stochastic and Deterministic Global Optimization. 2016 , | 10 |
| 829 | Encyclopedia of Membranes. 2016 , 1729-1730 | 0 |
| 828 | Application of response surface methodology in describing the performance of mixed ceramic tool when turning AISI 4140 steel. 2016 , 17, 309 | 3 |
| 827 | Scalability and satisfiability of quality-of-information in wireless networks. 2016 , | 2 |
| 826 | A new multidimensional design space identification method for a quality-oriented drug development process. 2016 , 1-14 | 1 |
| 825 | Enhancement of simultaneous gold and copper recovery from discarded mobile phone PCBs using <i>Bacillus megaterium</i> : RSM based optimization of effective factors and evaluation of their interactions. 2016 , 57, 158-167 | 43 |
| 824 | Impact indicators for caprock integrity and induced seismicity in CO ₂ geosequestration: insights from uncertainty analyses. 2016 , 81, 1-21 | 11 |
| 823 | Gaussian Process Model [An Exploratory Study in the Response Surface Methodology]. 2016 , 32, 2367-2380 | 12 |
| 822 | Optimization of the extraction of phenolic compounds from <i>Cyclosorus extensa</i> with solvents of varying polarities. 2016 , 46, 755-763 | 1 |
| 821 | Modeling and kinetics study of Bisphenol A (BPA) degradation over an FeOCl/SiO ₂ Fenton-like catalyst. 2016 , 276, 85-96 | 45 |
| 820 | Effect of technology-enabled time-of-use energy pricing on thermal comfort and energy use in mechanically-conditioned residential buildings in cooling dominated climates. 2016 , 96, 118-130 | 23 |
| 819 | Photodegradation of Erythromycin antibiotic by [Fe ₂ O ₃ /SiO ₂ nanocomposite: Response surface methodology modeling and optimization. 2016 , 214, 378-383 | 60 |
| 818 | Optimization of periodic static-dynamic supercritical CO ₂ extraction of taxifolin from <i>pinus nigra</i> bark with ethanol as entrainer. 2016 , 113, 53-60 | 20 |
| 817 | A novel hybrid MCDM model combining the SAW, TOPSIS and GRA methods based on experimental design. 2016 , 345, 27-45 | 132 |

| | | |
|-----|---|-----|
| 816 | Towards an integrated computational method to determine internal spaces for optimum environmental conditions. 2016 , 127, 146-160 | 21 |
| 815 | Identification of combined action types in experiments with two toxicants: a response surface linear model with a cross term. 2016 , 26, 139-50 | 14 |
| 814 | Design and Evaluation of a Breast-Specific Collimator Using Response Surface Methodology and Monte Carlo Simulations. 2016 , 63, 98-107 | 1 |
| 813 | Approach toward enhancement of halophilic protease production by sp. strain LBU50301 using statistical design response surface methodology. 2016 , 10, 17-28 | 22 |
| 812 | Reliability analysis of structures by iterative improved response surface method. 2016 , 60, 56-66 | 100 |
| 811 | Thermal comfort evaluation for mechanically conditioned buildings using response surfaces in an uncertainty analysis framework. 2016 , 22, 140-152 | 11 |
| 810 | Formation of water-soluble soybean polysaccharides from spent flakes by hydrogen peroxide treatment. 2016 , 144, 504-13 | 12 |
| 809 | Wet oxidation of dimethylformamide via designed experiments approach studied with Ru and Ir containing Ti mesh monolith catalysts. 2016 , 34, 405-414 | 8 |
| 808 | Experimental analysis of drag reduction in the pipelines with response surface methodology. 2016 , 138, 104-112 | 20 |
| 807 | Thermodynamic investigation and multi-objective optimization for jet impingement cooling system with Al ₂ O ₃ /water nanofluid. 2016 , 111, 38-56 | 22 |
| 806 | BoxBehnken response surface methodology for optimization of operational parameters of compression ignition engine fuelled with a blend of diesel, biodiesel and diethyl ether. 2016 , 7, 87-95 | 17 |
| 805 | Optimization of Nickel Chemical Extraction from Hazardous Residue. 2016 , 14, 175-183 | 4 |
| 804 | Statistical media design for efficient polyhydroxyalkanoate production in Pseudomonas sp. MNNG-S. 2016 , 46, 446-53 | 1 |
| 803 | Mathematical programming for piecewise linear regression analysis. 2016 , 44, 156-167 | 51 |
| 802 | Optimization Methodologies for the Production of Pharmaceutical Products. 2016 , 281-309 | 3 |
| 801 | Optimization for Turning of Al-6061-SiC-Gr Hybrid Nanocomposites Using Response Surface Methodologies. 2016 , 31, 1342-1350 | 30 |
| 800 | Robust dual-response optimization. 2016 , 48, 298-312 | 21 |
| 799 | Study of the filling mechanism and parameter optimization method for vacuum casting. 2016 , 83, 711-720 | 12 |

| | | |
|-----|--|----|
| 798 | Regression methods for improved lifespan modeling of low voltage machine insulation. 2017 , 131, 200-216 | 6 |
| 797 | Optimization of the diffuser in a centrifugal pump by combining response surface method with multi-island genetic algorithm. 2017 , 231, 191-201 | 24 |
| 796 | Optimization of coag-flocculation processes of a newly synthesized quaternized oil palm empty fruit bunch cellulose by response surface methodology toward drinking water treatment process application. 2017 , 19, 191-204 | 13 |
| 795 | Optimization of high hardness perforated steel armor plates using finite element and response surface methods. 2017 , 24, 615-624 | 3 |
| 794 | Supporting design via the System Operational Dependency Analysis methodology. 2017 , 28, 53-69 | 24 |
| 793 | Design optimization for overhead ventilation duct system for a train using computational fluid dynamics and design of experiment. 2017 , 231, 914-929 | 2 |
| 792 | Optimal design of groove shape on passive micromixer using design of experiment technique. 2017 , 231, 880-887 | 8 |
| 791 | Trade-off analysis between machining time and energy consumption in impeller NC machining. 2017 , 43, 164-170 | 26 |
| 790 | A Novel Approach to Simultaneous Robust Design of Product Parameters and Tolerances Using Quality Loss and Multivariate ANOVA Concepts. 2017 , 33, 71-85 | 7 |
| 789 | A review of materials selection for optimized efficiency in quantum dot sensitized solar cells: A simplified approach to reviewing literature data. 2017 , 73, 408-422 | 22 |
| 788 | Aerobic denitrification and biomineralization by a novel heterotrophic bacterium, <i>Acinetobacter</i> sp. H36. 2017 , 116, 209-215 | 20 |
| 787 | Multi-response optimization of <i>Artemia</i> hatching process using split-split-plot design based response surface methodology. 2017 , 7, 40394 | 16 |
| 786 | Response surface modeling of photogenerated charge collection of silver-based plasmonic dye-sensitized solar cell using central composite design experiments. 2017 , 7, 493-497 | 8 |
| 785 | Application of response surface methodology for modeling and optimization of <i>Bacillus subtilis</i> spores inactivation by the UV/persulfate process. 2017 , 17, 342-351 | 13 |
| 784 | Response surface methodology in drug design: A case study on docking analysis of a potent antifungal fluconazole. 2017 , 67, 158-173 | 13 |
| 783 | Performance-influence models of multigrid methods: A case study on triangular grids. 2017 , 29, e4057 | 9 |
| 782 | An advance air-induced air-assisted electrostatic nozzle with enhanced performance. 2017 , 135, 280-288 | 24 |
| 781 | Optimization of ultrasonic waves application in municipal wastewater sludge treatment using response surface method. 2017 , 150, 361-370 | 31 |

| | | |
|-----|--|----|
| 780 | Kinetic modelling and optimisation of antimicrobial compound production by <i>Candida pyralidae</i> KU736785 for control of <i>Candida guilliermondii</i> . 2017 , 23, 358-370 | 8 |
| 779 | Predicting instrumental mass fractionation (IMF) of stable isotope SIMS analyses by response surface methodology (RSM). 2017 , 32, 731-748 | 11 |
| 778 | Optimization of laccase production from <i>Marasmiellus palmivorus</i> LA1 by Taguchi method of Design of experiments. 2017 , 17, 12 | 52 |
| 777 | Optimization of Nitrate Removal Efficiency and Energy Consumption Using a Batch Monopolar Electrocoagulation: Prediction by RSM Method. 2017 , 143, 04017022 | 22 |
| 776 | Metal modified graphene oxide composite catalyst for the production of biodiesel via pre-esterification of <i>Calophyllum inophyllum</i> oil. 2017 , 199, 47-64 | 40 |
| 775 | Optimization of Dairy Product Drying Processes. 2017 , 149-177 | |
| 774 | Optimisation of extraction conditions for recovering carotenoids and antioxidant capacity from Gac peel using response surface methodology. 2017 , 52, 972-980 | 26 |
| 773 | Optimization of pectinase and protease clarification treatment of pomegranate juice. 2017 , 82, 58-65 | 28 |
| 772 | Experimental correlation of gas-liquid-solid mass transfer coefficient in a stirred tank using response surface methodology. 2017 , 53, 3109-3118 | 3 |
| 771 | Modeling of the evolution of phenolic compounds in berries of Italia table grape cultivar using response surface methodology. 2017 , 62, 14-22 | 7 |
| 770 | Predicting discharge coefficient of triangular labyrinth weir using Support Vector Regression, Support Vector Regression-firefly, Response Surface Methodology and Principal Component Analysis. 2017 , 55, 75-81 | 15 |
| 769 | Removal of Cr (VI) by synthesized titania embedded dead yeast nanocomposite: Optimization and modeling by response surface methodology. 2017 , 5, 214-221 | 16 |
| 768 | Tuning the superhydrophobicity of magnesium stearate decorated ZnO porous structures for self-cleaning urinary coatings. 2017 , 423, 293-304 | 9 |
| 767 | Optimization of ultrasonic-assisted extraction and UPLC-TOF/MS analysis of limonoids from lemon seed. 2017 , 84, 135-142 | 16 |
| 766 | Central composite design in HPMC granulation and correlations between product properties and process parameters. 2017 , 41, 6504-6513 | 8 |
| 765 | An Efficient Autocalibration Method for Triaxial Accelerometer. 2017 , 66, 2380-2390 | 28 |
| 764 | The rocky road to extended simulation frameworks covering uncertainty, inversion, optimization and control. 2017 , 93, 180-192 | 7 |
| 763 | Reliability-Based Stability Analysis of Rock Slopes Using Numerical Analysis and Response Surface Method. 2017 , 50, 2119-2133 | 15 |

| | | |
|-----|---|----|
| 762 | Evaluation of wet air oxidation variables for removal of organophosphorus pesticide malathion using Box-Behnken design. 2017 , 75, 619-628 | 5 |
| 761 | β-carotene production from soap stock by loofa-immobilized <i>Rhodotorula rubra</i> in an airlift photobioreactor. 2017 , 54, 9-19 | 15 |
| 760 | Optimization of supercritical extraction of galegine from <i>Galega officinalis</i> L.: Neural network modeling and experimental optimization via response surface methodology. 2017 , 34, 854-865 | 9 |
| 759 | Multi-objective micro-geometry optimization of gear tooth supported by response surface methodology. 2017 , 109, 278-295 | 38 |
| 758 | Optimization of biogenic methane production from coal. 2017 , 183, 14-24 | 11 |
| 757 | Optimization of the precursor removal of dichloroacetonitrile (DCAN), an emerging nitrogenous disinfection by-product, in an up-flow BAC filter. 2017 , 189, 309-318 | 11 |
| 756 | Optimization of methyl ester production from waste cooking oil in a batch tri-orifice oscillatory baffled reactor. 2017 , 167, 641-647 | 31 |
| 755 | Application of Response Surface Methods To Determine Conditions for Optimal Genomic Prediction. 2017 , 7, 3103-3113 | 4 |
| 754 | A multiresponse model for reliability-based simulation optimization in systems subjected to random external stresses. 2017 , 33, 1225-1233 | 2 |
| 753 | Modeling of organic solar cell using response surface methodology. 2017 , 7, 2232-2241 | 5 |
| 752 | Process Simulation and Control for Continuous Pharmaceutical Manufacturing of Solid Drug Products. 2017 , 33-105 | 4 |
| 751 | Selecting subgrids from a spatial monitoring network: Proposal and application in semiconductor manufacturing process. 2017 , 33, 1249-1261 | 2 |
| 750 | Incorporation of Physics-Based Machining Models in Real-Time Decision Making via Metamodels. 2017 , 10, 1109-1117 | 2 |
| 749 | Investigation on influence of Wurster coating process parameters for the development of delayed release minitablets of Naproxen. 2017 , 43, 1989-1998 | 4 |
| 748 | Effect of different blend compositions on properties of low-density polyethylene/ethylene vinyl alcohol/clay toward high oxygen barrier nanocomposite films. 2017 , 59, 533-542 | 5 |
| 747 | On a solar reflective ceramic based glaze for asphalt shingle. 2017 , 43, 14710-14717 | 2 |
| 746 | Optimization of geometric parameters in a welded joint through response surface methodology. 2017 , 154, 105-114 | 24 |
| 745 | Optimization on selenium and arsenic conversion from copper anode slime by low-temperature alkali fusion process. 2017 , 24, 1537-1543 | 7 |

| | | |
|-----|--|-----|
| 744 | Rapid prototyping and parametric optimization of plastic acoustofluidic devices for blood-bacteria separation. 2017 , 19, 70 | 24 |
| 743 | Characterization and optimization of an electro-thermal microactuator for precise track positioning. 2017 , 14, 815-822 | |
| 742 | Rheological analysis of magnetite added carbonyl iron based magnetorheological fluid. 2017 , 444, 161-167 | 35 |
| 741 | Model assessment in scientific computing. 2017 , 34, 1700-1723 | 2 |
| 740 | Optimization of Biodiesel Production from Yellow Oleander (Thevetia Peruviana) using Response Surface Methodology. 2017 , 4, 7293-7301 | 5 |
| 739 | Optimisation of process parameters for the orbital and conventional drilling of uni-directional carbon fibre-reinforced polymers (UD-CFRP). 2017 , 110, 319-334 | 63 |
| 738 | Modeling the key factors that could influence the diffusion of CO from a wellbore blowout in the Ordos Basin, China. 2017 , 24, 3727-3738 | 8 |
| 737 | Application of canonical correlation analysis to a sensitivity study of constitutive model parameter fitting. 2017 , 132, 30-43 | 12 |
| 736 | Reuse of TiO ₂ -based catalyst for solar driven water treatment; thermal and chemical reactivation. 2017 , 333, 117-129 | 16 |
| 735 | The Factors Optimization on Georeferencing Analogue Maps. 2017 , 42, 2471-2478 | 2 |
| 734 | Regression and Kriging metamodels with their experimental designs in simulation: A review. 2017 , 256, 1-16 | 162 |
| 733 | Extraction of Curcumin and Essential Oil from Curcuma longa L. by Subcritical Water via Response Surface Methodology. 2017 , 41, e13095 | 23 |
| 732 | Establishment and Application of a Method for Rapid Determination of Total Sugar Content Based on Colorimetric Microplate. 2017 , 19, 424-431 | 9 |
| 731 | Grooves into cylindrical shapes by wire electrochemical machining. 2017 , 90, 445-455 | 6 |
| 730 | Effect of nanoparticles on condensation of humid air in vertical channels. 2017 , 112, 470-483 | 4 |
| 729 | Investigation of polyethylene-grafted-maleic anhydride presence as a compatibilizer on various properties of nanocomposite films based on polyethylene/ethylene vinyl alcohol/ nanoclay. 2017 , 28, 449-462 | 11 |
| 728 | Growth of microalgae Botryococcus sp. in domestic wastewater and application of statistical analysis for the optimization of flocculation using alum and chitosan. 2017 , 47, 333-341 | 16 |
| 727 | Numerical Investigation into the Thermal Performance of Single Microchannels with Varying Axial Length and Different Shapes of Micro Pin-Fin Inserts. 2017 , 38, 1157-1170 | 15 |

| | | |
|-----|--|----|
| 726 | A lightweight design method for rotary table inspired by structural bionics. 2017, | 0 |
| 725 | On the residual stress modeling of shot-peened AISI 4340 steel: finite element and response surface methods. 2017, 18, 605 | 3 |
| 724 | . 2017, | |
| 723 | An Eddy Current Testing Platform System for Pipe Defect Inspection Based on an Optimized Eddy Current Technique Probe Design. 2017, 17, | 34 |
| 722 | Simultaneous Extraction and Identification of Phenolic Compounds in Using Microwave-Assisted Extraction Combined with UPLC-Q-TOF-MS/MS and Their Antioxidant Activities. 2017, 8, 1474 | 21 |
| 721 | Process Optimization of Biodiesel Production for Mixed Neem (<i>Azadirachta indica</i>) and Sesame (<i>Sesamum indicum</i> L.) Biodiesel Using Response Surface Methodology Based on Doehlert Experimental Design. 2017, | 1 |
| 720 | Numerical optimization strategies for springback compensation in sheet metal forming. 2017, 51-82 | 8 |
| 719 | Development of Green Geopolymer Using Agricultural and Industrial Waste Materials with High Water Absorbency. 2017, 7, 514 | 33 |
| 718 | Multi-Fidelity Multi-Objective Efficient Global Optimization Applied to Airfoil Design Problems. 2017, 7, 1318 | 9 |
| 717 | Multi-Fidelity Modeling-Based Structural Reliability Analysis with the Boundary Element Method. 2017, 08, 1740001 | 3 |
| 716 | Process Development for Enhanced 2,3-Butanediol Production by <i>Paenibacillus polymyxa</i> DSM 365. 2017, 3, 18 | 19 |
| 715 | Design and Experimental Research of a Novel Stick-Slip Type Piezoelectric Actuator. 2017, 8, 150 | 29 |
| 714 | Multivariate Analysis of Laser-Induced Tissue Ablation: Ex Vivo Liver Testing. 2017, 7, 974 | 3 |
| 713 | Cleaning of Coal by Multi Gravity Separator. 2018, 71, 1487-1495 | 11 |
| 712 | Relating transport modeling to nanofiltration membrane fabrication: Navigating the permeability-selectivity trade-off in desalination pretreatment. 2018, 554, 26-38 | 34 |
| 711 | Response surface methodology as a tool for modeling and optimization of <i>Bacillus subtilis</i> spores inactivation by UV/ nano-Fe process for safe water production. 2018, 114, 334-345 | 19 |
| 710 | Optimisation of key process parameters for solvent extraction of oil from <i>Colocynthis vulgaris</i> Shrad seeds using response surface methodology. 2018, 6, 169-185 | 2 |
| 709 | Response surface modeling-based analysis on launch vehicle capability. 2018, 62, 3281-3297 | |

| | | |
|-----|---|----|
| 708 | Optimization of Hydropriming of Okra (<i>Abelmoschus esculentus</i>) Seeds Using Response Surface Methodology. 2018 , 7, 25-36 | |
| 707 | Combustion kinetic model development using surrogate model similarity method. 2018 , 22, 777-794 | 9 |
| 706 | Mechanochemically synthesized Ag (I) coordination polymer as a new adsorbent and its application to ultrasound assisted wastewater treatment via the central composite design: Isotherm and kinetic studies. 2018 , 262, 71-77 | 14 |
| 705 | Multiscale Material Modeling and Simulation of the Mechanical Behavior of Dual Phase Steels Under Different Strain Rates: Parametric Study and Optimization. 2018 , 140, | 5 |
| 704 | Preparation of low-molecular-weight citrus pectin by recombinant <i>Bacillus subtilis</i> pectate lyase and promotion of growth of <i>Bifidobacterium longum</i> . 2018 , 107, 39-42 | 12 |
| 703 | Estimation of the significant wave height in the nearshore using prediction equations based on the Response Surface Method. 2018 , 153, 143-153 | 10 |
| 702 | Use of central composite design to optimize working conditions of <i>Streptomyces griseus</i> enzymatic method in estimating in vitro rumen undegraded crude protein of feedstuffs. 2018 , 156, 100-109 | |
| 701 | Cation Exchange Superparamagnetic Al-Based Metal Organic Framework (Fe ₃ O ₄ /MIL-96(Al)) for High Efficient Removal of Pb(II) from Aqueous Solutions. 2018 , 6, 3176-3186 | 39 |
| 700 | Development of an automated flow injection analysis system for determination of phosphate in nutrient solutions. 2018 , 98, 3926-3934 | 6 |
| 699 | Scalability and Satisfiability of Quality-of-Information in Wireless Networks. 2018 , 26, 398-411 | 2 |
| 698 | Exopolysaccharide production from <i>Bacillus velezensis</i> KY471306 using statistical experimental design. 2018 , 49, 452-462 | 27 |
| 697 | Process optimization of the extraction condition of α -amylase from brewer's malt and its application in the maltose syrup production. 2018 , 65, 639-647 | 5 |
| 696 | Preparation, characterization and evaluation of the immune effect of alginate/chitosan composite microspheres encapsulating recombinant protein of <i>Streptococcus iniae</i> designed for fish oral vaccination. 2018 , 73, 262-271 | 18 |
| 695 | Optimizing ethanol recovery in a spinning cone column. 2018 , 83, 1-9 | 5 |
| 694 | A surrogate-assisted genetic algorithm for the selection and design of highway safety and travel time improvement projects. 2018 , 103, 305-315 | 11 |
| 693 | LaFeO ₃ Perovskites Obtained from Different Methods for NO + CO Reaction, Modeling and Optimization of Synthesis Process by Response Surface Methodology. 2018 , 28, 2012-2022 | 4 |
| 692 | Improved intracellular PHA determinations with novel spectrophotometric quantification methodologies based on Sudan black dye. 2018 , 148, 1-11 | 4 |
| 691 | Mechanism of ammonium adsorption from wastewater by modified bentonite and optimization by response surface. 2018 , 22, 1-9 | 5 |

| | | |
|-----|---|----|
| 690 | VPH-HF: A software framework for the execution of complex subject-specific physiology modelling workflows. 2018 , 25, 101-114 | 1 |
| 689 | Optimization study on preparation of amine functionalized sea mango (cerbera odollam) activated carbon for Carbon Dioxide (CO ₂) adsorption. 2018 , 190, 1259-1282 | 10 |
| 688 | Modeling of equal channel forward extrusion force using response surface approach. 2018 , 232, 713-719 | 6 |
| 687 | Performance Analysis of AQM Scheme Using Factorial Design Framework. 2018 , 12, 1211-1218 | 4 |
| 686 | Optimizing a Just-In-Time logistics network problem under fuzzy supply and demand: two parameter-tuned metaheuristics algorithms. 2018 , 30, 3221-3233 | 3 |
| 685 | An optimisation study on biomass delignification process using alkaline wash. 2018 , 8, 59-68 | 5 |
| 684 | Multiscale seamless-domain method for solving nonlinear problems using statistical estimation methodology. 2018 , 113, 534-559 | |
| 683 | Finding the optimal shape of the leading-and-trailing car of a high-speed train using design-by-morphing. 2018 , 62, 23-45 | 6 |
| 682 | Modeling and optimization of tensile strength and modulus of polypropylene/kenaf fiber biocomposites using BoxBehnken response surface method. 2018 , 39, E463-E479 | 20 |
| 681 | Multi-objective optimization design of bidirectional flow passage components using RSM and NSGA II: A case study of inlet/outlet diffusion segment in pumped storage power station. 2018 , 115, 999-1013 | 17 |
| 680 | Design optimization for ventilation shafts of naturally-ventilated underground shelters for improvement of ventilation rate and thermal comfort. 2018 , 115, 183-198 | 24 |
| 679 | Dissolution Kinetics of Iron from Low-Grade Mn Ore and Optimization Using Response Surface Methodology. 2018 , 71, 589-596 | |
| 678 | Analysis and optimization of viscosity of concentrated silica suspensions by response surface methodology (RSM): Control of particle modality. 2018 , 39, 1352-1359 | 1 |
| 677 | Scientific, statistical, practical, and regulatory considerations in design space development. 2018 , 44, 349-364 | 15 |
| 676 | Local optimization of black-box functions with high or infinite-dimensional inputs: application to nuclear safety. 2018 , 33, 467-485 | |
| 675 | A population-based meta-heuristic approach for robust micro-geometry optimization of tooth profile in spur gears considering manufacturing uncertainties. 2018 , 53, 447-464 | 6 |
| 674 | Design and Analysis of Experiments in ANFIS Modeling of a 3-DOF Planner Manipulator. 2018 , | 0 |
| 673 | Multi-Objective Rapid Design of a Magnetically Levitated Transverse Flux Permanent Magnet Linear Synchronous Motor. 2018 , | 1 |

| | | |
|-----|--|----|
| 672 | Interpolation of Turbulent Boundary Layer Profiles Measured in Flight Using Response Surface Methodology. 2018 , 8, 2320 | 3 |
| 671 | Application of the Preference Set-based Design Method to Cantilever for Electrical Contact. 2018 , | 2 |
| 670 | Modeling for Optimality in Design of Planetary Ring Gear to Reduce Stress Development a Response Surface Methodology Based Parametric Modelling Approach. 2018 , | 1 |
| 669 | Visible-light-induced photo-Fenton process for the facile degradation of metronidazole by Fe/Si codoped TiO ₂ . 2018 , 8, 40022-40034 | 17 |
| 668 | A Kriging-based sequential optimization method with dual transformation for black-box models. 2018 , 35, 1471-1482 | 3 |
| 667 | A Multi-Depot Home Care Routing Problem with Time Windows and Fuzzy Demands Solving by Particle Swarm Optimization and Genetic Algorithm. 2018 , 51, 358-363 | 7 |
| 666 | Sensory and Consumer Approaches for Targeted Product Development in the Agro-Food Sector. 2018 , 91-128 | 1 |
| 665 | Parametric lifespan models for OLEDs using Design of Experiments (DoE). 2018 , | 4 |
| 664 | Numerical study of geometrical effects on the performance of an H-type cylindrical resonant photoacoustic cell. 2018 , 32, 5671-5683 | 2 |
| 663 | Physicochemical processing of polyphenylsulfone: Optimization of processing parameters for microsphere production via spray drying using a response surface model. 2018 , 37, 3747-3758 | 0 |
| 662 | Fundamentals of Force-Controlled Friction Riveting: Part I-Joint Formation and Heat Development. 2018 , 11, | 10 |
| 661 | . 2018 , | 3 |
| 660 | A study on design of differential-paired lines with meander delay line by preference set-based design method. 2018 , | 2 |
| 659 | Optimization of high-pressure processing in extraction of astaxanthin from Penaeus monodon carapace using response surface methodology. 2018 , 41, e12880 | 7 |
| 658 | Optimal Learning for Nonlinear Parametric Belief Models Over Multidimensional Continuous Spaces. 2018 , 28, 2945-2974 | 1 |
| 657 | Synthesis and optimization of microwave-assisted exfoliated functionalized graphene as an efficient catalyst in biodiesel production. 2018 , 26, 729-738 | 5 |
| 656 | Pollutant removal and biodegradation assessment of tannery effluent treated by conventional Fenton oxidation process. 2018 , 6, 7070-7079 | 6 |
| 655 | Production and application of a treated bentonite-chitosan composite for the efficient removal of humic acid from aqueous solution. 2018 , 140, 102-115 | 47 |

| | | |
|-----|--|----|
| 654 | Methodology to simulate normalized testing cycles for engines and vehicles via design of experiments with low number of runs. 2018 , 177, 817-832 | 8 |
| 653 | Cocamidopropyl betaine-assisted foam separation of freshwater microalgae <i>Desmodesmus brasiliensis</i> . 2018 , 140, 38-46 | 7 |
| 652 | An Overview of Response Surface Methodology Approach to Optimization of Hydrogen and Syngas Production by Catalytic Reforming of Greenhouse Gases (CH ₄ and CO ₂). 2018 , | 1 |
| 651 | Balancing of mixed-model two-sided assembly lines with underground workstations: A mathematical model and ant colony optimization algorithm. 2018 , 205, 228-243 | 22 |
| 650 | Design and Analysis of Simulation Experiments. 2018 , 3-22 | 23 |
| 649 | Crashworthiness optimization with uncertainty from surrogate model and numerical error. 2018 , 129, 457-472 | 23 |
| 648 | A comprehensive review of the Maisotsenko-cycle based air conditioning systems. 2018 , 156, 725-749 | 50 |
| 647 | Modeling of Throughput in Production Lines Using Response Surface Methodology and Artificial Neural Networks. 2018 , 2018, 1-10 | 5 |
| 646 | Design of transmission line with impedance resonator for negative group delay and slope characteristics by preference set-based design method. 2018 , | |
| 645 | Discrete element model of particle transport and premixing action in modified screw conveyors. 2018 , 336, 255-264 | 11 |
| 644 | Experimental and simulation investigation on separation of binary hydrocarbon mixture by thermogravitational column. 2018 , 268, 791-806 | 14 |
| 643 | Dynamic Stiffness Investigation of an Automotive Body-in-White by Utilizing Response Surface Methodology. 2018 , | 0 |
| 642 | Product Performance Optimization. 2018 , 159-185 | 4 |
| 641 | Process Parameter Optimization in Refill Friction Spot Welding of 6061 Aluminum Alloys Using Response Surface Methodology. 2018 , 27, 4050-4058 | 11 |
| 640 | Response surface split-plot designs: A literature review. 2018 , 34, 1374-1389 | 7 |
| 639 | Response Surface Method for Material Uncertainty Quantification of Infrastructures. 2018 , 2018, 1-14 | 12 |
| 638 | Improved biodegradability of hardly-decomposable wastewaters from petrochemical industry through photo-Fenton method and determination of optimum operational conditions by response surface methodology. 2018 , 12, 10 | 10 |
| 637 | Development of an Electro-Thermal Model for Electric Vehicles Using a Design of Experiments Approach. 2018 , 4, 29 | 10 |

| | | |
|-----|---|----|
| 636 | Ultrasonic-Assisted Pelleting of Sorghum Stalk: Predictive Models for Pellet Density and Durability Using Multiple Response Surface Methodology. 2018 , 11, 1214 | 2 |
| 635 | Evaluating the Joint Toxicity of Two Benzophenone-Type UV Filters on the Green Alga <i>Chlamydomonas reinhardtii</i> with Response Surface Methodology. 2018 , 6, | 15 |
| 634 | Analytical structural behaviour of elastic flapping wings under the actuator effect. 2018 , 122, 1176-1198 | 0 |
| 633 | Green techniques in comparison to conventional ones in the extraction of Amaryllidaceae alkaloids: Best solvents selection and parameters optimization. 2018 , 1567, 99-110 | 32 |
| 632 | Multivariate Rational Response Surface Approximation of Nodal Displacements of Truss Structures. 2018 , 31, | 14 |
| 631 | Multi-Objective Optimization of Microemulsion Flooding for Chemical Enhanced Oil Recovery. 2018 , 73, 4 | 1 |
| 630 | Production of thermotolerant, detergent stable alkaline protease using the gut waste of <i>Sardinella longiceps</i> as a substrate: Optimization and characterization. 2018 , 8, 12442 | 21 |
| 629 | Evaluating the influence of parameter values on the performance of random subset feature selection algorithm on scientific data. 2018 , 117, 174-182 | 1 |
| 628 | Optimizing growth conditions for glucosinolate production in Chinese cabbage. 2018 , 59, 649-657 | 4 |
| 627 | MCS-based response surface metamodels and optimal design of experiments for gravity dams. 2018 , 14, 1641-1663 | 20 |
| 626 | Statistics and Simulation. 2018 , | 1 |
| 625 | <i>Vernonia cinerea</i> leaves as the source of phenolic compounds, antioxidants, and anti-diabetic activity using microwave-assisted extraction technique. 2018 , 122, 533-544 | 73 |
| 624 | Spatially distributed statistical significance approach for real parameter tuning with restricted budgets. 2018 , 70, 648-664 | 2 |
| 623 | Taguchi design-based seismic reliability analysis of geostructures. 2019 , 13, 34-52 | 4 |
| 622 | Performance of an autotrophic denitrification process with mixed electron donors and a functional microbial community. 2019 , 19, 434-443 | 4 |
| 621 | Mathematical Modeling and Optimization of Active Calcium Absorption in Human Body. 2019 , 44, 161-168 | |
| 620 | Extreme Response of a Sea-Crossing Bridge Tower under Correlated Wind and Waves. 2019 , 32, 05019003 | 7 |
| 619 | Investigation of energy consumption during milling operation. 2019 , | 2 |

| | | |
|-----|--|----|
| 618 | Combined solar electrocoagulation and adsorption processes for Pb(II) removal from aqueous solution. 2019 , 143, 107619 | 10 |
| 617 | Effect of medium viscosity on rheological characteristics of magnetite-based magnetorheological fluids. 2019 , 80, 197-204 | 13 |
| 616 | Performance investigation of Zeolitic Imidazolate Framework B (ZIF-8) in the removal of trichloroethylene from aqueous solutions. 2019 , 150, 104185 | 31 |
| 615 | Search for accurate RSM metamodels for structural engineering. 2019 , 38, 995-1013 | 11 |
| 614 | Tripling the Bioavailability of Rosuvastatin Calcium Through Development and Optimization of an In-Situ Forming Nanovesicular System. 2019 , 11, | 8 |
| 613 | Modeling the Luminance Degradation of OLEDs Using Design of Experiments. 2019 , 55, 6548-6558 | 7 |
| 612 | Optimization of CVD parameters on 3D graphene foam structures with response surface methodology (RSM). 2019 , 6, 095604 | 4 |
| 611 | Modelling of waste rubber and glass fiber with response surface method in hot mix asphalt. 2019 , 227, 117070 | 10 |
| 610 | Modelling and optimisation of biodiesel production from Euphorbia lathyris using ASPEN Hysys. 2019 , 1, 1 | 8 |
| 609 | Application of coupled XFEM-BCQO in the structural optimization of a circular tunnel lining subjected to a ground motion. 2019 , 13, 1495-1509 | 1 |
| 608 | A Hierarchical Neural Hybrid Method for Failure Probability Estimation. 2019 , 7, 112087-112096 | 3 |
| 607 | Evaluation and optimization of parameters in the measurement for airborne scanner using response surface method. 2019 , 52, 354-368 | |
| 606 | Electromagnetic methods to improve the nondestructive characterization of induction hardened steels: A statistical modeling approach. 2019 , 380, 125074 | 9 |
| 605 | Laurdan as fluorescent probe to determinate the critical micelle temperature of polymers from Pluronic [®] -coated fluid phase liposomes. 2019 , 294, 111562 | 5 |
| 604 | Rapid co-kriging based multi-fidelity surrogate assisted performance optimization of a transverse flux PMLSM. 2019 , | 1 |
| 603 | A Prediction-Optimization Framework for Site-Wide Process Optimization. 2019 , | 2 |
| 602 | Investigation of the parameters affecting the treatment of mining waters by electrocoagulation. 2019 , 32, 100929 | 13 |
| 601 | Experimental and numerical investigation of ductile fracture using GTN damage model on in-situ tensile tests. 2019 , 164, 105170 | 22 |

| | | |
|-----|--|----|
| 600 | Catalytic synthesis of <i>n</i> -butyl carboxylate with immobilized ionic liquid based on response surface methodology optimization. 2019 , 6, 190166 | 0 |
| 599 | Parameters of a discrete element ballasted bed model based on a response surface method. 2019 , 20, 685-700 | 11 |
| 598 | Combining the finite element method and response surface methodology for optimization of shot peening parameters. 2019 , 129, 105231 | 19 |
| 597 | Valorization of waste cooking oil based biodiesel for biolubricant production in a vertical pulsed column: Energy efficient process approach. 2019 , 189, 116266 | 14 |
| 596 | Photocatalytic degradation using TiO ₂ -graphene nanocomposite under UV-LED illumination: Optimization using response surface methodology. 2019 , 7, 103366 | 12 |
| 595 | Antioxidant capacity, phenolic compound content and sensory properties of cookies produced from organic grape peel (<i>Vitis labrusca</i>) flour. 2019 , 54, 1215-1224 | 20 |
| 594 | Statistical analysis of effective variables on the performance of waste storage service using geographical information system and response surface methodology. 2019 , 235, 453-462 | 9 |
| 593 | Effects of crystalline nanocellulose on wastewater-cultivated microalgal separation and biomass composition. 2019 , 239, 207-217 | 22 |
| 592 | Corrosion modeling of dimensional stable anode modified by graphene compounds through a response surface methodology. 2019 , 6, 085530 | 1 |
| 591 | Optimization of Photocatalytic Degradation of Acid Blue 113 and Acid Red 88 Textile Dyes in a UV-C/TiO ₂ Suspension System: Application of Response Surface Methodology (RSM). 2019 , 9, 360 | 50 |
| 590 | Response surface methodology for advanced manufacturing technology optimization: theoretical fundamentals, practical guidelines, and survey literature review. 2019 , 104, 1785-1837 | 17 |
| 589 | Steam Reforming of Acetic Acid: Response Surface Modelling and Study of Factor Interactions. 2019 , 14, | 9 |
| 588 | Optimization of grinding efficiency considering surface integrity of bearing raceway. 2019 , 1, 1 | 1 |
| 587 | Response Surface Analysis of Fenobucarb Removal by Electrochemically Generated Chlorine. 2019 , 11, 899 | 0 |
| 586 | Isolation and characterization of thermotolerant yeasts for the production of second-generation bioethanol. 2019 , 69, 765-776 | 5 |
| 585 | The prediction of lean meat and subcutaneous fat with skin content in pork cuts on the carcass meatness and weight. 2019 , 13, 2230-2240 | |
| 584 | Modeling of Abraded Surface Roughness and Wear Resistance of Aluminum Matrix Composites. 2019 , 141, | 8 |
| 583 | Surrogate-based optimization for the design of area charging schemes under environmental constraints. 2019 , 72, 162-186 | 7 |

| | | |
|-----|---|----|
| 582 | Optimal Design of a Novel B-shape Impeller Blade for a Microbubble Pump. 2019 , 12, 1793 | 8 |
| 581 | Evaluation of an Experimentally Designed Molecular Imprinted Polyurethane Foam Performance for Extraction of Alprazolam. 2019 , 57, 662-670 | 2 |
| 580 | Effect of acoustic cavitation phenomenon on bioactive compounds release from Eryngium caucasicum leaves. 2019 , 13, 1839-1851 | 5 |
| 579 | Optimal design of J-groove shape on the suppression of unsteady flow in the Francis turbine draft tube. 2019 , 33, 2211-2218 | 12 |
| 578 | Polymeric and lipid-based systems for controlled drug release: an engineering point of view. 2019 , 267-304 | 9 |
| 577 | Modeling and optimization of the niosome nanovesicles using response surface methodology for delivery of insulin. 2019 , 5, 045041 | 1 |
| 576 | Development of FAcE (Formulated Alhydrogel competitive ELISA) method for direct quantification of OAg present in Shigella sonnei GMMA-based vaccine and its optimization using Design of Experiments approach. 2019 , 471, 11-17 | 4 |
| 575 | Optimization of acoustic performances of a new tung oleic acid-based composite polyurethane foam. 2019 , 136, 47861 | 1 |
| 574 | Optimizing Microwave-Assisted Extraction Conditions to Obtain Phenolic-Rich Extract from Chromolaena odorata Leaves. 2019 , 42, 1733-1740 | 12 |
| 573 | Optimization the selectivity property of graphene oxide modified dimensionally stable anode (DSA) produced by the sol-gel method. 2019 , 90, 547-564 | 3 |
| 572 | Optimization of oil extraction from Leucaena leucocephala seed as an alternative low-grade feedstock for biodiesel production. 2019 , 1, 1 | 8 |
| 571 | Optimization of soya lecithin and Tween 80 based novel vitamin D nanoemulsions prepared by ultrasonication using response surface methodology. 2019 , 289, 664-670 | 25 |
| 570 | The effect of biochar mild air oxidation on the optimization of lead(II) adsorption from wastewater. 2019 , 240, 404-420 | 50 |
| 569 | Optimization of an Industrial Medium from Molasses for Bioethanol Production Using the Taguchi Statistical Experimental-Design Method. 2019 , 5, 14 | 16 |
| 568 | Optimization of Synthesis Parameters of Mesoporous Silica Nanoparticles Based on Ionic Liquid by Experimental Design and Its Application as a Drug Delivery Agent. 2019 , 2019, 1-8 | 9 |
| 567 | M-PCM-OFFD: An effective output statistics estimation method for systems of high dimensional uncertainties subject to low-order parameter interactions. 2019 , 159, 93-118 | 4 |
| 566 | Optimization of the process parameters for fine coal oil agglomeration process using waste mustard oil. 2019 , 346, 316-325 | 9 |
| 565 | Biomass Grinding Process Optimization Using Response Surface Methodology and a Hybrid Genetic Algorithm. 2019 , 6, | 23 |

| | | |
|-----|---|----|
| 564 | Pollutant removal and acute toxicity assessment (<i>Artemia salina</i>) of landfill leachate treated by photo-Fenton process mediated by oxalic acid. 2019 , 28, 159-168 | 16 |
| 563 | Towards a holistic approach for multi-objective optimization of food processes: A critical review. 2019 , 86, 1-15 | 17 |
| 562 | Optimization of the Coanda bump to improve the film cooling effectiveness of an inclined slot. 2019 , 139, 376-386 | 7 |
| 561 | Response surface optimization for a nonlinearly constrained irregular experimental design space. 2019 , 51, 2030-2048 | 8 |
| 560 | Development of a Direct Drive Synchronous Reluctance Motor with a Surrogate-Assisted Optimization Technique. 2019 , | |
| 559 | Performance Enhancement of an Inverter-Based Decentralized energy generation System Using Evaporation Rate Based Water Cycle Algorithm. 2019 , | |
| 558 | Multi-Objective Design of Transmission Line Referenced to Meshed Ground Planes by Preference Set-based Design. 2019 , | |
| 557 | Effect of particle size distribution on green properties and sintering of Ti-6Al-4V. 2019 , 655, 012020 | |
| 556 | Overview performance of lanthanide oxide catalysts in methanation reaction for natural gas production. 2019 , 26, 36124-36140 | 7 |
| 555 | Effect of Atmospheric Cold Plasma Treatments on Reduction of Toxins Content in Wheat Flour. 2019 , 11, | 11 |
| 554 | Modification of activated carbon with a silane coupling agent under ultrasonic conditions for the advanced treatment of wastewater with dressing chemicals. 2019 , 135, 67-76 | 5 |
| 553 | Prediction meta-models for the responses of a circular tunnel during earthquakes. 2019 , 4, 31-47 | 6 |
| 552 | Efficient saccharification of agave biomass using <i>Aspergillus niger</i> produced low-cost enzyme cocktail with hyperactive pectinase activity. 2019 , 272, 26-33 | 23 |
| 551 | Saponin extracted waste biomass of <i>Sapindus mukorossi</i> for adsorption of methyl violet dye in aqueous system. 2019 , 14, 166-174 | 17 |
| 550 | Metformin hydrochloride and wound healing: from nanoformulation to pharmacological evaluation. 2019 , 29, 343-356 | 12 |
| 549 | Parametric process optimization to improve the accuracy and mechanical properties of 3D printed parts. 2019 , 4, 1383-1392 | |
| 548 | Design and Control of a Novel Yokeless Axial Flux-Switching Permanent-Magnet Motor. 2019 , 34, 631-642 | 10 |
| 547 | Modelling and optimization of laser engraving qualitative characteristics of Al-SiC composite using response surface methodology and artificial neural networks. 2019 , 112, 65-76 | 27 |

| | | |
|-----|--|----|
| 546 | Formulation and statistical analysis of an herbal medicine tablet containing Morus alba leaf extracts. 2019 , 49, 625-634 | 10 |
| 545 | Viscoplastic parameter identification of temperature-dependent mechanical behavior of modified polyphenylene oxide polymers. 2019 , 59, E200-E211 | 4 |
| 544 | Endotoxin removal from aqueous solutions with dimethylamine-functionalized graphene oxide: Modeling study and optimization of adsorption parameters. 2019 , 368, 163-177 | 18 |
| 543 | Fragility assessment for electric cabinet in nuclear power plant using response surface methodology. 2019 , 51, 894-903 | 24 |
| 542 | Numerical optimization of temperature-time degradation of multiple mycotoxins. 2019 , 125, 289-304 | 19 |
| 541 | Multi-objective optimization of underground car park design for tenability under fire-induced smoke. 2019 , 85, 220-230 | 5 |
| 540 | Rational design of a scalable bioprocess platform for bacterial cellulose production. 2019 , 207, 684-693 | 13 |
| 539 | Single-grain approach to material specific dental grinding-force equations. 2019 , 37, 281-291 | 1 |
| 538 | Microstructure and Tribological Performance of Alumina/Aluminum Matrix Composites Manufactured by Enhanced Stir Casting Method. 2019 , 141, | 16 |
| 537 | Whole-Cell Bioconversion of Citrus Flavonoids to Enhance Their Biological Properties. 2019 , 61, 335-367 | 5 |
| 536 | Methacrylation of kraft lignin for UV-curable coatings: Process optimization using response surface methodology. 2019 , 120, 332-338 | 12 |
| 535 | Hexavalent chromium removal in an electrocoagulation column reactor: Process optimization using CCD, adsorption kinetics and pH modulated sludge formation. 2019 , 122, 118-130 | 69 |
| 534 | A Reliability-based Approach for Performance Optimization of Service Industries: An Application to Healthcare Systems. 2019 , 273, 1016-1025 | 6 |
| 533 | Removal of metribuzin by sulfate radical-based photooxidation: multi-objective optimization by central composite design. 2019 , 33, 265-275 | 2 |
| 532 | Sensitivity Analysis on Response Modification Factor of New Cable-Cylinder Bracing Systems. 2019 , 23, 648-668 | 2 |
| 531 | Experimental and numerical analysis and multi-objective optimization of quasi-static compressive test on thin-walled cylindrical with internal networking. 2019 , 26, 1644-1660 | 4 |
| 530 | Optimization of electrospinning parameters for producing silk fibroin/poly(ethylene oxide) nanofibers using D-optimal method. 2019 , 16, 1113-1123 | 6 |
| 529 | Computation of the corrected Cornish-Bisher expansion using the response surface methodology: application to VaR and CVaR. 2019 , 281, 423-453 | 7 |

| | | |
|-----|--|----|
| 528 | Investigation of the numerical, experimental, statistical and optimization of thin-walled energy absorber with novel configuration using response surface method under axial loading. 2020 , 22, 2735-2767 | 1 |
| 527 | Calibration of large-scale transport planning models: a structured approach. 2020 , 47, 1867-1905 | 4 |
| 526 | Conversion of Pistacia atlantica mutica oil to trimethylolpropane fatty acid triester as a sustainable lubricant. 2020 , 10, 139-148 | 5 |
| 525 | Systematic multivariate optimisation of butylene carbonate synthesis via CO ₂ utilisation using graphene-inorganic nanocomposite catalysts. 2020 , 346, 10-22 | 6 |
| 524 | A Review on Application of Soft Computing Techniques in Machining of Particle Reinforcement Metal Matrix Composites. 2020 , 27, 1363-1377 | 20 |
| 523 | Geometric Parameters Influence on the Screw Withdrawal Strength of Coir Agglomerates. 2020 , 17, 1555-1566 | 1 |
| 522 | Response surface methodology applied to extraction optimization of gold(III) by combination of imidazolium-based ionic liquid and 1-octanol from hydrochloric acid. 2020 , 55, 1133-1145 | 3 |
| 521 | Reliability assessment of display delamination considering adhesive properties based on statistical model calibration and validation. 2020 , 16, 191-206 | 1 |
| 520 | Optimisation of Marshall Design criteria with central composite design in asphalt concrete. 2020 , 21, 666-676 | 2 |
| 519 | Modelling and optimization of the pyrolysis of low-rank lignite by central composite design (CCD) method. 2020 , 40, 655-665 | 1 |
| 518 | Influence of window opening degree on natural ventilation performance of residential buildings in Hong Kong. 2020 , 26, 28-41 | 9 |
| 517 | Design of experiments and method development. 2020 , 589-608 | 8 |
| 516 | New immobilization method of anti-PepD monoclonal antibodies for the detection of <i>Listeria monocytogenes</i> p60 protein [Part A: Optimization of a crosslinked film support based on chitosan and cellulose nanocrystals (CNC)]. 2020 , 146, 104313 | 4 |
| 515 | Multivariable power least squares method: Complementary tool for Response Surface Methodology. 2020 , 11, 161-169 | 3 |
| 514 | Response surface modelling and optimisation of biodiesel production from Avocado plant (<i>Persea americana</i>) oil. 2020 , 62, 243-250 | 14 |
| 513 | Process simulation-integrated optimization of lignocellulolytic enzyme production. 2020 , 153, 107420 | 0 |
| 512 | Development of a standard calibration procedure for the DEM parameters of cohesionless bulk materials [Part II: Efficient optimization-based calibration. 2020 , 360, 967-976 | 27 |
| 511 | Use of response surface methodology for optimizing the media of establishment and proliferation phases of Iranian seedless barberry. 2020 , 141, 87-101 | 1 |

| | | |
|-----|---|----|
| 510 | Investigation of internal defects and premature fracture of dissimilar refill friction stir spot welds of AA5754 and AA6061. 2020 , 106, 3523-3531 | 5 |
| 509 | Ultrasound-Assisted Extraction of GAC Peel: An Optimization of Extraction Conditions for Recovering Carotenoids and Antioxidant Capacity. 2020 , 8, 8 | 9 |
| 508 | Optimization on cleaner intensification of ozone production using Artificial Neural Network and Response Surface Methodology: Parametric and comparative study. 2020 , 252, 119833 | 43 |
| 507 | Simplified Approach for Seismic Risk Assessment of Cabinet Facility in Nuclear Power Plants Based on Cumulative Absolute Velocity. 2020 , 206, 743-757 | 9 |
| 506 | Evaluating and empirical modeling of the electrocatalytic activity and morphology of electrospun polyacrylonitrile/polyaniline/tungsten trioxide nanofibers. 2020 , 111, 950-959 | |
| 505 | Optimization and kinetic modelling of total water extracts and water soluble proteins in root extracts of <i>Eurycoma apiculata</i> by microwave assisted extraction. 2020 , 31, 1-8 | 3 |
| 504 | Mechanical and drilling performance of short jute fibre-reinforced polymer biocomposites: statistical approach. 2020 , 106, 1989-2006 | 16 |
| 503 | Design of experiments in 241Am alpha source preparation by electrodeposition: an approach to process optimization. 2020 , 323, 473-493 | |
| 502 | Multifidelity Surrogate Assisted Rapid Design of Transverse-Flux Permanent Magnet Linear Synchronous Motor. 2020 , 67, 7280-7289 | 9 |
| 501 | Robust modeling, analysis and optimization of entrained flow co-gasification of petcoke with coal using combined array design. 2020 , 45, 294-308 | 10 |
| 500 | Manufacturing a ring spun slub yarn using multi-channel drafting technique. 2020 , 15, 155892502095851 | 0 |
| 499 | Statistical optimization of production parameters for enhanced lovastatin production from endophytic <i>Aspergillus terreus</i> . 2020 , 29, 101787 | 2 |
| 498 | Modelling and optimisation of hardness behaviour of sintered Al/SiC composites using RSM and ANN: a comparative study. 2020 , 9, 14036-14050 | 31 |
| 497 | Investigation of nanoparticle effect on performance of solar membrane distillation. 2020 , 1 | 1 |
| 496 | Robust Assessment of Controllable Operating Parameters of Entrained Flow Cogasification of Petcoke with Coal: Considering Some Uncertainties. 2020 , 5, 18490-18498 | |
| 495 | Optimal Learning with Local Nonlinear Parametric Models over Continuous Designs. 2020 , 42, A2134-A2157 | 3 |
| 494 | Development and Performance Analysis of Pneumatic Soft-Bodied Bionic Basic Execution Unit. 2020 , 2020, 1-13 | 2 |
| 493 | Enhancement of cutting quality of abrasive waterjet by using multipass cutting strategy. 2020 , 60, 530-543 | 2 |

| | | |
|-----|--|----|
| 492 | Influence of process parameters on surface roughness during dry turning of Ti6Al4V. 2020 , | 1 |
| 491 | A robust multi response surface approach for optimization of multistage processes. 2020 , 38, 213-228 | 1 |
| 490 | Extraction and purification of peroxidase and trypsin inhibitor from soybean hulls: A strategy to revalue a waste as a source of different types of molecules of biotechnological interest. 2020 , 252, 117456 | 2 |
| 489 | Multi-objective Optimization of Double-Jet MQL System Parameters Meant for Enhancing the Turning Performance of Ti6Al4V Alloy. 2020 , 45, 9505-9526 | 9 |
| 488 | Determination of optimization parameters based on the Box-Behnken design for cloud point extraction of quinoline yellow using Brij 58 and application of this method to real samples. 2020 , 243, 118800 | 4 |
| 487 | Evaluation of Polyphenolic Profile and Antioxidant Activity of L. Leaves and Fruit Extract Obtained by Optimized Microwave-Assisted Extraction. 2020 , 9, | 17 |
| 486 | Embedding of L-Arginine into graphene oxide (GO) for endotoxin removal from water: Modeling and optimization approach. 2020 , 607, 125491 | 12 |
| 485 | Multiwalled Carbon Nanotube-N-Doped Graphene/Poly(3,4-ethylenedioxythiophene):Poly(styrenesulfonate) Nanohybrid for Electrochemical Application in Intelligent Sensors and Supercapacitors. 2020 , 5, 28452-28462 | 6 |
| 484 | Multi-Objective Six-Sigma Approach for Robust Optimization of Multi-Point Dieless Forming Process. 2020 , 21, 1791-1806 | |
| 483 | Design optimization of hydrodynamic coupling applying response surface method combined with CFD technique. 2020 , 42, 1 | 1 |
| 482 | Optimized Nanostructured Lipid Carriers Integrated into In Situ Nasal Gel for Enhancing Brain Delivery of Flibanserin. 2020 , 15, 5253-5264 | 10 |
| 481 | Exploring the synergistic potential of response surface methodology based multi-objective optimization in the performance-emission-stability trade-off envelope of an existing diesel engine. 2020 , 1-25 | 3 |
| 480 | Hydrothermal pretreatment and acid hydrolysis of coconut pulp residue for fermentable sugar production. 2020 , 122, 31-40 | 10 |
| 479 | Removal of SO and NO from flue gas using mud-phosphorus slurry. 2020 , 27, 23270-23280 | 5 |
| 478 | Development, properties and potential applications of high-energy fuel briquettes incorporating coal dust, biowastes and post-consumer plastics. 2020 , 2, 1 | 5 |
| 477 | Preparation and optimization of antifouling PPSU/PES/SiO ₂ nanocomposite ultrafiltration membranes by VIPS-NIPS technique. 2020 , 88, 292-311 | 15 |
| 476 | Optimisation of bleaching time and H ₂ O ₂ concentration of handmade paper from Areca catechu L. fibre. 2020 , 475, 012090 | 1 |
| 475 | Optimization of nanostructured lipid carriers: understanding the types, designs, and parameters in the process of formulations. 2020 , 22, 1 | 45 |

| | | |
|-----|--|----|
| 474 | An Innovative 9-Parameter Magnetic Calibration Method Using Local Magnetic Inclination and Calibrated Acceleration Value. 2020 , 20, 11275-11282 | 2 |
| 473 | Comparison between sinusoidal AC coagulation and conventional DC coagulation in removing Cu from printed circuit board wastewater. 2020 , 197, 110629 | 7 |
| 472 | Rationally designed synthesis of bright AgInS ₂ /ZnS quantum dots with emission control. 2020 , 13, 2438-2450 | 13 |
| 471 | Intranasal Niosomal Gel as a Promising Approach for Enhancing Flibanserin Bioavailability and Brain Delivery: In Vitro Optimization and / Evaluation. 2020 , 12, | 21 |
| 470 | Experimental verification of the boundary conditions in the success of the Brazilian test with loading arcs. An uncertainty approach using concrete disks. 2020 , 132, 104380 | 2 |
| 469 | Selective leaching of arsenic from copper converter flue dust by Na ₂ S and its stabilization with Fe ₂ (SO ₄) ₃ . 2020 , 30, 1674-1686 | 11 |
| 468 | Nonlinear performance evaluation model for throughput of AQM scheme using full factorial design approach. 2020 , 33, e4357 | 1 |
| 467 | Thyristor controlled reactor-based voltage and frequency regulation of a three-phase self-excited induction generator feeding unbalanced load. 2020 , 30, e12387 | 8 |
| 466 | Physics driven real-time blood flow simulations. 2020 , 364, 112963 | 4 |
| 465 | Machine Learning-Driven Insights into Defects of Zirconium Metal-Organic Frameworks for Enhanced Ethane-Ethylene Separation. 2020 , 32, 2986-2997 | 21 |
| 464 | Multiobjective Optimization for the Greener Synthesis of Chloromethyl Ethylene Carbonate by CO ₂ and Epichlorohydrin via Response Surface Methodology. 2020 , 13, 741 | 1 |
| 463 | Physics-informed multi-LSTM networks for metamodeling of nonlinear structures. 2020 , 369, 113226 | 43 |
| 462 | Optimizing initial oil production of horizontal Wolfcamp wells utilizing data analytics. 2020 , 10, 2357-2371 | 6 |
| 461 | Understanding the effect of temperature and time on protein degree of hydrolysis and lipid oxidation during ensilaging of herring (<i>Clupea harengus</i>) filleting co-products. 2020 , 10, 9590 | 7 |
| 460 | Modeling and optimization of ultrasound-assisted adsorption of crystal violet dye by graphene oxide nanoparticles using response surface methodology. 2020 , 1-17 | 9 |
| 459 | Basics of Data-Driven Surrogate Modeling. 2020 , 23-58 | 1 |
| 458 | Multi-response robust design optimization of natural draft biomass cook stove using response surface methodology and desirability function. 2020 , 135, 105507 | 6 |
| 457 | Coupling Soft Computing, Simulation and Optimization in Supply Chain Applications: Review and Taxonomy. 2020 , 8, 31710-31732 | 4 |

| | | |
|-----|---|----|
| 456 | In Silico Study of Alkaline Serine Protease and Production Optimization in Bacillus sp. Khoz1 Closed Bacillus safensis Isolated from Honey. 2020 , 26, 2241-2251 | 4 |
| 455 | A Polarization-Consistent Model for Alcohols to Predict Solvation Free Energies. 2020 , 60, 1352-1367 | 8 |
| 454 | Optimization studies on biodegradation of atrazine by ABP6 strain using response surface methodology. 2020 , 26, e00459 | 16 |
| 453 | Emission and Performance Optimization of Marine Four-Stroke Dual-Fuel Engine Based on Response Surface Methodology. 2020 , 2020, 1-9 | 4 |
| 452 | Energy Conservation in Absorption Refrigeration Cycles Using DES as a New Generation of Green Absorbents. 2020 , 22, | 5 |
| 451 | The effect of glycidyl methacrylate and styrene comonomers on compatibility, physical-mechanical properties, and swelling behavior of SBR/NBR blends. 2020 , 60, 1278-1290 | 1 |
| 450 | Managing computational complexity using surrogate models: a critical review. 2020 , 31, 275-298 | 63 |
| 449 | A Magnetic Nondestructive Evaluation Method to Simultaneously Determine Chemical Composition and Heat Treatment Characteristics of Plain Carbon Steels: A Statistical Modeling Approach. 2020 , 29, 2560-2573 | 0 |
| 448 | Experimental assessment of a small scale hybrid liquid desiccant dehumidification incorporated vapor compression refrigeration system: An energy saving approach. 2020 , 174, 115288 | 9 |
| 447 | Optimized Icaritin Phytosomes Exhibit Enhanced Cytotoxicity and Apoptosis-Inducing Activities in Ovarian Cancer Cells. 2020 , 12, | 35 |
| 446 | Optimisation of liquid rubber modified bitumen for road pavements and roofing applications. 2020 , 249, 118630 | 5 |
| 445 | Preparation, Optimization, and Evaluation of Epichlorohydrin Cross-Linked Enset () Starch as Drug Release Sustaining Excipient in Microsphere Formulation. 2020 , 2020, 2147971 | 11 |
| 444 | Bio-inspired self-bonding nanofibrillated cellulose composite: A response surface methodology for optimization of processing variables in binderless biomass materials produced from wheat-straw-lignocelluloses. 2020 , 149, 112335 | 7 |
| 443 | Enhanced bioleaching of Cr and Ni from a chromium-rich electroplating sludge using the filtrated culture of Aspergillus niger. 2020 , 264, 121622 | 21 |
| 442 | Experimental Modeling and Optimization of CO Absorption into Piperazine Solutions Using RSM-CCD Methodology. 2020 , 5, 8432-8448 | 31 |
| 441 | Comparison of conventional extraction technique with ultrasound assisted extraction on recovery of phenolic compounds from lemon scented tea tree () leaves. 2020 , 6, e03666 | 28 |
| 440 | Seismic fragility analysis in the probabilistic performance-based earthquake engineering framework: an overview. 2021 , 13, 122-135 | 9 |
| 439 | Experimental analysis on the performance of a pico-hydro Turgo turbine. 2021 , 33, 266-275 | 2 |

| | | |
|-----|---|----|
| 438 | An approach for prediction optimum crystallization conditions for formation of beta polypropylene by response surface methodology (RSM). 2021 , 93, 106921 | 4 |
| 437 | Robust design optimization of retaining wall backfilled with shredded tire in the face of earthquake hazards. 2021 , 80, 1351-1363 | 5 |
| 436 | Investigation of the ultrasound assisted CO2 absorption using different absorbents. 2021 , 149, 277-288 | 5 |
| 435 | Electrical explosion of nickel wire as an efficient method for large-scale preparation of nickel oxide nanopowders: evaluation of operational key factors on the average crystallite size and average size distribution using response surface methodology (RSM). 2021 , 18, 297-305 | 2 |
| 434 | Sequential recovery of C-phycoyanin and chlorophylls from <i>Anabaena cylindrica</i> . 2021 , 255, 117538 | 8 |
| 433 | Electrochemical extraction of palladium from spent heterogeneous catalysts of a petrochemical unit using the leaching and flat plate graphite electrodes. 2021 , 258, 117527 | 2 |
| 432 | Effects of powder bed fusion process parameters on hardness for Inconel 718. 2021 , 38, 2275-2280 | 2 |
| 431 | Cr reductive transformation process by humic acid extracted from bog peat: Effect of variables and multi-response modeling. 2021 , 263, 128221 | 1 |
| 430 | Optimization of ultrasonic nanocrystalline surface modification of copper and its influence on fatigue life. 2021 , 4, 156-164 | 2 |
| 429 | Electrocoagulation/Electroflotation Process for Removal of Organics and Microplastics in Laundry Wastewater. 2021 , 49, 2000146 | 11 |
| 428 | A novel approach for bio-lubricant production from rapeseed oil-based biodiesel using ultrasound irradiation: Multi-objective optimization. 2021 , 43, 100960 | 10 |
| 427 | Optimization of mixture proportions by statistical experimental design using response surface method - A review. 2021 , 36, 102101 | 11 |
| 426 | Highly efficient and green catalyst of {Mo132} nanoballs supported on ionic liquid-functionalized magnetic silica nanoparticles for oxidative desulfurization of dibenzothiophene. 2021 , 258, 117960 | 9 |
| 425 | Application of response surface methodology for weld strength prediction in FSSWed TRIP steel joints. 2021 , 65, 183-198 | 1 |
| 424 | Low-temperature colloidal synthesis of monodisperse MAPbBr3 perovskite quantum dots using octylamine. 2021 , 285, 128933 | |
| 423 | Modelling air change rate of naturally ventilated dairy buildings using response surface methodology and numerical simulation. 2021 , 14, 827-839 | 6 |
| 422 | Optimal prediction variance properties of some central composite designs in the hypercube. 2021 , 50, 1911-1924 | 2 |
| 421 | A novel approach to finding optimum operating conditions of design factors for the grinding experiment. 2021 , 39, 204-212 | 0 |

| | | |
|-----|---|----|
| 420 | Sensitivity analysis of entropy production in Al ₂ O ₃ /H ₂ O nanofluid through converging pipe. 2021 , 143, 431-444 | 9 |
| 419 | Thermodynamic modelling of dimethyl ether steam reforming. 2021 , 23, 1353-1363 | 0 |
| 418 | Nitrite removal by TX: a candidate of curbing NO emission. 2021 , 1-10 | |
| 417 | Ultrasonic nanocrystalline surface modification of low strength aluminum alloy: trade-off between surface integrity and production rate aiming at desired fatigue life. 2021 , 113, 1237-1251 | 2 |
| 416 | Dynamic Stability Enhancement of Grid Connected Wind System Using Grey Wolf Optimization Technique. 2021 , 147-155 | |
| 415 | Optimal dissolution and viscoelastic behavior of polyamide-66 in formic acid for membrane fabrication. 2021 , 32-32 | 0 |
| 414 | Rare-Event Chance-Constrained Flight Control Optimization Using Surrogate-Based Subset Simulation. 2021 , | |
| 413 | Optimization of Load-Carrying Hierarchical Stiffened Shells: Comparative Survey and Applications of Six Hybrid Heuristic Models. 2021 , 28, 4153-4166 | 16 |
| 412 | Metamodeling and Machine Learning. 2021 , 485-515 | |
| 411 | Experimental Optimization with Response Surface Methods. 2021 , 241-260 | |
| 410 | Optimization of extraction conditions for ultrasound-assisted extraction of phenolic compounds from tamarillo fruit (<i>Solanum betaceum</i>) using response surface methodology. 2021 , 15, 1763-1773 | 9 |
| 409 | Chemical Etching Processes at the Dynamic GaAs/Electrolyte Interface in the Electrochemical Direct-Writing Micromachining. 2021 , 3, 437-444 | 2 |
| 408 | Reduced Complexity Optimal Resource Allocation for Enhanced Video Quality in a Heterogeneous Network Environment. 2021 , 1-1 | 1 |
| 407 | Optimal design of flexspline structure based on approximation model. 1-19 | |
| 406 | Influence of Spanwise Distribution of Impeller Exit Circulation on Optimization Results of Mixed Flow Pump. 2021 , 11, 507 | 4 |
| 405 | Application of response surface methodology on the nanofluid flow over a rotating disk with autocatalytic chemical reaction and entropy generation optimization. 2021 , 11, 4021 | 14 |
| 404 | Valorization of banana pseudostem as a catalyst for transesterification process and its optimization studies. 1 | 2 |
| 403 | A comprehensive review of mathematical models of photo fermentation. 2021 , 41, 628-648 | 3 |

| | | |
|-----|---|----|
| 402 | Catalytic Production of Glycolic Acid from Glycerol Oxidation: An Optimization Using Response Surface Methodology. 2021 , 11, 257 | 0 |
| 401 | Hybrid Mold: Comparative Study of Rapid and Hard Tooling for Injection Molding Application Using Metal Epoxy Composite (MEC). 2021 , 14, | 4 |
| 400 | Effects of transient processes for thermal simulations of the Central European Basin. 2021 , 14, 1699-1719 | 1 |
| 399 | Optimal design and strength reliability analysis of pressure shell with grid sandwich structure. 2021 , 223, 108657 | 10 |
| 398 | Impact of wear parameters on NiCr-WC10Co4Cr and WC10Co4Cr HVOF sprayed composite coatings using response surface methodology. 2021 , 114, 525-539 | 2 |
| 397 | A New Approach for the Leaching of Palladium from Spent Pd/C Catalyst in HCl/H ₂ O ₂ System. 2021 , 57, 297-305 | 0 |
| 396 | Reactive Extraction as an Intensifying Approach for the Recovery of Organic Acids from Aqueous Solution: A Comprehensive Review on Experimental and Theoretical Studies. 2021 , 66, 1557-1573 | 11 |
| 395 | Simultaneous electrochemical decolorization of Acid Red 33, Reactive Orange 7, Acid Yellow 3 and Malachite Green dyes by electrophoretically prepared Ti/nanoZnO-MWCNTs anode: Experimental design. 2021 , 884, 115066 | 3 |
| 394 | Studying the effects of process parameters on the mechanical properties in friction stir welding of Al-SiC composite sheets. 2021 , 113, 3629-3641 | 6 |
| 393 | ZnO/CuO composite catalyst to pre-esterify waste coconut oil for producing biodiesel in high yield. 2021 , 132, 935-966 | 1 |
| 392 | Numerical modeling of entropy production in Al ₂ O ₃ /H ₂ O nanofluid flowing through a novel Bessel-like converging pipe. 2021 , 11, 159-178 | 1 |
| 391 | Yanıt Yüey Metodolojisi Kullanıarak 1-Propanol/Benzin Yakıt Karışımlarının Egzoz Emisyonlarının Etkisinin Araştırılması | 0 |
| 390 | Modeling the operational conditions of nonthermal plasma decomposition of airborne VOCs. 2021 , 3, 100063 | 0 |
| 389 | Mechanical properties of GGBFS-based geopolymer concrete incorporating natural zeolite and silica fume with an optimum design using response surface method. 2021 , 36, 102138 | 25 |
| 388 | Modeling the kinetics of essential oil content and main constituents of mint (<i>Mentha aquatica</i> L.) leaves during thin-layer drying process using response surface methodology. 2021 , 45, e15515 | 1 |
| 387 | Selective Laser Sintering of a Photosensitive Drug: Impact of Processing and Formulation Parameters on Degradation, Solid-State, and Quality of 3D Printed Dosage Forms. | |
| 386 | Supercritical CO ₂ Extraction as a Tool to Isolate Anti-Inflammatory Sesquiterpene Lactones from L. Roots. 2021 , 26, | 2 |
| 385 | Loading Optimization of Mesoporous Silica Nanoparticle as Drug Delivery Agent. 2021 , 1912, 012045 | |

| | | |
|-----|---|----|
| 384 | Experimental investigation and CFD simulation of cavity flow effects on liquids mixing in vortex-based microfluidic chips: Quantitative visualization and optimization by response surface method (RSM). 2021 , 38, 297 | 2 |
| 383 | A comprehensive simulation and optimization on heat transfer characteristics of subcooled seawater falling film around elliptical tubes. 2021 , 189, 116675 | 9 |
| 382 | BayCANN: Streamlining Bayesian Calibration With Artificial Neural Network Metamodeling. 2021 , 12, 662314 | 2 |
| 381 | Fe ^{III} /O ₂ Composite Mediated the Hybrid Effect of Photocatalysis and Photo-Fenton for the Inactivation of Escherichia coli Using a Continuous Flow Recirculation Reactor. 2021 , 60, 7558-7571 | 1 |
| 380 | Regression Optimization for System-level Production Control. 2021 , | 1 |
| 379 | Biosynthesis and Characterization of a Novel Fibrinolytic Alkaline Serine Protease From Newly Isolated Bacillus flexus BF12 for Biomedical Applications. 2021 , 22, 706-717 | 1 |
| 378 | Optimizing the composition of the medium for the viable cells of subsp. lactis JNU306 using response surface methodology. 2021 , 63, 603-613 | 1 |
| 377 | Application of central composite design approach for optimization nitrate removal from aqueous solution by immobilized Pseudomonas putida. 2021 , 83, 2931-2946 | 3 |
| 376 | Response Surface-Assisted Trust-Region Method for Optimization of Electromagnetic Devices. 2021 , 57, 1-12 | 0 |
| 375 | PIRS3A: A Low Complexity Multi-knapsack-based Approach for User Association and Resource Allocation in HetNets. 2021 , | 3 |
| 374 | Statistical modeling and optimization of microbial phytase production towards utilization as a feed supplement. 1 | 1 |
| 373 | Structured neural network models to improve robust design solutions. 2021 , 156, 107231 | 1 |
| 372 | Central Composite Design: a Response Surface Methodology Approach in Biodegradation of Textile Dye Wastewater. 2021 , 43, 461-475 | |
| 371 | Robust Design of a Fuel Cell Turbocharger Hybrid System. 2021 , 143, | |
| 370 | Preparation of poly(acrylamide-co-2-acrylamido-2-methylpropan sulfonic acid)-g-Carboxymethyl cellulose/Titanium dioxide hydrogels and modeling of their swelling capacity and mechanic strength behaviors by response surface method technique. 2021 , 61, 2083-2096 | 2 |
| 369 | Sunflower optimization algorithm-based optimal PI control for enhancing the performance of an autonomous operation of a microgrid. 2021 , 12, 1883-1893 | 13 |
| 368 | Genomic Prediction of Strawberry Resistance to Postharvest Fruit Decay Caused by the Fungal Pathogen Botrytis cinerea. | |
| 367 | Multi-fidelity analysis and uncertainty quantification of beam vibration using co-kriging interpolation method. 2021 , 398, 125987 | 3 |

| | | |
|-----|---|----|
| 366 | Microencapsulation of vitamin E: Optimization and Characterization of Complex Coacervation Conditions Using Response Surface Methodology. | 0 |
| 365 | Impact of Camera Viewing Angle for Estimating Leaf Parameters of Wheat Plants from 3D Point Clouds. 2021 , 11, 563 | 5 |
| 364 | Optimizing QR code readability for curved agro-food packages using response surface methodology to improve mobile phone-based traceability. 2021 , 28, 100638 | 4 |
| 363 | The Role of Polymer Carrier and Process Parameters for Small Molecule Drug Delivery via Blended Electrospinning. 2021 , 11, 2150001 | |
| 362 | Statistical Optimisation and Kinetic Studies of Molybdenum Reduction Using a Psychrotolerant Marine Bacteria Isolated from Antarctica. 2021 , 9, 648 | 3 |
| 361 | Easing or tightening control strategies: determination of COVID-19 parameters for an agent-based model. 2021 , 1-29 | 4 |
| 360 | Synthesis of ellagic acid glucoside using glucansucrase from <i>Leuconostoc</i> and characterization of this glucoside as a functional neuroprotective agent. 2021 , 11, 108 | 1 |
| 359 | Uses of the Response Surface Methodology for the Optimization of Agro-Industrial Processes. | 1 |
| 358 | waste to ethanol valorisation employing optimized levels of saccharification and fermentation. 2021 , 28, 3710-3719 | 3 |
| 357 | Optimization of enzymatic hydrolysis conditions of chemical pretreated cotton stalk using response surface methodology for enhanced bioethanol production yield. 1 | 0 |
| 356 | Ultrasound-assisted preparation of calcium malate and its absorption. 2021 , 16, e0254583 | |
| 355 | Experimental and CFD scale-up studies for intensified actinide/lanthanide separations. 2021 , 164, 108355 | 1 |
| 354 | Theoretical developments in response surface designs: an informative review and further thoughts. 1-25 | 1 |
| 353 | Determination of the Optimal Neural Network Transfer Function for Response Surface Methodology and Robust Design. 2021 , 11, 6768 | 2 |
| 352 | Calcium Oxide Supported on Coal Fly Ash (CaO/CFA) as an Efficient Catalyst for Biodiesel Production from <i>Jatropha curcas</i> Oil. 1 | 2 |
| 351 | Multiobjective optimization of thermophysical properties of Indonesian fly-ash nanofluid. 2021 , 49, 1255-1255 | 1 |
| 350 | Design of experiments (DoE) to develop and to optimize nanoparticles as drug delivery systems. 2021 , 165, 127-148 | 19 |
| 349 | Optimisation of Various Physicochemical Variables Affecting Molybdenum Bioremediation Using Antarctic Bacterium, <i>Arthrobacter</i> sp. Strain AQ5-05. 2021 , 13, 2367 | 2 |

| | | |
|-----|--|----|
| 348 | Modeling of phenol removal from water by NiFe ₂ O ₄ nanocomposite using response surface methodology and artificial neural network techniques. 2021 , 9, 105576 | 4 |
| 347 | Modeling, Optimization and Performance Evaluation of TiC/Graphite Reinforced Al 7075 Hybrid Composites Using Response Surface Methodology. 2021 , 14, | 10 |
| 346 | Performance optimization of an axial turbine with a casing injection based on response surface methodology. 2021 , 43, 1 | 2 |
| 345 | Experiment and computation multi-fidelity multi-objective airfoil design optimization of fixed-wing UAV. 2021 , 35, 4065-4072 | 3 |
| 344 | Shape optimization of regenerative flow compressor with aero-foil type blades using response surface methodology coupled with CFD. 2021 , 64, 2653 | 1 |
| 343 | Polysaccharide-based hydrogels: properties, advantages, challenges, and optimization methods for applications in regenerative medicine. 1-15 | 10 |
| 342 | Application of Surrogate Optimization Routine with Clustering Technique for Optimal Design of an Induction Motor. 2021 , 14, 5042 | 3 |
| 341 | Multi-response modeling for sliding wear behavior of AA5052/TiC composites by stir casting: A comparative analysis using response surface methodology and fuzzy logic system. 095440892110374 | 2 |
| 340 | Novel and simplified optimisation pathway using response surface and design of experiments methodologies for dental implants based on the stress of the cortical bone. 2021 , 235, 1297-1309 | |
| 339 | Performance optimization of a nanofluid-based photovoltaic thermal system integrated with nano-enhanced phase change material. 2021 , 295, 116859 | 17 |
| 338 | Conversion of poultry-fat waste to a sustainable feedstock for biodiesel production via microbubble injection of reagent vapor. 2021 , 311, 127525 | 5 |
| 337 | Bactericidal effect of ultraviolet C light-emitting diodes: Optimization of efficacy toward foodborne pathogens in water. 2021 , 222, 112277 | 0 |
| 336 | Extraction method affects seed oil yield, composition, and antioxidant properties of European cranberrybush (<i>Viburnum opulus</i>). 2021 , 168, 113632 | 8 |
| 335 | Integrated ion exchange-based system for nitrate and sulfate removal from water of different matrices: Analysis and optimization using response surface methodology and Taguchi experimental design techniques. 2021 , 153, 500-517 | 2 |
| 334 | A measure of orthogonality for the central composite designs. 1-15 | |
| 333 | Effectiveness of potassium ferrate (VI) as a green agent in the treatment and disinfection of carwash wastewater. 2021 , 1 | 5 |
| 332 | Vertical wind speed extrapolation: Modelling using a response surface methodology (RSM) based on unconventional designs. 0309524X2110463 | 0 |
| 331 | Anaerobic co-digestion of raw glycerol and swine manure: microbial communities. 1 | 0 |

| | | |
|-----|--|---|
| 330 | Robust Optimization for Stability of I-Walls and Levee System Resting on Sandy Foundation. 1 | 0 |
| 329 | Selective Laser Sintering of a Photosensitive Drug: Impact of Processing and Formulation Parameters on Degradation, Solid State, and Quality of 3D-Printed Dosage Forms. 2021 , 18, 3894-3908 | 3 |
| 328 | High-Dimensional Uncertainty Quantification in a Hybrid Data + Model-Based Submodeling Method for Refined Response Estimation at Critical Locations. 2021 , 7, 04021022 | |
| 327 | Optimum Design of Flexural Strength and Stiffness for Reinforced Concrete Beams Using Machine Learning. 2021 , 11, 8762 | 2 |
| 326 | Application of Taguchi design approach to parametric optimization of adsorption of crystal violet dye by activated carbon from poultry litter. 2021 , 13, e00850 | 5 |
| 325 | The critical techno-economic aspects for production of B10 biodiesel from second generation feedstocks: a review. 1-21 | 1 |
| 324 | A noisy multi-objective optimization algorithm based on mean and Wiener filters. 2021 , 228, 107215 | 2 |
| 323 | Statistical Modeling and Performance Optimization of a Two-Chamber Microbial Fuel Cell by Response Surface Methodology. 2021 , 11, 1202 | 2 |
| 322 | Rare earth elements (REEs) recovery and porous silica preparation from kaolinite. 2021 , 391, 522-531 | 6 |
| 321 | Efficient biomass-endopolysaccharide production from an identified wild-Serbian Ganoderma applanatum strain BGS6Ap mycelium in a controlled submerged fermentation. 2021 , 37, 102166 | 2 |
| 320 | Surrogate modeling of elasto-plastic problems via long short-term memory neural networks and proper orthogonal decomposition. 2021 , 385, 114030 | 8 |
| 319 | Study on carbon fiber composite hull for AUV based on response surface model and experiments. 2021 , 239, 109850 | 3 |
| 318 | Efficient removal of gaseous toluene by the photoreduction of Cu/Zn-BTC metal-organic framework under visible-light. 2021 , 247, 167841 | 4 |
| 317 | Coordinated allocation production routing problem for mobile supply chains with shared factories. 2021 , 155, 107501 | 2 |
| 316 | Optimization and characterization of bacterial nanocellulose produced by Komagataeibacter rhaeticus K3. 2021 , 2, 100022 | 2 |
| 315 | Response surface approach to optimize the removal of the critical raw material dysprosium from water through living seaweeds. 2021 , 300, 113697 | 1 |
| 314 | Optimization of Single Pulse Control based on Design of Experiments for Switched Reluctance Machines. 2021 , | |
| 313 | Enhanced lead (II) removal with low energy consumption in an electrocoagulation column employing concentric electrodes: process optimisation by RSM using CCD. 1-18 | 6 |

| | | |
|-----|---|----|
| 312 | Optimization of palm oil biodiesel production using response surface methodology. 2021 , 56, 274-285 | 1 |
| 311 | Assessing the percent rotatability of the central composite designs. 1-21 | 1 |
| 310 | Low-Viscosity Ether-Functionalized Ionic Liquids as Solvents for the Enhancement of Lignocellulosic Biomass Dissolution. 2021 , 9, 261 | 3 |
| 309 | Methodology to Predict Emissions and Performance Parameters of a Methanol Fueled Diesel Engine. 2021 , 293-319 | |
| 308 | Development of sulfonated poly(ether ether ketone)/polyethersulfone-crosslinked quaternary ammonium poly(ether ether ketone) bipolar membrane electrolyte via hot-press approach for hydrogen/oxygen fuel cell. 2021 , 45, 9210-9228 | 4 |
| 307 | Chemometrics in forensic science: approaches and applications. 2021 , 146, 2415-2448 | 16 |
| 306 | Optimization of performance and emission of compression ignition engine fueled with propylene glycol and biodiesel-diesel blends using artificial intelligence method of ANN-GA-RSM. 2021 , 15, 413-425 | 5 |
| 305 | On Sampling Methods for Costly Multi-Objective Black-Box Optimization. 2016 , 273-296 | 10 |
| 304 | Simulation and Surface Response Methodology for Simultaneous Optimization of Response Variables: Case Study in a Warehousing Process. 2018 , 426-437 | 1 |
| 303 | A Surrogate-Based Optimization Using Polynomial Response Surface in Collaboration with Population-Based Evolutionary Algorithm. 2018 , 269-280 | 1 |
| 302 | Evaluation of Aramid Fibre-Reinforced Asphalt Mixtures. 2019 , 1377-1388 | 1 |
| 301 | Measured and Predicted Durability and Mechanical Properties of Frozen-Thawed Fine Soils. 2020 , 24, 740-751 | 4 |
| 300 | RSM-based modelling and optimization of magnesium phosphate cement-based rapid-repair materials. 2020 , 263, 120190 | 11 |
| 299 | Operational conditions optimization of a proposed solar-powered adsorption cooling system: Experimental, modeling, and optimization algorithm techniques. 2020 , 206, 118007 | 14 |
| 298 | Mycotoxins in food: a review on liquid chromatographic methods coupled to mass spectrometry and their experimental designs. 2020 , 1-21 | 3 |
| 297 | Determination of COVID-19 parameters for an agent-based model: Easing or tightening control strategies. | 5 |
| 296 | Cuttlefish Optimization Algorithm based Optimal PI Controller for Performance Enhancement of an Autonomous Operation of a DG System. 2020 , | 4 |
| 295 | General-Surrogate Adaptive Sampling Using Interquartile Range for Design Space Exploration. 2020 , 142, | 7 |

| | | |
|-----|---|----|
| 294 | Evaluation and Optimization of Dielectric Properties of PVDF/BaTiO ₃ Nanocomposites Film for Energy Storage and Sensors. 2020 , 9, 115005 | 1 |
| 293 | Optimization of fermentation conditions and properties of an exopolysaccharide from <i>Klebsiella</i> sp. H-207 and application in adsorption of hexavalent chromium. 2013 , 8, e53542 | 24 |
| 292 | The Separatrix Algorithm for synthesis and analysis of stochastic simulations with applications in disease modeling. 2014 , 9, e103467 | 3 |
| 291 | Enhancement of pharmacokinetic and pharmacological behavior of ocular dorzolamide after factorial optimization of self-assembled nanostructures. 2018 , 13, e0191415 | 7 |
| 290 | Atmospheric corrosion prediction: a review. 2020 , | 15 |
| 289 | Statistical Modelling and Optimisation of the Biosorption of Cd(II) and Pb(II) onto Dead Biomass of <i>Pseudomonas Aeruginosa</i> . 2021 , 16, | 13 |
| 288 | An A-STAR algorithm for thick composite laminate design. 2018 , 2, | 2 |
| 287 | Synthesis and Mechanical Reconfiguration of Ground Plane Tilted Microstrip Antennas Based on Tetra-Circle Fractals. 2020 , 19, 228-241 | 2 |
| 286 | Phase Behavior, Wettability Alteration, and Oil Recovery of Low-Salinity Surfactant Solutions in Carbonate Reservoirs. 2020 , 25, 1784-1802 | 7 |
| 285 | Optimization of ventilated brake disc rotor geometry for enhanced structural characteristics. 2020 , 8, 98-106 | 9 |
| 284 | Optimization of Dissolution Conditions During Fractionation of Corn-cob in ZnCl ₂ .4H ₂ O/Urea Solvent System: A Statistical Approach. 2019 , 13, 33-45 | 1 |
| 283 | Simulation of Low Density Polyethylene (LDPE) Pyrolysis and Optimisation of Pyro-Oil Yield. 2020 , 35, 229-235 | 5 |
| 282 | A Comparison between Several Response Surface Methodology Designs and a Neural Network Model to Optimise the Oxidation Conditions of a Lignocellulosic Blend. 2020 , 10, | 1 |
| 281 | Microbial Alpha-Amylase Production: Progress, Challenges and Perspectives. 2020 , 10, 350-358 | 27 |
| 280 | Optimization of Bioactive Metabolites production by a Newly Isolated Marine <i>Streptomyces</i> sp. Using Statistical Approach. 2015 , 14, 211-224 | 4 |
| 279 | A Framework for the Modelling and Optimisation of a Lean Assembly System Design with Multiple Objectives. 2014 , 96-125 | 2 |
| 278 | Experimental Design and Its Posterior Efficiency for the Calibration of Wearable Sensors. 2015 , 07, 11-20 | 4 |
| 277 | Optimal Design of Permanent Magnetic Actuator for Permanent Magnet Reduction and Dynamic Characteristic Improvement using Response Surface Methodology. 2015 , 10, 935-943 | 4 |

- 276 OPTIMASI PROSES PEMBUATAN TEPUNG LABU KUNING MENGGUNAKAN RESPONSE SURFACE METHODOLOGY UNTUK MENINGKATKAN AKTIVITAS ANTIOKSIDANNYA. **2018**, 29, 29-38 3
- 275 Magnetic separation of micron-sized particles: process study and regression modelling using moving least squares and multivariable power least squares method. 1-15
- 274 Integration of Functional Link Neural Networks into a Parameter Estimation Methodology. **2021**, 11, 9178 1
- 273 A comparative study of mathematical and ANFIS models to determine the effect of ultrasonic waves on the viscosity of crude oil. 1-16 0
- 272 Performance of ion pairing chromatography and hydrophilic interaction liquid chromatography coupled to charged aerosol detection for the analysis of underivatized amino acids. **2021**, 1659, 462613 1
- 271 Electric vehicles body frame structure design method: An approach to design electric vehicle body structure based on battery arrangement. 095440702110529 1
- 270 Quality by design tools reducing the gap from bench to bedside for nanomedicine. **2021**, 169, 144-155 2
- 269 Encyclopedia of Membranes. **2015**, 1-3
- 268 Classic Regression Metamodels and Their Designs. **2015**, 23-81
- 267 Statistical analysis and optimization of igbt manufacturing flow. **2015**, 38-43
- 266 Simulation Optimization. **2015**, 241-300
- 265 Classic Assumptions Versus Simulation Practice. **2015**, 83-133
- 264 Study on the response surface optimization of online upgrading of bio-oil with MCM-41 and catalyst durability analysis. **2017**, 22, 19-30
- 263 Optimization of extraction parameters of flavonoids from the seed shell of Juglans mandshurica and evaluation of antioxidant activity in vitro. **2016**,
- 262 A Multiresponse Optimization Model for Statistical Design of Processes with Discrete Variables. **2017**, 17-37
- 261 Analysis of robust parameter designs. **2017**, 16, 179-194
- 260 A novel method for multifactorial bio-chemical experiments design based on combinational design theory. **2017**, 12, e0186853 2
- 259 Geometric Design of Tumbling Mill Lifter Bars Utilizing the Discrete Element Method. **2018**, 878-888

| | | |
|-----|--|---|
| 258 | Other Computational Methods for Optimization. 2019 , 57-67 | 0 |
| 257 | Process Development of Al-alloy Wire Bonding for High-Temperature Power Electronics. 2018 , 2018, 000566-000571 | |
| 256 | Designing Governance as Collective Intelligence. | |
| 255 | A Practical Solution to the Small Sample Size Bias and Uncertainty Problems of Model Selection Criteria in Two-Input Process Multiple Response Surface Methodology Datasets. 2019 , 09, 109-142 | |
| 254 | Metamodel-Based Optimization of the Article-to-Device Assignment and Manpower Allocation Problem in Order Picking Warehouses. 2019 , 277-284 | |
| 253 | Optimization of the Tunnel Drying Process of Cassava Chips Using Response Surface Methodology. 2019 , 15, 11-21 | |
| 252 | Development of foamy-like 3-dimensional graphene networks decorated with iron oxide nanoparticles for strontium adsorption. 2021 , 56, 1184-1194 | 1 |
| 251 | Effects of Sr ²⁺ on the preparation of Escherichia coli DH5 α competent cells and plasmid transformation. 8, e9480 | 0 |
| 250 | Modelling and optimizing surface roughness and MRR in electropolishing of AISI 4340 low alloy steel in eco-friendly NaCl based electrolyte using RSM. 2021 , 8, 106528 | 1 |
| 249 | Experimental investigation of rheological properties of water-base mud with zinc oxide nanoparticles using response surface methodology. 2021 , 208, 109781 | 1 |
| 248 | An outlook on recent progress in poly(lactic acid): polymerization, modeling, and optimization. 2022 , 31, 59 | 1 |
| 247 | Comparative study of hybrid and nanofluid flows amidst two rotating disks with thermal stratification: Statistical and numerical approaches. 2021 , 28, 101596 | 6 |
| 246 | Mechanical Characterization of PLA Used in Manufacturing of 3D Printed Medical Equipment for COVID-19 Pandemic. 2020 , | 1 |
| 245 | Cutting Path-associated Energy Consumption of Milling Machining Process. 1003, 012071 | 0 |
| 244 | Experimental Research of the Robotic Assembly Process Using the Effect of Rotation and Low-Frequency Vibration. 2020 , | |
| 243 | Identification of structural parameters and boundary conditions using a minimum number of measurement points. 2020 , 14, 1331-1348 | 1 |
| 242 | Optimising Tropical Fruit Juice Quality Using Thermosonication-Assisted Extraction via Blocked Face-Centered Composite Design. 2021 , 9, 3 | 0 |
| 241 | Non-Parametric Response Surface Analysis: Detecting Network Homotopy Variation. 2020 , | |

| | | |
|-----|--|---|
| 240 | Utilization of response surfaces in the optimization of roll-pass design in hot-rolling. 2020 , 9, 1307-1318 | 0 |
| 239 | Box-Behnken-Design based optimization strategy for alkaline pretreatment of palm oil mill effluent for producing reducing sugar. 596, 012024 | |
| 238 | TEPKİ VE YETİŞTİRİLMİŞ TASARIMI VE YAPAY SINIR AÇILIŞI YAKLAŞIMI UYGULANARAK EPOKSİ MATRİSLİ KOMPOZİT MALZEMENİN ALİNA DAYANIMININ TAHMİNİ VE MODELLENMESİ 1325-1344 | 0 |
| 237 | Optimization of physico-chemical and membrane filtration processes to remove high molecular weight polymers from produced water in enhanced oil recovery operations. 2022 , 302, 114015 | 1 |
| 236 | Theoretical and experimental investigation on a novel design of wick type solar still for sustainable freshwater production. 2022 , 200, 117648 | 5 |
| 235 | Research of the Effect of Rotation and Low-Frequency Vibration on the Robotic Assembly Process. 2020 , 5, 160-168 | 1 |
| 234 | Introduction. 2020 , 1-22 | |
| 233 | Modelling and optimization of total polyphenols extraction from Curcuma caesia. 2020 , | 0 |
| 232 | Optimization and effects of machining parameters on delamination in drilling of pure and Al ₂ O ₃ /SiO ₂ -added GFRP composites. 1 | 1 |
| 231 | A Comparison Analysis of Fuzzy and Bayesian Linear Model Parameter Estimates for Replicated Response Measures. | |
| 230 | Performance of a Natural Gas Solid Oxide Fuel Cell System With and Without Carbon Capture. 2021 , 143, | 1 |
| 229 | Box-Behnken Design Optimization of Sand Casting Process Parameters. 2020 , 6, 25-36 | 1 |
| 228 | Optimization of Single Pulse Control based on Design of Experiments for Switched Reluctance Machines. 2020 , | 0 |
| 227 | Micro-structured Drilling Tools for Processing Lightweight Aluminum Material. | |
| 226 | Exposure of African Catfish (<i>Clarias gariepinus</i>) to Lead and Zinc Modulates Membrane-Bound Transport Protein: A Plausible Effect on Na/K-ATPase Activity. 2021 , 1 | |
| 225 | Sustainable food processing of selected North American native berries to support agroforestry. 2021 , 1-26 | 4 |
| 224 | Numerical Study on Optimal Geometric Parameters for Multi-performance of Friction High-Strength Bolts. 1 | |
| 223 | Optimization of process parameters in oxygen enriched combustion of biocoal and soma lignite blends by response surface methodology. 2021 , 101819 | 0 |

| | | |
|-----|---|---|
| 222 | How biased are our models? A case study of the alpine region. 2021 , 14, 7133-7153 | 1 |
| 221 | Genomic Prediction of Strawberry Resistance to Postharvest Fruit Decay Caused by the Fungal Pathogen <i>Botrytis cinerea</i> . 2021 , | 2 |
| 220 | Comprehensive investigation and prediction model for mechanical properties of coconut wood/polylactic acid composites filaments for FDM 3D printing. 1 | 0 |
| 219 | Optimized extraction of Pb (II) and Co (II) with glycolamide mono and di-ionic liquids using response surface methodology. 2021 , 35, e3382 | |
| 218 | Transfer prior knowledge from surrogate modelling: A meta-learning approach. 2022 , 260, 106719 | 2 |
| 217 | Development of a multiple response-based mixed-integer nonlinear optimization model with both controllable and uncontrollable design factors. 2022 , 164, 107901 | 0 |
| 216 | Uncertainty consideration in CFD-models via response surface modeling: Application on realistic dense and light gas dispersion simulations. 2022 , 75, 104710 | |
| 215 | Exploring the utility of nanoprotease as environmentally friendly benign laundry detergent fabric cleaner. 2022 , 334, 130243 | 0 |
| 214 | Prediction of optimal ranges of mix ratio of self-compacting mortars (SCMs) based on response surface method (RSM). 2022 , 319, 126043 | 1 |
| 213 | Optimization of gasoline engine operating parameters fueled with DIPE-gasoline blend: Comparative evaluation between response surface methodology and fuzzy logic expert system. 2022 , 158, 291-307 | 3 |
| 212 | Central composite design, Pareto analysis, and artificial neural network for modeling of microwave processing parameters for tender coconut water. 2022 , 5, 100015 | 4 |
| 211 | Sensitivity analysis of diesel particulate filters to geometric parameters during soot loading and its multi-objective optimization. 2022 , 159, 251-265 | 2 |
| 210 | Belief Reliability Modeling and Analysis for the Three-Grid Ion Thruster. 2021 , | 0 |
| 209 | Towards Localized Tactile Feedback on Touch Surfaces: Finite Element Analysis of a Vibrating Touch Screen Actuated by Piezo Patches. | |
| 208 | Statistical Modeling and Optimization of the Drawing Process of Bioderived Polylactide/Poly(dodecylene furanoate) Wet-Spun Fibers.. 2022 , 14, | 0 |
| 207 | FEA based fast topology optimization method for switched reluctance machines. 1 | |
| 206 | Surrogate models for the damage responses of a reinforced concrete beam under explosive charges utilizing coupled finite element stochastic methods. 1 | |
| 205 | Parametric analysis and new performance correlation of the surface conventional rigid pavement temperature. 2022 , 16, e00923 | 1 |

| | | |
|-----|---|---|
| 204 | Optimization of Process Parameters Using Response Surface Methodology to Improve Surface Finish in Face Gear Grinding. 2022 , 255-261 | |
| 203 | Statistical optimization of alkaline treatment of pomegranate peel waste for bioethanol production. 1 | 1 |
| 202 | Photocatalytic concrete for degrading organic dyes in water.. 2022 , 1 | 2 |
| 201 | Optimization of oxidative improverB formulation for the wheat flours with different extraction rates. 2022 , 8, 001-010 | 0 |
| 200 | Hydrothermal pretreatment optimization and deep eutectic solvent pretreatment of lignocellulosic biomass: An integrated approach. 2022 , 17, 100957 | 3 |
| 199 | Effects of key factors on the compressive strength of metakaolin and limestone powder-based alkali-activated concrete mixtures: An experimental and statistical study. 2022 , 16, e00915 | 1 |
| 198 | Development of a fluoremetric probe based on molecularly imprinted polymers for determination of phenobarbital in exhaled breath condensate. 1 | 1 |
| 197 | Optimizing Procedures for Antioxidant Phenolics Extraction from Skin and Kernel of Peanuts with Contrasting Levels of Drought Tolerance.. 2022 , 11, | 2 |
| 196 | A Comprehensive Optimization of Ultrasound-Assisted Extraction for Lycopene Recovery from Tomato Waste and Encapsulation by Spray Drying. 2022 , 10, 308 | 2 |
| 195 | Optimisation and performance prediction of photosynthetic biogas upgrading using a bubble column. 2022 , 437, 134988 | 0 |
| 194 | Development of a new method based on gold nanoparticles for determination of uric acid in urine samples.. 2022 , 272, 120995 | 1 |
| 193 | Modeling and Optimization of Working Conditions of Pyramid Solar Still with Different Nanoparticles Using Response Surface Methodology. | |
| 192 | Applications of optimization in the pharmaceutical process development. 2022 , 271-299 | 0 |
| 191 | Recovery of N-Butanol from a Complex Five-Component Reactive Azeotropic Mixture. 2022 , 10, 364 | 0 |
| 190 | Effect of Oil Phase Transition on the Stability of Pickering Emulsions Stabilized by Cellulose Nanocrystals.. 2022 , | 0 |
| 189 | Investigation on the water-washing of corn straw for de-ash, de-chlorination, and increase of heating value through response surface methodology. 1 | |
| 188 | Robust Process Parameter Design Methodology: A New Estimation Approach by Using Feed-Forward Neural Network Structures and Machine Learning Algorithms. 2022 , 12, 2904 | 0 |
| 187 | Effects of process parameters on machining forces and surface roughness during turning 304L steel using SiO ₂ nanofluid. 095440892210891 | 0 |

| | | |
|-----|---|---|
| 186 | Seismic reliability evaluation of a tall concrete-timber hybrid structural system. | 0 |
| 185 | Optimization of Biofertilizer Formulation for Phosphorus Solubilizing by <i>Pseudomonas fluorescens</i> Ur21 via Response Surface Methodology. 2022 , 10, 650 | 1 |
| 184 | Turning of Inconel 718 using liquid nitrogen: multi-objective optimization of cutting parameters using RSM. 1 | 0 |
| 183 | Multi-parameter inverse analysis of concrete dams using kernel extreme learning machines-based response surface model. 2022 , 256, 113999 | 1 |
| 182 | Optimization of process parameters using response surface methodology for maximum liquid yield during thermal pyrolysis of blend of virgin and waste high-density polyethylene. 1 | 0 |
| 181 | Reliability analysis of autonomous underwater vehicle aft pressure shell for optimal design and strength. 2022 , 249, 110906 | |
| 180 | Cornering stiffness characteristics of honeycomb wheels: A parametric analysis using response surface method. 2022 , 288, 115418 | 0 |
| 179 | Multi-objective optimization of hybrid microwave-fluidized bed drying conditions of rice using response surface methodology. 2022 , 97, 101956 | 0 |
| 178 | Chemometric optimisation of enzymatic hydrolysis of beechwood xylan to target desired xylooligosaccharides.. 2022 , 352, 127041 | 0 |
| 177 | Modeling and optimization of working conditions of pyramid solar still with different nanoparticles using response surface methodology. 2022 , 33, 101984 | 0 |
| 176 | Quality evaluation of <i>Lycium barbarum</i> L. fruits from different regions in China based on 2-O- β -glucopyranosyl-L-ascorbic acid. 2022 , 109, 104512 | 0 |
| 175 | RSM and ANN modelling of the mechanical properties of self-compacting concrete with silica fume and plastic waste as partial constituent replacement. 2022 , 4, 100065 | 3 |
| 174 | Artificial neural network based response surface for data-driven dimensional analysis. 2022 , 459, 111145 | 1 |
| 173 | Low-emission and energetically efficient co-gasification of coal by incorporating plastic waste: A modeling study.. 2022 , 299, 134408 | 3 |
| 172 | Structural uncertainty quantification with partial information. 2022 , 198, 116736 | 1 |
| 171 | Investigation the effects of different nanoparticles on density and specific heat: Prediction using MLP artificial neural network and response surface methodology. 2022 , 645, 128808 | 1 |
| 170 | Combustion and emission characteristics of a compression ignition engine burning a wide range of conventional hydrocarbon and alternative fuels. 2022 , 250, 123717 | 0 |
| 169 | MODELLING OF MAGNESITE FLOTATIONS WITH TWO DIFFERENT COLLECTORS: BIOCLECTOR AND OLEATE. | 1 |

| | | |
|-----|---|----|
| 168 | Enhanced Furfural Production in Deep Eutectic Solvents Comprising Alkali Metal Halides as Additives. 2021 , 26, | 1 |
| 167 | Statistical Optimization of Medium for Enhanced Production of Exopolysaccharide by Marine Bacteria <i>Enterobacter cloacae</i> VHP-34. 2021 , 17, 326-334 | 1 |
| 166 | Modeling of dynamic mechanical curves of kenaf/polyester composites using surface response methodology. 2022 , 139, 52078 | 2 |
| 165 | Production of a halotolerant lipase from <i>Halomonas</i> sp. strain C2SS100 : Optimization by response-surface methodology and application in detergent formulations. | 1 |
| 164 | Engineering Considerations to Produce Bioactive Compounds from Plant Cell Suspension Culture in Bioreactors.. 2021 , 10, | 10 |
| 163 | Optimization of precipitate hardening parameters of 7075 aluminum alloy using response surface methodology. 095440622210820 | 1 |
| 162 | Side Wear Prediction of a Subway Outer Rail on Small Radius Curves Based on System Dynamics of Discrete Supported Track. 2022 , 2022, 1-16 | 0 |
| 161 | Novel easily separable core-shell FeO/PVP/ZIF-8 nanostructure adsorbent: optimization of phosphorus removal from Fosfomycin pharmaceutical wastewater.. 2022 , 12, 12823-12842 | 0 |
| 160 | Metronidazole elimination from wastewater through photo-Fenton process using green-synthesized alginate-based hydrogel coated bimetallic iron-copper nanocomposite beads as a reusable heterogeneous catalyst. 2022 , 101068 | 0 |
| 159 | Prediction and parametric analysis of bubble humidifier performance in a polymer electrolyte membrane fuel cell test system by response surface methodology. 2022 , 44, 3497-3508 | 0 |
| 158 | Investigation of the effect of JP-8 fuel and biodiesel fuel mixture on engine performance and emissions by experimental and statistical methods. 2022 , 124155 | 1 |
| 157 | Prediction with data from designed experimentation. 1-22 | |
| 156 | A multi-objective optimization framework for a sustainable closed-loop supply chain network in the olive industry: Hybrid meta-heuristic algorithms. 2022 , 117566 | 2 |
| 155 | Early validation of heterogeneous battery systems in the railway domain. 2022 , | |
| 154 | Optimized 2-methoxyestradiol invasomes fortified with apamin: a promising approach for suppression of A549 lung cancer cells. 2022 , 29, 1536-1548 | 0 |
| 153 | Improving heat extraction performance of enhanced geothermal systems: Insights from critical fracture network parameter and multi-objective optimization method. 2022 , 213, 118671 | 0 |
| 152 | Quo vadis multiscale modeling in reaction engineering? A perspective. 2022 , | 2 |
| 151 | Modeling and optimization of nanovector drug delivery systems: exploring the most efficient algorithms. 2022 , 24, | 0 |

| | | |
|-----|--|---|
| 150 | Design, Preparation and Characterization of Flexible Ultra High Frequency (UHF) Antennas Based on Polyether Ether Ketone (PEEK) Films. | 0 |
| 149 | Pyomo. DOE : An Open-Source Package for Model-Based Design of Experiments in Python. | 1 |
| 148 | Photocatalytic activity of ZrO ₂ /TiO ₂ /Fe ₃ O ₄ ternary nanocomposite for the degradation of naproxen: characterization and optimization using response surface methodology. 2022 , 12, | 1 |
| 147 | AI-Based Real-Time Site-Wide Optimization for Process Manufacturing. | |
| 146 | A System Dynamics Modeling Approach for Estimation of Oily Waste Generation From Marine Oil Spill Response: A Case Study of an Oil Spill in Central Coast of British Columbia. 10, | 0 |
| 145 | Optimization of biomass production by <i>Chlorella saccharophila</i> UTEX 247 employing response surface methodology. | |
| 144 | Design and characterization of polymeric microneedles containing extracts of Brazilian green propolis. 13, 503-516 | |
| 143 | Development of Olive Oil and α -Tocopherol Containing Emulsions Stabilized by FucoPol: Rheological and Textural Analyses. 2022 , 14, 2349 | 1 |
| 142 | Optimization of Laser-Powder Bed Fusion Processed Fe ₄ .5Si Alloy via Response Surface Methodology. 2200155 | |
| 141 | Optimization of Laser-MAG Hybrid Welding Parameters of Ship Steel Based on Response Surface Methodology. 2022 , 15, 4328 | 1 |
| 140 | A comprehensive review on biodiesel production from microalgae through nanocatalytic transesterification process: lifecycle assessment and methodologies. | 1 |
| 139 | A Joint Hydrogen and Syngas Chemical Kinetic Model Optimized by Particle Swarm Optimization. | |
| 138 | Enhanced production of polyhydroxyalkanoate with manipulable and reproducible 3-hydroxyvalerate fraction by high alcohol tolerant <i>Cupriavidus malaysiensis</i> USMAA2-4 transformant. | |
| 137 | A comprehensive review on analytical and equation derived multivariate chemometrics for the accurate interpretation of the degradation of aqueous contaminants. 2022 , 102827 | 0 |
| 136 | Development and Optimization of Ciprofloxacin HCl-Loaded Chitosan Nanoparticles Using BoxBehnken Experimental Design. 2022 , 27, 4468 | 0 |
| 135 | Bioprocess development as a sustainable platform for eco-friendly alkaline phosphatase production: an approach towards crab shells waste management. 2022 , 21, | 0 |
| 134 | Improving the Separation of PS and ABS Plastics Using Modified Induced Air Flotation with a Mixing Device. 2022 , 7, 44 | 1 |
| 133 | Advanced corrective training strategy for surrogating complex hysteretic behavior. 2022 , 41, 1792-1803 | 0 |

| | | |
|-----|---|---|
| 132 | Investigation on Dielectric Permittivity of PVDF/BaTiO ₃ Nanocomposites Materials by Response Surface Methodology. | |
| 131 | Response surface methodology as a tool for optimization of the extraction of bioactive compounds from plant sources. | 5 |
| 130 | Variational Inference with NoFAS: Normalizing Flow with Adaptive Surrogate for Computationally Expensive Models. 2022 , 111454 | 0 |
| 129 | Neutronics design optimization of a small modular fast reactor based on response surface methodology. 2022 , 395, 111860 | |
| 128 | A weak-intrusive stochastic finite element method for stochastic structural dynamics analysis. 2022 , 399, 115360 | 0 |
| 127 | Predicting hemodynamic indices in coronary artery aneurysms using response surface method: An application in Kawasaki disease. 2022 , 224, 107007 | 1 |
| 126 | Fabrication of a magnetic composite by CoFe ₂ O ₄ and an inorganic polymer for simultaneous photo-degradation of organic pollutants under visible LED light: Bandgap engineering, CCD-RSM modeling, and resolving spectral overlap of analytes. 2022 , 362, 119692 | 1 |
| 125 | A Novel Oral Medicated Jelly for Enhancement of Etilerfrine Hydrochloride Bioavailability: In Vitro Characterization and Pharmacokinetic Evaluation in Healthy Human Volunteers. 2022 , | 1 |
| 124 | Developing a Predictive Model and Multi-Objective Optimization of a Photovoltaic/Thermal System Based on Energy and Exergy Analysis Using Response Surface Methodology. | |
| 123 | Artificial Intelligence-Based Tools for Process Optimization: Case Study Bromocresol Green Decolorization with Active Carbon. 2022 , 2022, 1-15 | |
| 122 | High-temperature ethanol fermentation from pineapple waste hydrolysate and gene expression analysis of thermotolerant yeast <i>Saccharomyces cerevisiae</i> . 2022 , 12, | 0 |
| 121 | Recycling Aluminium AA6061 Chips with Reinforced Boron Carbide (B ₄ C) and Zirconia (ZrO ₂) Particles via Hot Extrusion. 2022 , 12, 1329 | 0 |
| 120 | Mixture design applied to the rheology of clay gel mixtures. | |
| 119 | Study on the Dynamic Cutting Mechanism of Green Pepper (<i>Zanthoxylum armatum</i>) Branches under Optimal Tool Parameters. 2022 , 12, 1165 | 0 |
| 118 | Central Composite Design of Spraying Process to Laminate the Paper Substrates with Cellulose Nanofibers (CNF) as Green Packaging Wrap. 2022 , 2022, 1-15 | 1 |
| 117 | A Model of Pyrolysis Carbon Black and Waste Chicken Feather Using a Response Surface Method in Hot-Mix Asphalt Mixtures. 2022 , 34, | 0 |
| 116 | Probabilistic and Experimental Investigation of the Effect of Mineral Adsorbents on Porous Concrete Using Kriging, PRSM, and RBF Methods. 2022 , 8, | |
| 115 | The effect of 3D printing parameters on the shape memory properties of 4D printed polylactic acid circular disks: An experimental investigation and parameters optimization. 2022 , 33, 104262 | 2 |

- 114 Optimization of ultrasound-assisted extraction of valuable compounds from fruit of *Melia azedarach* with glycerol-choline chloride deep eutectic solvent. **2022**, 29, 100827 2
- 113 Effects of operating conditions and particle properties on mixing performance in an industrial-scale U-shape ribbon mixer. **2022**, 411, 117933 0
- 112 Effect of reclaimed asphalt pavement (RAP) on fracture properties of stone matrix asphalt (SMA) at low temperature. **2022**, 352, 128899 0
- 111 Application of intelligent methods in energy efficiency enhancement of pump system: A review. **2022**, 8, 11592-11606 0
- 110 Optimization of CSG dam profile based on response surface methodology. **2022**, 17, e01430 0
- 109 A joint hydrogen and syngas chemical kinetic model optimized by particle swarm optimization. **2023**, 332, 125945 0
- 108 Multi-Objective Optimization of Petroleum Engineering Problems Using a Hybrid Workflow: Combination of Combination of Particle Swarm Optimization, Fuzzy Logic, Imperialist Competitive Algorithm and Response Surface Methodology. 0
- 107 Extraction of red pigment from Chinese jujube peel and the antioxidant activity of the pigment extracts. **2022**, 20, 849-862 0
- 106 Bioactive compounds from *Taraxacum officinale* extracts obtained by optimized ultrasound-assisted extraction. **2022**, 169-187 0
- 105 Deep learning and data analytics for assessing seismic performance of civil infrastructures. **2022**, 531-579 0
- 104 A Surrogate Model Assisted Estimation of Distribution Algorithm with Mutil-acquisition Functions for Expensive Optimization. **2022**, 0
- 103 Robust sequential experimental strategy for black-box optimization with application to hyperparameter tuning. 0
- 102 Biotic elicitation for enhanced production of plumbagin in regenerated shoot cultures of *Plumbago zeylanica* using response surface methodology. 0
- 101 Optimisation of the swinging jaw design for a single toggle jaw crusher using finite element analysis. 0
- 100 Numerical investigation and modelling of controllable parameters on the photovoltaic thermal collector efficiency in semi-humid climatic conditions. **2022**, 44, 8760-8776 0
- 99 Industry 4.0 for Semiconductor Manufacturing. **2023**, 21-40 2
- 98 Job Sequencing and Scheduling. **2023**, 77-100 0
- 97 Optimization of reaction conditions for hydrodeoxygenation of bio-glycerol towards green propylene over molybdenum-based catalyst. **2022**, 0

| | | |
|----|---|---|
| 96 | The design of nonlinear damped building isolation systems by using mobility analysis. 8, | 1 |
| 95 | Design, synthesis and optimization of silver nanoparticles using Azadirachta indica bark extract and its antibacterial application. | 0 |
| 94 | Analysis of the breakage parameters of railway ballast based on the discrete element method. | 0 |
| 93 | Optimized Protocol for Microalgae DNA Staining with SYTO9/SYBR Green I, Based on Flow Cytometry and RSM Methodology: Experimental Design, Impacts and Validation. 2022, 5, 76 | 0 |
| 92 | Vertical ground heat exchanger parameter characterization through a compound design of experiments. 2022, 199, 1361-1371 | 0 |
| 91 | Rheological properties and early mechanical strength of oil-well cement modified by hybrid nano-silica and nano-hexagonal boron nitride. 2022, 356, 129291 | 0 |
| 90 | Optimized formulation of waterproof coating based on polymer and sodium silicate-activated GGBS using Box Behnken design - Selection of additives. 2022, 61, 105220 | 0 |
| 89 | Methodology for the selection of S3 solutions in manufacturing processes: Leak test study in the automotive sector. 2022, 55, 3202-3207 | 0 |
| 88 | Catalysts in Biodiesel Production and Process Optimization by Response Surface Methodology. 2022, 101-116 | 0 |
| 87 | Selenium and Tellurium Separation: Copper Cementation Evaluation Using Response Surface Methodology. 2022, 12, 1851 | 0 |
| 86 | Data-Driven Proxy Models for Improving Advanced Well Completion Design under Uncertainty. 2022, 15, 7484 | 0 |
| 85 | Performance Optimization and Knock Investigation of Marine Two-Stroke Pre-Mixed Dual-Fuel Engine Based on RSM and MOPSO. 2022, 10, 1409 | 0 |
| 84 | Machinability analysis of delamination and thrust force in drilling of pure and added GFRP composites. 002199832211376 | 0 |
| 83 | A sensitivity analysis of MHD nanofluid flow across an exponentially stretched surface with non-uniform heat flux by response surface methodology. 2022, 12, | 1 |
| 82 | Design a dual-layer lightning strike protection for carbon fiber reinforced composites. 2022, 247, 110330 | 0 |
| 81 | Stochastic multiscale simulation of porous sound absorbing materials based on a Bayesian approach method. 2022, | 0 |
| 80 | Electrometallurgical recovery of nickel and vanadium from spent desulfurization catalysts using an acidic leaching-electrolysis technique. | 0 |
| 79 | Formulation of the Polysaccharide FucoPol into Novel Emulsified Creams with Improved Physicochemical Properties. 2022, 27, 7759 | 1 |

- 78 Biotransformation of Agricultural Wastes into Lovastatin and Optimization of a Fermentation Process Using Response Surface Methodology (RSM). **2022**, 12, 2848 ○
- 77 An optimization study for preventing silica gelation and improving filtration effectiveness during pH reduction of high concentration silica solutions. ○
- 76 Experimental optimization of the supercritical fluid extraction of triterpenoids from *Acacia dealbata* Link. leaves. **2022**, 122637 1
- 75 Microwave Assisted Esterification of Aryl/Alkyl Acids Catalyzed by N-Fluorobenzenesulfonimide. **2022**, 12, 1413 ○
- 74 Multi-Response Optimization of the Malting Process of an Italian Landrace of Rye (*Secale cereale* L.) Using Response Surface Methodology and Desirability Function Coupled with Genetic Algorithm. **2022**, 11, 3561 ○
- 73 Multivariate Optimization Procedure for Dynamic Headspace Extractions Coupled to GC(ⓂC). **2022**, 163-170 ○
- 72 Revealing the stochastic kinetics evolution of photocatalytic CO₂ reduction. ○
- 71 Long-term assessment of the nutrient recovery capacity and biomass productivity of *Scenedesmus almeriensis* in raceway reactors using unprocessed urban wastewater. **2023**, 369, 128374 ○
- 70 Optimizing removal of chromium (VI) ions from water by coagulation process using central composite design: Effectiveness of grape seed as a green coagulant. **2023**, 307, 122805 1
- 69 A Z-scheme CdS/Ag₃PO₄ catalyst: Characterization, experimental design and mechanism consideration for methylene blue. **2023**, 288, 122139 1
- 68 Direct observation of three-dimensional short fatigue crack closure behavior in Ti-6Al-4V alloy using ultra-high-resolution X-ray microtomography. **2023**, 168, 107428 ○
- 67 Design and optimization of a quadrupedal dynamic disturbance force measurement platform using strain gauges. **2023**, 188, 110032 ○
- 66 Sequential Extraction of Functional Compounds from *Citrus reticulata* Pomace Using Ultrasonication Technique. **2023**, 2, 100155 ○
- 65 Economic and Experimental Assessment of KCOOH Hybrid Liquid Desiccant-Vapor Compression System. **2022**, 14, 15917 1
- 64 Optimization of Zinc and Germanium Recovery Process from Zinc Oxide Dust by Response Surface Methodology. **2022**, 7, ○
- 63 M-LFM: a multi-level fusion modeling method for shape-performance integrated digital twin of complex structure. **2022**, 17, ○
- 62 A novel methodology for the planning of charging infrastructure in the scenario of high EV penetration. ○
- 61 Knowledge Gradient: Capturing Value of Information in Iterative Decisions under Uncertainty. **2022**, 10, 4527 ○

- 60 Three point bending and tensile properties of bio-additive polydopamine-coated 3D printing-based distal ulna small locking bone plates: Future need of orthopedic implants. ○
- 59 Modeling and optimization of coagulation-flocculation process to remove high phosphate concentration in wastewater from a metal-mechanic industry. ○
- 58 Examining the surface roughness and kerf quality of micro-slots cut on the surfaces of Ti-B4C nanocomposites by WEDM: A desirability approach. ○
- 57 Maximizing MRR of Inconel 625 machining through process parameter optimization of EDM. **2022**, ○ 1
- 56 Liquid-liquid extraction of calcium in a scaled-out microfluidic device: process intensification using a crown ether-ionic liquid system. **2022**, 109261 ○
- 55 Sterols and pentacyclic triterpenoids from nettle root: content and composition as affected by pressurized liquid extraction. ○
- 54 Investigation of Hydrogen Production Performance Using Nanoporous NiCr and NiV Alloys in KBH₄ Hydrolysis. **2022**, 15, 9547 ○
- 53 Simultaneous Optimization of Phenolic Compounds and Antioxidant Abilities of Moroccan Pimpinella anisum Extracts Using Mixture Design Methodology. **2022**, 10, 2580 ○
- 52 Response surface optimization and finite element homogenization study of the effective elastic modulus and electrical conductivity of MXene-polypyrrole hybrid nanocomposite as electrode material for electronic energy storage devices. ○
- 51 Supercritical Carbon Dioxide in Presence of Water for the Valorization of Spent Coffee Grounds: Optimization by Response Surface Methodology and Investigation of Caffeine Extraction Mechanism. **2022**, 11, 4089 ○
- 50 Design of experiments optimization of fluorine-doped tin oxide films prepared by spray pyrolysis for photovoltaic applications. **2022**, ○
- 49 Production of Prunin and Naringenin by Using Naringinase from *Aspergillus oryzae* NYO-2 and Their Neuroprotective Properties and Debitterization. ○
- 48 Monitoring and optimization of machining process when turning of AISI316L based on response surface methodology, artificial neural network and desirability function.. ○
- 47 Micromachining of Predesigned Perpendicular Copper Micropillar Array by Scanning Electrochemical Microscopy. **2023**, 141913 ○
- 46 Parametric experimental investigation of additive manufacturing-based distal ulna bone plate: a response surface methodology-based design approach. ○
- 45 Optimization of stone matrix asphalt mixture design based on fracture mechanics approach. **2023**, 279, 109026 ○
- 44 Development of bioprocess for corncob-derived levulinic acid production. **2023**, 371, 128628 ○
- 43 Multi-objective optimization of heating operation of stratum ventilation under different clothing insulations using Taguchi method, RSM, and SPA-TOPSIS. **2023**, 186, 108124 ○

- 42 Radar Cross Section Based Shape Optimization of Chine Forebody. **2022**, ○
- 41 Calibration of Gurson-Tvergaard-Needleman Model Parameters of a NiTi Alloy Using Response Surface Method. ○
- 40 Cable-cylinder bracing system: theoretical background, structural behavior, and seismic design coefficients. **2023**, 51-97 ○
- 39 Response surface methodology (RSM): An overview to analyze multivariate data. **2023**, 9, 241-248 ○
- 38 Potential Oral Anticancer Therapeutic Agents of Hexahydrocurcumin-Encapsulated Chitosan Nanoparticles against MDA-MB-231 Breast Cancer Cells. **2023**, 15, 472 ○
- 37 Treatment of Pulp Black Liquor with an Ionic Liquid: Optimisation by Using Response Surface Methodology. ○
- 36 Multiobjective process parameter optimization in fused filament fabrication with nature-inspired algorithms. **2023**, 349-359 ○
- 35 Biostimulation in microbial enhanced oil recovery: from laboratory analysis and nutrient formulation to field monitoring. **2023**, 121-140 ○
- 34 Machine learning for predicting the dynamic extraction of multiple substances by emulsion liquid membranes. **2023**, 313, 123458 ○
- 33 Geomechanical assessment of a large-scale CO₂ storage and insights from uncertainty analysis. **2023**, 224, 211596 ○
- 32 Experimental investigations of flow and thermal behavior of wall confluent jets as a heating device for large-space enclosures. **2023**, 236, 110282 ○
- 31 Flow-through laminar anodes with variable interlaminar distance to modulate the current density of urine-fed bio-electrochemical systems. **2023**, 151, 108408 ○
- 30 Removal of phosphate from brewery wastewater by cerium(III) chloride originating from spent polishing agent: Recovery and optimization studies. **2023**, 875, 162643 ○
- 29 Predictive performance and costing model for Membrane Capacitive Deionization (MCDI) at operational scale. **2023**, 557, 116595 ○
- 28 Fabrication of perovskite@MOF composites as an alternative for noble metal catalysts in hydrogenation of nitroarenes: An investigation of transition metals doping on catalytic performance and RSM modeling of reaction conditions. **2023**, 1283, 135322 ○
- 27 Digital twin-based excavation trajectory generation of Uncrewed excavators for autonomous mining. **2023**, 151, 104855 ○
- 26 Proposal of a tri-generation system by co-combustion of groundnut shell biomass and synthesis gas exiting from a solid oxide fuel cell: Environmental assessment and multi-objective optimization. **2023**, 343, 127803 ○
- 25 Comparative Study of Latin Hypercube Sampling and Monte Carlo Method in Structural Reliability Analysis. 28, 61-69 ○

| | | |
|----|--|---|
| 24 | Response Surface Methodology to Efficiently Optimize Intracellular Delivery by Photoporation. 2023 , 24, 3147 | 1 |
| 23 | Quality by Design as a Tool in the Optimisation of Nanoparticle Preparation – Case Study of PLGA Nanoparticles. 2023 , 15, 617 | 0 |
| 22 | Phosphate-Solubilizing Capacity of <i>Paecilomyces lilacinus</i> PSF7 and Optimization Using Response Surface Methodology. 2023 , 11, 454 | 0 |
| 21 | High thermal inertia mortars: New method to incorporate phase change materials (PCMs) while enhancing strength and thermal design models. 2023 , 370, 130621 | 0 |
| 20 | A review of coagulation explaining its definition, mechanism, coagulant types, and optimization models; RSM, and ANN. 2023 , 6, 100358 | 0 |
| 19 | Use of a response surface methodology to model thermal decomposition behavior of polyurethane. | 0 |
| 18 | Tuning the electrophoretic separations on a surface-accessible and flexible fibre-based microfluidic devices. 2023 , 15, 1506-1516 | 0 |
| 17 | Expedited surrogate-based quantification of engineering tolerances using a modified polynomial regression. 2023 , 66, | 0 |
| 16 | Kriging-Based Framework Applied to a Multi-Point, Multi-Objective Engine Air-Intake Duct Aerodynamic Optimization Problem. 2023 , 10, 266 | 0 |
| 15 | Optimization and Evaluation for the Capacitive Deionization Process of Wastewater Reuse in Combined Cycle Power Plants. 2023 , 13, 316 | 0 |
| 14 | Modeling and optimization of CO ₂ mass transfer flux into Pz-KOH-CO ₂ system using RSM and ANN. 2023 , 13, | 0 |
| 13 | DOPE/CHEMS-Based EGFR-Targeted Immunoliposomes for Docetaxel Delivery: Formulation Development, Physicochemical Characterization and Biological Evaluation on Prostate Cancer Cells. 2023 , 15, 915 | 0 |
| 12 | Time-Series-Data Interpolation Applied to Boundary-Layer Profiles Measured on Different Flights. 2023 , 10, 322 | 0 |
| 11 | Investigating the performance of non-damaging hybrid gel to mitigate lost circulation in fractured formations: A comprehensive study using BoxBehnken design. 2023 , 226, 211730 | 0 |
| 10 | Optimization of Cellulase Production by <i>Cohnella xylanilytica</i> RU-14 Using Statistical Methods. | 0 |
| 9 | Valorization of Pumpkin Peel as a Source of Bioactive Compounds: Optimization of Heat- and Ultrasound-Assisted Extraction. 2023 , 28, 3168 | 0 |
| 8 | Optimization of process parameters for the development of Ni ₄₀ Al-Ti-Mn-Co-Fe ₂₀ high entropy alloy system via spark plasma sintering. | 0 |
| 7 | Enhancing Mechanical Properties of 3D-Printed PLAs via Optimization Process and Statistical Modeling. 2023 , 7, 151 | 0 |

- 6 Mechanical and Tribological behaviors of MWCNT/Polyimide Nanocomposites under Drift of Glass Transition Temperature. **2023**, 108508 ○
- 5 Optimization of extraction condition of *Gynura procumbens* extract enriched with flavonoid and antioxidant compounds using Response Surface Methodology. 425-434 ○
- 4 Mechanical and Thermal Properties of the High Thermal Conductivity Steel (HTCS) Additively Manufactured via Powder-Fed Direct Energy Deposition. **2023**, 14, 872 ○
- 3 Statistical Modeling Enabled Design of High-performance Conductive Composite Fiber Materials for Energy Harvesting and Self-powered Sensing. **2023**, 143052 ○
- 2 Enhancement of alkaline protease production in recombinant *Bacillus licheniformis* by response surface methodology. **2023**, 10, ○
- 1 A Monte Carlo-based Workflow for Geochemical Anomaly Identification Under Uncertainty and Global Sensitivity Analysis of Model Parameters. ○