

CITATION REPORT

List of articles citing

Obesity is a risk factor for developing postoperative lymphedema in breast cancer patients

DOI: 10.1111/j.1524-4741.2009.00855.x
Breast Journal, 2010, 16, 48-54.

Source: <https://exaly.com/paper-pdf/48447036/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|-----|---|----|-----------|
| 206 | Morbidity of sentinel node biopsy in breast cancer: the relationship between the number of excised lymph nodes and lymphedema. 2010 , 17, 3278-86 | | 64 |
| 205 | Lymphatic lipid transport: sewer or subway?. 2010 , 21, 480-7 | | 107 |
| 204 | Success in sentinel lymph node procedures in obese patients with breast cancer. 2010 , 200, 707-10; discussion 710-1 | | 8 |
| 203 | Morbidity of Sentinel Node Biopsy in Breast Cancer: The Relationship Between the Number of Excised Lymph Nodes and Lymphedema. 2011 , 22, 293-295 | | |
| 202 | The frequency of lymphedema in an adult spina bifida population. 2011 , 90, 89-96 | | 13 |
| 201 | Preventative measures for lymphedema: separating fact from fiction. 2011 , 213, 543-51 | | 89 |
| 200 | Morbidity of sentinel node biopsy: relationship between number of excised lymph nodes and patient perceptions of lymphedema. 2011 , 18, 2866-72 | | 41 |
| 199 | Body mass index and breast cancer treatment-related lymphedema. 2011 , 19, 853-7 | | 111 |
| 198 | Safety study of axillary reverse mapping in the surgical treatment for breast cancer patients. 2011 , 137, 1869-74 | | 29 |
| 197 | Perioperative Betreuung Bergewichtiger Patientinnen in der Gyn&ologie. 2011 , 44, 891-897 | | 2 |
| 196 | Rehabilitation Concepts Among Aging Survivors Living With and At Risk for Lymphedema. 2012 , 28, 260-268 | | 5 |
| 195 | Cancer-related lymphedema risk factors, diagnosis, treatment, and impact: a review. 2012 , 30, 3726-33 | | 154 |
| 194 | Immediate breast reconstruction and lymphedema incidence. 2012 , 129, 789e-795e | | 37 |
| 193 | Beinschwellungen nach inguinaler Sentinel-Lymphonodektomie und Exzision des primären Melanoms mit Sicherheitsabstand. 2012 , 10, 733-739 | | |
| 192 | Comparison of relative versus absolute arm size change as criteria for quantifying breast cancer-related lymphedema: the flaws in current studies and need for universal methodology. 2012 , 135, 145-52 | | 60 |
| 191 | Conventional interventions for preventing clinically detectable upper-limb lymphoedema in patients who are at risk of developing lymphoedema after breast cancer therapy. 2012 , | | 1 |
| 190 | Weight management and its role in breast cancer rehabilitation. 2012 , 118, 2277-87 | | 153 |

| | | |
|-----|--|-----|
| 189 | Upper-body morbidity after breast cancer: incidence and evidence for evaluation, prevention, and management within a prospective surveillance model of care. 2012 , 118, 2237-49 | 207 |
| 188 | Racial disparities in physical and functional domains in women with breast cancer. 2012 , 20, 1839-47 | 15 |
| 187 | Breast cancer related lymphedema in patients with different loco-regional treatments. 2012 , 21, 361-5 | 45 |
| 186 | Leg swelling after inguinal sentinel lymph node biopsy and primary melanoma excision with a safety margin. 2012 , 10, 733-9 | 4 |
| 185 | Interventions to promote energy balance and cancer survivorship: priorities for research and care. 2013 , 119 Suppl 11, 2143-50 | 18 |
| 184 | Obesity, Inflammation and Cancer. 2013 , | 4 |
| 183 | The efficacy of complex decongestive physiotherapy (CDP) and predictive factors of lymphedema severity and response to CDP in breast cancer-related lymphedema (BCRL). 2013 , 22, 703-6 | 30 |
| 182 | Pathophysiology of lymphedema. 2013 , 29, 4-11 | 39 |
| 181 | Breast and gynecologic cancer-related extremity lymphedema: a review of diagnostic modalities and management options. 2013 , 11, 237 | 62 |
| 180 | Residual lymph node disease after neoadjuvant chemotherapy predicts an increased risk of lymphedema in node-positive breast cancer patients. 2013 , 20, 2835-41 | 15 |
| 179 | Impact of body mass index and weight fluctuation on lymphedema risk in patients treated for breast cancer. 2013 , 142, 59-67 | 64 |
| 178 | Incidence of unilateral arm lymphoedema after breast cancer: a systematic review and meta-analysis. 2013 , 14, 500-15 | 907 |
| 177 | Can axillary reverse mapping avoid lymphedema in node positive breast cancer patients?. 2013 , 39, 880-6 | 43 |
| 176 | Transient swelling versus lymphoedema in the first year following surgery for breast cancer. 2013 , 21, 2207-15 | 50 |
| 175 | Does Non-Placement of a Drain in Breast Surgery Increase the Rate of Complications and Revisions?. 2013 , 73, 1128-1134 | 6 |
| 174 | Impact of obesity on cancer survivorship and the potential relevance of race and ethnicity. 2013 , 105, 1344-54 | 94 |
| 173 | Mounting evidence against complex decongestive therapy as a first-line treatment for early lymphedema. 2013 , 31, 3737-8 | 19 |
| 172 | Using temporal mining to examine the development of lymphedema in breast cancer survivors. 2013 , 62, 122-9 | 5 |

| | | |
|-----|---|--------|
| 171 | Obesity-induced Upper Extremity Lymphedema. 2013 , 1, e59 | 23 |
| 170 | Adiponectin-mediated modulation of lymphatic vessel formation and lymphedema. 2013 , 2, e000438 | 31 |
| 169 | LEC score: a judgment tool for indication of indocyanine green lymphography. 2013 , 70, 227-30 | 12 |
| 168 | Microvascular filtration is increased in the forearms of patients with breast cancer-related lymphedema. 2013 , 114, 19-27 | 17 |
| 167 | Lipid Biology and Lymphatic Function: A Dynamic Interplay with Important Physiological and Pathological Consequences. 2014 , 05, | |
| 166 | [Leg swelling following inguinal and ilioinguinal dissection of melanoma metastases]. 2014 , 139 Suppl 2, e83-9 | 1 |
| 165 | The effect of lymphatico-venous anastomosis for an intractable ulcer at the lower leg in a marked obese patient. 2014 , 34, 64-7 | 5 |
| 164 | Do medical procedures in the arm increase the risk of lymphoedema after axillary surgery? A review. 2014 , 84, 510-4 | 15 |
| 163 | Obesity increases inflammation and impairs lymphatic function in a mouse model of lymphedema. 2014 , 307, H165-72 | 83 |
| 162 | Development of breast cancer-related lymphedema: is it dependent on the patient, the tumor or the treating physicians?. 2014 , 44, 100-6 | 10 |
| 161 | Risk factors for self-reported arm lymphedema among female breast cancer survivors: a prospective cohort study. 2014 , 16, 414 | 64 |
| 160 | Lymphedema and subclinical lymphostasis (microlymphedema) facilitate cutaneous infection, inflammatory dermatoses, and neoplasia: A locus minoris resistentiae. 2014 , 32, 599-615 | 60 |
| 159 | Lymphedema and obesity: is there a link?. 2014 , 134, 154e-160e | 92 |
| 158 | Prevention and management of lymphedema after breast cancer treatment. <i>Breast Journal</i> , 2015 , 21, 276-84 | 1.2 26 |
| 157 | Prevalence, classification, and risk factors for postoperative lower extremity lymphedema in women with gynecologic malignancies: a retrospective study. 2015 , 25, 751-7 | 81 |
| 156 | Manual lymphatic drainage for lymphedema following breast cancer treatment. 2015 , CD003475 | 89 |
| 155 | Patterns of Obesity and Lymph Fluid Level during the First Year of Breast Cancer Treatment: A Prospective Study. 2015 , 5, 326-40 | 25 |
| 154 | Weight and weight change following breast cancer: evidence from a prospective, population-based, breast cancer cohort study. 2015 , 15, 28 | 44 |

| | | |
|-----|--|----|
| 153 | Conservative interventions for preventing clinically detectable upper-limb lymphoedema in patients who are at risk of developing lymphoedema after breast cancer therapy. 2015 , CD009765 | 39 |
| 152 | Comorbidities and Their Management: Potential Impact on Breast Cancer Outcomes. 2015 , 862, 155-75 | 18 |
| 151 | Improving Outcomes for Breast Cancer Survivors. 2015 , | 7 |
| 150 | Bridging the divide between pathogenesis and detection in lymphedema. 2015 , 38, 75-82 | 16 |
| 149 | Obesity-Induced Lymphedema. 2015 , 97-104 | |
| 148 | Lymphedema. 2015 , | 6 |
| 147 | Advancing breast cancer survivorship among African-American women. 2015 , 153, 253-61 | 38 |
| 146 | Single Institution Experience with Lymphatic Microsurgical Preventive Healing Approach (LYMPHA) for the Primary Prevention of Lymphedema. 2015 , 22, 3296-301 | 79 |
| 145 | Lymphedema Predictor Factors after Breast Cancer Surgery: A Survival Analysis. 2015 , 13, 268-74 | 27 |
| 144 | CHAPTER 18 Lymphedema Risk Factors in Breast Cancer. 2016 , | |
| 143 | CHAPTER 43 Lymphedema Complications and Their Treatment. 2016 , | |
| 142 | Influence of body mass index on the frequency of lymphedema and other complications after surgery for breast cancer. 2016 , 23, 84-90 | 2 |
| 141 | Prevalência de linfedema após tratamento de câncer de mama em pacientes com sobrepeso. 2016 , 23, 263-267 | 1 |
| 140 | Race or Resource? BMI, Race, and Other Social Factors as Risk Factors for Interlimb Differences among Overweight Breast Cancer Survivors with Lymphedema. 2016 , 2016, 8241710 | 9 |
| 139 | CE: Late and Long-Term Sequelae of Breast Cancer Treatment. 2016 , 116, 36-45 | 9 |
| 138 | Neutrophilic Dermatitis Limited to Lipo-Lymphedematous Skin in a Morbidly Obese Woman on Dasatinib Therapy. 2016 , 38, e22-6 | 5 |
| 137 | The Impact of Radiation Therapy, Lymph Node Dissection, and Hormonal Therapy on Outcomes of Tissue Expander-Implant Exchange in Prosthetic Breast Reconstruction. 2016 , 137, 1-9 | 44 |
| 136 | Diagnosis and Management of Obesity-Induced Lymphedema. 2016 , 138, 111e-118e | 21 |

| | | |
|-----|--|----|
| 135 | Postprandial lymphatic pump function after a high-fat meal: a characterization of contractility, flow, and viscosity. 2016 , 310, G776-89 | 29 |
| 134 | Bioimpedance to screen for abdominal fat in patients with breast cancer treatment-related lymphedema. 2016 , 36, 73-6 | 2 |
| 133 | Evaluation of the Upper Limb Lymphatic System: A Prospective Lymphoscintigraphic Study in Melanoma Patients and Healthy Controls. 2016 , 138, 1321-1331 | 9 |
| 132 | Early Detection of Lymphatic Disorder and Treatment for Lymphedema following Breast Cancer. 2016 , 138, 192e-202e | 61 |
| 131 | Risk factors for lymphoedema in women with breast cancer: A large prospective cohort. 2016 , 28, 29-36 | 83 |
| 130 | The need for preoperative baseline arm measurement to accurately quantify breast cancer-related lymphedema. 2016 , 157, 229-240 | 45 |
| 129 | Surgical guidance by freehand SPECT for sentinel lymph node biopsy in early stage breast cancer: A preliminary study. 2016 , 44, 487-91 | 4 |
| 128 | Obesity-induced lymphatic dysfunction is reversible with weight loss. 2016 , 594, 7073-7087 | 50 |
| 127 | Exercise training improves obesity-related lymphatic dysfunction. 2016 , 594, 4267-82 | 41 |
| 126 | Breast Cancer-Related Lymphedema and Resistance Exercise: A Systematic Review. 2016 , 30, 2656-65 | 54 |
| 125 | Barcelona Lymphedema Algorithm for Surgical Treatment in Breast Cancer-Related Lymphedema. 2016 , 32, 329-35 | 40 |
| 124 | Long-Term Results of a Highly Performing Conformal Electron Therapy Technique for Chest Wall Irradiation After Mastectomy. 2017 , 98, 206-214 | 16 |
| 123 | Axillary reverse mapping in N0 patients requiring sentinel lymph node biopsy - A systematic review of the literature and necessity of a randomised study. 2017 , 33, 57-70 | 7 |
| 122 | High-Fat Diet in the Absence of Obesity Does Not Aggravate Surgically Induced Lymphoedema in Mice. 2017 , 58, 180-192 | 6 |
| 121 | The women in steady exercise research (WISER) survivor trial: The innovative transdisciplinary design of a randomized controlled trial of exercise and weight-loss interventions among breast cancer survivors with lymphedema. 2017 , 61, 63-72 | 21 |
| 120 | Breast Cancer-Related Lymphedema Risk is Related to Multidisciplinary Treatment and Not Surgery Alone: Results from a Large Cohort Study. 2017 , 24, 2972-2980 | 74 |
| 119 | Considerations for Clinicians in the Diagnosis, Prevention, and Treatment of Breast Cancer-Related Lymphedema: Recommendations from a Multidisciplinary Expert ASBrS Panel : Part 1: Definitions, Assessments, Education, and Future Directions. 2017 , 24, 2818-2826 | 56 |
| 118 | Association of type 2 diabetes with in-hospital complications among women undergoing breast cancer surgical procedures. A retrospective study using the Spanish National Hospital Discharge Database, 2013-2014. 2017 , 7, e017676 | 5 |

| | | |
|-----|--|-----|
| 117 | Sentinel-Lymph-Node-Based Management or Routine Axillary Clearance? Five-Year Outcomes of the RACS Sentinel Node Biopsy Versus Axillary Clearance (SNAC) 1 Trial: Assessment and Incidence of True Lymphedema. 2017 , 24, 1064-1070 | 19 |
| 116 | Risk factors and a prediction model for lower limb lymphedema following lymphadenectomy in gynecologic cancer: a hospital-based retrospective cohort study. 2017 , 17, 50 | 44 |
| 115 | Lymphoscintigraphy detecting alterations of upper limb lymphatic flow following early sentinel lymph node biopsy in breast cancer. 2017 , 9, 279-285 | 1 |
| 114 | Arm lymphoscintigraphy after axillary lymph node dissection or sentinel lymph node biopsy in breast cancer. 2017 , 10, 1451-1457 | 2 |
| 113 | Diagnostic accuracy of bioimpedance spectroscopy in patients with lymphedema: A retrospective cohort analysis. 2018 , 71, 1041-1050 | 32 |
| 112 | Predictive factors of satisfaction and quality of life after immediate breast reconstruction using the BREAST-Q. 2018 , 27, 1464-1474 | 13 |
| 111 | Obesity, Dietary Factors, Nutrition, and Breast Cancer Risk. 2018 , 10, 14-27 | 49 |
| 110 | Preoperative Lymphedema-Related Risk Factors in Early-Stage Breast Cancer. 2018 , 16, 28-35 | 21 |
| 109 | Factors associated with professional healthcare advice seeking in women at risk for developing breast cancer-related lymphedema. 2018 , 101, 445-451 | 9 |
| 108 | Breast Cancer-Related Lymphedema. 2018 , 689-699 | |
| 107 | Lymphedema following breast cancer: The importance of surgical methods and obesity. 2018 , 3, | 8 |
| 106 | Breast cancer-related lymphedema: risk factors, precautionary measures, and treatments. 2018 , 7, 379-403 | 78 |
| 105 | Immediate lymphatic reconstruction. 2018 , 118, 750-757 | 17 |
| 104 | An Assessment of the Relationship Between Abdominal Obesity and the Severity of Upper Extremity Lymphedema. 2018 , 16, 458-463 | 7 |
| 103 | Breast cancer survivorship: a comprehensive review of long-term medical issues and lifestyle recommendations. 2015 , 19, 48-79 | 171 |
| 102 | Utilization of bioelectrical impedance analysis for detection of lymphedema in breast Cancer survivors: a prospective cross sectional study. 2019 , 19, 669 | 11 |
| 101 | Biomaterials for Modulating Lymphatic Function in Immunoengineering. 2019 , 2, 293-310 | 8 |
| 100 | Obesity Does Not Influence Management of Advanced Breast Cancer in the Elderly. 2019 , 19, 197-199 | 1 |

| | | |
|----|--|----|
| 99 | To what extent does sex, age and BMI impact medical and pharmacy costs? A retrospective cohort study involving employees in a large school district in the USA. 2019 , 9, e024078 | 3 |
| 98 | Identification and Management of Lymphedema in Patients With Breast Cancer. 2019 , 15, 255-262 | 10 |
| 97 | Toxicities of Radiation Treatment for Breast Cancer. 2019 , | 3 |
| 96 | Lymphedema After Breast Cancer Treatment. 2019 , 97-126 | |
| 95 | Regulation of Immune Function by the Lymphatic System in Lymphedema. 2019 , 10, 470 | 26 |
| 94 | The Impact of Obesity on Breast Cancer Diagnosis and Treatment. 2019 , 21, 41 | 76 |
| 93 | The Lymphatic System in Obesity, Insulin Resistance, and Cardiovascular Diseases. 2019 , 10, 1402 | 20 |
| 92 | Obesity and cancer treatment efficacy: Existing challenges and opportunities. 2019 , 125, 1588-1592 | 12 |
| 91 | Complex Decongestive Therapy in Breast Cancer-Related Lymphedema: Does Obesity Affect the Outcome Negatively?. 2019 , 17, 45-50 | 12 |
| 90 | Post Mastectomy Lymphedema—Prospective Study of Incidence and Risk Factors. 2019 , 81, 16-22 | 2 |
| 89 | The Effects of Synbiotic Supplementation on Antioxidant Capacity and Arm Volumes in Survivors of Breast Cancer-Related Lymphedema. 2020 , 72, 62-73 | 10 |
| 88 | Body Mass Index and Lymphedema Morbidity: Comparison of Obese versus Normal-Weight Patients. 2020 , 146, 402-407 | 14 |
| 87 | Integrating Symptoms Into the Diagnostic Criteria for Breast Cancer-Related Lymphedema: Applying Results From a Prospective Surveillance Program. 2020 , 100, 2186-2197 | 4 |
| 86 | Impact of body mass index on long-term surgical outcomes of vascularized lymph node transfer in lymphedema patients. 2020 , 9, 603-613 | 2 |
| 85 | Altered Lymphatic Vessel Anatomy and Markedly Diminished Lymph Clearance in Affected Hands of Patients With Active Rheumatoid Arthritis. 2020 , 72, 1447-1455 | 7 |
| 84 | The impact of radiation on lymphedema: a review of the literature. 2020 , 9, 596-602 | 18 |
| 83 | The Role of Lymphatic Vascular Function in Metabolic Disorders. 2020 , 11, 404 | 13 |
| 82 | Regulation of Lymphatic Function in Obesity. 2020 , 11, 459 | 22 |

| | | |
|----|---|----|
| 81 | Effects of weight reduction on the breast cancer-related lymphedema: A systematic review and meta-analysis. 2020 , 52, 116-121 | 1 |
| 80 | Prevalence of postmastectomy pain syndrome and associated risk factors: A large single-institution cohort study. 2020 , 99, e19834 | 4 |
| 79 | Feasibility of Bioimpedance Analysis to Assess the Outcome of Complex Decongestive Therapy in Cancer Treatment-Related Lymphedema. 2020 , 10, 111 | 11 |
| 78 | Examining Obesity in Lymphedema: A Retrospective Study of 178 New Patients with Suspected Lymphedema at a Canadian Hospital-Based Clinic. 2020 , 72, 18-25 | 2 |
| 77 | Lymphatic Vasculature in Energy Homeostasis and Obesity. 2020 , 11, 3 | 10 |
| 76 | The results of the intensive phase of complete decongestive therapy and the determination of predictive factors for response to treatment in patients with breast cancer related-lymphedema. 2020 , 3, e1225 | 1 |
| 75 | Long-term follow-up on shoulder and arm morbidity in patients treated for early breast cancer. 2020 , 59, 851-858 | 4 |
| 74 | The Risk of Subclinical Breast Cancer-Related Lymphedema by the Extent of Axillary Surgery and Regional Node Irradiation: A Randomized Controlled Trial. 2021 , 109, 987-997 | 1 |
| 73 | Cutaneous sequelae of a national health crisis: Obesity and the skin. 2021 , 1, e7 | 1 |
| 72 | Immediate Lymphatic Reconstruction after Axillary Lymphadenectomy: A Single-Institution Early Experience. 2021 , 28, 1381-1387 | 8 |
| 71 | Guiding Measurement Protocols of Connected Medical Devices Using Digital Twins: A Statistical Methodology Applied to Detecting and Monitoring Lymphedema. 2021 , 9, 39444-39465 | 0 |
| 70 | Care for Breast Cancer Survivors. 2021 , 1187, 511-524 | 2 |
| 69 | The Effects of Kinect-Enhanced Lymphatic Exercise Intervention on Lymphatic Pain, Swelling, and Lymph Fluid Level. 2021 , 20, 15347354211026757 | 4 |
| 68 | From Bench to Bedside: The Role of a Multidisciplinary Approach to Treating Patients with Lymphedema. 2021 , 19, 11-16 | 1 |
| 67 | The Impact of Obesity on Surgically Treated Locoregional Melanoma. 2021 , 28, 6140-6151 | 2 |
| 66 | Lower Extremity Lymphatic Function in Nonambulatory Patients with Neuromuscular Disease. 2021 , 19, 126-128 | 3 |
| 65 | Prevention of Breast Cancer-Related Lymphedema. 2021 , 21, 128-142 | 1 |
| 64 | Mobile Health Applications, Cancer Survivors, and Lifestyle Modification: An Integrative Review. 2021 , 39, 755-763 | 0 |

| | | |
|----|---|----|
| 63 | The Effects of Obesity on Lymphatic Pain and Swelling in Breast Cancer Patients. 2021 , 9, | 3 |
| 62 | Person-centered communication about weight and weight management: Focus group discussions in a diverse sample of women with nonmetastatic breast cancer and obesity. 2021 , 127, 4266-4276 | |
| 61 | Utilization of Forearm Crutches to Avoid Lymphedema After Breast Cancer Lymph Node Surgery. 2021 , Publish Ahead of Print, | |
| 60 | Lymphedema. 2022 , 666-683 | |
| 59 | Association between Number of Retrieved Sentinel Lymph Nodes and Breast Cancer-related Lymphedema. 2021 , 24, 63-74 | 1 |
| 58 | Obesity, Inflammation, and Breast Cancer. 2013 , 181-217 | 4 |
| 57 | Impact of Obesity, Race, and Ethnicity on Cancer Survivorship. 2014 , 63-90 | 2 |
| 56 | Pathophysiology of Lymphedema. 2015 , 9-18 | 4 |
| 55 | Epidemiology and Morbidity of Lymphedema. 2015 , 33-44 | 6 |
| 54 | Risk Factors for Lymphedema After Breast Conservation Therapy and Oncoplastic Reduction. 2021 , 87, 248-252 | 1 |
| 53 | Lipidomic Profiling of Adipose Tissue Reveals an Inflammatory Signature in Cancer-Related and Primary Lymphedema. 2016 , 11, e0154650 | 13 |
| 52 | Weight Loss and Mortality in Overweight and Obese Cancer Survivors: A Systematic Review. 2017 , 12, e0169173 | 17 |
| 51 | A retrospective analysis of commonly prescribed medications and the risk of developing breast cancer related lymphedema. 2020 , 6, | 2 |
| 50 | Clinical value of postoperative sentinel lymph node biopsy. 2019 , 7, 683 | 5 |
| 49 | Upper limb secondary lymphedema ultrasound mapping and characterization. 2019 , 38, 334-342 | 7 |
| 48 | Assessment of Risk Factors in Patients who presented to the Outpatient Clinic for Breast Cancer-Related Lymphedema. 2016 , 12, 31-36 | 7 |
| 47 | Long-term effects of complex decongestive therapy in breast cancer patients with arm lymphedema after axillary dissection. 2013 , 37, 690-7 | 22 |
| 46 | Relationships between breast cancer and common non- communicable disease risk factors: an ecological study. 2013 , 14, 5123-5 | 11 |

- 45 Predictors of severity of lymphosclerosis in extremity lymphedema. **2021**,
- 44 Factors Predicting Limb Volume Reduction Using Compression Bandaging Within Decongestive Lymphatic Therapy in Lymphedema: A Multicountry Prospective Study. **2021**, 19, 412-422 ○
- 43 History and Physical Examination. **2015**, 107-114
- 42 Meme kanseri ilikili lenfem: Egzersiz yapmak iin bir engel midir?. 238-251 ○
- 41 Circulatory System. **2019**, 1-8
- 40 Crosstalk Between Adipose and Lymphatics in Health and Disease. **2022**, 163, ○
- 39 Lymphedema Risk Reduction and Management. **2022**, 78-90
- 38 Pathophysiology and Molecular Research in Lymphedema. **2022**, 23-29
- 37 Weight Gain and Lymphedema After Breast Cancer Treatment: Avoiding the Catch-22?. **2021**, ○
- 36 L-dex ratio in detecting breast cancer-related lymphedema: reliability, sensitivity, and specificity. **2013**, 46, 85-96 67
- 35 High Body Mass Index and Young Age Are not Associated with Post-Mastectomy Pain Syndrome in Breast Cancer Survivors: A Case-Control Study. **2015**, 8, 29-35 10
- 34 The effects of synbiotic supplementation on serum inflammatory markers and edema volume in breast cancer survivors with lymphedema. **2020**, 19, 1-15 2
- 33 Prevalence of upper extremity lymphedema and risk factors in patients with mastectomy: Single-center, observational, cross-sectional study. **2020**, 17, 215-224
- 32 A comprehensive approach to risk factors for upper arm morbidities following breast cancer treatment: a prospective study. **2021**, 21, 1251 2
- 31 Encyclopedia of Gerontology and Population Aging. **2021**, 1012-1019
- 30 Prevalence of upper extremity lymphedema and risk factors in patients with mastectomy: Single-center, observational, cross-sectional study. **2020**, 17, 215-224 ○
- 29 Factors associated with response to compression-based physical therapy for secondary lower limb lymphedema after gynecologic cancer treatment: a multicenter retrospective study.. **2022**, 22, 25
- 28 Lymphedema and Obesity.. **2022**, 1

| | | |
|----|--|---|
| 27 | Impacts of nutritive and bioactive compounds on cancer development and therapy.. 2022 , 1-30 | |
| 26 | Exploring disease interrelationships in patients with lymphatic disorders: A single center retrospective experience.. 2022 , 12, e760 | 2 |
| 25 | Pathophysiology and Molecular Research in Lymphedema. 2022 , 15-21 | 0 |
| 24 | Introduction. 2022 , 1-6 | |
| 23 | Key Topic: Multimodal Evaluation of the Lymphedema Patient. 2022 , 29-38 | |
| 22 | Definition, Incidence and Pathophysiology of Lymphedema. 2016 , 40-50 | 1 |
| 21 | Lymphedema Risk Reduction and Management. 2016 , 71-83 | |
| 20 | Effects of diet-induced obesity in the development of lymphedema in the animal model: A literature review. 2022 , | 0 |
| 19 | Advances in the Prevention and Treatment of Obesity-Driven Effects in Breast Cancers. 12, | 4 |
| 18 | Lymphatic biology and medicine. 2022 , 127-137 | |
| 17 | The impact of rehabilitation sport on breast cancer-related lymphoedema and quality of life. | |
| 16 | Rate of Incidental Edema in the Contralateral Arm of Patients with Unilateral Postsurgical Secondary Upper Extremity Lymphedema. | 0 |
| 15 | Exercise: A Critical Component of Cachexia Prevention and Therapy in Cancer. 2022 , 193-203 | 0 |
| 14 | A case of refractory lymphatic fistulas after superficialization of the brachial artery that was successfully treated with a combination of nutritional therapy and invasive procedures. 2022 , 55, 493-497 | 0 |
| 13 | Five-year results after total knee arthroplasty in lymphoedema and lipoedema: encouraging functional and clinical outcomes and low rates of infection. | 0 |
| 12 | Prediction of breast cancer-related lymphedema risk after postoperative radiotherapy via multivariable logistic regression analysis. 12, | 1 |
| 11 | Role of weight lost in breast cancer-related lymph. 2022 , | 0 |
| 10 | Clinical Impact of Severe Obesity in Patients with Lymphedema. 2022 , | 0 |

| | | |
|---|--|---|
| 9 | Risk factors of unilateral breast cancer-related lymphedema: an updated systematic review and meta-analysis of 84 cohort studies. 2023 , 31, | 1 |
| 8 | The prevention and treatment of breast cancer- related lymphedema: A review. 12, | 1 |
| 7 | Algorithm-Based Risk Identification in Patients with Breast Cancer-Related Lymphedema: A Cross-Sectional Study. 2023 , 15, 336 | 0 |
| 6 | Obesity and Cancer: A Current Overview of Epidemiology, Pathogenesis, Outcomes, and Management. 2023 , 15, 485 | 1 |
| 5 | Lymphatic Microsurgical Preventive Healing Approach for the Primary Prevention of Lymphedema: A 4-Year Follow-Up. 2023 , 151, 413-420 | 0 |
| 4 | The Vicious Circle of Stasis, Inflammation, and Fibrosis in Lymphedema. 2023 , 151, 330e-341e | 0 |
| 3 | Prospective, early longitudinal assessment of lymphedema-related quality of life among patients with locally advanced breast cancer: The foundation for building a patient-centered screening program. 2023 , 68, 205-215 | 0 |
| 2 | Effects of a Stress Management Training in Patients With Lymphedema and Obesity During Rehabilitation. | 0 |
| 1 | Body mass index increases the risk of breast cancer-related lymphedema at 6â€18 months after surgery: a retrospective study. 2023 , 31, | 0 |