Body mass index, waist circumference and waist:hip ratio as predictors of cardiovascular risk--a review of the literature

#	Paper	IF	Citations
489	A Review of Lifetime Risk Factors for Mortality. **2009**, 15, 17-64		12
488	Waist-height ratio, indicator of central obesity, is strongly related to waist circumference but there is poor additional information regarding waist circumference. **2010**, 74, 2501; author reply 2502		4
487	Effects of testosterone supplementation on markers of the metabolic syndrome and inflammation in hypogonadal men with the metabolic syndrome: the double-blinded placebo-controlled Moscow study. **2010**, 73, 602-12		254
486	Body fat distribution and noncommunicable diseases in populations: overview of the 2008 WHO Expert Consultation on Waist Circumference and Waist-Hip Ratio. *European Journal of Clinical Nutrition*, **2010**, 64, 2-5	5.2	238
485	Should waist circumference be used to identify metabolic disorders than BMI in South Korea?. *European Journal of Clinical Nutrition*, **2010**, 64, 1373-6	5.2	27
484	Optimal cut-off values and population means of waist circumference in different populations. **2010**, 23, 191-9		36
483	The effect of body fat, aging, and diabetes on vertical and shear pressure in and under a waist belt and its effect on skin blood flow. **2010**, 12, 153-60		16
482	Body composition after endogenous (Cushing's syndrome) and exogenous (rheumatoid arthritis) exposure to glucocorticoids. **2010**, 42, 613-8		19
481	[Which of the anthropometric measures to define excess weight is the best discriminator of cardiovascular risk?]. **2010**, 134, 396-8		1
480	Obesity: modern man's fertility nemesis. **2010**, 12, 480-9		129
479	Obesity overview: epidemiology, health and financial impact, and guidelines for qualification for surgical therapy. **2011**, 21, 189-201		42
478	Epidemiology and economic impact of obesity and type 2 diabetes. **2011**, 91, 1163-72, vii		78
477	Demographic determinants of response to statin medications. **2011**, 68, 511-7		11
476	Agreement between body mass index, waist circumference and skin-fold thickness in the United Kingdom Army. **2011**, 38, 257-64		16
475	Separate and combined associations of body-mass index and abdominal adiposity with cardiovascular disease: collaborative analysis of 58 prospective studies. **2011**, 377, 1085-95		705
474	Obesity in the UK Armed Forces: risk factors. **2011**, 176, 507-12		8
473	Body composition and overweight of liver transplant recipients. **2011**, 92, 947-51		31

| 472 | Effects of body size and sociodemographic characteristics on differences between self-reported and measured anthropometric data in middle-aged men and women: the EPIC-Norfolk study. *European Journal of Clinical Nutrition*, **2011**, 65, 357-67 | 5.2 | 37 |

| 471 | Weight cycling is associated with body weight excess and abdominal fat accumulation: a cross-sectional study. **2011**, 30, 718-23 | | 53 |

| 470 | Role of obesity-associated dysfunctional adipose tissue in cancer: a molecular nutrition approach. **2011**, 1807, 664-78 | | 101 |

| 469 | [Overweight. A valid predictor of cardiometabolic risk?]. **2011**, 52, 352, 354-6, 358 passim | | 2 |

| 468 | The relationship between various measures of obesity and arterial stiffness in morbidly obese patients. **2011**, 11, 7 | | 56 |

| 467 | How useful is BMI in predicting adiposity indicators in a sample of Maya children and women with high levels of stunting?. **2011**, 23, 780-9 | | 17 |

| 466 | Cardiorespiratory fitness is independently associated with 25-hydroxyvitamin D in chronic kidney disease. **2011**, 6, 512-8 | | 14 |

| 465 | The current status of bariatric surgery. **2011**, 2, 90-95 | | 3 |

| 464 | Invited commentary: Discrimination--an emerging target for reducing risk of cardiovascular disease?. **2011**, 173, 1240-3 | | 16 |

| 463 | Associations between general and abdominal adiposity and mortality in individuals with diabetes mellitus. **2011**, 174, 22-34 | | 62 |

| 462 | General and central obesity, combined oral contraceptive use and hypertension in Chinese women. **2011**, 24, 1324-30 | | 6 |

| 461 | Comparing apples and pears: women's perceptions of their body size and shape. **2012**, 21, 1074-81 | | 17 |

| 460 | Sex-specific relationships between adiposity and anthropometric measures and carotid intima-media thickness in Koreans: the Healthy Twin Study. *European Journal of Clinical Nutrition*, **2012**, 66, 39-46 | 5.2 | 6 |

| 459 | Three-Dimensional (3-D) Photonic Scanning: A New Approach to Anthropometry. **2012**, 205-217 | | 3 |

| 458 | Body weight perception is associated with socio-economic status and current body weight in selected urban and rural South Indian school-going children. **2012**, 15, 2348-56 | | 13 |

| 457 | The significance of measuring body fat percentage determined by bioelectrical impedance analysis for detecting subjects with cardiovascular disease risk factors. **2012**, 76, 2435-42 | | 30 |

| 456 | Respiratory assessment and management in bariatric surgery. **2012**, 17, 1039-47 | | 10 |

| 455 | Newly proposed body adiposity index (bai) by Bergman et al. is not strongly related to cardiovascular health risk. *Obesity*, **2012**, 20, 1138-9 | 8 | 28 |

| 454 | Oncogenic role and therapeutic target of leptin signaling in breast cancer and cancer stem cells. **2012**, 1825, 207-22 | | 76 |

| 453 | [Anthropometric measurements and cardiovascular status in a Cuban population of centenarians]. **2012**, 47, 183-4 | | 1 |

| 452 | Metabolic cardiovascular risk factors worsen continuously across the spectrum of body mass index in Asian Indians. **2012**, 64, 236-44 | | 10 |

| 451 | Anthropometric measurements from multi-view images. **2012**, | | 4 |

| 450 | Evaluating race/ethnicity in moderating baseline cardiometabolic risk and body composition changes in North Carolina first-year college women. **2012**, 52, 553-69 | | 10 |

| 449 | Is waist circumference a better predictor of blood pressure, insulin resistance and blood lipids than body mass index in young Chilean adults?. *BMC Public Health*, **2012**, 12, 638 | 4.1 | 17 |

| 448 | Obesity in young-adult Nigerians: variations in prevalence determined by anthropometry and bioelectrical impedance analysis, and the development of % body fat prediction equations. **2012**, 5, 22 | | 14 |

| 447 | Body mass index and waist circumference in persons aging with muscular dystrophy, multiple sclerosis, post-polio syndrome, and spinal cord injury. **2012**, 5, 177-84 | | 28 |

| 446 | Obesity and Male Fertility. **2012**, 349-360 | | |

| 445 | Early Identification of Cardiovascular Risk Factors in Adolescents and Follow-Up Intervention Strategies. **2012**, | | |

| 444 | Effects of Obesity and Gender on Chronic Pain Severity in a Community Based Cohort. **2012**, 02, | | |

| 443 | Six-minute walking test predicts maximal fat oxidation in obese children. **2012**, 36, 908-13 | | 14 |

| 442 | Prediction of whole-body and segmental body composition by bioelectrical impedance in morbidly obese subjects. **2012**, 22, 587-93 | | 25 |

| 441 | Contribution of central adiposity to left ventricular diastolic function (from the Baltimore Longitudinal Study of Aging). **2012**, 109, 1171-8 | | 36 |

| 440 | Use of knee height for the estimation of stature in elderly Turkish people and their relationship with cardiometabolic risk factors. **2012**, 54, 82-9 | | 10 |

| 439 | Waist circumference vs body mass index in association with cardiorespiratory fitness in healthy men and women: a cross sectional analysis of 403 subjects. **2013**, 12, 12 | | 43 |

| 438 | Recommendations for detection of individual risk for comorbidities in patients with psoriasis. **2013**, 305, 91-8 | | 30 |

| 437 | Women show worse control of type 2 diabetes and cardiovascular disease risk factors than men: results from the MIND.IT Study Group of the Italian Society of Diabetology. **2013**, 23, 235-41 | | 64 |

| 436 | Components of the interleukin-6 transsignalling system are associated with the metabolic syndrome, endothelial dysfunction and arterial stiffness. **2013**, 62, 1008-13 | | 69 |

| 435 | Cardiometabolic factors and disease duration in patients with Parkinson's disease. **2013**, 29, 1331-5 | | 20 |

| 434 | Energy and fat intake are not associated with abdominal adiposity. **2013**, 27, 117-122 | | 1 |

| 433 | Abdominal obesity and chronic stress interact to predict blunted cardiovascular reactivity. **2013**, 90, 73-9 | | 27 |

| 432 | Anthropometric indices of fat distribution and cardiometabolic risk in Parkinson's disease. **2013**, 23, 264-71 | | 9 |

| 431 | Large body mass index and waist-to-height ratio is associated with elevated blood pressure among children and adolescents in Shandong, China. **2013**, 168, 4855-6 | | 2 |

| 430 | Comparability and utility of body composition measurement vs. anthropometric measurement for assessing obesity related health risks in Korean men. **2013**, 67, 73-80 | | 13 |

| 429 | Relationship between BMI and body fatness in three European countries. *European Journal of Clinical Nutrition*, **2013**, 67, 254-8 | 5.2 | 6 |

| 428 | General and abdominal obesity parameters and their combination in relation to mortality: a systematic review and meta-regression analysis. *European Journal of Clinical Nutrition*, **2013**, 67, 573-85 | 5.2 | 150 |

| 427 | Body adiposity index and all-cause and cardiovascular disease mortality in men. *Obesity*, **2013**, 21, 1870-6 | 8 | 17 |

| 426 | Waist circumference, but not body mass index, is a predictor of ventricular remodeling after anterior myocardial infarction. **2013**, 29, 122-6 | | 7 |

| 425 | Comparison of associations of body mass index, abdominal adiposity, and risk of colorectal cancer in a large prospective cohort study. **2013**, 22, 1383-94 | | 41 |

| 424 | Is there a benefit to use calculated percent body fat or age- and gender-adjusted BMI-SDS(LMS) to predict risk factors for cardiovascular disease? A German/Austrian multicenter DPV-Wiss analysis on 42 048 type 2 diabetic patients. **2013**, 121, 67-74 | | 6 |

| 423 | Cross-Sectional and Longitudinal Associations between Body Mass Index and Cardiometabolic Risk Factors in Adolescents in a Country of the African Region. **2013**, 2013, 801832 | | 6 |

| 422 | Body adiposity index and cardiovascular health risk factors in Caucasians: a comparison with the body mass index and others. **2013**, 8, e63999 | | 84 |

| 421 | Longitudinal associations between BMI, waist circumference, and cardiometabolic risk in US youth: monitoring implications. *Obesity*, **2013**, 21, E271-9 | 8 | 25 |

| 420 | Trends in overweight and obesity over 22 years in a large adult population: the HUNT Study, Norway. **2013**, 3, 12-20 | | 98 |

| 419 | A correlation between the weight of visceral adipose tissue and selected anthropometric indices: an autopsy study. **2013**, 3, 84-9 | | 4 |

418	Patterns of weight change and progression to overweight and obesity differ in men and women: implications for research and interventions. **2013**, 16, 1463-75		23
417	Nutritional risk screening of patients scheduled for rehabilitation after treatment for ischemic or valvular heart disease. *European Journal of Clinical Nutrition*, **2013**, 67, 1116	5.2	1
416	Adherence to the Baltic Sea diet consumed in the Nordic countries is associated with lower abdominal obesity. **2013**, 109, 520-8		49
415	Accuracy of anthropometric parameters in identification of high-risk patients predicted with cardiovascular risk models. **2013**, 346, 26-31		6
414	The prognostic implication of metabolic syndrome in patients with heart failure. **2013**, 43, 87-92		3
413	Perfil antropom�rico dos idosos residentes em Campina Grande-PB. **2013**, 16, 19-27		7
412	To Identify Appropriate Anthropometric, Life Style and Metabolic Predictors in Assessment of Cardiovascular Disease Risk Factors among Punjabi Females in India. **2014**, 17, 223-232		
411	Becoming overweight: is there a health risk?. **2014**, 115, 527-31		9
410	Association of Socioeconomic Position and Demographic Characteristics with Cardiovascular Disease Risk Factors and Healthcare Access among Adults Living in Pohnpei, Federated States of Micronesia. **2014**, 2014, 595678		2
409	Leptin signaling molecular actions and drug target in hepatocellular carcinoma. **2014**, 8, 2295-302		19
408	Statistics in Childhood Obesity. **2014**,		
407	Prepregnancy body mass index and prenatal fasting glucose are effective predictors of early postpartum metabolic syndrome in Spanish mothers with gestational diabetes. **2014**, 12, 457-63		13
406	Oncogenic role and therapeutic target of leptin signaling in colorectal cancer. **2014**, 18, 961-71		12
405	Addressing Cardiovascular Disease Burden in low and Middle Income Countries (LMICs). **2014**, 8, 1		2
404	High prevalence of overweight, obesity, and hypertension with increased risk to cardiovascular disorders among adults in northwest Ethiopia: a cross sectional study. **2014**, 14, 155		33
403	Cardiometabolic risk is associated with atherosclerotic burden and prognosis: results from the partners coronary computed tomography angiography registry. **2014**, 37, 555-64		11
402	Lifestyle risk factors of general and abdominal obesity in students of the school of medicine and health science of the university of development studies, tamale, ghana. **2014**, 2014, 508382		13
401	Ethnicity and the association between anthropometric indices of obesity and cardiovascular risk in women: a cross-sectional study. **2014**, 4, e004702		19

400	Exploring secular changes in the association between BMI and waist circumference in Mexican-origin and white women: a comparison of Mexico and the United States. **2014**, 26, 627-34	16
399	Size at birth and abdominal adiposity in adults: a systematic review and meta-analysis. **2014**, 15, 77-91	27
398	Examining Neighborhood Environment and Central Obesity in the YES Health Study. **2014**, 70, 360-381	5
397	Association between rs12970134 Near MC4R and adiposity indexes in a homogenous population of Caucasian schoolchildren. **2014**, 82, 187-93	1
396	Excess adiposity and survival in patients with colorectal cancer: a systematic review. **2014**, 15, 434-51	49
395	Commentary: Body mass index persists as a sensible beginning to comprehensive risk assessment. **2014**, 43, 669-71	4
394	The role of body weight, fat distribution and weight change in ethnic differences in the 9-year incidence of hypertension. **2014**, 32, 990-6; discussion 996-7	14
393	Objectively measured physical activity and sedentary behaviour of Yakut (Sakha) adults. **2014**, 41, 180-6	5
392	Abdominal circumference is superior to body mass index in estimating musculoskeletal injury risk. **2014**, 46, 1951-9	14
391	Which cardiovascular risk factors are associated with cardiovascular disease and predict future events in advanced age in New Zealand?. **2014**, 33, 14-21	1
390	Comparison of blood pressure levels among children and adolescents with different body mass index and waist circumference: study in a large sample in Shandong, China. **2014**, 53, 627-34	26
389	Determinants of the transition from a cardiometabolic normal to abnormal overweight/obese phenotype in a Spanish population. **2014**, 53, 1345-53	39
388	Blood pressure among children and adolescents with normal weight but large waist circumference in Shandong, China. **2014**, 173, 285-9	5
387	Blood pressure level profiles among children and adolescents with various types of obesity: study in a large population in Shandong, China. **2014**, 103, 553-9	7
386	Exercise Training Improves Endothelial Function in Human Cardiovascular Disease Role of Oxidative Stress. **2014**, 3831-3853	1
385	Risco cardiovascular em policiais militares de uma cidade de grande porte do Nordeste do Brasil. **2014**, 36, 692-699	2
384	FNDC5 could be regulated by leptin in adipose tissue. **2014**, 44, 918-25	30
383	Abdominal and general adiposity and level of asthma control in adults with uncontrolled asthma. **2014**, 11, 1218-24	25

382	Stability of dietary patterns assessed with reduced rank regression; the Zutphen Elderly Study. **2014**, 13, 30		20
381	Association between bisphenol A and waist-to-height ratio among children: National Health and Nutrition Examination Survey, 2003-2010. **2014**, 24, 165-7		18
380	Optimal waist circumference cut-off values for predicting cardiovascular risk factors in a multi-ethnic Malaysian population. **2014**, 8, e154-62		9
379	Accuracy and adequacy of waist circumference cut-off points currently recommended in Brazilian adults. **2014**, 17, 861-9		9
378	Dietary, lifestyle and socio-economic correlates of overweight, obesity and central adiposity in Lebanese children and adolescents. *Nutrients*, **2014**, 6, 1038-62	6.7	72
377	Body Composition in Asians and Caucasians: Comparative Analyses and Influences on Cardiometabolic Outcomes. **2015**, 75, 97-154		51
376	A Practice-Focused Overview of Methods to Assess Obesity Before Arthroplasty. **2015**, 13, 258-63		
375	Early detection of comorbidity in psoriasis: recommendations of the National Conference on Healthcare in Psoriasis. **2015**, 13, 674-90		25
374	Comparing measures of overall and central obesity in relation to cardiometabolic risk factors among US Hispanic/Latino adults. *Obesity*, **2015**, 23, 1920-8	8	14
373	Früherkennung der Komorbidität bei Psoriasis: Konsensusempfehlungen der Nationalen Konferenz zur Versorgung der Psoriasis. **2015**, 13, 674-690		15
372	[Obesity and anthropometric indicators in a sample of males with Acute Coronary Syndrome in a health area with inclusion of inmates: case-control study]. **2015**, 17, 20-9		
371	Comparación de la composición corporal obtenida por bioimpedancia e hidrodensitometría en mujeres de 38 a 60 años de Medellín-Colombia. **2015**, 17,		
370	Salud y perfil sócio-demográfico de la clientela de restaurantes vinculados a programa social brasileño. **2015**, 42, 14-22		0
369	Differences in the triglyceride to HDL-cholesterol ratio between Palestinian and Israeli adults. **2015**, 10, e0116617		10
368	Measurement of waist and hip circumference with a body surface scanner: feasibility, validity, reliability, and correlations with markers of the metabolic syndrome. **2015**, 10, e0119430		40
367	Risk Factors and Disability Associated with Low Back Pain in Older Adults in Low- and Middle-Income Countries. Results from the WHO Study on Global AGEing and Adult Health (SAGE). **2015**, 10, e0127880		83
366	Comparison of Various Anthropometric Indices as Risk Factors for Hearing Impairment in Asian Women. **2015**, 10, e0143119		2
365	Dysglycaemia and Other Predictors for Progression or Regression from Impaired Fasting Glucose to Diabetes or Normoglycaemia. **2015**, 2015, 373762		14

346	Imaging body composition in cancer patients: visceral obesity, sarcopenia and sarcopenic obesity may impact on clinical outcome. **2015**, 6, 489-97		104
345	Co-existence of insulin resistance and high concentrations of circulating oxidized LDL lipids. **2015**, 47, 394-8		13
344	The Role of Body Size in Mate Selection among African American Young Adults. **2015**, 73, 340-354		3
343	Obesity related risk of sudden cardiac death in the atherosclerosis risk in communities study. **2015**, 101, 215-21		74
342	Multidisciplinary Approach to Obesity. **2015**,		6
341	A conceptual framework for managing modifiable risk factors for cardiovascular diseases in Fiji. **2015**, 135, 75-84		3
340	Nutrition, insulin resistance and dysfunctional adipose tissue determine the different components of metabolic syndrome. *World Journal of Diabetes*, **2016**, 7, 483-514	4.7	78
339	INFLUENCE OF MALE OBESITY ON FERTILITY. **2016**, 55, 301-8		5
338	Exploring the Relationship between Body Composition and Eating Behavior Using the Three Factor Eating Questionnaire (TFEQ) in Young New Zealand Women. *Nutrients*, **2016**, 8,	6.7	17
337	Telehealth exercise-based cardiac rehabilitation: a systematic review and meta-analysis. **2016**, 102, 1183-92		147
336	Reliability of 3D laser-based anthropometry and comparison with classical anthropometry. **2016**, 6, 26672		35
335	Erythrocyte omega-3 polyunsaturated fatty acid levels are associated with biomarkers of inflammation in older Australians. **2016**, 5, 61-69		8
334	Direction of Association Between Depressive Symptoms and Lifestyle Behaviors in Patients with Coronary Heart Disease: the Heart and Soul Study. **2016**, 50, 523-32		47
333	Trends in adult body-mass index in 200 countries from 1975 to 2014: a pooled analysis of 1698 population-based measurement studies with 19⯑2 million participants. **2016**, 387, 1377-1396		2787
332	Children and adolescents with low body mass index but large waist circumference remain high risk of elevated blood pressure. **2016**, 215, 23-5		14
331	Weight status, fatness and body image perception of North African immigrant women in Italy. **2016**, 19, 2743-51		15
330	Profiles of body mass index and the nutritional status among children and adolescents categorized by waist-to-height ratio cut-offs. **2016**, 223, 529-533		4
329	Waist circumference in coronary heart disease versus type-two diabetes. **2016**, 11, 173-178		

310	Dietary patterns are associated with excess weight and abdominal obesity in a cohort of young Brazilian adults. **2016**, 55, 2081-91		9
309	Deportistas de alta competición con índice de masa corporal igual o mayor a 30 kg/m 2 . ¿Obesidad o gran desarrollo muscular?. **2017**, 52, 29-36		3
308	Obesity, metabolic syndrome and cardiovascular prognosis: from the Partners coronary computed tomography angiography registry. **2017**, 16, 14		22
307	Recent Trends in Body Mass Index and Waist Circumference among Children and Adolescents in Shandong China. **2017**, 63, 461-467		3
306	Genetic determination of body fat distribution and the attributive influence on metabolism. *Obesity*, **2017**, 25, 1277-1283	8	8
305	Metabolic syndrome and benign prostatic hyperplasia: An update. **2017**, 4, 164-173		20
304	Correlation between Body Mass Index and abdominal circumference in Belgian adults: a cross-sectional study. **2017**, 55, 28-35		2
303	Population-level decline in BMI and systolic blood pressure following mass HIV treatment: Evidence from rural KwaZulu-Natal. *Obesity*, **2017**, 25, 200-206	8	6
302	Waist circumference and incidence of hypertension in Chinese adults : Observations from the Kailuan Study. **2017**, 42, 677-683		6
301	Association between Adiposity and disability in the Lc65+ Cohort. **2017**, 21, 799-810		5
300	Obesity and associated factors in young adults attending tertiary institutions in south-eastern Nigeria. **2017**, 30, 43-48		2
299	Waist Circumference and Body Mass Index in Children with Chronic Kidney Disease and Metabolic, Cardiovascular, and Renal Outcomes. **2017**, 191, 133-139		11
298	Association of adiposity with pulmonary function in older Chinese: Guangzhou Biobank Cohort Study. **2017**, 132, 102-108		14
297	Increases in waist circumference independent of weight in Mongolia over the last decade: the Mongolian STEPS surveys. **2017**, 4, 19		7
296	The current prevalence and regional disparities in general and central obesity among children and adolescents in Shandong, China. **2017**, 227, 89-93		8
295	Latin American Clinical Epidemiology Network Series - Paper 7: Central obesity measurements better identified risk factors for coronary heart disease risk in the Chilean National Health Survey (2009-2010). **2017**, 86, 111-116		12
294	Changes in Weight and Metabolic Syndrome Are Associated With Prostate Growth Rate Over a 5-Year Period. **2017**, 103, 185-190		5
293	Ayurgenomics for stratified medicine: TRISUTRA consortium initiative across ethnically and geographically diverse Indian populations. **2017**, 197, 274-293		20

| 274 | Cardiorespiratory repercussions according to the abdominal circumference measurement of men with obstructive respiratory disorder submitted to respiratory physiotherapy. **2018**, 34, 835-845 | | 1 |

| 273 | Longitudinal Associations of Neighborhood-level Racial Residential Segregation with Obesity Among Blacks. **2018**, 29, 207-214 | | 17 |

| 272 | Determining the worldwide prevalence of obesity - Authors' reply. **2018**, 391, 1774 | | 1 |

| 271 | Comparison of Body Composition Metrics for United States Air Force Airmen. **2018**, 183, e201-e207 | | 3 |

| 270 | Early prediction of olanzapine-induced weight gain for schizophrenia patients. **2018**, 263, 207-211 | | 5 |

| 269 | Prevalence of type 2 diabetes and prediabetes in the Faroe Islands. *Diabetes Research and Clinical Practice*, **2018**, 140, 162-173 | 7.4 | 8 |

| 268 | Association of Hypertension, Body Mass Index, and Waist Circumference with Fluoride Intake; Water Drinking in Residents of Fluoride Endemic Areas, Iran. **2018**, 185, 282-288 | | 52 |

| 267 | Gravidity, Parity, and Vertebral Dimensions in the Northern Finland Birth Cohort 1966. **2018**, 43, E1102-E1108 | | 4 |

| 266 | Predicting body fat percentage from anthropometric and laboratory measurements using artificial neural networks. **2018**, 67, 834-839 | | 18 |

| 265 | Abdominal Circumference Versus Body Mass Index as Predictors of Lower Extremity Overuse Injury Risk. **2018**, 15, 127-134 | | 2 |

| 264 | Changes in waist circumference independent of weight: Implications for population level monitoring of obesity. **2018**, 111, 378-383 | | 10 |

| 263 | Deriving an optimal threshold of waist circumference for detecting cardiometabolic risk in sub-Saharan Africa. **2017**, | | 36 |

| 262 | Waist to height ratio (0.5) as a predictor for prediabetes and type 2 diabetes in Indonesia. **2018**, 434, 012311 | | 1 |

| 261 | Effects of a preconception lifestyle intervention in obese infertile women on diet and physical activity; A secondary analysis of a randomized controlled trial. **2018**, 13, e0206888 | | 12 |

| 260 | The Prevalence of Abdominal Obesity and Its Correlates among the Adults in Dodoma Region, Tanzania: A Community-Based Cross-Sectional Study. **2018**, 2018, 6123156 | | 14 |

| 259 | Waist-Stature Ratio And Its Relationship With Autonomic Recovery From Aerobic Exercise In Healthy Men. **2018**, 8, 16093 | | 3 |

| 258 | Gender Stratified Analyses of the Association of Skinfold Thickness with Hypertension: A Cross-Sectional Study in General Northeastern Chinese Residents. *International Journal of Environmental Research and Public Health*, **2018**, 15, | 4.6 | 2 |

| 257 | Effect of a 12-Week Online Walking Intervention on Health and Quality of Life in Cancer Survivors: A Quasi-Randomized Controlled Trial. *International Journal of Environmental Research and Public Health*, **2018**, 15, | 4.6 | 16 |

256   A comparison of trunk circumference and width indices for hypertension and type 2 diabetes in a large-scale screening: a retrospective cross-sectional study. **2018**, 8, 13284   3

255   Evaluation of health status and its predictor among university staff in Nigeria. **2018**, 18, 183   6

254   Computer Vision for Ambient Assisted Living: Monitoring Systems for Personalized Healthcare and Wellness That Are Robust in the Real World and Accepted by Users, Carers, and Society. **2018**, 147-182   7

253   Mendelian randomisation in type 2 diabetes and coronary artery disease. **2018**, 50, 111-120   9

252   LIVE: A Community-Based Intervention to Reduce CVD Risk Factors in Rural Community-Dwelling African Americans. **2018**, 49, 326-334   2

251   Adiposity and Diabetes Risk in Adults with Prediabetes: Heterogeneity of Findings Depending on Age and Anthropometric Measure. *Obesity*, **2018**, 26, 1481-1490   8   3

250   Chemical compositions of Pu'er tea fermented by Eurotium Cristatum and their lipid-lowering activity. **2018**, 98, 204-211   22

249   Dyslipidemia among rural and urban HIV patients in south-east Malawi. **2018**, 13, e0197728   12

248   The importance of waist circumference and body mass index in cross-sectional relationships with risk of cardiovascular disease in Vietnam. **2018**, 13, e0198202   24

247   Determinants of mobility in populations of older adults: Results from a cross-sectional study in Finland, Poland and Spain. **2018**, 115, 84-91   6

246   Health conditions and lifestyle risk factors of adults living in Puerto Rico: a cross-sectional study. *BMC Public Health*, **2018**, 18, 491   4.1   22

245   Weight loss and weight loss maintenance efficacy of a novel weight loss program: The retrospective RNPC Ⓡ cohort. **2018**, 10, 16-23   5

244   Anthropometrics, Metabolic Syndrome, and Mortality Hazard. **2018**, 2018, 9241904   16

243   Joint association between body fat and its distribution with all-cause mortality: A data linkage cohort study based on NHANES (1988-2011). **2018**, 13, e0193368   13

242   Associations between anthropometric indices, blood pressure and physical fitness performance in young Swiss men: a cross-sectional study. **2018**, 8, e018664   11

241   Determinants of successful lifestyle change during a 6-month preconception lifestyle intervention in women with obesity and infertility. **2019**, 58, 2463-2475   11

240   A Clinician's Guide to Healthy Eating for Cardiovascular Disease Prevention. **2019**, 3, 251-267   34

239   The Contribution of Diet Quality to Socioeconomic Inequalities in Obesity: A Population-based Study of Swiss Adults. *Nutrients*, **2019**, 11,   6.7   6

238	Correlations between Traditional and Nontraditional Indicators of Adiposity, Inflammation, and Monocyte Subtypes in Patients with Stable Coronary Artery Disease. **2019**, 2019, 3139278		3
237	Personal NO and Volatile Organic Compounds Exposure Levels are Associated with Markers of Cardiovascular Risk in Women in the Cape Town Region of South Africa. *International Journal of Environmental Research and Public Health*, **2019**, 16,	4.6	12
236	Efficacy of visceral fat estimation by dual bioelectrical impedance analysis in detecting cardiovascular risk factors in patients with type 2 diabetes. **2019**, 18, 137		15
235	Cardiometabolic risk factor levels in Norwegian children compared to international reference values: The ASK study. **2019**, 14, e0220239		5
234	Autonomic Nervous System Derangement as a Predictor of Cardiovascular Disease in Obese Postmenopausal Women. **2019**, 04, 008-014		
233	Pre-acculturation as a risk factor for obesity: Findings from the Health of Philippine Emigrants Study (HoPES). **2019**, 9, 100482		5
232	The obesity transition: stages of the global epidemic. *Lancet Diabetes and Endocrinology,the*, **2019**, 7, 231-240	18.1	283
231	Alterations in body mass index and waist-to-hip ratio in never and minimally treated patients with psychosis: A systematic review and meta-analysis. **2019**, 208, 420-429		16
230	How the association between obesity and inflammation may lead to insulin resistance and cancer. **2019**, 13, 1213-1224		39
229	Rural versus urban women: An examination of anthropometry and body composition. **2019**, 27, 70-77		1
228	The Mediterranean Diet: What It Is and Its Effect on Abdominal Obesity. **2019**, 281-299		0
227	Disseminating and implementing a lifestyle-based healthy weight program for mothers in a national organization: a study protocol for a cluster randomized trial. **2019**, 14, 68		4
226	Anthropometrics, diet, and resting energy expenditure in Norwegian adults with achondroplasia. **2019**, 179, 1745-1755		6
225	Current treatments for obesity. **2019**, 19, 205-212		34
224	Pediatric Obesity and Eating Disorders Symptoms: The Role of the Multidisciplinary Treatment. A Systematic Review. **2019**, 7, 123		13
223	The Association of Body Size, Shape and Composition with Vertebral Size in Midlife - The Northern Finland Birth Cohort 1966 Study. **2019**, 9, 3944		5
222	Glucose effectiveness and its components in relation to body mass index. **2019**, 49, e13099		6
221	Association of paraoxonase-1 L55M and Q192R polymorphisms with PCOS risk and potential risk factors for atherosclerosis. **2019**, 13, 279-289		4

220	Waist circumference cutoff points for predicting metabolic abnormalities in Lebanese adults. **2019**, 4, 64-71		
219	Non-Communicable Disease Risk Factors Among a Cohort of Mine Workers in Mongolia. **2019**, 61, 1072-1077		
218	Concurrent Aerobic and Strength Training for Body Composition and Health. **2019**, 293-307		4
217	Arsenic Contamination in Asia. **2019**,		2
216	Central Obesity Increases the Risk of Gestational Diabetes Partially Through Increasing Insulin Resistance. *Obesity*, **2019**, 27, 152-160	8	18
215	The New Anthropometrics and Abdominal Obesity: A Body Shape Index, Hip Index, and Anthropometric Risk Index. **2019**, 19-27		1
214	The Prevalence of Body Mass Index-Associated Chronic Diseases in Diverse Ethnic Groups in New Zealand. **2019**, 31, 84-91		1
213	Preconception lifestyle intervention reduces long term energy intake in women with obesity and infertility: a randomised controlled trial. *International Journal of Behavioral Nutrition and Physical Activity*, **2019**, 16, 3	8.4	19
212	Development of Arsenic Removal Technology from Drinking Water in Developing Countries. **2019**, 163-179		
211	The age-dependent relationship between resting heart rate variability and functional brain connectivity. **2019**, 185, 521-533		22
210	Genetic contribution to waist-to-hip ratio in Mexican children and adolescents based on 12 loci validated in European adults. **2019**, 43, 13-22		6
209	Chronic Stress and Negative Marital Quality Among Older Couples: Associations With Waist Circumference. **2019**, 74, 318-328		7
208	Examining Cumulative Inequality in the Association Between Childhood Socioeconomic Status and Body Mass Index From Midlife to Old Age. **2020**, 75, 1264-1274		7
207	Gender, Education, and Physical Health among Adults in Central Mexico. **2020**, 63, 181-200		
206	Muscle Strengthening, Aerobic Exercise, and Obesity: A Pooled Analysis of 1.7 Million US Adults. *Obesity*, **2020**, 28, 371-378	8	13
205	Impact of adiposity on staging and prognosis of colorectal cancer. **2020**, 145, 102857		9
204	Higher eating frequency, but not skipping breakfast, is associated with higher odds of abdominal obesity in adults living in Puerto Rico. **2020**, 73, 75-82		4
203	Association of body composition indexes with cardio-metabolic risk factors. **2020**, 17, 100171		6

202	Time use and sexual maturity-related indicators differentially predict youth body mass indices, Peruvian girls versus boys. **2020**, 1468, 55-73		
201	Decursin and Decursinol Angelate Suppress Adipogenesis through Activation of β-catenin Signaling Pathway in Human Visceral Adipose-Derived Stem Cells. *Nutrients*, **2019**, 12,	6.7	5
200	Causal associations between urinary sodium with body mass, shape and composition: a Mendelian randomization study. **2020**, 10, 17475		3
199	Body Mass Index and Mortality in Blunt Trauma: The Right BMI can be Protective. **2020**, 220, 1475-1479		2
198	Mortality of NAFLD According to the Body Composition and Presence of Metabolic Abnormalities. **2020**, 4, 1136-1148		21
197	The Obesity Paradox in Lung Cancer: Associations With Body Size Versus Body Shape. **2020**, 10, 591110		8
196	Health Behavior Change in the Classroom: A Means to a Healthy End?. **2020**, 41, 445-472		5
195	Depression and Health Self-perception: Associations Within the Isolated Mennonite Population in South Brazil. **2020**, 22, 1265-1272		
194	Bariatric patient's body composition: An option to BMI?. **2020**, 40, 121-124		
193	Possible Reduction of Cardiac Risk after Supplementation with Epigallocatechin Gallate and Increase of Ketone Bodies in the Blood in Patients with Multiple Sclerosis. A Pilot Study. *Nutrients*, **2020**, 12,	6.7	5
192	Nutritional Status and Obstacles to Healthy Eating Among Refugees in Geneva. **2020**, 22, 1126-1134		1
191	Correlation between overweightness and the extent of coronary atherosclerosis among the South Caspian population. **2020**, 20, 257		3
190	Longitudinal associations between loneliness, social isolation and cardiovascular events. **2020**, 106, 1394-1399		13
189	The impact and distinction of 'lipid healthy but obese' and 'lipid abnormal but not obese' phenotypes on lumbar disc degeneration in Chinese. **2020**, 18, 211		0
188	Documenting the Food Insecurity Experiences and Nutritional Status of Women in India: Study Protocol. *International Journal of Environmental Research and Public Health*, **2020**, 17,	4.6	2
187	Self-reported Health is Related to Body Height and Waist Circumference in Rural Indigenous and Urbanised Latin-American Populations. **2020**, 10, 4391		1
186	Incidence of Prehypertension and Hypertension in Rural India, 2012-2018: A Sex-Stratified Population-Based Prospective Cohort Study. **2020**, 33, 552-562		4
185	Does vitamin D status predict weight gain or increase in waist circumference? Results from the longitudinal Health 2000/2011 Survey. **2020**, 23, 1266-1272		3

184	The Relation between Eating Habits and Abdominal Fat, Anthropometry, PON1 and IL-6 Levels in Patients with Multiple Sclerosis. *Nutrients*, **2020**, 12,	6.7	8
183	Body mass index, waist circumference, and risk of hearing loss: a meta-analysis and systematic review of observational study. **2020**, 25, 25		5
182	Baseline anthropometric indices predict change in vertebral size in early adulthood - A 10-year follow-up MRI study. **2020**, 138, 115506		0
181	Effects of different aerobic exercise programs on cardiac autonomic modulation and hemodynamics in hypertension: data from EXERDIET-HTA randomized trial. **2020**, 34, 709-718		7
180	In Vivo Fat Quantification: Monitoring Effects of a 6-Week Non-Energy-Restricted Ketogenic Diet in Healthy Adults Using MRI, ADP and BIA. *Nutrients*, **2020**, 12,	6.7	
179	Six-minute walk distance equation in children and adolescents with obesity. **2020**, 109, 2729-2737		4
178	Sonographic evaluation of the portal vein diameter in patients with chronic liver disease in northeastern Nigeria. **2021**, 29, 36-43		
177	The presence of the double burden of malnutrition in children and their mothers in Grand-Popo, Benin. **2021**, 27, 89-96		4
176	Adiposity is associated with anovulation independent of serum free testosterone: A prospective cohort study. *Paediatric and Perinatal Epidemiology*, **2021**, 35, 174-183	2.7	0
175	Disclosure of suboptimal health status through traditional Chinese medicine-based body constitution and pulse patterns. **2021**, 56, 102607		8
174	Biometric, nutritional, biochemical, and cardiovascular outcomes in male rats submitted to an experimental model of early weaning that mimics mother abandoning. **2021**, 12, 523-529		
173	Correlation of Maternal Neck/Waist Circumferences and Fetal Macrosomia in Low-Risk Turkish Pregnant Women, a Preliminary Study. **2021**, 40, 181-188		2
172	PREVALENCE OF ABDOMINAL OBESITY AND ITS ASSOCIATION WITH CARDIOVASCULAR RISK AMONG THE ADULT POPULATION IN BURKINA FASO.		
171	Cissus Quadrangularis enhances UCP1 mRNA, indicative of white adipocyte browning and decreases central obesity in humans in a randomized trial. **2021**, 11, 2008		4
170	Hypertension, BMI, and cardiovascular and cerebrovascular diseases. **2021**, 16, 149-155		0
169	Relationship between loneliness, social isolation and modifiable risk factors for cardiovascular disease: a latent class analysis. **2021**, 75, 749-754		3
168	The effect of behaviour change interventions on changes in physical activity and anthropometrics in ambulatory hospital settings: a systematic review and meta-analysis. *International Journal of Behavioral Nutrition and Physical Activity*, **2021**, 18, 7	8.4	4
167	Analyzing Trio-Anthropometric Predictors of Hypertension: Determining the Susceptibility of Blood Pressure to Sexual Dimorphism in Body Stature. **2021**, 2021, 5129302		0

166	Dose-dependent associations of joint aerobic and muscle-strengthening exercise with obesity: A cross-sectional study of 280,605 adults. **2021**,		0
165	Daily supplementation with the Lab4P probiotic consortium induces significant weight loss in overweight adults. **2021**, 11, 5		5
164	Aging and Allostasis: Using Bayesian Network Analytics to Explore and Evaluate Allostatic Markers in the Context of Aging. **2021**, 11,		2
163	Setting - based prevalence and correlates of central obesity: findings from a cross-sectional study among formal sector employees in Dodoma City, Central Tanzania. *BMC Public Health*, **2021**, 21, 97	4.1	0
162	Genome-wide association study of body fat distribution traits in Hispanics/Latinos from the HCHS/SOL Study.		
161	Correlation between left ventricular diastolic dysfunction and dyslipidaemia in asymptomatic patients with new-onset type 2 diabetes mellitus. **2021**, 33,		1
160	Anthropometric measures of obesity and associated cardiovascular disease risk in the Eastern Caribbean Health Outcomes Research Network (ECHORN) Cohort Study. *BMC Public Health*, **2021**, 21, 399	4.1	2
159	Ten things to know about ten cardiovascular disease risk factors. **2021**, 5, 100149		19
158	Associations between trunk-to-peripheral fat ratio and cardiometabolic risk factors in elderly Japanese men: baseline data from the Fujiwara-kyo Osteoporosis Risk in Men (FORMEN) study. **2021**, 26, 35		0
157	Life-course trajectories of body mass index from adolescence to old age: Racial and educational disparities. **2021**, 118,		6
156	Cardiometabolic Risk Factors leading to Diabetes Mellitus among the Young (YOD) from the 8 Philippine National Nutrition Survey. **2021**, 36, 12-24		1
155	Cardio-Metabolic Risk Factors in Scottish South Asian and Caucasian Youth. *International Journal of Environmental Research and Public Health*, **2021**, 18,	4.6	
154	The Impact of Epigallocatechin Gallate and Coconut Oil Treatment on Cortisol Activity and Depression in Multiple Sclerosis Patients. **2021**, 11,		2
153	Amerind ancestry predicts the impact of FADS genetic variation on omega-3 PUFA deficiency, cardiometabolic and inflammatory risk in Hispanic populations.		0
152	Comparison of anthropometric and body composition indices in the identification of metabolic risk factors. **2021**, 11, 9931		5
151	Genome-wide association study of cardiac troponin I in the general population. **2021**, 30, 2027-2039		5
150	Predictive model for the risk of cardiovascular disease and type 2 diabetes in obese people. **2021**, 146, 110834		1
149	Population-based body-brain mapping links brain morphology with anthropometrics and body composition. **2021**, 11, 295		3

148	High prevalence of overall overweight/obesity and abdominal obesity amongst adolescents: An emerging nutritional problem in rural high schools in Limpopo Province, South Africa. **2021**, 13, e1-e9		5
147	Metabolically Healthy Obesity Redefined. **2021**, 4, e218860		3
146	Olive Leaf Extract Supplementation to Old Wistar Rats Attenuates Aging-Induced Sarcopenia and Increases Insulin Sensitivity in Adipose Tissue and Skeletal Muscle. **2021**, 10,		2
145	Baseline associations between biomarkers, cognitive function, and self-regulation indices in the Cognitive and Self-regulatory Mechanisms of Obesity Study. **2021**, 7, 669-681		0
144	Community-Based Screening for Cardiovascular Disease in the Capricorn District of Limpopo Province, South Africa. **2021**, 14, 241-249		1
143	Cannabidiol-mediated RISK PI3K/AKT and MAPK/ERK pathways decreasing reperfusion myocardial damage. **2021**, 9, e00784		1
142	Genome-wide association study of body fat distribution traits in Hispanics/Latinos from the HCHS/SOL. **2021**, 30, 2190-2204		0
141	Warning signals of elevated prediabetes prevalence in the modern Iranian urban population. **2021**, 15, 472-479		2
140	Use of neck circumference as a predictor of cardiovascular risk in chronic kidney patients undergoing haemodialysis who are candidates for transplantation. *Journal of Human Nutrition and Dietetics*, **2021**, 34, 758-767	3.1	1
139	The effect of obesity on periodontitis progression: the 10-year retrospective cohort study. **2021**, 1		3
138	Predictors of change in BMI over 10´years among midlife and older adults: Associations with gender, CVD risk status, depressive symptoms, and social support. **2021**, 279, 113995		1
137	Prevalence of abdominal obesity and its association with cardiovascular risk among the adult population in Burkina Faso: findings from a nationwide cross-sectional study. **2021**, 11, e049496		0
136	Phenotypic differences between highlanders and lowlanders in Papua New Guinea. **2021**, 16, e0253921		0
135	Impact of Amerind ancestry and FADS genetic variation on omega-3 deficiency and cardiometabolic traits in Hispanic populations. **2021**, 4, 918		3
134	Comparison of Body Mass Index and Waist Circumference in the Prediction of Diabetes: A Retrospective Longitudinal Study. **2021**, 12, 2663-2676		0
133	Body Composition According to Spinal Cord Injury Level: A Systematic Review and Meta-Analysis. **2021**, 10,		0
132	Waist-to-height ratio, waist circumference, body mass index, waist divided by height and the risk of cardiometabolic multimorbidity: A national longitudinal cohort study. **2021**, 31, 2644-2651		2
131	Physical activity and sleep quality correlations with anthropometric measurements in young adults. **2021**, 1-8		0

130	Waist circumference measurement for prediction of preeclampsia: a population-based cohort study. **2021**,	
129	Diagnostic Performance and Appropriate Cut-Offs of Different Anthropometric Indicators for Detecting Children with Overweight and Obesity. **2021**, 2021, 1608760	0
128	Prediction of Efficacy of Taeumjowi-Tang for Treatment of Metabolic Risk Factors Based on Machine Learning. **2021**, 11, 8741	
127	Cutoff point of TyG index for metabolic syndrome in Brazilian farmers. **2021**,	0
126	Liraglutide changes body composition and lowers added sugar intake in overweight persons with insulin pump-treated type 1 diabetes. **2021**,	
125	Use of the online Framingham platform for the evaluation of the cardiovascular risk in diabetes mellitus and systemic arterial hypertension patients in primary health care. **2021**, 41, 498-503	
124	Factors associated with central overweight and obesity in students attending the University for Development Studies in Tamale, Ghana: a cross-sectional study. **2014**, 27, 69-74	3
123	Self-reported Health is Related to Body Height and Waist Circumference in Rural Indigenous and Urbanised Latin-American Populations.	1
122	Assessment of the relationship between lipid parameters and obesity indices in non-diabetic obese patients: a preliminary report. **2014**, 20, 2683-8	22
121	Public health research needs for molecular epidemiology and to emphasize homeostasis - could the omnipotent endopeptidase inhibitor α2-macroglobulin be a meaningful biomarker?. **2019**, 8, 1025	3
120	Body configuration as a predictor of mortality: comparison of five anthropometric measures in a 12 year follow-up of the Norwegian HUNT 2 study. **2011**, 6, e26621	88
119	Ethnic differences in cardiometabolic risk profile at age 5-6 years: the ABCD study. **2012**, 7, e43667	13
118	Ala54Thr fatty acid-binding protein 2 (FABP2) polymorphism in recurrent depression: associations with fatty acid concentrations and waist circumference. **2013**, 8, e82980	14
117	Almost all antipsychotics result in weight gain: a meta-analysis. **2014**, 9, e94112	281
116	Dietary medium chain fatty acid supplementation leads to reduced VLDL lipolysis and uptake rates in comparison to linoleic acid supplementation. **2014**, 9, e100376	24
115	Optimal central obesity measurement site for assessing cardiometabolic and type 2 diabetes risk in middle-aged adults. **2015**, 10, e0129088	13
114	The Sex and Race Specific Relationship between Anthropometry and Body Fat Composition Determined from Computed Tomography: Evidence from the Multi-Ethnic Study of Atherosclerosis. **2015**, 10, e0139559	20
113	A camera-phone based study reveals erratic eating pattern and disrupted daily eating-fasting cycle among adults in India. **2017**, 12, e0172852	51

112	Centenarians' offspring as a model of healthy aging: a reappraisal of the data on Italian subjects and a comprehensive overview. *Aging*, **2016**, 8, 510-9	5.6	37
111	Hypertension and its Relation with Waist to Hip Ratio in Women Referred to Bojnurd Urban Health Centers in 2014. **2019**, 11, 1-5		2
110	Predictors Linking Obesity and the Gut Microbiome (the PROMISE Study): Protocol and Recruitment Strategy for a Cross-Sectional Study on Pathways That Affect the Gut Microbiome and Its Impact on Obesity. *JMIR Research Protocols*, **2019**, 8, e14529	2	6
109	The Relation between Eating Habits and Abdominal Fat, Anthropometry, PON1 and IL-6 Levels in Patients with Multiple Sclerosis. *Nutrients*, **2020**, 12, 744	6.7	1
108	Obesity Determined by Different Measures and its Impact on the Health-Related Quality of Life of Young-Adult Nigerians. **2015**, 7, 64-75		1
107	Better Anthropometric Indicators to Predict Elevated Blood Pressure in North Indian Punjabi Adolescents. **2013**, 13, 139-145		2
106	Obesity Indices in relation to Lipid Abnormalities among Medical University Students in Zahedan, South-East of Iran. *International Journal of Preventive Medicine*, **2019**, 10, 15	1.6	4
105	Sonographic Estimation of Amniotic Fluid Volume Using the Amniotic Fluid Index and the Single Deepest Pocket in a Resource-Limited Setting. *Journal of Medical Ultrasound*, **2019**, 27, 63-68	0.8	1
104	Wrist circumference: A new marker for insulin resistance in African women with polycystic ovary syndrome. *World Journal of Diabetes*, **2020**, 11, 42-51	4.7	7
103	Beyond birth-weight: early growth and adolescent blood pressure in a Peruvian population. **2014**, 2, e381		4
102	Self-reported body silhouettes: a diagnostic instrument for anthropometric parameters. **2021**, 200, 39-46		1
101	Obesity and Male Fertility. **2013**, 253-273		
100	Nutritional Status Evaluation: Body Composition and Energy Balance. **2015**, 171-192		
99	CORRELATION OF BODY FAT INDEX WITH INSULIN RESISTANCE ACROSS NORMAL, OVERWEIGHT AND OBESE INDIVIDUALS. **2015**, 2, 3422-3426		
98	Association between Body Composition and Cardiovascular Fitness. **2015**, 9, 54-62		
97	Association Between Nutrition Knowledge and Nutritional Status with Blood Glucose Status in Rural Areas. **2015**, 14, 603-610		0
96	THE INFLUENCE OF LEPTIN ON THE DEVELOPMENT OF IMMUNOLOGICAL DISORDERS IN PATIENTS WITH DIABETES MELLITUS TYPE 2 AND HYPOTHYROIDISM. **2016**, 3, 45-50		
95	Low Body Mass Index of Indigenous Andibila Community Residing at High Altitude in Oju, Nigeria: Who Cares?. **2017**, 16, 557-561		

94	Anthropometric Indicators for Blood Pressure and the Prevalence of Hypertension in Indonesian College Students Aged 18-25 Years. **2018**, 17, 163-170		
93	The age-dependent relationship between resting heart rate variability and functional brain connectivity.		
92	Obez çocuk ve adolesanlarda vücut kitle indeksi ve biyoelektrik impedans yöntemi ile ölçen vücut yağ oranının lipid düzeyleri ve metabolik parametrelerle ilişkisi.		
91	Diagnostic Criteria for Metabolic Syndrome Using BMI in Place of Waist Circumference (WC). **2019**, 46, 11-18		
90	Development of a New Index of Body Shape to Detect Ischemic Electrocardiogram Abnormalities. **2019**, 77, 39-45		
89	Causal associations between salt intake with body mass, shape and composition: A two-sample Mendelian randomization study.		
88	Differences in Health-Related Quality of Life Among Patients After Knee Injury. *International Journal of Athletic Therapy and Training*, **2020**, 25, 247-253	0.3	0
87	Using human genetics to understand the causes and consequences of circulating cardiac troponin I in the general population.		
86	Correlation of anthropometric indices with fasting blood glucose and blood pressure among university students in Kano, Nigeria. *Nigerian Journal of Basic and Clinical Sciences*, **2020**, 17, 128	0.2	1
85	Screening of insulin resistance in patients with hemodialysis. *Nephrology (Saint-Petersburg)*, **2020**, 24, 51-59	0.4	
84	Sonographic Portal Vein Biometry in Apparently Healthy Children in Northeastern Nigeria. *Journal of Medical Ultrasound*, **2020**, 28, 24-28	0.8	2
83	Observational Studies on Law Scale Experimentations. **2020**, 347-352		
82	Associations between adiposity indicators and hypertension among children and adolescents with intellectual disability-A case-control study. *Journal of Applied Research in Intellectual Disabilities*, **2020**, 33, 1133-1140	2.2	0
81	The Comparison of the Effects between Continuous and Intermittent Energy Restriction in Short-Term Bodyweight Loss for Sedentary Population: A Randomized, Double-Blind, Controlled Trial. *International Journal of Environmental Research and Public Health*, **2021**, 18,	4.6	0
80	Burden of cardiovascular disease risk factors over 13.5 years in a rural and urban South Indian cohort in comparison with global data.		
79	The Effect of Processed Tempeh Gembus Administration on Blood Glucose in Obese Women. *IOP Conference Series: Earth and Environmental Science*, 519, 012034	0.3	2
78	Prevalence, incidence and predictors of cardiovascular risk factors: longitudinal data from rural and urban South India and comparison with global data. *BMJ Open Diabetes Research and Care*, **2020**, 8,	4.5	
77	A Biological Age Model Designed for Health Promotion Interventions: Protocol for an Interdisciplinary Study for Model Development. *JMIR Research Protocols*, **2020**, 9, e19209	2	1

76	In Reply. *Deutsches A&#x0308;rzteblatt International*, **2020**, 117, 659-660	2.5	
75	Preventing a Cardiovascular Disease Epidemic among Indigenous Populations through Lifestyle Changes. *International Journal of Preventive Medicine*, **2012**, 3, 230-40	1.6	13
74	The association of body mass index with disease activity and clinical response to combination therapy in patients with rheumatoid arthritis. *Journal of Research in Medical Sciences*, **2014**, 19, 509-14	1.6	13
73	The impact of obesity on the male reproductive axis. *Journal of Medicine and Life*, **2014**, 7, 296-300	1.5	9
72	Relationship between proxies for Type II fiber type and resting blood pressure in Division I American Football Athletes. *International Journal of Health Sciences*, **2017**, 11, 16-20	1.1	
71	Anthropometric Indices as Predictors of Coronary Heart Disease Risk: Joint Modeling of Longitudinal Measurements and Time to Event. *Iranian Journal of Public Health*, **2017**, 46, 1546-1554	0.7	4
70	The association of anthropometric indices and cardiac function in healthy adults. *ARYA Atherosclerosis*, **2019**, 15, 9-13	0.7	2
69	Association between obesity and craniofacial muscles sensitivity: an experimental study in pain-free subjects. *International Journal of Physiology, Pathophysiology and Pharmacology*, **2019**, 11, 138-148	3.4	2
68	Causal effect of adiposity on the risk of 19 gastrointestinal diseases: a Mendelian randomization study.		
67	The Effects of Different Exercise Modalities in the Treatment of Cardiometabolic Risk Factors in Obese Adolescents with Sedentary Behavior-A Systematic Review and Meta-Analysis of Randomized Controlled Trials. *Children*, **2021**, 8,	2.8	3
66	Longitudinal trajectories and determinants of human fungiform papillae density. *Aging*, **2021**, 13,	5.6	0
65	Association of Metabolic Syndrome with Glaucoma and Ocular Hypertension in a Midwest United States Population. *Journal of Glaucoma*, **2021**,	2.1	0
64	Waist-to-height ratio has a stronger association with cardiovascular risks than waist circumference, waist-hip ratio and body mass index in type 2 diabetes. *Diabetes Research and Clinical Practice*, **2021**, 109151	7.4	0
63	Chronic hypertension and risk of preterm delivery: National Longitudinal Study of Adolescents to Adult Health.. *Paediatric and Perinatal Epidemiology*, **2022**,	2.7	2
62	The relationship between bioelectrical impedance parameters and pulmonary artery stiffness in obese subjects.. *Echocardiography*, **2022**,	1.5	
61	A longitudinal examination of objective neighborhood walkability, body mass index, and waist circumference: the REasons for Geographic And Racial Differences in Stroke study.. *International Journal of Behavioral Nutrition and Physical Activity*, **2022**, 19, 17	8.4	0
60	The Overweight Paradox: Impact of Body Mass Index on Patients Undergoing VATS Lobectomy or Segmentectomy.. *Seminars in Thoracic and Cardiovascular Surgery*, **2022**,	1.7	
59	Obesity and CKD in Sub-Saharan Africa: A Narrative Review.. *Kidney Medicine*, **2022**, 4, 100403	2.8	2

58	Effects of exercise training on obesity-related parameters in people with intellectual disabilities: systematic review and meta-analysis.. *Journal of Intellectual Disability Research*, **2022**,	3.2	
57	Central Obesity in Axial Spondyloarthropathy: the Missing Link to Understanding Worse Outcomes in Women?. *Journal of Rheumatology*, **2022**,	4.1	1
56	Relationship of anthropometric measurements and percent body fat mass to cardiovascular disease risk factors in adults with cerebral palsy.. *PM and R*, **2022**,	2.2	
55	Assessment of prevalence and risk factors of diabetes and pre-diabetes in South Africa.. *Journal of Health, Population and Nutrition*, **2022**, 41, 7	2.5	1
54	Markers of insulin resistance in Polycystic ovary syndrome women: An update.. *World Journal of Diabetes*, **2022**, 13, 129-149	4.7	1
53	Metabolic risk factors and effect of alirocumab on cardiovascular events after acute coronary syndrome: a post-hoc analysis of the ODYSSEY OUTCOMES randomised controlled trial.. *Lancet Diabetes and Endocrinology,the*, **2022**,	18.1	4
52	Association Between Anthropometric Indices and Nonanthropometric Components of Metabolic Syndrome in Saudi Adults.. *Journal of the Endocrine Society*, **2022**, 6, bvac055	0.4	0
51	Prevalence of central obesity according to different definitions in normal weight adults of two cross-sectional studies in Panama. *The Lancet Regional Health Americas*, **2022**, 10, 100215		1
50	Differences in the obesity screening ability of 19 anthropometric parameters in young Japanese females: Comparisons of direct measurements, conventional and novel indices. **2021**, 1, 41-52		1
49	Wrist circumference as a novel predictor of transition from metabolically healthy to unhealthy phenotype in overweight/obese adults: a gender-stratified 15.5-year follow-up.. *BMC Public Health*, **2021**, 21, 2276	4.1	0
48	Nine weeks of combined training improve functional and morphological outcomes in trained older people with cardiometabolic risk factors. *Journal of Bodywork and Movement Therapies*, **2022**,	1.6	
47	Table_1.docx. **2019**,		
46	Sex- and age-specific associations between cardiometabolic risk and white matter brain age in the UK Biobank cohort.. *Human Brain Mapping*, **2022**,	5.9	1
45	Low glycemic index and glycemic load diets in adults with excess weight: systematic review and meta-analysis of randomized clinical trials.. *Journal of Human Nutrition and Dietetics*, **2022**,	3.1	
44	Association between obesity and mortality in the Costa Rican elderly: a cohort study.. *BMC Public Health*, **2022**, 22, 1007	4.1	
43	Nutritional Needs in Mental Healthcare: Study Protocol of a Prospective Analytic Observational Study Assessing Nutritional Status, Eating Behavior and Barriers to Healthy Eating in Psychiatric Inpatients and Outpatients Compared to Healthy Adults. *Frontiers in Psychiatry*, 13,	5	0
42	Analysis of medical appointments for patients with overweight and obesity in a public hospital of Lima, Peru: a cross-sectional study of audio-recorded consultations. *Journal of International Medical Research*, **2022**, 50, 030006052211047	1.4	
41	OVERALL OBESITY AND OVERWEIGHT, TREND FROM 2016 TO 2022 WITH A FORECAST FOR 3 YEARS AHEAD IN EASTERN LIBYA. *International Journal of Research -GRANTHAALAYAH*, **2022**, 10, 14-24	0.2	

No.	Title		
40	Diabesity phenotype and the risks of cardiovascular disease and subclinical atherosclerosis: A prospective cohort study. *Obesity*,	8	
39	BMI moderates the association between adverse childhood experiences and COPD. *Journal of Psychosomatic Research*, **2022**, 110990	4.1	
38	Urinary Sodium Excretion and Obesity Markers among Bangladeshi Adult Population: Pooled Data from Three Cohort Studies. *Nutrients*, **2022**, 14, 3000	6.7	0
37	Effect of fixed 7.5 minutes moderate intensity exercise bouts on body composition and blood pressure among sedentary adults with prehypertension in Western-Kenya. *PLOS Global Public Health*, **2022**, 2, e0000806		
36	Prediction of percent body fat in adult men using ultrasonic and anthropometric measurements versus dual-energy X-ray absorptiometry. **2022**, 181,		
35	Ketogenic Diet Benefits to Weight Loss, Glycemic Control, and Lipid Profiles in Overweight Patients with Type 2 Diabetes Mellitus: A Meta-Analysis of Randomized Controlled Trails. **2022**, 19, 10429	2	
34	Differences in health-related quality of life among patients after ankle injury. 4,	0	
33	Prevalence and risk factors of general and abdominal obesity and hypertension in rural and urban residents in Bangladesh: a cross-sectional study. **2022**, 22,	0	
32	Subclinical impairment of left ventricular function assessed by speckle tracking in Type 2 diabetic obese and non-obese patients: Case control study. **2022**, 32, 95	0	
31	Burden of Metabolic Syndrome Among a Low-Income Population in China: A Population-Based Cross-Sectional Study. Volume 15, 2713-2723	0	
30	Association between Obesity Indexes and Thyroid Cancer Risk in Korean Women: Nested Case Control Study. **2022**, 14, 4712	0	
29	Trends in the distribution of body mass index, waist circumference and prevalence of obesity among Taiwanese adults, 1993 2016. **2022**, 17, e0274134	0	
28	Waist-to-Hip Ratio and Inflammatory Parameters Are Associated with Risk of Non-Alcoholic Fatty Liver Disease in Patients with Morbid Obesity. **2022**, 10, 2416	0	
27	The Association of Waist Circumference with the Prevalence and Survival of Digestive Tract Cancer in US Adults: A Population Study Based on Machine Learning Methods. **2022**, 2022, 1-11	0	
26	Salivary uric acid reactivity and baseline associations with physiological stress response For submission to Psychoneuroendocrinology. **2022**, 105948	0	
25	Pattern of Dietary Intake and Physical activity among Obese adults in Rural vs Urban areas in West Bengal: A Cross - Sectional Study. **2022**, 3924-3930	0	
24	Associations between health-related quality of life and measures of adiposity among Filipino adults. **2022**, 17, e0275798	0	
23	The Effect of Body Fat Distribution on Systemic Sclerosis. **2022**, 11, 6014	0	

22	A hybrid feature selection algorithm using simplified swarm optimization for body fat prediction. **2022**, 226, 107183	0
21	The relationship between body mass index, anthropometric measurements and GRACE risk score in acute coronary syndrome.	0
20	Information fusion via symbolic regression: A tutorial in the context of human health. **2023**, 92, 326-335	0
19	Mini Female Health Program for detection of non-communicable diseases in Women In a urban teaching hospital in India. **2022**, 18, 174550572211354	0
18	The Epidemiology of Obesity. **2022**, 20-26	0
17	Training and retention effects of paced and music-synchronised walking exercises on pre-older females: an interventional study. **2022**, 22,	0
16	Obesity and Risk for Lymphoma: Possible Role of Leptin. **2022**, 23, 15530	0
15	Body surface scan anthropometrics are related to cardiorespiratory fitness in the general population. **2022**, 12,	0
14	The association between spontaneous preterm birth and maternal hypertension in the fifth decade of life: a retrospective case control study.	0
13	The COVID-19 pandemic: Electronic media use and health among US College students. 1-16	0
12	Overall, abdominal, and visceral obesity in men and women: an introduction. **2023**, 3-18	0
11	Contemporary medical, device, and surgical therapies for obesity in adults. **2023**, 401, 1116-1130	1
10	Caffeine Consumption in Polish Adults: Development and Validation of a Polish Questionnaire for Assessing Caffeine Intake. 1-7	0
9	Early-life residential green spaces and traffic exposure in association with young adult body composition: a longitudinal birth cohort study of twins. **2023**, 22,	0
8	The association of dietary inflammatory index (DII) and central obesity with non-alcoholic fatty liver disease (NAFLD) in people with diabetes (T2DM). **2023**, 9, e13983	0
7	Body Mass Index Measured Repeatedly over 42 Years as a Risk Factor for Ischemic Stroke: The HUNT Study. **2023**, 15, 1232	0
6	Effect of exercise training with laser phototherapy on homeostasis balance resistant to hypercoagulability in seniors with obesity: a randomized trial. **2023**, 13,	0
5	Pulmonary thromboembolism and obesity in forensic pathologic case work.	0

4	General versus central adiposity as risk factors for cardiovascular-related outcomes in a high-risk population with type 2 diabetes: a post hoc analysis of the REWIND trial. **2023**, 22,	0
3	Patients with BMI >25 kg/m2 as a Target Population for Improvement of Rate of Follow-up Duplex Venous Ultrasound Examinations Following Initial Incomplete Examinations. **2023**,	0
2	Waist circumference mediates the association between rs1260326 in GCKR gene and the odds of lean NAFLD. **2023**, 13,	0
1	Determinants of obesity among rural adolescents in Vhembe district, Limpopo Province, South Africa.	0