

CITATION REPORT

List of articles citing

Biological, clinical and population relevance of 95 loci for blood lipids

DOI: 10.1038/nature09270
Nature, 2010, 466, 707-13.

Source: <https://exaly.com/paper-pdf/48503557/citation-report.pdf>

Version: 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2279	.		
2278	.		
2277	.		
2276	Prolonged febrile convulsions and mesial temporal lobe epilepsy in an identical twin. 2001 , 57, 318-20		31
2275	A genome-wide association study identifies protein quantitative trait loci (pQTLs). 2008 , 4, e1000072		331
2274	SORT1: deciphering the biological and genetic link between cholesterol and coronary heart disease. 2010 , 5, 765-768		
2273	Update on the role of endothelial lipase in high-density lipoprotein metabolism, reverse cholesterol transport, and atherosclerosis. 2010 , 74, 2263-70		83
2272	Genome-wide association studies identify new targets in cardiovascular disease. 2010 , 2, 48ps46		18
2271	[Von Willebrand disease : diagnosis and management]. 2010 , 51, 1118, 1120-6		2
2270	Clinical Implications of Lipid Genetics for Cardiovascular Disease. 2010 , 4, 461-468		15
2269	From noncoding variant to phenotype via SORT1 at the 1p13 cholesterol locus. <i>Nature</i> , 2010 , 466, 714-9	50.4	820
2268	Genomics: Variations in blood lipids. <i>Nature</i> , 2010 , 466, 703-4	50.4	9
2267	Genomics: The search for association. <i>Nature</i> , 2010 , 467, 1135-8	50.4	17
2266	Genomics: Seeing more SNPs. <i>Nature</i> , 2010 , 467, 1138	50.4	
2265	The future of genetic research on neurodegeneration. 2010 , 16, 1215-7		17
2264	Accelerating the pulse of cardiovascular R&D. 2010 , 9, 823-4		18
2263	Phenomics: the next challenge. 2010 , 11, 855-66		800

2262	Multi-locus test conditional on confirmed effects leads to increased power in genome-wide association studies. 2010 , 5, e15006	13
2261	O-glycosylation modulates proprotein convertase activation of angiotensin-like protein 3: possible role of polypeptide GalNAc-transferase-2 in regulation of concentrations of plasma lipids. 2010 , 285, 36293-303	109
2260	Fine mapping of the insulin-induced gene 2 identifies a variant associated with LDL cholesterol and total apolipoprotein B levels. 2010 , 3, 454-61	7
2259	Genome-wide association studies of plasma lipids: have we reached the limit?. 2010 , 30, 2084-6	6
2258	Epigenetic epidemiology of common complex disease: prospects for prediction, prevention, and treatment. 2010 , 7, e1000356	165
2257	The Wire. 2010 , 21, 1043-1044	1
2256	Cardiovascular endocrinology: Lipids and cardiovascular disease risk: genetic insights. 2010 , 6, 598	
2255	Insights from GWAS into the quantitative genetics of transcription in humans. 2010 , 92, 361-9	7
2254	Large-scale genome-wide association studies consortia: blessing, burden, or necessity?. 2010 , 3, 396-8	2
2253	Functions of cholesterol ester transfer protein and relationship to coronary artery disease risk. 2010 , 4, 389-93	21
2252	Neurocognitive phenotypes and genetic dissection of disorders of brain and behavior. 2010 , 68, 218-30	20
2251	Exome sequencing, ANGPTL3 mutations, and familial combined hypolipidemia. 2010 , 363, 2220-7	485
2250	Triglyceride-rich lipoproteins and high-density lipoprotein cholesterol in patients at high risk of cardiovascular disease: evidence and guidance for management. 2011 , 32, 1345-61	793
2249	Negatively cooperative binding of high-density lipoprotein to the HDL receptor SR-BI. 2011 , 50, 1818-30	17
2248	IQ, educational attainment, memory and plasma lipids: associations with apolipoprotein E genotype in 5995 children. 2011 , 70, 152-8	30
2247	Highlights of the year in JACC 2010. 2011 , 57, 480-514	1
2246	The human plasma lipidome. 2011 , 365, 1812-23	275
2245	The relative importance of common and rare genetic variants in the development of hypertriglyceridemia. 2011 , 9, 637-44	6

2244	Genetic variation near IRS1 associates with reduced adiposity and an impaired metabolic profile. 2011 , 43, 753-60	237
2243	Genomics of cardiovascular disease. 2011 , 365, 2098-109	194
2242	Oxidative stress and lectin-like ox-LDL-receptor LOX-1 in atherogenesis and tumorigenesis. 2011 , 15, 2301-33	128
2241	Genetic variants in novel pathways influence blood pressure and cardiovascular disease risk. <i>Nature</i> , 2011 , 478, 103-9	50.4 1564
2240	The fourth mammalian molybdenum enzyme mARC: current state of research. 2011 , 43, 524-39	54
2239	Genome-wide association study identifies loci influencing concentrations of liver enzymes in plasma. 2011 , 43, 1131-8	415
2238	New gene functions in megakaryopoiesis and platelet formation. <i>Nature</i> , 2011 , 480, 201-8	50.4 330
2237	Hepatic lipase, high density lipoproteins, and hypertriglyceridemia. 2011 , 178, 1429-33	85
2236	Alterations of autophagic-lysosomal system in the peripheral leukocytes of patients with myocardial infarction. 2011 , 412, 1567-71	9
2235	Cardiovascular diseases and genome-wide association studies. 2011 , 412, 1697-701	19
2234	Mapping rare and common causal alleles for complex human diseases. 2011 , 147, 57-69	82
2233	Heterozygosity for a loss-of-function mutation in GALNT2 improves plasma triglyceride clearance in man. 2011 , 14, 811-8	75
2232	Functional glucokinase regulator gene variants have inverse effects on triglyceride and glucose levels, and decrease the risk of obesity in children. 2011 , 37, 432-9	9
2231	3.7 Mb tandem microduplication in chromosome 5p13.1-p13.2 associated with developmental delay, macrocephaly, obesity, and lymphedema. Further characterization of the dup(5p13) syndrome. 2011 , 54, 225-30	18
2230	Pervasive haplotypic variation in the spliceo-transcriptome of the human major histocompatibility complex. 2011 , 21, 1042-54	52
2229	SIRT3 deficiency and mitochondrial protein hyperacetylation accelerate the development of the metabolic syndrome. 2011 , 44, 177-90	568
2228	Particular human leukocyte antigen alleles are associated with biochemical traits in the Japanese population. 2011 , 72, 566-70	2
2227	Iron in fatty liver and in the metabolic syndrome: a promising therapeutic target. 2011 , 55, 920-32	205

2226	Next generation genome-wide association tool: design and coverage of a high-throughput European-optimized SNP array. 2011 , 98, 79-89		154
2225	Design and coverage of high throughput genotyping arrays optimized for individuals of East Asian, African American, and Latino race/ethnicity using imputation and a novel hybrid SNP selection algorithm. 2011 , 98, 422-30		121
2224	Genome-wide association studies: results from the first few years and potential implications for clinical medicine. 2011 , 62, 11-24		73
2223	Human metabolic individuality in biomedical and pharmaceutical research. <i>Nature</i> , 2011 , 477, 54-60	50.4	728
2222	Strong association of the APOA5-1131T>C gene variant and early-onset acute myocardial infarction. 2011 , 214, 397-403		36
2221	Rare variants in the lipoprotein lipase (LPL) gene are common in hypertriglyceridemia but rare in Type III hyperlipidemia. 2011 , 214, 386-90		27
2220	Effects of peroxisome proliferator activated receptor-gamma 2 gene Pro12Ala polymorphism on fasting blood lipids: a meta-analysis. 2011 , 215, 136-44		19
2219	Genetic predisposition influences plasma lipids of participants on habitual diet, but not the response to reductions in dietary intake of saturated fatty acids. 2011 , 215, 421-7		18
2218	The type 2 diabetes and insulin-resistance locus near IRS1 is a determinant of HDL cholesterol and triglycerides levels among diabetic subjects. 2011 , 216, 157-60		22
2217	Associations between common genetic polymorphisms in the liver X receptor alpha and its target genes with the serum HDL-cholesterol concentration in adolescents of the HELENA Study. 2011 , 216, 166-9		16
2216	Genome wide association studies of abdominal aortic aneurysms-biological insights and potential translation applications. 2011 , 217, 47-56		17
2215	Evaluation of the gene-age interactions in HDL cholesterol, LDL cholesterol, and triglyceride levels: the impact of the SORT1 polymorphism on LDL cholesterol levels is age dependent. 2011 , 217, 139-41		27
2214	Genetic variation in ABCA1 and risk of cardiovascular disease. 2011 , 218, 281-2		6
2213	Meta analysis of candidate gene variants outside the LPA locus with Lp(a) plasma levels in 14,500 participants of six White European cohorts. 2011 , 217, 447-51		17
2212	New studies in atherosclerosis research. 2011 , 219, 399-401		0
2211	ABCG1: not as good as expected?. 2011 , 219, 393-4		7
2210	Hypocholesterolemia, foam cell accumulation, but no atherosclerosis in mice lacking ABC-transporter A1 and scavenger receptor BI. 2011 , 218, 314-22		27
2209	Look beyond one's own nose: combination of information from publicly available sources reveals an association of GATA4 polymorphisms with plasma triglycerides. 2011 , 219, 698-703		5

2208	Resequencing the apolipoprotein A5 (APOA5) gene in patients with various forms of hypertriglyceridemia. 2011 , 219, 715-20	16
2207	Genetics of non-alcoholic fatty liver disease and associated metabolic disorders. 2011 , 27, 186-197	1
2206	Identification of ADAMTS7 as a novel locus for coronary atherosclerosis and association of ABO with myocardial infarction in the presence of coronary atherosclerosis: two genome-wide association studies. 2011 , 377, 383-92	399
2205	Scavenger receptor class B member 1 protein: hepatic regulation and its effects on lipids, reverse cholesterol transport, and atherosclerosis. 2011 , 3, 29-44	13
2204	Pathway-Wide Association Study Implicates Multiple Sterol Transport and Metabolism Genes in HDL Cholesterol Regulation. 2011 , 2, 41	11
2203	Genome-wide association analysis identifies variants associated with nonalcoholic fatty liver disease that have distinct effects on metabolic traits. 2011 , 7, e1001324	629
2202	Large-scale candidate gene analysis of HDL particle features. 2011 , 6, e14529	31
2201	Variation in the FFAR1 gene modifies BMI, body composition and beta-cell function in overweight subjects: an exploratory analysis. 2011 , 6, e19146	7
2200	Knowledge-driven multi-locus analysis reveals gene-gene interactions influencing HDL cholesterol level in two independent EMR-linked biobanks. 2011 , 6, e19586	55
2199	Identification of Soat1 as a quantitative trait locus gene on mouse chromosome 1 contributing to hyperlipidemia. 2011 , 6, e25344	10
2198	Protein characterization of a candidate mechanism SNP for Crohn's disease: the macrophage stimulating protein R689C substitution. 2011 , 6, e27269	22
2197	Association of genetic loci with blood lipids in the Chinese population. 2011 , 6, e27305	26
2196	Extent of height variability explained by known height-associated genetic variants in an isolated population of the Adriatic coast of Croatia. 2011 , 6, e29475	5
2195	Genetic bases of hypertriglyceridemic phenotypes. 2011 , 22, 247-53	90
2194	New approaches for the discovery of lipid-related genes. 2011 , 6, 495-500	1
2193	TRIB1, chromosome 8 and the regulation of blood lipids. 2011 , 6, 119-122	
2192	Functional validation of new pathways in lipoprotein metabolism identified by human genetics. 2011 , 22, 123-8	31
2191	Neural regulation of cholesterol metabolism. 2011 , 22, 283-7	3

2190	Gene-gene and gene-environment interactions defining lipid-related traits. 2011 , 22, 129-36	44
2189	Inflammation, high-density lipoprotein and cardiovascular dysfunction. 2011 , 24, 265-72	27
2188	Genetic determinants of LDL, lipoprotein(a), triglyceride-rich lipoproteins and HDL: concordance and discordance with cardiovascular disease risk. 2011 , 22, 113-22	42
2187	Lipidomics is providing new insight into the metabolic syndrome and its sequelae. 2011 , 22, 210-5	74
2186	Lipoprotein association studies: taking stock and moving forward. 2011 , 22, 106-12	6
2185	Combining genome-wide data from humans and animal models of dyslipidemia and atherosclerosis. 2011 , 22, 100-5	4
2184	THE DISCOVERY OF THE STRUCTURE OF DNA. 2011 , 89-111	1
2183	Genetics. 2011 , 161-191	
2182	Human genetics and genomics a decade after the release of the draft sequence of the human genome. 2011 , 5, 577-622	65
2181	Novel mutations in scavenger receptor BI associated with high HDL cholesterol in humans. 2011 , 79, 575-81	60
2180	Decreased gene expression of LC3 in peripheral leucocytes of patients with coronary artery disease. 2011 , 41, 958-63	15
2179	Quality of diet is important for the prevention of cardiovascular disease. 2011 , 269, 148-9	1
2178	Genetic variation in HDL-related genes and the association with cardiovascular disease: HDL particles as chameleons of lipoprotein metabolism. 2011 , 270, 128-31	4
2177	Evidence for age as a modifier of genetic associations for lipid levels. 2011 , 75, 589-97	21
2176	Bipolar disorder risk alleles in adult ADHD patients. 2011 , 10, 418-23	14
2175	Genome partitioning of genetic variation for complex traits using common SNPs. 2011 , 43, 519-25	659
2174	Identification of an imprinted master trans regulator at the KLF14 locus related to multiple metabolic phenotypes. 2011 , 43, 561-4	253
2173	A genome-wide association study of metabolic traits in human urine. 2011 , 43, 565-9	188

2172	Conducting the metabolic syndrome orchestra. 2011 , 43, 506-8		16
2171	The immune system in atherosclerosis. 2011 , 12, 204-12		1454
2170	From expression QTLs to personalized transcriptomics. 2011 , 12, 277-82		122
2169	New approaches to disease mapping in admixed populations. 2011 , 12, 523-8		124
2168	Assessing and managing risk when sharing aggregate genetic variant data. 2011 , 12, 730-6		41
2167	Identification of ACOX2 as a shared genetic risk factor for preeclampsia and cardiovascular disease. 2011 , 19, 796-800		26
2166	Genetic architecture of circulating lipid levels. 2011 , 19, 813-9		19
2165	Genomic inflation factors under polygenic inheritance. 2011 , 19, 807-12		335
2164	Initial impact of the sequencing of the human genome. <i>Nature</i> , 2011 , 470, 187-97	50.4	750
2163	Mapping and analysis of chromatin state dynamics in nine human cell types. <i>Nature</i> , 2011 , 473, 43-9	50.4	2153
2162	Location, location, location: new insights into O-GalNAc protein glycosylation. 2011 , 21, 149-58		166
2161	Population genetics of genomics-based crop improvement methods. 2011 , 27, 98-106		181
2160	Genome-wide association studies and systems biology: together at last. 2011 , 27, 493-8		30
2159	Genome-wide association study for coronary artery calcification with follow-up in myocardial infarction. 2011 , 124, 2855-64		213
2158	Atherosclerosis: current pathogenesis and therapeutic options. 2011 , 17, 1410-22		1402
2157	Large-scale gene-centric analysis identifies novel variants for coronary artery disease. 2011 , 7, e1002260		175
2156	Meta-analysis of Dense Gene-centric Association Studies Reveals Common and Uncommon Variants Associated with Height. 2011 , 88, 6-18		103
2155	A general framework for detecting disease associations with rare variants in sequencing studies. 2011 , 89, 354-67		217

2154	Integrating autoimmune risk loci with gene-expression data identifies specific pathogenic immune cell subsets. 2011 , 89, 496-506	126
2153	Abdominal aortic aneurysm is associated with a variant in low-density lipoprotein receptor-related protein 1. 2011 , 89, 619-27	145
2152	AKT1 polymorphisms are associated with risk for metabolic syndrome. 2011 , 129, 129-39	22
2151	Revisiting Mendelian disorders through exome sequencing. 2011 , 129, 351-70	183
2150	microRNAs, Plasma Lipids, and Cardiovascular Disease. 2011 , 5, 10-17	
2149	Personalized Medicine and Cardiovascular Disease: From Genome to Bedside. 2011 , 5, 542-551	1
2148	Lipoproteinstoffwechsel und koronare Herzkrankheit. 2011 , 23, 7-14	
2147	Wie groß sind die kleinen genetischen Risiken?. 2011 , 23, 377-384	0
2146	Genome-wide association studies in atherosclerosis. 2011 , 13, 225-32	21
2145	Combined analysis of three genome-wide association studies on vWF and FVIII plasma levels. 2011 , 12, 102	49
2144	Genetic variants in LPL, OASL and TOMM40/APOE-C1-C2-C4 genes are associated with multiple cardiovascular-related traits. 2011 , 12, 123	68
2143	Replication of LDL GWAs hits in PROSPER/PHASE as validation for future (pharmaco)genetic analyses. 2011 , 12, 131	31
2142	Association of the GALNT2 gene polymorphisms and several environmental factors with serum lipid levels in the Mulao and Han populations. 2011 , 10, 160	24
2141	Association of the TRIB1 tribbles homolog 1 gene rs17321515 A>G polymorphism and serum lipid levels in the Mulao and Han populations. 2011 , 10, 230	22
2140	Sex-specific association of rs16996148 SNP in the NCAN/CILP2/PBX4 and serum lipid levels in the Mulao and Han populations. 2011 , 10, 248	16
2139	Evaluation of the global association between cholesterol-associated polymorphisms and Alzheimer's disease suggests a role for rs3846662 and HMGR splicing in disease risk. 2011 , 6, 62	9
2138	Genome-wide association studies and genetic architecture of common human diseases. 2011 , 5 Suppl 4, S16	1
2137	Using LASSO regression to detect predictive aggregate effects in genetic studies. 2011 , 5 Suppl 9, S69	8

2136	Genome-wide meta-analysis identifies novel multiple sclerosis susceptibility loci. 2011 , 70, 897-912	263
2135	Meta-analysis of heterogeneous data sources for genome-scale identification of risk genes in complex phenotypes. 2011 , 35, 318-32	28
2134	Pitfalls of merging GWAS data: lessons learned in the eMERGE network and quality control procedures to maintain high data quality. 2011 , 35, 887-98	55
2133	Sortilin: an unusual suspect in cholesterol metabolism: from GWAS identification to in vivo biochemical analyses, sortilin has been identified as a novel mediator of human lipoprotein metabolism. 2011 , 33, 430-7	32
2132	Emerging genomic applications in coronary artery disease. 2011 , 4, 473-82	30
2131	Varespladib: targeting the inflammatory face of atherosclerosis. 2011 , 32, 923-6	7
2130	Selecting weight loss surgery based on HDL genotype--are we there yet? At the brink of "personalized surgery". 2011 , 96, 1664-7	1
2129	Pro: Genome-wide association studies (GWAS) in asthma. 2011 , 184, 631-3	13
2128	Variants in STAT5B associate with serum TC and LDL-C levels. 2011 , 96, E1496-501	3
2127	The Behavioral Genetics of Religiousness. 2011 , 9, 199-212	4
2126	Genome-wide expression profiling of human lymphoblastoid cell lines identifies CHL1 as a putative SSRI antidepressant response biomarker. 2011 , 12, 171-84	55
2125	Molecular basis of autosomal dominant hypercholesterolemia: assessment in a large cohort of hypercholesterolemic children. 2011 , 123, 1167-73	78
2124	Racial/ethnic variation in the association of lipid-related genetic variants with blood lipids in the US adult population. 2011 , 4, 523-33	40
2123	The mouse QTL map helps interpret human genome-wide association studies for HDL cholesterol. 2011 , 52, 1139-1149	20
2122	Alteration of negatively charged residues in the 89 to 99 domain of apoA-I affects lipid homeostasis and maturation of HDL. 2011 , 52, 1363-72	8
2121	Emerging paradigms for the initiation of mucin-type protein O-glycosylation by the polypeptide GalNAc transferase family of glycosyltransferases. 2011 , 286, 14493-507	121
2120	Glycine dimerization motif in the N-terminal transmembrane domain of the high density lipoprotein receptor SR-BI required for normal receptor oligomerization and lipid transport. 2011 , 286, 18452-64	42
2119	Sorting out sortilin. 2011 , 108, 158-60	18

2118	Progress and promise of genome-wide association studies for human complex trait genetics. 2011 , 187, 367-83	406
2117	A genome-wide association study identifies a region at chromosome 12 as a potential susceptibility locus for restenosis after percutaneous coronary intervention. 2011 , 20, 4748-57	13
2116	A generalizable hypothesis for the genetic architecture of disease: pleomorphic risk loci. 2011 , 20, R158-62	60
2115	Commentary: the year in endocrine genetics for basic scientists. 2011 , 25, 1989-2002	4
2114	Use of genotype frequencies in medicated groups to investigate prescribing practice: APOE and statins as a proof of principle. 2011 , 57, 502-10	10
2113	MixupMapper: correcting sample mix-ups in genome-wide datasets increases power to detect small genetic effects. 2011 , 27, 2104-11	60
2112	Integration of QTL and bioinformatic tools to identify candidate genes for triglycerides in mice. 2011 , 52, 1672-82	21
2111	Genome-wide association study for serum urate concentrations and gout among African Americans identifies genomic risk loci and a novel URAT1 loss-of-function allele. 2011 , 20, 4056-68	86
2110	Low-density lipoprotein cholesterol and the risk of cancer: a mendelian randomization study. 2011 , 103, 508-19	111
2109	Utility of genetic determinants of lipids and cardiovascular events in assessing risk. 2011 , 8, 207-21	30
2108	Genetic determinants of coronary heart disease: new discoveries and insights from genome-wide association studies. 2011 , 97, 1463-73	17
2107	FADS1 genetic variability interacts with dietary linolenic acid intake to affect serum non-HDL-cholesterol concentrations in European adolescents. 2011 , 141, 1247-53	35
2106	An increased burden of common and rare lipid-associated risk alleles contributes to the phenotypic spectrum of hypertriglyceridemia. 2011 , 31, 1916-26	73
2105	Strategic approaches to unraveling genetic causes of cardiovascular diseases. 2011 , 108, 1252-69	68
2104	Cosegregation of aortic root atherosclerosis and intermediate lipid phenotypes on chromosomes 2 and 8 in an intercross of C57BL/6 and BALBc/ByJ low-density lipoprotein receptor ^{-/-} mice. 2011 , 31, 775-84	11
2103	Post-genomic update on a classical candidate gene for coronary artery disease: ESR1. 2011 , 4, 647-54	6
2102	Lipase maturation factor 1 is required for endothelial lipase activity. 2011 , 52, 1162-1169	21
2101	A bivariate genome-wide approach to metabolic syndrome: STAMPEED consortium. 2011 , 60, 1329-39	194

2100	Evidence of how rs7575840 influences apolipoprotein B-containing lipid particles. 2011 , 31, 1201-7	13
2099	Disruption of the murine procollagen C-proteinase enhancer 2 gene causes accumulation of pro-apoA-I and increased HDL levels. 2011 , 52, 1974-83	16
2098	Serum angiopoietin-like 4 protein levels and expression in adipose tissue are inversely correlated with obesity in monozygotic twins. 2011 , 52, 1575-82	44
2097	Genetics for monitoring prescription practices of commonly used drugs in populations. 2011 , 57, 366-8	
2096	Mechanisms and genetic determinants regulating sterol absorption, circulating LDL levels, and sterol elimination: implications for classification and disease risk. 2011 , 52, 1885-926	59
2095	Transferrin saturation and mortality. 2011 , 57, 921-3; author reply 923	1
2094	Triglycerides and heart disease: still a hypothesis?. 2011 , 31, 1716-25	145
2093	Dense genotyping of candidate gene loci identifies variants associated with high-density lipoprotein cholesterol. 2011 , 4, 145-55	66
2092	Common genetic variants, QT interval, and sudden cardiac death in a Finnish population-based study. 2011 , 4, 305-11	41
2091	Genome-wide association study identifies common variants associated with circulating vitamin E levels. 2011 , 20, 3876-83	71
2090	Exoplasmic cysteine Cys384 of the HDL receptor SR-BI is critical for its sensitivity to a small-molecule inhibitor and normal lipid transport activity. 2011 , 108, 12243-8	35
2089	Lectin domains of polypeptide GalNAc transferases exhibit glycopeptide binding specificity. 2011 , 286, 32684-96	47
2088	TRIB1 and GCKR polymorphisms, lipid levels, and risk of ischemic heart disease in the general population. 2011 , 31, 451-7	60
2087	Lipid disorders in Chinese populations. 2011 , 6, 549-562	5
2086	Genetic loci for blood lipid levels identified by linkage and association analyses in Caribbean Hispanics. 2011 , 52, 1411-9	23
2085	Therapeutic potential of antisense oligonucleotides for the management of dyslipidemia. 2011 , 6, 675-692	9
2084	Mendelian randomization studies do not support a role for raised circulating triglyceride levels influencing type 2 diabetes, glucose levels, or insulin resistance. 2011 , 60, 1008-18	60
2083	Phenotyping patient-derived cells for translational studies in cardiovascular disease. 2011 , 124, 2444-55	5

2082	Effects of 34 risk loci for type 2 diabetes or hyperglycemia on lipoprotein subclasses and their composition in 6,580 nondiabetic Finnish men. 2011 , 60, 1608-16	65
2081	Phospholipidation of HDL--how much is too much?. 2011 , 57, 4-6	6
2080	Heritability, weak effects, and rare variants in genomewide association studies. 2011 , 57, 1263-6	5
2079	Clinical considerations of heritable factors in common heart failure. 2011 , 4, 701-9	9
2078	Association of known loci with lipid levels among children and prediction of dyslipidemia in adults. 2011 , 4, 673-80	33
2077	Distribution of allele frequencies and effect sizes and their interrelationships for common genetic susceptibility variants. 2011 , 108, 18026-31	185
2076	High-density lipoprotein (HDL) cholesterol: leveraging practice-based biobank cohorts to characterize clinical and genetic predictors of treatment outcome. 2011 , 11, 162-73	8
2075	Do genetic variations alter the effects of exercise training on cardiovascular disease and can we identify the candidate variants now or in the future?. 2011 , 111, 916-28	10
2074	A Hybrid Bayesian Network/Structural Equation (BN/SEM) Modeling Approach for Detecting Physiological Networks for Obesity-related Genetic Variants. 2011 , 696-702	5
2073	Investigational CETP antagonists for hyperlipidemia and atherosclerosis prevention. 2011 , 20, 1543-54	11
2072	Low-coverage sequencing: implications for design of complex trait association studies. 2011 , 21, 940-51	231
2071	SIRT3 regulates mitochondrial protein acetylation and intermediary metabolism. 2011 , 76, 267-77	138
2070	Meta-analysis of genome-wide association studies in celiac disease and rheumatoid arthritis identifies fourteen non-HLA shared loci. 2011 , 7, e1002004	260
2069	Top advances in functional genomics and translational biology for 2010. 2011 , 4, 94-7	
2068	Distinct functional domains contribute to degradation of the low density lipoprotein receptor (LDLR) by the E3 ubiquitin ligase inducible Degradator of the LDLR (IDOL). 2011 , 286, 30190-9	38
2067	Moving beyond genome-wide association studies. 2011 , 4, 91-3	2
2066	The importance of synthetic associations will only be resolved empirically. 2011 , 9, e1001008	39
2065	Enhanced statistical tests for GWAS in admixed populations: assessment using African Americans from CARE and a Breast Cancer Consortium. 2011 , 7, e1001371	86

2064	Genetic determinants of lipid traits in diverse populations from the population architecture using genomics and epidemiology (PAGE) study. 2011 , 7, e1002138	128
2063	A genome-wide screen for interactions reveals a new locus on 4p15 modifying the effect of waist-to-hip ratio on total cholesterol. 2011 , 7, e1002333	25
2062	Mining the LIPG allelic spectrum reveals the contribution of rare and common regulatory variants to HDL cholesterol. 2011 , 7, e1002393	28
2061	A comprehensively molecular haplotype-resolved genome of a European individual. 2011 , 21, 1672-85	70
2060	PRIME: a method for characterization and evaluation of pleiotropic regions from multiple genome-wide association studies. 2011 , 27, 1201-6	54
2059	Thirty-five common variants for coronary artery disease: the fruits of much collaborative labour. 2011 , 20, R198-205	118
2058	Transcriptional and posttranscriptional control of cholesterol homeostasis by liver X receptors. 2011 , 76, 129-37	19
2057	Genome-wide association analysis of incident coronary heart disease (CHD) in African Americans: a short report. 2011 , 7, e1002199	23
2056	Genetic determinants of plasma triglycerides. 2011 , 52, 189-206	187
2055	Beyond missing heritability: prediction of complex traits. 2011 , 7, e1002051	192
2054	Fine mapping of five loci associated with low-density lipoprotein cholesterol detects variants that double the explained heritability. 2011 , 7, e1002198	118
2053	Genome-wide association study of coronary heart disease and its risk factors in 8,090 African Americans: the NHLBI CARE Project. 2011 , 7, e1001300	249
2052	Genetics of the Vitamin D Endocrine System. 2011 , 1025-1039	
2051	Heritability and genetic correlations explained by common SNPs for metabolic syndrome traits. 2012 , 8, e1002637	155
2050	Lung eQTLs to help reveal the molecular underpinnings of asthma. 2012 , 8, e1003029	218
2049	Genome-wide association studies of chronic kidney disease: what have we learned?. 2011 , 8, 89-99	51
2048	A Gaussian copula approach for the analysis of secondary phenotypes in case-control genetic association studies. 2012 , 13, 497-508	42
2047	Genome-wide association study evaluating lipoprotein-associated phospholipase A2 mass and activity at baseline and after rosuvastatin therapy. 2012 , 5, 676-85	30

2046	Knowledge-driven analysis identifies a gene-gene interaction affecting high-density lipoprotein cholesterol levels in multi-ethnic populations. 2012 , 8, e1002714	55
2045	Population structure of Hispanics in the United States: the multi-ethnic study of atherosclerosis. 2012 , 8, e1002640	65
2044	Chapter 11: Genome-wide association studies. 2012 , 8, e1002822	708
2043	Unraveling the regulatory mechanisms underlying tissue-dependent genetic variation of gene expression. 2012 , 8, e1002431	163
2042	Genome-wide association for abdominal subcutaneous and visceral adipose reveals a novel locus for visceral fat in women. 2012 , 8, e1002695	199
2041	Advances in exercise, fitness, and performance genomics in 2011. 2012 , 44, 809-17	48
2040	Genome-wide association study identifies novel loci associated with circulating phospho- and sphingolipid concentrations. 2012 , 8, e1002490	145
2039	Extent, causes, and consequences of small RNA expression variation in human adipose tissue. 2012 , 8, e1002704	43
2038	Novel Loci for metabolic networks and multi-tissue expression studies reveal genes for atherosclerosis. 2012 , 8, e1002907	125
2037	A unified method for detecting secondary trait associations with rare variants: application to sequence data. 2012 , 8, e1003075	6
2036	The metabochip, a custom genotyping array for genetic studies of metabolic, cardiovascular, and anthropometric traits. 2012 , 8, e1002793	395
2035	Novel loci for adiponectin levels and their influence on type 2 diabetes and metabolic traits: a multi-ethnic meta-analysis of 45,891 individuals. 2012 , 8, e1002607	326
2034	Efficiency and power as a function of sequence coverage, SNP array density, and imputation. 2012 , 8, e1002604	17
2033	Genetic modulation of lipid profiles following lifestyle modification or metformin treatment: the Diabetes Prevention Program. 2012 , 8, e1002895	27
2032	Heritability of serum sodium concentration: evidence for sex- and ethnic-specific effects. 2012 , 44, 220-8	13
2031	Exome sequencing identifies 2 rare variants for low high-density lipoprotein cholesterol in an extended family. 2012 , 5, 538-46	17
2030	New Genetic Approaches in Understanding Susceptibility for Metabolic Syndrome in Immigrant Populations Around Mediterranean Area. 2012 , 8, 87-98	3
2029	Several polymorphisms of KCNQ1 gene are associated with plasma lipid levels in general Chinese populations. 2012 , 7, e34229	13

2028	Candidate genes for obesity-susceptibility show enriched association within a large genome-wide association study for BMI. 2012 , 21, 4537-42	32
2027	Genetic predisposition to dyslipidemia and type 2 diabetes risk in two prospective cohorts. 2012 , 61, 745-52	60
2026	Amidoxime reductase system containing cytochrome b5 type B (CYB5B) and MOSC2 is of importance for lipid synthesis in adipocyte mitochondria. 2012 , 287, 6307-17	42
2025	LCAT, HDL cholesterol and ischemic cardiovascular disease: a Mendelian randomization study of HDL cholesterol in 54,500 individuals. 2012 , 97, E248-56	187
2024	ELISA system for human endothelial lipase. 2012 , 58, 1656-64	16
2023	Using bioinformatics and systems genetics to dissect HDL-cholesterol genetics in an MRL/MpJ x SM/J intercross. 2012 , 53, 1163-75	9
2022	Transgenic expression and genetic variation of Lmf1 affect LPL activity in mice and humans. 2012 , 32, 1204-10	11
2021	The endosomal protein-sorting receptor sortilin has a role in trafficking α 1 antitrypsin. 2012 , 192, 889-903	40
2020	Post-transcriptional regulation of lipoprotein receptors by the E3-ubiquitin ligase inducible degrader of the low-density lipoprotein receptor. 2012 , 23, 213-219	41
2019	The evolution and refinement of traditional risk factors for cardiovascular disease. 2012 , 20, 118-29	39
2018	Current world literature. 2012 , 23, 156-63	
2017	The genetics of coronary artery disease. 2012 , 27, 221-7	31
2016	Finding genes and variants for lipid levels after genome-wide association analysis. 2012 , 23, 98-103	39
2015	Elements of 'missing heritability'. 2012 , 27, 197-201	40
2014	Hepatic ABC transporters and triglyceride metabolism. 2012 , 23, 196-200	28
2013	Genetics and molecular biology. 2012 , 23, 83-4	
2012	Integrated approaches to functionally characterize novel factors in lipoprotein metabolism. 2012 , 23, 104-10	1
2011	The impact of genomics on pediatric research and medicine. 2012 , 129, 1150-60	9

2010	Functional evaluation of genetic variation in complex human traits. 2012 , 21, R18-23	9
2009	Common and low-frequency genetic variants in the PCSK9 locus influence circulating PCSK9 levels. 2012 , 32, 1526-34	46
2008	Risk modification of colorectal adenoma by CYP7A1 polymorphisms and the role of bile acid metabolism in carcinogenesis. 2012 , 5, 197-204	14
2007	Not just genomewide association studies: rare variants in genes not identified through genomewide association studies also contribute to hypertriglyceridemia. 2012 , 5, 5-6	2
2006	Why evolution needs development, and medicine needs evolution. 2012 , 41, 223-9	12
2005	A physiologically based in silico kinetic model predicting plasma cholesterol concentrations in humans. 2012 , 53, 2734-46	23
2004	Genetic architecture of declarative memory: implications for complex illnesses. 2012 , 18, 516-32	12
2003	Mutations in the ANGPTL3 gene and familial combined hypolipidemia: a clinical and biochemical characterization. 2012 , 97, E1266-75	87
2002	Intake levels of dietary long-chain PUFAs modify the association between genetic variation in FADS and LDL-C. 2012 , 53, 1183-9	55
2001	Clinical utility of genetic variants for cardiovascular risk prediction: a futile exercise or insufficient data?. 2012 , 5, 387-90	13
2000	Multimodale Lipidtherapie bei Diabetes. 2012 , 7, 183-192	
1999	Eight genetic loci associated with variation in lipoprotein-associated phospholipase A2 mass and activity and coronary heart disease: meta-analysis of genome-wide association studies from five community-based studies. 2012 , 33, 238-51	75
1998	O-glycosylation modulates integrin and FGF signalling by influencing the secretion of basement membrane components. 2012 , 3, 869	45
1997	High density GWAS for LDL cholesterol in African Americans using electronic medical records reveals a strong protective variant in APOE. 2012 , 5, 394-9	38
1996	An update on the clinical development of dalcetrapib (RO4607381), a cholesteryl ester transfer protein modulator that increases HDL cholesterol levels. 2012 , 8, 513-31	11
1995	Epigenome-wide analysis in familial hypercholesterolemia identified new loci associated with high-density lipoprotein cholesterol concentration. 2012 , 4, 623-39	39
1994	TRIB1 constitutes a molecular link between regulation of sleep and lipid metabolism in humans. 2012 , 2, e97	21
1993	Large-scale association analyses identify new loci influencing glycemic traits and provide insight into the underlying biological pathways. 2012 , 44, 991-1005	621

1992	Two-step epigenetic Mendelian randomization: a strategy for establishing the causal role of epigenetic processes in pathways to disease. 2012 , 41, 161-76	273
1991	Interethnic Variation in Lipid Profiles: Implications for Underidentification of African-Americans at risk for Metabolic Disorders. 2012 , 7, 659-667	13
1990	Moving the O-glycoproteome from form to function. 2012 , 109, 9672-3	4
1989	Control of mucin-type O-glycosylation: a classification of the polypeptide GalNAc-transferase gene family. 2012 , 22, 736-56	529
1988	Beyond genome-wide association studies: the usefulness of mouse genetics in understanding the complex etiology of atherosclerosis. 2012 , 32, 207-15	4
1987	Association of SCARB1 variants with subclinical atherosclerosis and incident cardiovascular disease: the multi-ethnic study of atherosclerosis. 2012 , 32, 1991-9	34
1986	Comparative analysis of genome-wide association studies signals for lipids, diabetes, and coronary heart disease: Cardiovascular Biomarker Genetics Collaboration. 2012 , 33, 393-407	75
1985	Prevalence of ANGPTL3 and APOB gene mutations in subjects with combined hypolipidemia. 2012 , 32, 805-9	62
1984	Genome-wide association study identifies three common variants associated with serologic response to vitamin E supplementation in men. 2012 , 142, 866-71	21
1983	Genic and nongenic contributions to natural variation of quantitative traits in maize. 2012 , 22, 2436-44	96
1982	Exome sequencing and complex disease: practical aspects of rare variant association studies. 2012 , 21, R1-9	104
1981	APOA5 genotype modulates 2-y changes in lipid profile in response to weight-loss diet intervention: the Pounds Lost Trial. 2012 , 96, 917-22	45
1980	Cardiovascular pharmacogenomics: current status and future directions-report of a national heart, lung, and blood institute working group. 2012 , 1, e000554	9
1979	Minimal and null predictive effects for the most popular blood biomarkers of cardiovascular disease. 2012 , 110, 658-62	51
1978	Relation of lipid gene scores to longitudinal trends in lipid levels and incidence of abnormal lipid levels among individuals of European ancestry: the Atherosclerosis Risk in Communities (ARIC) study. 2012 , 5, 73-80	27
1977	Genetic control of high density lipoprotein-cholesterol in AcB/BcA recombinant congenic strains of mice. 2012 , 44, 843-52	2
1976	Changes in lipoprotein subfraction concentration and composition in healthy individuals treated with the CETP inhibitor anacetrapib. 2012 , 53, 540-547	70
1975	Genetic variation in ABCG1 and risk of myocardial infarction and ischemic heart disease. 2012 , 32, 506-15	26

1974 AT1 Receptor Gene Polymorphisms in relation to Postprandial Lipemia. **2012**, 2012, 271030

1973 Mixed Modeling with Whole Genome Data. **2012**, 2012, 1-16

1972 ABO Blood Groups and Cardiovascular Diseases. **2012**, 2012, 641917

44

1971 A genome-wide association study of monozygotic twin-pairs suggests a locus related to variability of serum high-density lipoprotein cholesterol. **2012**, 15, 691-9

25

1970 Probing isoform-specific functions of polypeptide GalNAc-transferases using zinc finger nuclease glycoengineered SimpleCells. **2012**, 109, 9893-8

96

1969 Multiple members of the UDP-GalNAc: polypeptide N-acetylgalactosaminyltransferase family are essential for viability in *Drosophila*. **2012**, 287, 5243-52

47

1968 GWAtoolbox: an R package for fast quality control and handling of genome-wide association studies meta-analysis data. **2012**, 28, 444-5

41

1967 Loci affecting gamma-glutamyl transferase in adults and adolescents show age \times BNP interaction and cardiometabolic disease associations. **2012**, 21, 446-55

23

1966 Cohort Profile: the Corogene study. **2012**, 41, 1265-71

51

1965 Genome-wide association study identifies a new locus JMJD1C at 10q21 that may influence serum androgen levels in men. **2012**, 21, 5222-8

60

1964 Advances in genetics show the need for extending screening strategies for autosomal dominant hypercholesterolaemia. **2012**, 33, 1360-6

66

1963 The effect of non-differential measurement error on bias, precision and power in Mendelian randomization studies. **2012**, 41, 1383-93

33

1962 The effect of CYP7A1 polymorphisms on lipid responses to fenofibrate. **2012**, 59, 254-9

17

1961 Current genomics in cardiovascular medicine. **2012**, 13, 446-62

5

1960 Modifier gene studies to identify new therapeutic targets in cystic fibrosis. **2012**, 18, 674-82

23

1959 Mutation screening of the APOA5 gene in subjects with coronary artery disease. **2012**, 60, 1015-9

8

1958 Variants in CXADR and F2RL1 are associated with blood pressure and obesity in African-Americans in regions identified through admixture mapping. **2012**, 30, 1970-6

23

1957 Biomarkers of nutrient bioactivity and efficacy: a route toward personalized nutrition. **2012**, 46, 545-54

32

1956	A clinically confirmed family history for early myocardial infarction is associated with increased risk of obesity, insulin resistance and metabolic syndrome. 2012 , 30, 948-53	4
1955	Genome-wide association study indicates variants associated with insulin signaling and inflammation mediate lipoprotein responses to fenofibrate. 2012 , 22, 750-7	14
1954	Synergistic effects of genetic variants of APOA5 and BTN2A1 on dyslipidemia or metabolic syndrome. 2012 , 30, 185-92	10
1953	Back to the future: the changing frontiers of nutrition research and its relationship to policy. 2012 , 71, 190-7	5
1952	Response to Hoenselaar from Pedersen et al.. 2012 , 107, 452-454	2
1951	Joint effects of genetic variants in multiple loci on the risk of coronary artery disease in Chinese Han subjects. 2012 , 76, 1987-92	20
1950	Ezetimibe, an inhibitor of Niemann-Pick C1-like 1 protein, decreases cholesteryl ester transfer protein in type 2 diabetes mellitus. 2012 , 59, 1077-84	2
1949	Plasma HDL cholesterol and risk of myocardial infarction: a mendelian randomisation study. 2012 , 380, 572-80	1523
1948	Mendelian randomisation, lipids, and cardiovascular disease. 2012 , 380, 543-5	23
1947	Statins for all by the age of 50 years?. 2012 , 380, 545-7	36
1946	Bayesian method to predict individual SNP genotypes from gene expression data. 2012 , 44, 603-8	108
1945	Genetic basis of blood pressure and hypertension. 2012 , 28, 397-408	99
1944	Genome-wide association study validation identifies novel loci for atherosclerotic cardiovascular disease. 2012 , 10, 1508-14	111
1943	Feedback regulation of cholesterol uptake by the LXR-IDOL-LDLR axis. 2012 , 32, 2541-6	78
1942	A multi-SNP locus-association method reveals a substantial fraction of the missing heritability. 2012 , 91, 863-71	37
1941	Population-based resequencing of APOA1 in 10,330 individuals: spectrum of genetic variation, phenotype, and comparison with extreme phenotype approach. 2012 , 8, e1003063	29
1940	Lecithin:cholesterol acyltransferase: old friend or foe in atherosclerosis?. 2012 , 53, 1783-99	113
1939	Serum vitamins A and E as modifiers of lipid trait genetics in the National Health and Nutrition Examination Surveys as part of the Population Architecture using Genomics and Epidemiology (PAGE) study. 2012 , 131, 1699-708	10

1938	Integration of biological networks and pathways with genetic association studies. 2012 , 131, 1677-86	37
1937	The epistasis between vascular homeostasis genes is apparent in essential hypertension. 2012 , 220, 418-24	9
1936	Identification of genes affecting apolipoprotein B secretion following siRNA-mediated gene knockdown in primary human hepatocytes. 2012 , 222, 154-7	14
1935	Vitamin D dependent effects of APOA5 polymorphisms on HDL cholesterol. 2012 , 222, 167-74	17
1934	Genetics of coronary artery disease: genome-wide association studies and beyond. 2012 , 225, 1-10	48
1933	Molecular genetic studies of complex phenotypes. 2012 , 159, 64-79	104
1932	Perspectives on systems biology applications in diabetic kidney disease. 2012 , 5, 491-508	26
1931	GeneDiet Interactions on Lipid Levels: Current Knowledge in the Era of Genome-Wide Association Studies. 2012 , 1, 123-131	3
1930	CNS regulation of plasma cholesterol. 2012 , 44, 656-63	2
1929	Genome-wide association study identifies a variant in HDAC9 associated with large vessel ischemic stroke. 2012 , 44, 328-33	314
1928	Genetic inhibition of CETP, ischemic vascular disease and mortality, and possible adverse effects. 2012 , 60, 2041-8	104
1927	Evaluation of gene-obesity interaction effects on cholesterol levels: a genetic predisposition score on HDL-cholesterol is modified by obesity. 2012 , 225, 363-9	14
1926	Relations of long-term and contemporary lipid levels and lipid genetic risk scores with coronary artery calcium in the framingham heart study. 2012 , 60, 2364-71	26
1925	A genome-wide association and gene-environment interaction study for serum triglycerides levels in a healthy Chinese male population. 2012 , 21, 1658-64	61
1924	Systematic evaluation of environmental factors: persistent pollutants and nutrients correlated with serum lipid levels. 2012 , 41, 828-43	107
1923	What should the genome-wide significance threshold be? Empirical replication of borderline genetic associations. 2012 , 41, 273-86	189
1922	ABO blood group and risk of coronary heart disease in two prospective cohort studies. 2012 , 32, 2314-20	124
1921	Large-scale association analysis provides insights into the genetic architecture and pathophysiology of type 2 diabetes. 2012 , 44, 981-90	1482

1920	Contributions of a disulfide bond and a reduced cysteine side chain to the intrinsic activity of the high-density lipoprotein receptor SR-BI. 2012 , 51, 10044-55	25
1919	Bayesian inference analyses of the polygenic architecture of rheumatoid arthritis. 2012 , 44, 483-9	326
1918	Accuracy of various human NAT2 SNP genotyping panels to infer rapid, intermediate and slow acetylator phenotypes. 2012 , 13, 31-41	81
1917	Human nutrigenomics of gene regulation by dietary fatty acids. 2012 , 51, 63-70	50
1916	A genome-wide association study of host genetic determinants of the antibody response to Anthrax Vaccine Adsorbed. 2012 , 30, 4778-84	21
1915	Common genetic variation modulating cardiac ECG parameters and susceptibility to sudden cardiac death. 2012 , 52, 620-9	42
1914	A mixed-model approach for genome-wide association studies of correlated traits in structured populations. 2012 , 44, 1066-71	273
1913	Regulation of gene expression in atherosclerosis: insights from microarray studies in monocytes/macrophages. 2012 , 13, 477-95	11
1912	Strategies beyond genome-wide association studies for atherosclerosis. 2012 , 32, 170-81	32
1911	Genetic basis of atherosclerosis: insights from mice and humans. 2012 , 110, 337-55	68
1910	NK/NKT Cells and Atherosclerosis. 2012 , 305-330	
1909	Genome-wide association study identifies multiple loci influencing human serum metabolite levels. 2012 , 44, 269-76	441
1908	Clinical and genetic correlates of growth differentiation factor 15 in the community. 2012 , 58, 1582-91	81
1907	Detailed metabolic and genetic characterization reveals new associations for 30 known lipid loci. 2012 , 21, 1444-55	74
1906	Genetic variant R952Q in LRP8 is associated with increased plasma triglyceride levels in patients with early-onset CAD and MI. 2012 , 76, 193-9	9
1905	Genetic explorations of recent human metabolic adaptations: hypotheses and evidence. 2012 , 87, 838-55	12
1904	Genome-Wide Association Studies with Metabolomics. 2012 , 265-279	1
1903	Next steps in cardiovascular disease genomic research--sequencing, epigenetics, and transcriptomics. 2012 , 58, 113-26	49

1902	Role of plasma phospholipid transfer protein in lipid and lipoprotein metabolism. 2012 , 1821, 345-57	83
1901	Dancing with the sterols: critical roles for ABCG1, ABCA1, miRNAs, and nuclear and cell surface receptors in controlling cellular sterol homeostasis. 2012 , 1821, 386-95	36
1900	A systems genetic analysis of high density lipoprotein metabolism and network preservation across mouse models. 2012 , 1821, 435-47	24
1899	The effect of hepatic lipase on coronary artery disease in humans is influenced by the underlying lipoprotein phenotype. 2012 , 1821, 365-72	42
1898	Lipase maturation factor 1: a lipase chaperone involved in lipid metabolism. 2012 , 1821, 790-4	52
1897	Allelic and phenotypic spectrum of plasma triglycerides. 2012 , 1821, 833-42	38
1896	Regulation of triglyceride metabolism by Angiotensin-like proteins. 2012 , 1821, 782-9	127
1895	Pathophysiology of hypertriglyceridemia. 2012 , 1821, 826-32	50
1894	Apolipoprotein A-V dependent modulation of plasma triacylglycerol: a puzzlement. 2012 , 1821, 795-9	20
1893	Lipasin, a novel nutritionally-regulated liver-enriched factor that regulates serum triglyceride levels. 2012 , 424, 786-92	247
1892	Genetics for clinicians: from candidate genes to whole genome scans (technological advances). 2012 , 26, 119-32	10
1891	Genetic determinants of common obesity and their value in prediction. 2012 , 26, 211-26	166
1890	Genetic determinants of lipid homeostasis. 2012 , 26, 203-9	1
1889	Clinical necessity of partitioning of human plasma haptoglobin reference intervals by recently-discovered rs2000999. 2012 , 413, 1618-24	13
1888	Cellular metabolism and disease: what do metabolic outliers teach us?. 2012 , 148, 1132-44	509
1887	Genetics of human cardiovascular disease. 2012 , 148, 1242-57	296
1886	Complexity of a complex trait locus: HP, HPR, haemoglobin and cholesterol. 2012 , 499, 8-13	15
1885	Excess of rare variants in non-genome-wide association study candidate genes in patients with hypertriglyceridemia. 2012 , 5, 66-72	65

1884	Low prevalence of mutations in known loci for autosomal dominant hypercholesterolemia in a multiethnic patient cohort. 2012 , 5, 666-75	42
1883	JD induced pluripotent stem cell-derived hepatocytes faithfully recapitulate the pathophysiology of familial hypercholesterolemia. 2012 , 56, 2163-71	100
1882	Several genetic polymorphisms interact with overweight/obesity to influence serum lipid levels. 2012 , 11, 123	42
1881	Single nucleotide polymorphisms (SNPs) involved in insulin resistance, weight regulation, lipid metabolism and inflammation in relation to metabolic syndrome: an epidemiological study. 2012 , 11, 133	30
1880	Adipose co-expression networks across Finns and Mexicans identify novel triglyceride-associated genes. 2012 , 5, 61	24
1879	Twins and the mystery of missing heritability: the contribution of gene-environment interactions. 2012 , 272, 440-8	33
1878	Genome-wide association study of Alzheimer's disease. 2012 , 2, e117	170
1877	Coexpression network analysis in abdominal and gluteal adipose tissue reveals regulatory genetic loci for metabolic syndrome and related phenotypes. 2012 , 8, e1002505	52
1876	Large-scale gene-centric meta-analysis across 32 studies identifies multiple lipid loci. 2012 , 91, 823-38	189
1875	Site-specific protein O-glycosylation modulates proprotein processing - deciphering specific functions of the large polypeptide GalNAc-transferase gene family. 2012 , 1820, 2079-94	146
1874	Exploring predisposition and treatment response--the promise of genomics. 2012 , 55, 56-63	4
1873	Green tea polyphenols reduce body weight in rats by modulating obesity-related genes. 2012 , 7, e38332	80
1872	Atypical angiopoietin-like protein that regulates ANGPTL3. 2012 , 109, 19751-6	308
1871	Genetic variation in metabolic phenotypes: study designs and applications. 2012 , 13, 759-69	140
1870	The application of gene therapy in lipid disorders: where are we now?. 2012 , 7, 419-429	1
1869	The Lebanese allele at the LDLR in normocholesterolemic people merits reconsideration of genotype phenotype correlations in familial hypercholesterolemia. 2012 , 42, 445-8	5
1868	Polymorphisms in sh2b1 and spns1 loci are associated with triglyceride levels in a healthy population in northern Sweden. 2012 , 91, 237-40	5
1867	Effect of long-term exposure to lower low-density lipoprotein cholesterol beginning early in life on the risk of coronary heart disease: a Mendelian randomization analysis. 2012 , 60, 2631-9	493

1866	Will cholesteryl ester transfer protein inhibition succeed primarily by lowering low-density lipoprotein cholesterol? Insights from human genetics and clinical trials. 2012 , 60, 2049-52	17
1865	Drugs targeting high-density lipoprotein cholesterol for coronary artery disease management. 2012 , 28, 667-77	4
1864	Statins personalized. 2012 , 96, 123-39	33
1863	Potential usefulness of single nucleotide polymorphisms to identify persons at high cancer risk: an evaluation of seven common cancers. 2012 , 30, 2157-62	35
1862	Genome-wide association studies with metabolomics. 2012 , 4, 34	51
1861	Confluence of genes, environment, development, and behavior in a post Genome-Wide Association Study world. 2012 , 24, 1195-214	36
1860	Transferability and fine mapping of genome-wide associated loci for lipids in African Americans. 2012 , 13, 88	25
1859	Inflammation and Atherosclerosis. 2012 ,	3
1858	Common sequence variants in CD36 gene and the levels of triglyceride and high-density lipoprotein cholesterol among ethnic Chinese in Taiwan. 2012 , 11, 174	12
1857	Evaluation of seven common lipid associated loci in a large Indian sib pair study. 2012 , 11, 155	8
1856	Association of MYLIP rs3757354 SNP and several environmental factors with serum lipid levels in the Guangxi Bai Ku Yao and Han populations. 2012 , 11, 141	5
1855	MYLIP p.N342S polymorphism is not associated with lipid profile in the Brazilian population. 2012 , 11, 83	14
1854	Association of rs2072183 SNP and serum lipid levels in the Mulao and Han populations. 2012 , 11, 61	9
1853	Quantile-specific penetrance of genes affecting lipoproteins, adiposity and height. 2012 , 7, e28764	35
1852	Accounting for a quantitative trait locus for plasma triglyceride levels: utilization of variants in multiple genes. 2012 , 7, e34614	3
1851	Evaluation of the metabochip genotyping array in African Americans and implications for fine mapping of GWAS-identified loci: the PAGE study. 2012 , 7, e35651	59
1850	ATP-binding cassette transporter G5 and G8 polymorphisms and several environmental factors with serum lipid levels. 2012 , 7, e37972	17
1849	Impaired LDL receptor-related protein 1 translocation correlates with improved dyslipidemia and atherosclerosis in apoE-deficient mice. 2012 , 7, e38330	20

1848	Markers of endogenous desaturase activity and risk of coronary heart disease in the CAREMA cohort study. 2012 , 7, e41681	44
1847	Lactase persistence and lipid pathway selection in the Maasai. 2012 , 7, e44751	40
1846	Variants identified in a GWAS meta-analysis for blood lipids are associated with the lipid response to fenofibrate. 2012 , 7, e48663	33
1845	Finite adaptation and multistep moves in the metropolis-hastings algorithm for variable selection in genome-wide association analysis. 2012 , 7, e49445	10
1844	Dyslipidemia: Genetics and Role in the Metabolic Syndrome. 2012 ,	
1843	Population-Based Resequencing of LIPG and ZNF202 Genes in Subjects with Extreme HDL Levels. 2012 , 3, 89	4
1842	This I believe: gaining new insights through integrating "old" data. 2012 , 3, 137	8
1841	Genetics and Genomics in Cardiovascular Gene Discovery. 2012 , 231-259	2
1840	The Inherited Basis of Common Diseases. 2012 , 195-198	
1839	Correlation and Causation in the Study of Personality. 2012 , 26, 372-390	113
1838	Estimating the number of true discoveries in genome-wide association studies. 2012 , 31, 1177-89	3
1837	A genome-wide approach accounting for body mass index identifies genetic variants influencing fasting glycemic traits and insulin resistance. 2012 , 44, 659-69	615
1836	Genetic associations with lipoprotein subfractions provide information on their biological nature. 2012 , 21, 1433-43	25
1835	The genetics of familial combined hyperlipidaemia. 2012 , 8, 352-62	64
1834	Genomewide association studies in cardiovascular disease--an update 2011. 2012 , 58, 92-103	53
1833	Cholesterol efflux and atheroprotection: advancing the concept of reverse cholesterol transport. 2012 , 125, 1905-19	614
1832	The origin, global distribution, and functional impact of the human 8p23 inversion polymorphism. 2012 , 22, 1144-53	48
1831	Genome-wide association study in Han Chinese identifies four new susceptibility loci for coronary artery disease. 2012 , 44, 890-4	243

1830	Long chain omega-3 fatty acids and cardiovascular disease: a systematic review. 2012 , 107 Suppl 2, S201-13	246
1829	Oxysterol-binding proteins—emerging roles in cell regulation. 2012 , 114, 634-643	5
1828	Molecular mechanisms of vascular effects of High-density lipoprotein: alterations in cardiovascular disease. 2012 , 4, 251-68	146
1827	Personalized medicine: hope or hype?. 2012 , 33, 1564-70	51
1826	The genetics and neuropathology of Alzheimer's disease. 2012 , 124, 305-23	174
1825	The use of high-throughput technologies to investigate vascular inflammation and atherosclerosis. 2012 , 32, 182-95	26
1824	Randomized trial of personal genomics for preventive cardiology: design and challenges. 2012 , 5, 368-76	23
1823	An efficient multi-locus mixed-model approach for genome-wide association studies in structured populations. 2012 , 44, 825-30	501
1822	Genomic medicine in the prevention and treatment of atherosclerotic cardiovascular disease. 2012 , 9, 395-404	2
1821	Cholesterol ester transfer protein gene is associated with high-density lipoprotein cholesterol levels in Korean population. 2012 , 34, 231-235	6
1820	A new, powerful player in lipoprotein metabolism: brown adipose tissue. 2012 , 90, 887-93	34
1819	Multiple genetic variants explain measurable variance in type 2 diabetes-related traits in Pakistanis. 2012 , 55, 2193-204	7
1818	Consistency between cross-sectional and longitudinal SNP: blood lipid associations. 2012 , 27, 131-8	15
1817	The complex genetic basis of plasma triglycerides. 2012 , 14, 227-34	29
1816	Genetics of cholesterol efflux. 2012 , 14, 235-46	12
1815	Sortilin as a regulator of lipoprotein metabolism. 2012 , 14, 211-8	35
1814	Association of four apolipoprotein B polymorphisms with lipid profile and stenosis in Tunisian coronary patients. 2012 , 91, 75-9	16
1813	Five years of GWAS discovery. 2012 , 90, 7-24	1635

1812	Genetic adaptation of fatty-acid metabolism: a human-specific haplotype increasing the biosynthesis of long-chain omega-3 and omega-6 fatty acids. 2012 , 90, 809-20	148
1811	A subset-based approach improves power and interpretation for the combined analysis of genetic association studies of heterogeneous traits. 2012 , 90, 821-35	144
1810	New lipid-lowering drugs: an update. 2012 , 66, 270-80	48
1809	Expression of concern re: Kulminski, A. 2011. Complex phenotypes and phenomenon of genome-wide inter-chromosomal linkage disequilibrium in the human genome. <i>Experimental Gerontology</i> . DOI: 10.1016/j.exger.2011.08.010. 2012 , 47, 479-80; author reply 481-2	2
1808	Resolving the variable genome and epigenome in human disease. 2012 , 271, 379-91	13
1807	Genetics of atherosclerosis. 2012 , 28, 267-75	75
1806	An independent effect of parental lipids on the offspring lipid levels in a cohort of adolescents with type 1 diabetes. 2012 , 13, 463-9	10
1805	Fine mapping of a linkage peak with integration of lipid traits identifies novel coronary artery disease genes on chromosome 5. 2012 , 13, 12	16
1804	Genetic variation in APOB, PCSK9, and ANGPTL3 in carriers of pathogenic autosomal dominant hypercholesterolemic mutations with unexpected low LDL-C Levels. 2012 , 33, 448-55	33
1803	Mendelian randomization: application to cardiovascular disease. 2012 , 14, 29-37	26
1802	CETP Inhibitors: Will They Live up to Their Promise?. 2012 , 6, 4-11	
1801	Cellular characterisation of the GCKR P446L variant associated with type 2 diabetes risk. 2012 , 55, 114-22	87
1800	Analysis of family- and population-based samples in cohort genome-wide association studies. 2012 , 131, 275-87	14
1799	Association study of a common variant near IRS1 with type 2 diabetes mellitus in Chinese Han population. 2013 , 43, 84-91	15
1798	MicroRNA-27b is a regulatory hub in lipid metabolism and is altered in dyslipidemia. 2013 , 57, 533-42	164
1797	Single nucleotide polymorphisms in CETP, SLC46A1, SLC19A1, CD36, BCMO1, APOA5, and ABCA1 are significant predictors of plasma HDL in healthy adults. 2013 , 12, 66	24
1796	The combined effects of genetic variation in the SIRT1 gene and dietary intake of n-3 and n-6 polyunsaturated fatty acids on serum LDL-C and HDL-C levels: a population based study. 2013 , 12, 4	12
1795	Atherosclerosis. 2013 , 111-125	2

1794	From genome-wide association studies to functional genomics: new insights into cardiovascular disease. 2013 , 29, 23-9	12
1793	Bringing genome-wide association findings into clinical use. 2013 , 14, 549-58	262
1792	Common genetic variants associated with lipid profiles in a Chinese pediatric population. 2013 , 132, 1275-85	17
1791	Exercise-mediated changes in high-density lipoprotein: impact on form and function. 2013 , 166, 392-400	36
1790	Genetic susceptibility and mechanisms for refractive error. 2013 , 84, 102-8	34
1789	Investigation of gene-by-sex interactions for lipid traits in diverse populations from the population architecture using genomics and epidemiology study. 2013 , 14, 33	20
1788	Impact of HDL genetic risk scores on coronary artery calcified plaque and mortality in individuals with type 2 diabetes from the Diabetes Heart Study. 2013 , 12, 95	9
1787	Role of SIRT3 in the regulation of redox balance during oral carcinogenesis. 2013 , 12, 68	20
1786	The shared allelic architecture of adiponectin levels and coronary artery disease. 2013 , 229, 145-8	25
1785	Genetics of Atherosclerotic Cardiovascular Disease. 2013 , 1-37	1
1784	Pleiotropic effects of obesity-susceptibility loci on metabolic traits: a meta-analysis of up to 37,874 individuals. 2013 , 56, 2134-46	25
1783	Exome sequencing-driven discovery of coding polymorphisms associated with common metabolic phenotypes. 2013 , 56, 298-310	102
1782	Hunting human disease genes: lessons from the past, challenges for the future. 2013 , 132, 603-17	30
1781	The role of early LDL lowering to prevent the onset of atherosclerotic disease. 2013 , 15, 312	28
1780	Genetics of lipid traits and relationship to coronary artery disease. 2013 , 15, 396	12
1779	Lipoprotein and Lipid Metabolism. 2013 , 1-33	2
1778	A statin-dependent QTL for GATM expression is associated with statin-induced myopathy. <i>Nature</i> , 2013 , 502, 377-80	50.4 160
1777	Betatrophin fuels cell proliferation: first step toward regenerative therapy?. 2013 , 18, 5-6	37

1776	Identification of HKDC1 and BACE2 as genes influencing glycemic traits during pregnancy through genome-wide association studies. 2013 , 62, 3282-91	86
1775	A coding variant in SR-BI (I179N) significantly increases atherosclerosis in mice. 2013 , 24, 257-65	5
1774	Genomics of human health and aging. 2013 , 35, 455-69	14
1773	New Directions in Networks and Systems Approaches to Cardiovascular Disease. 2013 , 1, 15-20	
1772	Lipasin, thermoregulated in brown fat, is a novel but atypical member of the angiopoietin-like protein family. 2013 , 430, 1126-31	99
1771	High-density lipoproteins: a consensus statement from the National Lipid Association. 2013 , 7, 484-525	215
1770	Genetic variation in the PPARA gene is associated with simvastatin-mediated cholesterol reduction in the Rotterdam Study. 2013 , 14, 1295-304	12
1769	ERK1/2 regulates hepatocyte Trib1 in response to mitochondrial dysfunction. 2013 , 1833, 3405-3414	10
1768	Diet1 functions in the FGF15/19 enterohepatic signaling axis to modulate bile acid and lipid levels. 2013 , 17, 916-928	50
1767	PGC-1 coactivators regulate MITF and the tanning response. 2013 , 49, 145-57	61
1766	Impact of inherited genetic variants associated with lipid profile, hypertension, and coronary artery disease on the risk of intracranial and abdominal aortic aneurysms. 2013 , 6, 264-70	21
1765	Genome-wide association study of coronary and aortic calcification implicates risk loci for coronary artery disease and myocardial infarction. 2013 , 228, 400-5	78
1764	Predicting phenotypic variation from genotypes, phenotypes and a combination of the two. 2013 , 24, 803-9	17
1763	Fatty acid metabolism: Implications for diet, genetic variation, and disease. 2013 , 4, 1-12	20
1762	Fine Mapping and Identification of BMI Loci in African Americans. 2013 , 93, 661-71	63
1761	Hypertriglyceridemia: the future of genetics to guide individualized therapeutic strategies. 2013 , 8, 321-328	
1760	Discovery and refinement of loci associated with lipid levels. 2013 , 45, 1274-1283	1904
1759	Plasma lipids, genetic variants near APOA1, and the risk of infantile hypertrophic pyloric stenosis. 2013 , 310, 714-21	21

1758	Common variants associated with plasma triglycerides and risk for coronary artery disease. 2013 , 45, 1345-52	597
1757	Projecting the performance of risk prediction based on polygenic analyses of genome-wide association studies. 2013 , 45, 400-5, 405e1-3	248
1756	Association between PCSK9 and LDLR gene polymorphisms with coronary heart disease: case-control study and meta-analysis. 2013 , 46, 727-32	28
1755	Contribution of rare and common variants determine complex diseases-Hirschsprung disease as a model. 2013 , 382, 320-9	90
1754	Genetic determination of plasma cholesterol efflux capacity is gender-specific and independent of HDL-cholesterol levels. 2013 , 33, 822-8	32
1753	Molecular biology of atherosclerosis. 2013 , 93, 1317-542	312
1752	Complexity of microRNA function and the role of isomiRs in lipid homeostasis. 2013 , 54, 1182-91	38
1751	A genome-wide association study of brain lesion distribution in multiple sclerosis. 2013 , 136, 1012-24	45
1750	Polymorphisms in genes involved in the triglyceride synthesis pathway and marine omega-3 polyunsaturated fatty acid supplementation modulate plasma triglyceride levels. 2013 , 6, 268-80	8
1749	Beyond GWASs: illuminating the dark road from association to function. 2013 , 93, 779-97	515
1748	Oxysterol-binding proteins: functions in cell regulation beyond lipid metabolism. 2013 , 86, 89-95	49
1747	Stroke Genetics. 2013 ,	1
1746	Secretory phospholipase A(2)-IIA and cardiovascular disease: a mendelian randomization study. 2013 , 62, 1966-1976	91
1745	Unraveling genetic origin of aging-related traits: evolving concepts. 2013 , 16, 304-12	23
1744	Joint linkage and association analysis with exome sequence data implicates SLC25A40 in hypertriglyceridemia. 2013 , 93, 1035-45	35
1743	Genomic study in Mexicans identifies a new locus for triglycerides and refines European lipid loci. 2013 , 50, 298-308	89
1742	Impact of APOE gene polymorphisms on the lipid profile in an Algerian population. 2013 , 12, 155	24
1741	What We Know About Diet, Genes, and Dyslipidemia: Is There Potential for Translation?. 2013 , 2, 236-242	15

1740	Common Sources of Bias in Gene-Lifestyle Interaction Studies of Cardiometabolic Disease. 2013 , 2, 251-257	1
1739	Re-sequencing of the APOAI promoter region and the genetic association of the -75G > A polymorphism with increased cholesterol and low density lipoprotein levels among a sample of the Kuwaiti population. 2013 , 14, 90	13
1738	Dietary fatty acid intake is associated with paraoxonase 1 activity in a cohort-based analysis of 1,548 subjects. 2013 , 12, 183	12
1737	Genetic dissection of blood lipid traits by integrating genome-wide association study and gene expression profiling in a porcine model. 2013 , 14, 848	17
1736	Association of the MLXIPL/TBL2 rs17145738 SNP and serum lipid levels in the Guangxi Mulao and Han populations. 2013 , 12, 156	12
1735	Lipids: new biology and therapeutic targets revealed through human genetics. 2013 , 8, 295-298	
1734	Systematic identification of trans eQTLs as putative drivers of known disease associations. 2013 , 45, 1238-1243	1244
1733	Trade-off in the effect of the APOE gene on the ages at onset of cardiovascular disease and cancer across ages, gender, and human generations. 2013 , 16, 28-34	22
1732	Oxysterol-binding proteins: sterol and phosphoinositide sensors coordinating transport, signaling and metabolism. 2013 , 52, 529-38	123
1731	Acquired liver fat is a key determinant of serum lipid alterations in healthy monozygotic twins. 2013 , 21, 1815-22	6
1730	Genetic variants regulating immune cell levels in health and disease. 2013 , 155, 242-56	215
1729	Association of lipoprotein lipase polymorphism rs2197089 with serum lipid concentrations and LPL gene expression. 2013 , 58, 160-4	4
1728	Obesity genomics: assessing the transferability of susceptibility loci across diverse populations. 2013 , 5, 55	74
1727	Large-scale association analysis identifies new risk loci for coronary artery disease. 2013 , 45, 25-33	1172
1726	Genetics and genomics for the prevention and treatment of cardiovascular disease: update: a scientific statement from the American Heart Association. 2013 , 128, 2813-51	76
1725	Multi-locus candidate gene analyses of lipid levels in a pediatric Turkish cohort: lessons learned on LPL, CETP, LIPC, ABCA1, and SHBG. 2013 , 17, 636-45	10
1724	Genetics of heart failure. 2013 , 1832, 2451-61	31
1723	Chromatin marks identify critical cell types for fine mapping complex trait variants. 2013 , 45, 124-30	422

1722	Genome-wide screen for modulation of hepatic apolipoprotein A-I (ApoA-I) secretion. 2013 , 288, 6386-96	10
1721	Genetics 100 for cardiologists: basics of genome-wide association studies. 2013 , 29, 10-7	27
1720	Genetic insights in Alzheimer's disease. 2013 , 12, 92-104	248
1719	Current status on genome-metabolome-wide associations: an opportunity in nutrition research. 2013 , 8, 19-27	26
1718	The Human Genome: A Window on Human Genetics, Biology, and Medicine. 2013 , 4-27	1
1717	Testing genetic association with rare variants in admixed populations. 2013 , 37, 38-47	8
1716	Emerging LDL therapies: Using human genetics to discover new therapeutic targets for plasma lipids. 2013 , 7, S1-5	22
1715	Resequencing the APOE gene reveals that rare mutations are not significant contributory factors in the development of type III hyperlipidemia. 2013 , 7, 671-4	7
1714	High intestinal cholesterol absorption is associated with cardiovascular disease and risk alleles in ABCG8 and ABO: evidence from the LURIC and YFS cohorts and from a meta-analysis. 2013 , 62, 291-9	72
1713	Genome-wide characterization of shared and distinct genetic components that influence blood lipid levels in ethnically diverse human populations. 2013 , 92, 904-16	97
1712	Remnant cholesterol: "Non-(HDL-C + LDL-C)" as a coronary artery disease risk factor. 2013 , 61, 437-439	19
1711	APOA5 genotype influences the association between 25-hydroxyvitamin D and high density lipoprotein cholesterol. 2013 , 228, 188-92	7
1710	Candidate gene association study of coronary artery calcification in chronic kidney disease: findings from the CRIC study (Chronic Renal Insufficiency Cohort). 2013 , 62, 789-98	32
1709	A sequence variant associated with sortilin-1 (SORT1) on 1p13.3 is independently associated with abdominal aortic aneurysm. 2013 , 22, 2941-7	73
1708	Biochemical markers of aging for longitudinal studies in humans. 2013 , 35, 132-51	39
1707	Common variants in Mendelian kidney disease genes and their association with renal function. 2013 , 24, 2105-17	27
1706	The involvement of mitochondrial amidoxime reducing components 1 and 2 and mitochondrial cytochrome b5 in N-reductive metabolism in human cells. 2013 , 288, 20228-37	34
1705	Effect of an L-carnitine-containing peritoneal dialysate on insulin sensitivity in patients treated with CAPD: a 4-month, prospective, multicenter randomized trial. 2013 , 62, 929-38	32

1704	Signatures of natural selection on genetic variants affecting complex human traits. 2013 , 2, 78-94	21
1703	Significant association of urokinase plasminogen activator Pro141Leu with serum lipid profiles in a Japanese population. 2013 , 524, 363-7	5
1702	Genetic variants in genes related to lipid metabolism and atherosclerosis, dyslipidemia and atorvastatin response. 2013 , 417, 8-11	23
1701	Improved detection of common variants associated with schizophrenia by leveraging pleiotropy with cardiovascular-disease risk factors. 2013 , 92, 197-209	293
1700	Genetic analysis of 16 NMR-lipoprotein fractions in humans, the GOLDN study. 2013 , 48, 155-65	29
1699	Systems Biology Approaches and Applications in Obesity, Diabetes, and Cardiovascular Diseases. 2013 , 7, 73-83	41
1698	Recent Developments in the Genetic and Genomic Basis of Type 2 Diabetes. 2013 , 7, 66-72	
1697	Lipoprotein(a): resurrected by genetics. 2013 , 273, 6-30	297
1696	Role of GALNT2 in the modulation of ENPP1 expression, and insulin signaling and action: GALNT2: a novel modulator of insulin signaling. 2013 , 1833, 1388-95	21
1695	Hypertension. 2013 , 488-500	1
1694	A genome-wide association study of autism incorporating autism diagnostic interview-revised, autism diagnostic observation schedule, and social responsiveness scale. 2013 , 84, 17-33	43
1693	Metabolomics and ischaemic heart disease. 2013 , 124, 289-306	42
1692	The non-synonymous polymorphism at position 114 of the WRN protein affects cholesterol efflux in vitro and correlates with cholesterol levels in vivo. 2013 , 48, 533-8	5
1691	Identification of genetic variants influencing the human plasma proteome. 2013 , 110, 4673-8	67
1690	The genetics of innate immunity sensors and human disease. 2013 , 32, 157-208	17
1689	Cardiovascular Drugs. 2013 , 141-204	0
1688	Exploring gene-environment relationships in cardiovascular disease. 2013 , 29, 37-45	37
1687	Pro-inflammatory genetic markers of atherosclerosis. 2013 , 15, 329	24

1686	The phenotypic and genetic signatures of common musculoskeletal pain conditions. 2013 , 9, 340-50	152
1685	Genetics of HDL-C: a causal link to atherosclerosis?. 2013 , 15, 326	18
1684	Use of low-density lipoprotein cholesterol gene score to distinguish patients with polygenic and monogenic familial hypercholesterolaemia: a case-control study. 2013 , 381, 1293-301	376
1683	Effect of the SORT1 low-density lipoprotein cholesterol locus is sex-specific in a fit, Canadian young-adult population. 2013 , 38, 188-93	8
1682	Pleiotropic roles of bile acids in metabolism. 2013 , 17, 657-69	586
1681	General framework for meta-analysis of rare variants in sequencing association studies. 2013 , 93, 42-53	151
1680	Common variants in and near IRS1 and subclinical cardiovascular disease in the Framingham Heart Study. 2013 , 229, 149-54	9
1679	Lipid profiles and coronary artery plaque by CT angiography: Promise for translation of biology to imaging. 2013 , 7, 91-3	
1678	Genetics of coronary artery disease and myocardial infarction--2013. 2013 , 15, 368	43
1677	Molecular Genetics of Metabolic Syndrome. 2013 ,	3
1676	A meta-analysis identifies new loci associated with body mass index in individuals of African ancestry. 2013 , 45, 690-6	192
1675	DNA methylation variations at CETP and LPL gene promoter loci: new molecular biomarkers associated with blood lipid profile variability. 2013 , 228, 413-20	40
1674	The power of meta-analysis in genome-wide association studies. 2013 , 14, 441-65	81
1673	Whole-genome sequence-based analysis of high-density lipoprotein cholesterol. 2013 , 45, 899-901	117
1672	Genome-wide complex trait analysis (GCTA): methods, data analyses, and interpretations. 2013 , 1019, 215-36	153
1671	A genome-wide association study of the human metabolome in a community-based cohort. 2013 , 18, 130-43	188
1670	Genome-Wide Association Studies and Genomic Prediction. 2013 ,	32
1669	Genomic Biomarkers in Human Population Studies. 2013 , 247-262	

1668	Pleiotropy in complex traits: challenges and strategies. 2013 , 14, 483-95	649
1667	Strategy to control type I error increases power to identify genetic variation using the full biological trajectory. 2013 , 37, 419-30	1
1666	Three mutually informative ways to understand the genetic relationships among behavioral disinhibition, alcohol use, drug use, nicotine use/dependence, and their co-occurrence: twin biometry, GCTA, and genome-wide scoring. 2013 , 43, 97-107	71
1665	Interleukin-6 receptor pathways in abdominal aortic aneurysm. 2013 , 34, 3707-16	111
1664	Associations of polymorphisms of rs693 and rs1042031 in apolipoprotein B gene with risk of breast cancer in Chinese. 2013 , 43, 362-8	13
1663	Emerging roles of Lipasin as a critical lipid regulator. 2013 , 432, 401-5	96
1662	A systems biology framework identifies molecular underpinnings of coronary heart disease. 2013 , 33, 1427-34	125
1661	The genetics of NAFLD. 2013 , 10, 645-55	232
1660	Impact of genetic factors on dyslipidemia in HIV-infected patients starting antiretroviral therapy. 2013 , 27, 529-38	26
1659	A common variant highly associated with plasma VEGFA levels also contributes to the variation of both LDL-C and HDL-C. 2013 , 54, 535-41	21
1658	ABCA1 mutation carriers with low high-density lipoprotein cholesterol are characterized by a larger atherosclerotic burden. 2013 , 34, 286-91	54
1657	Genetically elevated non-fasting triglycerides and calculated remnant cholesterol as causal risk factors for myocardial infarction. 2013 , 34, 1826-33	249
1656	Network-based drugs: promise and clinical challenges in cardiovascular disease. 2013 , 10, 119-22	
1655	Influence of SNPs in nutrient-sensitive candidate genes and gene-diet interactions on blood lipids: the DiOGenes study. 2013 , 110, 790-6	12
1654	A rare functional cardioprotective APOC3 variant has risen in frequency in distinct population isolates. 2013 , 4, 2872	70
1653	The IRS1 rs2943641 variant and risk of future cancer among morbidly obese individuals. 2013 , 98, E785-9	7
1652	Decoding coronary artery disease: somatic mosaicism and genomics for personal and population risk prediction. 2013 , 7, 189-92	1
1651	Identification of a loss-of-function inducible degrader of the low-density lipoprotein receptor variant in individuals with low circulating low-density lipoprotein. 2013 , 34, 1292-7	43

1650	A cross-platform analysis of 14,177 expression quantitative trait loci derived from lymphoblastoid cell lines. 2013 , 23, 716-26	117
1649	Influence of common genetic variation on blood lipid levels, cardiovascular risk, and coronary events in two British prospective cohort studies. 2013 , 34, 972-81	28
1648	Association of the KLF14 rs4731702 SNP and serum lipid levels in the Guangxi Mulao and Han populations. 2013 , 2013, 231515	13
1647	The challenging chase for nutrigenetic predictors of metabolic responses to dietary interventions. 2013 , 36, 3379-81	1
1646	All SNPs are not created equal: genome-wide association studies reveal a consistent pattern of enrichment among functionally annotated SNPs. 2013 , 9, e1003449	209
1645	Mining the human phenome using allelic scores that index biological intermediates. 2013 , 9, e1003919	58
1644	Quantifying missing heritability at known GWAS loci. 2013 , 9, e1003993	87
1643	Rare APOA5 promoter variants associated with paradoxical HDL cholesterol decrease in response to fenofibric acid therapy. 2013 , 54, 1980-7	7
1642	Trans-ethnic fine-mapping of lipid loci identifies population-specific signals and allelic heterogeneity that increases the trait variance explained. 2013 , 9, e1003379	94
1641	Sex-stratified genome-wide association studies including 270,000 individuals show sexual dimorphism in genetic loci for anthropometric traits. 2013 , 9, e1003500	277
1640	Genome-wide testing of putative functional exonic variants in relationship with breast and prostate cancer risk in a multiethnic population. 2013 , 9, e1003419	55
1639	Relationship between serum cholesterol and indices of erythrocytes and platelets in the US population. 2013 , 54, 3177-88	23
1638	The association of ABO blood groups with extent of coronary atherosclerosis in Croatian patients suffering from chronic coronary artery disease. 2013 , 23, 351-9	15
1637	Genome-wide association study pinpoints a new functional apolipoprotein B variant influencing oxidized low-density lipoprotein levels but not cardiovascular events: AtheroRemo Consortium. 2013 , 6, 73-81	20
1636	RNAi-based functional profiling of loci from blood lipid genome-wide association studies identifies genes with cholesterol-regulatory function. 2013 , 9, e1003338	44
1635	Pathways-driven sparse regression identifies pathways and genes associated with high-density lipoprotein cholesterol in two Asian cohorts. 2013 , 9, e1003939	22
1634	IRS1 genotype modulates metabolic syndrome reversion in response to 2-year weight-loss diet intervention: the POUNDS LOST trial. 2013 , 36, 3442-7	24
1633	Multilocus genetic risk scores for coronary heart disease prediction. 2013 , 33, 2267-72	107

1632	Gene-based testing of interactions in association studies of quantitative traits. 2013 , 9, e1003321	67
1631	Genetic architecture of vitamin B12 and folate levels uncovered applying deeply sequenced large datasets. 2013 , 9, e1003530	72
1630	GUESS-ing polygenic associations with multiple phenotypes using a GPU-based evolutionary stochastic search algorithm. 2013 , 9, e1003657	45
1629	Risk scores of common genetic variants for lipid levels influence atherosclerosis and incident coronary heart disease. 2013 , 33, 2233-9	40
1628	Generalization and dilution of association results from European GWAS in populations of non-European ancestry: the PAGE study. 2013 , 11, e1001661	155
1627	Phenome-wide association study (PheWAS) for detection of pleiotropy within the Population Architecture using Genomics and Epidemiology (PAGE) Network. 2013 , 9, e1003087	126
1626	Apolipoprotein C-III: going back to the future for a lipid drug target. 2013 , 112, 1405-8	53
1625	Imputation of coding variants in African Americans: better performance using data from the exome sequencing project. 2013 , 29, 2744-9	30
1624	The impact of partial and complete loss-of-function mutations in endothelial lipase on high-density lipoprotein levels and functionality in humans. 2013 , 6, 54-62	46
1623	A genome-wide association study of central corneal thickness in Latinos. 2013 , 54, 2435-43	45
1622	Plant sterols and atherosclerosis. 2013 , 24, 12-7	28
1621	Alternative splicing in the regulation of cholesterol homeostasis. 2013 , 24, 147-52	19
1620	Gene-centric meta-analyses of 108 912 individuals confirm known body mass index loci and reveal three novel signals. 2013 , 22, 184-201	73
1619	Recent developments in cardiovascular genetics. 2013 , 113, e88-91	
1618	Advances in blood pressure genomics. 2013 , 112, 1365-79	85
1617	From genotype to phenotype in human atherosclerosis--recent findings. 2013 , 24, 410-8	50
1616	The angiotensin-like protein 3: a hepatokine with expanding role in metabolism. 2013 , 24, 313-20	29
1615	Functional genomics of the human high-density lipoprotein receptor scavenger receptor BI: an old dog with new tricks. 2013 , 20, 124-31	11

1614	Genomic, transcriptomic, and lipidomic profiling highlights the role of inflammation in individuals with low high-density lipoprotein cholesterol. 2013 , 33, 847-57	33
1613	Robust association of the LPA locus with low-density lipoprotein cholesterol lowering response to statin treatment in a meta-analysis of 30 467 individuals from both randomized control trials and observational studies and association with coronary artery disease outcome during statin treatment. 2013 , 23, 518-25	19
1612	Progress in genetic association studies of plasma lipids. 2013 , 24, 123-8	10
1611	Evidence of a polygenic origin of extreme high-density lipoprotein cholesterol levels. 2013 , 33, 1521-8	41
1610	A variant in LDLR is associated with abdominal aortic aneurysm. 2013 , 6, 498-504	58
1609	Genome-wide association study of genetic predictors of overall survival for non-small cell lung cancer in never smokers. 2013 , 73, 4028-38	40
1608	THOC5: a novel gene involved in HDL-cholesterol metabolism. 2013 , 54, 3170-6	12
1607	A common polymorphism in the LDL receptor gene has multiple effects on LDL receptor function. 2013 , 22, 1424-31	30
1606	CDKN2B expression in adipose tissue of familial combined hyperlipidemia patients. 2013 , 54, 3491-505	21
1605	The lectin domain of the polypeptide GalNAc transferase family of glycosyltransferases (ppGalNAc Ts) acts as a switch directing glycopeptide substrate glycosylation in an N- or C-terminal direction, further controlling mucin type O-glycosylation. 2013 , 288, 19900-14	56
1604	Gene expression profile in human trabecular meshwork from patients with primary open-angle glaucoma. 2013 , 54, 6382-9	40
1603	Apolipoprotein E genotype, cardiovascular biomarkers and risk of stroke: systematic review and meta-analysis of 14,015 stroke cases and pooled analysis of primary biomarker data from up to 60,883 individuals. 2013 , 42, 475-92	113
1602	Genetic regulation of human adipose microRNA expression and its consequences for metabolic traits. 2013 , 22, 3023-37	60
1601	Genetic dissection of the pre-eclampsia susceptibility locus on chromosome 2q22 reveals shared novel risk factors for cardiovascular disease. 2013 , 19, 423-37	27
1600	Genetics and molecular biology in laboratory medicine, 1963-2013. 2013 , 51, 113-7	
1599	Causal relevance of blood lipid fractions in the development of carotid atherosclerosis: Mendelian randomization analysis. 2013 , 6, 63-72	32
1598	The prevalence and mechanisms of metabolic syndrome in schizophrenia: a review. 2013 , 3, 33-51	69
1597	Interaction between a common variant in FADS1 and erythrocyte polyunsaturated fatty acids on lipid profile in Chinese Hans. 2013 , 54, 1477-83	17

1596	Novel gene-by-environment interactions: APOB and NPC1L1 variants affect the relationship between dietary and total plasma cholesterol. 2013 , 54, 1512-20	30
1595	Genetic association with lipids in Filipinos: waist circumference modifies an APOA5 effect on triglyceride levels. 2013 , 54, 3198-205	23
1594	The fine line between familial and polygenic hypercholesterolemia. 2013 , 8, 303-306	5
1593	MTHFR C677T polymorphism modifies the effect of HRT on metabolic parameters in postmenopausal women. 2013 , 16, 568-75	1
1592	Genetic loci for coronary calcification and serum lipids relate to aortic and carotid calcification. 2013 , 6, 47-53	16
1591	Do genetic modifiers of high-density lipoprotein cholesterol and triglyceride levels also modify their response to a lifestyle intervention in the setting of obesity and type-2 diabetes mellitus?: The Action for Health in Diabetes (Look AHEAD) study. 2013 , 6, 391-9	22
1590	The IRS1 G972R polymorphism and glomerular filtration rate in patients with type 2 diabetes of European ancestry. 2013 , 28, 3031-4	2
1589	Impact of common genetic variation on response to simvastatin therapy among 18 705 participants in the Heart Protection Study. 2013 , 34, 982-92	78
1588	High-density lipoproteins and the immune system. 2013 , 2013, 684903	45
1587	HDL, Atherosclerosis, and Emerging Therapies. 2013 , 2013, 891403	59
1586	A novel APOB mutation identified by exome sequencing cosegregates with steatosis, liver cancer, and hypocholesterolemia. 2013 , 33, 2021-5	59
1585	LRP1 protects the vasculature by regulating levels of connective tissue growth factor and HtrA1. 2013 , 33, 2137-46	59
1584	Genetic predisposition to an adverse lipid profile limits the improvement in total cholesterol in response to weight loss. 2013 , 21, 2589-95	9
1583	Evidence for novel genetic loci associated with metabolic traits in Yup'ik people. 2013 , 25, 673-80	9
1582	Cohort Profile: TwinsUK and healthy ageing twin study. 2013 , 42, 76-85	181
1581	Post-genome-wide association study challenges for lipid traits: describing age as a modifier of gene-lipid associations in the Population Architecture using Genomics and Epidemiology (PAGE) study. 2013 , 77, 416-25	4
1580	Osteoporosis Genes Identified by Genome-wide Association Studies. 2013 , 243-256	
1579	Genetic admixture and obesity: recent perspectives and future applications. 2013 , 75, 98-105	15

1578	Interactions of several single nucleotide polymorphisms and high body mass index on serum lipid traits. 2013 , 39, 315-25	8
1577	A genome-wide association study of a coronary artery disease risk variant. 2013 , 58, 120-6	104
1576	Association of PPP1R3B polymorphisms with blood lipid and C-reactive protein levels in a Chinese population (PPP1R3B C). 2013 , 5, 275-81	5
1575	Heterozygous genetic variations of FOXP3 in Xp11.23 elevate breast cancer risk in Chinese population via skewed X-chromosome inactivation. 2013 , 34, 619-28	22
1574	Network-based analysis of genome wide association data provides novel candidate genes for lipid and lipoprotein traits. 2013 , 12, 3398-408	24
1573	Angptl3 deficiency is associated with increased insulin sensitivity, lipoprotein lipase activity, and decreased serum free fatty acids. 2013 , 33, 1706-13	113
1572	Novel therapies for dyslipidemia. 2013 , 58-69	
1571	GWAS3D: Detecting human regulatory variants by integrative analysis of genome-wide associations, chromosome interactions and histone modifications. 2013 , 41, W150-8	86
1570	The role of lipid-related genes, aging-related processes, and environment in healthspan. 2013 , 12, 237-46	39
1569	SHAVE: shrinkage estimator measured for multiple visits increases power in GWAS of quantitative traits. 2013 , 21, 673-9	7
1568	New loci associated with birth weight identify genetic links between intrauterine growth and adult height and metabolism. 2013 , 45, 76-82	232
1567	Altered expression of Raet1e, a major histocompatibility complex class 1-like molecule, underlies the atherosclerosis modifier locus Ath11 10b. 2013 , 113, 1054-64	16
1566	Monogenic causes of elevated HDL cholesterol and implications for development of new therapeutics. 2013 , 8, 635-648	10
1565	Gene-centric analysis identifies variants associated with interleukin-6 levels and shared pathways with other inflammation markers. 2013 , 6, 163-70	34
1564	Human genomics in cardiovascular medicine: implications and perspectives. 2013 , 77, 876-85	3
1563	Familial combined hypolipidemia due to mutations in the ANGPTL3 gene. 2013 , 8, 81-95	4
1562	Genomics. 2013 , 9-48	
1561	Translating Genetic Knowledge into Clinical Practice for Musculoskeletal Pain Conditions. 2013 , 147-159	1

1560	Positive correlation between variants of lipid metabolism-related genes and coronary heart disease. 2013 , 8, 260-6	5
1559	Advances in exercise, fitness, and performance genomics in 2012. 2013 , 45, 824-31	44
1558	The genetic contribution to disease risk and variability in response to diet: where is the hidden heritability?. 2013 , 72, 40-7	15
1557	Genetic risk prediction in a small cohort of healthy adults in Atlanta. 2013 , 95, 30-7	2
1556	Does liver-derived ANGPTL3 play a role in cardiometabolic risk? Current evidence and future perspectives. 2013 , 8, 615-618	
1555	Polymorphisms of the Niemann-Pick C1-like 1 gene in a Japanese population. 2013 , 1, 156-160	4
1554	Molecular sources of residual cardiovascular risk, clinical signals, and innovative solutions: relationship with subclinical disease, undertreatment, and poor adherence: implications of new evidence upon optimizing cardiovascular patient outcomes. 2013 , 9, 617-70	57
1553	Association of the rs7395662 SNP in the MADD-FOLH1 and several environmental factors with serum lipid levels in the Mulao and Han populations. 2013 , 10, 1537-46	13
1552	Gene-centric association signals for haemostasis and thrombosis traits identified with the HumanCVD BeadChip. 2013 , 110, 995-1003	7
1551	Lipoprotein Disorders. 2013 , 501-515	
1550	LIPID METABOLISM CORRECTION BY ANTISENSE TECHNOLOGY. 2013 , 9, 532-541	4
1549	New Insights Into Aortic Diseases: A Report From the Third International Meeting on Aortic Diseases (IMAD3). 2013 , 1, 23-39	7
1548	Mixed modeling of meta-analysis P-values (MixMAP) suggests multiple novel gene loci for low density lipoprotein cholesterol. 2013 , 8, e54812	5
1547	Znf202 affects high density lipoprotein cholesterol levels and promotes hepatosteatosis in hyperlipidemic mice. 2013 , 8, e57492	13
1546	Genetic variation in FADS genes and plasma cholesterol levels in 2-year-old infants: KOALA Birth Cohort Study. 2013 , 8, e61671	13
1545	Genetic loci for retinal arteriolar microcirculation. 2013 , 8, e65804	19
1544	Causal relationship between adiponectin and metabolic traits: a Mendelian randomization study in a multiethnic population. 2013 , 8, e66808	44
1543	Are C-reactive protein associated genetic variants associated with serum levels and retinal markers of microvascular pathology in Asian populations from Singapore?. 2013 , 8, e67650	18

1542	Using genetic prediction from known complex disease Loci to guide the design of next-generation sequencing experiments. 2013 , 8, e76328	11
1541	A genome wide association study identifies common variants associated with lipid levels in the Chinese population. 2013 , 8, e82420	48
1540	GCKR variants increase triglycerides while protecting from insulin resistance in Chinese children. 2013 , 8, e55350	9
1539	Using eQTL weights to improve power for genome-wide association studies: a genetic study of childhood asthma. 2013 , 4, 103	44
1538	Pharmacogenetics in Cardiovascular Diseases. 2013 , 133-182	1
1537	Mapping Novel Pathways in Cardiovascular Disease Using eQTL Data: The Past, Present, and Future of Gene Expression Analysis. 2012 , 3, 232	11
1536	An f2 pig resource population as a model for genetic studies of obesity and obesity-related diseases in humans: design and genetic parameters. 2013 , 4, 29	30
1535	Hypertriglyceridemia. 2013 , 5, 981-1001	85
1534	Coronary Artery Disease and Myocardial Infarction. 2013 , 516-529	
1533	Stroke. 2013 , 655-665	
1532	The Metabolic Syndrome. 2013 , 1006-1016	3
1531	EFFECT OF LONG-TERM EXPOSURE TO LOWER LOW-DENSITY LIPOPROTEIN CHOLESTEROL BEGINNING EARLY IN LIFE ON THE RISK OF CORONARY HEART DISEASE. A MENDELIAN RANDOMIZATION ANALYSIS. 2013 , 9, 90-98	4
1530	Potential effects of NPC1L1 polymorphisms in protecting against clinical disease in a chinese family with sitosterolaemia. 2014 , 21, 989-95	12
1529	Low LDL-C and high HDL-C levels are associated with elevated serum transaminases amongst adults in the United States: a cross-sectional study. 2014 , 9, e85366	17
1528	Intronic variants in the NFKB1 gene may influence hearing forecast in patients with unilateral sensorineural hearing loss in Meniere's disease. 2014 , 9, e112171	25
1527	A genome-wide "pleiotropy scan" does not identify new susceptibility loci for estrogen receptor negative breast cancer. 2014 , 9, e85955	7
1526	Elevated high-density lipoprotein cholesterol and age-related macular degeneration: the Alienor study. 2014 , 9, e90973	67
1525	Analysis of multiple association studies provides evidence of an expression QTL hub in gene-gene interaction network affecting HDL cholesterol levels. 2014 , 9, e92469	9

1524	Use of targeted exome sequencing in genetic diagnosis of Chinese familial hypercholesterolemia. 2014 , 9, e94697	15
1523	Rs964184 (APOA5-A4-C3-A1) is related to elevated plasma triglyceride levels, but not to an increased risk for vascular events in patients with clinically manifest vascular disease. 2014 , 9, e101082	15
1522	A systematic evaluation of short tandem repeats in lipid candidate genes: riding on the SNP-wave. 2014 , 9, e102113	3
1521	Orp8 deficiency in bone marrow-derived cells reduces atherosclerotic lesion progression in LDL receptor knockout mice. 2014 , 9, e109024	8
1520	Comprehensive evaluation of the association of APOE genetic variation with plasma lipoprotein traits in U.S. whites and African blacks. 2014 , 9, e114618	19
1519	Novel KIF6 polymorphism increases susceptibility to type 2 diabetes mellitus and coronary heart disease in Han Chinese men. 2014 , 2014, 871439	8
1518	Pathogenesis of coronary artery disease: focus on genetic risk factors and identification of genetic variants. 2014 , 7, 15-32	78
1517	Using previously genotyped controls in genome-wide association studies (GWAS): application to the Stroke Genetics Network (SiGN). 2014 , 5, 95	18
1516	The Missing lnc(RNA) between the pancreatic β cell and diabetes. 2014 , 5, 200	38
1515	Diet-gene interactions and PUFA metabolism: a potential contributor to health disparities and human diseases. 2014 , 6, 1993-2022	90
1514	Identification of genetic variants of lecithin cholesterol acyltransferase in individuals with high HDL-C levels. 2014 , 10, 496-502	6
1513	Genomic insights into abdominal aortic aneurysms. 2014 , 96, 405-14	10
1512	Sex-specific association of the zinc finger protein 259 rs2075290 polymorphism and serum lipid levels. 2014 , 11, 471-8	12
1511	. 2014 ,	8
1510	. 2014 ,	1
1509	Genome-wide association studies of suicidal behaviors. 277-287	
1508	Genes y variantes polimórficas asociadas a la enfermedad cardiovascular. 2014 , 21, 318-326	
1507	Assessing multivariate gene-metabolome associations with rare variants using Bayesian reduced rank regression. 2014 , 30, 2026-34	18

1506	Epipolymorphisms within lipoprotein genes contribute independently to plasma lipid levels in familial hypercholesterolemia. 2014 , 9, 718-29	45
1505	Genome-wide association studies: the good, the bad and the ugly. 2014 , 14, 428-31	14
1504	Multiple nonglycemic genomic loci are newly associated with blood level of glycosylated hemoglobin in East Asians. 2014 , 63, 2551-62	46
1503	Genetic associations with expression for genes implicated in GWAS studies for atherosclerotic cardiovascular disease and blood phenotypes. 2014 , 23, 782-95	34
1502	Approaches for establishing the function of regulatory genetic variants involved in disease. 2014 , 6, 92	31
1501	A dual role of lipasin (betatrophin) in lipid metabolism and glucose homeostasis: consensus and controversy. 2014 , 13, 133	72
1500	TM6SF2 is a regulator of liver fat metabolism influencing triglyceride secretion and hepatic lipid droplet content. 2014 , 111, 8913-8	211
1499	Endogenous Production of Long-Chain Polyunsaturated Fatty Acids and Metabolic Disease Risk. 2014 , 8, 1	18
1498	Genetic risk score and adiposity interact to influence triglyceride levels in a cohort of Filipino women. 2014 , 4, e118	10
1497	Shared common variants in prostate cancer and blood lipids. 2014 , 43, 1205-14	39
1496	Fast and accurate imputation of summary statistics enhances evidence of functional enrichment. 2014 , 30, 2906-14	123
1495	Methodologies in the Era of Cardiovascular Omics 2014 , 15-55	
1494	Diet and lifestyle interventions on lipids: combination with genomics and metabolomics. 2014 , 9, 417-427	6
1493	The association of the vanin-1 N131S variant with blood pressure is mediated by endoplasmic reticulum-associated degradation and loss of function. 2014 , 10, e1004641	14
1492	Silencing of ANGPTL 3 (angiopoietin-like protein 3) in human hepatocytes results in decreased expression of gluconeogenic genes and reduced triacylglycerol-rich VLDL secretion upon insulin stimulation. 2014 , 34, e00160	22
1491	Methylation at CPT1A locus is associated with lipoprotein subfraction profiles. 2014 , 55, 1324-30	50
1490	Emerging regulation and function of betatrophin. 2014 , 15, 23640-57	41
1489	Betatrophin provides a new insight into diabetes treatment and lipid metabolism (Review). 2014 , 2, 447-451	9

1488 Lipoprotein and Lipid Metabolism. **2014**,

1487 Pharmacogenetic meta-analysis of genome-wide association studies of LDL cholesterol response to statins. **2014**, 5, 5068 160

1486 Association between low density lipoprotein and rheumatoid arthritis genetic factors with low density lipoprotein levels in rheumatoid arthritis and non-rheumatoid arthritis controls. **2014**, 73, 1170-5 27

1485 Identification of DNA methylation changes in newborns related to maternal smoking during pregnancy. **2014**, 122, 1147-53 153

1484 Gene-based sequencing identifies lipid-influencing variants with ethnicity-specific effects in African Americans. **2014**, 10, e1004190 23

1483 A meta-analysis of genome-wide association studies for adiponectin levels in East Asians identifies a novel locus near WDR11-FGFR2. **2014**, 23, 1108-19 53

1482 Extension of GWAS results for lipid-related phenotypes to extreme obesity using electronic health record (EHR) data and the MetaboChip. **2014**, 5, 222 6

1481 Bayesian test for colocalisation between pairs of genetic association studies using summary statistics. **2014**, 10, e1004383 868

1480 Integrating functional data to prioritize causal variants in statistical fine-mapping studies. **2014**, 10, e1004722 305

1479 Detection of pleiotropy through a Phenome-wide association study (PheWAS) of epidemiologic data as part of the Environmental Architecture for Genes Linked to Environment (EAGLE) study. **2014**, 10, e1004678 47

1478 Genetic predisposition to increased blood cholesterol and triglyceride lipid levels and risk of Alzheimer disease: a Mendelian randomization analysis. **2014**, 11, e1001713 62

1477 Chromosome X-wide association study identifies Loci for fasting insulin and height and evidence for incomplete dosage compensation. **2014**, 10, e1004127 46

1476 Long-term exposure to concentrated ambient PM2.5 increases mouse blood pressure through abnormal activation of the sympathetic nervous system: a role for hypothalamic inflammation. **2014**, 122, 79-86 119

1475 Genetic determinants influencing human serum metabolome among African Americans. **2014**, 10, e1004212 57

1474 Genome-wide meta-analysis of homocysteine and methionine metabolism identifies five one carbon metabolism loci and a novel association of ALDH1L1 with ischemic stroke. **2014**, 10, e1004214 57

1473 Genetic determinants of long-term changes in blood lipid concentrations: 10-year follow-up of the GLACIER study. **2014**, 10, e1004388 25

1472 Genetic analysis of long-lived families reveals novel variants influencing high density-lipoprotein cholesterol. **2014**, 5, 159 13

1471 Genetic variants of APOC3 promoter and HLA-B genes in an HIV infected cohort in northern South Africa: a pilot study. **2014**, 15, 11403-15 7

1470	Genomics and Pharmacogenomics of Lipid-Lowering Therapies. 2014 , 715-746	
1469	Human scavenger receptor class B type I variants, lipid traits, and cardiovascular disease. 2014 , 7, 735-7	3
1468	Polymorphism of rs873308 near the transmembrane protein 57 gene is associated with serum lipid levels. 2014 , 34,	14
1467	Insights into β -Cell Biology and Type 2 Diabetes Pathogenesis from Studies of the Islet Transcriptome. 2014 , 111-121	
1466	Canonical correlation analysis for gene-based pleiotropy discovery. 2014 , 10, e1003876	19
1465	The continuum of personalized cardiovascular medicine: a position paper of the European Society of Cardiology. 2014 , 35, 3250-7	66
1464	Challenges in elucidating the genetics of diabetic retinopathy. 2014 , 132, 96-107	69
1463	Adiposity significantly modifies genetic risk for dyslipidemia. 2014 , 55, 2416-22	25
1462	Systematic permutation testing in GWAS pathway analyses: identification of genetic networks in dilated cardiomyopathy and ulcerative colitis. 2014 , 15, 622	21
1461	Amerindian-specific regions under positive selection harbour new lipid variants in Latinos. 2014 , 5, 3983	68
1460	LipidSeq: a next-generation clinical resequencing panel for monogenic dyslipidemias. 2014 , 55, 765-72	95
1459	Strong effects of genetic and lifestyle factors on biomarker variation and use of personalized cutoffs. 2014 , 5, 4684	98
1458	Amino acid change in the carbohydrate response element binding protein is associated with lower triglycerides and myocardial infarction incidence depending on level of adherence to the Mediterranean diet in the PREDIMED trial. 2014 , 7, 49-58	29
1457	Bench-top sequencing and clinical implementation: diagnostics and biomarkers challenges. 2014 , 8, 221-4	
1456	Genome-Wide Association Studies in Type 2 Diabetes. 2014 , 1-13	
1455	Seeking genes responsible for developmental origins of health and disease from the fetal mouse liver following maternal food restriction. 2014 , 54, 195-219	12
1454	Gene therapy for hypercholesterolemia: sweet dreams and flying machines. 2014 , 115, 542-5	4
1453	Association of the variants in the BUD13-ZNF259 genes and the risk of hyperlipidaemia. 2014 , 18, 1417-28	33

1452	Assessing the utility of intermediate phenotypes for genetic mapping of psychiatric disease. 2014 , 37, 733-41	60
1451	Genetic prediction of quantitative lipid traits: comparing shrinkage models to gene scores. 2014 , 38, 72-83	18
1450	BAYESIAN METHODS FOR GENETIC ASSOCIATION ANALYSIS WITH HETEROGENEOUS SUBGROUPS: FROM META-ANALYSES TO GENE-ENVIRONMENT INTERACTIONS. 2014 , 8, 176-203	39
1449	Disruption of <i>Ildl</i> r causes increased LDL-c and vascular lipid accumulation in a zebrafish model of hypercholesterolemia. 2014 , 55, 2242-53	26
1448	LDL-c-linked SNPs are associated with LDL-c and myocardial infarction despite lipid-lowering therapy in patients with established vascular disease. 2014 , 44, 184-91	9
1447	Should we keep on? Looking into pharmacogenomics of ADHD in adulthood from a different perspective. 2014 , 15, 1365-81	5
1446	Genomics and anterior segment dysgenesis: a review. 2014 , 42, 13-24	74
1445	Two novel mutations in apolipoprotein C3 underlie atheroprotective lipid profiles in families. 2014 , 85, 433-40	15
1444	Genome-Wide Association Studies of Obesity. 2014 , 33-53	2
1443	Genetics and causality of triglyceride-rich lipoproteins in atherosclerotic cardiovascular disease. 2014 , 64, 2525-40	149
1442	Trans-ethnic genome-wide association studies: advantages and challenges of mapping in diverse populations. 2014 , 6, 91	106
1441	The arachidonic acid metabolome serves as a conserved regulator of cholesterol metabolism. 2014 , 20, 787-798	72
1440	Genetic evidence for a normal-weight "metabolically obese" phenotype linking insulin resistance, hypertension, coronary artery disease, and type 2 diabetes. 2014 , 63, 4369-77	131
1439	Searching for missing heritability: designing rare variant association studies. 2014 , 111, E455-64	437
1438	Association of low-density lipoprotein receptor genotypes with hepatitis C viral load. 2014 , 15, 16-24	15
1437	Low-density lipoprotein receptor-related protein-1: role in the regulation of vascular integrity. 2014 , 34, 487-98	65
1436	Metabolic profiling in diabetes. 2014 , 221, R75-85	73
1435	Epistasis between SNPs in genes involved in lipoprotein metabolism influences high- and low-density lipoprotein cholesterol levels. 2014 , 36, 809-817	

1434	Whole genome sequencing of Turkish genomes reveals functional private alleles and impact of genetic interactions with Europe, Asia and Africa. 2014 , 15, 963	33
1433	Association of cholesteryl ester transfer protein (CETP) gene polymorphism, high density lipoprotein cholesterol and risk of coronary artery disease: a meta-analysis using a Mendelian randomization approach. 2014 , 15, 118	32
1432	A genome-wide association study identifies a functional ERAP2 haplotype associated with birdshot chorioretinopathy. 2014 , 23, 6081-7	82
1431	SORT1 protective allele is associated with attenuated postprandial: lipaemia in young adults. 2014 , 7, 576-82	6
1430	Inheritance of rare functional GCKR variants and their contribution to triglyceride levels in families. 2014 , 23, 5570-8	18
1429	CPT1A: the future of heart disease detection and personalized medicine?. 2014 , 9, 9-12	6
1428	What is new in familial hypercholesterolemia?. 2014 , 25, 183-8	20
1427	Remnant cholesterol and ischemic heart disease. 2014 , 25, 266-73	28
1426	PharmGKB summary: very important pharmacogene information for SLC22A1. 2014 , 24, 324-8	16
1425	Sortilin: the mechanistic link between genes, cholesterol, and coronary artery disease. 2014 , 22, 91-6	10
1424	Sortilin and lipoprotein metabolism: making sense out of complexity. 2014 , 25, 350-7	59
1423	The genetic architecture of the familial hyperlipidaemia syndromes: rare mutations and common variants in multiple genes. 2014 , 25, 274-81	24
1422	The MYLIP p.N342S polymorphism is associated with response to lipid-lowering therapy in Brazilian patients with familial hypercholesterolemia. 2014 , 24, 548-55	16
1421	Pharmacogenomics of statin therapy: any new insights in efficacy or safety?. 2014 , 25, 438-45	11
1420	Study of exonic variation identifies incremental information regarding lipid-related and coronary heart disease genes. 2014 , 115, 478-80	1
1419	Antibodies to human angiotensin-like protein 3: a patent evaluation of WO2012174178. 2014 , 24, 113-9	6
1418	Rare variant APOC3 R19X is associated with cardio-protective profiles in a diverse population-based survey as part of the Epidemiologic Architecture for Genes Linked to Environment Study. 2014 , 7, 848-53	20
1417	Association of low-density lipoprotein cholesterol-related genetic variants with aortic valve calcium and incident aortic stenosis. 2014 , 312, 1764-71	134

1416	Betatrophin. 2014 , 6, e28686	6
1415	Re-sequencing expands our understanding of the phenotypic impact of variants at GWAS loci. 2014 , 10, e1004147	42
1414	Impact of genetic variants in human scavenger receptor class B type I (SCARB1) on plasma lipid traits. 2014 , 7, 838-47	14
1413	Functional analysis of the TRIB1 associated locus linked to plasma triglycerides and coronary artery disease. 2014 , 3, e000884	38
1412	A genome-wide association analysis for porcine serum lipid traits reveals the existence of age-specific genetic determinants. 2014 , 15, 758	18
1411	Interrogating causal pathways linking genetic variants, small molecule metabolites, and circulating lipids. 2014 , 6, 25	14
1410	Hypertriglyceridemia: a too long unfairly neglected major cardiovascular risk factor. 2014 , 13, 159	116
1409	Serum hepcidin is associated with presence of plaque in postmenopausal women of a general population. 2014 , 34, 446-56	32
1408	Molecular characterization of a Chinese woman homozygous for the familial hypercholesterolemiaLDLRc.1474G>A (p.Asp492Asn) mutation. 2014 , 9, 163-170	1
1407	Progress in genetics of plasma lipids. 2014 , 25, 99-101	1
1406	Childhood intelligence is heritable, highly polygenic and associated with FBNP1L. 2014 , 19, 253-8	171
1405	Emerging therapies for raising high-density lipoprotein cholesterol (HDL-C) and augmenting HDL particle functionality. 2014 , 28, 453-61	54
1404	Linkage analysis incorporating gene-age interactions identifies seven novel lipid loci: the Family Blood Pressure Program. 2014 , 235, 84-93	9
1403	Scavenger receptor class B type I (SR-BI): a versatile receptor with multiple functions and actions. 2014 , 63, 875-86	66
1402	Influence of PCSK9 polymorphisms on plasma lipids and response to atorvastatin treatment in Brazilian subjects. 2014 , 8, 256-64	24
1401	Are hypertriglyceridemia and low HDL causal factors in the development of insulin resistance?. 2014 , 233, 130-8	78
1400	Solving sequences of generalized least-squares problems on multi-threaded architectures. 2014 , 234, 606-617	6
1399	Curing atherosclerosis should be the next major cardiovascular prevention goal. 2014 , 63, 2779-85	62

1398	Joint analysis of functional genomic data and genome-wide association studies of 18 human traits. 2014 , 94, 559-73	400
1397	Pleiotropic genes for metabolic syndrome and inflammation. 2014 , 112, 317-38	81
1396	Genetics of disc-related disorders: current findings and lessons from other complex diseases. 2014 , 23 Suppl 3, S354-63	19
1395	Dyslipidemia: another brick in the wall. A feasible link in the OSA-cardiovascular disease axis. 2014 , 18, 5-6	3
1394	Explaining additional genetic variation in complex traits. 2014 , 30, 124-32	110
1393	The genetics of major depression. 2014 , 81, 484-503	400
1392	Genome-wide association studies identified novel loci for non-high-density lipoprotein cholesterol and its postprandial lipemic response. 2014 , 133, 919-30	8
1391	Variation at the DPP4 locus influences apolipoprotein B levels in South Asians and exhibits heterogeneity in Europeans related to BMI. 2014 , 57, 738-45	7
1390	Pleiotropic effects of HNF1A rs1183910 in a population-based study of 60,283 individuals. 2014 , 57, 729-37	8
1389	Current Insights into the Joint Genetic Basis of Type 2 Diabetes and Coronary Heart Disease. 2014 , 8, 368	17
1388	[Importance of modern genome-wide studies for the risk of myocardial infarction]. 2014 , 55, 141-7	2
1387	Early Life Origins of Metabolic Syndrome: The Role of Environmental Toxicants. 2014 , 1, 78-89	20
1386	Association of low-frequency and rare coding-sequence variants with blood lipids and coronary heart disease in 56,000 whites and blacks. 2014 , 94, 223-32	233
1385	Whole-exome sequencing identifies rare and low-frequency coding variants associated with LDL cholesterol. 2014 , 94, 233-45	170
1384	Exome-wide association study identifies a TM6SF2 variant that confers susceptibility to nonalcoholic fatty liver disease. 2014 , 46, 352-6	695
1383	Systematic evaluation of coding variation identifies a candidate causal variant in TM6SF2 influencing total cholesterol and myocardial infarction risk. 2014 , 46, 345-51	213
1382	Future of cholesteryl ester transfer protein inhibitors. 2014 , 65, 385-403	51
1381	Rare variants and cardiovascular disease. 2014 , 13, 384-91	9

1380	Genome-wide family-based linkage analysis of exome chip variants and cardiometabolic risk. 2014 , 38, 345-52	14
1379	The postprandial chylomicron triacylglycerol response to dietary fat in healthy male adults is significantly explained by a combination of single nucleotide polymorphisms in genes involved in triacylglycerol metabolism. 2014 , 99, E484-8	34
1378	Large-scale genomics unveils the genetic architecture of psychiatric disorders. 2014 , 17, 782-90	269
1377	Systems genetics: From GWAS to disease pathways. 2014 , 1842, 1903-1909	53
1376	High-density lipoproteins in the prevention of cardiovascular disease: changing the paradigm. 2014 , 96, 48-56	52
1375	Gender-specific associations of the APOA1 -75G>A polymorphism with several metabolic syndrome components in Turkish adults. 2014 , 431, 244-9	16
1374	Liver X receptors in lipid metabolism: opportunities for drug discovery. 2014 , 13, 433-44	385
1373	Lipoprotein lipase gene sequencing and plasma lipid profile. 2014 , 55, 85-93	15
1372	Systems genetics approaches to understand complex traits. 2014 , 15, 34-48	407
1371	Importance of evaluating cell cholesterol influx with efflux in determining the impact of human serum on cholesterol metabolism and atherosclerosis. 2014 , 34, 17-25	32
1370	ATP-binding cassette transporters, atherosclerosis, and inflammation. 2014 , 114, 157-70	170
1369	Polygenic risk for hypertriglyceridemia is attenuated in Japanese men with high fitness levels. 2014 , 46, 207-15	7
1368	Predicting stroke through genetic risk functions: the CHARGE Risk Score Project. 2014 , 45, 403-12	46
1367	Pharmacology and therapeutics of omega-3 polyunsaturated fatty acids in chronic inflammatory disease. 2014 , 141, 272-82	249
1366	Cholesteryl ester transfer protein polymorphisms, statin use, and their impact on cholesterol levels and cardiovascular events. 2014 , 95, 314-20	12
1365	Identifying common genetic variants in blood pressure due to polygenic pleiotropy with associated phenotypes. 2014 , 63, 819-26	64
1364	Efficient clustering of identity-by-descent between multiple individuals. 2014 , 30, 915-22	2
1363	Gene-centric meta-analyses for central adiposity traits in up to 57 412 individuals of European descent confirm known loci and reveal several novel associations. 2014 , 23, 2498-510	22

1362	Realizing the promise of cancer predisposition genes. <i>Nature</i> , 2014 , 505, 302-8	50.4 340
1361	The Genetics of Obesity. 2014 ,	
1360	Shared genetic susceptibility to ischemic stroke and coronary artery disease: a genome-wide analysis of common variants. 2014 , 45, 24-36	245
1359	Bile acid signaling in metabolic disease and drug therapy. 2014 , 66, 948-83	488
1358	Novel loci affecting iron homeostasis and their effects in individuals at risk for hemochromatosis. 2014 , 5, 4926	121
1357	The LXR-Idol axis differentially regulates plasma LDL levels in primates and mice. 2014 , 20, 910-918	60
1356	Multiple metabolic genetic risk scores and type 2 diabetes risk in three racial/ethnic groups. 2014 , 99, E1814-8	18
1355	Zebrafish yolk lipid processing: a tractable tool for the study of vertebrate lipid transport and metabolism. 2014 , 7, 915-27	71
1354	Inactivating mutations in NPC1L1 and protection from coronary heart disease. 2014 , 371, 2072-82	307
1353	Regulation of glucose homeostasis and lipid metabolism by PPP1R3G-mediated hepatic glycogenesis. 2014 , 28, 116-26	23
1352	Small dense low-density lipoprotein-cholesterol concentrations predict risk for coronary heart disease: the Atherosclerosis Risk In Communities (ARIC) study. 2014 , 34, 1069-77	270
1351	Approaches for drawing causal inferences from epidemiological birth cohorts: a review. 2014 , 90, 769-80	91
1350	The E3 ubiquitin ligase MARCH6 degrades squalene monooxygenase and affects 3-hydroxy-3-methyl-glutaryl coenzyme A reductase and the cholesterol synthesis pathway. 2014 , 34, 1262-70	90
1349	Genetics of lipid traits: Genome-wide approaches yield new biology and clues to causality in coronary artery disease. 2014 , 1842, 2010-2020	7
1348	Genetic association with low concentrations of high density lipoprotein-cholesterol in a pediatric population of the Middle East and North Africa: the CASPIAN-III study. 2014 , 237, 273-8	9
1347	Aging and cardiovascular diseases: the role of gene-diet interactions. 2014 , 18, 53-73	53
1346	Multiple associated variants increase the heritability explained for plasma lipids and coronary artery disease. 2014 , 7, 583-7	23
1345	TRIB1 downregulates hepatic lipogenesis and glycogenesis via multiple molecular interactions. 2014 , 52, 145-58	40

1344	Common genetic variants contribute to primary hypertriglyceridemia without differences between familial combined hyperlipidemia and isolated hypertriglyceridemia. 2014 , 7, 814-21	30
1343	Genome-wide association study identifies three susceptibility loci for laryngeal squamous cell carcinoma in the Chinese population. 2014 , 46, 1110-4	40
1342	Reverse Cholesterol Transport in HDL Metabolism. 2014 , 65-101	
1341	Low-expression variant of fatty acid-binding protein 4 favors reduced manifestations of atherosclerotic disease and increased plaque stability. 2014 , 7, 588-98	22
1340	A genetic variant in the seed region of miR-4513 shows pleiotropic effects on lipid and glucose homeostasis, blood pressure, and coronary artery disease. 2014 , 35, 1524-31	37
1339	A functional polymorphism affecting the APOA5 gene expression is causally associated with plasma triglyceride levels conferring coronary atherosclerosis risk in Han Chinese Population. 2014 , 1842, 2147-54	9
1338	Identification of four novel genes contributing to familial elevated plasma HDL cholesterol in humans. 2014 , 55, 1693-701	17
1337	Genome-wide association studies of suicidal behaviors: a review. 2014 , 24, 1567-77	31
1336	A rare variant in APOC3 is associated with plasma triglyceride and VLDL levels in Europeans. 2014 , 5, 4871	46
1335	Pleiotropic effects of lipid genes on plasma glucose, HbA1c, and HOMA-IR levels. 2014 , 63, 3149-58	54
1334	OCT1 is a high-capacity thiamine transporter that regulates hepatic steatosis and is a target of metformin. 2014 , 111, 9983-8	155
1333	The Path to Personalized Cardiovascular Medicine. 2014 , 837-871	
1332	Towards network analysis to understand the genetic architecture of blood lipids: do the inclusion of age-dependency helps to identify seven novel loci?. 2014 , 235, 642-3	
1331	Pharmacogenetics in cardiovascular disease: the challenge of moving from promise to realization: concepts discussed at the Canadian Network and Centre for Trials Internationally Network Conference (CANNeCTIN), June 2009. 2014 , 37, 48-56	10
1330	Oxidative Stress and Inflammation in Non-communicable Diseases - Molecular Mechanisms and Perspectives in Therapeutics. 2014 ,	7
1329	Function and regulation of the mono-ADP-ribosyltransferase ARTD10. 2015 , 384, 167-88	20
1328	Genetic variants related to height and risk of atrial fibrillation: the cardiovascular health study. 2014 , 180, 215-22	15
1327	Polymorphisms in catechol-O-methyltransferase modify treatment effects of aspirin on risk of cardiovascular disease. 2014 , 34, 2160-7	31

1326	Analysis of circulating cholesterol levels as a mediator of an association between ABO blood group and coronary heart disease. 2014 , 7, 43-8	45
1325	Delta-5 and delta-6 desaturases: crucial enzymes in polyunsaturated fatty acid-related pathways with pleiotropic influences in health and disease. 2014 , 824, 61-81	92
1324	Triglycerides and cardiovascular disease. 2014 , 384, 626-635	698
1323	Genome-wide association meta-analysis of human longevity identifies a novel locus conferring survival beyond 90 years of age. 2014 , 23, 4420-32	188
1322	MicroRNA-223 coordinates cholesterol homeostasis. 2014 , 111, 14518-23	171
1321	ADRB3 gene promoter DNA methylation in blood and visceral adipose tissue is associated with metabolic disturbances in men. 2014 , 6, 33-43	30
1320	Associations between APOE and low-density lipoprotein cholesterol genotypes and cognitive and physical capability: the HALCyon programme. 2014 , 36, 9673	20
1319	Scoring the collective effects of SNPs: association of minor alleles with complex traits in model organisms. 2014 , 57, 876-88	19
1318	Synthesis of 53 tissue and cell line expression QTL datasets reveals master eQTLs. 2014 , 15, 532	41
1317	Association of the ST3GAL4 rs11220462 polymorphism and serum lipid levels in the Mulao and Han populations. 2014 , 13, 123	7
1316	IL-24 gene polymorphisms are associated with cardiometabolic parameters and cardiovascular risk factors but not with premature coronary artery disease: the genetics of atherosclerotic disease Mexican study. 2014 , 34, 659-66	8
1315	A serum 25-hydroxyvitamin D concentration-associated genetic variant in DHCR7 interacts with type 2 diabetes status to influence subclinical atherosclerosis (measured by carotid intima-media thickness). 2014 , 57, 1159-72	24
1314	GWAS identifies an NAT2 acetylator status tag single nucleotide polymorphism to be a major locus for skin fluorescence. 2014 , 57, 1623-34	23
1313	HNRNPA1 regulates HMGCR alternative splicing and modulates cellular cholesterol metabolism. 2014 , 23, 319-32	44
1312	Adrenocortical scavenger receptor class B type I deficiency exacerbates endotoxic shock and precipitates sepsis-induced mortality in mice. 2014 , 193, 817-26	25
1311	Whole exome sequencing of familial hypercholesterolaemia patients negative for LDLR/APOB/PCSK9 mutations. 2014 , 51, 537-44	77
1310	ABO blood group and risk of peripheral arterial thrombosis in patients with atrial fibrillation: a single center survey. 2014 , 38, 30-1	2
1309	HDL: to treat or not to treat?. 2014 , 16, 429	11

1308	Exome sequencing: new insights into lipoprotein disorders. 2014 , 16, 507	15
1307	Biomarkers of coronary artery disease: the promise of the transcriptome. 2014 , 16, 513	24
1306	A polymorphism near MC4R gene (rs17782313) is associated with serum triglyceride levels in the general Japanese population: the J-MICC Study. 2014 , 47, 81-9	13
1305	Genome-Wide Association Studies of Genetic Impact on Cardiovascular and Metabolic Diseases in Asians: Opportunity for Discovery. 2014 , 8, 1	2
1304	Genetic predisposition scores for dyslipidaemia influence plasma lipid concentrations at baseline, but not the changes after controlled intake of n-3 polyunsaturated fatty acids. 2014 , 9, 412	5
1303	Using genetic variation for establishing causality of cardiovascular risk factors: overcoming confounding and reverse causality. 2014 , 22, 186-9	8
1302	From SNP co-association to RNA co-expression: novel insights into gene networks for intramuscular fatty acid composition in porcine. 2014 , 15, 232	31
1301	Plasma and erythrocyte membrane phospholipids and fatty acids in Italian general population and hemodialysis patients. 2014 , 13, 54	22
1300	A genetic variant in the LDLR promoter is responsible for part of the LDL-cholesterol variability in primary hypercholesterolemia. 2014 , 7, 17	13
1299	Quality control and conduct of genome-wide association meta-analyses. 2014 , 9, 1192-212	278
1298	An overview of the new frontiers in the treatment of atherogenic dyslipidemias. 2014 , 96, 57-63	29
1297	High-density lipoprotein subfractions: current views and clinical practice applications. 2014 , 25, 329-36	33
1296	Genome-wide trans-ancestry meta-analysis provides insight into the genetic architecture of type 2 diabetes susceptibility. 2014 , 46, 234-44	784
1295	Research review: Polygenic methods and their application to psychiatric traits. 2014 , 55, 1068-87	410
1294	The role of environmental heterogeneity in meta-analysis of gene-environment interactions with quantitative traits. 2014 , 38, 416-29	10
1293	Strategies to fine-map genetic associations with lipid levels by combining epigenomic annotations and liver-specific transcription profiles. 2014 , 104, 105-12	10
1292	Mendelian disorders of high-density lipoprotein metabolism. 2014 , 114, 124-42	34
1291	TM6SF2 rs58542926 influences hepatic fibrosis progression in patients with non-alcoholic fatty liver disease. 2014 , 5, 4309	362

1290	Sex- and age-interacting eQTLs in human complex diseases. 2014 , 23, 1947-56	48
1289	The metabolic syndrome and DYRK1B. 2014 , 371, 785-6	4
1288	Zinc: an underappreciated modulatory factor of brain function. 2014 , 91, 426-35	80
1287	Meta-analysis of gene-level tests for rare variant association. 2014 , 46, 200-4	142
1286	Mining the genome for lipid genes. 2014 , 1842, 1993-2009	25
1285	Meta-analysis of genome-wide association studies identifies 1q22 as a susceptibility locus for intracerebral hemorrhage. 2014 , 94, 511-21	166
1284	MTP gene polymorphisms and postprandial lipemia in familial combined hyperlipidemia: effects of treatment with atorvastatin. 2014 , 26, 49-57	3
1283	Remnant cholesterol as a cause of ischemic heart disease: evidence, definition, measurement, atherogenicity, high risk patients, and present and future treatment. 2014 , 141, 358-67	113
1282	CELSR2-PSRC1-SORT1 gene expression and association with coronary artery disease and plasma lipid levels in an Asian Indian cohort. 2014 , 64, 339-46	40
1281	The polygenic nature of hypertriglyceridaemia: implications for definition, diagnosis, and management. 2014 , 2, 655-66	357
1280	Common genetic variants highlight the role of insulin resistance and body fat distribution in type 2 diabetes, independent of obesity. 2014 , 63, 4378-4387	127
1279	Macrophage-independent regulation of reverse cholesterol transport by liver X receptors. 2014 , 34, 1650-60	24
1278	Genetic susceptibility to type 2 diabetes and obesity: from genome-wide association studies to rare variants and beyond. 2014 , 57, 1528-41	135
1277	Genetics of coronary artery disease. 2014 , 114, 1890-903	86
1276	ATP-binding cassette transporter A1: from metabolism to neurodegeneration. 2014 , 72 Pt A, 13-21	73
1275	Loss-of-function mutations in APOC3, triglycerides, and coronary disease. 2014 , 371, 22-31	721
1274	Current concepts and clinical applications of stroke genetics. 2014 , 13, 405-18	76
1273	Genome-wide association studies of obesity and metabolic syndrome. 2014 , 382, 740-757	202

1272	The A>T polymorphism of the tribbles homolog 1 gene is associated with serum triglyceride concentrations in Japanese community-dwelling women. 2014 , 233, 149-53	5
1271	Blood pressure levels in male carriers of Arg82Cys in CD300LG. 2014 , 9, e109646	2
1270	Phosphodiesterase 3A rs7134375 single nucleotide polymorphism and serum lipid levels. 2014 , 9, 1618-28	4
1269	Effect of the amount and type of dietary fat on cardiometabolic risk factors and risk of developing type 2 diabetes, cardiovascular diseases, and cancer: a systematic review. 2014 , 58,	213
1268	Characterization of statin dose response in electronic medical records. 2014 , 95, 331-8	28
1267	Liver Expression Quantitative Trait Loci (eQTL) and Related Approaches in Pharmacogenomic Studies. 2014 , 111-123	1
1266	Combined Analysis of Three Genome-Wide Association Studies on vWF and FVIII Plasma Levels. 2014 , 265-291	
1265	Genetic screening to improve the diagnosis of familial hypercholesterolemia. 2014 , 9, 523-532	1
1264	Polymorphisms of Drug Transporters and Clinical Relevance. 2014 , 389-407	1
1263	Genetic variants in PLG, LPA, and SIGLEC 14 as well as smoking contribute to plasma plasminogen levels. 2014 , 124, 3155-64	16
1262	Etiology of Individual Differences in Human Health and Longevity. 2014 , 34, 189-227	5
1261	Tissue expression and predicted protein structures of the bovine ANGPTL3 and association of novel SNPs with growth and meat quality traits. 2015 , 9, 1285-97	13
1260	Gender-specific association between the cytoplasmic poly(A) binding protein 4 rs4660293 single nucleotide polymorphism and serum lipid levels. 2015 , 12, 3476-3486	4
1259	A guide to genome-wide association analysis and post-analytic interrogation. 2015 , 34, 3769-92	50
1258	Association of the variants in the PPARG gene and serum lipid levels: a meta-analysis of 74 studies. 2015 , 19, 198-209	15
1257	Genetics of coronary heart disease: towards causal mechanisms, novel drug targets and more personalized prevention. 2015 , 278, 433-46	26
1256	Association of genetic variants with dyslipidemia and chronic kidney disease in a longitudinal population-based genetic epidemiological study. 2015 , 35, 1290-300	12
1255	Association of genetic variants with dyslipidemia. 2015 , 12, 5429-36	18

1254	WAVELET-BASED GENETIC ASSOCIATION ANALYSIS OF FUNCTIONAL PHENOTYPES ARISING FROM HIGH-THROUGHPUT SEQUENCING ASSAYS. 2015 , 9, 655-686	18
1253	Tribbles-1: a novel regulator of hepatic lipid metabolism in humans. 2015 , 43, 1079-84	15
1252	The role of TRIB1 in lipid metabolism; from genetics to pathways. 2015 , 43, 1063-8	11
1251	Association between the MLX interacting protein-like, BUD13 homolog and zinc finger protein 259 gene polymorphisms and serum lipid levels. 2014 , 4, 5565	22
1250	Meta-Analysis of Genome-Wide Association Studies: A Practical Guide. 9-38	
1249	Association of and polymorphisms with metabolic syndrome. 2015 , 3, 641-647	25
1248	HDL Receptor Scavenger Receptor BI. 2015 , 313-327	
1247	Fine mapping the region reveals a common intronic insertion associated to HDL-C. 2015 , 1, 15011	5
1246	Genetics of non-conventional lipoprotein fractions. 2015 , 3, 196-201	
1245	Hypercoagulation and elevation of blood triglycerides are characteristics of Kawasaki disease. 2015 , 14, 166	11
1244	A genome-wide association study of n-3 and n-6 plasma fatty acids in a Singaporean Chinese population. 2015 , 10, 53	35
1243	Many obesity-associated SNPs strongly associate with DNA methylation changes at proximal promoters and enhancers. 2015 , 7, 103	79
1242	Therapeutic inhibition of apoC-III for the treatment of hypertriglyceridemia. 2015 , 10, 191-203	6
1241	Genetic linkage of hyperglycemia and dyslipidemia in an intercross between BALB/cJ and SM/J Apoe-deficient mouse strains. 2015 , 16, 133	10
1240	Genetic contribution of SCARB1 variants to lipid traits in African Blacks: a candidate gene association study. 2015 , 16, 106	11
1239	Association of polymorphisms in the MAFB gene and the risk of coronary artery disease and ischemic stroke: a case-control study. 2015 , 14, 79	21
1238	Associations of lipid levels susceptibility loci with coronary artery disease in Chinese population. 2015 , 14, 80	9
1237	Association of the angiopoietin-like protein 8 rs2278426 polymorphism and several environmental factors with serum lipid levels. 2015 , 12, 3285-3296	14

1236	I148M variant in PNPLA3 reduces central adiposity and metabolic disease risks while increasing nonalcoholic fatty liver disease. 2015 , 35, 2537-46	24
1235	An Adaptive Association Test for Multiple Phenotypes with GWAS Summary Statistics. 2015 , 39, 651-63	43
1234	The dual and opposite role of the TM6SF2-rs58542926 variant in protecting against cardiovascular disease and conferring risk for nonalcoholic fatty liver: A meta-analysis. 2015 , 62, 1742-56	104
1233	Genetics of common forms of heart failure: challenges and potential solutions. 2015 , 30, 222-7	27
1232	Association of PCK1 with Body Mass Index and Other Metabolic Features in Patients With Psychotropic Treatments. 2015 , 35, 544-52	5
1231	Effects of phenotypic and genotypic factors on the lipid responses to niacin in Chinese patients with dyslipidemia. 2015 , 94, e881	4
1230	Novel genes in LDL metabolism--a comprehensive overview. 2015 , 26, 179-87	8
1229	Emerging roles of flavin monooxygenase 3 in cholesterol metabolism and atherosclerosis. 2015 , 26, 426-31	42
1228	Mendelian randomization studies: using naturally randomized genetic data to fill evidence gaps. 2015 , 26, 566-71	34
1227	Causal Inference in the Age of Decision Medicine. 2015 , 6,	7
1226	Investigation of Functional Genes at Homologous Loci Identified Based on Genome-wide Association Studies of Blood Lipids via High-fat Diet Intervention in Rats using an in vivo Approach. 2015 , 22, 455-80	7
1225	Connecting SNPs in Diabetes: A Spatial Analysis of Meta-GWAS Loci. 2015 , 6, 102	13
1224	From Association to Function in the Post-GWAS Era. 2015 , 22, 442-4	4
1223	Hepatocyte nuclear factor 4 alpha polymorphisms and the metabolic syndrome in French-Canadian youth. 2015 , 10, e0117238	16
1222	Pleiotropy among common genetic loci identified for cardiometabolic disorders and C-reactive protein. 2015 , 10, e0118859	31
1221	IDOL N342S Variant, Atherosclerosis Progression and Cardiovascular Disorders in the Italian General Population. 2015 , 10, e0122414	9
1220	The association between carbohydrate-rich foods and risk of cardiovascular disease is not modified by genetic susceptibility to dyslipidemia as determined by 80 validated variants. 2015 , 10, e0126104	19
1219	The Influence of Age and Sex on Genetic Associations with Adult Body Size and Shape: A Large-Scale Genome-Wide Interaction Study. 2015 , 11, e1005378	220

1218	Genome-Wide Loss of Heterozygosity and DNA Copy Number Aberration in HPV-Negative Oral Squamous Cell Carcinoma and Their Associations with Disease-Specific Survival. 2015 , 10, e0135074	15
1217	Effects of Polymorphisms in APOA4-APOA5-ZNF259-BUD13 Gene Cluster on Plasma Levels of Triglycerides and Risk of Coronary Heart Disease in a Chinese Han Population. 2015 , 10, e0138652	15
1216	Genome-Wide Association Study with Targeted and Non-targeted NMR Metabolomics Identifies 15 Novel Loci of Urinary Human Metabolic Individuality. 2015 , 11, e1005487	66
1215	Parent-of-Origin Effects of the APOB Gene on Adiposity in Young Adults. 2015 , 11, e1005573	9
1214	Genome-Wide Scan Informed by Age-Related Disease Identifies Loci for Exceptional Human Longevity. 2015 , 11, e1005728	86
1213	Genome-Wide Association Analysis for Blood Lipid Traits Measured in Three Pig Populations Reveals a Substantial Level of Genetic Heterogeneity. 2015 , 10, e0131667	14
1212	Pathway-Based Genome-Wide Association Studies for Plasma Triglycerides in Obese Females and Normal-Weight Controls. 2015 , 10, e0134923	10
1211	Birth Cohort, Age, and Sex Strongly Modulate Effects of Lipid Risk Alleles Identified in Genome-Wide Association Studies. 2015 , 10, e0136319	8
1210	Genome Wide Association Analysis Reveals New Production Trait Genes in a Male Duroc Population. 2015 , 10, e0139207	28
1209	Effect of High-Density Lipoprotein Metabolic Pathway Gene Variations and Risk Factors on Neovascular Age-Related Macular Degeneration and Polypoidal Choroidal Vasculopathy in China. 2015 , 10, e0143924	16
1208	Genetic Sharing with Cardiovascular Disease Risk Factors and Diabetes Reveals Novel Bone Mineral Density Loci. 2015 , 10, e0144531	12
1207	The pathophysiology of intestinal lipoprotein production. 2015 , 6, 61	18
1206	Associations of Haplotypes Upstream of IRS1 with Insulin Resistance, Type 2 Diabetes, Dyslipidemia, Preclinical Atherosclerosis, and Skeletal Muscle LOC646736 mRNA Levels. 2015 , 2015, 405371	5
1205	. 2015 ,	4
1204	Lipoproteins. 2015 , 1-14	
1203	Identification and validation of N-acetyltransferase 2 as an insulin sensitivity gene. 2015 , 125, 1739-51	67
1202	Human Enhancers Are Fragile and Prone to Deactivating Mutations. 2015 , 32, 2161-80	13
1201	Chylomicronaemia--current diagnosis and future therapies. 2015 , 11, 352-62	182

1200	Deciphering unexplained familial dyslipidemias: do we have the tools?. 2015 , 8, 250-2	2
1199	High-Density Lipoprotein (HDL) Phospholipid Content and Cholesterol Efflux Capacity Are Reduced in Patients With Very High HDL Cholesterol and Coronary Disease. 2015 , 35, 1515-9	63
1198	Recent Positive Selection Drives the Expansion of a Schizophrenia Risk Nonsynonymous Variant at SLC39A8 in Europeans. 2016 , 42, 178-90	28
1197	2HiGWAS: a unifying high-dimensional platform to infer the global genetic architecture of trait development. 2015 , 16, 905-11	14
1196	The cancer cell map initiative: defining the hallmark networks of cancer. 2015 , 58, 690-8	89
1195	Integration of Genomics in Primary Care. 2015 , 128, 1251.e1-5	29
1194	Functional and genetic diversity of leukocyte immunoglobulin-like receptor and implication for disease associations. 2015 , 60, 703-8	62
1193	Triglyceride-rich lipoproteins and coronary artery disease risk: new insights from human genetics. 2015 , 35, e3-9	49
1192	A Mendelian randomization study of the effect of type-2 diabetes on coronary heart disease. 2015 , 6, 7060	84
1191	Endogenous ADP-Ribosylation. 2015 ,	4
1190	Translational regulation shapes the molecular landscape of complex disease phenotypes. 2015 , 6, 7200	51
1189	Genetic polymorphism of APOB is associated with diabetes mellitus in sickle cell disease. 2015 , 134, 895-904	14
1188	Efficacy of ezetimibe is not related to NPC1L1 gene polymorphisms in a pilot study of Chilean hypercholesterolemic subjects. 2015 , 19, 45-52	3
1187	Novel Genes for Dyslipidemias: Genome-Wide Association Studies. 2015 , 303-312	
1186	Cholesterol Absorption Inhibitor Ezetimibe: Risk Benefits and Role in Treating Dyslipidemias. 2015 , 465-481	
1185	Modulators of hepatic lipoprotein metabolism identified in a search for small-molecule inducers of tribbles pseudokinase 1 expression. 2015 , 10, e0120295	21
1184	Mortality and cancer in relation to ABO blood group phenotypes in the Golestan Cohort Study. 2015 , 13, 8	33
1183	CETP genotype and changes in lipid levels in response to weight-loss diet intervention in the POUNDS LOST and DIRECT randomized trials. 2015 , 56, 713-721	31

1182	Lipid Droplets Are Essential for Efficient Clearance of Cytosolic Inclusion Bodies. 2015 , 33, 603-10	65
1181	Can Genetics Modify the Influence of Healthy Lifestyle on Lipids in the Context of Obesity and Type 2 Diabetes?. 2015 , 9, 1	0
1180	Shared genetic basis for migraine and ischemic stroke: A genome-wide analysis of common variants. 2015 , 84, 2132-45	71
1179	Lipoproteins and Cardiovascular Disease Risk. 2015 , 57-65	
1178	Following the footprints of polymorphic inversions on SNP data: from detection to association tests. 2015 , 43, e53	27
1177	Potential of promotion of alleles by genome editing to improve quantitative traits in livestock breeding programs. 2015 , 47, 55	84
1176	Multiple Hepatic Regulatory Variants at the GALNT2 GWAS Locus Associated with High-Density Lipoprotein Cholesterol. 2015 , 97, 801-15	40
1175	The Liver Clock Controls Cholesterol Homeostasis through Trib1 Protein-mediated Regulation of PCSK9/Low Density Lipoprotein Receptor (LDLR) Axis. 2015 , 290, 31003-12	19
1174	Association of endothelial lipase gene-384A/C with coronary artery disease in Han Chinese people. 2015 , 5, e007621	11
1173	Serum lipid levels, body mass index, and their role in coronary artery calcification: a polygenic analysis. 2015 , 8, 327-33	16
1172	Interactions of Lipid Genetic Risk Scores With Estimates of Metabolic Health in a Danish Population. 2015 , 8, 465-72	25
1171	National Lipid Association Recommendations for Patient-Centered Management of Dyslipidemia: Part 2. 2015 , 9, S1-122.e1	293
1170	Insights from Genome-Wide Association Analyses of Nonalcoholic Fatty Liver Disease. 2015 , 35, 375-91	37
1169	Insights into the Genetic Susceptibility to Type 2 Diabetes from Genome-Wide Association Studies of Obesity-Related Traits. 2015 , 15, 83	38
1168	Discovery of phenotypic networks from genotypic association studies with application to obesity. 2015 , 12, 129-43	4
1167	GWAS as a Driver of Gene Discovery in Cardiometabolic Diseases. 2015 , 26, 722-732	24
1166	Exome-wide association analysis reveals novel coding sequence variants associated with lipid traits in Chinese. 2015 , 6, 10206	60
1165	Cohort Profile: The Framingham Heart Study (FHS): overview of milestones in cardiovascular epidemiology. 2015 , 44, 1800-13	156

1164	Increased high-density lipoprotein cholesterol levels in mice with XX versus XY sex chromosomes. 2015 , 35, 1778-86	49
1163	Variation in NAT2 acetylation phenotypes is associated with differences in food-producing subsistence modes and ecoregions in Africa. 2015 , 15, 263	20
1162	Genetic Predisposition to Dyslipidemia and Risk of Preeclampsia. 2015 , 28, 915-23	12
1161	Pathways targeted by antidiabetes drugs are enriched for multiple genes associated with type 2 diabetes risk. 2015 , 64, 1470-83	28
1160	A genome-wide association study of saturated, mono- and polyunsaturated red blood cell fatty acids in the Framingham Heart Offspring Study. 2015 , 94, 65-72	51
1159	Macrophage sortilin promotes LDL uptake, foam cell formation, and atherosclerosis. 2015 , 116, 789-96	110
1158	New insights into the pathophysiology of dyslipidemia in type 2 diabetes. 2015 , 239, 483-95	232
1157	Vision from next generation sequencing: multi-dimensional genome-wide analysis for producing gene regulatory networks underlying retinal development, aging and disease. 2015 , 46, 1-30	43
1156	Severe hypertriglyceridemia in a patient heterozygous for a lipoprotein lipase gene allele with two novel missense variants. 2015 , 23, 1259-61	7
1155	A nonsynonymous SNP in BANK1 is associated with serum LDL cholesterol levels in three Korean populations. 2015 , 60, 113-8	5
1154	Dietary Patterns, Genes, and Health: Challenges and Obstacles to be Overcome. 2015 , 4, 82-87	25
1153	A genome-wide association study identifies PLCL2 and AP3D1-DOT1L-SF3A2 as new susceptibility loci for myocardial infarction in Japanese. 2015 , 23, 374-80	39
1152	Simple sugars to complex disease--mucin-type O-glycans in cancer. 2015 , 126, 53-135	119
1151	Basic concepts and potential applications of genetics and genomics for cardiovascular and stroke clinicians: a scientific statement from the American Heart Association. 2015 , 8, 216-42	33
1150	Current novel-gene-finding strategy for autosomal-dominant hypercholesterolaemia needs refinement. 2015 , 52, 80-4	6
1149	Genetic loci associated with circulating phospholipid trans fatty acids: a meta-analysis of genome-wide association studies from the CHARGE Consortium. 2015 , 101, 398-406	33
1148	Human genetics of HDL: Insight into particle metabolism and function. 2015 , 58, 14-25	35
1147	Low-frequency and rare exome chip variants associate with fasting glucose and type 2 diabetes susceptibility. 2015 , 6, 5897	147

1146	The gut microbial endocrine organ: bacterially derived signals driving cardiometabolic diseases. 2015 , 66, 343-59	240
1145	Exome sequencing in suspected monogenic dyslipidemias. 2015 , 8, 343-50	36
1144	A systematic heritability analysis of the human whole blood transcriptome. 2015 , 134, 343-58	15
1143	Genetic architecture of insulin resistance in the mouse. 2015 , 21, 334-347	126
1142	Meta-analysis of correlated traits via summary statistics from GWASs with an application in hypertension. 2015 , 96, 21-36	186
1141	The association of common polymorphisms in miR-196a2 with waist to hip ratio and miR-1908 with serum lipid and glucose. 2015 , 23, 495-503	20
1140	Metabonomics and Gut Microbiota in Nutrition and Disease. 2015 ,	2
1139	Statins and type 2 diabetes: genetic studies on target. 2015 , 385, 310-2	20
1138	Integromic analysis of genetic variation and gene expression identifies networks for cardiovascular disease phenotypes. 2015 , 131, 536-49	46
1137	Making sense of genome-wide association studies: integrating genetic variation with gene expression to derive functional mechanisms underlying disease risk. 2015 , 131, 519-21	1
1136	Biological interpretation of genome-wide association studies using predicted gene functions. 2015 , 6, 5890	489
1135	Metabolomics and diabetes: analytical and computational approaches. 2015 , 64, 718-32	110
1134	Graphical algorithm for integration of genetic and biological data: proof of principle using psoriasis as a model. 2015 , 31, 1243-9	7
1133	Effect of interactions between genetic polymorphisms and cigarette smoking on plasma triglyceride levels in elderly Koreans: the Hallym Aging Study. 2015 , 37, 173-181	2
1132	Shared genetic aetiology of coronary artery disease and atherosclerotic stroke - 2015. 2015 , 17, 498	7
1131	The mammalian molybdenum enzymes of mARC. 2015 , 20, 265-75	42
1130	The genome as pharmacopeia: association of genetic dose with phenotypic response. 2015 , 94, 229-40	3
1129	Subgroups at high risk for ischaemic heart disease: identification and validation in 67 000 individuals from the general population. 2015 , 44, 117-28	3

1128	A systems genetics approach to dyslipidemia in children and adolescents. 2015 , 19, 248-59	4
1127	Association of a genetic variant of the ZPR1 zinc finger gene with type 2 diabetes mellitus. 2015 , 3, 88-92	11
1126	Efficient set tests for the genetic analysis of correlated traits. 2015 , 12, 755-8	70
1125	Usefulness of genome-wide association studies to identify novel genetic variants underlying the plasma lipoprotein metabolism as risk factors for CAD. 2015 , 10, 266-270	1
1124	Application of high-dimensional feature selection: evaluation for genomic prediction in man. 2015 , 5, 10312	171
1123	Common variants associated with blood lipid levels do not affect carotid plaque composition. 2015 , 242, 351-6	3
1122	Connecting genotypes to medically relevant phenotypes in major vector mosquitoes. 2015 , 10, 59-64	
1121	Post-Transcriptional Regulation of Renalase Gene by miR-29 and miR-146 MicroRNAs: Implications for Cardiometabolic Disorders. 2015 , 427, 2629-46	13
1120	Leveraging Epidemiologic and Clinical Collections for Genomic Studies of Complex Traits. 2015 , 79, 137-46	27
1119	GREGOR: evaluating global enrichment of trait-associated variants in epigenomic features using a systematic, data-driven approach. 2015 , 31, 2601-6	96
1118	Cardiovascular Disease in South Asian Migrants. 2015 , 31, 1139-50	52
1117	Liver X receptors at the intersection of lipid metabolism and atherogenesis. 2015 , 242, 29-36	85
1116	Krüppel-like factor 14 increases insulin sensitivity through activation of PI3K/Akt signal pathway. 2015 , 27, 2201-8	33
1115	Dissecting the genetics of the human transcriptome identifies novel trait-related trans-eQTLs and corroborates the regulatory relevance of non-protein coding loci. 2015 , 24, 4746-63	70
1114	Improving power for robust trans-ethnic meta-analysis of rare and low-frequency variants with a partitioning approach. 2015 , 23, 238-44	2
1113	Recent advances in the understanding and care of familial hypercholesterolaemia: significance of the biology and therapeutic regulation of proprotein convertase subtilisin/kexin type 9. 2015 , 129, 63-79	19
1112	Systematic cell-based phenotyping of missense alleles empowers rare variant association studies: a case for LDLR and myocardial infarction. 2015 , 11, e1004855	32
1111	Sin3A-associated protein, 18 kDa, a novel binding partner of TRIB1, regulates MTP expression. 2015 , 56, 1145-52	18

1110	Nutrigenetics of cholesterol metabolism: observational and dietary intervention studies in the postgenomic era. 2015 , 73, 523-43	29
1109	Development and rescue of human familial hypercholesterolaemia in a xenograft mouse model. 2015 , 6, 7339	38
1108	Insight in genome-wide association of metabolite quantitative traits by exome sequence analyses. 2015 , 11, e1004835	49
1107	Evaluation of polygenic cause in Korean patients with familial hypercholesterolemia - A study supported by Korean Society of Lipidology and Atherosclerosis. 2015 , 242, 8-12	9
1106	Genome-wide association study of triglyceride response to a high-fat meal among participants of the NHLBI Genetics of Lipid Lowering Drugs and Diet Network (GOLDN). 2015 , 64, 1359-71	23
1105	Association analyses identify 38 susceptibility loci for inflammatory bowel disease and highlight shared genetic risk across populations. 2015 , 47, 979-986	1278
1104	IRF2BP2 Reduces Macrophage Inflammation and Susceptibility to Atherosclerosis. 2015 , 117, 671-83	46
1103	ABO Blood Group as a Model for Platelet Glycan Modification in Arterial Thrombosis. 2015 , 35, 1570-8	21
1102	Animal Models in Biomedical Research. 2015 , 1497-1534	2
1101	Triglyceride-Increasing Alleles Associated with Protection against Type-2 Diabetes. 2015 , 11, e1005204	13
1100	Meta-Analysis of Genome-Wide Association Studies Identifies Genetic Risk Factors for Stroke in African Americans. 2015 , 46, 2063-8	44
1099	Role of Microbiota in Regulating Host Lipid Metabolism and Disease Risk. 2015 , 235-260	1
1098	Evaluation of European coeliac disease risk variants in a north Indian population. 2015 , 23, 530-5	11
1097	Effect of Bile Acid Sequestrants on the Risk of Cardiovascular Events: A Mendelian Randomization Analysis. 2015 , 8, 618-27	41
1096	Genetics of cardiovascular disease: Importance of sex and ethnicity. 2015 , 241, 219-28	68
1095	LDL, HDL, VLDL, and CVD Prevention: Lessons from Genetics?. 2015 , 17, 610	7
1094	A random forest approach to capture genetic effects in the presence of population structure. 2015 , 6, 7432	50
1093	The potential use of DNA methylation biomarkers to identify risk and progression of type 2 diabetes. 2015 , 6, 43	25

1092	Associations of lipid-related genetic markers with elevated carotid intima-media thickness in middle-age adults and elders. 2015 , 189, 264-6	2
1091	Heritability and genetic association analysis of neuroimaging measures in the Diabetes Heart Study. 2015 , 36, 1602.e7-15	14
1090	TM6SF2: catch-22 in the fight against nonalcoholic fatty liver disease and cardiovascular disease?. 2015 , 148, 679-84	58
1089	Re-annotation of presumed noncoding disease/trait-associated genetic variants by integrative analyses. 2015 , 5, 9453	12
1088	Metabolomics - the complementary field in systems biology: a review on obesity and type 2 diabetes. 2015 , 11, 1742-74	76
1087	Future translational applications from the contemporary genomics era: a scientific statement from the American Heart Association. 2015 , 131, 1715-36	32
1086	Bayesian semiparametric copula estimation with application to psychiatric genetics. 2015 , 57, 468-84	6
1085	Genetic association and gene-smoking interaction study of carotid intima-media thickness at five GWAS-indicated genes: the Bogalusa Heart Study. 2015 , 562, 226-31	14
1084	A genetic basis for coronary artery disease. 2015 , 25, 171-8	27
1083	LDL cholesterol still a problem in old age? A Mendelian randomization study. 2015 , 44, 604-12	26
1082	Genome-wide haplotypic testing in a Finnish cohort identifies a novel association with low-density lipoprotein cholesterol. 2015 , 23, 672-7	7
1081	Genome-wide linkage and positional association analyses identify associations of novel AFF3 and NTM genes with triglycerides: the GenSalt study. 2015 , 42, 107-17	9
1080	Developing medicines that mimic the natural successes of the human genome: lessons from NPC1L1, HMGCR, PCSK9, APOC3, and CETP. 2015 , 65, 1562-6	36
1079	Sortilin, encoded by the cardiovascular risk gene SORT1, and its suggested functions in cardiovascular disease. 2015 , 17, 496	48
1078	Variants for HDL-C, LDL-C, and triglycerides identified from admixture mapping and fine-mapping analysis in African American families. 2015 , 8, 106-13	11
1077	Quantitative Trait Locus Analysis of SIX1-SIX6 With Retinal Nerve Fiber Layer Thickness in Individuals of European Descent. 2015 , 160, 123-30.e1	20
1076	X-inactivation informs variance-based testing for X-linked association of a quantitative trait. 2015 , 16, 241	16
1075	Rare variant association studies: considerations, challenges and opportunities. 2015 , 7, 16	134

1074	Advances in risk prediction of type 2 diabetes: integrating genetic scores with Framingham risk models. 2015 , 64, 1495-7	16
1073	Hypertriglyceridemia in an outpatient department--Significance as an atherosclerotic risk factor. 2015 , 18, 146-53	1
1072	Searching for the human genetic factors standing in the way of universally effective vaccines. 2015 , 370,	29
1071	Blood lipids and colorectal polyps: testing an etiologic hypothesis using phenotypic measurements and Mendelian randomization. 2015 , 26, 467-73	6
1070	Effect of naturally random allocation to lower low-density lipoprotein cholesterol on the risk of coronary heart disease mediated by polymorphisms in NPC1L1, HMGCR, or both: a 2 \times 2 factorial Mendelian randomization study. 2015 , 65, 1552-61	228
1069	Genome-wide identification of microRNA expression quantitative trait loci. 2015 , 6, 6601	104
1068	Common low-density lipoprotein receptor p.G116S variant has a large effect on plasma low-density lipoprotein cholesterol in circumpolar inuit populations. 2015 , 8, 100-5	7
1067	Collective effects of SNPs on transgenerational inheritance in <i>Caenorhabditis elegans</i> and budding yeast. 2015 , 106, 23-9	15
1066	Mendelian randomization of blood lipids for coronary heart disease. 2015 , 36, 539-50	417
1065	The impact of low-frequency and rare variants on lipid levels. 2015 , 47, 589-97	229
1064	Dietary Fat Intake Modifies the Effect of a Common Variant in the LIPC Gene on Changes in Serum Lipid Concentrations during a Long-Term Weight-Loss Intervention Trial. 2015 , 145, 1289-94	22
1063	Ezetimibe: rescued by randomization (clinical and mendelian). 2015 , 35, e13-5	15
1062	Obesity and ischemic heart disease: defining the link. 2015 , 116, 570-1	5
1061	Myocardial Infarction-Associated SNP at 6p24 Interferes With MEF2 Binding and Associates With PHACTR1 Expression Levels in Human Coronary Arteries. 2015 , 35, 1472-1479	62
1060	Mendelian Randomization: New Applications in the Coming Age of Hypothesis-Free Causality. 2015 , 16, 327-50	162
1059	Resequencing of LPL in African Blacks and associations with lipoprotein-lipid levels. 2015 , 23, 1244-53	7
1058	Leveraging Multi-ethnic Evidence for Mapping Complex Traits in Minority Populations: An Empirical Bayes Approach. 2015 , 96, 740-52	11
1057	Identifying functional noncoding variants from genome-wide association studies for cardiovascular disease and related traits. 2015 , 26, 120-6	6

1056	Targeted next-generation sequencing in monogenic dyslipidemias. 2015 , 26, 103-13	78
1055	Impact of HSD11B1 polymorphisms on BMI and components of the metabolic syndrome in patients receiving psychotropic treatments. 2015 , 25, 246-58	9
1054	Glucokinase regulatory protein: complexity at the crossroads of triglyceride and glucose metabolism. 2015 , 26, 88-95	66
1053	Next-generation gene discovery for variants of large impact on lipid traits. 2015 , 26, 114-9	3
1052	Homocysteine thiolactone and N-homocysteinylated protein induce pro-atherogenic changes in gene expression in human vascular endothelial cells. 2015 , 47, 1319-39	60
1051	Diet heart controversies--Quality of fat matters. 2015 , 25, 617-22	10
1050	Adipocyte phospholipid transfer protein and lipoprotein metabolism. 2015 , 35, 316-22	11
1049	Recent developments in genome and exome-wide analyses of plasma lipids. 2015 , 26, 96-102	22
1048	Gene-environment interaction in dyslipidemia. 2015 , 26, 133-8	29
1047	Human genetics of atherothrombotic disease and its risk factors. 2015 , 35, 741-7	7
1046	Genome Mapping and Genomics in Human and Non-Human Primates. 2015 ,	
1045	Polygenic Overlap Between C-Reactive Protein, Plasma Lipids, and Alzheimer Disease. 2015 , 131, 2061-2069	100
1044	Genetically determined height and coronary artery disease. 2015 , 372, 1608-18	152
1043	Impact of age, BMI and HbA1c levels on the genome-wide DNA methylation and mRNA expression patterns in human adipose tissue and identification of epigenetic biomarkers in blood. 2015 , 24, 3792-813	168
1042	Genomic approaches for understanding the genetics of complex disease. 2015 , 25, 1432-41	55
1041	Modulation of Glucokinase Regulatory Protein: A Double-Edged Sword?. 2015 , 21, 583-594	38
1040	Primary Hypertriglyceridemia. 2015 , 205-220	1
1039	Partitioning heritability by functional annotation using genome-wide association summary statistics. 2015 , 47, 1228-35	1143

1038	Low-density-lipoprotein cholesterol concentrations and risk of incident diabetes: epidemiological and genetic insights from the Framingham Heart Study. 2015 , 58, 2774-80	31
1037	Mixed Ancestry and Disease Risk Transferability. 2015 , 3, 151-157	1
1036	MicroRNAs enrichment in GWAS of complex human phenotypes. 2015 , 16, 304	19
1035	Circulating brain-derived neurotrophic factor concentrations and the risk of cardiovascular disease in the community. 2015 , 4, e001544	70
1034	Genome-wide association study of toxic metals and trace elements reveals novel associations. 2015 , 24, 4739-45	75
1033	Genome-wide identification of microRNAs regulating cholesterol and triglyceride homeostasis. 2015 , 21, 1290-7	160
1032	Genome-wide association studies in Africans and African Americans: expanding the framework of the genomics of human traits and disease. 2015 , 18, 40-51	53
1031	Non-O blood groups can be a prognostic marker of in-hospital and long-term major adverse cardiovascular events in patients with ST elevation myocardial infarction undergoing primary percutaneous coronary intervention. 2015 , 136, 599-605	6
1030	Genetic variants of PLA2G6 are associated with Type 2 diabetes mellitus and triglyceride levels in a Chinese population. 2015 , 32, 280-6	10
1029	ANGPTL3 blockade with a human monoclonal antibody reduces plasma lipids in dyslipidemic mice and monkeys. 2015 , 56, 1308-17	122
1028	Current Applications of Genetic Risk Scores to Cardiovascular Outcomes and Subclinical Phenotypes. 2015 , 2, 180-190	58
1027	The Genetic Basis of Coronary Artery Disease and Atrial Fibrillation: A Search for Disease Mechanisms and Therapeutic Targets. 2015 , 29, 1328-32	5
1026	Genetics of Cardiovascular Disease. 2015 , 117-127	
1025	Hepatic lipase deficiency produces glucose intolerance, inflammation and hepatic steatosis. 2015 , 227, 179-91	21
1024	IRF2BP2: A New Player at the Crossroads of Inflammation and Lipid Metabolism. 2015 , 117, 656-8	4
1023	The Genetics of Nonalcoholic Fatty Liver Disease: Spotlight on PNPLA3 and TM6SF2. 2015 , 35, 270-90	106
1022	An update on the etiology of abdominal aortic aneurysms: implications for future diagnostic testing. 2015 , 13, 1079-90	6
1021	PLTP activity inversely correlates with CAAD: effects of PON1 enzyme activity and genetic variants on PLTP activity. 2015 , 56, 1351-62	13

1020	Determined to Fail--the Role of Genetic Mechanisms in Heart Failure. 2015 , 12, 333-8	7
1019	Association between CETP gene polymorphism, insulin resistance and risk of diabetes mellitus in patients with vascular disease. 2015 , 242, 605-10	7
1018	Changepoint estimation: another look at multiple testing problems. 2015 , 102, 974-980	12
1017	Genome of The Netherlands population-specific imputations identify an ABCA6 variant associated with cholesterol levels. 2015 , 6, 6065	32
1016	Glucokinase and glucokinase regulatory proteins as molecular targets for novel antidiabetic drugs. 2015 , 49, 494-499	
1015	Prevention of Cardiovascular Diseases. 2015 ,	
1014	Differential Genetic Effects on Statin-Induced Changes Across Low-Density Lipoprotein-Related Measures. 2015 , 8, 688-95	3
1013	Sex-Specific Parental Effects on Offspring Lipid Levels. 2015 , 4,	5
1012	The n-3 long-chain PUFAs modulate the impact of the GCKR Pro446Leu polymorphism on triglycerides in adolescents. 2015 , 56, 1774-80	9
1011	The UK10K project identifies rare variants in health and disease. <i>Nature</i> , 2015 , 526, 82-90	50.4 776
1010	Insights into blood lipids from rare variant discovery. 2015 , 33, 25-31	4
1009	Antilipidemic Drug Therapy Today and in the Future. 2016 , 233, 373-435	3
1008	Reduced CD300LG mRNA tissue expression, increased intramyocellular lipid content and impaired glucose metabolism in healthy male carriers of Arg82Cys in CD300LG: a novel genomemtabolic cross-link between CD300LG and common metabolic phenotypes. 2015 , 3, e000095	8
1007	Increased Systemic and Plaque Inflammation in ABCA1 Mutation Carriers With Attenuation by Statins. 2015 , 35, 1663-9	38
1006	Recent Progress in the Understanding of Obesity: Contributions of Genome-Wide Association Studies. 2015 , 4, 401-10	15
1005	Optimal multiple testing under a Gaussian prior on the effect sizes. 2015 , 102, 753-766	13
1004	Genome-wide patterns of selection in 230 ancient Eurasians. <i>Nature</i> , 2015 , 528, 499-503	50.4 774
1003	Genetic fine mapping and genomic annotation defines causal mechanisms at type 2 diabetes susceptibility loci. 2015 , 47, 1415-25	292

1002	Endothelial NOTCH1 is suppressed by circulating lipids and antagonizes inflammation during atherosclerosis. 2015 , 212, 2147-63		66
1001	HDL biogenesis, remodeling, and catabolism. 2015 , 224, 53-111		60
1000	G-protein estrogen receptor as a regulator of low-density lipoprotein cholesterol metabolism: cellular and population genetic studies. 2015 , 35, 213-21		33
999	Personalized genomes and cardiovascular disease. 2014 , 5, a014068		5
998	A glycogene mutation map for discovery of diseases of glycosylation. 2015 , 25, 211-24		38
997	Both rare and common variants in PCSK9 influence plasma low-density lipoprotein cholesterol level in American Indians. 2015 , 100, E345-9		19
996	Exome sequencing identifies rare LDLR and APOA5 alleles conferring risk for myocardial infarction. <i>Nature</i> , 2015 , 518, 102-6	50.4	463
995	Refinement of variant selection for the LDL cholesterol genetic risk score in the diagnosis of the polygenic form of clinical familial hypercholesterolemia and replication in samples from 6 countries. 2015 , 61, 231-8		130
994	Association of rs1466535 LRP1 but not rs3019885 SLC30A8 and rs6674171 TDRD10 gene polymorphisms with abdominal aortic aneurysm in Italian patients. 2015 , 61, 787-92		18
993	Elevated circulating lipasin/betatrophin in human type 2 diabetes and obesity. 2014 , 4, 5013		148
992	An epidemiological perspective of personalized medicine: the Estonian experience. 2015 , 277, 188-200		18
991	Sorting the wheat from the chaff in familial hypercholesterolemia. 2015 , 61, 6-8		
990	El polimorfismo rs11613352 (genotipo TT) se asocia con disminuci3n de triglic3ridos y aumento de HDL en pacientes con hipercolesterolemia familiar. 2015 , 68, 305-309		1
989	rs11613352 polymorphism (TT genotype) associates with a decrease of triglycerides and an increase of HDL in familial hypercholesterolemia patients. 2015 , 68, 305-9		1
988	Comment on "current understanding of ZIP and ZnT zinc transporters in human health and diseases". 2015 , 72, 197-8		4
987	Influence of APOE-2 genotype on the relation between adiposity and plasma lipid levels in patients with vascular disease. 2015 , 39, 265-9		14
986	HMG-coenzyme A reductase inhibition, type 2 diabetes, and bodyweight: evidence from genetic analysis and randomised trials. 2015 , 385, 351-61		409
985	Fundamental Principles in Cardiovascular Genetics. 2016 , 213-237		

984	Discovery of High-Density Lipoprotein Gene Targets from Classical Genetics to Genome-Wide Association Studies. 2016 , 119-159	2
983	Personalized Diet and Lifestyle Interventions on Lipids and Lipoproteins. 2016 , 1-20	1
982	Common and Rare Variant Association Study for Plasma Lipids and Coronary Artery Disease. 2016 , 23, 241-56	11
981	Pancreatic Cancer Genetics. 2016 , 12, 314-25	73
980	Role of Conventional Risk Factors in Genetic Susceptibility to Cardiovascular Diseases. 2016 , 159-176	
979	. 2016 ,	2
978	A blood pressure-associated variant of the SLC39A8 gene influences cellular cadmium accumulation and toxicity. 2016 , 25, 4117-4126	37
977	Cognitive and Physical Aging. 2016 , 125-146	2
976	Genetics of Coronary Disease. 2016 , 81-101	2
975	Genetic Variants of CD40 Gene Are Associated with Coronary Artery Disease and Blood Lipid Levels. 2016 , 2016, 1693619	4
974	Circulating Betatrophin Is Increased in Patients with Overt and Subclinical Hypothyroidism. 2016 , 2016, 5090852	20
973	Hypertriglyceridemia and Cardiovascular Diseases: Revisited. 2016 , 46, 135-44	31
972	Neuroendocrinological and Epigenetic Mechanisms Subservicing Autonomic Imbalance and HPA Dysfunction in the Metabolic Syndrome. 2016 , 10, 142	27
971	Diet Quality and Change in Blood Lipids during 16 Years of Follow-up and Their Interaction with Genetic Risk for Dyslipidemia. 2016 , 8,	17
970	Association of KCTD10, MVK, and MMAB polymorphisms with dyslipidemia and coronary heart disease in Han Chinese population. 2016 , 15, 171	11
969	The Contribution of GWAS Loci in Familial Dyslipidemias. 2016 , 12, e1006078	38
968	The Combined Effect of Common Genetic Risk Variants on Circulating Lipoproteins Is Evident in Childhood: A Longitudinal Analysis of the Cardiovascular Risk in Young Finns Study. 2016 , 11, e0146081	20
967	Gene Silencing and Haploinsufficiency of Csk Increase Blood Pressure. 2016 , 11, e0146841	10

966	Mapping and Congenic Dissection of Genetic Loci Contributing to Hyperglycemia and Dyslipidemia in Mice. 2016 , 11, e0148462	5
965	Association of Lipid-Related Genetic Variants with the Incidence of Atrial Fibrillation: The AFGen Consortium. 2016 , 11, e0151932	12
964	Development of Antisense Drugs for Dyslipidemia. 2016 , 23, 1011-25	12
963	Bivariate genome-wide association study identifies novel pleiotropic loci for lipids and inflammation. 2016 , 17, 443	40
962	Combined hyperlipidemia: familial but not (usually) monogenic. 2016 , 27, 131-40	46
961	What can we learn about lipoprotein metabolism and coronary heart disease from studying rare variants?. 2016 , 27, 99-104	4
960	Novel therapies for severe dyslipidemia originating from human genetics. 2016 , 27, 112-24	15
959	Genetic association of left ventricular mass assessed by M-mode and two-dimensional echocardiography. 2016 , 34, 88-96	4
958	Genetic evidence for natural selection in humans in the contemporary United States. 2016 , 113, 7774-9	92
957	Meta-analysis of rare and common exome chip variants identifies S1PR4 and other loci influencing blood cell traits. 2016 , 48, 867-76	34
956	Type 2 diabetes: genetic data sharing to advance complex disease research. 2016 , 17, 535-49	92
955	G-STRATEGY: Optimal Selection of Individuals for Sequencing in Genetic Association Studies. 2016 , 40, 446-60	2
954	Featured Article: Alterations of lecithin cholesterol acyltransferase activity and apolipoprotein A-I functionality in human sickle blood. 2016 , 241, 1933-1942	10
953	GCKR and PPP1R3B identified as genome-wide significant loci for plasma lactate: the Atherosclerosis Risk in Communities (ARIC) study. 2016 , 33, 968-75	12
952	Rare Genetic Variants and High-Density Lipoprotein: Marching to a Different Drum. 2016 , 36, e53-5	10
951	TTC39B deficiency stabilizes LXR reducing both atherosclerosis and steatohepatitis. <i>Nature</i> , 2016 , 535, 303-7	50.4 50
950	How Genes Modulate Patterns of Aging-Related Changes on the Way to 100: Biodemographic Models and Methods in Genetic Analyses of Longitudinal Data. 2016 , 20, 201-232	5
949	Genetic Testing for Cardiovascular Conditions Predisposing to Sudden Death. 2016 , 175-186	1

948	A lipasin/Angptl8 monoclonal antibody lowers mouse serum triglycerides involving increased postprandial activity of the cardiac lipoprotein lipase. 2015 , 5, 18502	57
947	Meta-analysis of genome-wide association studies of HDL cholesterol response to statins. 2016 , 53, 835-845	28
946	A perspective for sequencing familial hypercholesterolaemia in African Americans. 2016 , 1, 16012	6
945	Scavenger Receptors. 2016 , 727-740	1
944	Meta-analysis of 49 549 individuals imputed with the 1000 Genomes Project reveals an exonic damaging variant in ANGPTL4 determining fasting TG levels. 2016 , 53, 441-9	27
943	Genetic identification of familial hypercholesterolemia within a single U.S. health care system. 2016 , 354,	229
942	Genetic Risk and Altering Lipids With Lifestyle Changes and Metformin: Is Fate Modifiable?. 2016 , 9, 469-471	
941	The impact of genome-wide association studies on the pathophysiology and therapy of cardiovascular disease. 2016 , 8, 688-701	96
940	Kalman-Based Stochastic Gradient Method with Stop Condition and Insensitivity to Conditioning. 2016 , 26, 2620-2648	16
939	Somatic, positive and negative domains of the Center for Epidemiological Studies Depression (CES-D) scale: a meta-analysis of genome-wide association studies. 2016 , 46, 1613-23	13
938	Associations of genetic variants for adult lipid levels with lipid levels in children. The Generation R Study. 2016 , 57, 2185-2192	7
937	Can genetic influence in non-alcoholic fatty liver disease be ignored?. 2016 , 91-102	
936	From integrative genomics to systems genetics in the rat to link genotypes to phenotypes. 2016 , 9, 1097-1110	20
935	Genetics of Lipid and Lipoprotein Disorders and Traits. 2016 , 4, 130-141	43
934	Genome-Wide Association Studies Candidate Gene to Dual Modifier of Nonalcoholic Steatohepatitis and Atherosclerosis. 2016 , 1, 680-683	
933	Carboxy-terminal deletion of the HDL receptor reduces receptor levels in liver and steroidogenic tissues, induces hypercholesterolemia, and causes fatal heart disease. 2016 , 311, H1392-H1408	9
932	Comprehensive Analysis of Established Dyslipidemia-Associated Loci in the Diabetes Prevention Program. 2016 , 9, 495-503	3
931	Genome-Wide Studies of Type 2 Diabetes and Lipid Traits in Hispanics. 2016 , 16, 41	8

930	Children with hypercholesterolemia of unknown cause: Value of genetic risk scores. 2016 , 10, 851-859	20
929	Short O-GalNAc glycans: regulation and role in tumor development and clinical perspectives. 2016 , 1860, 1623-39	69
928	Diagnostic Yield and Clinical Utility of Sequencing Familial Hypercholesterolemia Genes in Patients With Severe Hypercholesterolemia. 2016 , 67, 2578-89	458
927	Common and Rare Genetic Variation in CCR2, CCR5, or CX3CR1 and Risk of Atherosclerotic Coronary Heart Disease and Glucometabolic Traits. 2016 , 9, 250-8	14
926	Genetic loci associated with ideal cardiovascular health: A meta-analysis of genome-wide association studies. 2016 , 175, 112-20	17
925	SUGP1 is a novel regulator of cholesterol metabolism. 2016 , 25, 3106-3116	14
924	Detection and interpretation of shared genetic influences on 42 human traits. 2016 , 48, 709-17	657
923	Targeted exonic sequencing of GWAS loci in the high extremes of the plasma lipids distribution. 2016 , 250, 63-8	9
922	Multi-ethnic genome-wide association study identifies novel locus for type 2 diabetes susceptibility. 2016 , 24, 1175-80	54
921	Beyond APOL1: Genetic Inroads into Understanding Population Disparities in Diabetic Kidney Disease. 2016 , 11, 928-31	2
920	Triglycerides and Triglyceride-Rich Lipoproteins in the Causal Pathway of Cardiovascular Disease. 2016 , 118, 138-45	92
919	Joint Bayesian variable and graph selection for regression models with network-structured predictors. 2016 , 35, 1017-31	19
918	A genetic risk score is associated with statin-induced low-density lipoprotein cholesterol lowering. 2016 , 17, 583-91	8
917	Integrated analyses of gene expression and genetic association studies in a founder population. 2016 , 25, 2104-2112	10
916	Gender-specific associations of genetic variants with metabolic syndrome components in the Tunisian population. 2016 , 41, 300-309	16
915	Osteoporosis and Bone Mass Disorders: From Gene Pathways to Treatments. 2016 , 27, 262-281	86
914	The Genetics of Type 2 Diabetes and Related Traits. 2016 ,	3
913	Common and rare forms of diabetes mellitus: towards a continuum of diabetes subtypes. 2016 , 12, 394-406	79

912	Human Validation of Genes Associated With a Murine Atherosclerotic Phenotype. 2016 , 36, 1240-6	34
911	Minireview: Genome Editing of Human Pluripotent Stem Cells for Modeling Metabolic Disease. 2016 , 30, 575-86	5
910	Genome-wide association study of serum coenzyme Q10 levels identifies susceptibility loci linked to neuronal diseases. 2016 , 25, 2881-2891	10
909	Cardiovascular Risk Factors and Ischemic Heart Disease: Is the Confluence of Risk Factors Greater Than the Parts? A Genetic Approach. 2016 , 9, 279-86	2
908	The ANGPTL3-4-8 model, a molecular mechanism for triglyceride trafficking. 2016 , 6, 150272	133
907	Four Susceptibility Loci for Gallstone Disease Identified in a Meta-analysis of Genome-Wide Association Studies. 2016 , 151, 351-363.e28	54
906	Genetic Determinants of the Gut Microbiome in UK Twins. 2016 , 19, 731-43	547
905	The Arg59Trp variant in ANGPTL8 (betatrophin) is associated with total and HDL-cholesterol in American Indians and Mexican Americans and differentially affects cleavage of ANGPTL3. 2016 , 118, 128-37	26
904	Multidimensional regulation of lipoprotein lipase: impact on biochemical and cardiovascular phenotypes. 2016 , 57, 1601-7	13
903	Increased angiopoietin-like protein 8 levels in patients with type 2 diabetes and cardiovascular disease. 2016 , 120, 229-31	12
902	The effect of hematocrit and hemoglobin on the risk of ischemic heart disease: A Mendelian randomization study. 2016 , 91, 351-355	9
901	Rapid identification of familial hypercholesterolemia from electronic health records: The SEARCH study. 2016 , 10, 1230-9	62
900	Incorporating Functional Annotations for Fine-Mapping Causal Variants in a Bayesian Framework Using Summary Statistics. 2016 , 204, 933-958	39
899	Discovery and refinement of genetic loci associated with cardiometabolic risk using dense imputation maps. 2016 , 48, 1303-1312	51
898	The genetic and epigenetic landscapes of the epithelium in asthma. 2016 , 17, 119	52
897	Genetic variation near IRS1 is associated with adiposity and a favorable metabolic profile in U.S. Hispanics/Latinos. 2016 , 24, 2407-2413	4
896	Genetic analysis of emerging risk factors in coronary artery disease. 2016 , 254, 35-41	10
895	Is High-Density Lipoprotein Cholesterol Causally Related to Kidney Function? Evidence From Genetic Epidemiological Studies. 2016 , 36, 2252-2258	13

894	A Strategy for Genomic Research on Common Cardiovascular Diseases Aiming at the Realization of Precision Medicine: Personal Insights and Perspectives. 2016 , 119, 900-3	4
893	APOA5 genetic and epigenetic variability jointly regulate circulating triacylglycerol levels. 2016 , 130, 2053-2059	10
892	Sudden infant death syndrome: exposure to cigarette smoke leads to hypomethylation upstream of the growth factor independent 1 (GFI1) gene promoter. 2016 , 12, 399-406	8
891	SCARB1 Gene Variants Are Associated With the Phenotype of Combined High High-Density Lipoprotein Cholesterol and High Lipoprotein (a). 2016 , 9, 408-418	18
890	Beyond genetic race: biocultural insights into the causes of racial health disparities. 2016 , 89-105	6
889	Altered Concentrations in Dyslipidemia Evidence a Role for ANGPTL8/Betatrophin in Lipid Metabolism in Humans. 2016 , 101, 3803-3811	32
888	Systematic review of published Phase 3 data on anti-PCSK9 monoclonal antibodies in patients with hypercholesterolaemia. 2016 , 82, 1412-1443	28
887	Analysis with the exome array identifies multiple new independent variants in lipid loci. 2016 , 25, 4094-4106	14
886	Loss of Function of GALNT2 Lowers High-Density Lipoproteins in Humans, Nonhuman Primates, and Rodents. 2016 , 24, 234-45	78
885	Association Between Genetic Variation in FOXO3 and Reductions in Inflammation and Disease Activity in Inflammatory Polyarthritis. 2016 , 68, 2629-2636	23
884	Blood lipids and prostate cancer: a Mendelian randomization analysis. 2016 , 5, 1125-36	45
883	Serum gamma-glutamyl transferase and risk of type 2 diabetes in the general Korean population: a Mendelian randomization study. 2016 , 25, 3877-3886	17
882	JAM: A Scalable Bayesian Framework for Joint Analysis of Marginal SNP Effects. 2016 , 40, 188-201	41
881	Association of the variants and haplotypes in the DOCK7, PCSK9 and GALNT2 genes and the risk of hyperlipidaemia. 2016 , 20, 243-65	18
880	Variant rs10911021 that associates with coronary heart disease in type 2 diabetes, is associated with lower concentrations of circulating HDL cholesterol and large HDL particles but not with amino acids. 2016 , 15, 115	9
879	Introduction: The Biodemography of Complex Relationships Among Aging, Health, and Longevity. 2016 , 1-18	
878	Mapping the Cell-Surface N-Glycoproteome of Human Hepatocytes Reveals Markers for Selecting a Homogeneous Population of iPSC-Derived Hepatocytes. 2016 , 7, 543-556	28
877	Epigenetics of Lipid Phenotypes. 2016 , 10, 1	16

876	Missing heritability of complex diseases: Enlightenment by genetic variants from intermediate phenotypes. 2016 , 38, 664-73	29
875	Implications of thermogenic adipose tissues for metabolic health. 2016 , 30, 487-496	8
874	Coding-sequence variants are associated with blood lipid levels in 14,473 Chinese. 2016 , 25, 4107-4116	11
873	Cardiometabolic risk loci share downstream cis- and trans-gene regulation across tissues and diseases. 2016 , 353, 827-30	166
872	Association between the DOCK7, PCSK9 and GALNT2 Gene Polymorphisms and Serum Lipid levels. 2016 , 6, 19079	23
871	Genetic discovery in multi-ethnic populations. 2016 , 24, 1097-8	4
870	A principal component meta-analysis on multiple anthropometric traits identifies novel loci for body shape. 2016 , 7, 13357	46
869	Meta-analysis of lipid-traits in Hispanics identifies novel loci, population-specific effects, and tissue-specific enrichment of eQTLs. 2016 , 6, 19429	51
868	The rise of big data and genetic privacy. 2016 , 2, 348-355	1
867	Identification and validation of seven new loci showing differential DNA methylation related to serum lipid profile: an epigenome-wide approach. The REGICOR study. 2016 , 25, 4556-4565	55
866	The genetics of blood pressure regulation and its target organs from association studies in 342,415 individuals. 2016 , 48, 1171-1184	251
865	GWIS: Genome-Wide Inferred Statistics for Functions of Multiple Phenotypes. 2016 , 99, 917-927	30
864	Association of Exome Sequences With Cardiovascular Traits Among Blacks in the Jackson Heart Study. 2016 , 9, 368-74	7
863	Contribution of Genetic Epidemiology to Our Understanding of Psychiatric Disorders. 2016 , 27-50	
862	Non-targeted metabolomics combined with genetic analyses identifies bile acid synthesis and phospholipid metabolism as being associated with incident type 2 diabetes. 2016 , 59, 2114-24	54
861	Using human genetics to discover new therapeutic targets for plasma lipids. 2016 , 280, 487-495	3
860	Lineage-Specific Genome Architecture Links Enhancers and Non-coding Disease Variants to Target Gene Promoters. 2016 , 167, 1369-1384.e19	556
859	An APOC3 3'UTR variant associated with plasma triglycerides levels and coronary heart disease by creating a functional miR-4271 binding site. 2016 , 6, 32700	19

858	Novel genetic loci associated with long-term deterioration in blood lipid concentrations and coronary artery disease in European adults. 2017 , 46, 1211-1222	12
857	The Relevance of Genomic Signatures at Adhesion GPCR Loci in Humans. 2016 , 234, 179-217	13
856	Adhesion G Protein-coupled Receptors. 2016 ,	7
855	Complex interplay between neutral and adaptive evolution shaped differential genomic background and disease susceptibility along the Italian peninsula. 2016 , 6, 32513	30
854	Genome-wide study for circulating metabolites identifies 62 loci and reveals novel systemic effects of LPA. 2016 , 7, 11122	335
853	The road to precision psychiatry: translating genetics into disease mechanisms. 2016 , 19, 1397-1407	131
852	Translating genome-wide association findings into new therapeutics for psychiatry. 2016 , 19, 1392-1396	86
851	Association of SCARB1 Gene Polymorphisms with Virological Response in Chronic Hepatitis C Patients Receiving Pegylated Interferon plus Ribavirin Therapy. 2016 , 6, 32303	10
850	Epigenome-wide association study of triglyceride postprandial responses to a high-fat dietary challenge. 2016 , 57, 2200-2207	24
849	Increasing insulin resistance accentuates the effect of triglyceride-associated loci on serum triglycerides during 5 years. 2016 , 57, 2193-2199	2
848	Genetics-Current and Future Role in the Prevention and Management of Coronary Artery Disease. 2016 , 18, 78	4
847	A genome-wide association meta-analysis on apolipoprotein A-IV concentrations. 2016 , 25, 3635-3646	15
846	Explicating heterogeneity of complex traits has strong potential for improving GWAS efficiency. 2016 , 6, 35390	13
845	Association of apolipoprotein E polymorphism with plasma lipid disorders, independent of obesity-related traits in Vietnamese children. 2016 , 15, 176	6
844	The Effect of Weight on Labor Market Outcomes: an Application of Genetic Instrumental Variables. 2016 ,	4
843	Discovery of Novel Splice Variants and Regulatory Mechanisms for Microsomal Triglyceride Transfer Protein in Human Tissues. 2016 , 6, 27308	4
842	Re-evaluation of cholesteryl ester transfer protein function in atherosclerosis based upon genetics and pharmacological manipulation. 2016 , 27, 459-72	17
841	Methylation quantitative trait loci within the TOMM20 gene are associated with metabolic syndrome-related lipid alterations in severely obese subjects. 2016 , 8, 55	8

840	Fine-mapping of lipid regions in global populations discovers ethnic-specific signals and refines previously identified lipid loci. 2016 , 25, 5500-5512	22
839	Genetic susceptibility to dyslipidemia and incidence of cardiovascular disease depending on a diet quality index in the MalmDiet and Cancer cohort. 2016 , 11, 20	2
838	Coronary artery disease genetic risk awareness motivates heart health behaviors in the Coriell Personalized Medicine Collaborative. 2016 , 1, 407-413	6
837	Notch, lipids, and endothelial cells. 2016 , 27, 513-20	22
836	Genome-wide association study in mice identifies loci affecting liver-related phenotypes including Sel1l influencing serum bile acids. 2016 , 63, 1943-56	1
835	Protein kinase STK25 controls lipid partitioning in hepatocytes and correlates with liver fat content in humans. 2016 , 59, 341-53	29
834	Systems proteomics of liver mitochondria function. 2016 , 352, aad0189	193
833	Very low-depth sequencing in a founder population identifies a cardioprotective APOC3 signal missed by genome-wide imputation. 2016 , 25, 2360-2365	14
832	Regulation of lipid metabolism by angiopoietin-like proteins. 2016 , 27, 249-56	113
831	The Future of Genetics and Genomics: Closing the Phenotype Gap in Precision Medicine. 2016 , 133, 2634-9	26
830	APOE polymorphisms influence longitudinal lipid trends preceding intracerebral hemorrhage. 2016 , 2, e81	5
829	The Drosophila ortholog of TMEM18 regulates insulin and glucagon-like signaling. 2016 , 229, 233-43	13
828	Sortilin: A novel regulator in lipid metabolism and atherogenesis. 2016 , 460, 11-7	26
827	Defining severe familial hypercholesterolaemia and the implications for clinical management: a consensus statement from the International Atherosclerosis Society Severe Familial Hypercholesterolemia Panel. 2016 , 4, 850-61	215
826	Post-GWAS methodologies for localisation of functional non-coding variants: ANGPTL3. 2016 , 246, 193-201	10
825	Multiple susceptibility loci at chromosome 11q23.3 are associated with plasma triglyceride in East Asians. 2016 , 57, 318-24	17
824	Causal Inference in Medicine via Mendelian Randomization. 2016 , 499-520	
823	Epilogue: What the Future Holds: Genomic Medicine at the Heart of Diabetes Management. 2016 , 561-570	

822	Genome-Wide Association Studies of Quantitative Glycaemic Traits. 2016 , 63-89	
821	Looking beyond GWAS: allele-specific transcription factor binding drives the association of GALNT2 to HDL-C plasma levels. 2016 , 15, 18	16
820	Effect of SORT1, APOB and APOE polymorphisms on LDL-C and coronary heart disease in Pakistani subjects and their comparison with Northwick Park Heart Study II. 2016 , 15, 83	12
819	Genome-wide interrogation reveals hundreds of long intergenic noncoding RNAs that associate with cardiometabolic traits. 2016 , 25, 3125-3141	25
818	Recent Research in the Genetics of Exercise Training Adaptation. 2016 , 61, 29-40	8
817	Changes in mean serum lipids among adults in Germany: results from National Health Surveys 1997-99 and 2008-11. 2016 , 16, 240	15
816	Selecting instruments for Mendelian randomization in the wake of genome-wide association studies. 2016 , 45, 1600-1616	114
815	Deubiquitylase Inhibition Reveals Liver X Receptor-independent Transcriptional Regulation of the E3 Ubiquitin Ligase IDOL and Lipoprotein Uptake. 2016 , 291, 4813-25	14
814	Stable liver-specific expression of human IDOL in humanized mice raises plasma cholesterol. 2016 , 110, 23-9	11
813	Identification of important genes associated with total cholesterol using bioinformatics analysis. 2016 , 17, 219-30	2
812	Integrative genomic and proteomic analyses identifies glycerol-3-phosphate acyltransferase as a target of low-dose ionizing radiation in EBV infected-B cells. 2016 , 92, 24-34	8
811	Rare variant associations with waist-to-hip ratio in European-American and African-American women from the NHLBI-Exome Sequencing Project. 2016 , 24, 1181-7	2
810	Novel 6p21.3 Risk Haplotype Predisposes to Acute Coronary Syndrome. 2016 , 9, 55-63	5
809	Genome-wide association study of serum lipids confirms previously reported associations as well as new associations of common SNPs within PCSK7 gene with triglyceride. 2016 , 61, 427-33	31
808	Genetics of CVD in 2015: Using genomic approaches to identify CVD-causing variants. 2016 , 13, 72-4	4
807	Interaction of methylation-related genetic variants with circulating fatty acids on plasma lipids: a meta-analysis of 7 studies and methylation analysis of 3 studies in the Cohorts for Heart and Aging Research in Genomic Epidemiology consortium. 2016 , 103, 567-78	21
806	Role of Tribbles Pseudokinase 1 (TRIB1) in human hepatocyte metabolism. 2016 , 1862, 223-32	11
805	Hepatic Transmembrane 6 Superfamily Member 2 Regulates Cholesterol Metabolism in Mice. 2016 , 150, 1208-1218	61

804	Agonistic Human Antibodies Binding to Lecithin-Cholesterol Acyltransferase Modulate High Density Lipoprotein Metabolism. 2016 , 291, 2799-811	15
803	Surprises From Genetic Analyses of Lipid Risk Factors for Atherosclerosis. 2016 , 118, 579-85	98
802	Therapeutic Targets of Triglyceride Metabolism as Informed by Human Genetics. 2016 , 22, 328-340	23
801	Concepts and relevance of genome-wide association studies. 2016 , 99, 59-67	12
800	Rare variant in scavenger receptor BI raises HDL cholesterol and increases risk of coronary heart disease. 2016 , 351, 1166-71	325
799	Wavelike charge density fluctuations and van der Waals interactions at the nanoscale. 2016 , 351, 1171-6	173
798	Genome-wide association and Mendelian randomization study of NT-proBNP in patients with acute coronary syndrome. 2016 , 25, 1447-56	32
797	Pharmacogenetics of Lipid-Lowering Agents: Precision or Indecision Medicine?. 2016 , 18, 24	15
796	Plasma Levels of Risk-Variant APOL1 Do Not Associate with Renal Disease in a Population-Based Cohort. 2016 , 27, 3204-3219	47
795	Metabolic Control. 2016 ,	1
794	Advances in therapies and scope for personalized medicine in Alzheimer's disease. 2016 , 13, 189-199	1
793	Genome-wide association analysis of self-reported events in 6135 individuals and 252 827 controls identifies 8 loci associated with thrombosis. 2016 , 25, 1867-74	71
792	New loci for body fat percentage reveal link between adiposity and cardiometabolic disease risk. 2016 , 7, 10495	180
791	iPLA2 β deficiency attenuates obesity and hepatic steatosis in ob/ob mice through hepatic fatty-acyl phospholipid remodeling. 2016 , 1861, 449-61	22
790	Causal Assessment of Serum Urate Levels in Cardiometabolic Diseases Through a Mendelian Randomization Study. 2016 , 67, 407-416	101
789	Recurring exon deletions in the HP (haptoglobin) gene contribute to lower blood cholesterol levels. 2016 , 48, 359-66	61
788	Molecular and pathophysiological aspects of metal ion uptake by the zinc transporter ZIP8 (SLC39A8). 2016 , 5, 987-1002	15
787	From Loci to Biology: Functional Genomics of Genome-Wide Association for Coronary Disease. 2016 , 118, 586-606	36

786	Polygenic overlap between schizophrenia risk and antipsychotic response: a genomic medicine approach. 2016 , 3, 350-7	77
785	Interaction of Insulin Resistance and Related Genetic Variants With Triglyceride-Associated Genetic Variants. 2016 , 9, 154-61	6
784	Integrative approaches for large-scale transcriptome-wide association studies. 2016 , 48, 245-52	843
783	Do Genetic Factors Modify the Relationship Between Obesity and Hypertriglyceridemia? Findings From the GLACIER and the MDC Studies. 2016 , 9, 162-71	6
782	Experimental Biology for the Identification of Causal Pathways in Atherosclerosis. 2016 , 30, 1-11	4
781	Gene expression profiling in human precision cut liver slices in response to the FXR agonist obeticholic acid. 2016 , 64, 1158-1166	62
780	Genetic Epidemiology and Public Health: The Evolution From Theory to Technology. 2016 , 183, 387-93	9
779	Improving target assessment in biomedical research: the GOT-IT recommendations. 2021 , 20, 64-81	23
778	GALNT2 Gene Variant rs4846914 Is Associated with Insulin and Insulin Resistance Depending on BMI in PCOS Patients: a Case-Control Study. 2021 , 28, 1122-1132	2
777	Modulation of the Gut Microbiota and Liver Transcriptome by Red Yeast Rice and Monascus Pigment Fermented by Purple Monascus SHM1105 in Rats Fed with a High-Fat Diet. 2020 , 11, 599760	3
776	Receptor-Mediated ER Export of Lipoproteins Controls Lipid Homeostasis in Mice and Humans. 2021 , 33, 350-366.e7	22
775	Urinary metabolite quantitative trait loci in children and their interaction with dietary factors. 2021 , 29, 3830-3844	1
774	Quantile-Dependent Expressivity and Gene-Lifestyle Interactions Involving High-Density Lipoprotein Cholesterol. 2021 , 14, 1-19	13
773	Physiology and role of PCSK9 in vascular disease: Potential impact of localized PCSK9 in vascular wall. 2021 , 236, 2333-2351	9
772	Impact of protein glycosylation on lipoprotein metabolism and atherosclerosis. 2021 , 117, 1033-1045	4
771	Genomic adaptations to cereal-based diets contribute to mitigate metabolic risk in some human populations of East Asian ancestry. 2021 , 14, 297-313	3
770	Human genetic analyses of organelles highlight the nucleus in age-related trait heritability.	1
769	Heritability and family-based GWAS analyses of the N-acyl ethanolamine and ceramide plasma lipidome. 2021 , 30, 500-513	4

768	Diet-Derived Circulating Antioxidants and Risk of Coronary Heart Disease: A Mendelian Randomization Study. 2021 , 77, 45-54	14
767	LACTB mRNA expression is increased in pancreatic adenocarcinoma and high expression indicates a poor prognosis. 2021 , 16, e0245908	4
766	Case Report: Hypertriglyceridemia and Premature Atherosclerosis in a Patient With Apolipoprotein E Gene $\epsilon\epsilon$ Genotype. 2020 , 7, 585779	3
765	Lipoprotein and Lipid Metabolism. 2021 , 235-278	0
764	Role of Genetics in Preventive Cardiology: Focused on Dyslipidemia. 2021 , 51, 899-907	1
763	Sex-dimorphic genetic effects and novel loci for fasting glucose and insulin variability. 2021 , 12, 24	30
762	What Have We Learned from GWAS?. 2021 , 159-183	
761	Association between triglycerides, known risk SNVs and conserved rare variation in SLC25A40 in a multi-ancestry cohort. 2021 , 14, 11	2
760	From Congenital Disorders of Fat Malabsorption to Understanding Intra-Enterocyte Mechanisms Behind Chylomicron Assembly and Secretion. 2021 , 12, 629222	0
759	Revisiting the genome-wide significance threshold for common variant GWAS. 2021 , 11,	9
758	The Role of Phospholipid Transfer Protein in the Development of Atherosclerosis. 2021 , 23, 9	4
757	Novel Functions of Endothelial Scavenger Receptor Class B Type I. 2021 , 23, 6	3
756	Genome-wide association study of body fat distribution traits in Hispanics/Latinos from the HCHS/SOL Study.	
755	The Role of the ATP-Binding Cassette A1 (ABCA1) in Human Disease. 2021 , 22,	22
754	Development of genome-wide polygenic risk scores for lipid traits and clinical applications for dyslipidemia, subclinical atherosclerosis, and diabetes cardiovascular complications among East Asians. 2021 , 13, 29	3
753	Translating genetic association of lipid levels for biological and clinical application. 2021 , 35, 617-626	2
752	Characterization of LILRB3 and LILRA6 allelic variants in the Japanese population. 2021 , 66, 739-748	0
751	Cross-species data integration to prioritize causal genes in lipid metabolism. 2021 , 32, 141-146	1

750	Common Genetic Variations Involved in the Inter-Individual Variability of Circulating Cholesterol Concentrations in Response to Diets: A Narrative Review of Recent Evidence. 2021 , 13,	4
749	Krppel-Like Factor 14 Deletion In Myeloid Cells Accelerates Atherosclerotic Lesion Development. 2021 ,	5
748	Topologically associating domain boundaries that are stable across diverse cell types are evolutionarily constrained and enriched for heritability. 2021 , 108, 269-283	23
747	Evaluation of serum Angiopoietin-like protein 2 (ANGPTL-2), Angiopoietin-like protein 8 (ANGPTL-8), and high-sensitivity C-reactive protein (hs-CRP) levels in patients with gestational diabetes mellitus and normoglycemic pregnant women. 2021 , 1-9	3
746	A fast and efficient colocalization algorithm for identifying shared genetic risk factors across multiple traits. 2021 , 12, 764	27
745	A novel test by combining the maximum and minimum values among a large number of dependent Z-scores with application to genome wide association study. 2021 , 40, 2422-2434	2
744	Identification of rare and common regulatory variants in pluripotent cells using population-scale transcriptomics. 2021 , 53, 313-321	16
743	Risk Variants in Three Alzheimer's Disease Genes Show Association with EEG Endophenotypes. 2021 , 80, 209-223	2
742	Habitual Coffee Consumption Increases Risks for Metabolic Diseases: Genome-wide Association Studies and a Phenotype-wide Two Sample Mendelian Randomization Analysis.	0
741	An Omnibus Test for Detecting Multiple Phenotype Associations Based on GWAS Summary Level Data. 2021 , 12, 644419	0
740	New susceptibility alleles associated with severe coronary artery stenosis in the Lebanese population. 2021 , 14, 90	0
739	Adipocyte Tribbles1 Regulates Plasma Adiponectin and Plasma Lipids in Mice.	
738	Identification of genetic factors influencing metabolic dysregulation and retinal support for MacTel, a retinal disorder. 2021 , 4, 274	5
737	The Association between HDL-C and Subclinical Atherosclerosis Depends on CETP Plasma Concentration: Insights from the IMPROVE Study. 2021 , 9,	3
736	Case report: 68 yo Chinese-American woman with high HDL-C and ischemic stroke attributed to intracranial atherosclerotic stenosis. 2021 , 15, 248-254	
735	Mendelian pathway analysis of laboratory traits reveals distinct roles for ciliary subcompartments in common disease pathogenesis. 2021 , 108, 482-501	1
734	Endothelial Lipase Is Involved in Cold-Induced High-Density Lipoprotein Turnover and Reverse Cholesterol Transport in Mice. 2021 , 8, 628235	6
733	Causal Linkage Between Inflammatory Bowel Disease and Primary Sclerosing Cholangitis: A Two-Sample Mendelian Randomization Analysis. 2021 , 12, 649376	0

732	Genome-Wide Identification of Rare and Common Variants Driving Triglyceride Levels in a Nevada Population. 2021 , 12, 639418	2
731	Model-based assessment of replicability for genome-wide association meta-analysis. 2021 , 12, 1964	3
730	The Shared Genetic Architectures Between Lung Cancer and Multiple Polygenic Phenotypes in Genome-Wide Association Studies. 2021 , 30, 1156-1164	1
729	Oxidized low-density lipoprotein activates extracellular signal-regulated kinase signaling to downregulate sortilin expression in liver sinusoidal endothelial cells. 2021 , 36, 2610-2618	2
728	Diet-derived antioxidants do not decrease the risk of ischemic stroke: a Mendelian Randomization Study in over 1 million participants.	0
727	Integration of summary data from GWAS and eQTL studies identified novel risk genes for coronary artery disease. 2021 , 100, e24769	4
726	Novel associations of SNPs MYLIP rs3757354 and ABCA1 2230806 gene with early-onset-preeclampsia: A case-control candidate genetic study. 2021 , 23, 185-190	1
725	Approaches to Integrating Metabolomics and Multi-Omics Data: A Primer. 2021 , 11,	11
724	MRCIP: a robust Mendelian randomization method accounting for correlated and idiosyncratic pleiotropy. 2021 , 22,	3
723	Lipid nutritional quality of marine and freshwater bivalves and their aquaculture potential. 2021 , 1-25	8
722	Genetics of Cardiovascular Disease: How Far Are We from Personalized CVD Risk Prediction and Management?. 2021 , 22,	2
721	Novel associations between parental and newborn cord blood metabolic profiles in the Norwegian Mother, Father and Child Cohort Study. 2021 , 19, 91	3
720	Using genetic variants to evaluate the causal effect of cholesterol lowering on head and neck cancer risk: A Mendelian randomization study. 2021 , 17, e1009525	3
719	Atrial fibrillation and left atrial size and function: a Mendelian randomization study. 2021 , 11, 8431	0
718	Competing tissue-specific functions for the Tribbles-1 plasma lipid associated locus. 2021 , 32, 175-182	0
717	Sortilin as a Biomarker for Cardiovascular Disease Revisited. 2021 , 8, 652584	4
716	Blocking endothelial lipase with monoclonal antibody MEDI5884 durably increases high density lipoprotein in nonhuman primates and in a phase 1 trial. 2021 , 13,	7
715	Integration of Transformative Platforms for the Discovery of Causative Genes in Cardiovascular Diseases. 2021 , 35, 637-654	1

714	MARS: leveraging allelic heterogeneity to increase power of association testing. 2021 , 22, 128	1
713	Redefining replication in multi-ancestry genome-wide association studies.	0
712	Prenatal Diagnosis of Disorders of Lipid Metabolism. 2021 , 910-981	
711	Obesity-related genetic determinants of stroke. 2021 , 3, fcab069	
710	Amerind ancestry predicts the impact of FADS genetic variation on omega-3 PUFA deficiency, cardiometabolic and inflammatory risk in Hispanic populations.	0
709	Inducible phospholipid transfer protein deficiency ameliorates atherosclerosis. 2021 , 324, 9-17	2
708	ANGPTL3 Variants Associate with Lower Levels of Irisin and C-Peptide in a Cohort of Arab Individuals. 2021 , 12,	
707	Genetic basis of lacunar stroke: a pooled analysis of individual patient data and genome-wide association studies. 2021 , 20, 351-361	21
706	Dissecting polygenic signals from genome-wide association studies on human behaviour. 2021 , 5, 686-694	7
705	Modeling regulatory network topology improves genome-wide analyses of complex human traits. 2021 , 12, 2851	4
704	Asymptomatic Carotid Atherosclerosis Cardiovascular Risk Factors and Common Hypertriglyceridemia Genetic Variants in Patients with Systemic Erythematosus Lupus. 2021 , 10,	4
703	Genetic basis of hypertriglyceridemies. 2021 , 33 Suppl 2, 14-19	
702	Learning a genome-wide score of human-mouse conservation at the functional genomics level. 2021 , 12, 2495	2
701	Panomics: New Databases for Advancing Cardiology. 2021 , 8, 587768	2
700	The Dual Role of Low-Density Lipoprotein Receptor-Related Protein 1 in Atherosclerosis. 2021 , 8, 682389	7
699	SR-B1, a Key Receptor Involved in the Progression of Cardiovascular Disease: A Perspective from Mice and Human Genetic Studies. 2021 , 9,	2
698	Evaluating evidence of mitonuclear incompatibilities with the sex chromosomes in an avian hybrid zone. 2021 , 75, 1395-1414	2
697	Cardiovascular disease risk and pathophysiology in South Asians: can longitudinal multi-omics shed light?. 2020 , 5, 255	0

696	Integrative genomic analysis of blood pressure and related phenotypes in rats. 2021 , 14,	2
695	Targeting angiotensin-like 3 in atherosclerosis: From bench to bedside. 2021 , 23, 2020-2034	4
694	A multi-ethnic epigenome-wide association study of leukocyte DNA methylation and blood lipids. 2021 , 12, 3987	3
693	ApoB gene polymorphism (rs676210) and its pharmacogenetics impact on atorvastatin response among Iraqi population with coronary artery disease. 2021 , 19, 95	0
692	Mapping pleiotropic loci using a fast-sequential testing algorithm. 2021 , 29, 1762-1773	0
691	Genetic Determinants of Peripheral Artery Disease. 2021 , 128, 1805-1817	2
690	A Common Polymorphism in the Locus Links miR1908 to Low-Density Lipoprotein Cholesterol Through BMP1. 2021 , 41, 2252-2262	2
689	Maternal GALNT2 Variations Affect Blood Pressure, Atherogenic Index, and Fetal Growth, Depending on BMI in Gestational Diabetes Mellitus. 2021 , 12, 690229	1
688	In-depth analysis reveals complex molecular aetiology in a cohort of idiopathic cerebral palsy. 2021 ,	3
687	Convergence of case-specific epigenetic alterations identify a confluence of genetic vulnerabilities tied to opioid dependence.	0
686	Eating disorder symptoms and their associations with anthropometric and psychiatric polygenic scores.	
685	The Genetic Basis of Hypertriglyceridemia. 2021 , 23, 39	6
684	Genome-wide association study of body fat distribution traits in Hispanics/Latinos from the HCHS/SOL. 2021 , 30, 2190-2204	0
683	A unified framework identifies new links between plasma lipids and diseases from electronic medical records across large-scale cohorts. 2021 , 53, 972-981	2
682	ARL15 modulates magnesium homeostasis through N-glycosylation of CNNMs. 2021 , 78, 5427-5445	4
681	Air, Land, and Sea: Gene-Environment Interaction in Chronic Disease. 2021 ,	0
680	Quantifying the contribution of Neanderthal introgression to the heritability of complex traits. 2021 , 12, 4481	6
679	Low mitochondrial copy number drives atherogenic cardiovascular disease: evidence from prospective cohort analyses in the UK Biobank combined with Mendelian Randomization.	0

678	GWAS in Africans identifies novel lipids loci and demonstrates heterogenous association within Africa. 2021 , 30, 2205-2214	1
677	Model Checking via Testing for Direct Effects in Mendelian Randomization and Transcriptome-wide Association Studies.	
676	Openness Weighted Association Studies: Leveraging Personal Genome Information to Prioritize Noncoding Variants. 2021 ,	0
675	Advancing the use of genome-wide association studies for drug repurposing. 2021 , 22, 658-671	12
674	Impact of Amerind ancestry and FADS genetic variation on omega-3 deficiency and cardiometabolic traits in Hispanic populations. 2021 , 4, 918	3
673	Connecting Cholesterol Efflux Factors to Lung Cancer Biology and Therapeutics. 2021 , 22,	0
672	Association between the PLTP rs4810479 SNP and Serum Lipid Traits in the Chinese Maonan and Han Populations. 2021 , 2021, 9925272	
671	Coronary Artery Disease Genetics Enlightened by Genome-Wide Association Studies. 2021 , 6, 610-623	6
670	Through 40,000 years of human presence in Southern Europe: the Italian case study. 2021 , 140, 1417-1431	3
669	Sugar-Sweetened Beverage Consumption May Modify Associations Between Genetic Variants in the CHREBP (Carbohydrate Responsive Element Binding Protein) Locus and HDL-C (High-Density Lipoprotein Cholesterol) and Triglyceride Concentrations. 2021 , 14, e003288	1
668	Functional diversity of high-density lipoproteins: finding the golden mean. 2021 , 17, 61-71	2
667	Blood Cholesterol Decreases as Parkinson's Disease Develops and Progresses. 2021 , 11, 1177-1186	3
666	Model checking via testing for direct effects in Mendelian Randomization and transcriptome-wide association studies. 2021 , 17, e1009266	0
665	Estimating genetic correlation jointly using individual-level and summary-level GWAS data.	
664	Parent-of-origin effects propagate through networks to shape metabolic traits.	0
663	Multitrait GWAS to connect disease variants and biological mechanisms. 2021 , 17, e1009713	1
662	Compounds targeting OSBPL7 increase ABCA1-dependent cholesterol efflux preserving kidney function in two models of kidney disease. 2021 , 12, 4662	7
661	Case Studies in Pediatric Lipid Disorders and Their Management. 2021 , 106, 3605-3620	0

660	Global functions of O-glycosylation: promises and challenges in O-glycobiology. 2021 ,	11
659	Sites of active gene regulation in the prenatal frontal cortex and their role in neuropsychiatric disorders.	
658	Polypeptide -acetylgalactosaminyltransferase-Associated Phenotypes in Mammals. 2021 , 26,	2
657	Shared Genetics Between Age at Menopause, Early Menopause, POI and Other Traits. 2021 , 12, 676546	0
656	SUPERGNOVA: local genetic correlation analysis reveals heterogeneous etiologic sharing of complex traits. 2021 , 22, 262	7
655	Human genetic analyses of organelles highlight the nucleus in age-related trait heritability. 2021 , 10,	1
654	Genome-Wide Association Study Identifies a Functional Variant Associated With HDL-C (High-Density Lipoprotein Cholesterol) Levels and Premature Coronary Artery Disease. 2021 , 41, 2494-2508	2
653	Intersecting Genetics of Frailty and Cardiovascular Disease. 2021 , 25, 1023-1027	2
652	APOC3 genetic variation, serum triglycerides, and risk of coronary artery disease in Asian Indians, Europeans, and other ethnic groups. 2021 , 20, 113	2
651	Artificial Intelligence-Assisted Identification of Genetic Factors Predisposing High-Risk Individuals to Asymptomatic Heart Failure. 2021 , 10,	1
650	Regulation of cholesterol biosynthesis and lipid metabolism: A microRNA management perspective. 2021 , 173, 108878	4
649	LDLR gene polymorphism (rs688) affects susceptibility to cardiovascular disease in end-stage kidney disease patients. 2021 , 22, 316	0
648	Multi-context genetic modeling of transcriptional regulation resolves novel disease loci.	2
647	TM6SF2: A Novel Genetic Player in Nonalcoholic Fatty Liver and Cardiovascular Disease. 2021 ,	4
646	Large-scale cis- and trans-eQTL analyses identify thousands of genetic loci and polygenic scores that regulate blood gene expression. 2021 , 53, 1300-1310	60
645	Adipocyte-specific modulation of KLF14 expression in mice leads to sex-dependent impacts in adiposity and lipid metabolism.	
644	Mediation of the APOE associations with Alzheimer's and coronary heart diseases through body mass index and lipids. 2021 , 1	0
643	Meta-GWAS of PCSK9 levels detects two novel loci at APOB and TM6SF2. 2021 ,	1

642	TTC39B destabilizes retinoblastoma protein promoting hepatic lipogenesis in a sex-specific fashion. 2021,	0
641	Inducible degrader of LDLR: A potential novel therapeutic target and emerging treatment for hyperlipidemia. 2021, 140, 106878	2
640	Determination of genetic scores to estimate disturbances in circulating lipid profile biomarkers of adolescents: A preliminary report. 2021, 91-92, 111246	
639	Mutation in the distal NPxY motif of LRP1 alleviates dietary cholesterol-induced dyslipidemia and tissue inflammation. 2020, 62, 100012	2
638	Gene networks and pathways for plasma lipid traits via multitissue multiomics systems analysis. 2021, 62, 100019	2
637	Genome editing for functional experiments and screens. 2021, 169-191	
636	Neurogenomics with Application to Schizophrenia and Other Major Neuropsychiatric Diseases with Complex Heredity. 2021, 35-56	
635	PRAP1 is a novel lipid-binding protein that promotes lipid absorption by facilitating MTP-mediated lipid transport. 2021, 296, 100052	4
634	MendelVar: gene prioritization at GWAS loci using phenotypic enrichment of Mendelian disease genes. 2021, 37, 1-8	4
633	Genome-Wide Association Study of Lean Nonalcoholic Fatty Liver Disease Suggests Human Leukocyte Antigen as a Novel Candidate Locus. 2020, 4, 1124-1135	4
632	Genome-Wide Association Studies (GWAS). 2013, 25-50	3
631	Metabolic Traits as Intermediate Phenotypes. 2012, 255-264	4
630	Bioinformatics challenges in genome-wide association studies (GWAS). 2014, 1168, 63-81	31
629	Finding the epistasis needles in the genome-wide haystack. 2015, 1253, 19-33	27
628	Biological knowledge-driven analysis of epistasis in human GWAS with application to lipid traits. 2015, 1253, 35-45	9
627	Genetic Disorders of HDL Metabolism. 2015, 221-233	1
626	Beyond the genetics of HDL: why is HDL cholesterol inversely related to cardiovascular disease?. 2015, 224, 285-300	8
625	UDP-N-Acetyl-Alpha-D-Galactosamine: Polypeptide N-Acetylgalactosaminyltransferases (ppGalNAc-Ts). 2014, 495-511	2

624	Impact of Phospholipid Transfer Protein in Lipid Metabolism and Cardiovascular Diseases. 2020 , 1276, 1-13	2
623	Localizing Components of Shared Transethnic Genetic Architecture of Complex Traits from GWAS Summary Data. 2020 , 106, 805-817	18
622	Liver-selective β -secretase inhibition ameliorates diet-induced hepatic steatosis, dyslipidemia and atherosclerosis. 2020 , 527, 979-984	1
621	Pediatric Dyslipidemia-Beyond Familial Hypercholesterolemia. 2020 , 36, 1362-1371	3
620	Novel polymorphisms associated with hyperalphalipoproteinemia and apparent cardioprotection. 2018 , 12, 110-115	7
619	Beta-Cell Fragility As a Common Underlying Risk Factor in Type 1 and Type 2 Diabetes. 2017 , 23, 181-194	42
618	CHAPTER 12:Advances in Computational Analysis of Metabolomic NMR Data. 2018 , 310-323	1
617	Hepatic Tm6sf2 overexpression affects cellular ApoB-trafficking, plasma lipid levels, hepatic steatosis and atherosclerosis. 2017 , 26, 2719-2731	28
616	Genetic Polymorphisms in the Dopamine Receptor 2 Predict Acute Pain Severity After Motor Vehicle Collision. 2015 , 31, 768-775	11
615	The E3 ubiquitin ligase inducible degrader of the LDL receptor/myosin light chain interacting protein in health and disease. 2019 , 30, 192-197	5
614	Expression levels of the tetratricopeptide repeat protein gene covary with carotenoid-based skin colour in cichlid fish. 2020 , 16, 20200629	9
613	Network-based metabolite ratios for an improved functional characterization of genome-wide association study results.	2
612	LD Hub: a centralized database and web interface to perform LD score regression that maximizes the potential of summary level GWAS data for SNP heritability and genetic correlation analysis.	2
611	High-Throughput Screening and CRISPR-Cas9 Modeling of Causal Lipid-Associated Expression Quantitative Trait Locus Variants.	3
610	FUN-LDA: A LATENT DIRICHLET ALLOCATION MODEL FOR PREDICTING TISSUE-SPECIFIC FUNCTIONAL EFFECTS OF NONCODING VARIATION.	3
609	Distant regulatory effects of genetic variation in multiple human tissues.	6
608	Estimating the causal tissues for complex traits and diseases.	6
607	Linkage disequilibrium dependent architecture of human complex traits reveals action of negative selection.	9

606	Phenotype-specific information improves prediction of functional impact for noncoding variants.	4
605	GARFIELD - GWAS Analysis of Regulatory or Functional Information Enrichment with LD correction.	16
604	Heritability enrichment of specifically expressed genes identifies disease-relevant tissues and cell types.	18
603	Stratified Linkage Disequilibrium Score Regression reveals enrichment of eQTL effects on complex traits is not tissue specific.	3
602	Dietary adaptation of FADS genes in Europe varied across time and geography.	1
601	Recently evolved human-specific methylated regions are enriched in schizophrenia signals.	2
600	Neuronal brain region-specific DNA methylation and chromatin accessibility are associated with neuropsychiatric disease heritability.	2
599	Polygenic prediction of the phenome, across ancestry, in emerging adulthood.	2
598	Beyond SNP Heritability: Polygenicity and Discoverability of Phenotypes Estimated with a Univariate Gaussian Mixture Model.	9
597	Association Mapping from Sequencing Reads Using K-mers.	3
596	Discovery of the first genome-wide significant risk loci for ADHD.	62
595	A large-scale genome-wide enrichment analysis identifies new trait-associated genes, pathways and tissues across 31 human phenotypes*.	5
594	Polygenic Adaptation has Impacted Multiple Anthropometric Traits.	34
593	Topologically associating domain (TAD) boundaries stable across diverse cell types are evolutionarily constrained and enriched for heritability.	6
592	Genome-wide analysis identifies genetic effects on reproductive success and ongoing natural selection at the FADS locus.	2
591	Quantifying the contribution of Neanderthal introgression to the heritability of complex traits.	3
590	Multitrait genetic-phenotype associations to connect disease variants and biological mechanisms.	3
589	In-depth analysis reveals complex molecular etiology of idiopathic cerebral palsy.	1

588	Contribution of enhancer-driven and master-regulator genes to autoimmune disease revealed using functionally informed SNP-to-gene linking strategies.	3
587	Leveraging polygenic enrichments of gene features to predict genes underlying complex traits and diseases.	21
586	ARL15 modulates magnesium homeostasis through N-glycosylation of CNNMs.	1
585	A functional variant of the SIDT2 gene involved in cholesterol transport is associated with HDL-C levels and premature coronary artery disease.	0
584	Effect of host genetics on the gut microbiome in 7,738 participants of the Dutch Microbiome Project.	0
583	Rare coding variants in 35 genes associate with circulating lipid levels in a multi-ancestry analysis of 170,000 exomes.	2
582	Probabilistic fine-mapping of transcriptome-wide association studies.	9
581	Fine-mapping of an expanded set of type 2 diabetes loci to single-variant resolution using high-density imputation and islet-specific epigenome maps.	18
580	GWAS on family history of Alzheimer's disease.	2
579	High-throughput inference of pairwise coalescence times identifies signals of selection and enriched disease heritability.	3
578	A statistical framework for cross-tissue transcriptome-wide association analysis.	5
577	Genetic analyses in UK Biobank identifies 78 novel loci associated with urinary biomarkers providing new insights into the biology of kidney function and chronic disease.	1
576	Methylation-wide association analysis reveals AIM2, DGUOK, GNAI3, and ST14 genes as potential contributors to the Alzheimer's disease pathogenesis.	1
575	Trans effects on gene expression can drive omnigenic inheritance.	5
574	Genetic and Epigenetic Fine Mapping of Complex Trait Associated Loci in the Human Liver.	2
573	Unraveling the polygenic architecture of complex traits using blood eQTL metaanalysis.	175
572	Genetics of fasting indices of glucose homeostasis using GWIS unravels tight relationships with inflammatory markers.	0
571	Multi-ancestry analysis of gene-sleep interactions in 126,926 individuals identifies multiple novel blood lipid loci that contribute to our understanding of sleep-associated adverse blood lipid profile.	1

570	High-throughput Multimodal Automated Phenotyping (MAP) with Application to PheWAS.	1
569	A fast and efficient colocalization algorithm for identifying shared genetic risk factors across multiple traits.	13
568	Genetic and functional evidence relates a missense variant in B4GALT1 to lower LDL-C and fibrinogen.	1
567	The schizophrenia risk locus in SLC39A8 alters brain metal transport and plasma glycosylation.	6
566	Genetic variants for personalised management of very low carbohydrate ketogenic diets. 2020 , 3, 363-373	11
565	Genetics Insights in the Relationship Between Type 2 Diabetes and Coronary Heart Disease. 2020 , 126, 1526-1548	22
564	The hepatic WASH complex is required for efficient plasma LDL and HDL cholesterol clearance. 2019 , 4,	16
563	Trib1 is a lipid- and myocardial infarction-associated gene that regulates hepatic lipogenesis and VLDL production in mice. 2010 , 120, 4410-4	108
562	The N342S MYLIP polymorphism is associated with high total cholesterol and increased LDL receptor degradation in humans. 2011 , 121, 3062-71	44
561	Correlation of rare coding variants in the gene encoding human glucokinase regulatory protein with phenotypic, cellular, and kinetic outcomes. 2012 , 122, 205-17	31
560	Liver LXR α expression is crucial for whole body cholesterol homeostasis and reverse cholesterol transport in mice. 2012 , 122, 1688-99	138
559	Hepatic sortilin regulates both apolipoprotein B secretion and LDL catabolism. 2012 , 122, 2807-16	151
558	Tribbles-1 regulates hepatic lipogenesis through posttranscriptional regulation of C/EBP β . 2015 , 125, 3809-18	51
557	Perhexiline activates KLF14 and reduces atherosclerosis by modulating ApoA-I production. 2015 , 125, 3819-30	55
556	Hepatic metal ion transporter ZIP8 regulates manganese homeostasis and manganese-dependent enzyme activity. 2017 , 127, 2407-2417	90
555	FoxO transcription factors are required for hepatic HDL cholesterol clearance. 2018 , 128, 1615-1626	11
554	Novel association of rs58542926 genotype with increased serum tyrosine levels and decreased apoB-100 particles in Finns. 2017 , 58, 1471-1481	35
553	Genetics of Brain and Cognition and Their Interactions with Dietary and Environmental Factors. 2015 , 41-72	1

552	A comparison of principal component methods between multiple phenotype regression and multiple SNP regression in genetic association studies. 2020 , 14,	2
551	Use of allele-specific FAIRE to determine functional regulatory polymorphism using large-scale genotyping arrays. 2012 , 8, e1002908	19
550	Pedigree- and SNP-Associated Genetics and Recent Environment are the Major Contributors to Anthropometric and Cardiometabolic Trait Variation. 2016 , 12, e1005804	50
549	Common Genetic Polymorphisms Influence Blood Biomarker Measurements in COPD. 2016 , 12, e1006011	64
548	Winner's Curse Correction and Variable Thresholding Improve Performance of Polygenic Risk Modeling Based on Genome-Wide Association Study Summary-Level Data. 2016 , 12, e1006493	67
547	Integrating molecular QTL data into genome-wide genetic association analysis: Probabilistic assessment of enrichment and colocalization. 2017 , 13, e1006646	106
546	Discovery and fine-mapping of adiposity loci using high density imputation of genome-wide association studies in individuals of African ancestry: African Ancestry Anthropometry Genetics Consortium. 2017 , 13, e1006719	60
545	Ranking and characterization of established BMI and lipid associated loci as candidates for gene-environment interactions. 2017 , 13, e1006812	13
544	Common, low-frequency, and rare genetic variants associated with lipoprotein subclasses and triglyceride measures in Finnish men from the METSIM study. 2017 , 13, e1007079	33
543	Circulating Apolipoprotein E Concentration and Cardiovascular Disease Risk: Meta-analysis of Results from Three Studies. 2016 , 13, e1002146	27
542	Laboratory mouse models for the human genome-wide associations. 2010 , 5, e13782	22
541	Bayesian variable selection in searching for additive and dominant effects in genome-wide data. 2012 , 7, e29115	11
540	The effects of apolipoprotein F deficiency on high density lipoprotein cholesterol metabolism in mice. 2012 , 7, e31616	21
539	A genome-wide association study identifies rs2000999 as a strong genetic determinant of circulating haptoglobin levels. 2012 , 7, e32327	27
538	MultiPhen: joint model of multiple phenotypes can increase discovery in GWAS. 2012 , 7, e34861	240
537	Evidence of differential allelic effects between adolescents and adults for plasma high-density lipoprotein. 2012 , 7, e35605	5
536	CNR1 genotype influences HDL-cholesterol response to change in dietary fat intake. 2012 , 7, e36166	8
535	Multi-ethnic analysis of lipid-associated loci: the NHLBI CARE project. 2012 , 7, e36473	39

534	A replication study of GWAS-derived lipid genes in Asian Indians: the chromosomal region 11q23.3 harbors loci contributing to triglycerides. 2012 , 7, e37056	56
533	Segregation of LIPG, CETP, and GALNT2 mutations in Caucasian families with extremely high HDL cholesterol. 2012 , 7, e37437	26
532	Evaluation of genetic markers as instruments for Mendelian randomization studies on vitamin D. 2012 , 7, e37465	65
531	Hypothesis-based analysis of gene-gene interactions and risk of myocardial infarction. 2012 , 7, e41730	15
530	Comparison of statistical tests for association between rare variants and binary traits. 2012 , 7, e42530	10
529	Pla2g12b and Hpn are genes identified by mouse ENU mutagenesis that affect HDL cholesterol. 2012 , 7, e43139	14
528	Association of genetic variants influencing lipid levels with coronary artery disease in Japanese individuals. 2012 , 7, e46385	38
527	Factor structure underlying components of allostatic load. 2012 , 7, e47246	46
526	Gene-centric meta-analysis of lipid traits in African, East Asian and Hispanic populations. 2012 , 7, e50198	37
525	Graphical modeling of gene expression in monocytes suggests molecular mechanisms explaining increased atherosclerosis in smokers. 2013 , 8, e50888	26
524	Finding missing heritability in less significant Loci and allelic heterogeneity: genetic variation in human height. 2012 , 7, e51211	21
523	Genetic polymorphisms of the main transcription factors for adiponectin gene promoter in regulation of adiponectin levels: association analysis in three European cohorts. 2012 , 7, e52497	6
522	Association analysis of dyslipidemia-related genes in diabetic nephropathy. 2013 , 8, e58472	17
521	Genetic variants from lipid-related pathways and risk for incident myocardial infarction. 2013 , 8, e60454	7
520	A multiethnic replication study of plasma lipoprotein levels-associated SNPs identified in recent GWAS. 2013 , 8, e63469	21
519	The association of common SNPs and haplotypes in CETP gene with HDL cholesterol levels in Latvian population. 2013 , 8, e64191	20
518	A unified framework for association analysis with multiple related phenotypes. 2013 , 8, e65245	146
517	Association of hepatic lipase -514T allele with coronary artery disease and ankle-brachial index, dependence on the lipoprotein phenotype: the GENES study. 2013 , 8, e67805	5

516	Population genomics of cardiometabolic traits: design of the University College London-London School of Hygiene and Tropical Medicine-Edinburgh-Bristol (UCLEB) Consortium. 2013 , 8, e71345	33
515	Novel genetic analysis for case-control genome-wide association studies: quantification of power and genomic prediction accuracy. 2013 , 8, e71494	30
514	Sex-specific heritability of spontaneous lipid levels in an extended pedigree of Indian-origin rhesus macaques (<i>Macaca mulatta</i>). 2013 , 8, e72241	3
513	Atenolol induced HDL-C change in the pharmacogenomic evaluation of antihypertensive responses (PEAR) study. 2013 , 8, e76984	11
512	Use of systems biology approaches to analysis of genome-wide association studies of myocardial infarction and blood cholesterol in the nurses' health study and health professionals' follow-up study. 2013 , 8, e85369	7
511	Association of common genetic variants with lipid traits in the Indian population. 2014 , 9, e101688	27
510	A preliminary study of the relationship between promoter methylation of the ABCG1, GALNT2 and HMGCR genes and coronary heart disease. 2014 , 9, e102265	32
509	The N-reductive system composed of mitochondrial amidoxime reducing component (mARC), cytochrome b5 (CYB5B) and cytochrome b5 reductase (CYB5R) is regulated by fasting and high fat diet in mice. 2014 , 9, e105371	12
508	The challenges of genome-wide interaction studies: lessons to learn from the analysis of HDL blood levels. 2014 , 9, e109290	12
507	Accounting for eXentricities: analysis of the X chromosome in GWAS reveals X-linked genes implicated in autoimmune diseases. 2014 , 9, e113684	71
506	Accumulation of oxidized LDL in the tendon tissues of C57BL/6 or apolipoprotein E knock-out mice that consume a high fat diet: potential impact on tendon health. 2014 , 9, e114214	20
505	A multivariate genome-wide association analysis of 10 LDL subfractions, and their response to statin treatment, in 1868 Caucasians. 2015 , 10, e0120758	118
504	Abundant genetic overlap between blood lipids and immune-mediated diseases indicates shared molecular genetic mechanisms. 2015 , 10, e0123057	30
503	An Examination of the Relationship between Lipid Levels and Associated Genetic Markers across Racial/Ethnic Populations in the Multi-Ethnic Study of Atherosclerosis. 2015 , 10, e0126361	7
502	Genetic Variants Associated with Lipid Profiles in Chinese Patients with Type 2 Diabetes. 2015 , 10, e0135145	9
501	Genetic Mapping of Novel Loci Affecting Canine Blood Phenotypes. 2015 , 10, e0145199	7
500	Exome-Wide Association Analysis of Coronary Artery Disease in the Kingdom of Saudi Arabia Population. 2016 , 11, e0146502	5
499	A Simple Test of Class-Level Genetic Association Can Reveal Novel Cardiometabolic Trait Loci. 2016 , 11, e0148218	6

498	Causal Role of Alcohol Consumption in an Improved Lipid Profile: The Atherosclerosis Risk in Communities (ARIC) Study. 2016 , 11, e0148765	45
497	TRIB1 Is Regulated Post-Transcriptionally by Proteasomal and Non-Proteasomal Pathways. 2016 , 11, e0152346	12
496	Replication and Characterization of Association between ABO SNPs and Red Blood Cell Traits by Meta-Analysis in Europeans. 2016 , 11, e0156914	16
495	SILAC-MS Based Characterization of LPS and Resveratrol Induced Changes in Adipocyte Proteomics - Resveratrol as Ameliorating Factor on LPS Induced Changes. 2016 , 11, e0159747	16
494	Identification of the Functional Variant(s) that Explain the Low-Density Lipoprotein Receptor (LDLR) GWAS SNP rs6511720 Association with Lower LDL-C and Risk of CHD. 2016 , 11, e0167676	17
493	Genome-Wide Association Study Reveals Four Loci for Lipid Ratios in the Korean Population and the Constitutional Subgroup. 2017 , 12, e0168137	6
492	Genome-wide study of resistant hypertension identified from electronic health records. 2017 , 12, e0171745	23
491	Admixture mapping in two Mexican samples identifies significant associations of locus ancestry with triglyceride levels in the BUD13/ZNF259/APOA5 region and fine mapping points to rs964184 as the main driver of the association signal. 2017 , 12, e0172880	10
490	HNF1B defect influences post-prandial lipid regulation. 2017 , 12, e0177110	7
489	PARP10 (ARTD10) modulates mitochondrial function. 2018 , 13, e0187789	28
488	ShinyGPA: An interactive visualization toolkit for investigating pleiotropic architecture using GWAS datasets. 2018 , 13, e0190949	2
487	Association of small, dense LDL-cholesterol concentration and lipoprotein particle characteristics with coronary heart disease: A systematic review and meta-analysis. 2020 , 15, e0241993	25
486	The Genetics of Clinical Liver Diseases: Insight into the E167K Variant. 2018 , 6, 326-331	5
485	Molecular diagnosis methods in familial hypercholesterolemia. 2020 , 23, 120-127	7
484	Life style, Perfusion deficits and Co-morbidities Precipitate Inflammation and Cerebrovascular Disorders in Aged Subjects. 2015 , 3, e39	4
483	Global Inactivation of the Pla2g6 Gene in Mice Does Not Cause Dyslipidemia under Chow or High-fat Diet Conditions. 2013 , 18, 235-48	9
482	ANTISENSE OLIGONUCLEOTIDES AND THERAPEUTICAL MONOCLONAL ANTIBODIES AS A BASEMENT FOR NOVEL BIOLOGICAL LIPIDLOWERING DRUGS. 2018 , 99-109	5
481	EXOME SEQUENCING AND THE DIAGNOSTICS OF COMPLEX DISEASE PREDISPOSITION IN PREVENTIVE MEDICINE. 2013 , 12, 24-28	4

480	Strategies for the prevention of chronic non-communicable diseases: a modern look at the problem. 2019 , 18, 92-98	6
479	Strong impact of natural-selection-free heterogeneity in genetics of age-related phenotypes. 2018 , 10, 492-514	14
478	IDOL in metabolic, neurodegenerative and cardiovascular disease. 2018 , 10, 3042-3043	2
477	Association of the SNPs and gene-gene and gene-environment interactions with serum lipid levels. 2020 , 12, 11893-11913	5
476	Identification of eight genetic variants as novel determinants of dyslipidemia in Japanese by exome-wide association studies. 2017 , 8, 38950-38961	4
475	Association between the and polymorphisms and serum lipid levels. 2017 , 8, 70378-70393	8
474	Sex-specific association of and polymorphisms with coronary artery disease susceptibility. 2017 , 8, 59397-59407	4
473	Association between TNIP1, MPHOSPH6 and ZNF208 genetic polymorphisms and the coronary artery disease risk in Chinese Han population. 2017 , 8, 77233-77240	4
472	Association between the and polymorphisms and serum lipid levels. 2017 , 8, 114081-114094	3
471	Germline polymorphisms in an enhancer of PSIP1 are associated with progression-free survival in epithelial ovarian cancer. 2016 , 7, 6353-68	19
470	Genetics of Type 2 Diabetes: It Matters From Which Parent We Inherit the Risk. 2015 , 12, 233-42	17
469	Inherited pancreatic cancer. 2017 , 6, 58	15
468	HDL Dysfunction Caused by Mutations in apoA-I and Other Genes that are Critical for HDL Biogenesis and Remodeling. 2019 , 26, 1544-1575	11
467	Structure and Function of Angiopietin-like Protein 3 (ANGPTL3) in Atherosclerosis. 2020 , 27, 5159-5174	6
466	A Journey through Genetic Architecture and Predisposition of Coronary Artery Disease. 2020 , 21, 382-398	1
465	Phenotypes and genotypes of high density lipoprotein cholesterol in exceptional longevity. 2014 , 12, 690-7	20
464	Single amino acid mutation of SR-BI decreases infectivity of hepatitis C virus derived from cell culture in a cell culture model. 2017 , 23, 5158-5166	2
463	Neuroinflammation and comorbidities are frequently ignored factors in CNS pathology. 2015 , 10, 1349-55	75

462	Dietary habits, lifestyle factors and neurodegenerative diseases. 2020 , 15, 394-400	49
461	Lipid regulatory genes polymorphism in children with and without obesity and cardiometabolic risk factors: The CASPIAN-III study. 2018 , 23, 11	5
460	Association of circulating 25-hydroxyvitamin D levels with hypertension and blood pressure values in Korean adults: A Mendelian randomization study on a subset of the Korea National Health and Nutrition Survey 2011-2012 population. 2019 , 13, 498-508	4
459	Implications of discoveries from genome-wide association studies in current cardiovascular practice. 2011 , 3, 230-47	50
458	EvoSNP-DB: A database of genetic diversity in East Asian populations. 2013 , 46, 416-21	1
457	Genome-wide association study of metabolic syndrome in Koreans. 2014 , 12, 187-94	21
456	SEC24A deficiency lowers plasma cholesterol through reduced PCSK9 secretion. 2013 , 2, e00444	79
455	Linking traits based on their shared molecular mechanisms. 2015 , 4,	5
454	Hypothalamic transcriptomes of 99 mouse strains reveal trans eQTL hotspots, splicing QTLs and novel non-coding genes. 2016 , 5,	26
453	Epigenetic profiling of growth plate chondrocytes sheds insight into regulatory genetic variation influencing height. 2017 , 6,	24
452	Linking glycemic dysregulation in diabetes to symptoms, comorbidities, and genetics through EHR data mining. 2019 , 8,	5
451	Genetic mapping of etiologic brain cell types for obesity. 2020 , 9,	21
450	Common and rare genetic markers of lipid variation in subjects with type 2 diabetes from the ACCORD clinical trial. 2017 , 5, e3187	9
449	Gene-based association study for lipid traits in diverse cohorts implicates and regulation in triglyceride levels. 2018 , 6, e4314	4
448	Panel of Genetic Variations as a Potential Non-invasive Biomarker for Early Diagnosis of Alzheimer's Disease. 2011 , 9, 54-66	7
447	Differentially expressed genes reflect disease-induced rather than disease-causing changes in the transcriptome. 2021 , 12, 5647	7
446	Genetic Profile of Endotoxemia Reveals an Association With Thromboembolism and Stroke. 2021 , 10, e022482	2
445	Robust estimates of heritable coronary disease risk in individuals with type 2 diabetes. 2021 ,	1

- 444 Sites of active gene regulation in the prenatal frontal cortex and their role in neuropsychiatric disorders. **2021**, 186, 376-388 1
- 443 Functions of the (pro)renin receptor (Atp6ap2) at molecular and system levels: pathological implications in hypertension, renal and brain development, inflammation, and fibrosis. **2021**, 173, 105922 4
- 442 Genome-wide association studies: Where we are heading?. **2011**, 1, 23 0
- 441 Tien jaar Whole Genome Analysis. **2011**, 91-107
- 440 Molecular biology of heart disease. **2011**, 3, 121-6
- 439 Recent Progress in Identifying Genes Contributing to Type 2 Diabetes and Metabolic Syndrome. 106-119
- 438 Monogenic Hypercholesterolemia: Genetics.
- 437 Genetic and Metabolic Determinants of Fatty Acid Chain Length and Desaturation, Their Incorporation into Lipid Classes and Their Effects on Risk of Vascular and Metabolic Disease. **2012**, 191-231 1
- 436 Genetic variability in molecular responses to chemical exposure. **2012**, 101, 437-57 1
- 435 Statistical Methods in Genetic and Molecular Epidemiology and Their Application in Studies with Metabolic Phenotypes. **2012**, 39-56
- 434 Genetic Influences on Blood Lipids and Cardiovascular Disease Risk. **2013**, 519-540
- 433 Vitamin D, Vitamin D Binding Protein, and Cardiovascular Disease. **2013**, 107-126
- 432 Genetic Pleiotropies of Obesity. **2014**, 93-111
- 431 Hypercholesterolemia and Dyslipidemia. **2014**, 509-530
- 430 Recent Insights into the Genetics of Plasma Triglycerides and Possible Causal Mechanisms in Cardiovascular Disease.
- 429 ST3 Beta-Galactoside Alpha-2,3-Sialyltransferase 4 (ST3GAL4). **2014**, 667-674
- 428 Expression of human hepatic lipase negatively impacts apolipoprotein A-I production in primary hepatocytes from Lipc-null mice. **2014**, 28, 201-12 1
- 427 Mapping of Susceptibility Genes for Obesity, Type 2 Diabetes, and the Metabolic Syndrome in Human Populations. **2015**, 181-245

426 Strategy planning for shortening the list of the metabolic syndrome candidate genes. **2015**, 2, 135

425 Assessment of SNP Interactions Affecting Total Cholesterol Over Time Using Logic Mixed Model: TLGS Study. **2015**, 2, 1

424 Genetics of Common Lipid Disorders. **2015**, 1-39

423 Prenatal Diagnosis of Disorders of Lipid Metabolism. 773-837

422 Immunogenetics of Parasitic and Bacterial Disease. **2016**, 7-15

421 Genomic Medicine and Lipid Metabolism. **2016**, 99-118

420 Genetics of Endocrinology. **2016**, 49-68 1

419 The Complex Role of Genes in Diseases and Traits in Late Life: An Example of the Apolipoprotein E Polymorphism. **2016**, 211-230

418 Genetische Tests im Sport: Können wir schon empirische Evidenz von empirischem Nonsens unterscheiden?. **2016**, 193-215

417 Inborn Errors of Lipoprotein Metabolism Presenting in Childhood. **2016**, 441-454

416 Genetic evidence for natural selection in humans in the contemporary United States.

415 Widespread allelic heterogeneity in complex traits. 3

414 Correcting subtle stratification in summary association statistics. 4

413 Integrating Molecular QTL Data into Genome-wide Genetic Association Analysis: Probabilistic Assessment of Enrichment and Colocalization.

412 The Genetic Determinants of Common Obesity-Susceptibility. **2017**, 383-425

411 Epigenetic Regulation of Fat Deposition: A Focus on Krüppel-Like Factor 14 (Klf14). **2017**, 1-17

410 The power of a multivariate approach to genome-wide association studies: an example with *Drosophila melanogaster* wing shape.

409 Lipid metabolism: from genetic loci to functional understanding. **2017**, 28, 81-82

408	A genome-wide interactome of DNA-associated proteins in the human liver.	1
407	Genetic regulatory effects modified by immune activation contribute to autoimmune disease associations.	1
406	Molecular Genetics of Hypertriglyceridaemia. 1-8	
405	Polygenic Link Between Blood Lipids And Amyotrophic Lateral Sclerosis.	0
404	Rare non-coding variants are associated with plasma lipid traits in a founder population.	
403	Detecting polygenic adaptation in admixture graphs.	4
402	A Genome Scan for Genes Underlying Adult Body Size Differences between Central African Pygmies and their Non-Pygmy Neighbors.	0
401	Genome-Wide Association Study of Body Fat Distribution identifies Novel Adiposity Loci and Sex-Specific Genetic Effects.	
400	Deep-coverage whole genome sequences and blood lipids among 16,324 individuals.	4
399	Tracing the genetic etiology of cardiovascular disease using a hierarchy of common genetic variants derived from patient subgroups stratified by differential levels in severity.	
398	Pleiotropic Mapping and Annotation Selection in Genome-wide Association Studies with Penalized Gaussian Mixture Models.	
397	OBSOLETE: Metabolomics in Cardiovascular Research. 2018,	
396	Principal component based adaptive association test of multiple traits using GWAS summary statistics.	
395	Testing the causal effects between subjective wellbeing and physical health using Mendelian randomisation.	1
394	Analysis of differentially methylated regions in primates and non-primates provides support for the evolutionary hypothesis of schizophrenia.	0
393	FADS1 and the timing of human adaptation to agriculture.	
392	Defining the genetic control of human blood plasma N-glycome using genome-wide association study.	1
391	Association of SRB1, ITGB2 gene polymorphisms with coronary heart disease in Chinese Han population.	

- 390 Genome-wide association studies in Samoans give insight into the genetic architecture of fasting serum lipid levels. 0
- 389 Sex-specific and pleiotropic effects underlying kidney function identified from GWAS meta-analysis.
- 388 Genome-wide association and functional studies identify 46 novel loci for alcohol consumption and suggest common genetic mechanisms with neuropsychiatric disorders.
- 387 Genetic Association of The CYP7A1 Gene with Duck Lipid Traits.
- 386 Causal Association between Birth Weight and Adult Diseases: Evidence from a Mendelian Randomisation Analysis. 1
- 385 The influence of rare variants in circulating metabolic biomarkers.
- 384 A comprehensive study of metabolite genetics reveals strong pleiotropy and heterogeneity across time and context. 1
- 383 Predicting trait regulators by identifying co-localization of DNA binding and GWAS variants in regulatory regions.
- 382 Saturation mutagenesis of disease-associated regulatory elements. 2
- 381 Genome-wide association study identifies seven novel loci associating with circulating cytokines and cell adhesion molecules in Finns. 0
- 380 The transferability of lipid loci across African, Asian and European cohorts. 1
- 379 How Much Do Lipid Guidelines Help the Clinician? Reading Between the (Guide)lines. **2019**, 15, 16-22 1
- 378 Genetics of Aortic Diseases. **2019**, 55-84
- 377 Modulation of plasma triglycerides concentration by sterol-based treatment in subjects carrying specific genes. **2019**, 8, 69
- 376 Role of Rare and Low Frequency Variants in Gene-Alcohol Interactions on Plasma Lipid Levels.
- 375 Stratifying depression by neuroticism: revisiting a diagnostic tradition using GWAS data.
- 374 Large-scale multivariate multi-ancestry Interaction analyses point towards different genetic mechanisms by population and exposure. 1
- 373 Epistatic Networks Associated with Parent-of-Origin Effects on Metabolic Traits.

- 372 The Alzheimer's Disease Metabolome: Effects of Sex and APOE ϵ genotype. 2
- 371 Bayesian multivariate reanalysis of large genetic studies identifies many new associations. 0
- 370 A Novel Type 2 Diabetes Locus in sub-Saharan Africans, ZRANB3, is Implicated in Beta Cell Proliferation.
- 369 MR-LDP: a two-sample Mendelian randomization for GWAS summary statistics accounting for linkage disequilibrium and horizontal pleiotropy. 0
- 368 High-density lipoprotein characteristics and coronary heart disease: a Mendelian randomization study.
- 367 MetaPhat: Detecting and decomposing multivariate associations from univariate genome-wide association statistics. 0
- 366 Disease Risk Models. **2019**, 815-842 0
- 365 Evaluating the informativeness of deep learning annotations for human complex diseases. 3
- 364 Heritability and family-based GWAS analyses of the N-acyl ethanolamine and ceramide plasma lipidome. 1
- 363 HDL cholesterol is associated with PBMC expression of genes involved in HDL metabolism and atherogenesis. **2020**, 39, 372-383 0
- 362 Localizing components of shared transethnic genetic architecture of complex traits from GWAS summary data. 1
- 361 Population-specific and transethnic genome-wide analyses reveal distinct and shared genetic risks of coronary artery disease.
- 360 NFIA regulates granule recruitment and exocytosis in the adult pancreas.
- 359 Limited evidence for selection at the FADS locus in Native American populations.
- 358 Lipid disorders. **2020**, 2055-2097
- 357 Association of ABO blood types with ST resolution following thrombolysis in acute ST elevation myocardial infarction. **2020**, 12, 106-113 1
- 356 Low cardiac vagal control is associated with genetic liability for elevated triglycerides and risky health behaviors. **2020**, 153, 107892 1
- 355 Genome-Wide Association Studies of retinal vessel tortuosity identify 173 novel loci, capturing genes and pathways associated with disease and vascular tissue pathomechanics. 1

- 354 Human and rat skeletal muscle single-nuclei multi-omic integrative analyses nominate causal cell types, regulatory elements, and SNPs for complex traits. 0
- 353 Identification of genetic factors influencing metabolic dysregulation and retinal support for MacTel, a retinal disorder.
- 352 Ateroskleroz patofizyolojisinde Kruppel Benzeri Faktör 14'nin rolü **2020**, 13, 241-248
- 351 CSDE1 is a Post-Transcriptional Regulator of the LDL Receptor. 0
- 350 Effects of Walking and Elastic-band exercise on Blood lipids, Endothelin-1 and Vascular Endothelial Growth Factor in Elderly Women with Type 2 Diabetes. **2020**, 34, 123-139 1
- 349 Fine genetic mapping of the chromosome 11q23.3 region in a Han Chinese population: insights into the apolipoprotein genes underlying the blood lipid-lipoprotein variances. **2020**, 47, 756-769
- 348 Cardiovascular Genomics. **2021**, 81-89
- 347 Genetics and regulation of HDL metabolism. **2022**, 1867, 159060
- 346 Genome-wide association study identifies quantitative trait loci affecting cattle temperament. **2022**, 43, 14-25 1
- 345 Hypercholesterolemia and Dyslipidemia. **2020**, 1-23
- 344 Improving the informativeness of Mendelian disease-derived pathogenicity scores for common disease. 2
- 343 Metabolic Pathways of Eukaryotes and Connection to Cell Mechanics. **2020**, 825-891 0
- 342 Bile acid composition regulates the manganese transporter Slc30a10 in intestine.
- 341 Gene Networks and Pathways for Plasma Lipid Traits via Multi-tissue Multi-omics Systems Analysis.
- 340 A long noncoding RNA, LOC157273, is the effector transcript at the chromosome 8p23.1-PPP1R3B metabolic traits and type 2 diabetes risk locus.
- 339 Kruppel-Like Factor 14 Improves Cardiac Function After Myocardial Infarction.
- 338 MORFEE: a new tool for detecting and annotating single nucleotide variants creating premature ATG codons from VCF files. 1
- 337 Modeling Regulatory Network Topology Improves Genome-Wide Analyses of Complex Human Traits. 1

336	DOMINO: a novel algorithm for network-based identification of active modules with reduced rate of false calls.	0
335	Considerations for the Assessment of Substrates, Genetics and Risk Factors in Patients with Atrial Fibrillation. 2021 , 10, 132-139	0
334	Heart-brain connections: phenotypic and genetic insights from 40,000 cardiac and brain magnetic resonance images.	0
333	Depression and Inflammatory Bowel Disease: A Bidirectional two-sample Mendelian Randomization Study. 2021 ,	8
332	The effects of genetic polymorphisms of APOE on circulating lipid levels in middle-aged and elderly chinese Fujian Han population: toward age- and sex-personalized management. 2021 , 20, 158	0
331	Polygenic contribution for familial hypercholesterolemia (FH). 2021 , 32, 392-395	0
330	Lack of association between genetic variants in the 19q13.32 region and CHD risk in the Algerian population: a population-based nested case-control study. 2020 , 20, 735-744	
329	Using genetic variants to evaluate the causal effect of cholesterol lowering on head and neck cancer risk: a Mendelian randomization study.	
328	Mendelian pathway analysis of laboratory traits reveals distinct roles for ciliary subcompartments in common disease pathogenesis.	0
327	Differentially expressed genes reflect disease-induced rather than disease-causing changes in the transcriptome.	
326	GWAS in Africans identifies novel lipids loci and demonstrates heterogenous association within Africa.	
325	Cardiovascular disease risk and pathophysiology in South Asians: can longitudinal multi-omics shed light?. 2020 , 5, 255	0
324	Learning a genome-wide score of human-mouse conservation at the functional genomics level.	
323	Phenotypic Differences Between Polygenic and Monogenic Hypobetalipoproteinemia. 2021 , 41, e63-e71	2
322	The association of clinical phenotypes to known AD/FTD genetic risk loci and their inter-relationship. 2020 , 15, e0241552	1
321	Cluster analysis reveals important determinants of cardiometabolic risk patterns in Filipino women. 2012 , 21, 271-81	14
320	Network medicine approaches to the genetics of complex diseases. 2012 , 14, 143-52	54
319	Characterization of the MetaboChip in diverse populations from the International HapMap Project in the Epidemiologic Architecture for Genes Linked to Environment (EAGLE) project. 2013 , 188-99	7

318	ATHENA: a tool for meta-dimensional analysis applied to genotypes and gene expression data to predict HDL cholesterol levels. 2013 , 385-96	14
317	Genetic insights into cardiometabolic risk factors. 2014 , 35, 15-36	26
316	An approach to the etiology of metabolic syndrome. 2013 , 44, 57-63	1
315	Sex-specific association of the peptidase D gene rs731839 polymorphism and serum lipid levels in the Mulao and Han populations. 2014 , 7, 4156-72	5
314	Sex-specific association of the SPTY2D1 rs7934205 polymorphism and serum lipid levels. 2015 , 8, 665-81	9
313	Association of two polymorphisms in the FADS1/FADS2 gene cluster and the risk of coronary artery disease and ischemic stroke. 2015 , 8, 7318-31	16
312	Associations of common SNPs in the SORT1, GCKR, LPL, APOA1, CETP, LDLR, APOE genes with lipid trait levels in an Algerian population sample. 2015 , 8, 7358-63	6
311	Association of Lecithin Cholesterol Acyltransferase rs5923 Polymorphism in Iranian Individuals with Extremely Low High-Density Lipoprotein Cholesterol: Tehran Lipid and Glucose Study. 2015 , 19, 172-6	3
310	Polymorphisms in ApoB gene are associated with risk of myocardial infarction and serum ApoB levels in a Chinese population. 2015 , 8, 16571-7	6
309	Association of the ARL15 rs6450176 SNP and serum lipid levels in the Jing and Han populations. 2015 , 8, 12977-94	11
308	Association of the SPT2 chromatin protein domain containing 1 gene rs17579600 polymorphism and serum lipid traits. 2015 , 8, 12995-3010	3
307	APJ receptor A445C gene polymorphism in Turkish patients with coronary artery disease. 2015 , 8, 18793-9	3
306	The metabolic syndrome and DYRK1B. 2014 , 371, 784-5	4
305	Point-Counterpoint: SLCO1B1 Genotyping for Statins. 2017 , 70, 102-104	1
304	Evaluation of PrediXcan for prioritizing GWAS associations and predicting gene expression. 2018 , 23, 448-459	12
303	Importance of Nutrients and Nutrient Metabolism on Human Health. 2018 , 91, 95-103	19
302	Influence of tissue context on gene prioritization for predicted transcriptome-wide association studies. 2019 , 24, 296-307	3
301	Association between the rs1129555 SNP and serum lipid profiles in the Maonan and Han populations. 2018 , 11, 1484-1498	2

- 300 Association of the rs1532085 SNP and serum lipid traits in the Chinese Maonan and Han populations. **2018**, 11, 2038-2052
- 299 Association of the rs2929282 polymorphism and serum lipid profiles in two Chinese ethnic groups. **2018**, 11, 3494-3510
- 298 rs1407977 SNP is associated with the risk of coronary heart disease and ischemic stroke. **2018**, 11, 5044-5053 2
- 297 Association between the rs634501 polymorphism and serum lipid traits in the Chinese Han and Maonan ethnic groups. **2018**, 11, 5923-5937 1
- 296 Association of rs2013208 SNP with serum lipid levels in two Chinese ethnic groups. **2017**, 10, 8520-8534
- 295 rs12670798 variant and G × E interactions on serum lipid levels, coronary heart disease, ischemic stroke and the lipid-lowering efficacy of atorvastatin. **2017**, 10, 11147-11158 2
- 294 Association of the rs581080 SNP and serum lipid levels and the risk of coronary artery disease and ischemic stroke. **2017**, 10, 11195-11205 2
- 293 KLF14 inhibits osteogenic differentiation of human bone marrow mesenchymal stem cells by downregulating WNT3A. **2020**, 12, 4445-4455
- 292 New approaches for the discovery of lipid-related genes. **2011**, 6, 495-500
- 291 Screening of non-alcoholic steatohepatitis (NASH)-related datasets and identification of NASH-related genes. **2021**, 14, 567-581 0
- 290 A single cell atlas of human and mouse white adipose tissue. 1
- 289 SNPs and Gene-Environment Interactions on Serum Lipid Profiles and the Risk of Ischemic Stroke.. **2021**, 8, 685970 0
- 288 A Bayesian hierarchically structured prior for gene-based association testing with multiple traits in genome-wide association studies. **2021**,
- 287 Association of a Total Cholesterol Polygenic Score with Cholesterol Levels and Pathological Biomarkers across the Alzheimer's Disease Spectrum. **2021**, 12, 1
- 286 Deep learning enables genetic analysis of the human thoracic aorta. **2021**, 6
- 285 Identification and replication of novel genetic variants of ABO gene to reduce the incidence of diseases and promote longevity by modulating lipid homeostasis. **2021**, 13, 24655-24674
- 284 Genetic Determinants of Plasma Low-Density Lipoprotein Cholesterol Levels: Monogenicity, Polygenicity, and "Missing" Heritability. **2021**, 9,
- 283 The eigen higher criticism and eigen Berk-Jones tests for multiple trait association studies based on GWAS summary statistics.. **2022**, 46, 89-104 1

282	Human and rat skeletal muscle single-nuclei multi-omic integrative analyses nominate causal cell types, regulatory elements, and SNPs for complex traits. 2021 ,	5
281	Diet-Derived Antioxidants Do Not Decrease Risk of Ischemic Stroke: A Mendelian Randomization Study in 1 Million People. 2021 , 10, e022567	1
280	Effect of APOB polymorphism rs562338 (G/A) on serum proteome of coronary artery disease patients: a "proteogenomic" approach. 2021 , 11, 22766	
279	TRIB1 regulates LDL metabolism through CEBP-mediated effects on the LDL receptor in hepatocytes. 2021 , 131,	2
278	Targeted Nanotherapeutics Using LACTB Gene Therapy Against Melanoma. 2021 , 16, 7697-7709	1
277	Clinical utility of polygenic risk scores for coronary artery disease. 2021 ,	7
276	Genetic and functional evidence links a missense variant in to lower LDL and fibrinogen. 2021 , 374, 1221-1227	1
275	Novel therapeutic targets and agents for pediatric dyslipidemia. 2021 , 12, 20420188211058323	2
274	Mucin-Type O-GalNAc Glycosylation in Health and Disease. 2021 , 1325, 25-60	5
273	Polygenic architecture and cardiovascular risk of familial combined hyperlipidemia.. 2022 , 340, 35-43	2
272	Subcutaneous adipose tissue splice quantitative trait loci reveal differences in isoform usage associated with cardiometabolic traits.. 2022 , 109, 66-80	0
271	Genomic insights in ascending aortic size and distensibility.. 2021 , 75, 103783	1
270	Adipocyte-specific Tribbles Pseudokinase 1 Regulates Plasma Adiponectin and Plasma Lipids in Mice. 2021 , 101412	0
269	New therapeutic horizons for plasma phospholipid transfer protein (PLTP): Targeting endotoxemia, infection and sepsis.. 2021 , 108105	2
268	Heterogeneity in Alzheimer's Disease Diagnosis and Progression Rates: Implications for Therapeutic Trials.. 2022 , 1	2
267	Adipocyte-Specific Modulation of KLF14 Expression in Mice Leads to Sex-Dependent Impacts on Adiposity and Lipid Metabolism.. 2022 ,	1
266	Identification of genetic loci simultaneously associated with multiple cardiometabolic traits.. 2022 ,	0
265	Rare variants in previously identified linkage regions associated with carotid plaque in Dominican Republic families.. 2022 , 17, e0250799	

264	PSD3 downregulation confers protection against fatty liver disease.. 2022 , 4, 60-75	1
263	Pharmacogenetic loci for rosuvastatin are associated with intima-media thickness change and coronary artery disease risk.. 2021 ,	0
262	A common variant in 11q23.3 associated with hyperlipidemia is mediated by the binding and regulation of GATA4.. 2022 , 7, 4	0
261	Genome-wide association study of chronic sputum production implicates loci involved in mucus production and infection.	0
260	Genome-wide association study identifies SNPs for growth performance and serum indicators in Valgus-varus deformity broilers (Gallus gallus) using ddGBS sequencing.. 2022 , 23, 26	0
259	Human population genomics approach in food metabolism. 2022 , 433-449	
258	Genome-wide meta-analysis of phytosterols reveals five novel loci and a detrimental effect on coronary atherosclerosis.. 2022 , 13, 143	3
257	Integrative analysis of 3604 GWAS reveals multiple novel cell type-specific regulatory associations.. 2022 , 23, 13	1
256	Genetically predicted circulating levels of antioxidants & risk of breast and ovarian cancer.. 2022 ,	0
255	Rare coding variants in 35 genes associate with circulating lipid levels-A multi-ancestry analysis of 170,000 exomes.. 2021 ,	0
254	Comprehensive Statistical and Bioinformatics Analysis in the Deciphering of Putative Mechanisms by Which Lipid-Associated GWAS Loci Contribute to Coronary Artery Disease.. 2022 , 10,	1
253	Role of GALNT2 on Insulin Sensitivity, Lipid Metabolism and Fat Homeostasis.. 2022 , 23,	3
252	Polygenic risk scores for the diagnosis and management of dyslipidemia.. 2022 , 29,	1
251	Protein Phosphatase 1 Regulatory Subunit 3: A Prognostic Biomarker in Stomach Adenocarcinoma.. 2022 , 15, 1131-1146	
250	Coordination of inter-organelle communication and lipid fluxes by OSBP-related proteins.. 2022 , 101146	2
249	Simultaneous test and estimation of total genetic effect in eQTL integrative analysis through mixed models.. 2022 ,	
248	Effect of host genetics on the gut microbiome in 7,738 participants of the Dutch Microbiome Project.. 2022 , 54, 143-151	7
247	Interpreting Clinical Trials With Omega-3 Supplements in the Context of Ancestry and Genetic Variation.. 2021 , 8, 808054	0

246	Sortilin restricts secretion of apolipoprotein B-100 by hepatocytes under stressed but not basal conditions.. 2022,		2
245	The power of genetic diversity in genome-wide association studies of lipids. <i>Nature</i> , 2021,	50.4	24
244	A novel study to examine the association of rs505151 polymorphism and coronary artery disease in north Indian population. 2018, 97, 1371-1378		2
243	Association of rs2954029 and rs6982502 Variants with Coronary Artery Disease by HRM Technique: A GWAS Replication Study in an Iranian Population.. 2022, 10, 580-588		1
242	APOE and KLF14 genetic variants are sex-specific for low high-density lipoprotein cholesterol identified by a genome-wide association study.. 2022, 45, e20210280		1
241	Eating disorder symptoms and their associations with anthropometric and psychiatric polygenic scores.. 2022,		1
240	May Affect Coronary Artery Disease Risk by Altering , and Gene Expression and Circulating Granulin and Apolipoprotein B Protein Levels.. 2022, 9, 763015		0
239	Genetic, Molecular, and Cellular Determinants of Sex-Specific Cardiovascular Traits.. 2022, 130, 611-631		0
238	A Sex-Specific Genome-Wide Association Study of Depression Phenotypes in UK Biobank.		0
237	A single-cell atlas of human and mouse white adipose tissue.. <i>Nature</i> , 2022,	50.4	15
236	Common and Rare 5'UTR Variants Altering Upstream Open Reading Frames in Cardiovascular Genomics.. 2022, 9, 841032		1
235	Gene-lifestyle interactions in the genomics of human complex traits.. 2022,		0
234	Insights Into Genome-Wide Association Study for Diabetes: A Bibliometric and Visual Analysis From 2001 to 2021.. 2022, 13, 817620		1
233	HNF1A:From Monogenic Diabetes to Type 2 Diabetes and Gestational Diabetes Mellitus.. 2022, 13, 829565		0
232	Genetic and phenotypic links between obesity and extracellular vesicles.. 2022,		
231	Structural basis for the catalytic activity of filamentous human serine beta-lactamase-like protein LACTB.. 2022,		1
230	A novel role for GalNAc-T2 dependent glycosylation in energy homeostasis.. 2022, 101472		1
229	FinnGen: Unique genetic insights from combining isolated population and national health register data.		11

228	Blood lipid metabolism and the risk of gallstone disease: a multi-center study and meta-analysis.. 2022 , 21, 26	0
227	Human gain-of-function variants in HNF1A confer protection from diabetes but independently increase hepatic secretion of multiple cardiovascular disease risk factors.	1
226	Gene-based association tests using GWAS summary statistics and incorporating eQTL.. 2022 , 12, 3553	0
225	LDL-C Concentrations and the 12-SNP LDL-C Score for Polygenic Hypercholesterolaemia in Self-Reported South Asian, Black and Caribbean Participants of the UK Biobank.. 2022 , 13, 845498	2
224	Convergence of case-specific epigenetic alterations identify a confluence of genetic vulnerabilities tied to opioid overdose.. 2022 ,	0
223	Parent-of-origin effects propagate through networks to shape metabolic traits.. 2022 , 11,	0
222	Analysis of the APOB Gene and Apolipoprotein B Serum Levels in a Mexican Population with Acute Coronary Syndrome: Association with the Single Nucleotide Variants rs1469513, rs673548, rs676210, and rs1042034.. 2022 , 2022, 4901090	
221	Whole Exome/Genome Sequencing Joint Analysis of a Family with Oligogenic Familial Hypercholesterolemia.. 2022 , 12,	0
220	Phenotypic Causal Inference Using Genome-Wide Association Study Data: Mendelian Randomization and Beyond.. 2022 ,	0
219	Monogenic Versus Polygenic Forms of Hypercholesterolemia and Cardiovascular Risk: Are There Any Differences?. 2022 , 1	1
218	An Amish founder population reveals rare-population genetic determinants of the human lipidome.. 2022 , 5, 334	0
217	Twenty-Five Novel Loci for Carotid Intima-Media Thickness: A Genome-Wide Association Study in >45 000 Individuals and Meta-Analysis of >100 000 Individuals. 2021 , ATVBAHA121317007	0
216	Twelve Variants Polygenic Score for Low-Density Lipoprotein Cholesterol Distribution in a Large Cohort of Patients With Clinically Diagnosed Familial Hypercholesterolemia With or Without Causative Mutations.. 2022 , e023668	2
215	Retinoic Acid: Sexually Dimorphic, Anti-Insulin and Concentration-Dependent Effects on Energy.. 2022 , 14,	0
214	Genetic variation and intestinal cholesterol absorption in humans: A systematic review and a gene network analysis.. 2022 , 101164	
213	Impact of polyunsaturated fatty acid supplementation on assisted reproductive technology outcomes: a systematic review.. 2021 , 1-9	
212	Identification of Genetic Loci Simultaneously Associated with Multiple Cardiometabolic Traits.	
211	A Functional Variant in Interacts With Plasma Selenium Concentrations on 3-Year Lipid Changes: A Prospective Cohort Study.. 2021 , 8, 789577	

210	Epigenome-wide association study of serum urate reveals insights into urate co-regulation and the SLC2A9 locus. 2021 , 12, 7173	1
209	Implicating genes, pleiotropy and sexual dimorphism at blood lipid loci through multi-ancestry meta-analysis.	1
208	Lipid-Associated Variants near ANGPTL3 and LPL Show Parent-of-Origin Specific Effects on Blood Lipid Levels and Obesity.. 2021 , 13,	
207	A multi-layer functional genomic analysis to understand noncoding genetic variation in lipids.	0
206	Genomic dissection reveals QTLs for grain biomass and correlated traits under drought stress in Ethiopian durum wheat (<i>Triticum turgidum</i> ssp . durum).	0
205	Whole Exome Sequencing Reveals Damaging Gene Variants Associated with Hypoalphalipoproteinemia.. 2022 , 100209	
204	Differential Genetic and Epigenetic Effects of the Gene on Body Shape Indices and Metabolic Traits.. 2022 , 23,	2
203	Approach to patients with hypertriglyceridemia.. 2022 , 101659	1
202	Table_1.DOCX. 2019 ,	
201	Table_1.XLSX. 2019 ,	
200	Table_2.XLSX. 2019 ,	
199	Table_3.XLSX. 2019 ,	
198	Table_4.XLSX. 2019 ,	
197	DataSheet_1.xlsx. 2020 ,	
196	Image_1.jpeg. 2020 ,	
195	Data_Sheet_1.docx. 2019 ,	
194	Table_10.XLSX. 2019 ,	
193	Table_11.XLSX. 2019 ,	

192 Table_12.XLSX. 2019,

191 Table_2.XLSX. 2019,

190 Table_3.XLSX. 2019,

189 Table_4.XLSX. 2019,

188 Table_5.XLSX. 2019,

187 Table_6.XLSX. 2019,

186 Table_7.XLSX. 2019,

185 Table_8.XLSX. 2019,

184 Table_9.XLSX. 2019,

183 Presentation_1.pdf. 2019,

182 Image_1.tiff. 2020,

181 Image_2.tiff. 2020,

180 Image_3.tiff. 2020,

179 Image_4.tiff. 2020,

178 Image_5.tiff. 2020,

177 Image_6.tiff. 2020,

176 Table_1.pdf. 2020,

175 Table_2.pdf. 2020,

174 Table_3.pdf. **2020**,

173 Table_4.pdf. **2020**,

172 Table_5.pdf. **2020**,

171 Table_6.pdf. **2020**,

170 Table_7.pdf. **2020**,

169 DataSheet_1.zip. **2019**,

168 Data_Sheet_2.PDF. **2018**,

167 Table_1.xlsx. **2018**,

166 Table_1.docx. **2020**,

165 Data_Sheet_1.pdf. **2018**,

164 Data_Sheet_1.pdf. **2020**,

163 Image_1.PDF. **2018**,

162 Data_Sheet_1.docx. **2020**,

161 Table_1.xlsx. **2020**,

160 Table_10.xlsx. **2020**,

159 Table_11.xlsx. **2020**,

158 Table_12.xlsx. **2020**,

157 Table_2.xlsx. **2020**,

156 Table_3.xlsx. **2020**,

155 Table_4.xlsx. **2020**,

154 Table_5.xlsx. **2020**,

153 Table_6.xlsx. **2020**,

152 Table_7.xlsx. **2020**,

151 Table_8.xlsx. **2020**,

150 Table_9.xlsx. **2020**,

149 A two-sample robust Bayesian Mendelian Randomization method accounting for linkage disequilibrium and idiosyncratic pleiotropy with applications to the COVID-19 outcomes.. **2022**,

1

148 JMJD1C-regulated lipid synthesis contributes to the maintenance of -rearranged acute myeloid leukemia.. **2022**, 1-12

o

147 GWAS of Hematuria.. **2022**,

o

146 Brap regulates liver morphology and hepatocyte turnover via modulation of the Hippo pathway.. **2022**, 119, e2201859119

o

145 Hypertriglyceridemia in young adults with a 22q11.2 microdeletion.. **2022**, 187, 91-99

o

144 Genome-Wide Identification of Associations of Circulating Molecules With Spontaneous Coronary Artery Dissection and Aortic Aneurysm and Dissection.. **2022**, 9, 874912

o

143 IDOL deficiency inhibits cholesterol-rich diet-induced atherosclerosis in rabbits.

142 Effects of statins on the inducible degrader of low-density lipoprotein receptor in familial hypercholesterolemia.. **2022**,

o

141 Longitudinal relationships of polycyclic aromatic hydrocarbons exposure and genetic susceptibility with blood lipid profiles.. **2022**, 164, 107259

o

140 Effect of dietary astaxanthin on growth, body color, biochemical parameters and transcriptome profiling of juvenile blood parrotfish (*Vieja melanurus* ? [Amphilophus citrinellus ?]). **2022**, 24, 101142

139 Lipid metabolic genes and maternal supraphysiological hypercholesterolemia: an analysis of maternal-fetal interaction.. **2022**,

o

138	Molecular Quantitative Trait Locus Mapping in Human Complex Diseases.. 2022 , 2, e426	0
137	Association Mapping of Drought Tolerance Indices in Ethiopian Durum Wheat (<i>Triticum turgidum</i> ssp. durum). 2022 , 13,	0
136	A variant in the fibronectin (FN1) gene, rs1250229-T, is associated with decreased risk of coronary artery disease in familial hypercholesterolaemia. 2022 ,	
135	Triglyceride and Triglyceride-Rich Lipoproteins in Atherosclerosis. 2022 , 9,	0
134	APOE Molecular Spectrum in a French Cohort with Primary Dyslipidemia. 2022 , 23, 5792	0
133	Exome Sequencing Data Analysis and a Case-Control Study in Mexican Population Reveals Lipid Trait Associations of New and Known Genetic Variants in Dyslipidemia-Associated Loci. 2022 , 13,	
132	Unveiling the Function of the Mitochondrial Filament-Forming Protein LACTB in Lipid Metabolism and Cancer. 2022 , 11, 1703	1
131	Effects of individual amino acid mutations of zinc transporter ZIP8 on manganese- and cadmium-transporting activity. 2022 , 616, 26-32	2
130	ABO Blood Type Is Associated with Thrombotic Risk in Patients with Nonvalvular Atrial Fibrillation. 2022 , 11, 3064	0
129	Repurposing drugs to treat cardiovascular disease in the era of precision medicine.	2
128	Quantifying portable genetic effects and improving cross-ancestry genetic prediction with GWAS summary statistics.	1
127	Lipidome- and genome-wide study to understand sex differences in circulatory lipids.	
126	Inborn Errors of Lipoprotein Metabolism Presenting in Childhood. 2022 , 677-691	
125	Lipo-proteomic and metabolic fine-mapping of genetic lipid risk loci.	
124	Clinical Characteristics of Patients With HNF1-alpha MODY: A Literature Review and Retrospective Chart Review. 13,	
123	Folic acid effect on homocysteine, sortilin levels and glycemic control in type 2 diabetes mellitus patients. 2022 , 12,	0
122	A Gene Variation at the ZPR1 Locus (rs964184) Interacts With the Type of Diet to Modulate Postprandial Triglycerides in Patients With Coronary Artery Disease: From the Coronary Diet Intervention With Olive Oil and Cardiovascular Prevention Study. 9,	0
121	Sorting Through the Extensive and Confusing Roles of Sortilin in Metabolic Disease. 2022 , 100243	1

- 120 Large-scale genomic analyses reveal insights into pleiotropy across circulatory system diseases and nervous system disorders. **2022**, 13,
- 119 The glucocorticoid receptor represses, whereas C/EBP β can enhance or repress CYP26A1 transcription. **2022**, 25, 104564 ○
- 118 Associations between liver X receptor polymorphisms and blood lipids: A systematic review and meta-analysis. **2022**, 185, 109057 ○
- 117 Elevated plasma proprotein convertase subtilisin/kexin type-9 is associated with poor prognosis of acute myocardial infarction in hypertension patients. **2022**, 20, 1721727X2211072
- 116 Fundamental principles in cardiovascular genetics. **2022**, 123-147
- 115 Systemic inflammatory markers in relation to cognitive function and measures of brain atrophy: a Mendelian randomization study. 2
- 114 Genetic Architecture of Untargeted Lipidomics in Cardiometabolic-Disease Patients Combines Strong Polygenic Control and Pleiotropy. **2022**, 12, 596
- 113 Divalent Metal Uptake and the Role of ZIP8 in Host Defense Against Pathogens. 10, ○
- 112 Ethnic disparities attributed to the manifestation in and response to type 2 diabetes: insights from metabolomics. **2022**, 18, ○
- 111 Identifying genes targeted by disease-associated non-coding SNPs with a protein knowledge graph. **2022**, 17, e0271395
- 110 Multi-Cell-Type Openness-Weighted Association Studies for Trait-Associated Genomic Segments Prioritization. **2022**, 13, 1220
- 109 Molecular Alterations Caused by Alcohol Consumption in the UK Biobank: A Mendelian Randomisation Study. **2022**, 14, 2943
- 108 Hypertriglyceridemia. **2022**, ○
- 107 ILRUN Promotes Atherosclerosis Through Lipid-Dependent and Lipid-Independent Factors. ○
- 106 Contribution of organokines in the development of NAFLD/NASH associated hepatocellular carcinoma. ○
- 105 Polygenic risk score for hypercholesterolemia in a Brazilian familial hypercholesterolemia cohort. **2022**, 49, 47-55
- 104 Extended gene set analysis of human neuro-psychiatric traits shows enrichment in brain-expressed human accelerated regions across development. **2022**, 246, 148-155 ○
- 103 Assessment of the bi-directional relationship between blood mitochondrial DNA copy number and type 2 diabetes mellitus: a multivariable-adjusted regression and Mendelian randomisation study. 1

102	Identification of RNA modification-associated single nucleotide polymorphisms in genomic loci for low-density lipoprotein cholesterol concentrations.	
101	OMiCC: An expanded and enhanced platform for meta-analysis of public gene expression data. 2022 , 3, 101474	0
100	Biodiesel from microalgae: Recent progress and key challenges. 2022 , 93, 101020	3
99	The genetic interactions between non-alcoholic fatty liver disease and cardiovascular diseases. 13,	2
98	GWAS meta-analysis of intrahepatic cholestasis of pregnancy implicates multiple hepatic genes and regulatory elements. 2022 , 13,	0
97	A multi-layer functional genomic analysis to understand noncoding genetic variation in lipids. 2022 , 109, 1366-1387	0
96	Metabolic Effects of the Waist-To-Hip Ratio Associated Locus GRB14/COBLL1 Are Related to GRB14 Expression in Adipose Tissue. 2022 , 23, 8558	1
95	Exploring Lead loci shared between schizophrenia and Cardiometabolic traits. 2022 , 23,	0
94	Association of TGFB1 rs1800469 and BCMO1 rs6564851 with coronary heart disease and IL1B rs16944 with all-cause mortality in men from the Northern Ireland PRIME study. 2022 , 17, e0273333	0
93	Disentangling Genetic Risks for Metabolic Syndrome.	
92	A Mendelian randomization-based exploration of red blood cell distribution width and mean corpuscular volume with risk of hemorrhagic strokes. 2022 , 3, 100135	0
91	LACTB suppresses migration and invasion of glioblastoma via downregulating RHOC/Cofilin signaling pathway. 2022 , 629, 17-25	0
90	Biomarkers in Disease: Diabetes Methods, Discoveries and Applications. 2022 , 1-16	0
89	Polygenic Risk of Hypertriglyceridemia Is Modified by BMI. 2022 , 23, 9837	0
88	A mechanism for red coloration in vertebrates. 2022 ,	1
87	A Genome-Wide Association Study of Genetic Variants of Apolipoprotein A1 Levels and Their Association with Vitamin D in Korean Cohorts. 2022 , 13, 1553	0
86	HLA-DRA Gene Polymorphisms Are Associated with Graves Disease as an Autoimmune Thyroid Disease. 2022 , 2022, 1-8	2
85	Triglyceride Aktuelle Bewertung als Risikomarker und Therapieziele. 2022 , 147, 1286-1295	0

- 84 The schizophrenia-associated missense variant rs13107325 regulates dendritic spine density. **2022**, 12, ○
- 83 Multi-context genetic modeling of transcriptional regulation resolves novel disease loci. **2022**, 13, ○
- 82 Population-based meta-analysis and gene-set enrichment identifies FXR / RXR pathway as common to fatty liver disease and serum lipids. ○
- 81 Cold shock domain-containing protein E1 is a posttranscriptional regulator of the LDL receptor. **2022**, 14, ○
- 80 Biomarkers in Disease: Diabetes Methods, Discoveries, and Applications. **2023**, 395-409 ○
- 79 Genetic and molecular architecture of familial hypercholesterolemia. 1
- 78 Lipidome- and Genome-Wide Study to Understand Sex Differences in Circulatory Lipids. **2022**, 11, ○
- 77 Type O blood, the MCHC, and the reticulocyte count impact the early recurrence of primary warm-antibody autoimmune hemolytic anemia in children: A retrospective cohort analysis. 10, ○
- 76 Multi-trait genome-wide association analyses leveraging alcohol use disorder findings identify novel loci for smoking behaviors in the Million Veteran Program. ○
- 75 scGWAS: landscape of trait-cell type associations by integrating single-cell transcriptomics-wide and genome-wide association studies. **2022**, 23, ○
- 74 TM6SF2 rs58542926 is related to hepatic steatosis, fibrosis and serum lipids both in adults and children: A meta-analysis. 13, ○
- 73 Sex-specific genetic loci linked to early and late onset type 2 diabetes. ○
- 72 Global mapping of GalNAc-T isoform-specificities and O-glycosylation site-occupancy in a tissue-forming human cell line. **2022**, 13, ○
- 71 Myeloid- and hepatocyte-specific deletion of group VIA calcium-independent phospholipase A2 leads to dichotomous opposing phenotypes during MCD diet-induced NASH. **2022**, 166590 ○
- 70 Assessing the genetic burden of familial hypercholesterolemia in a large middle eastern biobank. **2022**, 20, ○
- 69 Circulating Soluble CD163, Associations With Cardiovascular Outcomes and Mortality, and Identification of Genetic Variants in Older Individuals: The Cardiovascular Health Study. **2022**, 11, 1
- 68 Cargo-Specific Role for Retriever Subunit VPS26C in Hepatocyte Lipoprotein Receptor Recycling to Control Postprandial Triglyceride-Rich Lipoproteins. ○
- 67 Cluster Analysis Identified Clinically Relevant Metabolic Syndrome Endophenotypes. ○

- 66 Linear and nonlinear analyses of the association between low-density lipoprotein cholesterol and diabetes: The spurious U-curve in observational study. 13, 0
- 65 The epitranscriptome: RNA modifications in vascular remodelling. 2022, 0
- 64 Comparative immune-relevant transcriptome reveals the evolutionary basis of complex traits. 2022, 105572 0
- 63 Genomic study of maternal lipid traits in early pregnancy concurs with four known adult lipid loci. 2022, 0
- 62 Evaluation of rs1748195 ANGPTL3 gene polymorphism in patients with angiographic coronary artery disease compared to healthy individuals. 0
- 61 Insight into genetic, biological, and environmental determinants of sexual-dimorphism in type 2 diabetes and glucose-related traits. 9, 0
- 60 Common and Rare Variants Associated with Cardiometabolic Traits across 98,622 Whole-Genome Sequences in the All of Us Research Program. 0
- 59 Serum cholesterol and the risk of developing hormonally driven cancers: A narrative review. 0
- 58 Low leukocyte mitochondrial DNA abundance drives atherosclerotic cardiovascular diseases: cohort and Mendelian randomization study. 0
- 57 Genetics of Cholesterol-Related Genes in Metabolic Syndrome: A Review of Current Evidence. 2022, 10, 3239 2
- 56 GWAS meta-analysis of resistance against *Piscirickettsia salmonis* in Atlantic salmon. 0
- 55 Patterns of gene expression and allele-specific expression vary among macular tissues and clinical stages of Age-related Macular Degeneration. 0
- 54 Identifying the Genetic Basis of Mineral Elements in Rice Grain Using Genome-Wide Association Mapping. 2022, 13, 2330 0
- 53 Identification and genetic analysis of major gene ST3GAL4 related to serum alkaline phosphatase in chicken. 2022, 0
- 52 Association of the ANGPTL3 gene polymorphisms and haplotypes with cardiovascular diseases in Birjand longitudinal aging study (BLAS). 2022, 23, 0
- 51 An allelic series rare variant association test for candidate gene discovery. 0
- 50 Association of CELSR2, APOB100, ABCG5/8, LDLR, and APOE polymorphisms and their genetic risks with lipids among the Thai subjects. 2022, 103554 0
- 49 A new 165-SNP low-density lipoprotein cholesterol polygenic risk score based on next generation sequencing outperforms previously published scores in routine diagnostics of familial hypercholesterolemia. 2022, 0

48	From Omics to Multi-omics Technologies: the Discovery of Novel Causal Mediators.	2
47	Interaction between SIRT2 and ABCA1 Variants with Nutrients on HDL-c Levels in Mexican Adults. 2023 , 15, 370	0
46	The genomic and bioclimatic characterization of Ethiopian barley (<i>Hordeum vulgare</i> L.) unveils challenges and opportunities to adapt to a changing climate.	0
45	Case report: Therapy adherence, MTP variants, and course of atheroma in two patients with HoFH on low-dose, long-term lomitapide therapy. 13,	0
44	Perinatal Lead Exposure Promotes Sex-Specific Epigenetic Programming of Disease-Relevant Pathways in Mouse Heart. 2023 , 11, 85	0
43	Transfer Learning with False Negative Control Improves Polygenic Risk Prediction.	0
42	Elevated Lp(a) Levels Correlate with Severe and Multiple Coronary Artery Stenotic Lesions. Volume 19, 31-41	0
41	Implicating genes, pleiotropy, and sexual dimorphism at blood lipid loci through multi-ancestry meta-analysis. 2022 , 23,	0
40	FinnGen provides genetic insights from a well-phenotyped isolated population. 2023 , 613, 508-518	1
39	Imaging modalities for congenital heart disease and genetic polymorphism associated with coronary artery and cardiovascular diseases. 2023 , 169-203	0
38	Genome-wide association analysis of plasma lipidome identifies 495 genetic associations.	0
37	Nonalcoholic fatty liver disease and cardiovascular disease. 2023 , 11-16	0
36	An adaptive test based on principal components for detecting multiple phenotype associations using GWAS summary data.	0
35	Impact of ankylosing spondylitis on stroke limited to specific subtypes: Evidence from Mendelian randomization study. 13,	0
34	Biochemical Activation and Regulatory Functions of Trans-Regulatory KLF14 and Its Association with Genetic Polymorphisms. 2023 , 13, 199	0
33	Sortilin and hypertension. 2023 , 32, 134-140	1
32	Causal association between cardiovascular diseases and erectile dysfunction, a Mendelian randomization study. 10,	0
31	Fast and accurate Bayesian polygenic risk modeling with variational inference. 2023 ,	0

- 30 Analysis of association of apolipoprotein genes APOA2, APOA5 and APOH variants with hyperlipidemia. **2023**, 19, 6-18 ○
- 29 The phospholipase A2 superfamily as a central hub of bioactive lipids and beyond. **2023**, 244, 108382 ○
- 28 ANGPTL3 inhibition, dyslipidemia, and cardiovascular diseases. **2023**, ○
- 27 A sex-specific genome-wide association study of depression phenotypes in UK Biobank. ○
- 26 A case control study on the relationship between occupational stress and genetic polymorphism and dyslipidemia in coal miners. **2023**, 13, ○
- 25 Gene-Nutrient Interactions in Obesity: COBLL1 Genetic Variants Interact with Dietary Fat Intake to Modulate the Incidence of Obesity. **2023**, 24, 3758 ○
- 24 Quantifying portable genetic effects and improving cross-ancestry genetic prediction with GWAS summary statistics. **2023**, 14, ○
- 23 Role of a novel mouse mutant of the Galnt2tm1Lat/tm1Lat gene in otitis media. 13, ○
- 22 Genome-wide association study reveals markers and candidate genes associated with growth in the rice flower carp, an economic fish species of integrated rice-fish culture in China. 10, ○
- 21 Association of clinical and genetic risk factors with management of dyslipidaemia: analysis of repeated cross-sectional studies in the general population of Lausanne, Switzerland. **2023**, 13, e065409 ○
- 20 Causal Inference in Transcriptome-Wide Association Studies with Invalid Instruments and GWAS Summary Data. 1-27 ○
- 19 Genome-wide analysis identifies genetic effects on reproductive success and ongoing natural selection at the FADS locus. ○
- 18 Leveraging Genetics to Address the Role of GALNT2 on Atherogenic Dyslipidemia. 2200319 ○
- 17 PPP1R3B is a metabolic switch that shifts hepatic energy storage from lipid to glycogen. ○
- 16 Mid-Life Plasmalogens and Other Metabolites with Anti-Inflammatory Properties are Inversely Associated with Long term Cardiovascular Disease Events: Heart SCORE Study. ○
- 15 Hypercholesterolemia in the Malaysian Cohort Participants: Genetic and Non-Genetic Risk Factors. **2023**, 14, 721 ○
- 14 Association analyses of predicted loss-of-function variants prioritized 15 genes as blood pressure regulators. ○
- 13 Age and Genetic Risk Score and Rates of Blood Lipid Changes in China. **2023**, 6, e235565 ○

- 12 Frequencies of variants in genes associated with dyslipidemias identified in Costa Rican genomes. 14, ○
- 11 Non-coding and intergenic genetic variants of human arylamine N-acetyltransferase 2 (NAT2) gene are associated with differential plasma lipid and cholesterol levels and cardiometabolic disorders. 14, ○
- 10 Identifying the potential causal role of insomnia symptoms on 11,409 health-related outcomes: a phenome-wide Mendelian randomisation analysis in UK Biobank. **2023**, 21, ○
- 9 StocSum: stochastic summary statistics for whole genome sequencing studies. ○
- 8 The GCKR-P446L gene variant predisposes to raised blood cholesterol and lower blood glucose in the P446L mouse-a model for GCKR rs1260326. **2023**, 72, 101722 ○
- 7 Blood group in relation to oral Fordyce's granules and serum cholesterol level. ○
- 6 The Leap of Inulin Fructans from Food Industry to Medical Application. ○
- 5 Exogenous exposures shape genetic predisposition to lipids, Alzheimer's, and coronary heart disease in the MLXIPL gene locus. ○
- 4 Common and rare variants associated with cardiometabolic traits across 98,622 whole-genome sequences in the All of Us research program. ○
- 3 Effect of Type 2 Diabetes on the Inducible Degradation of LDL Receptor. **2023**, 100380 ○
- 2 Hypercholesterolemia induced by spontaneous oligogenic mutations in rhesus macaques (*Macaca mulatta*). ○
- 1 Diseases of the musculoskeletal system and connective tissue and risk of breast cancer: Mendelian randomization study in European and East Asian populations. 13, ○