

A substantial population of low-mass stars in luminous

Nature

468, 940-942

DOI: [10.1038/nature09578](https://doi.org/10.1038/nature09578)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Asymmetric dark matter may alter the evolution of very low-mass stars and brown dwarfs. Physical Review D, 2011, 84, .	1.6	22
2	Physical Properties of Galaxies from $z = 2$ to $z = 4$. Annual Review of Astronomy and Astrophysics, 2011, 49, 525-580.	8.1	126
3	ON THE ORIGIN OF STELLAR MASSES. Astrophysical Journal, 2011, 743, 110.	1.6	75
4	METALLICITY AND THE UNIVERSALITY OF THE INITIAL MASS FUNCTION. Astrophysical Journal, 2011, 735, 49.	1.6	43
5	Star formation near an obscured AGN. Astronomy and Astrophysics, 2011, 536, A41.	2.1	29
6	Ca, Fe, AND Mg TRENDS AMONG AND WITHIN ELLIPTICAL GALAXIES. Astrophysical Journal, 2011, 729, 148.	1.6	28
7	CONFIRMATION OF ENHANCED DWARF-SENSITIVE ABSORPTION FEATURES IN THE SPECTRA OF MASSIVE ELLIPTICAL GALAXIES: FURTHER EVIDENCE FOR A NON-UNIVERSAL INITIAL MASS FUNCTION. Astrophysical Journal Letters, 2011, 735, L13.	3.0	97
8	REDSHIFT EVOLUTION OF THE GALAXY VELOCITY DISPERSION FUNCTION. Astrophysical Journal Letters, 2011, 737, L31.	3.0	75
9	Multiwavelength campaign on Mrk 509. Astronomy and Astrophysics, 2011, 534, A42.	2.1	12
10	The SWELLS survey - II. Breaking the disc-halo degeneracy in the spiral galaxy gravitational lens SDSS J2141+0001.... Monthly Notices of the Royal Astronomical Society, 2011, 417, 1621-1642.	1.6	64
11	Dynamical masses of early-type galaxies: a comparison to lensing results and implications for the stellar initial mass function and the distribution of dark matter. Monthly Notices of the Royal Astronomical Society, 2011, 415, 545-562.	1.6	155
12	Two-dimensional kinematics of SLACS lenses - III. Mass structure and dynamics of early-type lens galaxies beyond $z \approx 0.1$. Monthly Notices of the Royal Astronomical Society, 2011, 415, 2215-2232.	1.6	194
13	Dark halo response and the stellar initial mass function in early-type and late-type galaxies. Monthly Notices of the Royal Astronomical Society, 2011, , no-no.	1.6	63
14	Secondary infall model and dark matter scaling relations in intermediate-redshift early-type galaxies. Monthly Notices of the Royal Astronomical Society, 2011, 416, 1822-1835.	1.6	36
15	Stellar mass-to-light ratio gradients in galaxies: correlations with mass. Monthly Notices of the Royal Astronomical Society, 2011, 418, 1557-1564.	1.6	38
16	The X-Shooter Lens Survey - I. Dark matter domination and a Salpeter-type initial mass function in a massive early-type galaxy. Monthly Notices of the Royal Astronomical Society, 2011, 417, 3000-3009.	1.6	79
17	The Cosmic History of Star Formation. Science, 2011, 333, 178-181.	6.0	8
18	STAR CLUSTERS IN M31. V. INTERNAL DYNAMICAL TRENDS: SOME TROUBLESOME, SOME REASSURING. Astronomical Journal, 2011, 142, 8.	1.9	121

#	ARTICLE	IF	CITATIONS
19	AN ALL-SKY CATALOG OF BRIGHT M DWARFS. <i>Astronomical Journal</i> , 2011, 142, 138.	1.9	211
20	Relaxation and stripping - The evolution of sizes, dispersions and dark matter fractions in major and minor mergers of elliptical galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 425, 3119-3136.	1.6	124
21	Implications and Applications of Kinematic Galaxy Scaling Relations. <i>ISRN Astronomy and Astrophysics</i> , 2012, 2012, 1-15.	0.2	9
22	Calibration of Star-Formation Rate Measurements Across the Electromagnetic Spectrum. <i>Proceedings of the International Astronomical Union</i> , 2012, 10, 495-527.	0.0	1
23	CONVERTING FROM 3.6 AND 4.5 μ m FLUXES TO STELLAR MASS. <i>Astronomical Journal</i> , 2012, 143, 139.	1.9	147
24	Stars throw their weight in old galaxies. <i>Nature</i> , 2012, 484, 462-463.	13.7	0
25	FURTHER EVIDENCE FOR LARGE CENTRAL MASS-TO-LIGHT RATIOS IN EARLY-TYPE GALAXIES: THE CASE OF ELLIPTICALS AND LENTICULARS IN THE A262 CLUSTER. <i>Astronomical Journal</i> , 2012, 144, 78.	1.9	46
26	Dark matter and alternative recipes for the missing mass. <i>Journal of Physics: Conference Series</i> , 2012, 354, 012021.	0.3	2
27	THE STAR FORMATION HISTORIES OF $z \sim 2$ DUST-OBSCURED GALAXIES AND SUBMILLIMETER-SELECTED GALAXIES. <i>Astrophysical Journal</i> , 2012, 744, 150.	1.6	30
28	DISENTANGLING BARYONS AND DARK MATTER IN THE SPIRAL GRAVITATIONAL LENS B1933+503. <i>Astrophysical Journal</i> , 2012, 750, 10.	1.6	119
29	EVOLUTION OF QUIESCENT AND STAR-FORMING GALAXIES SINCE $z \sim 1.5$ AS A FUNCTION OF THEIR VELOCITY DISPERSIONS. <i>Astrophysical Journal</i> , 2012, 760, 62.	1.6	45
30	LOW-MASS X-RAY BINARIES INDICATE A TOP-HEAVY STELLAR INITIAL MASS FUNCTION IN ULTRACOMPACT DWARF GALAXIES. <i>Astrophysical Journal</i> , 2012, 747, 72.	1.6	80
31	Future prospects in observational galaxy evolution: towards increased resolution. <i>Proceedings of the International Astronomical Union</i> , 2012, 8, 368-375.	0.0	0
32	The stellar populations of massive galaxies in the local Universe. <i>Proceedings of the International Astronomical Union</i> , 2012, 8, 290-299.	0.0	0
33	Dynamical masses of early-type galaxies at $z \sim 2$. <i>Proceedings of the International Astronomical Union</i> , 2012, 8, 37-44.	0.0	0
34	Understanding the growth of massive galaxies via stellar populations. <i>Proceedings of the International Astronomical Union</i> , 2012, 8, 125-128.	0.0	0
35	The XLENS Project: Do More Massive Early-Type Galaxies Have More Dark Matter or Different Stellar IMFs?. <i>Proceedings of the International Astronomical Union</i> , 2012, 8, 221-224.	0.0	0
36	Stellar Population Models. <i>Proceedings of the International Astronomical Union</i> , 2012, 8, 272-281.	0.0	3

#	ARTICLE	IF	CITATIONS
37	CAN MINOR MERGING ACCOUNT FOR THE SIZE GROWTH OF QUIESCENT GALAXIES? NEW RESULTS FROM THE CANDELS SURVEY. <i>Astrophysical Journal</i> , 2012, 746, 162.	1.6	374
38	EVIDENCE FOR TWO DISTINCT STELLAR INITIAL MASS FUNCTIONS. <i>Astrophysical Journal</i> , 2012, 761, 93.	1.6	27
39	EVIDENCE FOR A MILD STEEPENING AND BOTTOM-HEAVY INITIAL MASS FUNCTION IN MASSIVE GALAXIES FROM SODIUM AND TITANIUM-OXIDE INDICATORS. <i>Astrophysical Journal Letters</i> , 2012, 753, L32.	3.0	155
40	THE INTEGRATED STELLAR CONTENT OF DARK MATTER HALOS. <i>Astrophysical Journal</i> , 2012, 746, 95.	1.6	101
41	COUNTING LOW-MASS STARS IN INTEGRATED LIGHT. <i>Astrophysical Journal</i> , 2012, 747, 69.	1.6	198
42	Probing the peak of the star formation rate density with the extragalactic background light. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 426, 1097-1106.	1.6	16
43	The SLUGGS survey: calcium triplet-based spectroscopic metallicities for over 900 globular clusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 426, 1475-1495.	1.6	106
44	Confronting MOND and TeVeS with strong gravitational lensing over galactic scales: An extended survey. <i>Physical Review D</i> , 2012, 86, .	1.6	19
45	Systematic variation of the stellar initial mass function in early-type galaxies. <i>Nature</i> , 2012, 484, 485-488.	13.7	496
46	Observed versus modelled u -, g -, r -, i -, z -band photometry of local galaxies – evaluation of model performance. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 427, 2376-2391.	1.6	14
47	The stellar initial mass function in red-sequence galaxies: 1- μ m spectroscopy of Coma cluster galaxies with Subaru/FMOS. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 426, 2994-3007.	1.6	57
48	On the fraction of star formation occurring in bound stellar clusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 426, 3008-3040.	1.6	331
49	Observational Evidence of Active Galactic Nuclei Feedback. <i>Annual Review of Astronomy and Astrophysics</i> , 2012, 50, 455-489.	8.1	1,890
50	THE ELIXr GALAXY SURVEY. II. BARYONS AND DARK MATTER IN AN ISOLATED ELLIPTICAL GALAXY. <i>Astrophysical Journal</i> , 2012, 755, 166.	1.6	34
51	THE STELLAR INITIAL MASS FUNCTION IN EARLY-TYPE GALAXIES FROM ABSORPTION LINE SPECTROSCOPY. I. DATA AND EMPIRICAL TRENDS. <i>Astrophysical Journal</i> , 2012, 760, 70.	1.6	103
52	EVIDENCE FOR DARK MATTER CONTRACTION AND A SALPETER INITIAL MASS FUNCTION IN A MASSIVE EARLY-TYPE GALAXY. <i>Astrophysical Journal</i> , 2012, 752, 163.	1.6	137
53	GALAXIES IN X-RAY GROUPS. II. A WEAK LENSING STUDY OF HALO CENTERING. <i>Astrophysical Journal</i> , 2012, 757, 2.	1.6	118
54	ELLIPTICAL GALAXY MASSES OUT TO FIVE EFFECTIVE RADII: THE REALM OF DARK MATTER. <i>Astrophysical Journal</i> , 2012, 748, 2.	1.6	65

#	ARTICLE	IF	CITATIONS
55	THE STELLAR INITIAL MASS FUNCTION IN EARLY-TYPE GALAXIES FROM ABSORPTION LINE SPECTROSCOPY. II. RESULTS. <i>Astrophysical Journal</i> , 2012, 760, 71.	1.6	411
56	The impact of magnetic fields on the IMF in star-forming clouds near a supermassive black hole. <i>Astronomy and Astrophysics</i> , 2012, 545, A46.	2.1	4
57	On the inconsistency between the estimates of cosmic star formation rate and stellar mass density of high-redshift galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 419, 1280-1284.	1.6	18
58	On the cosmological evolution of the black hole-host galaxy relation in quasars. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 420, 732-744.	1.6	21
59	Evidence for a non-universal stellar initial mass function in low-redshift high-density early-type galaxies. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2012, 422, L33-L37.	1.2	71
60	Unlocking the secrets of stellar haloes using combined star counts and surface photometry. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, , no-no.	1.6	2
61	The SWELLS survey - III. Disfavouring α -heavy initial mass functions for spiral lens galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 422, 3574-3590.	1.6	47
62	Resolving the inner structure of QSO discs through fold-caustic-crossing events. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 423, 676-693.	1.6	17
63	The SWELLS survey - IV. Precision measurements of the stellar and dark matter distributions in a spiral lens galaxy. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 423, 1073-1088.	1.6	77
64	MIUSCAT: extended MILES spectral coverage - II. Constraints from optical photometry. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 424, 172-189.	1.6	55
65	MIUSCAT: extended MILES spectral coverage - I. Stellar population synthesis models. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 424, 157-171.	1.6	248
66	THE AVERAGE STAR FORMATION HISTORIES OF GALAXIES IN DARK MATTER HALOS FROM $z = 0-8$. <i>Astrophysical Journal</i> , 2013, 770, 57.	1.6	1,633
67	Modeling the Panchromatic Spectral Energy Distributions of Galaxies. <i>Annual Review of Astronomy and Astrophysics</i> , 2013, 51, 393-455.	8.1	626
68	Systematic variation of the stellar initial mass function with velocity dispersion in early-type galaxies. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2013, 429, L15-L19.	1.2	184
69	The Galactic Bulge. , 2013, , 271-346.		26
70	The Stellar and Sub-Stellar Initial Mass Function of Simple and Composite Populations. , 2013, , 115-242.		196
71	Electrofuels: A New Paradigm for Renewable Fuels. , 2013, , 1037-1064.		24
72	SPIDER VIII α constraints on the stellar initial mass function of early-type galaxies from a variety of spectral features. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 433, 3017-3047.	1.6	226

#	ARTICLE	IF	CITATIONS
73	The ATLAS3D project â€“ XV. Benchmark for early-type galaxies scaling relations from 260 dynamical models: mass-to-light ratio, dark matter, Fundamental Plane and Mass Plane. Monthly Notices of the Royal Astronomical Society, 2013, 432, 1709-1741.	1.6	532
74	The ATLAS3D project â€“ XXII. Low-efficiency star formation in early-type galaxies: hydrodynamic models and observations. Monthly Notices of the Royal Astronomical Society, 2013, 432, 1914-1927.	1.6	94
75	A spectroscopic and proper motion search of Sloan Digital Sky Survey: red subdwarfs in binary systems. Monthly Notices of the Royal Astronomical Society, 2013, 434, 1005-1027.	1.6	28
76	How do minor mergers promote inside-out growth of ellipticals, transforming the size, density profile and dark matter fraction?. Monthly Notices of the Royal Astronomical Society, 2013, 429, 2924-2933.	1.6	221
77	The cosmic evolution of the IMF under the Jeans conjecture with implications for massive galaxies. Monthly Notices of the Royal Astronomical Society, 2013, 436, 2892-2906.	1.6	26
78	Submillimetre galaxies in a hierarchical universe: number counts, redshift distribution and implications for the IMF. Monthly Notices of the Royal Astronomical Society, 2013, 428, 2529-2547.	1.6	165
79	Universal IMF versus dark halo response in early-type galaxies: breaking the degeneracy with the Fundamental Plane. Monthly Notices of the Royal Astronomical Society, 2013, 432, 2496-2511.	1.6	87
80	The SWELLS survey â€“ V. A Salpeter stellar initial mass function in the bulges of massive spiral galaxies. Monthly Notices of the Royal Astronomical Society, 2013, 428, 3183-3195.	1.6	65
81	A low-mass cut-off near the hydrogen burning limit for Salpeter-like initial mass functions in early-type galaxies. Monthly Notices of the Royal Astronomical Society, 2013, 436, 253-258.	1.6	66
82	Modelling element abundances in semi-analytic models of galaxy formation. Monthly Notices of the Royal Astronomical Society, 2013, 435, 3500-3520.	1.6	87
83	Properties and morphologies of Lyman break galaxies at $z \sim 1$ in the Chandra Deep Field South, inferred from spectral energy distributions. Monthly Notices of the Royal Astronomical Society, 2013, 431, 2080-2105.	1.6	5
84	The galaxy-wide initial mass function of dwarf late-type to massive early-type galaxies. Monthly Notices of the Royal Astronomical Society, 2013, 436, 3309-3320.	1.6	76
85	The ATLAS3D project â€“ XX. Massâ€“size and massâ€“lf distributions of early-type galaxies: bulge fraction drives kinematics, mass-to-light ratio, molecular gas fraction and stellar initial mass function. Monthly Notices of the Royal Astronomical Society, 2013, 432, 1862-1893.	1.6	496
86	Effect of the Remnant Mass in Estimating the Stellar Mass of Galaxies. Publication of the Astronomical Society of Japan, 2013, 65, .	1.0	6
87	Measuring the total and baryonic mass profiles of the very massive CASSOWARY 31 strong lens. A fossil system at $z \sim 0.7$?... Monthly Notices of the Royal Astronomical Society, 2013, 433, 2604-2612.	1.6	9
88	Gas giants in hot water: inhibiting giant planet formation and planet habitability in dense star clusters through cosmic time. Monthly Notices of the Royal Astronomical Society, 2013, 431, 63-79.	1.6	40
89	Variations in the stellar CMF and IMF: from bottom to top. Monthly Notices of the Royal Astronomical Society, 2013, 433, 170-177.	1.6	63
90	The (galaxy-wide) IMF in giant elliptical galaxies: from top to bottom. Monthly Notices of the Royal Astronomical Society, 2013, 435, 2274-2280.	1.6	69

#	ARTICLE	IF	CITATIONS
91	The Atacama Cosmology Telescope: the stellar content of galaxy clusters selected using the Sunyaev-Zel'dovich effect. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 435, 3469-3480.	1.6	20
92	The impact of a non-universal Initial Mass Function on the star formation histories of early-type galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 431, 440-454.	1.6	32
93	EVIDENCE FOR TWO DISTINCT STELLAR INITIAL MASS FUNCTIONS: REVISITING THE EFFECTS OF CLUSTER DYNAMICAL EVOLUTION. <i>Astrophysical Journal</i> , 2013, 770, 121.	1.6	17
94	A POPULATION OF MASSIVE, LUMINOUS GALAXIES HOSTING HEAVILY DUST-OBSCURED GAMMA-RAY BURSTS: IMPLICATIONS FOR THE USE OF GRBs AS TRACERS OF COSMIC STAR FORMATION. <i>Astrophysical Journal</i> , 2013, 778, 128.	1.6	160
95	PERSPECTIVES ON INTRACLUSTER ENRICHMENT AND THE STELLAR INITIAL MASS FUNCTION IN ELLIPTICAL GALAXIES. <i>Astrophysical Journal</i> , 2013, 773, 52.	1.6	20
96	THE SL2S GALAXY-SCALE LENS SAMPLE. IV. THE DEPENDENCE OF THE TOTAL MASS DENSITY PROFILE OF EARLY-TYPE GALAXIES ON REDSHIFT, STELLAR MASS, AND SIZE. <i>Astrophysical Journal</i> , 2013, 777, 98.	1.6	160
97	<i>HST</i> /WFC3 CONFIRMATION OF THE INSIDE-OUT GROWTH OF MASSIVE GALAXIES AT $0 < z < 2$ AND IDENTIFICATION OF THEIR STAR-FORMING PROGENITORS AT $z \sim 3$. <i>Astrophysical Journal</i> , 2013, 766, 15.	1.6	183
98	THE RICH GLOBULAR CLUSTER SYSTEM OF ABELL 1689 AND THE RADIAL DEPENDENCE OF THE GLOBULAR CLUSTER FORMATION EFFICIENCY. <i>Astrophysical Journal</i> , 2013, 775, 20.	1.6	43
99	OPTICAL-NEAR-INFRARED COLOR GRADIENTS AND MERGING HISTORY OF ELLIPTICAL GALAXIES. <i>Astrophysical Journal</i> , 2013, 766, 109.	1.6	19
100	STELLAR POPULATIONS AND EVOLUTION OF EARLY-TYPE CLUSTER GALAXIES: CONSTRAINTS FROM OPTICAL IMAGING AND SPECTROSCOPY OF $0.5 < z < 0.9$ GALAXY CLUSTERS. <i>Astronomical Journal</i> , 2013, 145, 77.	1.9	61
101	A giant elliptical galaxy with a lightweight initial mass function... <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 434, 1964-1977.	1.6	73
102	X-ray emission from the ultramassive black hole candidate NGC 1277: implications and speculations on its origin. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2013, 431, L38-L42.	1.2	21
103	THE DARK MATTER HALO CONCENTRATION AND STELLAR INITIAL MASS FUNCTION OF A CASSOWARY GROUP. <i>Astrophysical Journal</i> , 2013, 773, 7.	1.6	8
104	THE EFFECT OF SECOND-GENERATION POPULATIONS ON THE INTEGRATED COLORS OF METAL-RICH GLOBULAR CLUSTERS IN EARLY-TYPE GALAXIES. <i>Astrophysical Journal Letters</i> , 2013, 769, L3.	3.0	12
105	DYNAMICAL VERSUS STELLAR MASSES IN COMPACT EARLY-TYPE GALAXIES: FURTHER EVIDENCE FOR SYSTEMATIC VARIATION IN THE STELLAR INITIAL MASS FUNCTION. <i>Astrophysical Journal Letters</i> , 2013, 776, L26.	3.0	79
106	THE MASS DISTRIBUTION AND $M_{<i>L</i>}/M_{<i>L</i>}$ RATIOS IN NGC 5953/5954. <i>Astronomical Journal</i> , 2013, 146, 121.	1.9	0
107	TIGHT CORRELATIONS BETWEEN MASSIVE GALAXY STRUCTURAL PROPERTIES AND DYNAMICS: THE MASS FUNDAMENTAL PLANE WAS IN PLACE BY $z \sim 2$. <i>Astrophysical Journal Letters</i> , 2013, 779, L21.	3.0	56
108	ORIGIN OF A BOTTOM-HEAVY STELLAR INITIAL MASS FUNCTION IN ELLIPTICAL GALAXIES. <i>Astrophysical Journal</i> , 2013, 779, 9.	1.6	14

#	ARTICLE	IF	CITATIONS
109	ON THE NATURE OF SODIUM EXCESS OBJECTS. I. DATA AND OBSERVED TRENDS. <i>Astrophysical Journal, Supplement Series</i> , 2013, 208, 7.	3.0	37
110	THE OPTICAL COLORS OF GIANT ELLIPTICAL GALAXIES AND THEIR METAL-RICH GLOBULAR CLUSTERS INDICATE A BOTTOM-HEAVY INITIAL MASS FUNCTION. <i>Astrophysical Journal</i> , 2013, 762, 107.	1.6	26
111	On central black holes in ultra-compact dwarf galaxies. <i>Astronomy and Astrophysics</i> , 2013, 558, A14.	2.1	80
112	The Dawes Review 1: Kinematic Studies of Star-Forming Galaxies Across Cosmic Time. <i>Publications of the Astronomical Society of Australia</i> , 2013, 30, .	1.3	117
113	THE DENSITY PROFILES OF MASSIVE, RELAXED GALAXY CLUSTERS. II. SEPARATING LUMINOUS AND DARK MATTER IN CLUSTER CORES. <i>Astrophysical Journal</i> , 2013, 765, 25.	1.6	224
114	AN INVENTORY OF THE STELLAR INITIAL MASS FUNCTION IN EARLY-TYPE GALAXIES. <i>Astrophysical Journal</i> , 2013, 765, 8.	1.6	92
115	Stellar populations. , 0, , 353-418.		5
116	A Toy Cosmology Using a Hubble-Scale Casimir Effect. <i>Galaxies</i> , 2014, 2, 81-88.	1.1	5
117	The statistical properties of stars and their dependence on metallicity: the effects of opacity. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 442, 285-313.	1.6	82
118	EVIDENCE FOR TWO DISTINCT STELLAR INITIAL MASS FUNCTIONS: PROBING FOR CLUES TO THE DICHOTOMY. <i>Astrophysical Journal</i> , 2014, 796, 71.	1.6	19
119	THE BARYONIC TULLY-FISHER RELATIONSHIP FOR $S⁴G$ GALAXIES AND THE "CONDENSED" BARYON FRACTION OF GALAXIES. <i>Astronomical Journal</i> , 2014, 147, 134.	1.9	78
120	The SLUGGS survey: exploring the metallicity gradients of nearby early-type galaxies to large radii. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 442, 1003-1039.	1.6	70
121	Ultracompact dwarfs in the Perseus Cluster: UCD formation via tidal stripping. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 439, 3808-3816.	1.6	22
122	Internal entrainment and the origin of jet-related broad-band emission in Centaurus A. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 447, 1001-1013.	1.6	38
123	Age and metallicity gradients support hierarchical formation for M87.... <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 439, 990-1002.	1.6	34
124	Destruction of wide binary stars in low-mass elliptical galaxies: implications for initial mass function estimates. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2014, 442, L5-L8.	1.2	7
125	The stellar and dark matter distributions in elliptical galaxies from the ensemble of strong gravitational lenses. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 439, 2494-2504.	1.6	94
126	SPIDER " X. Environmental effects in central and satellite early-type galaxies through the stellar fossil record. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 445, 1977-1996.	1.6	40

#	ARTICLE	IF	CITATIONS
127	The bulgeâ€“halo conspiracy in massive elliptical galaxies: implications for the stellar initial mass function and halo response to baryonic processes. Monthly Notices of the Royal Astronomical Society, 2014, 438, 3594-3602.	1.6	75
128	Variations in the initial mass function in early-type galaxies: a critical comparison between dynamical and spectroscopic results. Monthly Notices of the Royal Astronomical Society: Letters, 2014, 443, L69-L73.	1.2	83
129	The AIMSS Project â€“ II. Dynamical-to-stellar mass ratios across the star clusterâ€“galaxy divide. Monthly Notices of the Royal Astronomical Society, 2014, 444, 2993-3003.	1.6	31
130	Dissecting the 3D structure of elliptical galaxies with gravitational lensing and stellar kinematics. Proceedings of the International Astronomical Union, 2014, 10, 77-80.	0.0	0
131	The stellar mass function and efficiency of galaxy formation with a varying initial mass function. Monthly Notices of the Royal Astronomical Society, 2014, 438, 3188-3204.	1.6	7
132	TRACING THE MASS GROWTH AND STAR FORMATION RATE EVOLUTION OF MASSIVE GALAXIES FROM $z \approx 6$ TO $z \approx 1$ IN THE HUBBLE ULTRA-DEEP FIELD. Astrophysical Journal, 2014, 780, 34.	1.6	20
133	COLOR-MAGNITUDE RELATIONS WITHIN GLOBULAR CLUSTER SYSTEMS OF GIANT ELLIPTICAL GALAXIES: THE EFFECTS OF GLOBULAR CLUSTER MASS LOSS AND THE STELLAR INITIAL MASS FUNCTION. Astrophysical Journal, 2014, 780, 43.	1.6	17
134	AN EMPIRICAL CONNECTION BETWEEN THE ULTRAVIOLET COLOR OF EARLY-TYPE GALAXIES AND THE STELLAR INITIAL MASS FUNCTION. Astrophysical Journal Letters, 2014, 780, L1.	3.0	10
135	THE HOST GALAXIES OF FAST-EJECTA CORE-COLLAPSE SUPERNOVAE. Astrophysical Journal, 2014, 789, 23.	1.6	53
136	DENSE CORES IN GALAXIES OUT TO $z = 2.5$ IN SDSS, UltraVISTA, AND THE FIVE 3D-HST/CANDELS FIELDS. Astrophysical Journal, 2014, 791, 45.	1.6	111
137	FLUCTUATION SPECTROSCOPY: A NEW PROBE OF OLD STELLAR POPULATIONS. Astrophysical Journal, 2014, 797, 56.	1.6	14
138	EARLY-TYPE GALAXIES AT INTERMEDIATE REDSHIFT OBSERVED WITH HUBBLE SPACE TELESCOPE WFC3: PERSPECTIVES ON RECENT STAR FORMATION. Astrophysical Journal, 2014, 796, 101.	1.6	6
139	CONNECTION BETWEEN DYNAMICALLY DERIVED INITIAL MASS FUNCTION NORMALIZATION AND STELLAR POPULATION PARAMETERS. Astrophysical Journal Letters, 2014, 792, L37.	3.0	40
140	Connection between dynamically derived IMF normalisation and stellar populations. Proceedings of the International Astronomical Union, 2014, 10, 49-52.	0.0	0
141	NaD excess objects and its implications on initial mass function. Proceedings of the International Astronomical Union, 2014, 10, 69-71.	0.0	0
142	Dynamical Mass Determinations and Scaling Relations of Early-Type Galaxies. Proceedings of the International Astronomical Union, 2014, 10, 20-30.	0.0	1
143	The SWELLS survey â€“ VI. Hierarchical inference of the initial mass functions of bulges and discs. Monthly Notices of the Royal Astronomical Society, 2014, 437, 1950-1961.	1.6	17
144	Modelling increased metal production in galaxy clusters with pair-instability supernovae. Monthly Notices of the Royal Astronomical Society, 2014, 441, 2134-2147.	1.6	6

#	ARTICLE	IF	CITATIONS
145	A CATALOG OF BULGE, DISK, AND TOTAL STELLAR MASS ESTIMATES FOR THE SLOAN DIGITAL SKY SURVEY. <i>Astrophysical Journal, Supplement Series</i> , 2014, 210, 3.	3.0	190
146	SALPETER NORMALIZATION OF THE STELLAR INITIAL MASS FUNCTION FOR MASSIVE GALAXIES AT $z \sim 1$. <i>Astrophysical Journal Letters</i> , 2014, 786, L10.	3.0	26
147	Constraints on the merging channel of massive galaxies since $z \sim 1$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 444, 906-918.	1.6	50
148	The ATLAS3D Project – XXVIII. Dynamically driven star formation suppression in early-type galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 444, 3427-3445.	1.6	150
149	What controls star formation in the central 500 kpc of the Galaxy?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 440, 3370-3391.	1.6	201
150	EVIDENCE FOR A CONSTANT INITIAL MASS FUNCTION IN EARLY-TYPE GALAXIES BASED ON THEIR X-RAY BINARY POPULATIONS. <i>Astrophysical Journal</i> , 2014, 784, 162.	1.6	31
151	VARIATIONS OF THE STELLAR INITIAL MASS FUNCTION IN THE PROGENITORS OF MASSIVE EARLY-TYPE GALAXIES AND IN EXTREME STARBURST ENVIRONMENTS. <i>Astrophysical Journal</i> , 2014, 796, 75.	1.6	112
152	One Quintillion Ways to Have PTSD Comorbidity: Recommendations for the Disordered DSM-5. <i>Psychological Injury and Law</i> , 2014, 7, 61-74.	1.0	42
153	The big problems in star formation: The star formation rate, stellar clustering, and the initial mass function. <i>Physics Reports</i> , 2014, 539, 49-134.	10.3	248
154	Our Cosmic Insignificance. <i>Nous</i> , 2014, 48, 745-772.	1.4	38
155	The stellar IMF in early-type galaxies from a non-degenerate set of optical line indices. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 438, 1483-1499.	1.6	135
156	Observational dynamics of low-mass stellar systems. <i>Astronomische Nachrichten</i> , 2014, 335, 486-500.	0.6	3
157	Molecular Bases and Role of Viruses in the Human Microbiome. <i>Journal of Molecular Biology</i> , 2014, 426, 3892-3906.	2.0	113
158	Galaxy masses. <i>Reviews of Modern Physics</i> , 2014, 86, 47-119.	16.4	226
159	Dusty star-forming galaxies at high redshift. <i>Physics Reports</i> , 2014, 541, 45-161.	10.3	564
160	Evidence of a Global Gravitational Potential. <i>The Astronomical Review</i> , 2014, 9, 1-29.	4.0	2
161	On disentangling initial mass function degeneracies in integrated light. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 453, 4432-4444.	1.6	8
162	FORMING COMPACT MASSIVE GALAXIES. <i>Astrophysical Journal</i> , 2015, 813, 23.	1.6	240

#	ARTICLE	IF	CITATIONS
163	IMFâ€™ METALLICITY: A TIGHT LOCAL RELATION REVEALED BY THE CALIFA SURVEY. <i>Astrophysical Journal Letters</i> , 2015, 806, L31.	3.0	99
164	OUTFLOWS IN SODIUM EXCESS OBJECTS. <i>Astrophysical Journal</i> , 2015, 809, 91.	1.6	9
165	The initial mass functions of M31 and M32 through far red stellar absorption features. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 452, 597-606.	1.6	23
166	Observed trend in the star formation history and the dark matter fraction of galaxies at redshift $z \sim 0.8$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 454, 1332-1357.	1.6	27
167	The Milky Way without X: an alternative interpretation of the double red clump in the Galactic bulge. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 453, 3907-3912.	1.6	43
168	Can we use weak lensing to measure total mass profiles of galaxies on 20 kpc scales?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 449, 2128-2143.	1.6	8
169	Are the total mass density and the low-mass end slope of the IMF anticorrelated?. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2015, 452, L21-L25.	1.2	35
170	The IMF-SFH connection in massive early-type galaxies. <i>Proceedings of the International Astronomical Union</i> , 2015, 11, .	0.0	0
171	Abundance patterns in early-type galaxies: is there a kink in the $[Fe/H]$ vs. $[Z/H]$ relation?. <i>Astronomy and Astrophysics</i> , 2015, 582, A46.	2.1	42
172	Can we infer the Initial Mass Function of galaxies at $z \sim 2$?. <i>Proceedings of the International Astronomical Union</i> , 2015, 11, 35-38.	0.0	0
173	IMF variations in unresolved stellar populations: Challenges. <i>Proceedings of the International Astronomical Union</i> , 2015, 11, 193-194.	0.0	0
174	Lower mass normalization of the stellar initial mass function for dense massive early-type galaxies at $z \sim 1.4$. <i>Astronomy and Astrophysics</i> , 2015, 573, A110.	2.1	6
175	Dark matter deprivation in the field elliptical galaxy NGC 7507. <i>Astronomy and Astrophysics</i> , 2015, 574, A93.	2.1	16
176	Further evidence for a time-dependent initial mass function in massive early-type galaxies. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2015, 448, L82-L86.	1.2	36
177	The response of dark matter haloes to elliptical galaxy formation: a new test for quenching scenarios. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 453, 2448-2465.	1.6	22
178	The initial mass function of a massive relic galaxy. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 451, 1081-1089.	1.6	69
179	VIMOS mosaic integral-field spectroscopy of the bulge and disc of the early-type galaxy NGC 4697. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 452, 99-114.	1.6	7
180	The X-Shooter Lens Survey â€™ II. Sample presentation and spatially-resolved kinematics. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 452, 2434-2444.	1.6	10

#	ARTICLE	IF	CITATIONS
181	The IMF-sensitive 1.14- μ m Na I doublet in early-type galaxies. Monthly Notices of the Royal Astronomical Society: Letters, 2015, 454, L71-L75.	1.2	36
182	DARK MATTER MASS FRACTION IN LENS GALAXIES: NEW ESTIMATES FROM MICROLENSING. Astrophysical Journal, 2015, 799, 149.	1.6	47
183	MEASURING CONSISTENT MASSES FOR 25 MILKY WAY GLOBULAR CLUSTERS. Astronomical Journal, 2015, 149, 53.	1.9	76
184	THE STELLAR INITIAL MASS FUNCTION AT 0.9 z ≤ 1.5. Astrophysical Journal Letters, 2015, 798, L4.	3.0	23
185	THE SL2S GALAXY-SCALE LENS SAMPLE. V. DARK MATTER HALOS AND STELLAR IMF OF MASSIVE EARLY-TYPE GALAXIES OUT TO REDSHIFT 0.8. Astrophysical Journal, 2015, 800, 94.	1.6	118
186	PLANETS AROUND LOW-MASS STARS (PALMS). IV. THE OUTER ARCHITECTURE OF M DWARF PLANETARY SYSTEMS. Astrophysical Journal, Supplement Series, 2015, 216, 7.	3.0	157
187	Should we believe the results of ultraviolet- μ m galaxy spectral energy distribution modelling?. Monthly Notices of the Royal Astronomical Society, 2015, 446, 1512-1535.	1.6	87
188	ULTRAVIOLET MORPHOLOGY AND UNOBSERVED UV STAR FORMATION RATES OF CLASH BRIGHTEST CLUSTER GALAXIES. Astrophysical Journal, 2015, 805, 177.	1.6	68
189	Giant disc galaxies: where environment trumps mass in galaxy evolution. Monthly Notices of the Royal Astronomical Society, 2015, 448, 1767-1778.	1.6	17
190	Radial variations in the stellar initial mass function of early-type galaxies. Monthly Notices of the Royal Astronomical Society, 2015, 447, 1033-1048.	1.6	146
191	The SINFONI Nearby Elliptical Lens Locator Survey: discovery of two new low-redshift strong lenses and implications for the initial mass function in giant early-type galaxies... Monthly Notices of the Royal Astronomical Society, 2015, 449, 3441-3457.	1.6	94
192	Biases in the inferred mass-to-light ratio of globular clusters: no need for variations in the stellar mass function. Monthly Notices of the Royal Astronomical Society: Letters, 2015, 448, L94-L98.	1.2	39
193	The stellar initial mass function of early-type galaxies from low to high stellar velocity dispersion: homogeneous analysis of atlas3D and Sloan Lens ACS galaxies. Monthly Notices of the Royal Astronomical Society, 2015, 446, 493-509.	1.6	77
194	Chemoarchaeological downsizing in a hierarchical universe: impact of a top-heavy IGIMF. Monthly Notices of the Royal Astronomical Society, 2015, 446, 3820-3841.	1.6	64
195	The initial mass function of early-type galaxies: no correlation with [Mg/Fe]. Monthly Notices of the Royal Astronomical Society: Letters, 2015, 449, L137-L141.	1.2	32
196	The connection between the UV colour of early-type galaxies and the stellar initial mass function revisited. Monthly Notices of the Royal Astronomical Society, 2015, 446, 2030-2037.	1.6	7
197	DISCOVERY OF LARGE MOLECULAR GAS RESERVOIRS IN POST-STARBURST GALAXIES. Astrophysical Journal, 2015, 801, 1.	1.6	104
198	THE NON-UNIVERSALITY OF THE LOW-MASS END OF THE IMF IS ROBUST AGAINST THE CHOICE OF SSP MODEL. Astrophysical Journal, 2015, 803, 87.	1.6	36

#	ARTICLE	IF	CITATIONS
199	Mapping stellar content to dark matter haloes using galaxy clustering and galaxy-galaxy lensing in the SDSS DR7. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 454, 1161-1191.	1.6	145
200	THE NUCLEAR NEAR-INFRARED SPECTRAL PROPERTIES OF NEARBY GALAXIES. <i>Astrophysical Journal, Supplement Series</i> , 2015, 217, 13.	3.0	49
201	Powering reionization: assessing the galaxy ionizing photon budget at $z \sim 10$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 451, 2030-2049.	1.6	65
202	THE SLOAN LENS ACS SURVEY. XII. EXTENDING STRONG LENSING TO LOWER MASSES. <i>Astrophysical Journal</i> , 2015, 803, 71.	1.6	77
203	Photometry-based estimation of the total number of stars in the Universe. <i>Applied Optics</i> , 2015, 54, 6589.	2.1	8
204	KMOS3D: DYNAMICAL CONSTRAINTS ON THE MASS BUDGET IN EARLY STAR-FORMING DISKS*. <i>Astrophysical Journal</i> , 2016, 831, 149.	1.6	83
205	THE NUCLEAR CLUSTER OF THE MILKY WAY: TOTAL MASS AND LUMINOSITY*. <i>Astrophysical Journal</i> , 2016, 821, 44.	1.6	63
206	Radial constraints on the initial mass function from TiO features and Wing-Ford band in early-type galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 457, 1468-1489.	1.6	82
207	Is the stellar initial mass function universal?. <i>Astronomy and Geophysics</i> , 2016, 57, 2.32-2.36.	0.1	3
208	Strong gravitational lensing and the stellar IMF of early-type galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 459, 3677-3692.	1.6	42
209	Structure and Kinematics of Early-Type Galaxies from Integral Field Spectroscopy. <i>Annual Review of Astronomy and Astrophysics</i> , 2016, 54, 597-665.	8.1	330
210	The mass discrepancy acceleration relation in early-type galaxies: extended mass profiles and the phantom menace to MOND. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 461, 2367-2373.	1.6	22
211	RADIAL TRENDS IN IMF-SENSITIVE ABSORPTION FEATURES IN TWO EARLY-TYPE GALAXIES: EVIDENCE FOR ABUNDANCE-DRIVEN GRADIENTS. <i>Astrophysical Journal</i> , 2016, 821, 39.	1.6	45
212	Abundance ratios and IMF slopes in the dwarf elliptical galaxy NGC 1396 with MUSE. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 463, 2819-2838.	1.6	32
213	IMF shape constraints from stellar populations and dynamics from CALIFA. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 463, 3220-3225.	1.6	66
214	Modelling and interpreting spectral energy distributions of galaxies with beagle. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 462, 1415-1443.	1.6	246
215	The IMF as a function of supersonic turbulence. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 462, 4171-4182.	1.6	23
216	Understanding the internal dynamics of elliptical galaxies without non-baryonic dark matter. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 463, 1865-1880.	1.6	21

#	ARTICLE	IF	CITATIONS
217	THE SCALING OF STELLAR MASS AND CENTRAL STELLAR VELOCITY DISPERSION FOR QUIESCENT GALAXIES AT $z \lesssim 0.7$. <i>Astrophysical Journal</i> , 2016, 832, 203.	1.6	59
218	EXPLAINING THE STELLAR INITIAL MASS FUNCTION WITH THE THEORY OF SPATIAL NETWORKS. <i>Astrophysical Journal</i> , 2016, 824, 17.	1.6	3
219	Galaxy structure from multiple tracers – II. M87 from parsec to megaparsec scales. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 457, 421-439.	1.6	55
220	What physics determines the peak of the IMF? Insights from the structure of cores in radiation-magnetohydrodynamic simulations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 460, 3272-3283.	1.6	40
221	Revisiting the classics: is [Mg/Fe] a good proxy for galaxy formation time-scales?. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2015, 456, L104-L108.	1.2	18
222	The DSM-5 and the RDoC: Grand Designs and Grand Problems. , 2016, , 591-610.		0
223	The massive dark halo of the compact early-type galaxy NGC 1281. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 456, 538-553.	1.6	15
224	The MASSIVE survey – III. Molecular gas and a broken Tully–Fisher relation in the most massive early-type galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 455, 214-226.	1.6	43
225	The necessity of feedback physics in setting the peak of the initial mass function. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 458, 673-680.	1.6	50
226	Detection of Supermassive Black Holes in Two Virgo Ultracompact Dwarf Galaxies. <i>Astrophysical Journal</i> , 2017, 839, 72.	1.6	75
227	Yonsei Evolutionary Population Synthesis (YEPS). II. Spectro-photometric Evolution of Helium-enhanced Stellar Populations. <i>Astrophysical Journal</i> , 2017, 842, 91.	1.6	29
228	Further Constraints on Variations in the Initial Mass Function from Low-mass X-ray Binary Populations. <i>Astrophysical Journal</i> , 2017, 841, 28.	1.6	12
229	Velocity Dispersion, Size, S ₀ Index, and D_{4000} : The Scaling of Stellar Mass with Dynamical Mass for Quiescent Galaxies. <i>Astrophysical Journal</i> , 2017, 841, 32.	1.6	36
230	Very low-mass stellar content of the young supermassive Galactic star cluster Westerlund 1. <i>Astronomy and Astrophysics</i> , 2017, 602, A22.	2.1	33
231	The Stellar Initial Mass Function in Early-type Galaxies from Absorption Line Spectroscopy. III. Radial Gradients. <i>Astrophysical Journal</i> , 2017, 841, 68.	1.6	126
232	On the Origin of the Fundamental Plane and Faber–Jackson Relations: Implications for the Star Formation Problem. <i>Astrophysical Journal</i> , 2017, 838, 163.	1.6	18
233	The Stellar Initial Mass Function in Early-type Galaxies from Absorption Line Spectroscopy. IV. A Super-Salpeter IMF in the Center of NGC 1407 from Non-parametric Models. <i>Astrophysical Journal</i> , 2017, 837, 166.	1.6	58
234	Radial gradients in initial mass function sensitive absorption features in the Coma brightest cluster galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 465, 192-212.	1.6	32

#	ARTICLE	IF	CITATIONS
235	Calibration of Ultraviolet, Mid-infrared, and Radio Star Formation Rate Indicators. <i>Astrophysical Journal</i> , 2017, 847, 136.	1.6	50
236	Testing the Universality of the Stellar IMF with Chandra and HST. <i>Astrophysical Journal</i> , 2017, 835, 183.	1.6	7
237	Magnetism, dynamo action and the solar-stellar connection. <i>Living Reviews in Solar Physics</i> , 2017, 14, 4.	7.8	176
238	The Low-mass Population in the Young Cluster Stock 8: Stellar Properties and Initial Mass Function. <i>Astrophysical Journal</i> , 2017, 836, 98.	1.6	28
239	Detection of Enhanced Central Mass-to-light Ratios in Low-mass Early-type Galaxies: Evidence for Black Holes?. <i>Astrophysical Journal</i> , 2017, 850, 15.	1.6	15
240	The weirdest SDSS galaxies: results from an outlier detection algorithm. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 465, 4530-4555.	1.6	90
241	Chemical tagging with APOGEE: discovery of a large population of N-rich stars in the inner Galaxy. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 465, 501-524.	1.6	150
242	The density of dark matter haloes of early-type galaxies in low-density environments. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 466, 974-995.	1.6	15
243	Metallicity calibrations of galaxies with low star formation rates: the influence of a stochastic IMF. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 470, 1612-1625.	1.6	11
244	Initial Mass Function Variability (or Not) among Low-velocity Dispersion, Compact Stellar Systems. <i>Astrophysical Journal Letters</i> , 2017, 850, L14.	3.0	25
245	Implications of Galaxy Buildup for Putative IMF Variations in Massive Galaxies. <i>Astrophysical Journal</i> , 2017, 845, 136.	1.6	7
246	Comparing models for IMF variation across cosmological time in Milky Way-like galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 472, 2107-2116.	1.6	20
247	The puzzling interpretation of NIR indices: The case of NaI _{2.21} . <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 472, 361-372.	1.6	13
248	HOLiCOW – I. H ₀ Lenses in COSMOGRAIL's Wellspring: program overview. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 468, 2590-2604.	1.6	253
249	The Observer's Guide to the Gamma-Ray Burst Supernova Connection. <i>Advances in Astronomy</i> , 2017, 1-41.	0.5	188
250	Spatially resolved variations of the IMF mass normalization in early-type galaxies as probed by molecular gas kinematics. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 464, 453-468.	1.6	45
251	ZFIRE: using H β equivalent widths to investigate the in situ initial mass function at $z \sim 1/4$. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 468, 3071-3108.	1.6	19
252	The formation of ultra compact dwarf galaxies and massive globular clusters. <i>Astronomy and Astrophysics</i> , 2017, 608, A53.	2.1	29

#	ARTICLE	IF	CITATIONS
253	Exploring the IMF of star clusters: a joint SLUG and LEGUS effort. Monthly Notices of the Royal Astronomical Society, 2017, 469, 2464-2480.	1.6	17
254	IMF and [Na/Fe] abundance ratios from optical and NIR spectral features in early-type galaxies. Monthly Notices of the Royal Astronomical Society, 2017, 464, 3597-3616.	1.6	56
255	A star formation study of the ATLAS ^{3D} early-type galaxies with the AKARI all-sky survey. Astronomy and Astrophysics, 2017, 605, A74.	2.1	20
256	The Fundamental Plane of evolving red nuggets. Monthly Notices of the Royal Astronomical Society, 2017, 470, 3497-3506.	1.6	3
257	Evidence of a Non-universal Stellar Initial Mass Function. Insights from HST Optical Imaging of Six Ultra-faint Dwarf Milky Way Satellites [—] . Astrophysical Journal, 2018, 855, 20.	1.6	45
258	A quartet of black holes and a missing duo: probing the low end of the MBH [—] relation with the adaptive optics assisted integral-field spectroscopy. Monthly Notices of the Royal Astronomical Society, 2018, 477, 3030-3064.	1.6	37
259	Galaxy structure from multiple tracers [—] III. Radial variations in M87 [—] 's IMF. Monthly Notices of the Royal Astronomical Society, 2018, 474, 4169-4185.	1.6	38
260	Extreme magnification of an individual star at redshift 1.5 by a galaxy-cluster lens. Nature Astronomy, 2018, 2, 334-342.	4.2	97
261	The last 6% Gyr of dark matter assembly in massive galaxies from the Kilo Degree Survey. Monthly Notices of the Royal Astronomical Society, 2018, 473, 969-983.	1.6	24
262	Sea ice, extremophiles and life on extra-terrestrial ocean worlds. International Journal of Astrobiology, 2018, 17, 1-16.	0.9	62
263	Trajectory Analysis in Health Care. , 2018, , .		7
264	Massive Young Clusters Near the Galactic Center. Astrophysics and Space Science Library, 2018, , 69-89.	1.0	3
265	Impact of metallicity and star formation rate on the time-dependent, galaxy-wide stellar initial mass function. Astronomy and Astrophysics, 2018, 620, A39.	2.1	91
266	The origin of the [—] blue tilt [—] of globular cluster populations in the E-MOSAICS simulations. Monthly Notices of the Royal Astronomical Society, 2018, 480, 3279-3301.	1.6	33
267	Evidence for radial variations in the stellar mass-to-light ratio of massive galaxies from weak and strong lensing. Monthly Notices of the Royal Astronomical Society, 2018, 481, 164-184.	1.6	37
268	The Dawes Review 8: Measuring the Stellar Initial Mass Function. Publications of the Astronomical Society of Australia, 2018, 35, .	1.3	76
269	Enrichment of the Hot Intracluster Medium: Observations. Space Science Reviews, 2018, 214, 1.	3.7	59
270	Fornax3D project: Overall goals, galaxy sample, MUSE data analysis, and initial results. Astronomy and Astrophysics, 2018, 616, A121.	2.1	71

#	ARTICLE	IF	CITATIONS
271	MUSE observations of M87: radial gradients for the stellar initial-mass function and the abundance of sodium. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 478, 4084-4100.	1.6	66
272	Prediction of Supernova Rates in Known Galaxyâ€“Galaxy Strong-lens Systems. <i>Astrophysical Journal</i> , 2018, 864, 91.	1.6	21
273	Testing Verlinde's emergent gravity in early-type galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 473, 2324-2334.	1.6	17
274	Timing the formation and assembly of early-type galaxies via spatially resolved stellar populations analysis. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 475, 3700-3729.	1.6	61
275	Radial measurements of IMF-sensitive absorption features in two massive ETGs. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 475, 1073-1092.	1.6	27
276	Dark matter contraction and stellar-mass-to-light ratio gradients in massive early-type galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 476, 133-150.	1.6	34
277	Dissolved Massive Metal-rich Globular Clusters Can Cause the Range of UV Upturn Strengths Found among Early-type Galaxies. <i>Astrophysical Journal</i> , 2018, 857, 16.	1.6	15
278	The stellar population and initial mass function of NGCâ€™s 1399 with MUSE. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 479, 2443-2456.	1.6	36
279	Young Cluster Berkeley 59: Properties, Evolution, and Star Formation. <i>Astronomical Journal</i> , 2018, 155, 44.	1.9	17
280	Calibrated, cosmological hydrodynamical simulations with variable IMFs I: Method and effect on global galaxy scaling relations. <i>Monthly Notices of the Royal Astronomical Society</i> , 0, , .	1.6	15
281	Stellar Massâ€™Halo Mass Relation and Star Formation Efficiency in High-Mass Halos. <i>Astronomy Letters</i> , 2018, 44, 8-34.	0.1	200
282	Multiple populations within globular clusters in early-type galaxies exploring their effect on stellar initial mass function estimates. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 478, 2368-2387.	1.6	5
283	The Initial Mass Function in the Coma Berenices Dwarf Galaxy from Deep Near-infrared HST Observations. <i>Astrophysical Journal</i> , 2018, 863, 38.	1.6	17
284	Assembling the Milky Way Bulge from Globular Clusters: Evidence from the Double Red Clump. <i>Astrophysical Journal Letters</i> , 2018, 862, L8.	3.0	16
285	The influence of galaxy environment on the stellar initial mass function of early-type galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 476, 5233-5252.	1.6	20
286	The high-mass slope of the IMF. <i>Monthly Notices of the Royal Astronomical Society</i> , 2018, 480, 2449-2465.	1.6	7
287	The Fornax3D project: Tracing the assembly history of the cluster from the kinematic and line-strength maps. <i>Astronomy and Astrophysics</i> , 2019, 627, A136.	2.1	49
288	The Faintest Dwarf Galaxies. <i>Annual Review of Astronomy and Astrophysics</i> , 2019, 57, 375-415.	8.1	334

#	ARTICLE	IF	CITATIONS
289	Chemical evolution of elliptical galaxies with a variable IMF. <i>Astronomy and Astrophysics</i> , 2019, 629, A93.	2.1	20
290	IMF radial gradients in most massive early-type galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 489, 4090-4110.	1.6	39
291	The stellar initial mass function of the solar neighbourhood revealed by Gaia. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 489, 2377-2394.	1.6	26
292	The Star Formation History and Dynamics of the Ultra-diffuse Galaxy Dragonfly 44 in MOND and MOG. <i>Astrophysical Journal Letters</i> , 2019, 884, L25.	3.0	21
293	Simple interpolation functions for the galaxy-wide stellar initial mass function and its effects in early-type galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 490, 848-867.	1.6	7
294	An Older, More Quiescent Universe from Panchromatic SED Fitting of the 3D-HST Survey. <i>Astrophysical Journal</i> , 2019, 877, 140.	1.6	156
295	A new formulation of the external field effect in MOND and numerical simulations of ultra-diffuse dwarf galaxies – application to NGC 1052-DF2 and NGC 1052-DF4. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 487, 2441-2454.	1.6	38
296	Is the IMF in ellipticals bottom-heavy? Clues from their chemical abundances. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 483, 2217-2235.	1.6	11
297	Comparing IMF-sensitive indices of intermediate-mass quiescent galaxies in various environments. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 486, 3788-3804.	1.6	4
298	Initial Mass Function Variation in Two Elliptical Galaxies Using Near-infrared Tracers. <i>Astrophysical Journal</i> , 2019, 875, 151.	1.6	4
299	The Imprint of Element Abundance Patterns on Quiescent Galaxy Spectral Energy Distributions. <i>Astrophysical Journal</i> , 2019, 872, 136.	1.6	8
300	Recovering stellar population parameters via different population models and stellar libraries. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 485, 1675-1693.	1.6	22
301	SDSS-IV MaNGA: stellar initial mass function variation inferred from Bayesian analysis of the integral field spectroscopy of early-type galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 485, 5256-5275.	1.6	28
302	The WAGGS project – II. The reliability of the calcium triplet as a metallicity indicator in integrated stellar light. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 482, 1275-1303.	1.6	20
303	Two-face(s): ionized and neutral gas winds in the local Universe. <i>Astronomy and Astrophysics</i> , 2019, 622, A188.	2.1	33
304	The SAMI Galaxy Survey: comparing 3D spectroscopic observations with galaxies from cosmological hydrodynamical simulations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 484, 869-891.	1.6	67
305	Sunscreen: Photometric Signatures of Galaxies Partially Cloaked in Dyson Spheres. <i>Publications of the Astronomical Society of the Pacific</i> , 2019, 131, 024102.	1.0	1
306	Is it possible to reconcile extragalactic IMF variations with a universal Milky Way IMF?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 485, 4852-4862.	1.6	23

#	ARTICLE	IF	CITATIONS
307	Dust properties in the cold and hot gas phases of the ATLAS ^{3D} early-type galaxies as revealed by AKARI. <i>Astronomy and Astrophysics</i> , 2019, 622, A87.	2.1	17
308	The Fornax 3D project: Thick disks in a cluster environment. <i>Astronomy and Astrophysics</i> , 2019, 625, A95.	2.1	33
309	Survey of gravitationally-lensed objects in HSC imaging (SuGOHI). <i>Astronomy and Astrophysics</i> , 2019, 630, A71.	2.1	47
310	Stellar populations of galaxies in the ALHAMBRA survey up to $z < 1$. <i>Astronomy and Astrophysics</i> , 2019, 631, A157.	2.1	9
311	Fornax 3D project: a two-dimensional view of the stellar initial mass function in the massive lenticular galaxy FCC 167. <i>Astronomy and Astrophysics</i> , 2019, 626, A124.	2.1	27
312	Dynamical Models and Anisotropy of the Velocity Dispersions in Elliptical Galaxies. <i>Astronomy Reports</i> , 2019, 63, 713-725.	0.2	2
313	Is every strong lens model unhappy in its own way? Uniform modelling of a sample of 13 quadruply+ imaged quasars. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 483, 5649-5671.	1.6	73
314	Calibrated, cosmological hydrodynamical simulations with variable IMFs II. Correlations between the IMF and global galaxy properties. <i>Monthly Notices of the Royal Astronomical Society</i> , 2019, 482, 2515-2529.	1.6	9
315	A stochastically sampled IMF alters the stellar content of simulated dwarf galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 492, 8-21.	1.6	28
316	Revealing the intermediate-mass black hole at the heart of the dwarf galaxy NGC 404 with sub-parsec resolution ALMA observations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 496, 4061-4078.	1.6	43
317	Evidence for Initial Mass Function Variation in Massive Early-Type Galaxies. <i>Annual Review of Astronomy and Astrophysics</i> , 2020, 58, 577-615.	8.1	49
318	Time-delay cosmographic forecasts with strong lensing and JWST stellar kinematics. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 493, 4783-4807.	1.6	34
319	A precise benchmark for cluster scaling relations: Fundamental Plane, Mass Plane, and IMF in the Coma cluster from dynamical models. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 494, 5619-5635.	1.6	9
320	The future of IMF studies with the ELT and MICADO. <i>Astronomy and Astrophysics</i> , 2020, 639, A120.	2.1	1
321	Efficient solution of the anisotropic spherically aligned axisymmetric Jeans equations of stellar hydrodynamics for galactic dynamics. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 494, 4819-4837.	1.6	39
322	Stellar initial mass function variation in massive early-type galaxies: the potential role of the deuterium abundance. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 498, 4051-4059.	1.6	1
323	The Origin of the Stellar Mass Distribution and Multiplicity. <i>Space Science Reviews</i> , 2020, 216, 1.	3.7	29
324	Star Clusters Near and Far. <i>Space Science Reviews</i> , 2020, 216, 1.	3.7	82

#	ARTICLE	IF	CITATIONS
325	Virial models and anisotropy of velocity dispersion in E-galaxies. <i>Astrophysics and Space Science</i> , 2020, 365, 1.	0.5	0
326	On the origin of the peak of the stellar initial mass function: exploring the tidal screening theory. <i>Monthly Notices of the Royal Astronomical Society</i> , 2020, 492, 4727-4751.	1.6	13
327	The signature of primordial black holes in the dark matter halos of galaxies. <i>Astronomy and Astrophysics</i> , 2020, 633, A107.	2.1	32
328	What does (not) drive the variation of the low-mass end of the stellar initial mass function of early-type galaxies. <i>Astronomy and Astrophysics</i> , 2021, 645, L1.	2.1	14
329	The Ecuadorian Microbiome Project: a plea to strengthen microbial genomic research. <i>Neotropical Biodiversity</i> , 2021, 7, 223-237.	0.2	5
330	The sensitivity of stellar feedback to IMF averaging versus IMF sampling in galaxy formation simulations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 502, 5417-5437.	1.6	19
331	Globular cluster systems of relic galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 503, 2406-2422.	1.6	4
332	IMF-induced intrinsic uncertainties on measuring galaxy distances based on the number of giant stars: the case of the ultradiffuse galaxy NGC 1052-DF2. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 504, 1668-1675.	1.6	2
333	An analytical model to kinematically identify thin discs in MaNGA galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 504, 2658-2669.	1.6	2
334	Testing the role of environmental effects on the initial mass function of low-mass stars. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 504, 2557-2576.	1.6	19
335	A preserved high- z compact progenitor in the heart of NGC 3311 revealed with MUSE 2D stellar population analysis. <i>Astronomy and Astrophysics</i> , 2021, 649, A93.	2.1	16
336	A novel survey for young substellar objects with the W -band filter III: Searching for very low-mass brown dwarfs in Serpens South and Serpens Core. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 505, 4215-4234.	1.6	5
337	Assembly history of massive galaxies. <i>Astronomy and Astrophysics</i> , 2021, 649, A161.	2.1	4
338	Mild radial variations of the stellar IMF in the bulge of M31. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 505, 415-434.	1.6	3
339	An adiabatic, X-ray emitting cavity in the galaxy/group NGC 4636 and a new stellar mass-to-light ratio for the central galaxy. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 506, 2030-2040.	1.6	0
340	A bottom-heavy initial mass function for the likely-accreted blue-halo stars of the Milky Way. <i>Monthly Notices of the Royal Astronomical Society</i> , 2021, 507, 398-413.	1.6	14
341	Infrared Surface Brightness Fluctuation Distances for MASSIVE and Type Ia Supernova Host Galaxies*. <i>Astrophysical Journal, Supplement Series</i> , 2021, 255, 21.	3.0	17
342	Fornax 3D project: Assessing the diversity of IMF and stellar population maps within the Fornax Cluster. <i>Astronomy and Astrophysics</i> , 2021, 654, A59.	2.1	12

#	ARTICLE	IF	CITATIONS
343	SDSS-IV MaNGA: Stellar M/L gradients and the M/L-colour relation in galaxies. Monthly Notices of the Royal Astronomical Society, 2021, 507, 2488-2499.	1.6	16
344	Subaru Hyper Suprime-Cam Survey of Cygnus OB2 Complex – I. Introduction, photometry, and source catalogue. Monthly Notices of the Royal Astronomical Society, 2021, 508, 3388-3407.	1.6	4
345	The stellar masses and specific star-formation rates of submillimetre galaxies. Astronomy and Astrophysics, 2012, 541, A85.	2.1	148
346	Loops formed by tidal tails as fossil records of a major merger. Astronomy and Astrophysics, 2012, 538, A121.	2.1	28
347	The HARPS search for southern extra-solar planets. Astronomy and Astrophysics, 2015, 575, A119.	2.1	55
348	Chemical evolution of ultra-faint dwarf galaxies in the self-consistently calculated integrated galactic IMF theory. Astronomy and Astrophysics, 2020, 637, A68.	2.1	24
349	The time-scales probed by star formation rate indicators for realistic, bursty star formation histories from the FIRE simulations. Monthly Notices of the Royal Astronomical Society, 2021, 501, 4812-4824.	1.6	51
350	The delay time distribution of Type-Ia supernovae in galaxy clusters: the impact of extended star-formation histories. Monthly Notices of the Royal Astronomical Society, 2021, 502, 5882-5895.	1.6	16
351	A preferential attachment model for the stellar initial mass function. Electronic Journal of Statistics, 2019, 13, .	0.4	9
352	Gravitational Potential and Surface Density Drive Stellar Populations. II. Star-forming Galaxies. Astrophysical Journal, 2020, 898, 62.	1.6	18
353	The Kinematics of Massive Quiescent Galaxies at $1.4 \lesssim z \lesssim 2.1$: Dark Matter Fractions, IMF Variation, and the Relation to Local Early-type Galaxies*. Astrophysical Journal, 2020, 899, 87.	1.6	19
354	Measuring the Stellar Population Parameters of the Early-type Galaxy NGC 3923: The Challenging Measurement of the Initial Mass Function*. Astrophysical Journal, 2020, 902, 12.	1.6	5
355	Rotation Curves in $z \sim 1/4$ Star-forming Disks: Evidence for Cored Dark Matter Distributions. Astrophysical Journal, 2020, 902, 98.	1.6	55
356	Radial Dependence of the Proto-globular Cluster Contribution to the Milky Way Formation. Astrophysical Journal Letters, 2019, 883, L31.	3.0	2
357	When did the initial mass function become bottom-heavy?. Monthly Notices of the Royal Astronomical Society, 2021, 509, 1959-1984.	1.6	30
359	Harmful ETI Hypothesis Denied: Visiting ETIs Likely Altruists. The Frontiers Collection, 2014, , 65-77.	0.1	0
360	The Light as Composed of Longitudinal-Extended Elastic Particles Obeying to the Laws of Newtonian Mechanics. Journal of Modern Physics, 2014, 05, 884-899.	0.3	2
361	A Feasible Experiment Contrary to the nd^2 Postulate of SR. Journal of Modern Physics, 2015, 06, 1342-1349.	0.3	0

#	ARTICLE	IF	CITATIONS
362	The Low-Mass End of the Initial Mass Function in Massive Early-Type-Galaxies. Thirty Years of Astronomical Discovery With UKIRT, 2016, , 219-223.	0.3	0
363	The environmental dependence of the stellar mass fundamental plane of early-type galaxies. Astronomy and Astrophysics, 2016, 588, A39.	2.1	0
364	Space ecology. , 2017, , 255-286.		0
365	The GMOX science case: resolving galaxies through cosmic time. , 2016, , .		0
367	Three Conditions Leading to a Unified (Quasi-Newtonian) Physics. Journal of Modern Physics, 2018, 09, 2045-2072.	0.3	0
368	A near infrared integral field spectrograph for the Southern African Large Telescope (SALT). , 2018, , .		2
369	The Stellar Initial Mass Function and Population Properties of M89 from Optical and NIR Spectroscopy: Addressing Biases in Spectral Index Analysis*. Astrophysical Journal, 2021, 920, 93.	1.6	7
370	Yonsei Evolutionary Population Synthesis (YEPS) Model. III. Surface Brightness Fluctuation of Normal and Helium-enhanced Simple Stellar Populations. Astrophysical Journal, Supplement Series, 2020, 250, 33.	3.0	3
371	The Black Hole Mass Function Across Cosmic Times. I. Stellar Black Holes and Light Seed Distribution. Astrophysical Journal, 2022, 924, 56.	1.6	7
372	Massive high-redshift quiescent galaxies with JWST. Publications of the Astronomical Society of Australia, 2022, 39, .	1.3	5
373	Variation in the Stellar Initial Mass Function from the Chromospheric Activity of M Dwarfs in Early-type Galaxies. Astrophysical Journal, 2021, 923, 43.	1.6	3
374	Wolf-Rayet Galaxies in SDSS-IV MaNGA. II. Metallicity Dependence of the High-mass Slope of the Stellar Initial Mass Function. Astrophysical Journal, 2021, 923, 120.	1.6	5
375	Stellar Population and Elemental Abundance Gradients of Early-type Galaxies*. Astrophysical Journal, 2021, 923, 65.	1.6	6
376	The differences between mass- and light-derived structural parameters over time for MaNGA elliptical galaxies. Monthly Notices of the Royal Astronomical Society, 2022, 510, 5676-5694.	1.6	6
377	EDGE: The sensitivity of ultra-faint dwarfs to a metallicity-dependent initial mass function. Monthly Notices of the Royal Astronomical Society, 2022, 513, 2326-2334.	1.6	10
378	Disc cloaking: Establishing a lower limit to the number density of local compact massive spheroids/bulges and the potential fate of some high- <i>z</i> red nuggets. Monthly Notices of the Royal Astronomical Society, 2022, 514, 3410-3451.	1.6	8
379	A Statistical Detection of Wide Binary Systems in the Ultrafaint Dwarf Galaxy Reticulum II. Astrophysical Journal, 2022, 930, 54.	1.6	2
380	Hidden cooling flows in clusters of galaxies. Monthly Notices of the Royal Astronomical Society, 2022, 515, 3336-3345.	1.6	13

#	ARTICLE	IF	CITATIONS
381	The galaxy-wide stellar initial mass function in the presence of cluster-to-cluster IMF variations. <i>Astronomy and Astrophysics</i> , 2022, 666, A113.	2.1	4
382	Non-universal stellar initial mass functions: large uncertainties in star formation rates at $z \sim 4$ and other astrophysical probes. <i>Monthly Notices of the Royal Astronomical Society</i> , 2022, 517, 2471-2484.	1.6	6
383	Environmental variation of the low-mass IMF. <i>Monthly Notices of the Royal Astronomical Society</i> , 2022, 516, 5712-5725.	1.6	5
384	The family pictures of our neighbours: investigating the mass function and dynamical parameters of nearby open clusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2022, 516, 5637-5654.	1.6	6
385	Accelerated Bayesian SED Modeling Using Amortized Neural Posterior Estimation. <i>Astrophysical Journal</i> , 2022, 938, 11.	1.6	14
386	A common origin for the fundamental plane of quiescent and star-forming galaxies in the EAGLE simulations. <i>Monthly Notices of the Royal Astronomical Society</i> , 2022, 518, 5376-5402.	1.6	4
387	The impact of carbon and oxygen abundances on the metal-poor initial mass function. <i>Monthly Notices of the Royal Astronomical Society</i> , 2022, 518, 3985-3998.	1.6	3
388	The statistical properties of stars at redshift, $z \sim 5$, compared with the present epoch. <i>Monthly Notices of the Royal Astronomical Society</i> , 2022, 519, 688-708.	1.6	2
389	Accuracy and precision of triaxial orbit models I: SMBH mass, stellar mass, and dark-matter halo. <i>Monthly Notices of the Royal Astronomical Society</i> , 2022, 519, 2004-2016.	1.6	7
390	Stellar initial mass function varies with metallicity and time. <i>Nature</i> , 2023, 613, 460-462.	13.7	10
391	Hidden Cooling Flows in clusters of Galaxies II: a wider sample. <i>Monthly Notices of the Royal Astronomical Society</i> , 2023, 521, 1794-1807.	1.6	6
392	Late growth of early-type galaxies in low- z massive clusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2023, 521, 1221-1232.	1.6	1
393	The DESI PRObabilistic Value-added Bright Galaxy Survey (PROVABGS) Mock Challenge. <i>Astrophysical Journal</i> , 2023, 945, 16.	1.6	8
394	Evidence for a bottom-light initial mass function in massive star clusters. <i>Monthly Notices of the Royal Astronomical Society</i> , 2023, 521, 3991-4008.	1.6	7
395	Stellar Initial Mass Function (IMF) Probed with Supernova Rates and Neutrino Background: Cosmic-average IMF Slope Is ~ 3 Similar to the Salpeter IMF. <i>Astrophysical Journal</i> , 2023, 946, 69.	1.6	1
396	Chemo-dynamical Evolution of Galaxies. , 2023, , 1-49.		1
399	Chemo-dynamical Evolution of Galaxies. , 2023, , 3211-3259.		0