

CITATION REPORT

List of articles citing

CMOS-compatible multiple-wavelength oscillator for on-chip optical interconnects

DOI: 10.1038/nphoton.2009.259
Nature Photonics, 2010, 4, 37-40.

Source: <https://exaly.com/paper-pdf/48516397/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
800	All-optical quantum random bit generation from intrinsically binary phase of parametric oscillators. 2012 , 20, 19322		
799	Tunable frequency combs based on dual microring resonators. 2015 , 23, 21527		
798	Tunable frequency combs based on dual microring resonators. 2015 , 23, 21527		
797	Tunable frequency combs based on dual microring resonators. 2015 , 23, 21527		
796	Finding Exoplanets with Quantum Imaging. 2010 , 3,		1
795	Subwavelength confinement of electromagnetic field by guided modes of dielectric micro- and nanowaveguides. 2010 , 91, 378-381		3
794	On-chip OPOs. <i>Nature Photonics</i> , 2010 , 4, 10-12	33.9	20
793	Mid-infrared optical parametric amplifier using silicon nanophotonic waveguides. <i>Nature Photonics</i> , 2010 , 4, 557-560	33.9	278
792	Nonlinear silicon photonics. <i>Nature Photonics</i> , 2010 , 4, 535-544	33.9	773
791	. 2010 ,		
790	Near-infrared Kerr nonlinearity of Pb(PO ₃) ₂ WO ₃ glasses. 2010 , 108, 103523		9
789	Self-phase modulation at visible wavelengths in nonlinear ZnO channel waveguides. <i>Applied Physics Letters</i> , 2010 , 97, 071105	3.4	15
788	Group velocity dispersion and self phase modulation in silicon nitride waveguides. <i>Applied Physics Letters</i> , 2010 , 96, 061101	3.4	81
787	Mid-infrared nonlinear optics in silicon photonic wire waveguides. 2010 ,		1
786	Nonlinear optics and group velocity dispersion engineering in silicon nitride waveguides. 2010 ,		0
785	Silicon Photonics. 2010 ,		
784	Low-Loss and Broadband Cantilever Couplers Between Standard Cleaved Fibers and High-Index-Contrast Si N_3 or Si Waveguides. 2010 , 22, 1744-1746		82

783	Analysis of liquid-to-solid coupling and other performance parameters for microfluidically reconfigurable photonic systems. <i>Optics Express</i> , 2010 , 18, 10973-84	3.3	5
782	Flattened dispersion in silicon slot waveguides. <i>Optics Express</i> , 2010 , 18, 20529-34	3.3	107
781	Spontaneous four-wave mixing in microring resonators. <i>Optics Letters</i> , 2010 , 35, 3006-8	3	81
780	The evolving optical frequency comb [Invited]. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2010 , 27, B51	1.7	356
779	Modal expansion approach to optical-frequency-comb generation with monolithic whispering-gallery-mode resonators. <i>Physical Review A</i> , 2010 , 82,	2.6	220
778	On-chip CMOS-compatible all-optical integrator. <i>Nature Communications</i> , 2010 , 1, 29	17.4	126
777	Passively mode-locked Raman laser. 2010 , 105, 143903		44
776	Demonstration of 1.28-Tb/s transmission in next-generation nanowires for photonic networks-on-chip. 2010 ,		2
775	Control and characterization of picosecond pulse trains from a microresonator frequency comb. 2011 ,		
774	Recent progress on surface pattern fabrications based on monolayer colloidal crystal templates and related applications. 2011 , 3, 2768-82		58
773	SiN based on-chip microresonator frequency combs and application to optical arbitrary waveform generation. 2011 ,		
772	Widely tunable silicon mid-infrared optical parametric oscillator. 2011 ,		1
771	Composition-Dependent Structural and Electronic Properties of $\text{H}(\text{Si}_{1-x}\text{C}_x)_3\text{N}_4$. 2011 , 115, 2448-2453		2
770	Spectral line-by-line pulse shaping of on-chip microresonator frequency combs. <i>Nature Photonics</i> , 2011 , 5, 770-776	33.9	292
769	Travelling-wave resonant four-wave mixing breaks the limits of cavity-enhanced all-optical wavelength conversion. <i>Nature Communications</i> , 2011 , 2, 296	17.4	66
768	Large-scale integrated photonics for high-performance interconnects. 2011 , 7, 1-54		42
767	Optical frequency conversion in integrated devices [Invited]. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2011 , 28, A67	1.7	23
766	Microresonator-based optical frequency combs. 2011 , 332, 555-9		1091

765	Analysis and engineering of chromatic dispersion in silicon waveguide bends and ring resonators. <i>Optics Express</i> , 2011 , 19, 8102-7	3-3	22
764	Harmonic generation in silicon nitride ring resonators. <i>Optics Express</i> , 2011 , 19, 11415-21	3-3	201
763	On-chip two-octave supercontinuum generation by enhancing self-steepening of optical pulses. <i>Optics Express</i> , 2011 , 19, 11584-90	3-3	49
762	Si micro-ring MUX/DeMUX WDM filters. <i>Optics Express</i> , 2011 , 19, 13531-9	3-3	42
761	Silicon-based monolithic optical frequency comb source. <i>Optics Express</i> , 2011 , 19, 14233-9	3-3	132
760	All-optical wavelength conversion for 10 Gb/s DPSK signals in a silicon ring resonator. <i>Optics Express</i> , 2011 , 19, 22410-6	3-3	11
759	On-chip parametric amplification with 26.5 dB gain at telecommunication wavelengths using CMOS-compatible hydrogenated amorphous silicon waveguides. <i>Optics Letters</i> , 2011 , 36, 552-4	3	69
758	Generation of near-infrared frequency combs from a MgF ₂ whispering gallery mode resonator. <i>Optics Letters</i> , 2011 , 36, 2290-2	3	89
757	Design of waveguide-integrated semiconductor laser sources for optical frequency comb generation. <i>Optics Letters</i> , 2011 , 36, 2985-7	3	3
756	Octave-spanning frequency comb generation in a silicon nitride chip. <i>Optics Letters</i> , 2011 , 36, 3398-400	3	344
755	Octave spanning tunable frequency comb from a microresonator. 2011 , 107, 063901		225
754	Multilevel quantization of optical phase in a novel coherent parametric mixer architecture. <i>Nature Photonics</i> , 2011 , 5, 748-752	33-9	106
753	Towards an optical frequency comb with mm-scale microresonators for distributing atomic standards. 2011 ,		
752	High-Performance Silicon-Based Multiple Wavelength Source. 2011 ,		6
751	Efficient Frequency Conversion at Low-Powers in a Silicon Microresonator Using Carrier Extraction. 2011 ,		2
750	Kerr combs with selectable central frequency. <i>Nature Photonics</i> , 2011 , 5, 293-296	33-9	85
749	Optically pumped planar waveguide lasers, Part I: Fundamentals and fabrication techniques. 2011 , 35, 159-239		151
748	Development of metal etch mask by single layer lift-off for silicon nitride photonic crystals. 2011 , 88, 994-998		13

747	Dispersion parameters and nonlinear optical properties of silicon nitride rib waveguides. <i>Optics Communications</i> , 2011 , 284, 2031-2035	2	3
746	Analysis of the Nonlinear Optical Parameter of ZnO Channel Waveguides. 2011 , 50, 04DG01		2
745	Control and characterization of picosecond pulse trains from a microresonator frequency comb. 2011 ,		1
744	On-chip Spectrally-Bright Photon-Pair Source from SiN Ring Micro-Cavity. 2011 ,		
743	High Repetition Rate Optical Frequency Combs Generation and Applications. 2011 ,		
742	Spectral and temporal characterization of a fused-quartz-microresonator optical frequency comb. <i>Physical Review A</i> , 2011 , 84,	2.6	116
741	Nonlinear silicon nanophotonics for mid-infrared applications. 2011 ,		
740	Modeling of Doped ZnO Waveguides for Nonlinear Applications. 2011 , 403-408, 3753-3757		1
739	Generation of Kerr combs in MgF2 and CaF2 microresonators. 2011 ,		1
738	Photonic network-on-chip architectures using multilayer deposited silicon materials for high-performance chip multiprocessors. 2011 , 7, 1-25		66
737	Tailoring of dispersion and nonlinear properties of integrated silicon waveguides for signal processing applications. 2011 , 26, 014044		10
736	Quasi-phase matched optical frequency comb generation through cascaded second order nonlinearity in a micro-ring resonator. 2012 ,		
735	Second-harmonic generation from silicon nitride films. 2012 ,		
734	Breakthroughs in Nonlinear Silicon Photonics 2011. 2012 , 4, 601-606		9
733	Dispersion engineering of thick high-Q silicon nitride ring-resonators via atomic layer deposition. <i>Optics Express</i> , 2012 , 20, 27661-9	3.3	72
732	Widely tunable femtosecond optical parametric oscillator based on silicon-on-insulator waveguides. <i>Optics Express</i> , 2012 , 20, 3490-8	3.3	16
731	Chalcogenide optical parametric oscillator. <i>Optics Express</i> , 2012 , 20, 10095-9	3.3	18
730	Optical frequency comb generation through quasi-phase matched quadratic frequency conversion in a micro-ring resonator. <i>Optics Express</i> , 2012 , 20, 17192	3.3	15

729	All-optical quantum random bit generation from intrinsically binary phase of parametric oscillators. <i>Optics Express</i> , 2012 , 20, 19322-30	3-3	49
728	Demonstration of a curved sidewall grating demultiplexer on silicon. <i>Optics Express</i> , 2012 , 20, 19882-92	3-3	18
727	Probing coherence in microcavity frequency combs via optical pulse shaping. <i>Optics Express</i> , 2012 , 20, 21033-43	3-3	23
726	Entangled photon generation using four-wave mixing in azimuthally symmetric microresonators. <i>Optics Express</i> , 2012 , 20, 21977-91	3-3	20
725	Broadband parametric frequency comb generation with a 1-fs pump source. <i>Optics Express</i> , 2012 , 20, 26935-41	3-3	26
724	Stable, dual mode, high repetition rate mode-locked laser based on a microring resonator. <i>Optics Express</i> , 2012 , 20, 27355-62	3-3	50
723	Observation of correlation between route to formation, coherence, noise, and communication performance of Kerr combs. <i>Optics Express</i> , 2012 , 20, 29284-95	3-3	52
722	Ultrabroadband supercontinuum generation in a CMOS-compatible platform. <i>Optics Letters</i> , 2012 , 37, 1685-7	3	142
721	Chip-based frequency combs with sub-100 GHz repetition rates. <i>Optics Letters</i> , 2012 , 37, 875-7	3	53
720	From classical four-wave mixing to parametric fluorescence in silicon microring resonators. <i>Optics Letters</i> , 2012 , 37, 3807-9	3	51
719	Low-noise chip-based frequency conversion by four-wave-mixing Bragg scattering in SiN(x) waveguides. <i>Optics Letters</i> , 2012 , 37, 2997-9	3	42
718	Athermal silicon nitride ring resonator by photobleaching of Disperse Red 1-doped poly(methyl methacrylate) polymer. <i>Optics Letters</i> , 2012 , 37, 4086-8	3	15
717	Efficient second-harmonic generation in silicon nitride resonant waveguide gratings. <i>Optics Letters</i> , 2012 , 37, 4269-71	3	32
716	Nonlinear optical properties of low temperature annealed silicon-rich oxide and silicon-rich nitride materials for silicon photonics. <i>Applied Physics Letters</i> , 2012 , 100, 021109	3-4	28
715	Strong second-harmonic generation in silicon nitride films. <i>Applied Physics Letters</i> , 2012 , 100, 161902	3-4	47
714	CMOS compatible chips for nonlinear optics. 2012 ,		
713	Demonstration of a stable ultrafast laser based on a nonlinear microcavity. <i>Nature Communications</i> , 2012 , 3, 765	17-4	134
712	Mechanical stabilization of a microrod-resonator optical frequency comb. 2012 ,		1

711	Optical frequency comb generation by cascaded second-order nonlinear effect in a quasi-phase matched micro-ring resonator. 2012,		
710	High-contrast germanium-doped silica-on-silicon waveguides. 2012,		1
709	Electrically Controlled Silicon Nitride Ring Resonator for Quasi-phase Matched Second-harmonic Generation. 2012,		3
708	Self-locked low threshold OPO in a CMOS-compatible microring resonator. 2012,		
707	Time Domain Study of On-Chip Microresonator Frequency Combs. 2012,		
706	Towards quantum frequency conversion via non-degenerate four-wave mixing in nanophotonic waveguides. 2012,		
705	. 2012, 100, 1604-1643		32
704	Low-loss, silicon integrated, aluminum nitride photonic circuits and their use for electro-optic signal processing. 2012, 12, 3562-8		154
703	Integrated nonlinear optics: From classical to quantum phenomena. 2012,		
702	Opportunities for wavelength conversion with on-chip diamond ring resonators. <i>Laser and Photonics Reviews</i> , 2012, 6, 793-801	8,3	17
701	High-Performance Silicon-Nitride-Based Multiple-Wavelength Source. 2012, 24, 1375-1377		50
700	Continuous operation of a hybrid solid-liquid state reconfigurable photonic system without resupply of liquids. 2012, 12, 2575-9		6
699	Optical communication test of multiple-wavelength comb source from silicon nitride microresonators. 2012,		
698	On-chip microresonator frequency combs formation: Observation of comb line dependent mutual coherence. 2012,		
697	Generation, characterization, and applications of high repetition rate optical frequency combs. 2012,		
696	Four-wave mixing stabilized multiwavelength silicon/erbium-doped fiber hybrid ring laser. 2012,		
695	Hybrid electro-optically modulated microcombs. 2012, 109, 263901		61
694	Frequency Combs. 2012, 1285-1304		1

693	Universal formation dynamics and noise of Kerr-frequency combs in microresonators. <i>Nature Photonics</i> , 2012 , 6, 480-487	33.9	358
692	Asymptotic fields for a Hamiltonian treatment of nonlinear electromagnetic phenomena. <i>Physical Review A</i> , 2012 , 85,	2.6	35
691	Low-pump-power, low-phase-noise, and microwave to millimeter-wave repetition rate operation in microcombs. 2012 , 109, 233901		116
690	Precise control of dispersion flatness in silicon nitride waveguides by cladding refractive index engineering. 2012 ,		1
689	Optical interconnection networks for high-performance computing systems. 2012 , 75, 046402		97
688	InP-Based Comb Generator for Optical OFDM. <i>Journal of Lightwave Technology</i> , 2012 , 30, 466-472	4	26
687	Silicon-on-Nitride Waveguide With Ultralow Dispersion Over an Octave-Spanning Mid-Infrared Wavelength Range. 2012 , 4, 126-132		28
686	The first decade of coupled resonator optical waveguides: bringing slow light to applications. <i>Laser and Photonics Reviews</i> , 2012 , 6, 74-96	8.3	106
685	Silicon nitride back-end optics for biosensor applications. 2013 ,		
684	New CMOS-compatible platforms based on silicon nitride and Hydex for nonlinear optics. <i>Nature Photonics</i> , 2013 , 7, 597-607	33.9	634
683	Numerical investigation of propagation constant in silicon nitride waveguides with different refractive index profiles. 2013 ,		
682	Silicon nitride waveguide with flattened chromatic dispersion. 2013 ,		
681	Low-Stress Silicon Nitride Platform for Mid-Infrared Broadband and Monolithically Integrated Microphotronics. 2013 , 1, 732-739		45
680	CMOS Photonics for High Performance Interconnects. 2013 , 419-460		4
679	Ultra-High-Speed Optical Time Division Multiplexing. 2013 , 641-707		0
678	Silicon nitride waveguides and micro ring-resonators for astronomical optical frequency comb generation. 2013 ,		
677	Microresonator-Based Frequency Comb Generator as Optical Source for Coherent WDM Transmission. 2013 ,		0
676	Optical filters for stereoscopic image sensors. 2013 ,		

675 CMOS compatible micro-ring resonator lasers. **2013,**

674 Sub-micron photonics Switches: Design, fabrication and characterization. **2013,**

1

673 Mid-infrared optical frequency combs at 2.5 μm based on crystalline microresonators. *Nature Communications*, **2013**, 4, 1345

17.4 188

672 On-Chip Photonic Interconnects: A Computer Architect's Perspective. **2013**, 8, 1-111

7

671 Electromagnetically induced transparency and wideband wavelength conversion in silicon nitride microdisk optomechanical resonators. **2013**, 110, 223603

107

670 Multi-photon absorption limits to heralded single photon sources. **2013**, 3, 3087

43

669 Quantitative analysis of the mode-pulling effect in microcomb generation based on the modal expansion method. *Journal of the Optical Society of America B: Optical Physics*, **2013**, 30, 3243

1.7 3

668 Visible wavelength silicon nitride focusing grating coupler with AlCu/TiN reflector. *Optics Letters*, **2013**, 38, 2521-3

3 28

667 Demonstration of Squeezing on chip. **2013,**

666 Widely time-dispersion-tuned fiber optical oscillator and frequency comb based on multiple nonlinear processes. *Optics Letters*, **2013**, 38, 4621-4

3

665 Third-harmonic UV generation in silicon nitride nanostructures. *Optics Express*, **2013**, 21, 2012-7

3.3 28

664 Low loss coupling to sub-micron thick rib and nanowire waveguides by vertical tapering. *Optics Express*, **2013**, 21, 3582-94

3.3 19

663 A silicon-based widely tunable short-wave infrared optical parametric oscillator. *Optics Express*, **2013**, 21, 5931-40

3.3 23

662 Silicon nitride CMOS-compatible platform for integrated photonics applications at visible wavelengths. *Optics Express*, **2013**, 21, 14036-46

3.3 119

661 Parametric seeding of a microresonator optical frequency comb. *Optics Express*, **2013**, 21, 17615-24

3.3 53

660 Power enhancement and phase regimes in embedded microring resonators in analogy with electromagnetically induced transparency. *Optics Express*, **2013**, 21, 20179-86

3.3 22

659 A chip-scale, telecommunications-band frequency conversion interface for quantum emitters. *Optics Express*, **2013**, 21, 21628-38

3.3 22

658 Drop-port study of microresonator frequency combs: power transfer, spectra and time-domain characterization. *Optics Express*, **2013**, 21, 22441-52

3.3 29

657	Overcoming SiN film stress limitations for high quality factor ring resonators. <i>Optics Express</i> , 2013 , 21, 22829-33	3-3	119
656	Silica microtoroid resonator sensor with monolithically integrated waveguides. <i>Optics Express</i> , 2013 , 21, 23592-603	3-3	36
655	Integrated CARS source based on seeded four-wave mixing in silicon nitride. <i>Optics Express</i> , 2013 , 21, 32123-9	3-3	11
654	Quasi-phase-matched second harmonic generation in silicon nitride ring resonators controlled by static electric field. <i>Optics Express</i> , 2013 , 21, 32690-8	3-3	11
653	Self-locked optical parametric oscillation in a CMOS compatible microring resonator: a route to robust optical frequency comb generation on a chip. <i>Optics Express</i> , 2013 , 21, 13333-41	3-3	59
652	Allpass filter design with waveguide loss compensation. <i>Optics Express</i> , 2013 , 21, 32040-52	3-3	2
651	Optical frequency comb generation from aluminum nitride microring resonator. <i>Optics Letters</i> , 2013 , 38, 2810-3	3	167
650	Modelocking and femtosecond pulse generation in chip-based frequency combs. <i>Optics Express</i> , 2013 , 21, 1335-43	3-3	143
649	Observation of On-Chip Optical Squeezing. 2013 ,		
648	Mechanical Control of a Microrod-Resonator Optical Frequency Comb. 2013 , 3,		31
647	Complementary metal-oxide-semiconductor compatible athermal silicon nitride/titanium dioxide hybrid micro-ring resonators. <i>Applied Physics Letters</i> , 2013 , 102, 051106	3-4	31
646	Graphene disk as an ultra compact ring resonator based on edge propagating plasmons. <i>Applied Physics Letters</i> , 2013 , 103, 163114	3-4	32
645	Frequency comb-induced nonlinear coupling effect in microresonators. 2013 ,		
644	Planar silicon nitride mid-infrared devices. <i>Applied Physics Letters</i> , 2013 , 102, 251121	3-4	42
643	Nonlinear integrated microwave photonics. 2013 ,		
642	Integrated four-wave mixing source for coherent anti-stokes Raman scattering based on silicon nitride. 2013 ,		
641	Quantum frequency conversion in nonlinear microcavities. <i>Optics Letters</i> , 2013 , 38, 2119-21	3	20
640	Generation of two-cycle pulses and octave-spanning frequency combs in a dispersion-flattened micro-resonator. <i>Optics Letters</i> , 2013 , 38, 5122-5	3	53

639	Spontaneous parametric fluorescence in SOI integrated microresonators. 2013,		
638	Mid-Infrared Silicon Photonics. 2013,		2
637	CMOS compatible chips for applications in nonlinear optics. 2013,		
636	Pulse shaping of on-chip microresonator frequency combs: investigation of temporal coherence. <i>EPJ Web of Conferences</i> , 2013 , 41, 11005	0.3	
635	Improved spectral flatness and sub-two-cycle pulse generation in octave-spanning Kerr frequency combs using micro-resonators with two zero-dispersion wavelengths. 2013,		1
634	Efficient Wavelength Multicasting through Four-Wave Mixing with a Comb Source. 2014,		1
633	Efficient integration of high-purity diamond nanostructures into silicon nitride photonic circuits. 2014,		1
632	Integrated Photonic Circuits in Gallium Nitride and Aluminum Nitride. 2014 , 23, 1450001		5
631	Silicon nitride for nonlinear optics applications in the telecommunications C-band deposited by ECR-CVD. 2014,		
630	Terabit/s optical transmission using chip-scale frequency comb sources. 2014,		2
629	Second-harmonic generation in AlGaAs microdisks in the telecom range. <i>Optics Letters</i> , 2014 , 39, 3062-53		49
628	Enhanced Self-frequency Shift of Cavity Soliton in Mode-locked Octave-spanning Frequency Comb Generation. 2014,		2
627	Cross-absorption as a limit to heralded silicon photon pair sources. 2014,		
626	Opportunities for Raman wavelength conversion with silicon microdisks. 2014,		
625	First Demonstration of a Tunable Single-Bandpass Photonic Radiofrequency Filter Based on Optical Frequency Comb from a Microring. 2014,		3
624	Fast and Slow Optical Modulation of Refractive Index in a SiN Microring. 2014,		
623	Mode-pulling and phase-matching in broadband Kerr frequency comb generation. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2014 , 31, 3074	1.7	10
622	Investigation of mode coupling in normal-dispersion silicon nitride microresonators for Kerr frequency comb generation. 2014 , 1, 137		128

621	Impact of ALD grown passivation layers on silicon nitride based integrated optic devices for very-near-infrared wavelengths. <i>Optics Express</i> , 2014 , 22, 5684-92	3.3	20
620	Integrated high quality factor lithium niobate microdisk resonators. <i>Optics Express</i> , 2014 , 22, 30924-33	3.3	175
619	Dispersion engineered silicon nitride waveguides by geometrical and refractive-index optimization. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2014 , 31, 2846	1.7	34
618	Comparative analysis of spectral coherence in microresonator frequency combs. <i>Optics Express</i> , 2014 , 22, 4678-91	3.3	23
617	Control of integrated micro-resonator wavelength via balanced homodyne locking. <i>Optics Express</i> , 2014 , 22, 11279-89	3.3	41
616	Design of triply-resonant microphotonic parametric oscillators based on Kerr nonlinearity. <i>Optics Express</i> , 2014 , 22, 15837-67	3.3	17
615	Molecular-absorption-induced thermal bistability in PECVD silicon nitride microring resonators. <i>Optics Express</i> , 2014 , 22, 18412-20	3.3	7
614	Time-domain simulations of nonlinear interaction in microring resonators using finite-difference and coupled mode techniques. <i>Optics Express</i> , 2014 , 22, 19204-18	3.3	4
613	Multimode nanobeam cavities for nonlinear optics: high quality resonances separated by an octave. <i>Optics Express</i> , 2014 , 22, 26498-509	3.3	22
612	On-chip frequency comb generation at visible wavelengths via simultaneous second- and third-order optical nonlinearities. <i>Optics Express</i> , 2014 , 22, 26517-25	3.3	56
611	Radiation hardness of high-Q silicon nitride microresonators for space compatible integrated optics. <i>Optics Express</i> , 2014 , 22, 30786-94	3.3	27
610	Spectroscopy of ytterbium-doped tantalum pentoxide rib waveguides on silicon. 2014 , 4, 1505		5
609	Green, red, and IR frequency comb line generation from single IR pump in AlN microring resonator. 2014 , 1, 396		84
608	Electrical tuning and switching of an optical frequency comb generated in aluminum nitride microring resonators. <i>Optics Letters</i> , 2014 , 39, 84-7	3	37
607	Optical frequency comb technology for ultra-broadband radio-frequency photonics. <i>Laser and Photonics Reviews</i> , 2014 , 8, 368-393	8.3	198
606	All-optical logic gate operating with single wavelength. <i>Optics Express</i> , 2014 , 22, 4466-79	3.3	25
605	Self-injection locking and phase-locked states in microresonator-based optical frequency combs. 2014 , 112, 043905		84
604	High-efficiency degenerate four-wave mixing in triply resonant nanobeam cavities. <i>Physical Review A</i> , 2014 , 89,	2.6	9

603	Intra-Cavity Dispersion of Microresonators and its Engineering for Octave-Spanning Kerr Frequency Comb Generation. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2014 , 20, 111-117	3.8	6
602	Quantum diamond chip under network optical control. 2014 ,		
601	Two-cycle pulse generation from mode-locked Kerr frequency combs based on an integrated dispersion-flattened micro-resonator. 2014 ,		1
600	High performance platforms for integrated nonlinear optics. 2014 ,		
599	Multiwavelength time-stretch imaging system. <i>Optics Letters</i> , 2014 , 39, 2202-5	3	25
598	Synthetic diamond as a new material for on-chip nonlinear wavelength converters. 2014 ,		
597	Wide-range tunability, thermal locking, and mode-crossing effects in Kerr optical frequency combs. 2014 , 53, 122602		7
596	Photonic Network-on-Chip Design. 2014 ,		47
595	Diamond nonlinear photonics. <i>Nature Photonics</i> , 2014 , 8, 369-374	33.9	224
594	Low-Loss Silicon Nitride AWG Demultiplexer Heterogeneously Integrated With Hybrid III-V/Silicon Photodetectors. <i>Journal of Lightwave Technology</i> , 2014 , 32, 817-823	4	83
593	Chalcogenide glass waveguide devices for all-optical signal processing. 2014 , 438-470		1
592	Frequency comb expansion in a monolithic self-mode-locked laser concurrent with stimulated Raman scattering. <i>Laser and Photonics Reviews</i> , 2014 , 8, 750-755	8.3	14
591	Programmable Single-Bandpass Photonic RF Filter Based on Kerr Comb from a Microring. <i>Journal of Lightwave Technology</i> , 2014 , 32, 3557-3565	4	78
590	Temporal solitons in optical microresonators. <i>Nature Photonics</i> , 2014 , 8, 145-152	33.9	816
589	Dispersion engineering of high-Q silicon microresonators via thermal oxidation. <i>Applied Physics Letters</i> , 2014 , 105, 031112	3.4	9
588	Frequency Combs from Normal Dispersion Silicon Nitride Microresonators. 2014 ,		
587	A Three-Dimensional Silicon Nitride Polarizing Beam Splitter. 2014 , 26, 706-709		29
586	Mode spectrum and temporal soliton formation in optical microresonators. 2014 , 113, 123901		153

585	Mid-infrared frequency comb generation in coupled silicon microring resonators. <i>Optics Communications</i> , 2014 , 332, 125-131	2	4
584	Coherent terabit communications with microresonator Kerr frequency combs. <i>Nature Photonics</i> , 2014 , 8, 375-380	33.9	358
583	Tunable long-distance light transportation along Au nanoparticle chains: promising for optical interconnect. 2014 , 16, 1		
582	Nonlinear Integrated Microwave Photonics. <i>Journal of Lightwave Technology</i> , 2014 , 32, 3421-3427	4	56
581	Frequency comb formation and transition to chaos in microresonators with near-zero dispersion. <i>Optics Letters</i> , 2014 , 39, 4305-8	3	4
580	Raman Stokes/Anti-Stokes Wavelength Conversion in Automatically Quasi-Phase-Matched Silicon Microdisk Resonators. <i>Journal of Lightwave Technology</i> , 2014 , 32, 2939-2950	4	
579	Efficient continuous-wave four-wave mixing in bandgap-engineered AlGaAs waveguides. <i>Optics Letters</i> , 2014 , 39, 3161-4	3	31
578	Light manipulation with encoded plasmonic nanostructures. 2014 , 1, 6		15
577	Inverse dispersion design in silicon waveguides. 2014 ,		
576	Rapidly Reconfigurable RF Arbitrary Waveform Synthesis using a CMOS Silicon Photonic Chip. 2014 ,		
575	Nonlinear Group IV photonics based on silicon and germanium: from near-infrared to mid-infrared. <i>Nanophotonics</i> , 2014 , 3, 247-268	6.3	138
574	Linear and nonlinear characterization of low-stress high-confinement silicon-rich nitride waveguides. <i>Optics Express</i> , 2015 , 23, 25827-37	3.3	58
573	Mode converter based on an inverse taper for multimode silicon nanophotonic integrated circuits. <i>Optics Express</i> , 2015 , 23, 28376-88	3.3	38
572	In-resonator variation of waveguide cross-sections for dispersion control of aluminum nitride micro-rings. <i>Optics Express</i> , 2015 , 23, 30634-40	3.3	11
571	Soliton frequency comb at microwave rates in a high-Q silica microresonator. 2015 , 2, 1078		271
570	Spontaneous four-wave mixing in lossy microring resonators. <i>Physical Review A</i> , 2015 , 91,	2.6	37
569	All-optical control of optical frequency combs via quantum interference effects in a single-emitter-microcavity system. <i>Physical Review A</i> , 2015 , 91,	2.6	10
568	Strongly driven nonlinear quantum optics in microring resonators. <i>Physical Review A</i> , 2015 , 92,	2.6	25

567	Carrier-envelope phase dynamics of cavity solitons: Scaling law and soliton stability. <i>Physical Review A</i> , 2015 , 92,	2.6	5
566	On-Chip Optical Squeezing. 2015 , 3,		112
565	Dissipative Kerr Solitons in Optical Microresonators. 2015 , 129-162		6
564	Scalable Integration of Long-Lived Quantum Memories into a Photonic Circuit. 2015 , 5,		57
563	Increment of Access Points in Integrated System of Wavelength Division Multiplexed Passive Optical Network Radio over Fiber. 2015 , 5, 11897		30
562	A low-phase-noise 18 GHz Kerr frequency microcomb phase-locked over 65 THz. 2015 , 5, 13355		32
561	Frequency Comb Generation on a Silicon Chip. 2015 ,		
560	Continuous-wave nonlinear optics in low-stress silicon-rich nitride waveguides. 2015 ,		
559	Nonlinear photonic waveguides for on-chip optical pulse compression. <i>Laser and Photonics Reviews</i> , 2015 , 9, 294-308	8.3	18
558	Supercontinuum generation in bandgap engineered, back-end CMOS compatible silicon rich nitride waveguides. <i>Laser and Photonics Reviews</i> , 2015 , 9, 498-506	8.3	65
557	Normal-dispersion microcombs enabled by controllable mode interactions. <i>Laser and Photonics Reviews</i> , 2015 , 9, L23-L28	8.3	84
556	Chip-based frequency conversion by four-wave-mixing Bragg scattering in Si3N4 microrings. 2015 ,		1
555	Optical peaking enhancement in high-speed ring modulators. 2014 , 4, 6310		58
554	A coherent perceptron for all-optical learning. 2015 , 2,		13
553	CMOS Compatible Platforms for Integrated Nonlinear Optics. 2015 , 35-70		
552	Silicon photonics WDM transmitter with single section semiconductor mode-locked laser. 2015 , 4,		11
551	Exact Solutions and Scaling Laws for Kerr Frequency Combs. 2015 ,		
550	Atomic layer deposited second-order nonlinear optical metamaterial for back-end integration with CMOS-compatible nanophotonic circuitry. <i>Optics Letters</i> , 2015 , 40, 5371-4	3	22

549	Material platforms for nonlinear integrated microwave photonics. 2015,		
548	Highly nonlinear sub-micron silicon nitride trench waveguide coated with gold nanoparticles. 2015,		3
547	Enhancement of second-harmonic generation from silicon nitride with gold gratings. <i>Optics Express</i> , 2015 , 23, 30695-700	3.3	5
546	Dual-pumped degenerate Kerr oscillator in a silicon nitride microresonator. <i>Optics Letters</i> , 2015 , 40, 5263-70		42
545	Four-wave-mixing in the loss low submicrometer Ta ₂ O ₅ channel waveguide. <i>Optics Letters</i> , 2015 , 40, 4528-31		21
544	Integrated nonlinear optical signal processing in CMOS compatible platforms. 2015,		0
543	Phase steps and resonator detuning measurements in microresonator frequency combs. <i>Nature Communications</i> , 2015 , 6, 5668	17.4	55
542	Mode-locked ultrashort pulse generation from on-chip normal dispersion microresonators. 2015 , 114, 053901		101
541	Monolithic silicon-micromachined free-space optical interferometers onchip. <i>Laser and Photonics Reviews</i> , 2015 , 9, 1-24	8.3	54
540	Silicon-chip mid-infrared frequency comb generation. <i>Nature Communications</i> , 2015 , 6, 6299	17.4	228
539	Compact picosecond nondegenerate four-wave mixing mirrorless optical parametric oscillator in silicon waveguide. 2015 , 29, 1550001		
538	Athermal and High-Q Hybrid TiO ₂ /Bi ₃ N ₄ Ring Resonator via an Etching-Free Fabrication Technique. 2015 , 2, 405-409		26
537	On-Chip Dual-Stream DWDM Eight-Channel-Capable SOI-Based MUX s/DEMUX s With 40-GH z Channel Bandwidth. 2015 , 7, 1-10		7
536	Enhancing Optical Nonlinearity in a Nonstoichiometric SiN Waveguide for Cross-Wavelength All-Optical Data Processing. 2015 , 2, 1141-1154		58
535	. 2015 , 7, 1-13		2
534	Neurophotonics: optical methods to study and control the brain. 2015 , 58, 345-364		26
533	Theoretical study of graphene-silicon nitride-silicon hybrid photonic crystal waveguides for four-wave mixing enhancement. 2015 , 54, 3640		6
532	Multi-mode interference revealed by two photon absorption in silicon rich SiO ₂ waveguides. <i>Applied Physics Letters</i> , 2015 , 106, 071109	3.4	5

531	Nonlinear optical signal processing in high figure of merit CMOS compatible platforms. 2015,		
530	Advances in Kerr optical frequency comb generation. 2015,		
529	Continuous wave-pumped wavelength conversion in low-loss silicon nitride waveguides. <i>Optics Letters</i> , 2015 , 40, 875-8	3	30
528	Optics and photonics at nanoscale: Principles and perspectives. 2015 , 110, 14001		15
527	Effects of multiphoton absorption on parametric comb generation in silicon microresonators. <i>Optics Letters</i> , 2015 , 40, 2778-81	3	26
526	High confinement, high yield Si(3)N(4) waveguides for nonlinear optical applications. <i>Optics Express</i> , 2015 , 23, 642-8	3.3	50
525	Sub-micron silicon nitride waveguide fabrication using conventional optical lithography. <i>Optics Express</i> , 2015 , 23, 6780-6	3.3	29
524	Frequency combs and platicons in optical microresonators with normal GVD. <i>Optics Express</i> , 2015 , 23, 7713-21	3.3	78
523	Deterministic single soliton generation and compression in microring resonators avoiding the chaotic region. <i>Optics Express</i> , 2015 , 23, 9618-26	3.3	30
522	Soliton breathing induced by stimulated Raman scattering and self-steepening in octave-spanning Kerr frequency comb generation. <i>Optics Express</i> , 2015 , 23, 18665-70	3.3	12
521	Exploring High Refractive Index Silicon-Rich Nitride Films by Low-Temperature Inductively Coupled Plasma Chemical Vapor Deposition and Applications for Integrated Waveguides. 2015 , 7, 21884-9		49
520	Integrated source of broadband quadrature squeezed light. <i>Optics Express</i> , 2015 , 23, 12013-36	3.3	17
519	Ultrafast, low-power, all-optical switching via birefringent phase-matched transverse mode conversion in integrated waveguides. <i>Optics Express</i> , 2015 , 23, 19189-201	3.3	9
518	Tunable frequency combs based on dual microring resonators. <i>Optics Express</i> , 2015 , 23, 21527-40	3.3	60
517	Integrated optical circulator by stimulated Brillouin scattering induced non-reciprocal phase shift. <i>Optics Express</i> , 2015 , 23, 25118-27	3.3	22
516	Counting the cycles of light using a self-referenced optical microresonator. 2015 , 2, 706		61
515	High spectral purity Kerr frequency comb radio frequency photonic oscillator. <i>Nature Communications</i> , 2015 , 6, 7957	17.4	238
514	Terabit/s communications using chip-scale frequency comb sources. 2015 ,		1

513	Mode-locked dark pulse Kerr combs in normal-dispersion microresonators. <i>Nature Photonics</i> , 2015 , 9, 594-600	33.9	262
512	Mode-Locked and Repetition-Rate-Tunable Comb Generation Using Dual Coupled Microrings. 2015 ,		
511	A low-phase-noise 18 GHz Kerr frequency comb spanning 65 THz. 2015 ,		1
510	Tunable Frequency Combs based on Dual Microring Resonators. 2015 ,		0
509	High-Q Silicon Nitride Microresonator for Low Power Frequency Comb Initiation at Normal Dispersion Regime. 2015 ,		3
508	Spectro-temporal dynamics of Kerr combs with parametric seeding. 2015 , 54, 2407-12		14
507	Numerical investigation of silicon nitride trench waveguide. 2015 ,		2
506	Triply resonant coherent four-wave mixing in silicon nitride microresonators. <i>Optics Letters</i> , 2015 , 40, 4006-9	3	9
505	Carriers Generated by Mode-Locked Laser to Increase Serviceable Channels in Radio Over Free Space Optical Systems. 2015 , 7, 1-12		11
504	Generation of sub-terahertz repetition rates from a monolithic self-mode-locked laser coupled with an external Fabry-Perot cavity. <i>Laser and Photonics Reviews</i> , 2015 , 9, 91-97	8.3	15
503	Self-phase modulation in highly confined submicron Ta2O5 channel waveguides. <i>Optics Express</i> , 2016 , 24, 21633-41	3.3	14
502	Electric field enhancement with plasmonic colloidal nanoantennas excited by a silicon nitride waveguide. <i>Optics Express</i> , 2016 , 24, 28337-28352	3.3	17
501	Dynamics of mode-coupling-induced microresonator frequency combs in normal dispersion. <i>Optics Express</i> , 2016 , 24, 28794-28803	3.3	27
500	Bringing short-lived dissipative Kerr soliton states in microresonators into a steady state. <i>Optics Express</i> , 2016 , 24, 29312-29320	3.3	50
499	High-Q silicon nitride microresonators exhibiting low-power frequency comb initiation. 2016 , 3, 1171		97
498	Observation of second-harmonic generation in silicon nitride waveguides through bulk nonlinearities. <i>Optics Express</i> , 2016 , 24, 16923-33	3.3	20
497	Harmonization of chaos into a soliton in Kerr frequency combs. <i>Optics Express</i> , 2016 , 24, 27382-27394	3.3	28
496	Dual-pump Kerr Micro-cavity Optical Frequency Comb with varying FSR spacing. 2016 , 6, 28501		38

495	Nonlinear and quantum optics with whispering gallery resonators. 2016 , 18, 123002		151
494	Nonlinear optics at low powers: Alternative mechanism of on-chip optical frequency comb generation. <i>Physical Review A</i> , 2016 , 94,	2.6	3
493	Kerr optical frequency combs: theory, applications and perspectives. <i>Nanophotonics</i> , 2016 , 5, 214-230	6.3	68
492	Photonic Damascene process for integrated high-Q microresonator based nonlinear photonics. 2016 , 3, 20		154
491	Microwave photonics connected with microresonator frequency combs. 2016 , 9, 238-248		15
490	Generation of optical frequency combs in a fiber-ring/microresonator laser system. <i>Optics Letters</i> , 2016 , 41, 2576-9	3	11
489	Efficient and low-noise single-photon-level frequency conversion interfaces using silicon nanophotonics. <i>Nature Photonics</i> , 2016 , 10, 406-414	33.9	129
488	Active capture and stabilization of temporal solitons in microresonators. <i>Optics Letters</i> , 2016 , 41, 2037-40		86
487	Scalable Fabrication of Integrated Nanophotonic Circuits on Arrays of Thin Single Crystal Diamond Membrane Windows. 2016 , 16, 3341-7		35
486	Four-wave mixing and nonlinear losses in thick silicon waveguides. <i>Optics Letters</i> , 2016 , 41, 2418-21	3	5
485	On Frequency Combs in Monolithic Resonators. <i>Nanophotonics</i> , 2016 , 5, 363-391	6.3	30
484	Observation of Fermi-Pasta-Ulam Recurrence Induced by Breather Solitons in an Optical Microresonator. 2016 , 117, 163901		79
483	High-resolution spectroscopic frequency measurements. 2016 , 343-432		
482	Stabilized chip-scale Kerr frequency comb via a high-Q reference photonic microresonator. <i>Optics Letters</i> , 2016 , 41, 3706-9	3	7
481	Efficient frequency comb generation in AlGaAs-on-insulator. 2016 , 3, 823		143
480	Intracavity characterization of micro-comb generation in the single-soliton regime. <i>Optics Express</i> , 2016 , 24, 10890-7	3.3	71
479	Optical properties of V-groove silicon nitride trench waveguides. 2016 , 33, 1851-9		2
478	Mode-locked mid-infrared frequency combs in a silicon microresonator. 2016 , 3, 854		108

477	Quantum dynamics of Kerr optical frequency combs below and above threshold: Spontaneous four-wave mixing, entanglement, and squeezed states of light. <i>Physical Review A</i> , 2016 , 93,	2.6	33
476	Raman Self-Frequency Shift of Dissipative Kerr Solitons in an Optical Microresonator. 2016 , 116, 103902		122
475	Degenerate Four-Wave Mixing in Si Quantum Dot Doped Si-Rich SiNx Channel Waveguide. <i>Journal of Lightwave Technology</i> , 2016 , 34, 4111-4120	4	3
474	Quasi-phase matching in periodically-grooved thin-film lithium niobate waveguides. 2016 ,		
473	Closed-form solutions and scaling laws for Kerr frequency combs. 2016 , 6, 24742		12
472	Wideband nonlinear spectral broadening in ultra-short ultra - silicon rich nitride waveguides. 2016 , 6, 27120		18
471	Compact and portable 100-GHz microresonator-based optical frequency comb generation system for dense wavelength division multiplexing fiber optic communication. 2016 , 55, 100503		5
470	Aluminum nitride as nonlinear optical material for on-chip frequency comb generation and frequency conversion. <i>Nanophotonics</i> , 2016 , 5, 263-271	6.3	35
469	A proposal for the generation of optical frequency comb in temperature insensitive microcavity. 2016 , 25, 114214		
468	Dispersion characteristics of nanometer-scaled silicon nitride suspended membrane waveguides. 2016 , 37, 114007		
467	Multi-Poly-Silicon-Layer-Based Spot-Size Converter for Efficient Coupling Between Silicon Waveguide and Standard Single-Mode Fiber. 2016 , 8, 1-12		7
466	Phase-coherent microwave-to-optical link with a self-referenced microcomb. <i>Nature Photonics</i> , 2016 , 10, 516-520	33.9	97
465	Design of a polymer-filled silicon nitride strip/slot asymmetric hybrid waveguide for realizing both flat dispersion and athermal operation. 2016 , 55, 4827-32		2
464	Thermo-Optic Characterization of Silicon Nitride Resonators for Cryogenic Photonic Circuits. 2016 , 8, 1-9		46
463	Ultra-flat and broad optical frequency combs generation based on novel dispersion-flattened double-slot microring resonator. 2016 , 122, 1		2
462	Thermal tuning of Kerr frequency combs in silicon nitride microring resonators. <i>Optics Express</i> , 2016 , 24, 687-98	3.3	75
461	APPLIED OPTICS. How Cherenkov radiative losses can improve optical frequency combs. 2016 , 351, 340-1		4
460	Enriching Si quantum dots in a Si-rich SiNx matrix for strong (β) optical nonlinearity. 2016 , 4, 1405-1413		24

459	Tunable squeezing using coupled ring resonators on a silicon nitride chip. <i>Optics Letters</i> , 2016 , 41, 223-63	3.0	30
458	Microwave and RF applications for micro-resonator based frequency combs. 2016 ,		
457	. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2016 , 22, 336-346	3.8	27
456	Higher order mode suppression in high-Q anomalous dispersion SiN microresonators for temporal dissipative Kerr soliton formation. <i>Optics Letters</i> , 2016 , 41, 452-5	3	44
455	Photonic chip-based optical frequency comb using soliton Cherenkov radiation. 2016 , 351, 357-60		372
454	Nonlinear optical interactions in silicon waveguides. <i>Nanophotonics</i> , 2017 , 6, 377-392	6.3	10
453	Pushing the limits of CMOS optical parametric amplifiers with USRN:SiN above the two-photon absorption edge. <i>Nature Communications</i> , 2017 , 8, 13878	17.4	92
452	Low-temperature crack-free Si3N4 nonlinear photonic circuits for CMOS-compatible optoelectronic co-integration. 2017 ,		
451	Kerr combs from normal and anomalous dispersion silicon nitride microresonators. 2017 ,		
450	Photonic integrated circuits for multi-color laser engines. 2017 ,		1
449	Formation of plasmon pulses in the cooperative decay of excitons of quantum dots near a metal surface. 2017 , 124, 18-31		16
448	Self-referenced photonic chip soliton Kerr frequency comb. 2017 , 6, e16202		68
447	Three-Dimensional Cross-Coupled Silicon Nitride Racetrack Resonator-Based Tunable Optical Filter. 2017 , 29, 771-774		9
446	Improving the nonlinear energy conversion efficiency of a Kerr-comb-based broadband multi-wavelength light source by introducing an optical feedback loop. 2017 , 27, 065402		
445	Second-harmonic-assisted four-wave mixing in chip-based microresonator frequency comb generation. 2017 , 6, e16253		62
444	Extracting loss from asymmetric resonances in micro-ring resonators. 2017 , 19, 065804		3
443	Nonlinear silicon photonics. 2017 , 19, 093002		53
442	Microresonator-based solitons for massively parallel coherent optical communications. 2017 , 546, 274-279		427

441	Mode and Lasing Characteristics for Hybrid Square-Rectangular Lasers. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2017 , 23, 1-9	3.8	8
440	Dissipative Kerr solitons and Cherenkov radiation in optical microresonators with third-order dispersion. <i>Physical Review A</i> , 2017 , 95,	2.6	24
439	Ultrafast All-Optical Switching. 2017 , 5, 1600665		105
438	Microresonator Kerr frequency combs with high conversion efficiency. <i>Laser and Photonics Reviews</i> , 2017 , 11, 1600276	8.3	72
437	Silicon photonic crystal cavity enhanced second-harmonic generation from monolayer WSe ₂ . 2017 , 4, 015031		50
436	Silicon Photonics Transmitter with SOA and Semiconductor Mode-Locked Laser. 2017 , 7, 13857		14
435	Photon-pair generation in a lossy microring resonator. I. Theory. <i>Physical Review A</i> , 2017 , 96,	2.6	6
434	Enhanced optical nonlinearities in CMOS-compatible ultra-silicon-rich nitride photonic crystal waveguides. <i>Applied Physics Letters</i> , 2017 , 111, 121104	3.4	9
433	Dispersion engineering and frequency comb generation in thin silicon nitride concentric microresonators. <i>Nature Communications</i> , 2017 , 8, 372	17.4	60
432	Existence and switching behavior of bright and dark Kerr solitons in whispering-gallery mode resonators with zero group-velocity dispersion. 2017 , 71, 1		13
431	Two-Photon Absorption-Free Ultrafast Optical Switching in Carbon-Rich SixC1 ₈ Microring. 2017 , 2, 1700095		9
430	Novel Light Source Integration Approaches for Silicon Photonics. <i>Laser and Photonics Reviews</i> , 2017 , 11, 1700063	8.3	97
429	. 2017 , 9, 1-9		0
428	A III-V-on-Si ultra-dense comb laser. 2017 , 6, e16260		70
427	Si-rich Silicon Nitride for Nonlinear Signal Processing Applications. 2017 , 7, 22		75
426	Review of optical detection of single molecules beyond the diffraction and diffusion limit using plasmonic nanostructures. 2017 , 12, 012504		7
425	Expanding the Silicon Photonics Portfolio With Silicon Nitride Photonic Integrated Circuits. <i>Journal of Lightwave Technology</i> , 2017 , 35, 639-649	4	149
424	An integrated ultra-high-Q resonator for optical clocks, synthesizers, gyroscopes and spectroscopy. 2017 ,		1

423	Microwave and RF applications of micro-combs. 2017 ,		
422	Photonic microwave and RF signal processing based on optical micro-combs. 2017 ,		
421	A Comparative Analysis on Fully Integrated Spectral Broadening of Kerr Frequency Combs. 2017 , 9, 1-9		1
420	Competition between Raman and Kerr effects in microresonator comb generation. <i>Optics Letters</i> , 2017 , 42, 2786-2789	3	38
419	Enhancement of bulk second-harmonic generation from silicon nitride films by material composition. <i>Optics Letters</i> , 2017 , 42, 5030-5033	3	8
418	Investigation of the local dispersion change in anomalous dispersion microcavity and quantitative analysis of the phase-matching in Kerr comb generation. 2017 , 56, 4828-4834		1
417	Microstructured optical fiber for multichannel sensing based on Fano resonance of the whispering gallery modes. <i>Optics Express</i> , 2017 , 25, 994-1004	3-3	10
416	Second harmonic generation in nano-structured thin-film lithium niobate waveguides. <i>Optics Express</i> , 2017 , 25, 6963-6973	3-3	121
415	Broad expansion of optical frequency combs by self-Raman scattering in coupled-cavity self-mode-locked monolithic lasers. <i>Optics Express</i> , 2017 , 25, 7627-7636	3-3	4
414	Wavelength multicasting through four-wave mixing with an optical comb source. <i>Optics Express</i> , 2017 , 25, 9276-9284	3-3	7
413	Silicon-rich nitride waveguides for ultra-broadband nonlinear signal processing. <i>Optics Express</i> , 2017 , 25, 12100-12108	3-3	20
412	Optical bandgap engineering in nonlinear silicon nitride waveguides. <i>Optics Express</i> , 2017 , 25, 15370-15380		37
411	Extending chip-based Kerr-comb to visible spectrum by dispersive wave engineering. <i>Optics Express</i> , 2017 , 25, 22362-22374	3-3	4
410	Long-haul coherent communications using microresonator-based frequency combs. <i>Optics Express</i> , 2017 , 25, 26678-26688	3-3	25
409	Cascaded second-order optical nonlinearities in on-chip micro rings. <i>Optics Express</i> , 2017 , 25, 29927-29933	3-3	63
408	Ultra-low-loss on-chip resonators with sub-milliwatt parametric oscillation threshold. 2017 , 4, 619		233
407	Low-loss silicon platform for broadband mid-infrared photonics. 2017 , 4, 707		105
406	Robust generation of frequency combs in a microresonator with strong and narrowband loss. <i>Photonics Research</i> , 2017 , 5, 552	6	3

405	Kerr frequency combs in large-size, ultra-high-Q toroid microcavities with low repetition rates [Invited]. <i>Photonics Research</i> , 2017 , 5, B54	6	18
404	Aluminum nitride-on-sapphire platform for integrated high-Q microresonators. <i>Optics Express</i> , 2017 , 25, 587-594	33	35
403	Multilayer graphene electro-absorption optical modulator based on double-stripe silicon nitride waveguide. <i>Optics Express</i> , 2017 , 25, 21619-21629	33	30
402	Ultra-low-loss Ta ₂ O ₅ -core/SiO ₂ -clad planar waveguides on Si substrates. 2017 , 4, 532		60
401	Third-order nonlinearity OPO: Schmidt mode decomposition and tripartite entanglement. <i>Optics Letters</i> , 2017 , 42, 4865-4868	3	1
400	Soliton dual frequency combs in crystalline microresonators. <i>Optics Letters</i> , 2017 , 42, 514-517	3	58
399	Bulk second-harmonic generation from thermally evaporated indium selenide thin films. <i>Optics Letters</i> , 2017 , 42, 1076-1079	3	4
398	A chip-based silicon nitride platform for mid-infrared nonlinear photonics. 2017 ,		1
397	. 2017 ,		2
396	Chip-Scale Microwave Photonic Signal Processing. 2017 ,		1
395	Nonlinear photonics with high-Q whispering-gallery-mode resonators. 2017 , 9, 828		105
394	Efficient wavelength conversion with low operation power in a TaO-based micro-ring resonator. <i>Optics Letters</i> , 2017 , 42, 4804-4807	3	17
393	Design and fabrication of surface trimmed silicon-on-insulator waveguide with adiabatic spot-size converters. 2017 , 56, 1708-1716		1
392	Ultrafast optical ranging using microresonator soliton frequency combs. 2018 , 359, 887-891		274
391	. <i>Journal of Lightwave Technology</i> , 2018 , 36, 2312-2321	4	34
390	A Survey of Optical Carrier Generation Techniques for Terabit Capacity Elastic Optical Networks. 2018 , 20, 211-263		43
389	Crack-Free Silicon-Nitride-on-Insulator Nonlinear Circuits for Continuum Generation in the $\{C\}$ -Band. 2018 , 30, 355-358		17
388	On-chip dual-comb source for spectroscopy. 2018 , 4, e1701858		155

387	Broadband RF Channelizer Based on an Integrated Optical Frequency Kerr Comb Source. <i>Journal of Lightwave Technology</i> , 2018 , 36, 4519-4526	4	35
386	Frequency Combs in a Lumped-Element Josephson-Junction Circuit. 2018 , 120, 153601		10
385	Low-Loss Si3N4 TriPleX Optical Waveguides: Technology and Applications Overview. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2018 , 24, 1-21	3.8	120
384	. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2018 , 24, 1-20	3.8	46
383	Influence of Deposition Conditions on the Characteristics of Luminescent Silicon Carbonitride Thin Films. 2018 , 7, N7-N14		10
382	Photonic chip-based soliton frequency combs covering the biological imaging window. <i>Nature Communications</i> , 2018 , 9, 1146	17.4	42
381	SiGeC Waveguide for All-Optical Data Switching. 2018 , 5, 2251-2260		12
380	Bridging ultrahigh-Q devices and photonic circuits. <i>Nature Photonics</i> , 2018 , 12, 297-302	33.9	94
379	Micro-combs: A novel generation of optical sources. 2018 , 729, 1-81		205
378	Ultralow-power chip-based soliton microcombs for photonic integration. 2018 , 5, 1347		83
377	. 2018 ,		
376	High-Confinement, High-Q Microring Resonators on Silicon Carbide-On-Insulator (SiCOI). 2018 ,		
375	Applying CMOS capabilities of CEITEC's foundry towards silicon photonic devices. 2018 ,		
374	High Resolution Brillouin Sensing of Micro-Scale Structures. 2018 , 8, 2572		5
373	Microresonator frequency combs for long-haul coherent communications. 2018 ,		
372	From the Lugiato-Lefever equation to microresonator-based soliton Kerr frequency combs. 2018 , 376,		44
371	Recent advances in optical technologies for data centers: a review. 2018 , 5, 1354		180
370	On-Chip Optical Frequency Comb Generation for RF Photonic Applications. 2018 ,		

369	Parametric Nonlinear Silicon-Based Photonics. 2018 , 106, 2196-2208		7
368	Crack-Free Silicon-Nitride-on-Insulator Nonlinear Circuits for Continuum Generation in the C-Band. 2018 ,		
367	Synchronization of coupled optical microresonators. <i>Nature Photonics</i> , 2018 , 12, 688-693	33.9	45
366	Battery-operated integrated frequency comb generator. 2018 , 562, 401-405		245
365	. 2018 , 106, 2209-2231		146
364	Self-phase modulation and spectral broadening in millimeter long self-written polymer waveguide integrated with single mode fibers. 2018 , 86, 172-177		6
363	Invited Article: Enhanced four-wave mixing in waveguides integrated with graphene oxide. <i>APL Photonics</i> , 2018 , 3, 120803	5.2	41
362	Microresonator Frequency Combs for Integrated Microwave Photonics. 2018 , 30, 1814-1817		6
361	Ultra-Efficient and Broadband Nonlinear AlGaAs-on-Insulator Chip for Low-Power Optical Signal Processing. <i>Laser and Photonics Reviews</i> , 2018 , 12, 1800111	8.3	44
360	Four wave mixing in 3C SiC ring resonators. <i>Applied Physics Letters</i> , 2018 , 112, 251110	3.4	21
359	Soliton regulation in microcavities induced by fundamental-second-harmonic mode coupling. <i>Photonics Research</i> , 2018 , 6, 948	6	16
358	Waveguide-Integrated Compact Plasmonic Resonators for On-Chip Mid-Infrared Laser Spectroscopy. 2018 , 18, 7601-7608		36
357	Nanophotonic Pockels modulators on a silicon nitride platform. <i>Nature Communications</i> , 2018 , 9, 3444	17.4	79
356	Picosecond optical pulse processing using a terahertz-bandwidth reconfigurable photonic integrated circuit. <i>Nanophotonics</i> , 2018 , 7, 837-852	6.3	14
355	Phase-matching-free parametric oscillators based on two-dimensional semiconductors. 2018 , 7, 5		16
354	Deterministic Single Soliton Formation and Manipulation in Anomalous Dispersion Microresonators via Parametric Seeding. 2018 , 10, 1-8		1
353	. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2018 , 1-1	3.8	20
352	On-chip silicon photonic signaling and processing: a review. 2018 , 63, 1267-1310		60

351	Highly efficient coupling of crystalline microresonators to integrated photonic waveguides. <i>Optics Letters</i> , 2018 , 43, 2106-2109	3	7
350	Compact titanium dioxide waveguides with high nonlinearity at telecommunication wavelengths. <i>Optics Express</i> , 2018 , 26, 1055-1063	3-3	24
349	Spatial-mode-coupling-based dispersion engineering for integrated optical waveguide. <i>Optics Express</i> , 2018 , 26, 2807-2816	3-3	7
348	Nonlinear silicon nitride waveguides based on a PECVD deposition platform. <i>Optics Express</i> , 2018 , 26, 9645-9654	3-3	27
347	Generation of tunable, high repetition rate optical frequency combs using on-chip silicon modulators. <i>Optics Express</i> , 2018 , 26, 10744-10753	3-3	11
346	Aluminum nitride integrated photonics platform for the ultraviolet to visible spectrum. <i>Optics Express</i> , 2018 , 26, 11147-11160	3-3	65
345	Manipulation of extinction features in frequency combs through the usage of graphene. <i>Optics Express</i> , 2018 , 26, 15490-15502	3-3	5
344	Compact broadband low-loss taper for coupling to a silicon nitride photonic wire. <i>Optics Letters</i> , 2018 , 43, 3433-3436	3	9
343	Low-loss prism-waveguide optical coupling for ultrahigh-Q low-index monolithic resonators. 2018 , 5, 219		22
342	Robust cavity soliton formation with hybrid dispersion. <i>Photonics Research</i> , 2018 , 6, 647	6	5
341	Nonlinear optics on silicon-rich nitride—high nonlinear figure of merit CMOS platform [Invited]. <i>Photonics Research</i> , 2018 , 6, B50	6	45
340	Graphene-decorated microfiber knot as a broadband resonator for ultrahigh-repetition-rate pulse fiber lasers. <i>Photonics Research</i> , 2018 , 6, C1	6	40
339	Dissipative Kerr solitons in photonic chip-based microresonators. 2018 ,		
338	Integrated combs drive extreme data rates. <i>Nature Photonics</i> , 2018 , 12, 447-450	33-9	4
337	Shaping High-Q Planar Fano Resonant Metamaterials toward Futuristic Technologies. 2018 , 6, 1800502		34
336	Type-II micro-comb generation in a filter-driven four wave mixing laser [Invited]. <i>Photonics Research</i> , 2018 , 6, B67	6	15
335	Advanced RF and microwave functions based on an integrated optical frequency comb source. <i>Optics Express</i> , 2018 , 26, 2569-2583	3-3	48
334	Low-power broadband all-optical switching via intermodal cross-phase modulation in integrated optical waveguides. <i>Optics Letters</i> , 2018 , 43, 1631-1634	3	6

333	Frequency Comb-Based WDM Transmission Systems Enabling Joint Signal Processing. 2018 , 8, 718		34
332	High-order coherent communications using mode-locked dark-pulse Kerr combs from microresonators. <i>Nature Communications</i> , 2018 , 9, 1598	17.4	87
331	Broadband incoherent four-wave mixing and 27 dB idler conversion efficiency using ultra-silicon rich nitride devices. <i>Applied Physics Letters</i> , 2018 , 112, 181101	3.4	10
330	PINE: An Energy Efficient Flexibly Interconnected Photonic Data Center Architecture for Extreme Scalability. 2018 ,		7
329	Semicylindrical microresonator: excitation, modal structure, and Q-factor. 2018 , 57, 6309-6313		1
328	. 2018 ,		
327	Annealing-free Si ₃ N ₄ frequency combs for monolithic integration with Si photonics. <i>Applied Physics Letters</i> , 2018 , 113, 081102	3.4	25
326	Heterogeneously Integrated GaAs Waveguides on Insulator for Efficient Frequency Conversion. <i>Laser and Photonics Reviews</i> , 2018 , 12, 1800149	8.3	55
325	Dissipative Kerr solitons in optical microresonators. 2018 , 361,		455
324	Superchannel Engineering with Microresonator Combs. 2018 ,		2
323	Orthogonally Polarized RF Optical Single Sideband Generation and Dual-Channel Equalization Based on an Integrated Microring Resonator. <i>Journal of Lightwave Technology</i> , 2018 , 36, 4808-4818	4	20
322	Stokes and anti-Stokes Raman scatterings from frequency comb lines in poly-crystalline aluminum nitride microring resonators. <i>Optics Express</i> , 2019 , 27, 22246-22253	3.3	17
321	Ge nanodot-mediated densification and crystallization of low-pressure chemical vapor deposited SiN for advanced complementary metal-oxide-semiconductor photonics and electronics applications. 2019 , 30, 405201		1
320	Silicon nitride based polarization-independent 4 × 4 optical matrix switch. 2019 , 119, 105641		4
319	Generation and dynamics of solitonic pulses due to pump amplitude modulation at normal group-velocity dispersion. <i>Physical Review A</i> , 2019 , 100,	2.6	12
318	Si Photonics for Practical LiDAR Solutions. 2019 , 9, 4225		23
317	. <i>Journal of Lightwave Technology</i> , 2019 , 37, 6097-6104	4	16
316	High-Efficiency Grating Coupler in 400 nm and 500 nm PECVD Silicon Nitride With Bottom Reflector. 2019 , 11, 1-13		4

315	Microcomb-Based Photonic RF Signal Processing. 2019 , 31, 1854-1857		19
314	Laser Frequency Combs for Coherent Optical Communications. <i>Journal of Lightwave Technology</i> , 2019 , 37, 1663-1670	4	46
313	Four Wave Mixing control in a photonic molecule made by silicon microring resonators. 2019 , 9, 408		5
312	Coupling light and sound: giant nonlinearities from oscillating bubbles and droplets. <i>Nanophotonics</i> , 2019 , 8, 367-390	6.3	11
311	Silicon-Nitride-Assisted Edge Coupler Interfacing With High Numerical Aperture Fiber. 2019 , 31, 349-352		12
310	Electrically Tunable Exciton-Plasmon Coupling in a WSe Monolayer Embedded in a Plasmonic Crystal Cavity. 2019 , 19, 3543-3547		15
309	A broadband, low-crosstalk and low polarization dependent silicon nitride waveguide crossing based on the multimode-interference. <i>Optics Communications</i> , 2019 , 450, 28-33	2	7
308	Guiding and controlling light at nanoscale in field effect transistor. 2019 , 125, 1		0
307	Super-efficient temporal solitons in mutually coupled optical cavities. <i>Nature Photonics</i> , 2019 , 13, 616-623	3.9	40
306	On-Chip Real-Time Chemical Sensors Based on Water-Immersion-Objective Pumped Whispering-Gallery-Mode Microdisk Laser. 2019 , 9,		10
305	Strong Nonlinear Coupling in a Si ₃ N ₄ Ring Resonator. 2019 , 122, 153906		16
304	Third-order optical nonlinearity in silicon nitride films prepared using magnetron sputtering and application for optical bistability. 2019 , 125, 113102		9
303	Unidirectional emission from a PT-symmetric annular microcavity. <i>Physical Review A</i> , 2019 , 99,	2.6	1
302	Enhanced optical Kerr nonlinearity of graphene/Si hybrid waveguide. <i>Applied Physics Letters</i> , 2019 , 114, 071104	3.4	33
301	Electrically pumped photonic integrated soliton microcomb. <i>Nature Communications</i> , 2019 , 10, 680	17.4	72
300	Photonic-chip-based frequency combs. <i>Nature Photonics</i> , 2019 , 13, 158-169	33.9	303
299	Quantum optical microcombs. <i>Nature Photonics</i> , 2019 , 13, 170-179	33.9	115
298	High performance RF filters via bandwidth scaling with Kerr micro-combs. <i>APL Photonics</i> , 2019 , 4, 026103	3.2	33

297	Optical Properties of A Silicon-Rich Nitride Ridge Waveguide at $2\ \mu\text{m}$ Wavelengths. 2019 ,			1
296	Microdisk resonators as high-sensitive devices for biodetection. 2019 , 1410, 012178			
295	Dispersion properties of uniform trapezoidal optical waveguides. 2019 , 1400, 066041			1
294	. 2019 , 55, 1-6			11
293	Reconfigurable photonic RF filters based on integrated Kerr frequency comb sources. 2019 ,			0
292	A multi-layer platform for low-loss nonlinear silicon photonics. <i>APL Photonics</i> , 2019 , 4, 110809	5.2		5
291	Reconfigurable fractional microwave signal processor based on a microcomb. 2019 ,			0
290	High efficiency DBR assisted grating chirp generators for silicon nitride fiber-chip coupling. 2019 , 9, 18821			4
289	Bandwidth steering in HPC using silicon nanophotonics. 2019 ,			11
288	Ultrafast Pulse Manipulation in Dispersion-Flattened Waveguides With Four Zero-Dispersion Wavelengths. <i>Journal of Lightwave Technology</i> , 2019 , 37, 6174-6182	4		5
287	The Use of Microdisk Lasers Based on InAs/InGaAs Quantum Dots in Biodetection. 2019 , 45, 1178-1181			2
286	The N3XT Approach to Energy-Efficient Abundant-Data Computing. 2019 , 107, 19-48			43
285	Advanced Adaptive Photonic RF Filters with 80 Taps Based on an Integrated Optical Micro-Comb Source. <i>Journal of Lightwave Technology</i> , 2019 , 37, 1288-1295	4		29
284	Nonlinear Coupling of Linearly Uncoupled Resonators. 2019 , 122, 013904			13
283	A Versatile Silicon-Silicon Nitride Photonics Platform for Enhanced Functionalities and Applications. 2019 , 9, 255			37
282	A microphotonic astrocomb. <i>Nature Photonics</i> , 2019 , 13, 31-35	33.9		114
281	[INVITED] Silicon nitride photonic integration for visible light applications. 2019 , 112, 299-306			37
280	Broadband Microwave Frequency Conversion Based on an Integrated Optical Micro-Comb Source. <i>Journal of Lightwave Technology</i> , 2020 , 38, 332-338	4		21

279	Chip-based frequency combs for wavelength-division multiplexing applications. 2020 , 51-102		
278	Optical interconnection networks for high-performance systems. 2020 , 785-825		1
277	Coupling Si3N4 waveguide to SOI waveguide using transformation optics. <i>Optics Communications</i> , 2020 , 460, 125089	2	12
276	Enhanced Four-Wave Mixing in Silicon Nitride Waveguides Integrated with 2D Layered Graphene Oxide Films. 2020 , 8, 2001048		20
275	Kerr nonlinearity induced four-wave mixing of CMOS-compatible PECVD deposited ultra-Si-rich-nitride. 2020 , 128, 013102		3
274	Optical frequency combs: Coherently uniting the electromagnetic spectrum. 2020 , 369,		93
273	Investigation of Side Wall Roughness Effect on Optical Losses in a Multimode Si3N4 Waveguide Formed on a Quartz Substrate. 2020 , 7, 104		3
272	Alumina coating for dispersion management in ultra-high Q microresonators. <i>APL Photonics</i> , 2020 , 5, 116107	5.2	5
271	Photonic RF Arbitrary Waveform Generator Based on a Soliton Crystal Micro-Comb Source. <i>Journal of Lightwave Technology</i> , 2020 , 38, 6221-6226	4	7
270	Demonstration of Channel Multiplexing Quantum Communication Exploiting Entangled Sideband Modes. 2020 , 125, 070502		17
269	Temporal imaging with a high filling factor. <i>APL Photonics</i> , 2020 , 5, 090801	5.2	4
268	. 2020 , 8, 172086-172095		
267	High efficiency four wave mixing and optical bistability in amorphous silicon carbide ring resonators. <i>APL Photonics</i> , 2020 , 5, 076110	5.2	8
266	Chaos-assisted two-octave-spanning microcombs. <i>Nature Communications</i> , 2020 , 11, 2336	17.4	36
265	CMOS Compatible High-Performance Nanolasing Based on PerovskiteBiN Hybrid Integration. 2020 , 8, 2000453		5
264	Three-Octave Supercontinuum Generation Using SiO2 Cladded Si3N4 Slot Waveguide With All-Normal Dispersion. <i>Journal of Lightwave Technology</i> , 2020 , 38, 3431-3438	4	7
263	Optical multi-stability in a nonlinear high-order microring resonator filter. <i>APL Photonics</i> , 2020 , 5, 056106	5.2	7
262	On-Chip FabryPerot Bragg Grating Cavity Enhanced Four-Wave Mixing. 2020 , 7, 1009-1015		5

261	Inverse designed tunable four-channel wavelength demultiplexer. <i>Optics Communications</i> , 2020 , 465, 125606	2	6
260	2D Layered Graphene Oxide Films Integrated with Micro-Ring Resonators for Enhanced Nonlinear Optics. 2020 , 16, e1906563		33
259	Optical frequency comb generation with low temperature reactive sputtered silicon nitride waveguides. <i>APL Photonics</i> , 2020 , 5, 011302	5.2	4
258	Enhanced Kerr Nonlinearity and Nonlinear Figure of Merit in Silicon Nanowires Integrated with 2D Graphene Oxide Films. 2020 , 12, 33094-33103		25
257	Supercontinuum and Frequency Comb Sources. 2020 , 189-246		
256	Generation of stable and breathing flat-top solitons via Raman assisted four wave mixing in microresonators. <i>Physical Review A</i> , 2020 , 101,	2.6	7
255	Photonic RF and microwave filters based on 49 GHz and 200 GHz Kerr microcombs. <i>Optics Communications</i> , 2020 , 465, 125563	2	8
254	RF and Microwave Fractional Differentiator Based on Photonics. 2020 , 67, 2767-2771		10
253	Silicon Photonic 2.5D Multi-Chip Module Transceiver for High-Performance Data Centers. <i>Journal of Lightwave Technology</i> , 2020 , 38, 3346-3357	4	16
252	Performance analysis of slot waveguide using aluminum nitride in slot region. 2020 , 52, 1		4
251	Single-Layer Aberration-Compensated Flat Lens for Robust Wide-Angle Imaging. <i>Laser and Photonics Reviews</i> , 2020 , 14, 2000017	8.3	12
250	Graphene Oxide for Integrated Photonics and Flat Optics. 2021 , 33, e2006415		24
249	RF and microwave photonic temporal signal processing with Kerr micro-combs. 2021 , 6, 1838946		3
248	Highly versatile broadband RF photonic fractional Hilbert transformer based on a Kerr soliton crystal microcombs. <i>Journal of Lightwave Technology</i> , 2021 , 1-1	4	1
247	Coupling Scaling for High-efficient Cnoidal Wave Generation in Microresonators. 2021 ,		
246	Ultra-High Bandwidth Radio Frequency and Microwave Photonic Signal Processing Based on Kerr Micro-Combs. <i>SSRN Electronic Journal</i> ,	1	
245	Enhanced Kerr nonlinear performance in graphene oxide-coated silicon and silicon nitride waveguides. 2021 ,		
244	Integration of silicon nitride waveguide in Ge-on-insulator substrates for monolithic solutions in optoelectronics. 2021 , 32, 6133-6140		1

243	Group-velocity-dispersion engineering of tantala integrated photonics. <i>Optics Letters</i> , 2021 , 46, 817-820	3	5
242	Chip-based optical frequency combs for high-capacity optical communications. <i>Nanophotonics</i> , 2021 , 10, 1367-1385	6,3	18
241	Parametric sideband generation in CMOS-compatible oscillators from visible to telecom wavelengths. 2021 , 8, 316		6
240	Graphene Multilayer Photonic Metamaterials: Fundamentals and Applications. 2021 , 6, 2000963		7
239	Supercontinuum Generation in High Order Waveguide Mode with near-Visible Pumping Using Aluminum Nitride Waveguides. 2021 , 8, 1344-1352		6
238	High-Performance Graphene-on-Silicon Nitride All-Optical Switch Based on a Mach-Zehnder Interferometer. <i>Journal of Lightwave Technology</i> , 2021 , 39, 2099-2105	4	8
237	Dispersion characteristics of rib-type LiNbO ₃ photonic wires. 2021 , 114, 110972		
236	Orthogonally polarized RF optical single sideband generation with integrated ring resonators. 2021 , 42, 041305		2
235	Nearly Quantum-Limited Josephson-Junction Frequency-Comb Synthesizer. 2021 , 15,		0
234	Recent progress in integrated electro-optic frequency comb generation. 2021 , 42, 041301		3
233	Photonic radio frequency channelizers based on Kerr optical micro-combs. 2021 , 42, 041302		2
232	Engineered nanophotonic waveguide with ultra-low dispersion. 2021 , 60, 4732-4737		1
231	Tantala Kerr nonlinear integrated photonics. 2021 , 8, 811		11
230	Analysis of Four-Wave Mixing in Silicon Nitride Waveguides Integrated With 2D Layered Graphene Oxide Films. <i>Journal of Lightwave Technology</i> , 2021 , 39, 2902-2910	4	8
229	Study of microcomb threshold power with coupling scaling. 2021 , 11, 9935		0
228	Comb operation in terahertz quantum cascade ring lasers. 2021 , 8, 780		6
227	Slot Waveguides With Silicon-Rich Materials for Nonlinear Applications. 2021 , 13, 1-9		0
226	Chirped dissipative solitons in driven optical resonators. 2021 , 8, 861-869		2

225	Optimizing the Kerr Nonlinear Optical Performance of Silicon Waveguides Integrated With 2D Graphene Oxide Films. <i>Journal of Lightwave Technology</i> , 2021 , 39, 4671-4683	4	7
224	Directly accessing octave-spanning dissipative Kerr soliton frequency combs in an AlN microresonator. <i>Photonics Research</i> , 2021 , 9, 1351	6	13
223	Ultrafast All-Optical Switching in the Visible Spectrum with 6H Silicon Carbide.		0
222	An ultra-compact dual-channel multimode wavelength demultiplexer based on inverse design. 2021 , 27, 104489		5
221	Near-infrared frequency comb generation from a silicon microresonator. 2021 , 23, 10LT02		0
220	Investigation of low-power comb generation in silicon microresonators from dual pumps. 2021 , 23, 10LT03		
219	Overcoming the quantum limit of optical amplification in monolithic waveguides. 2021 , 7, eabi8150		12
218	High-Q, submicron-confined chalcogenide microring resonators. <i>Optics Express</i> , 2021 , 29, 33225-33233	3.3	4
217	Broadband Athermal Waveguides and Resonators With Low Anomalous Dispersion. 2021 , 9, 31967-31974		2
216	SiN-based platform toward monolithic integration in photonics and electronics. 2021 , 32, 1-18		6
215	Silicon Photonics. 2014 , 27-78		1
214	Materials and Structures for Nonlinear Photonics. 2015 , 1-33		1
213	Silicon Photonic Integrated Circuits. 2017 , 673-737		1
212	Applications: Nanophotonics and Plasmonics. 2011 , 417-444		4
211	Electrically pumped efficient broadband CW frequency conversion in diode lasers using bulk LiNbO_3 . <i>APL Photonics</i> , 2020 , 5, 011301	5.2	6
210	Frequency comb generation in WGM microsphere based generators for telecommunication applications. 2020 , 50, 1043-1049		10
209	Quantum computing with multidimensional continuous-variable cluster states in a scalable photonic platform. <i>Physical Review Research</i> , 2020 , 2,	3.9	17
208	SiNOI and AlGaAs-on-SOI nonlinear circuits for continuum generation in Si photonics. 2018 ,		2

207	Multi-parameter estimation of high-Q silicon rich nitride resonators using optical frequency domain reflectometry. 2018,		1
206	Broadband photonic RF channelizer based on micro-combs. 2019,		1
205	Miniaturized PIC multi-color laser engines for the life sciences. 2019,		1
204	Silicon nitride/titanium oxide hybrid waveguide design enabling broadband athermal operation. 2019, 58, 5267-5272		2
203	Improved broadband dispersion engineering in coupled silicon nitride waveguides with a partially etched gap. 2019, 58, 8007-8012		3
202	Emerging material systems for integrated optical Kerr frequency combs. 2020, 12, 135		37
201	Integrated microwave photonic filters. 2020, 12, 485		39
200	Optical Sampling with CMOS Compatible Waveguides in C-Band Wavelengths. 2016,		0
199	Spectral Line-by-Line Pulse Shaping of an On-Chip Microresonator Frequency Comb. 2011,		1
198	Long-Haul Coherent Transmission Using a Silicon Nitride Microresonator-Based Frequency Comb as WDM Source. 2016,		2
197	Photoresponse of Graphene-on-Silicon Nitride Microring Resonator. 2016,		1
196	Broadband Frequency Comb Generation in the Near-Visible using Higher-Order Modes in Silicon Nitride Microresonators. 2017,		2
195	Dual-pump Generation of On-chip Combs with Low Intensity Noise. 2013,		1
194	Four-Wave Mixing in Silicon-Rich Nitride Waveguides. 2015,		5
193	Research on cavity solitons in Kerr combs with pump feedback for flat broadband multi-wavelength source. 2017,		1
192	Tunable dual-channel filter based on an add-drop resonator Sagnac interferometer. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2017, 34, 2400	1.7	3
191	Transition between Kerr comb and stimulated Raman comb in a silica whispering gallery mode microcavity. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2018, 35, 100	1.7	17
190	Superchannel engineering of microcombs for optical communications. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2019, 36, 2013	1.7	11

189	8-channel WDM silicon photonics transceiver with SOA and semiconductor mode-locked laser. <i>Optics Express</i> , 2018 , 26, 25446-25459	3-3	17
188	High-Q inverted silica microtoroid resonators monolithically integrated into a silicon photonics platform. <i>Optics Express</i> , 2018 , 26, 27418-27440	3-3	5
187	High-quality factor, high-confinement microring resonators in 4H-silicon carbide-on-insulator. <i>Optics Express</i> , 2019 , 27, 13053-13060	3-3	29
186	Study of crystalline defect induced optical scattering loss inside photonic waveguides in UV-visible spectral wavelengths using volume current method. <i>Optics Express</i> , 2019 , 27, 17262-17273	3-3	3
185	High-rate photon pairs and sequential Time-Bin entanglement with SiN microring resonators. <i>Optics Express</i> , 2019 , 27, 19309-19318	3-3	18
184	Silicon/silicon-rich nitride hybrid-core waveguide for nonlinear optics. <i>Optics Express</i> , 2019 , 27, 23775-23784	3-3	6
183	High-Q SiN microresonators based on a subtractive processing for Kerr nonlinear optics. <i>Optics Express</i> , 2019 , 27, 35719-35727	3-3	33
182	Stress-released SiN fabrication process for dispersion-engineered integrated silicon photonics. <i>Optics Express</i> , 2020 , 28, 17708-17722	3-3	10
181	Photolithography allows high-Q AlN microresonators for near octave-spanning frequency comb and harmonic generation. <i>Optics Express</i> , 2020 , 28, 19270-19280	3-3	8
180	Supercontinuum generation in tantalum pentoxide waveguides for pump wavelengths in the 900 nm to 1500 nm spectral region. <i>Optics Express</i> , 2020 , 28, 32173-32184	3-3	6
179	Ultra-high-Q AlGaAs-on-insulator microresonators for integrated nonlinear photonics. <i>Optics Express</i> , 2020 , 28, 32894-32906	3-3	14
178	Giant enhancement of harmonic generation in all-dielectric resonant waveguide gratings of quasi-bound states in the continuum. <i>Optics Express</i> , 2020 , 28, 34024-34034	3-3	12
177	Ultrafast Nonlinear Signal Processing in Silicon Waveguides. 2012 ,		1
176	Microresonator-Based Optical Frequency Combs for High-Bitrate WDM Data Transmission. 2012 ,		4
175	Transmission of a 1.44 Tbit/s Data Stream using a Feedback-Stabilized SiN Kerr Frequency Comb Source. 2014 ,		1
174	Robust and Controllable Generation of Frequency Combs in Microresonators with Selected Sideband Feedback. 2014 ,		2
173	Stimulated four-wave mixing in linearly uncoupled resonators. <i>Optics Letters</i> , 2020 , 45, 873-876	3	3
172	Second- and third-order nonlinear wavelength conversion in an all-optically poled SiN waveguide. <i>Optics Letters</i> , 2019 , 44, 106-109	3	13

171	Nonlinear response of a gallium phosphide nanopatterned photonic waveguide in the CW regime. <i>Optics Letters</i> , 2019 , 44, 2823	3	1
170	4H-SiC microring resonators for nonlinear integrated photonics. <i>Optics Letters</i> , 2019 , 44, 5784-5787	3	20
169	Ultralow jitter silica microcomb. 2020 , 7, 1108		7
168	On-chip unidirectional dual-band fiber-chip grating coupler in silicon nitride. <i>OSA Continuum</i> , 2018 , 1, 864	1.4	6
167	Nonlinear and low-loss tantalum pentoxide based micro-ring resonator by ion-assisted electron-beam deposition. <i>OSA Continuum</i> , 2020 , 3, 3433	1.4	1
166	High-performance fiber-integrated multifunctional graphene-optoelectronic device with photoelectric detection and optic-phase modulation. <i>Photonics Research</i> , 2020 , 8, 1949	6	5
165	Visible Kerr comb generation in a high-Q silica microdisk resonator with a large wedge angle. <i>Photonics Research</i> , 2019 , 7, 573	6	16
164	Nonlinear nanophotonic devices in the ultraviolet to visible wavelength range. <i>Nanophotonics</i> , 2020 , 9, 3781-3804	6.3	9
163	Neurophotonics: optical methods to study and control the brain. 2015 , 185, 371-392		9
162	Analysis of the Nonlinear Optical Parameter of ZnO Channel Waveguides. 2011 , 50, 04DG01		1
161	Low-noise Phase-sensitive Parametric Amplifiers Based on Integrated Silicon-Nitride-Waveguides for Optical Signal Processing. <i>Journal of Lightwave Technology</i> , 2021 , 1-1	4	2
160	Integral order photonic RF signal processors based on a soliton crystal micro-comb source.		0
159	Polymer-Assisted Space-Confined Strategy for the Foot-Scale Synthesis of Flexible Metal-Organic Framework-Based Composite Films. 2021 , 143, 17526-17534		3
158	Bandwidth-tunable silicon nitride microring resonators.		0
157	Optical Parametric Oscillation on a Chip. 2010 ,		
156	Chip-based Frequency Comb with Microwave Repetition Rate. 2011 ,		
155	Octave-Spanning Supercontinuum Generation in CMOS-Compatible Silicon Nitride Waveguides. 2011 ,		1
154	Ultrabroadband Frequency Comb Generation at 1 Th in a Silicon-Nitride Ring Resonator. 2011 ,		

- 153 Optical Waveform Sampling of a 320 Gbit/s Serial Data Signal using a Hydrogenated Amorphous Silicon Waveguide. **2011,**
- 152 Optical Arbitrary Waveform Generation from an On-Chip Microresonator Frequency Comb. **2011,**
- 151 Octave-Spanning Supercontinuum Generation in CMOS-Compatible Silicon Nitride Waveguides. **2011,**
- 150 Planar Silicon-Rich Nitride Resonators Doped with Neodymium. **2011,**
- 149 Spectral Line-by-Line Pulse Shaping of an On-Chip Microresonator Frequency Comb. **2011,**
- 148 Entangled photon generation in microresonators via accidental degeneracies. **2012,**
- 147 Engineering Spectral Variation of FSR by Tailoring Dispersion for Octave-Spanning Comb Generation Based on Micro-Resonators. **2012,**
- 146 Microresonator-Based Optical Frequency Combs: Time-Domain Studies. **2012,**
- 145 Chip-based Frequency Comb with Microwave Repetition Rate. **2012,**
- 144 Demonstration of chalcogenide optical parametric oscillator. **2012,**
- 143 Nonlinear Photonic Circuits on Hybrid Silicon Substrates. **2012,**
- 142 Pump Equalization and Saturation of Microresonator Frequency Combs with Drop Geometry. **2013,**
- 141 Coherent control of microresonator comb generation via parametric-gain seeding. **2013,**
- 140 Generation of a 96 GHz Pulse Train through On-Chip Pulse Shaping of an Optical Frequency Comb. **2013,**
- 139 Wavelength-Agile Near-IR Chip-Based Optical Parametric Oscillator using a Deposited Silicon Waveguide. **2013,**
- 138 Optimum micro-optical parametric oscillators based on third-order nonlinearity. **2013,**
- 137 Radio-Frequency Arbitrary Waveform Generation with a Programmable SiN Spectral Shaper. **2013,**
- 136 On-chip Mode-locking in Microresonator Frequency Combs without Spectral Filtering and Shaping. **2013,**

- 135 A CMOS Photonic Chip for Rapidly Reconfigurable RF Arbitrary Waveform Generation. **2013,**
- 134 Retrieving the Complex Intracavity Pump Field of a Kerr Comb from the Through Port Data. **2014,**
- 133 On-chip optical squeezing and quantum correlations. **2014,**
- 132 Investigation of Mode Interaction in Optical Microresonators for Kerr Frequency Comb Generation. **2014,** 0
- 131 Tunable Frequency Comb Generation from a Microring with a Thermal Heater. **2014,** 2
- 130 Modifying the Coherence Properties of Microresonator Combs with Feedback Loop Filtering. **2014,**
- 129 Temporal Soliton Generation in Chip-based Silicon Nitride Microresonators. **2014,** 0
- 128 Design of Composite and Multi-Component One-Dimensional Photonic Crystal Structures Based on Silicon. **2014,** 469-542
- 127 New CMOS Compatible Platforms for Integrated Nonlinear Optics. **2015,**
- 126 Microwave-rate soliton mode-locking on a chip. **2015,**
- 125 Parametric soliton formation in narrow-band laser-gain driven microresonators. **2015,**
- 124 Photonic Damascene Process for high-Q SiN Microresonator Fabrication for Nonlinear Photonics. **2015,**
- 123 Spectral broadening of Kerr Frequency Combs Generated from a Normal Dispersion Silicon Nitride Microresonator. **2015,** 1
- 122 Frequency Comb-enhanced Coupling in Silicon Nitride Microresonators. **2015,**
- 121 Ultra-Low Threshold Power On-Chip Optical Parametric Oscillation in AlGaAs-On-Insulator Microresonator. **2015,**
- 120 Single-longitudinal-mode lasing from a fiber cavity based on feedback from an on-chip microring resonator. **2015,**
- 119 Closed-Form Theory of Kerr Frequency Combs. **2015,**
- 118 Scalable Integration of Solid State Quantum Memories into a Photonic Network. **2015,**

- 117 Synchronization of multiple parametric frequency combs. **2015**, 1
- 116 Octave-spanning Supercontinuum Generation in a Silicon-rich Nitride Waveguide. **2016**,
- 115 Nonlinear Optics at Low Powers: New Mechanism of On-Chip Optical Frequency Comb Generation. **2016**,
- 114 High Quality Factor Si₃N₄ Ring Resonators Achieved by Surface Roughness Reduction. **2016**,
- 113 Wavelength and Pump Power Characterization of Low-phase-noise Kerr Frequency Comb Lines. **2016**,
- 112 Dispersion engineered high-Q resonators on a chip. **2016**,
- 111 Towards Ultra-High Q Microresonators in High-Index Contrast AlGaAs-On-Insulator. **2017**, 1
- 110 10 GHz Frequency Comb Spectral Broadening in AlGaAs-On-Insulator Nano-Waveguide with Ultra-Low Pump Power. **2017**, 1
- 109 Enhanced optical nonlinearities in ultra-silicon-rich photonic crystal waveguides. **2017**,
- 108 Frequency Noise of a Normal Dispersion Microresonator-based Frequency Comb. **2017**,
- 107 All-optically induced quasi phase matching in SiN waveguides for second harmonic generation enhancement. **2017**,
- 106 Broadband dispersion engineering for integrated photonics just by tuning the width of the waveguide. **2017**,
- 105 Nonlinear Optics at Low Powers: New Mechanism of On-Chip Optical Frequency Comb Generation. **2017**,
- 104 Nonlinear processes in lossy microring resonators. **2017**,
- 103 Hot-wire CVD based SiN films for linear and nonlinear photonics device applications. **2018**,
- 102 Synchronization of microresonator optical frequency combs. **2018**,
- 101 Microwave and RF Photonic Applications of Integrated Kerr Micro-Combs. **2018**,
- 100 Integrated Kerr micro-comb sources for photonic microwave applications. **2018**, 1

99	Compact broadband taper for low-loss coupling to a silicon nitride photonic wire. 2018,		1
98	Analytical Dispersion Theory for Optical Waves in Regular Microwaveguides. <i>Journal of the Russian Universities Radioelectronics</i> , 2018 , 71-78	0.1	
97	Modal Analysis Investigation of Mechanical Kerr Frequency Combs. <i>Springer Proceedings in Physics</i> , 2019 , 141-157	0.2	0
96	Microwave and Communications Applications of Microcombs. 2019,		0
95	Chipscale soliton microcombs. 2019,		
94	Numerical studies on Kerr comb generation in Si3N4 resonators with frequency dependent access coupler properties. 2019,		1
93	Reconfigurable microwave photonic transversal filter based on an integrated optical micro-comb source. 2019,		1
92	Optical frequency comb generation using annealing-free Si3N4 films for front-end monolithic integration with Si photonics. 2019,		
91	Technological advances on Si and Si3N4 low-loss waveguide platforms for nonlinear and quantum optics applications. 2019,		1
90	High-performance microwave photonic true time delays based on an integrated optical micro-comb source. 2019,		0
89	Pulsed dynamics in a system of coupled silicon photonic crystal cavity-waveguide nanostructures. 2019,		
88	Numerical study on Kerr frequency comb generation in Si3N4 microresonators with frequency-dependent access coupler properties. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2019 , 36, 2896	1.7	
87	Dual wavelength evanescent coupler for nonlinear GaP-based microdisk resonators. <i>OSA Continuum</i> , 2020 , 3, 43	1.4	0
86	All-Optical Logic Gate Operating with Single Input and Output Wavelength. <i>The Review of Laser Engineering</i> , 2020 , 42, 261	0	
85	Chip-Level Optical Interconnect in Electro-optics Platform. <i>Energy Systems in Electrical Engineering</i> , 2020 , 203-223	0.3	
84	Evolution of optical networks: from legacy networks to next-generation networks. <i>Journal of Optical Communications</i> , 2020,	1.2	1
83	Photonic-crystal optical parametric oscillator. <i>Nature Photonics</i> , 2021 , 15, 2-4	33.9	0
82	Ultra-high Efficiency Grating Chirp Generators for Fiber-Chip Coupling in Silicon Nitride. 2020,		

81	Kerr Micro-combs for Radio Frequency Photonics -INVITED. <i>EPJ Web of Conferences</i> , 2020 , 238, 01004	0.3	
80	Bandwidth scaling of silicon modulator-based combs using multi-carriers and frequency offset locking. <i>OSA Continuum</i> , 2020 , 3, 921	1.4	1
79	Coexistence of bright and dark cavity solitons in microresonators with zero, normal, and anomalous group-velocity dispersion: a switching wave approach. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2020 , 37, A69	1.7	3
78	Broadband nonlinear manipulation of ultrafast optical pulses by dispersion engineering. 2020 ,		
77	Anti-PT-Symmetry induced by Four Wave Mixing in Silicon Nitride Integrated Photonic Resonators. 2021 ,		
76	Photonic thermometer by silicon nitride microring resonator with milli-kelvin self-heating effect. <i>Measurement: Journal of the International Measurement Confederation</i> , 2021 , 110494	4.6	1
75	Optical multistability in a cross-coupled double-ring resonator system. <i>Optics Communications</i> , 2021 , 507, 127637	2	1
74	Kerr Frequency Comb Interaction with Raman, Brillouin, and Second Order Nonlinear Effects. <i>Laser and Photonics Reviews</i> , 2022 , 16, 2100184	8.3	3
73	High-Performance Silicon Photonics Using Heterogeneous Integration. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2022 , 28, 1-15	3.8	10
72	RF and Microwave Equalizers and Orthogonally Polarized Single Sideband Generators with Kerr Microcombs. <i>SSRN Electronic Journal</i> ,	1	
71	Highly Sensitive Refractive Index Sensor Based on Vernier Effect in Coupled Micro-Ring Resonators. <i>Journal of Lightwave Technology</i> , 2021 , 1-1	4	1
70	Ultrastable microwave and soliton-pulse generation from fibre-photonic-stabilized microcombs.. <i>Nature Communications</i> , 2022 , 13, 381	17.4	1
69	Dissipative Kerr soliton microcombs for FEC-free optical communications over 100 channels.. <i>Optics Express</i> , 2022 , 30, 1351-1364	3.3	3
68	Polarization selective ultra-broadband wavelength conversion in silicon nitride waveguides.. <i>Optics Express</i> , 2022 , 30, 4342-4350	3.3	2
67	Valley-dependent Topological Photonic Crystals with Heterogeneous Bearded Interfaces for SOI-based Integrated Optical Devices. <i>Journal of Lightwave Technology</i> , 2022 , 1-1	4	
66	Deterministic generation of a perfect soliton crystal microcomb with a saturable absorber.. <i>Optics Letters</i> , 2022 , 47, 1458-1461	3	0
65	Integrated optical frequency comb technologies. <i>Nature Photonics</i> , 2022 , 16, 95-108	33.9	25
64	Impact of nonlocal response in plasmonic metasurfaces on four-wave mixing. <i>New Journal of Physics</i> , 2021 , 23, 125005	2.9	0

63	Multiple coherent dispersive waves generation in silicon nitride slot waveguide. <i>Applied Physics Letters</i> , 2022 , 120, 071103	3.4	
62	Efficient Kerr soliton comb generation in micro-resonator with interferometric back-coupling.. <i>Nature Communications</i> , 2022 , 13, 1292	17.4	4
61	Versatile, high bandwidth, RF and microwave photonic Hilbert transformers based on Kerr micro-combs. 2022 ,		0
60	Enhanced nonlinear optics in nanowires, waveguides, and ring resonators integrated with graphene oxide films. 2022 ,		
59	Silicon nitride passive and active photonic integrated circuits: trends and prospects. <i>Photonics Research</i> ,	6	6
58	Broadband Manipulation of Stokes Raman Frequency Combs via Mode Division Multiplexing in Optical Microcavities. <i>Journal of Lightwave Technology</i> , 2022 , 1-1	4	
57	Extending thermal stability of short-living soliton states in Silicon Nitride microring resonators.		
56	Optical frequency combs: From principles to applications. <i>Journal of Electronic Science and Technology</i> , 2022 , 100157	2.6	1
55	Enhanced self-phase modulation in silicon nitride waveguides integrated with 2D graphene oxide films. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2022 , 1-1	3.8	2
54	High Bandwidth and Highly Reconfigurable Rf Microwave Photonic Hilbert Transformers Using Kerr Micro-Combs. <i>SSRN Electronic Journal</i> ,	1	
53	Quantum dynamics of dissipative Kerr solitons. <i>Physical Review A</i> , 2022 , 105,	2.6	0
52	Optical parametric wideband frequency modulation. <i>APL Photonics</i> ,	5.2	0
51	Fully integrated electrically driven optical frequency comb at communication wavelength. <i>Nanophotonics</i> , 2022 ,	6.3	2
50	Recent Progresses in Dispersion Engineering for Broadband Nonlinear Applications. 2022 ,		
49	Side Polished Fiber: A Versatile Platform for Compact Fiber Devices and Sensors. <i>Photonic Sensors</i> , 2023 , 13,	2.3	0
48	Repetition rate locked single soliton microcomb generation via rapid frequency sweep and sideband thermal cooling. <i>Photonics Research</i> ,	6	1
47	Graphene as a source of entangled plasmons. <i>Physical Review Research</i> , 2022 , 4,	3.9	0
46	AlGaAs Nonlinear Integrated Photonics. <i>Micromachines</i> , 2022 , 13, 991	3.3	3

45	Regulation of soliton inside microresonators with multiphoton absorption and free-carrier effects. <i>Optics Express</i> ,	3-3
44	Advances of Semiconductor Mode-locked Laser for Optical Frequency Comb Generation. 2022 ,	0
43	Group III-V semiconductors as promising nonlinear integrated photonic platforms. 2022 , 7,	0
42	Mid-infrared ultra-broadband optical Kerr frequency comb based on CdTe ring microresonator: a theoretical investigation.	0
41	Normal mode splitting and four-wave mixing in Kerr-nonlinear optical system containing coupled double quantum dot. 2022 , 24, 095501	
40	Review on Optical Nonlinearity of Group-IV Semiconducting Materials for All-optical Processing.	
39	Petabit-Scale Silicon Photonic Interconnects With Integrated Kerr Frequency Combs. 2023 , 29, 1-20	1
38	Low-loss dispersion-engineered silicon nitride waveguides coated with a thin blanket layer. 2022 ,	0
37	Enhanced Spectral Broadening Through Self-phase Modulation of Femtosecond Optical Pulses in Silicon-on-Insulator Nanowires Integrated With Graphene Oxide Films.	0
36	Frequency comb generation in a silicon nitride microring resonator fabricated by using hot-wire CVD method. 2022 ,	0
35	Neuromorphic Computing Based on Wavelength-Division Multiplexing. 2023 , 29, 1-12	0
34	Dynamics of the photoluminescence spectrum and the types and parameters of excitons in a SiN _x /SiO ₂ superlattice. 2022 , 137,	0
33	Stability analysis of mode-coupling-assisted microcombs in normal dispersion. 2022 , 30, 37637	0
32	Dispersion-Suppressed Mode Depletion by Exceptional Points for On-Chip Nonlinear Optics. 2022 , 18,	0
31	A power-efficient integrated lithium niobate electro-optic comb generator.	0
30	Chirality-dependent unidirectional routing of WS ₂ valley photons in a nanocircuit.	2
29	Enhanced supercontinuum generation in waveguides coated with graphene oxide films.	0
28	CMOS-Compatible Silicon Etched U-Grooves With Groove-First Fabrication for Nanophotonic Applications. 2022 , 34, 1230-1233	0

27	Niobium-tantalum oxide as a material platform for linear and nonlinear integrated photonics. 2022 , 30, 42155	0
26	Continuous Variable Quantum Teleportation Network. 2200508	0
25	Multistability of Vector Solitons in High-Q Resonators. 2022 , 325-354	0
24	Fabrication of tapered waveguides by i-line UV lithography for flexible coupling control.	1
23	Applications of Optical Microcombs.	0
22	Soliton Microcomb on Chip Integrated Si3N4 Microresonators with Power Amplification in Erbium-Doped Optical Mono-Core Fiber. 2022 , 13, 2125	0
21	A photonic integrated continuous-travelling-wave parametric amplifier. 2022 , 612, 56-61	1
20	Design and analysis of redundant optical comb for data center networks. 2023 , 55,	0
19	Ultra-wideband integrated photonic devices on silicon platform: from visible to mid-IR. 2023 ,	0
18	Graphene Oxide for Nonlinear Integrated Photonics. 2200512	3
17	Numerical study on flat dispersion in a single-layer Si3N4 coupled-waveguides with four zero-dispersion wavelengths for supercontinuum generation. 2023 , 160, 109061	0
16	On-chip octave-spanning flat supercontinuum in all-normal-dispersion silicon nitride waveguides. 2022 ,	0
15	Enhanced Supercontinuum Generation in Integrated Waveguides Incorporated with Graphene Oxide Films. 2201796	0
14	A power-efficient integrated lithium niobate electro-optic comb generator. 2023 , 6,	1
13	Scalable architecture for sub-pJ/b multi-Tbps comb-driven DWDM silicon photonic transceiver. 2023 ,	0
12	Dissipative Kerr-solitons in integrated Fabry-Perot microresonators.	0
11	Optical bistability and four-wave mixing response of a quantum dot coupled to an optomechanical photonic crystal nanocavity. 2023 , 54, 101129	0
10	Aluminum nitride photonic integrated circuits: from piezo-optomechanics to nonlinear optics. 2023 , 15, 236	0

- 9 Hyperparametric Oscillation via Bound States in the Continuum. **2023**, 130, ○
- 8 Supercontinuum in integrated photonics: generation, applications, challenges, and perspectives. **2023**, 12, 1199-1244 ○
- 7 Recent advances in laser self-injection locking to high-Q microresonators. **2023**, 18, 1
- 6 Demonstration of fully-connected quantum communication network exploiting entangled sideband modes. **2023**, 18, ○
- 5 Subtractive processing of thick silicon nitride waveguide resonators: a comparison of soft and hard etch templates. **2023**, ○
- 4 Chiral Magnetic Oxide Nanomaterials: Magnetism Meets Chirality. ○
- 3 Optimizing the performance of microwave photonic signal processors based on Kerr microcombs. ○
- 2 Hybrid SiN Polymer Waveguide Ring Resonator Modulator. **2022**, ○
- 1 Phase-Controlled Four-Wave Mixing with Pump Depletion in Compact Nonlinear Silicon Nitride Waveguides. **2022**, ○