

CITATION REPORT

List of articles citing

The role of cytokines in non-alcoholic fatty liver disease

DOI: 10.1159/000282083

Digestive Diseases, 2010, 28, 179-85.

Source: <https://exaly.com/paper-pdf/48751578/citation-report.pdf>

Version: 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
184	Nonalcoholic fatty liver disease in children. 2011 , 14, 151-7		61
183	Effects of protocatechuic acid on trans fat induced hepatic steatosis in mice. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 10247-52	5.7	31
182	Insulin resistance is independently associated with liver aminotransferases in diabetic patients without ultrasound signs of nonalcoholic fatty liver disease. 2011 , 9, 111-7		15
181	Advances in pediatric nonalcoholic fatty liver disease. 2011 , 58, 1375-92, x		39
180	First European Young Hepatologist Workshop: topics and advances. 2011 , 35 Suppl 1, S1-2		
179	Inflammation in nonalcoholic steatohepatitis. <i>Expert Review of Gastroenterology and Hepatology</i> , 2011 , 5, 189-200	4.2	60
178	Human fatty liver disease: old questions and new insights. 2011 , 332, 1519-23		1482
177	Full-spectrum antioxidant therapy featuring astaxanthin coupled with lipoprivic strategies and salsalate for management of non-alcoholic fatty liver disease. 2011 , 77, 550-6		22
176	Lack of interleukin-1 β or interleukin-1 α inhibits transformation of steatosis to steatohepatitis and liver fibrosis in hypercholesterolemic mice. 2011 , 55, 1086-94		198
175	Evaluation of the gut barrier to intestinal bacteria in non-alcoholic fatty liver disease. 2011 , 55, 1181-3		16
174	Chronic subhepatotoxic exposure to arsenic enhances hepatic injury caused by high fat diet in mice. 2011 , 257, 356-64		51
173	MMP-9 activity is increased by adiponectin in primary human hepatocytes but even negatively correlates with serum adiponectin in a rodent model of non-alcoholic steatohepatitis. 2011 , 91, 603-7		25
172	Soluble CD163 is not increased in visceral fat and steatotic liver and is even suppressed by free fatty acids in vitro. 2011 , 91, 733-9		15
171	Expression of IL-6, IL-10, IL-17 and IL-8 in the peri-implant crevicular fluid of patients with peri-implantitis. 2011 , 56, 823-8		53
170	Fibrosis in alcoholic and nonalcoholic steatohepatitis. 2011 , 25, 231-44		50
169	Dioxin alters inflammatory responses to lipopolysaccharide. 2011 , 93, 1180-1194		3
168	Resolution of inflammation in obesity-induced liver disease. 2012 , 3, 257		51

167	Does inflammation determine whether obesity is metabolically healthy or unhealthy? The aging perspective. 2012 , 2012, 456456		54
166	Emodin prevents intrahepatic fat accumulation, inflammation and redox status imbalance during diet-induced hepatosteatosis in rats. <i>International Journal of Molecular Sciences</i> , 2012 , 13, 2276-89	6.3	40
165	The vagus nerve and the inflammatory reflex--linking immunity and metabolism. 2012 , 8, 743-54		459
164	The evaluation of bone mineral density in patients with nonalcoholic fatty liver disease. 2012 , 124, 526-31		33
163	Coupling inflammation with evo-devo. 2012 , 78, 721-31		17
162	Evaluation of inflammatory and angiogenic factors in patients with non-alcoholic fatty liver disease. 2012 , 59, 442-9		76
161	Omega-3 fatty acids for the treatment of non-alcoholic fatty liver disease. <i>World Journal of Gastroenterology</i> , 2012 , 18, 5839-47	5.6	121
160	Aging, nutrition and immunity ¶their relationship and interaction. 2012 , 1, 151-165		5
159	Impaired renal function in morbid obese patients with nonalcoholic fatty liver disease. <i>Liver International</i> , 2012 , 32, 241-8	7.9	55
158	Adiponectin upregulates hepatocyte CMKLR1 which is reduced in human fatty liver. 2012 , 349, 248-54		45
157	Activation of liver X receptors attenuates endotoxin-induced liver injury in mice with nonalcoholic fatty liver disease. 2012 , 57, 390-8		29
156	Efficacy of Tumor Necrosis Factor and Interleukin-10 Analysis in the Follow-up of Nonalcoholic Fatty Liver Disease Progression. 2013 , 28, 141-6		23
155	Differences in innate immune signaling between alcoholic and non-alcoholic steatohepatitis. 2013 , 28 Suppl 1, 93-8		26
154	Chemerin is highly expressed in hepatocytes and is induced in non-alcoholic steatohepatitis liver. 2013 , 95, 199-205		56
153	Manganese superoxide dismutase is reduced in the liver of male but not female humans and rodents with non-alcoholic fatty liver disease. 2013 , 95, 330-5		25
152	Liver disease and malnutrition. 2013 , 27, 619-29		38
151	A 360-degree overview of paediatric NAFLD: recent insights. 2013 , 58, 1218-29		120
150	Inhibition of microRNA122 decreases SREBP1 expression by modulating suppressor of cytokine signaling 3 expression. <i>Biochemical and Biophysical Research Communications</i> , 2013 , 438, 230-5	3.4	15

149	Innate immune activation in obesity. 2013 , 34, 12-29		96
148	The innate immune response during liver inflammation and metabolic disease. <i>Trends in Immunology</i> , 2013 , 34, 446-52	14.4	119
147	Dietary eicosapentaenoic acid supplementation accentuates hepatic triglyceride accumulation in mice with impaired fatty acid oxidation capacity. 2013 , 1831, 291-9		29
146	Nonalcoholic fatty liver disease as a pro-resolution defective disorder. 2013 , 29, 345-9		5
145	EZH2 down-regulation exacerbates lipid accumulation and inflammation in in vitro and in vivo NAFLD. <i>International Journal of Molecular Sciences</i> , 2013 , 14, 24154-68	6.3	39
144	Inflammation as a potential link between nonalcoholic fatty liver disease and insulin resistance. 2013 , 218, R25-36		180
143	A critical appraisal of advances in pediatric nonalcoholic Fatty liver disease. 2012 , 32, 317-24		17
142	Mean platelet volume in biopsy-proven non-alcoholic fatty liver disease. 2013 , 24, 194-9		30
141	Mice lacking C1q are protected from high fat diet-induced hepatic insulin resistance and impaired glucose homeostasis. 2013 , 288, 22565-75		23
140	Elevated alanine aminotransferase independently predicts new onset of depression in employees undergoing health screening examinations. 2013 , 43, 2603-13		18
139	Genetic association of interleukin-6 polymorphism (-174 G/C) with chronic liver diseases and hepatocellular carcinoma. <i>World Journal of Gastroenterology</i> , 2013 , 19, 2449-55	5.6	47
138	Nonalcoholic Fatty liver disease: pathogenesis and therapeutics from a mitochondria-centric perspective. 2014 , 2014, 637027		94
137	Chemerin in Liver Diseases. 2014 , 03,		1
136	Chemoprevention of nonalcoholic fatty liver disease by dietary natural compounds. 2014 , 58, 147-71		63
135	Role of innate immune response in non-alcoholic Fatty liver disease: metabolic complications and therapeutic tools. 2014 , 5, 177		91
134	Effects of glutamine on oxidative stress and nuclear factor- κ B expression in the livers of rats with nonalcoholic fatty liver disease. 2014 , 7, 365-370		38
133	Biomarkers of liver cell death. 2014 , 60, 1063-74		144
132	Mesenchymal stem cell therapy ameliorates diabetic hepatocyte damage in mice by inhibiting infiltration of bone marrow-derived cells. <i>Hepatology</i> , 2014 , 59, 1816-29	11.2	38

131	Non-alcoholic fatty liver disease in patients with migraine. 2014 , 35, 1573-8		5
130	Host genetic variants in obesity-related nonalcoholic fatty liver disease. 2014 , 18, 249-67		7
129	Piperonal prevents high-fat diet-induced hepatic steatosis and insulin resistance in mice via activation of adiponectin/AMPK pathway. 2014 , 38, 140-7		13
128	Nonalcoholic fatty pancreas disease and Nonalcoholic fatty liver disease: more than ectopic fat. 2015 , 83, 656-62		59
127	Identification of eQTLs for hepatic Xbp1s and Socs3 gene expression in mice fed a high-fat, high-caloric diet. 2015 , 5, 487-96		2
126	Hepatocyte-Specific Arid1a Deficiency Initiates Mouse Steatohepatitis and Hepatocellular Carcinoma. <i>PLoS ONE</i> , 2015 , 10, e0143042	3-7	23
125	Vitamin E Attenuates the Progression of Non-Alcoholic Fatty Liver Disease Caused by Partial Hepatectomy in Mice. <i>PLoS ONE</i> , 2015 , 10, e0143121	3-7	11
124	Effects of Soothing Liver and Invigorating Spleen Recipes on the IKK/NF- κ B Signaling Pathway in Kupffer Cells of Nonalcoholic Steatohepatitis Rats. <i>Evidence-based Complementary and Alternative Medicine</i> , 2015 , 2015, 687690	2-3	7
123	Renal xenobiotic transporter expression is altered in multiple experimental models of nonalcoholic steatohepatitis. 2015 , 43, 266-72		13
122	Studies on Hepatic Disorders. <i>Oxidative Stress in Applied Basic Research and Clinical Practice</i> , 2015 ,		2
121	Oxidative Stress in Nonalcoholic Fatty Liver Disease. <i>Oxidative Stress in Applied Basic Research and Clinical Practice</i> , 2015 , 279-308		1
120	Reactive oxygen species-induced TXNIP drives fructose-mediated hepatic inflammation and lipid accumulation through NLRP3 inflammasome activation. 2015 , 22, 848-70		147
119	Ochratoxin A and its effects on immunity. 2015 , 34, 11-20		22
118	Diagnostic performances of serum liver enzymes and cytokines in non-alcoholic fatty liver disease. 2015 , 6,		
117	Oligonol suppresses lipid accumulation and improves insulin resistance in a palmitate-induced in HepG2 hepatocytes as a cellular steatosis model. 2015 , 15, 185		33
116	Hepatic scavenger receptor BI is associated with type 2 diabetes but unrelated to human and murine non-alcoholic fatty liver disease. <i>Biochemical and Biophysical Research Communications</i> , 2015 , 467, 377-82	3-4	12
115	Caring for children with NAFLD and navigating their care into adulthood. 2015 , 12, 617-28		16
114	Adipokines, vascular wall, and cardiovascular disease: a focused overview of the role of adipokines in the pathophysiology of cardiovascular disease. 2015 , 66, 8-24		19

113	Metabolic aspects of adult patients with nonalcoholic fatty liver disease. <i>World Journal of Gastroenterology</i> , 2016 , 22, 7006-16	5.6	107
112	The Pathogenesis of Nonalcoholic Fatty Liver Disease: Interplay between Diet, Gut Microbiota, and Genetic Background. 2016 , 2016, 2862173		102
111	Is Liver Enzyme Release Really Associated with Cell Necrosis Induced by Oxidant Stress?. 2016 , 2016, 3529149		82
110	Hepatitis B Virus Middle Protein Enhances IL-6 Production via p38 MAPK/NF- κ B Pathways in an ER Stress-Dependent Manner. <i>PLoS ONE</i> , 2016 , 11, e0159089	3.7	15
109	Dietary conjugated linoleic acid affects blood parameters, liver morphology and expression of selected hepatic genes in laying hens. 2016 , 57, 663-673		13
108	Reduction of obesity-associated white adipose tissue inflammation by rosiglitazone is associated with reduced non-alcoholic fatty liver disease in LDLr-deficient mice. <i>Scientific Reports</i> , 2016 , 6, 31542	4.9	19
107	Role of stem cells during diabetic liver injury. 2016 , 20, 195-203		12
106	Annexin A6 protein is downregulated in human hepatocellular carcinoma. 2016 , 418, 81-90		19
105	The intersection of nonalcoholic fatty liver disease and obesity. 2016 , 8, 323rv1		43
104	Hydroxytyrosol prevents metabolic impairment reducing hepatic inflammation and restoring duodenal integrity in a rat model of NAFLD. <i>Journal of Nutritional Biochemistry</i> , 2016 , 30, 108-15	6.3	68
103	ASB14780, an Orally Active Inhibitor of Group IVA Phospholipase A2, Is a Pharmacotherapeutic Candidate for Nonalcoholic Fatty Liver Disease. 2016 , 356, 604-14		23
102	Omega-3 fatty acids: Mechanisms of benefit and therapeutic effects in pediatric and adult NAFLD. 2016 , 53, 106-20		28
101	The emerging role of mast cells in liver disease. 2017 , 313, G89-G101		20
100	Hydroxyeicosapentaenoic acids and epoxyeicosatetraenoic acids attenuate early occurrence of nonalcoholic fatty liver disease. 2017 , 174, 2358-2372		32
99	Chemokine (CC-motif) receptor-like 2 mRNA is expressed in hepatic stellate cells and is positively associated with characteristics of non-alcoholic steatohepatitis in mice and men. 2017 , 103, 1-8		12
98	Nonalcoholic fatty liver disease in chronic obstructive pulmonary disease. 2017 , 49,		32
97	Lower circulating irisin is associated with nonalcoholic fatty liver disease and type 2 diabetes. 2017 , 11 Suppl 1, S467-S472		29
96	Multiplex assay reliability and long-term intra-individual variation of serologic inflammatory biomarkers. 2017 , 90, 185-192		33

95	A vicious circle between insulin resistance and inflammation in nonalcoholic fatty liver disease. 2017 , 16, 203		131
94	The Clinical Implications of Fatty Pancreas: A Concise Review. 2017 , 62, 2658-2667		33
93	Animal models of non-alcoholic fatty liver disease: current perspectives and recent advances. 2017 , 241, 36-44		183
92	Novel plasma biomarkers associated with liver disease severity in adults with nonalcoholic fatty liver disease. <i>Hepatology</i> , 2017 , 65, 65-77	11.2	94
91	Possible association between Helicobacter pylori infection and nonalcoholic fatty liver disease. 2017 , 42, 295-301		23
90	Nonalcoholic fatty liver disease: Diagnostic biomarkers. 2017 , 8, 11-26		57
89	MicroRNAs in the Pathogenesis, Diagnosis, and Treatment of Liver Disease. 2017 , 55-92		1
88	Adipokines in Liver Cirrhosis. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	40
87	Cytokines Genotype-Phenotype Correlation in Nonalcoholic Steatohepatitis. 2017 , 2017, 4297206		20
86	IL-1 Family Cytokine Pathways Underlying NAFLD: Towards New Treatment Strategies. 2018 , 24, 458-471		48
85	Down-regulation of microRNA-375 regulates adipokines and inhibits inflammatory cytokines by targeting AdipoR2 in non-alcoholic fatty liver disease. 2018 , 45, 819-831		28
84	Protective effect of curcumin on the liver of high fat diet-fed rats. <i>Gene Reports</i> , 2018 , 11, 18-22	1.4	5
83	Swim exercise training ameliorates hepatocyte ultrastructural alterations in rats fed on a high fat and sugar diet. <i>Ultrastructural Pathology</i> , 2018 , 42, 155-161	1.3	9
82	Association of non-alcoholic fatty liver disease with cardiovascular disease and subclinical atherosclerosis. <i>Archives of Medical Science</i> , 2018 , 14, 1233-1244	2.9	26
81	Fighting Fatty Liver Diseases with Nutritional Interventions, Probiotics, Symbiotics, and Fecal Microbiota Transplantation (FMT). <i>Advances in Experimental Medicine and Biology</i> , 2019 , 1125, 85-100	3.6	8
80	Honokiol Improves Liver Steatosis in Ovariectomized Mice. <i>Molecules</i> , 2018 , 23,	4.8	22
79	Association between bedtime and the prevalence of newly diagnosed non-alcoholic fatty liver disease in adults. <i>Liver International</i> , 2018 , 38, 2277-2286	7.9	16
78	Diabetes Mellitus Prevents an Improvement in the Serum Albumin Level During Interferon-free Sofosbuvir-based Therapy for Chronic Hepatitis C Patients: A Multi-institutional Joint Study. <i>Internal Medicine</i> , 2018 , 57, 1533-1542	1.1	

77	Liver-Microbiome Axis in Health and Disease. <i>Trends in Immunology</i> , 2018 , 39, 712-723	14.4	81
76	Mechanisms of NAFLD development and therapeutic strategies. <i>Nature Medicine</i> , 2018 , 24, 908-922	50.5	1110
75	Predictive Role of Interleukin-18 in Liver Steatosis in Obese Children. <i>Canadian Journal of Gastroenterology and Hepatology</i> , 2018 , 2018, 3870454	2.8	17
74	Animal Models of Non-alcoholic Fatty Liver Diseases and Its Associated Liver Cancer. <i>Advances in Experimental Medicine and Biology</i> , 2018 , 1061, 139-147	3.6	6
73	Obesity, Fatty Liver and Liver Cancer. <i>Advances in Experimental Medicine and Biology</i> , 2018 ,	3.6	3
72	Serum levels of immunoglobulins in an adult population and their relationship with nonalcoholic fatty liver disease. <i>Journal of Digestive Diseases</i> , 2018 , 19, 498-507	3.3	2
71	Adipocytokine Regulation and Antiangiogenic Activity Underlie the Molecular Mechanisms of Therapeutic Effects of Phyllanthus niruri against Non-Alcoholic Fatty Liver Disease. <i>Nutrients</i> , 2018 , 10,	6.7	7
70	Indole-4-carboxaldehyde Isolated from Seaweed, , Attenuates Methylglyoxal-Induced Hepatic Inflammation. <i>Marine Drugs</i> , 2019 , 17,	6	7
69	Probiotics and Child Gastrointestinal Health. <i>Advances in Experimental Medicine and Biology</i> , 2019 ,	3.6	1
68	(-)-Hydroxycitric Acid Suppresses Lipid Droplet Accumulation and Accelerates Energy Metabolism via Activation of the Adiponectin-AMPK Signaling Pathway in Broiler Chickens. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 3188-3197	5.7	6
67	Interrelation of liver vascularity to non-alcoholic fatty liver through a comparative study of the vasodilator effect of carvedilol or nicorandil in rats. <i>Life Sciences</i> , 2019 , 222, 175-182	6.8	3
66	Pathogenesis of and major animal models used for nonalcoholic fatty liver disease. <i>Journal of International Medical Research</i> , 2019 , 47, 1453-1466	1.4	11
65	Aminotransferase Ratio Is a Useful Index for Hepatosteatosis in Children and Adolescents: A Cross-Sectional Observational Study. <i>Gastroenterology Nursing</i> , 2019 , 42, 486-495	1	2
64	Is Nrf2-ARE a potential target in NAFLD mitigation?. <i>Current Opinion in Toxicology</i> , 2019 , 13, 35-44	4.4	8
63	Molecular and Pathological Events Involved in the Pathogenesis of Diabetes-Associated Nonalcoholic Fatty Liver Disease. <i>Journal of Clinical and Experimental Hepatology</i> , 2019 , 9, 607-618	4.1	23
62	Liver alterations in anorexia nervosa are not caused by insulin resistance. <i>Internal and Emergency Medicine</i> , 2020 , 15, 337-339	3.7	2
61	STRUCTURED LIPID CONTAINING BEHENIC ACID VERSUS ORLISTAT FOR WEIGHT LOSS: AN EXPERIMENTAL STUDY IN MICE. <i>PharmaNutrition</i> , 2020 , 14, 100213	2.9	6
60	Quercitrin Ameliorates Hyperlipidemia and Hepatic Steatosis in Ovariectomized Mice. <i>Life</i> , 2020 , 10,	3	3

59	Cannabinoid receptor type 1 antagonist inhibits progression of obesity-associated nonalcoholic steatohepatitis in a mouse model by remodeling immune system disturbances. <i>Immunity, Inflammation and Disease</i> , 2020 , 8, 544-558	2.4	1
58	Investigation of the Synergistic Effect of Brown Sugar, Longan, Ginger, and Jujube (Brown Sugar Longan Ginger Tea) on Antioxidation and Anti-Inflammation in Models. <i>Evidence-based Complementary and Alternative Medicine</i> , 2020 , 2020, 3596085	2.3	
57	Roles of Adipokines in Digestive Diseases: Markers of Inflammation, Metabolic Alteration and Disease Progression. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	16
56	Serum Adiponectin Levels Do Not Distinguish Primary From Metastatic Liver Tumors. <i>Anticancer Research</i> , 2020 , 40, 143-151	2.3	2
55	Obesity - a risk factor for increased COVID-19 prevalence, severity and lethality (Review). <i>Molecular Medicine Reports</i> , 2020 , 22, 9-19	2.9	164
54	Attenuation of arsenic induced high fat diet exacerbated oxidative stress mediated hepatic and cardiac injuries in male Wistar rats by piperine involved antioxidative mechanisms. <i>Food and Chemical Toxicology</i> , 2020 , 142, 111477	4.7	5
53	Spirulina reduces diet-induced obesity through downregulation of lipogenic genes expression in. <i>Archives of Physiology and Biochemistry</i> , 2020 , 1-9	2.2	1
52	The impact of high-intensity interval training on inflammatory markers in metabolic disorders: A meta-analysis. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020 , 30, 2020-2036	4.6	14
51	Remdesivir attenuates high fat diet (HFD)-induced NAFLD by regulating hepatocyte dyslipidemia and inflammation via the suppression of STING. <i>Biochemical and Biophysical Research Communications</i> , 2020 , 526, 381-388	3.4	23
50	Inflammatory Milieu May Trigger Metabolic Changes in Migraine Attacks. <i>Headache</i> , 2020 , 60, 990-991	4.2	
49	Myeloid-Cell-Specific IL-6 Signaling Promotes MicroRNA-223-Enriched Exosome Production to Attenuate NAFLD-Associated Fibrosis. <i>Hepatology</i> , 2021 , 74, 116-132	11.2	30
48	A Comprehensive Systematic Review of the Effects of Naringenin, a Citrus-Derived Flavonoid, on Risk Factors for Nonalcoholic Fatty Liver Disease. <i>Advances in Nutrition</i> , 2021 , 12, 413-428	10	9
47	The potential ameliorative impacts of cerium oxide nanoparticles against fipronil-induced hepatic steatosis. <i>Scientific Reports</i> , 2021 , 11, 1310	4.9	14
46	Fucoxanthin and Fucoxanthin Attenuate Hepatic Steatosis and Inflammation of NAFLD through Modulation of Leptin/Adiponectin Axis. <i>Marine Drugs</i> , 2021 , 19,	6	13
45	Liver-spleen axis in nonalcoholic fatty liver disease. <i>Expert Review of Gastroenterology and Hepatology</i> , 2021 , 15, 759-769	4.2	2
44	Role of exercise on visceral adiposity after spinal cord injury: a cardiometabolic risk factor. <i>European Journal of Applied Physiology</i> , 2021 , 121, 2143-2163	3.4	2
43	Understanding the Role of Perilipin 5 in Non-Alcoholic Fatty Liver Disease and Its Role in Hepatocellular Carcinoma: A Review of Novel Insights. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	9
42	The Peculiar Triologue between Pediatric Obesity, Systemic Inflammatory Status, and Immunity. <i>Biology</i> , 2021 , 10,	4.9	1

41	Serum Amyloid Beta42 Is Not Eliminated by the Cirrhotic Liver: A Pilot Study. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	0
40	Phytotherapy as Multi-Hit Therapy to Confront the Multiple Pathophysiology in Non-Alcoholic Fatty Liver Disease: A Systematic Review of Experimental Interventions. <i>Medicina (Lithuania)</i> , 2021 , 57,	3.1	1
39	The Role of Obesity in Predicting the Clinical Outcomes of COVID-19. <i>Obesity Facts</i> , 2021 , 14, 481-489	5.1	1
38	Saskatoon berry powder reduces hepatic steatosis and insulin resistance in high fat-high sucrose diet-induced obese mice. <i>Journal of Nutritional Biochemistry</i> , 2021 , 95, 108778	6.3	2
37	Association of xenobiotic-metabolizing enzymes (GSTM1 and GSTT 1), and pro-inflammatory cytokines (TNF- α and IL-6) genetic polymorphisms with non-alcoholic fatty liver disease. <i>Molecular Biology Reports</i> , 2021 , 48, 1225-1231	2.8	2
36	Hepatotoxicity. 249-265		1
35	Inflammation initiates a vicious cycle between obesity and nonalcoholic fatty liver disease. <i>Immunity, Inflammation and Disease</i> , 2021 , 9, 59-73	2.4	10
34	Complement alternative pathway activation in human nonalcoholic steatohepatitis. <i>PLoS ONE</i> , 2014 , 9, e110053	3.7	21
33	Pathogenesis of Insulin Resistance and Atherogenic Dyslipidemia in Nonalcoholic Fatty Liver Disease. <i>Journal of Clinical and Translational Hepatology</i> , 2019 , 7, 362-370	5.2	15
32	The effect of rat strain, diet composition and feeding period on the development of a nutritional model of non-alcoholic fatty liver disease in rats. <i>Physiological Research</i> , 2011 , 60, 317-28	2.1	33
31	The effect of D-galactosamine on lean and steatotic rat hepatocytes in primary culture. <i>Physiological Research</i> , 2015 , 64, S637-46	2.1	3
30	Proteomic and genomic studies of non-alcoholic fatty liver disease--clues in the pathogenesis. <i>World Journal of Gastroenterology</i> , 2014 , 20, 8325-40	5.6	26
29	Non-alcoholic fatty liver disease: what has changed in the treatment since the beginning?. <i>World Journal of Gastroenterology</i> , 2014 , 20, 14219-29	5.6	29
28	Oral administration of a non-absorbable plant cell-expressed recombinant anti-TNF fusion protein induces immunomodulatory effects and alleviates nonalcoholic steatohepatitis. <i>World Journal of Gastroenterology</i> , 2016 , 22, 8760-8769	5.6	10
27	Association of obesity with chronic kidney disease in elderly patients with nonalcoholic fatty liver disease. <i>Turkish Journal of Gastroenterology</i> , 2019 , 30, 611-615	1	4
26	Hepatic fibrosis is associated with an increased rate of decline in bone mineral density in men with nonalcoholic fatty liver disease. <i>Hepatology International</i> , 2021 , 15, 1347-1355	8.8	0
25	Effects of Dietary Fructose and Glucose on Hepatic Steatosis and NLRP3 Inflammasome in a Rodent Model of Obesity and Type 2 Diabetes. <i>Journal of the Korean Society of Food Science and Nutrition</i> , 2013 , 42, 1576-1584	1.5	
24	Is alanine aminotransferase associated with osteopenia in middle-aged and elderly Chinese?. <i>Endocrine Practice</i> , 2014 , 20, 775-84	3.2	

23	Oxidative Stress and Hepatocellular Injury. <i>Oxidative Stress in Applied Basic Research and Clinical Practice</i> , 2015 , 99-112		
22	INCREMENTO DE LA EXPRESIÓN DE TLR4 Y EFECTO ANTIOXIDANTE DEL ÁCIDO ACETILSALICÍLICO EN CONEJOS CON DIETA ALTA EN GRASAS. <i>RESPYN Revista De Salud Pública Y Nutrición</i> , 2017 , 16, 1-10	0.2	1
21	Ulcerative colitis and lymphoproliferative. <i>Gastroenterology & Hepatology (Bartlesville, Okla)</i> , 2019 , 10, 132-136	0.2	
20	The hepatoprotective and hypolipidemic effects of Spirulina () supplementation in a Cretan population with non-alcoholic fatty liver disease: a prospective pilot study. <i>Annals of Gastroenterology</i> , 2014 , 27, 387-394	2.2	18
19	Protein-protein interaction analysis of Alzheimer's disease and NAFLD based on systems biology methods unhide common ancestor pathways. <i>Gastroenterology and Hepatology From Bed To Bench</i> , 2018 , 11, 27-33	1.2	20
18	The Role of Elastography in Non-Alcoholic Fatty Liver Disease. <i>Current Health Sciences Journal</i> , 2020 , 46, 255-269	0.3	
17	Chemerin Overexpression in the Liver Protects against Inflammation in Experimental Non-Alcoholic Steatohepatitis.. <i>Biomedicines</i> , 2022 , 10,	4.8	1
16	Emerging Insights on the Diverse Roles of Proprotein Convertase Subtilisin/Kexin Type 9 (PCSK9) in Chronic Liver Diseases: Cholesterol Metabolism and Beyond.. <i>International Journal of Molecular Sciences</i> , 2022 , 23,	6.3	1
15	Protective Roles of Shilajit in Modulating Resistin, Adiponectin, and Cytokines in Rats with Non-alcoholic Fatty Liver Disease.. <i>Chinese Journal of Integrative Medicine</i> , 2022 , 1	2.9	0
14	Schisandrin B ameliorates non-alcoholic liver disease through anti-inflammation activation in diabetic mice.. <i>Drug Development Research</i> , 2021 ,	5.1	0
13	Factors That Predict the Progression of Non-alcoholic Fatty Liver Disease (NAFLD).. <i>Cureus</i> , 2021 , 13, e20776	1.2	1
12	Cadmium exposure modulates the gut-liver axis in an Alzheimer's disease mouse model.. <i>Communications Biology</i> , 2021 , 4, 1398	6.7	1
11	Assessment of common and differentially expressed proteins between diabetes mellitus and fatty liver disease: a network analysis.. <i>Gastroenterology and Hepatology From Bed To Bench</i> , 2021 , 14, S94-S101 ^{1,2}		
10	Inhibitory effect of water-soluble mulberry leaf extract on hepatic lipid accumulation in high-fat diet-fed rats via modulation of hepatic microRNA-221/222 expression and inflammation. <i>Journal of Nutrition and Health</i> , 2022 , 55, 227	0.8	
9	Chronic exposure to low concentration of MC-LR caused hepatic lipid metabolism disorder. <i>Ecotoxicology and Environmental Safety</i> , 2022 , 239, 113649	7	3
8	Tyrosol Ameliorates Liver Inflammatory Response in a Mouse Model of Nonalcoholic Fatty Liver Disease (NAFLD) by Regulating JAK1/STAT3. <i>Natural Product Communications</i> , 2022 , 17, 1934578X2211110	0.8	
7	Pathogenesis and treatment of non-alcoholic steatohepatitis and its fibrosis.		0
6	Pirfenidone attenuates nonalcoholic fatty liver disease through activation of the nuclear factor erythroid 2-related factor 2 (Nrf2) signaling pathway.		0

- 5 Role of Akkermansia muciniphila in the development of nonalcoholic fatty liver disease: current knowledge and perspectives. ○
- 4 Dietary EPA+DHA Mitigate Hepatic Toxicity and Modify the Oxylin Profile in an Animal Model of Colorectal Cancer Treated with Chemotherapy. **2022**, 14, 5703 ○
- 3 Expression and Function of BMP and Activin Membrane-Bound Inhibitor (BAMBI) in Chronic Liver Diseases and Hepatocellular Carcinoma. **2023**, 24, 3473 ○
- 2 Myeloperoxidase-Sensitive T1 and T2 Switchable MR Imaging for Diagnosis of Nonalcoholic Steatohepatitis. **2023**, 17, 3324-3333 ○
- 1 Cardioprotective Effects of Nano-Piperine Against Cypermethrin Toxicity Through Oxidative Stress, Histopathological and Immunohistochemical Studies in Male Wistar Rats. **2023**, 18, 1934578X2311540 ○