

CITATION REPORT

List of articles citing

Development and analysis of an International Speech Test Signal (ISTS)

DOI: 10.3109/14992027.2010.506889

International Journal of Audiology, 2010, 49, 891-903.

Source: <https://exaly.com/paper-pdf/48764023/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
247	Development and analysis of an International Speech Test Signal (ISTS). <i>International Journal of Audiology</i> , 2010 , 49, 891-903	2.6	205
246	Acceptable noise level (ANL) with Danish and non-semantic speech materials in adult hearing-aid users. <i>International Journal of Audiology</i> , 2012 , 51, 678-88	2.6	27
245	Relationship between masking release in fluctuating maskers and speech reception thresholds in stationary noise. <i>Journal of the Acoustical Society of America</i> , 2012 , 132, 1655-66	2.2	21
244	Acceptable noise level with Danish, Swedish, and non-semantic speech materials. <i>International Journal of Audiology</i> , 2012 , 51, 146-56	2.6	22
243	Relation Between Different Measures of Feedback in Hearing Aids and Gain Measures Derived from Percentile Analysis. 2012 , 98, 676-684		3
242	Acceptable noise level: repeatability with Danish and non-semantic speech materials for adults with normal hearing. <i>International Journal of Audiology</i> , 2012 , 51, 557-63	2.6	17
241	Measurement and prediction of the acceptable noise level for single-microphone noise reduction algorithms. <i>International Journal of Audiology</i> , 2012 , 51, 299-308	2.6	25
240	Basic Aspects of Hearing. 2013 ,		18
239	Modelling speech intelligibility in adverse conditions. 2013 , 787, 343-51		5
238	Development of the speech test signal in Brazilian Portuguese for real-ear measurement. <i>International Journal of Audiology</i> , 2013 , 52, 572-6	2.6	0
237	Acceptable noise level in Danish adult subjects diagnosed with unilateral Ménière's disease. 2013 , 11, 17-23		1
236	The equivalence of acceptable noise level (ANL) with English, Mandarin, and non-semantic speech: a study across the U.S. and Taiwan. <i>International Journal of Audiology</i> , 2013 , 52, 83-91	2.6	16
235	Individual Variability in Benefit from Fixed and Adaptive Directional Microphones. 2013 , 34, 110-117		
234	Acceptable noise level (ANL) and real-world hearing-aid success in Taiwanese listeners. <i>International Journal of Audiology</i> , 2013 , 52, 762-70	2.6	8
233	Examining speech perception in noise and cognitive functions in the elderly. <i>American Journal of Audiology</i> , 2013 , 22, 310-2	1.8	17
232	Acoustical correlates of performance on a dynamic range compression discrimination task. <i>Journal of the Acoustical Society of America</i> , 2013 , 134, 2136-47	2.2	6
231	A multi-resolution envelope-power based model for speech intelligibility. <i>Journal of the Acoustical Society of America</i> , 2013 , 134, 436-46	2.2	111

230	Contribution of envelope periodicity to release from speech-on-speech masking. <i>Journal of the Acoustical Society of America</i> , 2013 , 134, 2197-204	2.2	10
229	Evaluation of binaurally-synchronized dynamic-range compression algorithms for hearing aids. 2013 ,		
228	Initial development of a temporal-envelope-preserving nonlinear hearing aid prescription using a genetic algorithm. 2013 , 17, 94-107		2
227	Real-life efficacy and reliability of training a hearing aid. <i>Ear and Hearing</i> , 2013 , 34, 619-29	3.4	20
226	A Model-based hearing aid: Psychoacoustics, models and algorithms. 2013 ,		4
225	Loudness of Speech and Speech-Like Signals. 2013 , 99, 268-282		16
224	Seeing the talker's face supports executive processing of speech in steady state noise. 2013 , 7, 96		38
223	The role of high-frequency envelope fluctuations for speech masking release. 2013 ,		
222	Memory performance on the Auditory Inference Span Test is independent of background noise type for young adults with normal hearing at high speech intelligibility. 2014 , 5, 1490		2
221	Cognitive spare capacity in older adults with hearing loss. 2014 , 6, 96		36
220	The acceptable noise level: the effect of repeated measurements. <i>International Journal of Audiology</i> , 2014 , 53, 21-9	2.6	14
219	Does the acceptable noise level (ANL) predict hearing-aid use?. <i>International Journal of Audiology</i> , 2014 , 53, 2-20	2.6	24
218	Objective assessment of listening effort in the oscillatory EEG: comparison of different hearing aid configurations. 2014 , 2014, 2653-6		9
217	The effect of repeated measurements and working memory on the most comfortable level in the ANL test. <i>International Journal of Audiology</i> , 2014 , 53, 787-95	2.6	7
216	Comparison of predictive measures of speech recognition after noise reduction processing. <i>Journal of the Acoustical Society of America</i> , 2014 , 136, 1363	2.2	8
215	CINGLE-trial: cochlear implantation for siNGLE-sided deafness, a randomised controlled trial and economic evaluation. 2015 , 15, 3		17
214	On the interaction of speakers' voice quality, ambient noise and task complexity with children's listening comprehension and cognition. 2015 , 6, 871		21
213	Effect of Stimulus Level and Bandwidth on Speech-Evoked Envelope Following Responses in Adults With Normal Hearing. <i>Ear and Hearing</i> , 2015 , 36, 619-34	3.4	18

212	Directionality assessment of adaptive binaural beamforming with noise suppression in hearing aids. 2015,		1
211	High-frequency audibility: the effects of audiometric configuration, stimulus type, and device. <i>Journal of the American Academy of Audiology</i> , 2015 , 26, 128-37	1.3	28
210	Hearing Aid-Related Standards and Test Systems. 2015 , 36, 29-48		3
209	Speech reception threshold benefits in cochlear implant users with an adaptive beamformer in real life situations. 2015 , 16, 69-76		21
208	Children's Subjective Ratings and Opinions of Typical and Dysphonic Voice After Performing a Language Comprehension Task in Background Noise. 2015 , 29, 624-30		16
207	Single channel speech enhancement in the modulation domain: New insights in the modulation channel selection framework. 2015 ,		1
206	Are children with stronger cognitive capacity more or less disturbed by classroom noise and dysphonic teachers?. 2015 , 17, 577-588		15
205	Transient Noise Reduction in Cochlear Implant Users: a Multi-Band Approach. 2016 , 6, 154		3
204	Avaliaço da percepço de fala em usurios de prteses auditivas aps ajuste fino via mapeamento de fala com estmulo em Portugus. 2016 , 21,		
203	Type of Speech Material Affects Acceptable Noise Level Test Outcome. 2016 , 7, 186		6
202	Functional Testing of Subcutaneous Piezoelectrically Actuated Hearing Aid: Comparison With BAHA and Potential for Treating Single-sided Deafness. 2016 , 37, 753-60		
201	Selecting Appropriate Tests to Assess the Benefits of Bilateral Amplification With Hearing Aids. <i>Trends in Hearing</i> , 2016 , 20,	3.2	5
200	Envelope and intensity based prediction of psychoacoustic masking and speech intelligibility. <i>Journal of the Acoustical Society of America</i> , 2016 , 140, 1023	2.2	16
199	A method for predicting the intelligibility of noisy and non-linearly enhanced binaural speech. 2016 ,		0
198	Speech rate effects on the processing of conversational speech across the adult life span. <i>Journal of the Acoustical Society of America</i> , 2016 , 139, 1618	2.2	22
197	Predicting binaural speech intelligibility using the signal-to-noise ratio in the envelope power spectrum domain. <i>Journal of the Acoustical Society of America</i> , 2016 , 140, 192	2.2	13
196	Monaural speech intelligibility and detection in maskers with varying amounts of spectro-temporal speech features. <i>Journal of the Acoustical Society of America</i> , 2016 , 140, 524	2.2	21
195	Predicting speech intelligibility based on a correlation metric in the envelope power spectrum domain. <i>Journal of the Acoustical Society of America</i> , 2016 , 140, 2670	2.2	26

194	Spectral and binaural loudness summation for hearing-impaired listeners. <i>Hearing Research</i> , 2016 , 335, 179-192	3.9	27
193	Seeing the Talker's Face Improves Free Recall of Speech for Young Adults With Normal Hearing but Not Older Adults With Hearing Loss. 2016 , 59, 590-9		8
192	Clinical Verification of Hearing Aid Performance. 2016 , 253-289		1
191	Maximum likelihood PSD estimation for speech enhancement in reverberant and noisy conditions. 2016 ,		3
190	Auditory Model-Based Dynamic Compression Controlled by Subband Instantaneous Frequency and Speech Presence Probability Estimates. 2016 , 24, 1759-1772		10
189	Predicting the Intelligibility of Noisy and Nonlinearly Processed Binaural Speech. 2016 , 24, 1908-1920		21
188	Using probe-microphone measurements to improve the match to target gain and frequency response slope, as a function of earmould style, frequency, and input level. <i>International Journal of Audiology</i> , 2016 , 55, 215-23	2.6	15
187	Using Speech Recall in Hearing Aid Fitting and Outcome Evaluation Under Ecological Test Conditions. <i>Ear and Hearing</i> , 2016 , 37 Suppl 1, 145S-54S	3.4	31
186	Verification and validation of hearing aids: Opportunity not an obstacle. 2016 , 11, 57-62		11
185	. 2016 , 24, 1599-1612		26
184	A 90 nm CMOS, $6 \mu\text{m}^2$ Power-Proportional Acoustic Sensing Frontend for Voice Activity Detection. 2016 , 51, 291-302		75
183	The Acceptable Noise Level and the Pure-Tone Audiogram. <i>American Journal of Audiology</i> , 2017 , 26, 80-87		7
182	Evaluation of a wireless remote microphone in bimodal cochlear implant recipients. <i>International Journal of Audiology</i> , 2017 , 56, 643-649	2.6	11
181	[Impact of the Overlap Region Between Acoustic and Electric Stimulation]. 2017 , 96, 361-373		2
180	Hörgeräte: Indikationen, Technologie, Anpassung und Qualitätskontrolle. 2017 , 96, S43-S65		1
179	Towards measuring the Speech Transmission Index in fluctuating noise: Accuracy and limitations. <i>Journal of the Acoustical Society of America</i> , 2017 , 141, 818	2.2	5
178	Stochastic gradient descent analysis for the evaluation of a speaker recognition. 2017 , 90, 389-397		1
177	Hearing aid fitting for visual and hearing impaired patients with Usher syndrome type IIa. 2017 , 42, 805-814		7

176	Relation Between Listening Effort and Speech Intelligibility in Noise. <i>American Journal of Audiology</i> , 2017 , 26, 378-392	1.8	20
175	Binaural masking release in symmetric listening conditions with spectro-temporally modulated maskers. <i>Journal of the Acoustical Society of America</i> , 2017 , 142, 12	2.2	12
174	Effect of extreme adaptive frequency compression in bimodal listeners on sound localization and speech perception. 2017 , 18, 266-277		6
173	Working Memory and Speech Recognition in Noise Under Ecologically Relevant Listening Conditions: Effects of Visual Cues and Noise Type Among Adults With Hearing Loss. 2017 , 60, 2310-2320		6
172	Speech reception with different bilateral directional processing schemes: Influence of binaural hearing, audiometric asymmetry, and acoustic scenario. <i>Hearing Research</i> , 2017 , 353, 36-48	3.9	18
171	The Effect of Adaptive Nonlinear Frequency Compression on Phoneme Perception. <i>American Journal of Audiology</i> , 2017 , 26, 531-542	1.8	5
170	Predictors of Hearing-Aid Outcomes. <i>Trends in Hearing</i> , 2017 , 21, 2331216517730526	3.2	33
169	Comparison of two binaural beamforming approaches for hearing aids. 2017 ,		4
168	[The systematic selection of speech audiometric procedures]. <i>Hno</i> , 2017 , 65, 219-227	3.7	1
167	Neurodynamic evaluation of hearing aid features using EEG correlates of listening effort. 2017 , 11, 203-215		22
166	Development of an adaptive scaling method for subjective listening effort. <i>Journal of the Acoustical Society of America</i> , 2017 , 141, 4680	2.2	31
165	Masked speech perception across the adult lifespan: Impact of age and hearing impairment. <i>Hearing Research</i> , 2017 , 344, 109-124	3.9	51
164	The role of short-time intensity and envelope power for speech intelligibility and psychoacoustic masking. <i>Journal of the Acoustical Society of America</i> , 2017 , 142, 1098	2.2	13
163	Analysis of Audiometric Differences of Patients with and without Tinnitus in a Large Clinical Database. 2017 , 8, 31		19
162	Revisions of the Japanese Industrial Standard (JIS) for Hearing Aids. 2017 , 60, 159-167		
161	A robust adaptive binaural beamformer for hearing devices. 2017 ,		1
160	Neural and behavioral changes after the use of hearing aids. 2018 , 129, 1254-1267		18
159	Better-ear glimpsing with symmetrically-placed interferers in bilateral cochlear implant users. <i>Journal of the Acoustical Society of America</i> , 2018 , 143, 2128	2.2	14

158	Comparing human and automatic speech recognition in simple and complex acoustic scenes. <i>Computer Speech and Language</i> , 2018 , 52, 123-140	2.8	10
157	Using the device-oriented subjective outcome (DOSO) scale to measure outcomes of different hearing aids. <i>International Journal of Audiology</i> , 2018 , 57, 584-591	2.6	1
156	Effects of Amplification on Neural Phase Locking, Amplitude, and Latency to a Speech Syllable. <i>Ear and Hearing</i> , 2018 , 39, 810-824	3.4	19
155	Binaural model-based dynamic-range compression. <i>International Journal of Audiology</i> , 2018 , 57, S31-S42	2.6	2
154	Virtual acoustic environments for comprehensive evaluation of model-based hearing devices. <i>International Journal of Audiology</i> , 2018 , 57, S112-S117	2.6	1
153	The effect of voice quality and competing speakers in a passage comprehension task: performance in relation to cognitive functioning in children with normal hearing. 2018 , 43, 11-19		12
152	The effect of voice quality and competing speakers in a passage comprehension task: perceived effort in relation to cognitive functioning and performance in children with normal hearing. 2018 , 43, 32-41		13
151	Is children's listening effort in background noise influenced by the speaker's voice quality?. 2018 , 43, 47-55		11
150	Predicting speech intelligibility with deep neural networks. <i>Computer Speech and Language</i> , 2018 , 48, 51-66	2.8	37
149	Long term average speech spectra of Turkish. 2018 , 43, 101-105		5
148	Restoring Perceived Loudness for Listeners With Hearing Loss. <i>Ear and Hearing</i> , 2018 , 39, 664-678	3.4	13
147	Optimal gain control step sizes for bimodal stimulation. <i>International Journal of Audiology</i> , 2018 , 57, 184-193	2.6	0
146	The influence of voice quality on sentence processing and recall performance in school-age children with normal hearing. 2018 , 21, 1-9		13
145	Auditory Acclimatization to Bilateral Hearing Aids: Effects on Sentence-in-Noise Processing Times and Speech-Evoked Potentials. <i>Ear and Hearing</i> , 2018 , 39, 161-171	3.4	7
144	Evaluation of the Penalized Inequality Constrained Minimum Variance Beamformer for Hearing Aids. 2018 ,		0
143	Índice de inteligibilidade de fala [Speech Intelligibility Index (SII) e reconhecimento de sentenças no ruído. Estudo em idosos com e sem alteração cognitiva usuários de próteses auditivas. 2018 , 23,		
142	Physiological orienting response, noise sensitivity, and annoyance from irrelevant background sound. 2018 ,		3
141	Evaluation of Noise Reduction Algorithms in Hearing Aids for Multiple Signals From Equal or Different Directions. <i>Trends in Hearing</i> , 2018 , 22, 2331216518803198	3.2	5

140	The Effects of Static and Moving Spectral Ripple Sensitivity on Unaided and Aided Speech Perception in Noise. 2018 , 61, 3113-3126		6
139	Hearing Aids Benefit Recognition of Words in Emotional Speech but Not Emotion Identification. <i>Trends in Hearing</i> , 2018 , 22, 2331216518801736	3.2	8
138	Real-time loudness normalisation with combined cochlear implant and hearing aid stimulation. 2018 , 13, e0195412		3
137	On the Cost of Introducing Speech-Like Properties to a Stimulus for Auditory Steady-State Response Measurements. <i>Trends in Hearing</i> , 2018 , 22, 2331216518789302	3.2	4
136	The Effects of Varying Directional Bandwidth in Hearing Aid Users' Preference and Speech-in-Noise Performance. <i>American Journal of Audiology</i> , 2018 , 27, 95-103	1.8	3
135	Refinement and validation of the binaural short time objective intelligibility measure for spatially diverse conditions. 2018 , 102, 1-13		4
134	Neural envelope encoding predicts speech perception performance for normal-hearing and hearing-impaired adults. <i>Hearing Research</i> , 2018 , 370, 189-200	3.9	17
133	Exploring the Link Between Cognitive Abilities and Speech Recognition in the Elderly Under Different Listening Conditions. 2018 , 9, 678		18
132	Efficacy of a Hearing Aid Noise Reduction Function. <i>Trends in Hearing</i> , 2018 , 22, 2331216518782839	3.2	8
131	Do Hearing Aids Address Real-World Hearing Difficulties for Adults With Mild Hearing Impairment? Results From a Pilot Study Using Ecological Momentary Assessment. <i>Trends in Hearing</i> , 2018 , 22, 2331216518783608	3.2	10
130	Immediate Passage Comprehension and Encoding of Information Into Long-Term Memory in Children With Normal Hearing: The Effect of Voice Quality and Multitalker Babble Noise. <i>American Journal of Audiology</i> , 2018 , 27, 231-237	1.8	10
129	Restoration of sensory input may improve cognitive and neural function. 2018 , 114, 203-213		27
128	The Sound of a Cochlear Implant Investigated in Patients With Single-Sided Deafness and a Cochlear Implant. 2018 , 39, 707-714		6
127	Outcomes With a Self-Fitting Hearing Aid. <i>Trends in Hearing</i> , 2018 , 22, 2331216518768958	3.2	15
126	Comparing Two Hearing Aid Fitting Algorithms for Bimodal Cochlear Implant Users. <i>Ear and Hearing</i> , 2019 , 40, 98-106	3.4	8
125	Measuring Speech Recognition With a Matrix Test Using Synthetic Speech. <i>Trends in Hearing</i> , 2019 , 23, 2331216519862982	3.2	8
124	Direct-to-Consumer Hearing Devices: Capabilities, Costs, and Cosmetics. <i>Trends in Hearing</i> , 2019 , 23, 2331216519858301	3.2	11
123	Speech Auditory Brainstem Responses in Adult Hearing Aid Users: Effects of Aiding and Background Noise, and Prediction of Behavioral Measures. <i>Trends in Hearing</i> , 2019 , 23, 2331216519848297	3.2	6

122	The effect of room acoustical parameters on speech reception thresholds and spatial release from masking. <i>Journal of the Acoustical Society of America</i> , 2019 , 146, 2188	2.2	3
121	The bone conduction implant - a review and 1-year follow-up. <i>International Journal of Audiology</i> , 2019 , 58, 945-955	2.6	13
120	Evidence for age-related cochlear synaptopathy in humans unconnected to speech-in-noise intelligibility deficits. <i>Hearing Research</i> , 2019 , 374, 35-48	3.9	39
119	Effectiveness and efficiency of a dedicated bimodal fitting formula. 2019 , 9, 219		7
118	New insights on the optimality of parameterized Wiener filters for speech enhancement applications. 2019 , 109, 46-54		5
117	The Extended Speech Transmission Index: Predicting speech intelligibility in fluctuating noise and reverberant rooms. <i>Journal of the Acoustical Society of America</i> , 2019 , 145, 1178	2.2	3
116	Effect of Noise Reduction Gain Errors on Simulated Cochlear Implant Speech Intelligibility. <i>Trends in Hearing</i> , 2019 , 23, 2331216519825930	3.2	4
115	A Set of Time-and-Frequency-Localized Short-Duration Speech-Like Stimuli for Assessing Hearing-Aid Performance via Cortical Auditory-Evoked Potentials. <i>Trends in Hearing</i> , 2019 , 23, 2331216519885368	3.2	3
114	A speech-based computational auditory signal processing and perception model. <i>Journal of the Acoustical Society of America</i> , 2019 , 146, 3306	2.2	8
113	Understanding Variability in Individual Response to Hearing Aid Signal Processing in Wearable Hearing Aids. <i>Ear and Hearing</i> , 2019 , 40, 1280-1292	3.4	13
112	Effect of Compression on Musical Sound Quality in Cochlear Implant Users. <i>Ear and Hearing</i> , 2019 , 40, 1368-1375	3.4	3
111	Evaluating noise suppression methods for recovering the Lombard speech from vocal output in an external noise field. 2019 , 22, 31-46		2
110	The influence of voice quality and multi-talker babble noise on sentence processing and recall performance in school children using cochlear implant and/or hearing aids. 2019 , 44, 87-94		3
109	Comparing the Effect of Different Hearing Aid Fitting Methods in Bimodal Cochlear Implant Users. <i>American Journal of Audiology</i> , 2019 , 28, 1-10	1.8	6
108	A preliminary investigation into hearing aid fitting based on automated real-ear measurements integrated in the fitting software: test-retest reliability, matching accuracy and perceptual outcomes. <i>International Journal of Audiology</i> , 2019 , 58, 132-140	2.6	5
107	Passage comprehension performance in children with cochlear implants and/or hearing aids: the effects of voice quality and multi-talker babble noise in relation to executive function. 2020 , 45, 15-23		2
106	Preferences for digital noise reduction and microphone mode settings in hearing-impaired listeners with low and high tolerances for background noise. <i>International Journal of Audiology</i> , 2020 , 59, 90-100	2.6	
105	Comparison of bimodal benefit for the use of DSL v5.0 and NAL-NL2 in cochlear implant listeners. <i>International Journal of Audiology</i> , 2020 , 59, 383-391	2.6	0

104	The Role of Lexical Tone Information in the Recognition of Mandarin Sentences in Listeners With Hearing Aids. <i>Ear and Hearing</i> , 2020 , 41, 532-538	3.4	3
103	Investigating the Effects of Four Auditory Profiles on Speech Recognition, Overall Quality, and Noise Annoyance With Simulated Hearing-Aid Processing Strategies. <i>Trends in Hearing</i> , 2020 , 24, 2331216520930861	3.2	3
102	Can You Hear Out the Melody? Testing Musical Scene Perception in Young Normal-Hearing and Older Hearing-Impaired Listeners. <i>Trends in Hearing</i> , 2020 , 24, 2331216520945826	3.2	3
101	Consistency of Hearing Aid Setting Preference in Simulated Real-World Environments: Implications for Trainable Hearing Aids. <i>Trends in Hearing</i> , 2020 , 24, 2331216520933392	3.2	4
100	Evaluation of Hearing Aid Manufacturers' Software-Derived Fittings to DSL v5.0 Pediatric Targets. <i>Journal of the American Academy of Audiology</i> , 2020 , 31, 354-362	1.3	1
99	Effect of (Mis)Matched Compression Speed on Speech Recognition in Bimodal Listeners. <i>Trends in Hearing</i> , 2020 , 24, 2331216520948974	3.2	0
98	LoCHAid: An ultra-low-cost hearing aid for age-related hearing loss. 2020 , 15, e0238922		6
97	Perceived listening effort in children with hearing loss: listening to a dysphonic voice in quiet and in noise. 2020 , 1-9		2
96	The Accuracy of Envelope Following Responses in Predicting Speech Audibility. <i>Ear and Hearing</i> , 2020 , 41, 1732-1746	3.4	6
95	Measuring access to high-modulation-rate envelope speech cues in clinically fitted auditory prostheses. <i>Journal of the Acoustical Society of America</i> , 2020 , 147, 1284	2.2	1
94	Speech recognition, loudness, and preference with extended bandwidth hearing aids for adult hearing aid users. <i>International Journal of Audiology</i> , 2020 , 59, 780-791	2.6	9
93	Comparison of real-ear insertion gains in Japanese-speaking individuals wearing hearing aids with DSLv5 and NAL-NL2. 2021 , 48, 75-81		0
92	Characteristics of Speech-Evoked Envelope Following Responses in Infancy. <i>Trends in Hearing</i> , 2021 , 25, 23312165211004331	3.2	4
91	Signal Analysis Using Local Polynomial Approximations. 2021 ,		0
90	Perceived Sound Quality Dimensions Influencing Frequency-Gain Shaping Preferences for Hearing Aid-Amplified Speech and Music. <i>Trends in Hearing</i> , 2021 , 25, 2331216521989900	3.2	1
89	Influence of Three Auditory Profiles on Aided Speech Perception in Different Noise Scenarios. <i>Trends in Hearing</i> , 2021 , 25, 23312165211023709	3.2	1
88	Hearing aid fitting in the elderly: prescription of acoustic gain through frequency thresholds obtained with pure tone and narrow band stimuli. <i>CoDAS</i> , 2021 , 33, e20200192	0.6	
87	Self-reported hearing handicap in adults aged 55 to 81 years is modulated by hearing abilities, frailty, mental health, and willingness to use hearing aids. <i>International Journal of Audiology</i> , 2021 , 60, 71-79	2.6	3

86	. 2021 , 29, 1729-1739		2
85	Mitochondrial myopathy and sensorineural hearing loss: case study. <i>CoDAS</i> , 2021 , 33, e20200021	0.6	
84	Speech Intelligibility Index and the Ling 6(HL) test: correlations in pediatric hearing aid users. <i>CoDAS</i> , 2021 , 33, e20200094	0.6	
83	Speech, Spatial and Qualities of Hearing Scale in assessing the benefit in hearing aid users. <i>CoDAS</i> , 2021 , 33, e20190196	0.6	1
82	Can Dual Compression Offer Better Mandarin Speech Intelligibility and Sound Quality Than Fast-Acting Compression?. <i>Trends in Hearing</i> , 2021 , 25, 2331216521997610	3.2	2
81	Searchlight Classification Informative Region Mixture Model (SCIM): Identification of Cortical Regions Showing Discriminable BOLD Patterns in Event-Related Auditory fMRI Data. 2020 , 14, 616906		2
80	The use of ecological momentary assessment to evaluate real-world aided outcomes with children. <i>International Journal of Audiology</i> , 2021 , 60, S68-S78	2.6	3
79	Assessing Real-Life Benefit From Hearing-Aid Noise Management: SSQ12 Questionnaire Versus Ecological Momentary Assessment With Acoustic Data-Logging. <i>American Journal of Audiology</i> , 2021 , 30, 93-104	1.8	5
78	Accuracy of an Automated Hearing Aid Fitting Using Real Ear Measures Embedded in a Manufacturer Fitting Software. <i>Journal of the American Academy of Audiology</i> , 2021 , 32, 157-163	1.3	
77	Changes in Heart Rate Variability Following Acoustic Therapy in Individuals With Tinnitus. 2021 , 64, 1413-1419		0
76	Thoughts on the potential to compensate a hearing loss in noise. 2021 , 10, 311		
75	Amplification rationale for hearing aids based on characteristics of the Japanese language. 2021 ,		0
74	Real-Time Interaural Time Delay Estimation via Onset Detection. 2021 ,		1
73	Toward an Individual Binaural Loudness Model for Hearing Aid Fitting and Development. 2021 , 12, 634943		
72	Influence of surgical and N95 face masks on speech perception and listening effort in noise. 2021 , 16, e0253874		12
71	A comparative study of the sound characteristics of hearing aids through the International Speech Test Signal. 2021 , 64, 308-314		
70	The Contribution of Age, Working Memory Capacity, and Inhibitory Control on Speech Recognition in Noise in Young and Older Adult Listeners. 2021 , 64, 4513-4523		2
69	A state-of-the-art implementation of a binaural cochlear-implant sound coding strategy inspired by the medial olivocochlear reflex. <i>Hearing Research</i> , 2021 , 409, 108320	3.9	1

68	Using the phase inversion method and loudness comparisons for the evaluation of noise reduction algorithms in hearing aids. <i>Acta Acustica</i> , 2021 , 5, 41	0.9	1
67	Detection, Speech Recognition, Loudness, and Preference Outcomes With a Direct Drive Hearing Aid: Effects of Bandwidth. <i>Trends in Hearing</i> , 2021 , 25, 2331216521999139	3.2	1
66	Binaural (pre)processing for contralateral sound field attenuation and improved speech-in-noise recognition.		
65	Potential Destructive Binaural Interaction Effects in Auditory Steady-State Response Measurements. <i>Trends in Hearing</i> , 2021 , 25, 23312165211031130	3.2	
64	Introduction to Hearing Aids. 2016 , 1-19		2
63	Adaptation of the Connected Speech Test: Rerecording and Passage Equivalency. <i>American Journal of Audiology</i> , 2020 , 29, 259-264	1.8	4
62	Perceptual Benefits of Extended Bandwidth Hearing Aids With Children: A Within-Subject Design Using Clinically Available Hearing Aids. 2020 , 63, 3834-3846		5
61	Speech Perception and Sound-Quality Rating with an Adaptive Nonlinear Frequency Compression Algorithm in Mandarin-Speaking Hearing Aid Users. <i>Journal of the American Academy of Audiology</i> , 2020 , 31, 590-598	1.3	1
60	Hearing aids: indications, technology, adaptation, and quality control. 2017 , 16, Doc08		5
59	Effect of Face Mask on Voice Production During COVID-19 Pandemic: A Systematic Review. 2021 ,		2
58	Audiometrie - Die Untersuchung des Gehörs und seine technische Versorgung. 2015 , 1-61		
57	Audiometrie [Die Untersuchung des Gehörs und seine technische Versorgung. 2017 , 207-267		
56	Comparison of Acceptable Noise Levels Using Korean and Non-Semantic Speech Signals in Normal Hearing Subjects. 2017 , 60, 614-620		
55	A Comparison of Acoustical Characteristics between International Speech Test Signal and Korean Speech Stimuli. 2018 , 23, 169-179		
54	Addressing age related hearing loss through engineering accessible and affordable hearing technology.		
53	Evaluation of the efficacy of hearing-assistive devices during group discussions.. 2020 , 63, 272-278		
52	Validity of software-simulated gain of NAL-NL and DSL methods in hearing aid fitting. 2020 , 63, 256-262		
51	Amount of Frequency Compression in Bimodal Cochlear Implant Users Is a Poor Predictor for Audibility and Spatial Hearing. 2021 , 1-14		2

50	Anticipating real-ear insertion response using an external auditory canal model. 2021,		
49	Test-retest Reliability of the Korean Matrix Sentence-in-noise Recognition in Sound-field Testing Condition. <i>Audiology and Speech Research</i> , 2021 , 17, 344-351	0.4	0
48	Reconhecimento de fala e índice de inteligibilidade de fala em usuários de próteses auditivas intra-aurais: um estudo comparativo. 25,		
47	Evaluation of an Adaptive Dynamic Compensation System in Cochlear Implant Listeners. <i>Trends in Hearing</i> , 2020 , 24, 2331216520970349	3.2	4
46	Cognition and benefit obtained with hearing aids: a study in elderly people. <i>CoDAS</i> , 2020 , 32, e201802590.6		
45	Cutting Through the Noise: Noise-Induced Cochlear Synaptopathy and Individual Differences in Speech Understanding Among Listeners With Normal Audiograms. <i>Ear and Hearing</i> , 2021 , 43,	3.4	2
44	Spanish Pediatric Picture Identification Test. <i>American Journal of Audiology</i> , 2020 , 29, 318-328	1.8	0
43	Differences in Force Levels, Word Recognition in Quiet, Sentence Reception Threshold in Noise, and Subjective Outcomes for a Bone-Anchored Hearing Device Programmed Using Manufacturer First-Fit, Aided Sound-Field Thresholds and Programmed to DSL-BCD Using a Skull Simulator. <i>Journal of the American Academy of Audiology</i> , 2021 , 32, 395-404	1.3	0
42	Effect of Acoustic Scene Complexity and Visual Scene Representation on Auditory Perception in Virtual Audio-Visual Environments. 2021,		0
41	Prediction of speech intelligibility with DNN-based performance measures. <i>Computer Speech and Language</i> , 2022 , 74, 101329	2.8	0
40	Design and verification of a measurement setup for wireless remote microphone systems (WRMSs). <i>International Journal of Audiology</i> , 2021 , 1-12	2.6	0
39	Speech Intelligibility of Mandarin- and German-Speaking Listeners in Challenging Conditions. 2021,		
38	[Effectiveness of hearing aid provision for severe hearing loss].. <i>Hno</i> , 2022 , 1	3.7	0
37	Measuring the effect of adaptive directionality and split processing on noise acceptance at multiple input levels.. <i>International Journal of Audiology</i> , 2022 , 1-9	2.6	0
36	A Retrospective Study of Bimodal Benefits of Cochlear Implant Children. <i>Audiology and Speech Research</i> , 2022 , 18, 1-8	0.4	
35	Electroacoustic Evaluation of Smartphone-Based Hearing Aid Applications.. <i>Clinical and Experimental Otorhinolaryngology</i> , 2022,	3.4	0
34	A context-based approach to predict speech intelligibility in interrupted noise: Model design.. <i>Journal of the Acoustical Society of America</i> , 2022 , 151, 1404	2.2	
33	Evaluation of Auditory Processing and Working Memory Abilities in Individuals with Chronic Renal Disease Undergoing Hemodialysis. <i>Auditory Perception & Cognition</i> , 1-22	0.4	

32	Listen Carefully protocol: an exploratory case-control study of the association between listening effort and cognitive function.. <i>BMJ Open</i> , 2022 , 12, e051109	3	1
31	A model of speech recognition for hearing-impaired listeners based on deep learning.. <i>Journal of the Acoustical Society of America</i> , 2022 , 151, 1417	2.2	0
30	Self-Adjustment of Hearing Aid Amplification for Lower Speech Levels: Independent Ratings, Paired Comparisons, and Speech Recognition.. <i>American Journal of Audiology</i> , 2022 , 1-17	1.8	
29	A novel method for objective in-situ measurement of audibility in bone conduction hearing devices - a pilot study using a skin drive BCD.. <i>International Journal of Audiology</i> , 2022 , 1-5	2.6	1
28	Can real-ear insertion gain deviations from generic fitting prescriptions predict self-reported outcomes?. <i>International Journal of Audiology</i> , 2022 , 1-9	2.6	
27	Binaural pre-processing for contralateral sound field attenuation and improved speech-in-noise recognition.. <i>Hearing Research</i> , 2022 , 418, 108469	3.9	0
26	Broadband Amplification as Tinnitus Treatment. <i>Brain Sciences</i> , 2022 , 12, 719	3.4	
25	Predicting speech intelligibility in hearing-impaired listeners using a physiologically inspired auditory model. <i>Hearing Research</i> , 2022 , 108553	3.9	0
24	The Acoustic Change Complex Compared to Hearing Performance in Unilaterally and Bilaterally Deaf Cochlear Implant Users. <i>Ear and Hearing</i> , Publish Ahead of Print,	3.4	0
23	Towards a simplified and generalized monaural and binaural auditory model for psychoacoustics and speech intelligibility. <i>Acta Acustica</i> , 2022 , 6, 23	0.9	
22	Correspondência entre alvo e saída da préese auditiva segundo as regras prescritivas NAL-NL1 e NAL-NL2. 27,		0
21	Correspondência entre alvo e saída da préese auditiva segundo as regras prescritivas NAL-NL1 e NAL-NL2. 27,		0
20	The effect of hearing protection worn by talker and/or target listener on speech production in quiet and noise. 2022 , 152, 1528-1538		0
19	Speech intelligibility prediction based on modulation frequency-selective processing. 2022 , 108610		1
18	Speech-Evoked Envelope Following Responses in Children and Adults. 1-15		1
17	Speech Recognition and Listening Effort of Meaningful Sentences Using Synthetic Speech. 2022 , 26, 233121652211306		0
16	Sprachverstehen im Stillschall Überlegungen zur Biologisch validen Bewertung der Kommunikationsfähigkeit mit Cochleaimplantat.		0
15	Informational Masking and Listening Effort in Speech Recognition in Noise: The Role of Working Memory Capacity and Inhibitory Control in Older Adults With and Without Hearing Impairment. 1-12		0

- 14 Reliability and Validity of the Korean Matrix Sentence-in-Noise Recognition Test for Older Listeners with Normal Hearing and with Hearing Impairment. **2022**, 18, 213-221 ○
- 13 Towards Auditory Profile-Based Hearing-Aid Fittings: BEAR Rationale and Clinical Implementation. **2022**, 12, 564-573 ○
- 12 Extending the audiogram with loudness growth: revealing complementarity in bimodal aiding. ○
- 11 Binaural detection thresholds and audio quality of speech and music signals in complex acoustic environments. 13, ○
- 10 Speech comprehension in noise—considerations for ecologically valid assessment of communication skills ability with cochlear implants. ○
- 9 Investigation of the current supply system for hearing aids at stores in Japan. **2022**, ○
- 8 Perceived Sound Quality of Hearing Aids With Varying Placements of Microphone and Receiver. 1-15 ○
- 7 Performance with a new bone conduction implant audio processor in patients with single-sided deafness. ○
- 6 Investigation of hearing aid fitting according to the national acoustic laboratories' prescription for non-linear hearing aids and the desired sensation level methods in Japanese speakers: a crossover-controlled trial. **2023**, ○
- 5 Modified T2 Statistics for Improved Detection of Aided Cortical Auditory Evoked Potentials in Hearing-Impaired Infants. **2023**, 27, 233121652311540 ○
- 4 Predicting Hearing aid Benefit Using Speech-Evoked Envelope Following Responses in Children With Hearing Loss. **2023**, 27, 233121652311514 ○
- 3 Common Sounds Audiograms: Quantitative Analyses and Recommendations. **2023**, 44, S49-S63 ○
- 2 Aided Cortical Auditory Evoked Potentials in Infants With Frequency-Specific Synthetic Speech Stimuli: Sensitivity, Repeatability, and Feasibility. Publish Ahead of Print, ○
- 1 Extending the audiogram with loudness growth: The complementarity of electric and acoustic hearing in bimodal patients. **2023**, 18, e0277161 ○