Role of systemic inflammatory response in predicting s operable cancer

Future Oncology 6, 149-163

DOI: 10.2217/fon.09.136

Citation Report

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 2 | Elevated Preoperative C-reactive Protein Predicts Poor Cancer Specific Survival in Patients Undergoing Resection for Non-small Cell Lung Cancer. Journal of Thoracic Oncology, 2010, 5, 988-992. | 0.5 | 60 |
| 3 | Prognostic significance of preoperative plasma fibrinogen in endometrial cancer. Gynecologic Oncology, 2010, 119, 309-313. | 0.6 | 46 |
| 4 | Surgeons and selection of adjuvant therapy for node-negative colonic cancer. British Journal of Surgery, 2010, 97, 1459-1460. | 0.1 | 19 |
| 5 | The relationship between the presence and site of cancer, an inflammation-based prognostic score and biochemical parameters. Initial results of the Glasgow Inflammation Outcome Study. British Journal of Cancer, 2010, 103, 870-876. | 2.9 | 179 |
| 6 | A clinical risk score to predict 3-, 5- and 10-year survival in patients undergoing surgery for Dukes B colorectal cancer. British Journal of Cancer, 2010, 103, 970-974. | 2.9 | 18 |
| 7 | Systemic Inflammatory Response and Survival in Patients with Localised Prostate Cancer: 10-Year Follow-Up. Urologia Internationalis, 2010, 85, 482-482. | 0.6 | 10 |
| 8 | Systemic Inflammatory Response and Survival in Patients with Localised Prostate Cancer: 10-Year Follow-Up. Urologia Internationalis, 2010, 84, 430-435. | 0.6 | 25 |
| 9 | Medical Journal Watch. Alternative and Complementary Therapies, 2010, 16, 59-63. | 0.1 | O |
| 10 | Medical Journal Watch: Context and Applications. Alternative and Complementary Therapies, 2010, 16, 185-190. | 0.1 | 0 |
| 11 | The relationship between patient physiology, the systemic inflammatory response and survival in patients undergoing curative resection of colorectal cancer. British Journal of Cancer, 2010, 103, 1356-1361. | 2.9 | 62 |
| 12 | Role of C-reactive protein as a biomarker for renal cell carcinoma. Expert Review of Anticancer Therapy, 2010, 10, 1979-1989. | 1.1 | 37 |
| 13 | Non-Malignant Drivers of Elevated C-Reactive Protein Levels Differ in Patients With and Without a History of Cancer. Molecular Diagnosis and Therapy, 2010, 14, 295-303. | 1.6 | 4 |
| 14 | Elevated C-reactive protein in the diagnosis, prognosis, and cause of cancer. Critical Reviews in Clinical Laboratory Sciences, 2011, 48, 155-170. | 2.7 | 423 |
| 15 | C-reactive protein as a biomarker for urological cancers. Nature Reviews Urology, 2011, 8, 659-666. | 1.9 | 105 |
| 16 | Use of Inflammatory Markers to Guide Cancer Treatment. Clinical Pharmacology and Therapeutics, 2011, 90, 475-478. | 2.3 | 73 |
| 17 | A comparison of inflammation-based prognostic scores in patients with cancer. A Glasgow Inflammation Outcome Study. European Journal of Cancer, 2011, 47, 2633-2641. | 1.3 | 632 |
| 18 | An inflammation-based prognostic score (mGPS) predicts cancer survival independent of tumour site: a Glasgow Inflammation Outcome Study. British Journal of Cancer, 2011, 104, 726-734. | 2.9 | 428 |
| 19 | Elevated pre-treatment levels of plasma C-reactive protein are associated with poor prognosis after breast cancer: a cohort study. Breast Cancer Research, 2011, 13, R55. | 2.2 | 109 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 20 | Acute Phase Proteins as Cancer Biomarkers. , 2011, , . | | 2 |
| 21 | Prognostic Role of C-Reactive Protein in Breast Cancer: A Systematic Review and Meta-Analysis. International Journal of Biological Markers, 2011, 26, 209-215. | 0.7 | 81 |
| 22 | The Impact of Perioperative Risk, Tumor Pathology and Surgical Complications on Disease Recurrence Following Potentially Curative Resection of Colorectal Cancer. Annals of Surgery, 2011, 254, 83-89. | 2.1 | 63 |
| 23 | Preoperative Systemic Inflammation and Infectious Complications After Resection of Colorectal Liver Metastases. Archives of Surgery, 2011, 146, 471. | 2.3 | 40 |
| 24 | Neutrophil/lymphocyte ratio predicts chemotherapy outcomes in patients with advanced colorectal cancer. British Journal of Cancer, 2011, 104, 1288-1295. | 2.9 | 402 |
| 25 | Relationship Between Preoperative Comorbidity, Systemic Inflammatory Response, and Survival in Patients Undergoing Curative Resection for Colorectal Cancer. Annals of Surgical Oncology, 2011, 18, 997-1005. | 0.7 | 41 |
| 26 | A Prospective Comparison of the Prognostic Value of Tumor- and Patient-Related Factors in Patients Undergoing Potentially Curative Surgery for Pancreatic Ductal Adenocarcinoma. Annals of Surgical Oncology, 2011, 18, 2318-2328. | 0.7 | 104 |
| 27 | Interrelationships between Tumor Proliferative Activity, Leucocyte and Macrophage Infiltration, Systemic Inflammatory Response, and Survival in Patients Selected for Potentially Curative Resection for Gastroesophageal Cancer. Annals of Surgical Oncology, 2011, 18, 2604-2612. | 0.7 | 22 |
| 28 | A Comparison of POSSUM and GPS Models in the Prediction of Post-operative Outcome in Patients Undergoing Oesophago-gastric Cancer Resection. Annals of Surgical Oncology, 2011, 18, 2808-2817. | 0.7 | 38 |
| 29 | Elevated Preoperative Neutrophil:Lymphocyte Ratio as a Predictor of Postoperative Disease Recurrence in Esophageal Cancer. Annals of Surgical Oncology, 2011, 18, 3362-3369. | 0.7 | 301 |
| 30 | Prognostic role of systemic inflammatory response in renal cell carcinoma: a systematic review and meta-analysis. Journal of Cancer Research and Clinical Oncology, 2011, 137, 887-896. | 1.2 | 59 |
| 31 | Preoperative Neutrophilâ€toâ€Lymphocyte Ratio (NLR) is Associated with Reduced Diseaseâ€free Survival Following Curative Resection of Pancreatic Adenocarcinoma. World Journal of Surgery, 2011, 35, 868-872. | 0.8 | 173 |
| 32 | Comparison of the Prognostic Value of Tumour―and Patientâ€Related Factors in Patients Undergoing Potentially Curative Resection of Oesophageal Cancer. World Journal of Surgery, 2011, 35, 1861-1866. | 0.8 | 121 |
| 33 | Prognostic significance of a systemic inflammatory response in patients receiving first-line palliative chemotherapy for recurred or metastatic gastric cancer. BMC Cancer, 2011, 11, 489. | 1.1 | 69 |
| 34 | Intravenous ascorbic acid to prevent and treat cancer-associated sepsis?. Journal of Translational Medicine, 2011, 9, 25. | 1.8 | 20 |
| 35 | Elevated serum CRP levels after induction chemoradiotherapy reflect poor treatment response in association with ILâ \in 6 in serum and local tumor site in patients with advanced esophageal cancer. Journal of Surgical Oncology, 2011, 103, 62-68. | 0.8 | 43 |
| 36 | The effects of body mass index on complications and survival outcomes in patients with cervical carcinoma undergoing curative chemoradiation therapy. Cancer, 2011, 117, 948-956. | 2.0 | 71 |
| 37 | Trauma alarmins as activators of damage-induced inflammation. British Journal of Surgery, 2011, 99, 12-20. | 0.1 | 144 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 38 | Telomere Attrition and Decreased Fetuin-A Levels Indicate Accelerated Biological Aging and Are Implicated in the Pathogenesis of Colorectal Cancer. Clinical Cancer Research, 2011, 17, 5573-5581. | 3.2 | 32 |
| 39 | Utility of Inflammation-based Prognostic Scoring in Patients Given Systemic Chemotherapy First-line for Advanced Inoperable Bladder Cancer. Japanese Journal of Clinical Oncology, 2012, 42, 955-960. | 0.6 | 24 |
| 40 | Evaluation of systemic markers of inflammation in atomicâ€bomb survivors with special reference to radiation and age effects. FASEB Journal, 2012, 26, 4765-4773. | 0.2 | 42 |
| 41 | Risk prediction in the management of small renal masses. Current Opinion in Urology, 2012, 22, 347-352. | 0.9 | 10 |
| 42 | Serum Albumin Is Superior to Prealbumin for Predicting Short-Term Recurrence in Patients with Operable Colorectal Cancer. Nutrition and Cancer, 2012, 64, 1169-1173. | 0.9 | 46 |
| 43 | A Clinical Decision Support Tool To Predict Survival in Cancer Patients beyond 120 Days after Palliative Chemotherapy. Journal of Palliative Medicine, 2012, 15, 863-869. | 0.6 | 19 |
| 44 | Clinical significance of preoperative neutrophil-lymphocyte versus platelet-lymphocyte ratio in patients with operable colorectal cancer. Biomarkers, 2012, 17, 216-222. | 0.9 | 328 |
| 45 | The relationships between cellular components of the peritumoural inflammatory response, clinicopathological characteristics and survival in patients with primary operable colorectal cancer. British Journal of Cancer, 2012, 106, 2010-2015. | 2.9 | 55 |
| 46 | Pre-treatment plasma proteomic markers associated with survival in oesophageal cancer. British Journal of Cancer, 2012, 106, 955-961. | 2.9 | 47 |
| 47 | Prognostic importance of the inflammation-based Glasgow prognostic score in patients with gastric cancer. British Journal of Cancer, 2012, 107, 275-279. | 2.9 | 119 |
| 48 | Stage-dependent alterations of the serum cytokine pattern in colorectal carcinoma. British Journal of Cancer, 2012, 107, 1729-1736. | 2.9 | 207 |
| 49 | Systemic inflammation and survival of patients with prostate cancer: evidence from the Glasgow Inflammation Outcome Study. Prostate Cancer and Prostatic Diseases, 2012, 15, 195-201. | 2.0 | 73 |
| 50 | The relationship between tumour necrosis, tumour proliferation, local and systemic inflammation, microvessel density and survival in patients undergoing potentially curative resection of oesophageal adenocarcinoma. British Journal of Cancer, 2012, 106, 702-710. | 2.9 | 40 |
| 51 | Clinical utility of the Glasgow Prognostic Score in patients undergoing curative nephrectomy for renal clear cell cancer: basis of new prognostic scoring systems. British Journal of Cancer, 2012, 106, 279-283. | 2.9 | 65 |
| 52 | Development of a nomogram incorporating serum C-reactive protein level to predict overall survival of patients with advanced urothelial carcinoma and its evaluation by decision curve analysis. British Journal of Cancer, 2012, 107, 1031-1036. | 2.9 | 28 |
| 53 | Inflammation-Based Prognostic Indices in Malignant Pleural Mesothelioma. Journal of Thoracic Oncology, 2012, 7, 587-594. | 0.5 | 128 |
| 54 | Clinical Utility of the Pretreatment Glasgow Prognostic Score in Patients with Advanced Inoperable Non-small Cell Lung Cancer. Journal of Thoracic Oncology, 2012, 7, 655-662. | 0.5 | 85 |
| 55 | Prognostication in Advanced Cancer: A Study Examining an Inflammation-Based Score. Journal of Pain and Symptom Management, 2012, 44, 161-167. | 0.6 | 29 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 56 | An inflammation-based prognostic index predicts survival advantage after transarterial chemoembolization in hepatocellular carcinoma. Translational Research, 2012, 160, 146-152. | 2.2 | 59 |
| 57 | The Glasgow Prognostic Score as a Predictor of Survival in Patients with Potentially Resectable Pancreatic Adenocarcinoma. Annals of Surgical Oncology, 2012, 19, 2917-2923. | 0.7 | 119 |
| 58 | CD14 ⁺ S100A9 ⁺ Monocytic Myeloid-derived Suppressor Cells and Their Clinical Relevance in Nonâ€"Small Cell Lung Cancer. American Journal of Respiratory and Critical Care Medicine, 2012, 186, 1025-1036. | 2.5 | 152 |
| 59 | Comparison of the prognostic value of tumour and patient related factors in patients undergoing potentially curative resection of gastric cancer. American Journal of Surgery, 2012, 204, 294-299. | 0.9 | 78 |
| 60 | A novel and validated prognostic index in hepatocellular carcinoma: The inflammation based index (IBI). Journal of Hepatology, 2012, 57, 1013-1020. | 1.8 | 164 |
| 61 | The role of the in situ local inflammatory response in predicting recurrence and survival in patients with primary operable colorectal cancer. Cancer Treatment Reviews, 2012, 38, 451-466. | 3.4 | 138 |
| 62 | Pre-operative systemic inflammatory response markers in predicting lymph node metastasis in endometrioid endometrial adenocarcinoma. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2012, 162, 206-210. | 0.5 | 34 |
| 63 | Effect of high-dose intravenous vitamin C on inflammation in cancer patients. Journal of Translational Medicine, 2012, 10, 189. | 1.8 | 119 |
| 64 | The role of the tumour inflammatory cell infiltrate in predicting recurrence and survival in patients with primary operable breast cancer. Cancer Treatment Reviews, 2012, 38, 943-955. | 3.4 | 40 |
| 65 | Significance of the Inflammation-Based Glasgow Prognostic Score for Short- and Long-Term Outcomes After Curative Resection of Gastric Cancer. Journal of Gastrointestinal Surgery, 2012, 16, 2037-2044. | 0.9 | 47 |
| 66 | The Relationships between Body Composition and the Systemic Inflammatory Response in Patients with Primary Operable Colorectal Cancer. PLoS ONE, 2012, 7, e41883. | 1.1 | 127 |
| 67 | Elevated highâ€sensitivity Câ€reactive protein, a marker of advanced stage gastric cancer and postgastrectomy disease recurrence. Journal of Surgical Oncology, 2012, 105, 405-409. | 0.8 | 17 |
| 68 | Prognostic value of pre-treatment circulating monocyte count in patients with cervical cancer: Comparison with SCC-Ag level. Gynecologic Oncology, 2012, 124, 92-97. | 0.6 | 81 |
| 69 | Alternative Pathway Activation of Complement in Laparoscopic and Open Rectal Surgery. Scandinavian Journal of Immunology, 2012, 76, 49-53. | 1.3 | 11 |
| 70 | Impact of Câ€reactive protein kinetics on survival of patients with advanced urothelial carcinoma treated by secondâ€ine chemotherapy with gemcitabine, etoposide and cisplatin. BJU International, 2012, 110, 1478-1484. | 1.3 | 28 |
| 71 | Prognostic value of tumour necrosis and host inflammatory responses in colorectal cancer. British Journal of Surgery, 2012, 99, 287-294. | 0.1 | 90 |
| 72 | The modified Glasgow prognostic score in prostate cancer: results from a retrospective clinical series of 744 patients. BMC Cancer, 2013, 13, 292. | 1.1 | 41 |
| 73 | Prognostic value of C-reactive protein and neutrophil-to-lymphocyte ratio in patients with hepatocellular carcinoma. BMC Cancer, 2013, 13, 78. | 1.1 | 95 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 74 | Resection for Hilar Cholangiocarcinoma: Analysis of Prognostic Factors and the Impact of Systemic Inflammation on Long-term Outcome. Journal of Gastrointestinal Surgery, 2013, 17, 913-924. | 0.9 | 65 |
| 75 | The role of systemic inflammatory and nutritional blood-borne markers in predicting response to neoadjuvant chemotherapy and survival in oesophagogastric cancer. Medical Oncology, 2013, 30, 596. | 1.2 | 38 |
| 76 | Plasma Levels of Phospholipase A2-IIA in Patients with Different Types of Malignancies: Prognosis and Association with Inflammatory and Coagulation Biomarkers. Pathology and Oncology Research, 2013, 19, 839-846. | 0.9 | 40 |
| 77 | The value of the pretreatment albumin/globulin ratio in predicting the long-term survival in colorectal cancer. International Journal of Colorectal Disease, 2013, 28, 1629-1636. | 1.0 | 115 |
| 78 | Optimization of the systemic inflammationâ€based Glasgow Prognostic Score. Cancer, 2013, 119, 2325-2332. | 2.0 | 93 |
| 79 | Inflammatory prognostic markers in clear cell renal cell carcinoma – preoperative Câ€reactive protein does not improve predictive accuracy. BJU International, 2013, 111, E19-20. | 1.3 | 1 |
| 80 | Preoperative neutrophil to lymphocyte ratio >5 is a prognostic factor for recurrent colorectal cancer. Colorectal Disease, 2013, 15, 323-328. | 0.7 | 104 |
| 81 | The systemic inflammation-based neutrophil–lymphocyte ratio: Experience in patients with cancer. Critical Reviews in Oncology/Hematology, 2013, 88, 218-230. | 2.0 | 1,106 |
| 82 | Overview of biomarkers in metastatic colorectal cancer: Tumour, blood and patient-related factors. Critical Reviews in Oncology/Hematology, 2013, 85, 121-135. | 2.0 | 19 |
| 83 | Inflammatory Markers are Associated with Outcome in Patients with Unresectable Hepatocellular Carcinoma Undergoing Transarterial Chemoembolization. Annals of Surgical Oncology, 2013, 20, 923-928. | 0.7 | 61 |
| 84 | Cancer and systemic inflammation: stage the tumour and stage the host. British Journal of Cancer, 2013, 109, 529-529. | 2.9 | 35 |
| 85 | Glasgow Prognostic Score As a Prognostic Factor in Metastatic Castration-Resistant Prostate Cancer Treated With Docetaxel-Based Chemotherapy. Clinical Genitourinary Cancer, 2013, 11, 423-430. | 0.9 | 36 |
| 86 | Post-surgical highly sensitive C-reactive protein and prognosis in early-stage breast cancer. Breast Cancer Research and Treatment, 2013, 141, 485-493. | 1.1 | 13 |
| 87 | Clinical experience with intravenous administration of ascorbic acid: achievable levels in blood for different states of inflammation and disease in cancer patients. Journal of Translational Medicine, 2013, 11, 191. | 1.8 | 53 |
| 88 | Preoperative Plasma Hyperfibrinogenemia is Predictive of Poor Prognosis in Patients with Nonmetastatic Colon Cancer. Annals of Surgical Oncology, 2013, 20, 2908-2913. | 0.7 | 123 |
| 89 | Is Perioperative Systemic Inflammation the Result of Insufficient Cortisol Production in Patients with Colorectal Cancer?. Annals of Surgical Oncology, 2013, 20, 2172-2179. | 0.7 | 3 |
| 90 | Prognostic value of combined serum biomarkers in predicting outcomes in cervical cancer patients. Clinica Chimica Acta, 2013, 424, 292-297. | 0.5 | 11 |
| 91 | Association Between Postoperative Complications and Clinical Cancer Outcomes. Annals of Surgical Oncology, 2013, 20, 4063-4066. | 0.7 | 18 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 92 | Role of Câ€reactive protein in urological cancers: A useful biomarker for predicting outcomes. International Journal of Urology, 2013, 20, 161-171. | 0.5 | 55 |
| 93 | The significance of neutrophil/lymphocyte ratio as a possible marker of underlying papillary microcarcinomas in thyroidal goiters: a pilot study. American Journal of Surgery, 2013, 205, 691-696. | 0.9 | 83 |
| 94 | Initial neutrophil lymphocyte ratio is superior to platelet lymphocyte ratio as an adverse prognostic and predictive factor in metastatic colorectal cancer. Medical Oncology, 2013, 30, 439. | 1.2 | 161 |
| 95 | Impact of the bowelâ€screening programme on the diagnosis of colorectal cancer in Ayrshire and Arran. Colorectal Disease, 2013, 15, 34-41. | 0.7 | 11 |
| 96 | Validation of the pre-treatment neutrophil–lymphocyte ratio as a prognostic factor in a large European cohort of renal cell carcinoma patients. British Journal of Cancer, 2013, 108, 901-907. | 2.9 | 227 |
| 97 | Pre-operative hypoalbuminaemia predicts poor overall survival in rectal cancer: a retrospective cohort analysis. BMC Clinical Pathology, 2013, 13, 12. | 1.8 | 39 |
| 98 | The systemic inflammation-based Glasgow Prognostic Score: A decade of experience in patients with cancer. Cancer Treatment Reviews, 2013, 39, 534-540. | 3.4 | 1,051 |
| 99 | Does interleukin-6 link explain the link between tumour necrosis, local and systemic inflammatory responses and outcome in patients with colorectal cancer?. Cancer Treatment Reviews, 2013, 39, 89-96. | 3.4 | 77 |
| 100 | Esophageal Carcinosarcoma: A Unique Entity with Better Prognosis. Annals of Surgical Oncology, 2013, 20, 997-1004. | 0.7 | 34 |
| 101 | Elevated Preoperative Neutrophil-to-lymphocyte Ratio as a Predictor of Survival After Gastroenterostomy in Patients with Advanced Pancreatic Adenocarcinoma. Annals of Surgical Oncology, 2013, 20, 4330-4337. | 0.7 | 47 |
| 102 | The modifying effect of patient location on stage-specific survival following colorectal cancer using geosurvival models. Cancer Causes and Control, 2013, 24, 473-484. | 0.8 | 14 |
| 103 | Increased neutrophil-lymphocyte ratio is a poor prognostic factor in patients with primary operable and inoperable pancreatic cancer. British Journal of Cancer, 2013, 109, 416-421. | 2.9 | 423 |
| 104 | Increased C-reactive protein implies a poorer stage-specific prognosis in colon cancer. Acta $\rm Oncol\tilde{A}^3$ gica, 2013, 52, 1691-1698. | 0.8 | 60 |
| 105 | Is Neutrophil/Lymphocyte Ratio Associated with Subclinical Inflammation and Amyloidosis in Patients with Familial Mediterranean Fever?. BioMed Research International, 2013, 2013, 1-5. | 0.9 | 70 |
| 106 | The perioperative immune/inflammatory insult in cancer surgery. Oncolmmunology, 2013, 2, e27324. | 2.1 | 32 |
| 107 | Association and prognostic value of serum inflammation markers in patients with leukoplakia and oral cavity cancer. Clinical Chemistry and Laboratory Medicine, 2013, 51, 1291-1300. | 1.4 | 42 |
| 108 | Prognostic Factors in Patients with Advanced Cancer: A Comparison of Clinicopathological Factors and the Development of an Inflammation-Based Prognostic System. Clinical Cancer Research, 2013, 19, 5456-5464. | 3.2 | 165 |
| 109 | Association of acute phase protein-haptoglobin, and epithelial-mesenchymal transition in buccal cancer: a preliminary report. Clinical Chemistry and Laboratory Medicine, 2013, 51, 429-437. | 1.4 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 110 | The Prognostic Use of Inflammation and Tissue Necrosis in Benign Prostatic Hyperplasia. Urologia Internationalis, 2013, 91, 19-25. | 0.6 | 6 |
| 111 | Serum iron levels as a new biomarker in chemotherapy with leucovorin and fluorouracil plus oxaliplatin or leucovorin and fluorouracil plus irinotecan, with or without molecularly-targeted drugs. Molecular and Clinical Oncology, 2013, 1, 805-810. | 0.4 | 3 |
| 112 | Preoperative indicators of the systemic inflammatory response in the treatment of patients with gastrointestinal cancer. British Journal of Surgery, 2013, 100, 1260-1261. | 0.1 | 2 |
| 113 | Reply: Comment on 'Stage-dependent alterations of the serum cytokine pattern in colorectal carcinoma'. British Journal of Cancer, 2013, 108, 1917-1918. | 2.9 | 8 |
| 114 | Comparison of the prognostic value of longitudinal measurements of systemic inflammation in patients undergoing curative resection of colorectal cancer. British Journal of Cancer, 2013, 109, 24-28. | 2.9 | 115 |
| 115 | Comment on â€~Stage-dependent alterations of the serum cytokine pattern in colorectal carcinoma'. British Journal of Cancer, 2013, 108, 1915-1916. | 2.9 | 9 |
| 116 | Surgical Stress Response After Colorectal Resection. International Surgery, 2013, 98, 292-299. | 0.0 | 15 |
| 117 | The Modified Glasgow Prognostic Scores as a Predictor in Diffuse Large B Cell Lymphoma Treated with R-CHOP Regimen. Yonsei Medical Journal, 2014, 55, 1568. | 0.9 | 21 |
| 118 | Prognostic Significance of Systemic Inflammation-Based Lymphocyte-Monocyte Ratio in Patients with Lung Cancer: Based on a Large Cohort Study. PLoS ONE, 2014, 9, e108062. | 1.1 | 130 |
| 119 | Inflammation-based score (Glasgow prognostic score) as an independent prognostic factor in colorectal cancer patients. Annals of Surgical Treatment and Research, 2014, 86, 309. | 0.4 | 48 |
| 121 | Predictive Value of the Neutrophil Lymphocyte Ratio in Peritoneal and/or Metastatic Disease at Staging Laparoscopy for Gastric and Oesophageal Adenocarcinoma. Annals of Oncology, 2014, 25, iv214. | 0.6 | 0 |
| 122 | Cancer and systemic inflammation: treat the tumour and treat the host. British Journal of Cancer, 2014, 110, 1409-1412. | 2.9 | 280 |
| 123 | Neutrophil:lymphocyte ratios and serum cytokine changes after hepatic artery chimeric antigen receptor-modified T-cell infusions for liver metastases. Cancer Gene Therapy, 2014, 21, 457-462. | 2.2 | 35 |
| 124 | Biomarkers as Predictors of Recurrence following Curative Resection for Pancreatic Ductal Adenocarcinoma: A Review. BioMed Research International, 2014, 2014, 1-10. | 0.9 | 16 |
| 125 | The Role of Inflammation in Kidney Cancer. Advances in Experimental Medicine and Biology, 2014, 816, 197-234. | 0.8 | 83 |
| 126 | The Addition of C-Reactive Protein to Validated Staging Systems Improves Their Prognostic Ability in Patients with Hepatocellular Carcinoma. Oncology, 2014, 86, 308-317. | 0.9 | 16 |
| 127 | The preoperative neutrophil–lymphocyte ratio predicts recurrence and survival among patients undergoing RO resections of adenocarcinomas of the esophagogastric junction. Journal of Surgical Oncology, 2014, 110, 333-340. | 0.8 | 50 |
| 128 | Serum endostatin levels are elevated in colorectal cancer and correlate with invasion and systemic inflammatory markers. British Journal of Cancer, 2014, 111, 1605-1613. | 2.9 | 43 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 129 | Associations between lifestyles and neutrophilâ€lymphocyte and plateletâ€lymphocyte ratios in colorectal cancer. Asia-Pacific Journal of Clinical Oncology, 2014, 10, 168-174. | 0.7 | 9 |
| 130 | Pretreatment circulating monocyte count associated with poor prognosis in patients with oral cavity cancer. Head and Neck, 2014, 36, 947-953. | 0.9 | 72 |
| 131 | Biomarkers in Metastatic Colorectal Cancer. , 2014, , 1-25. | | 0 |
| 132 | Immunomodulatory agents for the treatment of cachexia. Current Opinion in Supportive and Palliative Care, 2014, 8, 328-333. | 0.5 | 6 |
| 133 | Prognostic role of C-reactive protein in prostate cancer: a systematic review and meta-analysis. Asian Journal of Andrology, 2014, 16, 467. | 0.8 | 51 |
| 134 | The Glasgow Prognostic Score Is an IndependentPrognostic Predictor of Hepatocellular Carcinoma Following Radical Resection. Oncology Research and Treatment, 2014, 37, 192-197. | 0.8 | 12 |
| 135 | The Prognostic Role of the Neutrophil-to-Lymphocyte Ratio in Oropharyngeal Carcinoma Treated with Chemoradiotherapy. Clinical Medicine Insights: Oncology, 2014, 8, CMO.S15476. | 0.6 | 31 |
| 136 | The value of the systematic inflammation-based Glasgow Prognostic Score in patients with gastric cancer: A literature review. Journal of Cancer Research and Therapeutics, 2014, 10, 799. | 0.3 | 41 |
| 137 | Postdiagnosis C-Reactive Protein and Breast Cancer Survivorship: Findings from the WHEL Study. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 189-199. | 1.1 | 76 |
| 138 | Sa1919 Prognostic Value of Neutrophil to Lymphocyte Ratio in Patients Treated With Concurrent Chemoradiation Therapy for Locally Advanced Esophageal Cancer. Gastroenterology, 2014, 146, S-329. | 0.6 | 0 |
| 139 | Prognostic criteria in colorectal carcinoma constructed by the combination of tumor-related and host-related factors. American Journal of Surgery, 2014, 208, 119-123. | 0.9 | 1 |
| 140 | Prognostic significance of the modified Glasgow prognostic score in elderly patients with gastric cancer. Journal of Gastroenterology, 2014, 49, 1040-1046. | 2.3 | 80 |
| 141 | The clinical significance of tumor-infiltrating neutrophils and neutrophil-to-CD8+ lymphocyte ratio in patients with resectable esophageal squamous cell carcinoma. Journal of Translational Medicine, 2014, 12, 7. | 1.8 | 133 |
| 142 | The Glasgow Prognostic Score accurately predicts survival in patients with biliary tract cancer not indicated for surgical resection. Medical Oncology, 2014, 31, 787. | 1.2 | 15 |
| 143 | Prognostic importance of baseline neutrophil to lymphocyte ratio in patients with advanced papillary thyroid carcinomas. Endocrine, 2014, 46, 526-531. | 1.1 | 63 |
| 144 | Elevated Preoperative Systemic Inflammatory Markers Predict Poor Outcome in Localized Soft Tissue Sarcoma. Annals of Surgical Oncology, 2014, 21, 778-785. | 0.7 | 49 |
| 145 | Evaluation of Two Inflammation-Based Prognostic Scores in Patients with Resectable Gallbladder Carcinoma. Annals of Surgical Oncology, 2014, 21, 449-457. | 0.7 | 84 |
| 146 | The impact of anti-inflammatory agents on the outcome of patients with colorectal cancer. Cancer Treatment Reviews, 2014, 40, 68-77. | 3.4 | 68 |

| # | ARTICLE | IF | Citations |
|-----|--|-----|-----------|
| 147 | A new preoperative prognostic scoring system to predict prognosis in patients with locally advanced pancreatic body cancer who undergo distal pancreatectomy with en bloc celiac axis resection: A retrospective cohort study. Surgery, 2014, 155, 457-467. | 1.0 | 48 |
| 148 | Autologous Dendritic Cell Based Adoptive Immunotherapy of Patients with Colorectal Cancer—A Phase I-II Study. Pathology and Oncology Research, 2014, 20, 357-365. | 0.9 | 20 |
| 149 | The Modified Glasgow Prognostic Score as a Predictor of Survival After Hepatectomy for Colorectal Liver Metastases. Annals of Surgical Oncology, 2014, 21, 1711-1718. | 0.7 | 58 |
| 150 | Prognostic role of neutrophil-to-lymphocyte ratio in colorectal cancer: A systematic review and meta-analysis. International Journal of Cancer, 2014, 134, 2403-2413. | 2.3 | 354 |
| 151 | Prognostic value of systemic inflammationâ€based markers in advanced pancreatic cancer. Internal Medicine Journal, 2014, 44, 676-682. | 0.5 | 99 |
| 152 | Inflammatory response related scoring systems in assessing the prognosis of patients with pancreatic ductal adenocarcinoma: a systematic review. Hepatobiliary and Pancreatic Diseases International, 2014, 13, 474-481. | 0.6 | 53 |
| 153 | Low preoperative lymphocyte-monocyte ratio (LMR) represents a potentially poor prognostic factor in nonmetastatic clear cell renal cell carcinoma. Urologic Oncology: Seminars and Original Investigations, 2014, 32, 1041-1048. | 0.8 | 82 |
| 154 | Clinical value of spleenâ€preserving distal pancreatectomy: a caseâ€matched analysis with a special emphasis on the postoperative systemic inflammatory response. Journal of Hepato-Biliary-Pancreatic Sciences, 2014, 21, 654-662. | 1.4 | 9 |
| 155 | Systemic inflammation, as measured by the neutrophil/lymphocyte ratio, may have differential prognostic impact before and during treatment with fluorouracil, irinotecan and bevacizumab in metastatic colorectal cancer patients. Medical Oncology, 2014, 31, 166. | 1.2 | 43 |
| 156 | Association of pretreatment neutrophilâ€toâ€lymphocyte ratio (<scp>NLR</scp>) and overall survival (<scp>OS</scp>) in patients with metastatic castrationâ€resistant prostate cancer (<scp>mCRPC</scp>) treated with firstâ€line docetaxel. BJU International, 2014, 114, E11-E17. | 1.3 | 81 |
| 157 | Curative-intent surgery for hilar cholangiocarcinoma: prognostic factors for clinical decision making. Langenbeck's Archives of Surgery, 2014, 399, 693-705. | 0.8 | 50 |
| 158 | The modified Glasgow Prognostic Score (mGPS) is a good predictor of indication for palliative bypass surgery in patients with unresectable pancreatic and biliary cancers. International Journal of Clinical Oncology, 2014, 19, 629-633. | 1.0 | 13 |
| 159 | Value of Preoperative Inflammation-Based Prognostic Scores in Predicting Overall Survival and Disease-Free Survival in Patients with Gastric Cancer. Annals of Surgical Oncology, 2014, 21, 1998-2004. | 0.7 | 37 |
| 160 | The prognostic value of C-reactive protein in renal cell carcinoma: A systematic review and meta-analysis. Urologic Oncology: Seminars and Original Investigations, 2014, 32, 50.e1-50.e8. | 0.8 | 58 |
| 161 | Neutrophil–lymphocyte ratio as a predictor of outcomes for patients with hepatocellular carcinoma undergoing TAE combined with Sorafenib. Medical Oncology, 2014, 31, 969. | 1.2 | 34 |
| 162 | Bladder cancer invasion predictability based on preoperative neutrophil–lymphocyte ratio. Tumor Biology, 2014, 35, 6601-6605. | 0.8 | 43 |
| 163 | Prognostic factors for recurrence-free and overall survival after adrenalectomy for metastatic carcinoma: a retrospective cohort pilot study. BMC Urology, 2014, 14, 41. | 0.6 | 14 |
| 164 | Preoperative platelet lymphocyte ratio (PLR) is superior to neutrophil lymphocyte ratio (NLR) as a predictive factor in patients with esophageal squamous cell carcinoma. World Journal of Surgical Oncology, 2014, 12, 58. | 0.8 | 214 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 165 | Prognostic value of neutrophil-to-lymphocyte ratio in patients treated with concurrent chemoradiotherapy for locally advanced oesophageal cancer. Digestive and Liver Disease, 2014, 46, 846-853. | 0.4 | 42 |
| 166 | Prognostic Role of Platelet to Lymphocyte Ratio in Solid Tumors: A Systematic Review and Meta-Analysis. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 1204-1212. | 1.1 | 519 |
| 167 | Cancer cachexia: understanding the molecular basis. Nature Reviews Cancer, 2014, 14, 754-762. | 12.8 | 991 |
| 168 | A systematic review and meta-analysis on the impact of pre-operative neutrophil lymphocyte ratio on long term outcomes after curative intent resection of solid tumours. Surgical Oncology, 2014, 23, 31-39. | 0.8 | 260 |
| 170 | Association between systemic inflammatory markers and serum prostate-specific antigen in men without prostatic disease-The 2001-2008 National Health and Nutrition examination survey. Prostate, 2014, 74, 561-567. | 1.2 | 48 |
| 171 | Prognostic Role of Neutrophil-to-Lymphocyte Ratio in Solid Tumors: A Systematic Review and Meta-Analysis. Journal of the National Cancer Institute, 2014, 106, dju124. | 3.0 | 2,202 |
| 172 | Neutrophil to lymphocyte ratio changes predict small hepatocellular carcinoma survival. Journal of Surgical Research, 2014, 192, 402-408. | 0.8 | 74 |
| 173 | Novel Oncomarkers Used for Earlier Detection of Bladder Carcinoma | | 0 |
| 174 | Analysis of Vision Development in Patients after Childhood Cataract Surgery. Acta Chirurgica Latviensis, 2014, 14, 12-17. | 0.2 | 0 |
| 175 | Glasgow Prognostic Score (GPS) Can Be a Useful Indicator to Determine Prognosis of Patients With Colorectal Carcinoma. International Surgery, 2014, 99, 512-517. | 0.0 | 46 |
| 176 | Prognostic Significance of Preoperative Circulating Monocyte Count in Patients With Breast Cancer. Medicine (United States), 2015, 94, e2266. | 0.4 | 35 |
| 177 | The Prognostic Value of Post-operative Serum C-reactive Protein Level for Survival after Surgery for Colorectal Liver Metastases. Acta Chirurgica Belgica, 2015, 115, 348-355. | 0.2 | 3 |
| 178 | Anti-epidermal or anti-vascular endothelial growth factor as first-line metastatic colorectal cancer in modified Glasgow prognostic score 2' patients. Journal of Cachexia, Sarcopenia and Muscle, 2015, 6, 231-236. | 2.9 | 8 |
| 179 | Prognostic role of the neutrophil-to-lymphocyte ratio in pancreatic cancer: a meta-analysis. Scientific Reports, 2015, 5, 11026. | 1.6 | 69 |
| 180 | Elevated Platelet Count as Predictor of Recurrence in Rectal Cancer Patients Undergoing Preoperative Chemoradiotherapy Followed by Surgery. International Surgery, 2015, 100, 199-207. | 0.0 | 41 |
| 181 | Relationship Between the Neutrophil to Lymphocyte Ratio and Parathyroid Adenoma Size in Patients With Primary Hyperparathyroidism. International Surgery, 2015, 100, 1185-1189. | 0.0 | 13 |
| 182 | Applicability of modified Glasgow Prognostic Score in the assessment of elderly patients with cancer: A pilot study. Journal of Geriatric Oncology, 2015, 6, 479-483. | 0.5 | 13 |
| 183 | The prognostic role of systemic inflammatory markers on HIV-infected patients with non-Hodgkin lymphoma, a multicenter cohort study. Journal of Translational Medicine, 2015, 13, 89. | 1.8 | 19 |

| # | Article | IF | CITATIONS |
|--------------------------|---|-------------------|--|
| 184 | Elevated peripheral blood lymphocyte-to-monocyte ratio predicts a favorable prognosis in the patients with metastatic nasopharyngeal carcinoma. Chinese Journal of Cancer, 2015, 34, 237-46. | 4.9 | 44 |
| 185 | Which is a more reliable indicator of survival after gastric cancer surgery: Postoperative complication occurrence or Câ€reactive protein elevation?. Journal of Surgical Oncology, 2015, 112, 894-899. | 0.8 | 63 |
| 186 | Neutrophilâ€lymphocyte and plateletâ€lymphocyte ratio in patients after resection for hepatoâ€pancreaticoâ€biliary malignancies. Journal of Surgical Oncology, 2015, 111, 868-874. | 0.8 | 52 |
| 187 | Ameliorative effect of Leflunomide on lung injury following an aspiration. Bratislava Medical Journal, 2015, 116, 177-183. | 0.4 | 0 |
| 188 | Original article Increased nitric oxide levels in cerebellum of cachectic rats with Walker 256 solid tumor. Folia Neuropathologica, 2015, 2, 139-146. | 0.5 | 4 |
| 189 | Evaluation of neutrophil-to-lymphocyte ratio prior to prostate biopsy to predict biopsy histology: Results of 1836 patients. Canadian Urological Association Journal, 2015, 9, 761. | 0.3 | 33 |
| 190 | Association of the Preoperative Neutrophil-to-ymphocyte Count Ratio and Platelet-to-Lymphocyte Count Ratio with Clinicopathological Characteristics in Patients with Papillary Thyroid Cancer. Endocrinology and Metabolism, 2015, 30, 494. | 1.3 | 42 |
| 191 | A comparison of the prognostic value of preoperative inflammation-based scores and TNM stage in patients with gastric cancer. OncoTargets and Therapy, 2015, 8, 1375. | 1.0 | 75 |
| 192 | Predictive value of pretreatment inflammation-based prognostic scores (neutrophil-to-lymphocyte) Tj ETQq0 0 0 carcinoma. Korean Journal of Urology, 2015, 56, 749. | rgBT /Over 1.2 | lock 10 Tf 50 72 |
| 193 | Evaluation of pretreatment serum interleukin-6 and tumour necrosis factor alpha as a potential biomarker for recurrence in patients with oral squamous cell carcinoma. Medicina Oral, Patologia Oral Y Cirugia Bucal, 2015, 20, e402-e407. | 0.7 | 22 |
| 194 | | | |
| | Prognostic value of the neutrophil to lymphocyte ratio in lung cancer: A meta-analysis. Clinics, 2015, 70, 524-530. | 0.6 | 122 |
| 195 | 70 704 700 | 0.6 | 122 24 |
| | 70, 524-530. Preoperative Neutrophil-to-Lymphocyte Ratio and Neutrophilia Are Independent Predictors of Recurrence in Patients with Localized Papillary Renal Cell Carcinoma. BioMed Research International, | | |
| 195 | Preoperative Neutrophil-to-Lymphocyte Ratio and Neutrophilia Are Independent Predictors of Recurrence in Patients with Localized Papillary Renal Cell Carcinoma. BioMed Research International, 2015, 2015, 1-9. | 0.9 | 24 |
| 195 196 | Preoperative Neutrophil-to-Lymphocyte Ratio and Neutrophilia Are Independent Predictors of Recurrence in Patients with Localized Papillary Renal Cell Carcinoma. BioMed Research International, 2015, 2015, 1-9. Nonmuscle Tissues Contribution to Cancer Cachexia. Mediators of Inflammation, 2015, 2015, 1-9. Prognostic Significance of Serum Inflammatory Response Markers in Newly Diagnosed Non-Small Cell | 0.9 | 24 |
| 195 196 197 | Preoperative Neutrophil-to-Lymphocyte Ratio and Neutrophilia Are Independent Predictors of Recurrence in Patients with Localized Papillary Renal Cell Carcinoma. BioMed Research International, 2015, 2015, 1-9. Nonmuscle Tissues Contribution to Cancer Cachexia. Mediators of Inflammation, 2015, 2015, 1-9. Prognostic Significance of Serum Inflammatory Response Markers in Newly Diagnosed Non-Small Cell Lung Cancer before Chemoirradiation. BioMed Research International, 2015, 2015, 1-5. A Survey of Attitudes towards the Clinical Application of Systemic Inflammation Based Prognostic | 0.9 | 244315 |
| 195 196 197 198 | Preoperative Neutrophil-to-Lymphocyte Ratio and Neutrophilia Are Independent Predictors of Recurrence in Patients with Localized Papillary Renal Cell Carcinoma. BioMed Research International, 2015, 2015, 1-9. Nonmuscle Tissues Contribution to Cancer Cachexia. Mediators of Inflammation, 2015, 2015, 1-9. Prognostic Significance of Serum Inflammatory Response Markers in Newly Diagnosed Non-Small Cell Lung Cancer before Chemoirradiation. BioMed Research International, 2015, 2015, 1-5. A Survey of Attitudes towards the Clinical Application of Systemic Inflammation Based Prognostic Scores in Cancer. Mediators of Inflammation, 2015, 2015, 1-7. | 0.9 1.4 0.9 | 2443154 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 202 | The predicting value of postoperative body temperature on long-term survival in patients with rectal cancer. Tumor Biology, 2015, 36, 8055-8063. | 0.8 | 2 |
| 203 | Immunological markers predict the prognosis of patients with squamous non-small cell lung cancer. Immunologic Research, 2015, 62, 316-324. | 1.3 | 20 |
| 204 | Predictive Value of the Neutrophil/Lymphocyte Ratio in Peritoneal and/or Metastatic Disease at Staging Laparoscopy for Gastric and Esophageal Adenocarcinoma. Journal of Gastrointestinal Cancer, 2015, 46, 267-271. | 0.6 | 13 |
| 205 | Pretreatment neutrophilâ€toâ€lymphocyte ratio as an independent predictor of survival in patients with metastatic urothelial carcinoma: A multiâ€institutional study. International Journal of Urology, 2015, 22, 638-643. | 0.5 | 47 |
| 206 | Prognostic Value of the Modified Glasgow Prognostic Score in Patients Undergoing Radical Surgery for Hepatocellular Carcinoma. Medicine (United States), 2015, 94, e1486. | 0.4 | 47 |
| 207 | Prognostic role of the neutrophil-lymphocyte ratio in renal cell carcinoma: a meta-analysis. BMJ Open, 2015, 5, e006404-e006404. | 0.8 | 117 |
| 208 | Association between lymphocyte-to-monocyte ratio (LMR) and the mortality of HBV-related liver cirrhosis: a retrospective cohort study. BMJ Open, 2015, 5, e008033. | 0.8 | 24 |
| 209 | Upregulation of circulating cytokeratin 20, urokinase plasminogen activator and C-reactive protein is associated with poor prognosis in gastric cancer. Molecular and Clinical Oncology, 2015, 3, 1213-1220. | 0.4 | 12 |
| 210 | Systemic inflammatory response and survival in patients undergoing curative resection of oral squamous cell carcinoma. British Journal of Oral and Maxillofacial Surgery, 2015, 53, 126-131. | 0.4 | 41 |
| 211 | The prognostic value of pretreatment of systemic inflammatory responses in patients with urothelial carcinoma undergoing radical cystectomy. British Journal of Cancer, 2015, 112, 461-467. | 2.9 | 55 |
| 212 | Primary radiotherapy or postoperative radiotherapy in patients with head and neck cancer. Strahlentherapie Und Onkologie, 2015, 191, 486-494. | 1.0 | 37 |
| 213 | Adjuvant sorafenib therapy in patients with resected hepatocellular carcinoma: evaluation of predictive factors. Medical Oncology, 2015, 32, 107. | 1.2 | 16 |
| 214 | The South West Area Mesothelioma and Pemetrexed trial: a multicentre prospective observational study evaluating novel markers of chemotherapy response and prognostication. British Journal of Cancer, 2015, 112, 1175-1182. | 2.9 | 54 |
| 215 | Ratio of C-Reactive Protein/Albumin is An Inflammatory Prognostic Score for Predicting Overall Survival of Patients with Small-cell Lung Cancer. Scientific Reports, 2015, 5, 10481. | 1.6 | 126 |
| 216 | Prognostic Factors in Patients Receiving Neoadjuvant 5-Fluorouracil plus Cisplatin for Advanced Esophageal Cancer (JCOG9907). Oncology, 2015, 89, 143-151. | 0.9 | 29 |
| 217 | Low Pretherapeutic Serum Albumin as a Risk Factor for Poor Outcome in Esophageal Squamous Cell Carcinomas. Nutrition and Cancer, 2015, 67, 481-485. | 0.9 | 58 |
| 218 | Neutrophil-to-lymphocyte ratio predicts progression and recurrence of non–muscle-invasive bladder cancer. Urologic Oncology: Seminars and Original Investigations, 2015, 33, 67.e1-67.e7. | 0.8 | 78 |
| 219 | Systemic Analysis of Predictive Biomarkers for Recurrence in Colorectal Cancer Patients Treated with Curative Surgery. Digestive Diseases and Sciences, 2015, 60, 2477-2487. | 1.1 | 37 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 220 | Prognostic significance of host immune status in patients with late relapsing renal cell carcinoma treated with targeted therapy. Targeted Oncology, 2015, 10, 517-522. | 1.7 | 49 |
| 221 | Neutrophil count is the most important prognostic component of the differential white cell count in patients undergoing elective surgery for colorectal cancer. American Journal of Surgery, 2015, 210, 24-30. | 0.9 | 41 |
| 222 | Meta-analysis of associations between neutrophil-to-lymphocyte ratio and prognosis of gastric cancer. World Journal of Surgical Oncology, 2015, 13, 122. | 0.8 | 50 |
| 223 | The Preoperative Neutrophil/Lymphocyte Ratio Does not Correlate with the 21-Gene Recurrence Score in Estrogen Receptor-Positive Breast Cancer Patients. Oncology Research and Treatment, 2015, 38, 24-27. | 0.8 | 4 |
| 224 | Evaluation of increased preoperative serum high sensitive C-reactive protein and procalcitonin levels on grade and stage of clear cell renal cell carcinoma. Clinical Nephrology, 2015, 83, 225-30. | 0.4 | 7 |
| 225 | Pooled Analysis of C-Reactive Protein Levels and Mortality in Prostate Cancer Patients. Clinical Genitourinary Cancer, 2015, 13, e217-e221. | 0.9 | 13 |
| 226 | The pretreatment neutrophil-to-lymphocyte ratio predicts therapeutic response to radiation therapy and concurrent chemoradiation therapy in uterine cervical cancer. International Journal of Clinical Oncology, 2015, 20, 989-996. | 1.0 | 61 |
| 227 | Evaluation of the red cell distribution width as a biomarker of early mortality in hepatocellular carcinoma. Digestive and Liver Disease, 2015, 47, 488-494. | 0.4 | 30 |
| 228 | Prognostic performance of inflammation-based prognostic indices in patients with resectable colorectal liver metastases. Medical Oncology, 2015, 32, 144. | 1.2 | 78 |
| 229 | Prognostic significance of preoperative neutrophil/lymphocyte ratio and platelet/lymphocyte ratio in patients with gallbladder carcinoma. Clinical and Translational Oncology, 2015, 17, 810-818. | 1.2 | 51 |
| 230 | Impact of inflammation-based prognostic score on survival after curative thoracoscopic esophagectomy for esophageal cancer. European Journal of Surgical Oncology, 2015, 41, 1308-1315. | 0.5 | 47 |
| 231 | Immediate Postoperative Inflammation Is an Important Prognostic Factor in Breast Cancer. Oncology, 2015, 88, 337-344. | 0.9 | 17 |
| 232 | Validation of a modified clinical risk score to predict cancerâ€specific survival for stage <scp>II</scp> colon cancer. Cancer Medicine, 2015, 4, 84-89. | 1.3 | 6 |
| 233 | Neutrophil count is associated with survival in localized prostate cancer. BMC Cancer, 2015, 15, 594. | 1.1 | 49 |
| 234 | Prognostic Significance of Preoperative Neutrophil–Lymphocyte Ratios in Patients with Stage I Non-small Cell Lung Cancer After Complete Resection. Annals of Surgical Oncology, 2015, 22, 1324-1331. | 0.7 | 70 |
| 235 | Utility of pre-treatment neutrophil–lymphocyte ratio and platelet–lymphocyte ratio as prognostic factors in breast cancer. British Journal of Cancer, 2015, 113, 150-158. | 2.9 | 266 |
| 236 | The Prognostic Nutritional Index Predicts Survival and Identifies Aggressiveness of Gastric Cancer. Nutrition and Cancer, 2015, 67, 1262-1269. | 0.9 | 29 |
| 237 | A systemic inflammation-based prognostic scores (mGPS) predicts overall survival of patients with small-cell lung cancer. Tumor Biology, 2015, 36, 337-343. | 0.8 | 40 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 238 | Prognostic value of preoperative neutrophils to lymphocytes ratio in patients resected for gastric cancer. American Journal of Surgery, 2015, 209, 333-337. | 0.9 | 57 |
| 239 | Neutrophil–Lymphocyte Ratio is a Simple and Novel Biomarker for Prediction of Survival after Radioembolization for Metastatic Colorectal Cancer. Annals of Surgical Oncology, 2015, 22, 1701-1707. | 0.7 | 35 |
| 240 | The C-Reactive Protein/Albumin Ratio, a Novel Inflammation-Based Prognostic Score, Predicts Outcomes in Patients with Hepatocellular Carcinoma. Annals of Surgical Oncology, 2015, 22, 803-810. | 0.7 | 343 |
| 241 | Prognostic Significance of Neutrophil Lymphocyte Ratio and Platelet Lymphocyte Ratio in Diffuse Large B-Cell Lymphoma Patients Treated with R-CHOP. Kosin Medical Journal, 2016, 31, 122. | 0.1 | 1 |
| 242 | Prognostic significance of lymphocyte-to-monocyte ratio and CRP in patients with nonmetastatic clear cell renal cell carcinoma: a retrospective multicenter analysis. OncoTargets and Therapy, 2016, 9, 2759. | 1.0 | 13 |
| 243 | Prognostic nutritional index predicts prognosis in patients with metastatic nasopharyngeal carcinoma. OncoTargets and Therapy, 2016, Volume 9, 5955-5961. | 1.0 | 19 |
| 244 | The Neutrophil to Lymphocyte Ratio on Admission and Short-Term Outcomes in Orthogeriatric Patients. International Journal of Medical Sciences, 2016, 13, 588-602. | 1.1 | 42 |
| 245 | Prognostic role of lymphocyte to monocyte ratio for patients with cancer: evidence from a systematic review and meta-analysis. Oncotarget, 2016, 7, 31926-31942. | 0.8 | 113 |
| 246 | Prognostic Value of the Combination of Preoperative Hemoglobin, Lymphocyte, Albumin, and Neutrophil in Patients with Locally Advanced Colorectal Cancer. Medical Science Monitor, 2016, 22, 4986-4991. | 0.5 | 11 |
| 247 | Prognostic significance of intraoperative macroscopic serosal invasion finding when it shows a discrepancy in pathologic result gastric cancer. Annals of Surgical Treatment and Research, 2016, 90, 250. | 0.4 | 4 |
| 248 | Prognostic value of preoperative neutrophil-lymphocyte ratio is superior to platelet-lymphocyte ratio for survival in patients who underwent complete resection of thymic carcinoma. Journal of Thoracic Disease, 2016, 8, 1487-1496. | 0.6 | 13 |
| 249 | Prognostic Significance of Preoperative Neutrophil-to-Lymphocyte Ratio in Nonmetastatic Renal Cell Carcinoma: A Large, Multicenter Cohort Analysis. BioMed Research International, 2016, 2016, 1-8. | 0.9 | 20 |
| 250 | Prealbumin/CRP Based Prognostic Score, a New Tool for Predicting Metastasis in Patients with Inoperable Gastric Cancer. Gastroenterology Research and Practice, 2016, 2016, 1-6. | 0.7 | 19 |
| 251 | Usefulness of neutrophil-to-lymphocyte ratio and platelet-to-lymphocyte ratio in hormone-receptor-negative breast cancer. OncoTargets and Therapy, 2016, Volume 9, 4653-4660. | 1.0 | 38 |
| 252 | Role of monocyte and lymphocyte counts in prognosis of cervical cancer. International Journal of Reproduction, Contraception, Obstetrics and Gynecology, 2016, , 2243-2249. | 0.0 | 1 |
| 253 | C-Reactive Protein/Albumin Ratio (CAR) as a Prognostic Factor in Patients with Non-Metastatic Nasopharyngeal Carcinoma. Journal of Cancer, 2016, 7, 2360-2366. | 1.2 | 21 |
| 254 | Pretreatment Albumin/Globulin Ratio Predicts the Prognosis for Small-Cell Lung Cancer. Medicine (United States), 2016, 95, e3097. | 0.4 | 42 |
| 255 | Can the neutrophilâ€toâ€lymphocyte ratio be used to predict recurrence and progression of nonâ€muscleâ€invasive bladder cancer?. Kaohsiung Journal of Medical Sciences, 2016, 32, 327-333. | 0.8 | 17 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 256 | Neoadjuvant chemoradiotherapy of rectal carcinoma. Strahlentherapie Und Onkologie, 2016, 192, 632-640. | 1.0 | 22 |
| 257 | Prognostic significance of preoperative absolute peripheral monocyte count in esophageal squamous cell carcinoma. Ecological Management and Restoration, 2016, 29, 740-746. | 0.2 | 15 |
| 258 | Prognostic value of preoperative inflammatory response biomarkers in patients with esophageal cancer who undergo a curative thoracoscopic esophagectomy. BMC Surgery, 2016, 16, 66. | 0.6 | 38 |
| 259 | Baseline neutrophil–lymphocyte ratio is associated with baseline and subsequent presence of brain metastases in advanced non-small-cell lung cancer. Scientific Reports, 2016, 6, 38585. | 1.6 | 30 |
| 260 | Neutrophil to lymphocyte ratio and platelet to lymphocyte ratio are predictive of chemotherapeutic response and prognosis in epithelial ovarian cancer patients treated with platinum-based chemotherapy. Cancer Biomarkers, 2016, 17, 33-40. | 0.8 | 81 |
| 261 | Prognostic Significance of Preoperative Prognostic Nutritional Index in Epithelial Ovarian Cancer Patients Treated with Platinum-Based Chemotherapy. Oncology Research and Treatment, 2016, 39, 712-719. | 0.8 | 34 |
| 262 | Incorporation of NLR into NIH stratification system increases predictive accuracy for surgically resected gastrointestinal stromal tumors. Acta Biochimica Et Biophysica Sinica, 2017, 49, 179-185. | 0.9 | 9 |
| 263 | Elevated preoperative plasma fibrinogen level is an independent predictor of malignancy and advanced stage disease in patients with bladder urothelial tumors. International Journal of Surgery, 2016, 36, 249-254. | 1.1 | 11 |
| 264 | Clinical Implications of C-Reactive Protein as a Prognostic Marker in Advanced Cancer Patients in Palliative Care Settings. Journal of Pain and Symptom Management, 2016, 51, 860-867. | 0.6 | 41 |
| 265 | Inflammatory Markers Have a Role in Renal Cell Carcinoma Prognosis. European Urology Focus, 2016, 2, 341-342. | 1.6 | 6 |
| 266 | Predictive impact for postoperative recurrence using the preoperative prognostic nutritional index in pathological stage I non-small cell lung cancer. Lung Cancer, 2016, 98, 15-21. | 0.9 | 87 |
| 267 | Inhibition of ER stress and unfolding protein response pathways causes skeletal muscle wasting during cancer cachexia. FASEB Journal, 2016, 30, 3053-3068. | 0.2 | 104 |
| 268 | The effect of preoperative neutrophil, platelet and lymphocyte counts on local recurrence and survival in early-stage tongue cancer. European Archives of Oto-Rhino-Laryngology, 2016, 273, 4425-4429. | 0.8 | 23 |
| 269 | Prognostic factors and risk stratification in patients with castration-resistant prostate cancer receiving docetaxel-based chemotherapy. BMC Urology, 2016, 16, 13. | 0.6 | 13 |
| 270 | Glasgow Prognostic Score may be a prognostic index for overall and perioperative survival in gastric cancer without perioperative treatment. Surgery, 2016, 159, 1548-1556. | 1.0 | 38 |
| 271 | Glasgow Prognostic Score Class 2 Predicts Prolonged Intensive Care Unit Stay in Patients Undergoing Pneumonectomy. Annals of Thoracic Surgery, 2016, 102, 1898-1904. | 0.7 | 9 |
| 272 | The prognostic role of systemic inflammation in patients undergoing resection of colorectal liver metastases: C-reactive protein (CRP) is a strong negative prognostic biomarker. Journal of Surgical Oncology, 2016, 114, 895-899. | 0.8 | 58 |
| 273 | Appraisal of inflammation-based prognostic scores in patients with unresectable perihilar cholangiocarcinoma. Journal of Hepato-Biliary-Pancreatic Sciences, 2016, 23, 636-642. | 1.4 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|---------------------|----------------------|
| 274 | The Neutrophil-to-Lymphocyte Ratio as a Marker of Lymph Node Status in Patients with Rectal Cancer. Oncology, 2016, 91, 69-77. | 0.9 | 15 |
| 275 | Prognostic significance of neutrophil-to-lymphocyte ratio in prostate cancer: evidence from 16,266 patients. Scientific Reports, 2016, 6, 22089. | 1.6 | 95 |
| 276 | Novel Pretreatment Scoring Incorporating C-reactive Protein to Predict Overall Survival in Advanced Hepatocellular Carcinoma with Sorafenib Treatment. Liver Cancer, 2016, 5, 257-268. | 4.2 | 16 |
| 277 | Association of the preoperative neutrophil-to-lymphocyte and platelet-to-lymphocyte ratios with lymph node metastasis and recurrence in patients with medullary thyroid carcinoma. Medicine (United) Tj ETQq1 | 1 @ <i>.4</i> 78431 | 4219 gBT /Ove |
| 278 | Significance of Onodera's prognostic nutritional index in patients with colorectal cancer: a large cohort study in a single Chinese institution. Tumor Biology, 2016, 37, 3277-3283. | 0.8 | 59 |
| 279 | The preoperative platelet–lymphocyte ratio versus neutrophil–lymphocyte ratio: which is better as a prognostic factor in oral squamous cell carcinoma?. Therapeutic Advances in Medical Oncology, 2016, 8, 160-167. | 1.4 | 61 |
| 280 | Elevated preoperative neutrophil-to-lymphocyte ratio may be associated with decreased overall survival in patients with metastatic clear cell renal cell carcinoma undergoing cytoreductive nephrectomy. Asian Journal of Urology, 2016, 3, 20-25. | 0.5 | 24 |
| 281 | Risk of prostate cancer in lowâ€dose aspirin users: A retrospective cohort study. International Journal of Cancer, 2016, 139, 205-211. | 2.3 | 21 |
| 282 | A comparison of tumour and host prognostic factors in screenâ€detected ⟨i⟩vs⟨ i⟩ nonscreenâ€detected colorectal cancer: a contemporaneous study. Colorectal Disease, 2016, 18, 967-975. | 0.7 | 10 |
| 283 | Clinical Significance of the C-Reactive Protein to Albumin Ratio for Survival After Surgery for Colorectal Cancer. Annals of Surgical Oncology, 2016, 23, 900-907. | 0.7 | 188 |
| 284 | Mismatch repair status in patients with primary operable colorectal cancer: associations with the local and systemic tumour environment. British Journal of Cancer, 2016, 114, 562-570. | 2.9 | 59 |
| 285 | Comparison of the Glasgow Prognostic Score (GPS) and the modified Glasgow Prognostic Score (mGPS) in evaluating the prognosis of patients with operable and inoperable non-small cell lung cancer. Journal of Cancer Research and Clinical Oncology, 2016, 142, 1285-1297. | 1.2 | 62 |
| 286 | Clinical Significance of the Glasgow Prognostic Score for Survival after Colorectal Cancer Surgery. Journal of Gastrointestinal Surgery, 2016, 20, 1231-1238. | 0.9 | 23 |
| 287 | A Systematic Review of the Prognostic Role of Hematologic Scoring Systems in Patients With Renal Cell Carcinoma Undergoing Nephrectomy With Curative Intent. Clinical Genitourinary Cancer, 2016, 14, 271-276. | 0.9 | 15 |
| 288 | Mayo Adhesive Probability Score Is Associated With Localized Renal Cell Carcinoma Progression-free Survival. Urology, 2016, 89, 54-62. | 0.5 | 36 |
| 289 | The clinical significance of systemic inflammation score in esophageal squamous cell carcinoma. Tumor Biology, 2016, 37, 3081-3090. | 0.8 | 28 |
| 290 | Neutrophil–Lymphocyte Ratio as a Prognostic Marker for Lung Adenocarcinoma After Complete Resection. World Journal of Surgery, 2016, 40, 365-372. | 0.8 | 36 |
| 291 | Neutrophil to lymphocyte and platelet to lymphocyte ratios increase in ovarian tumors in the presence of frank stromal invasion. Clinical and Translational Oncology, 2016, 18, 457-463. | 1.2 | 18 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 292 | Therapeutics targeting innate immune/inflammatory responses through the interleukin-6/JAK/STAT signal transduction pathway in patients with cancer. Translational Research, 2016, 167, 61-66. | 2.2 | 34 |
| 293 | Major hepatectomies for perihilar cholangiocarcinoma: Predictors for clinically relevant postoperative complications using the International Study Group of Liver Surgery definitions. Asian Journal of Surgery, 2016, 39, 81-89. | 0.2 | 21 |
| 294 | Preoperative independent prognostic factors in patients with borderline resectable pancreatic ductal adenocarcinoma following curative resection: the neutrophil-lymphocyte and platelet-lymphocyte ratios. Surgery Today, 2016, 46, 583-592. | 0.7 | 60 |
| 295 | Promising role of preoperative neutrophil-to-lymphocyte ratio in patients treated with radical nephroureterectomy. World Journal of Urology, 2017, 35, 121-130. | 1.2 | 37 |
| 296 | Preoperative platelet lymphocyte ratio is superior to neutrophil lymphocyte ratio to be used as predictive marker for lymph node metastasis in oral squamous cell carcinoma. Journal of Investigative and Clinical Dentistry, 2017, 8, e12219. | 1.8 | 26 |
| 297 | Pretreatment Lymphocyte to Monocyte Ratio is an Independent Prognostic Factor in Metastatic Clear Cell Renal Cell Carcinoma. Clinical Genitourinary Cancer, 2017, 15, e369-e377. | 0.9 | 12 |
| 298 | Systemic inflammatory markers and outcome in patients with locally advanced adenocarcinoma of the oesophagus and gastro-oesophageal junction. British Journal of Surgery, 2017, 104, 401-407. | 0.1 | 32 |
| 299 | Preoperative platelet–lymphocyte ratio is an independent prognostic marker and superior to carcinoembryonic antigen in colorectal peritoneal carcinomatosis patients undergoing cytoreductive surgery and hyperthermic intraperitoneal chemotherapy. International Journal of Clinical Oncology, 2017, 22, 511-518. | 1.0 | 19 |
| 300 | The Controlling Nutritional Status Score Is a Significant Independent Predictor of Poor Prognosis in Patients With Malignant Pleural Mesothelioma. Clinical Lung Cancer, 2017, 18, e303-e313. | 1.1 | 30 |
| 301 | Prognostic factors of first-line docetaxel treatment in castration-resistant prostate cancer: roles of neutrophil-to-lymphocyte ratio in patients from Northwestern China. International Urology and Nephrology, 2017, 49, 629-635. | 0.6 | 13 |
| 302 | Glasgow Prognostic Score predicts prognosis of intrahepatic cholangiocarcinoma. Molecular and Clinical Oncology, 2017, 6, 566-574. | 0.4 | 21 |
| 303 | Prognostic Scoring System for Patients Who Present with a Gastric Outlet Obstruction Caused by Advanced Pancreatic Adenocarcinoma. World Journal of Surgery, 2017, 41, 2619-2624. | 0.8 | 16 |
| 304 | The Pretreatment Neutrophil-to-Lymphocyte Ratio is a Prognostic Determinant of T3–4 Hypopharyngeal Squamous Cell Carcinoma. Annals of Surgical Oncology, 2017, 24, 1980-1988. | 0.7 | 14 |
| 305 | Can Serum Neutrophil-to-Lymphocyte Ratio Be a Predictive Biomarker to Help Differentiate Active Chronic Otitis Media From Inactive Chronic Otitis Media?. Journal of Craniofacial Surgery, 2017, 28, e260-e263. | 0.3 | 4 |
| 306 | Do inflammatory markers predict prognosis in patients with synchronous colorectal cancer?. Medicine (United States), 2017, 96, e6607. | 0.4 | 12 |
| 307 | Role of patient-, tumor- and systemic inflammatory response–related factors in predicting survival of patients with node-negative gastric cancer. Tumor Biology, 2017, 39, 101042831769837. | 0.8 | 4 |
| 308 | A predictive model to estimate the pretest probability of metastasis in patients with osteosarcoma. Medicine (United States), 2017, 96, e5909. | 0.4 | 15 |
| 309 | The prognostic significance of circulating serum amyloid A and CXC chemokine ligand 4 in osteosarcoma. Pediatric Blood and Cancer, 2017, 64, e26659. | 0.8 | 3 |

| # | Article | IF | CITATIONS |
|-----|---|-----|------------|
| 310 | Management of penile cancer in a Singapore tertiary hospital. Arab Journal of Urology Arab Association of Urology, 2017, 15, 123-130. | 0.7 | 8 |
| 311 | Blood fibrinogen levels discriminate low- and high-risk intraductal papillary mucinous neoplasms (IPMNs). European Journal of Surgical Oncology, 2017, 43, 758-762. | 0.5 | 7 |
| 312 | Are Markers of Systemic Inflammation Good Prognostic Indicators in Colorectal Cancer?. Clinical Colorectal Cancer, 2017, 16, 264-274. | 1.0 | 94 |
| 313 | Prognostic Value of Computed Tomography: Measured Parameters of Body Composition in Primary Operable Gastrointestinal Cancers. Annals of Surgical Oncology, 2017, 24, 2241-2251. | 0.7 | 7 3 |
| 314 | The Significance of the Prognostic Nutritional Index for All Stages of Pancreatic Cancer. Nutrition and Cancer, 2017, 69, 512-519. | 0.9 | 47 |
| 315 | High-sensitivity C reactive protein as a predictor of inhospital mortality in patients with cardiovascular disease at an emergency department: a retrospective cohort study. BMJ Open, 2017, 7, e015112. | 0.8 | 21 |
| 316 | Patient-reported urinary incontinence after radiotherapy for prostate cancer: Quantifying the dose–effect. Radiotherapy and Oncology, 2017, 125, 101-106. | 0.3 | 21 |
| 317 | Characterization of systemic neutrophil function in patients undergoing colorectal cancer resection. Journal of Surgical Research, 2017, 220, 410-418.e1. | 0.8 | 11 |
| 318 | The role of the systemic inflammatory response in predicting outcomes in patients with operable cancer: Systematic review and meta-analysis. Scientific Reports, 2017, 7, 16717. | 1.6 | 206 |
| 319 | Preoperative Geriatric Nutritional Risk Index: A predictive and prognostic factor in patients with pathological stage I non-small cell lung cancer. Surgical Oncology, 2017, 26, 483-488. | 0.8 | 55 |
| 320 | The neutrophil-to-lymphocyte ratio as a diagnostic marker for malignant thyroid diseases. Biyokimya Dergisi, 2017, 42, 559-563. | 0.1 | 3 |
| 321 | Clinicopathological Determinants of an Elevated Systemic Inflammatory Response Following Elective Potentially Curative Resection for Colorectal Cancer. Annals of Surgical Oncology, 2017, 24, 2588-2594. | 0.7 | 9 |
| 322 | Prognostic Significance of Preoperative Controlling Nutritional Status (CONUT) Score in Patients Undergoing Hepatic Resection for Hepatocellular Carcinoma. World Journal of Surgery, 2017, 41, 2805-2812. | 0.8 | 49 |
| 323 | Preoperative Neutrophil-Lymphocyte and Lymphocyte-Monocyte Ratios Reflect Immune Cell Population Rearrangement in Resectable Pancreatic Cancer. Annals of Surgical Oncology, 2017, 24, 808-815. | 0.7 | 76 |
| 324 | Inflammaging and †Garb-aging'. Trends in Endocrinology and Metabolism, 2017, 28, 199-212. | 3.1 | 624 |
| 325 | The Preoperative Frailty Versus Inflammation-Based Prognostic Score: Which is Better as an Objective Predictor for Gastric Cancer Patients 80ÂYears and Older?. Annals of Surgical Oncology, 2017, 24, 754-762. | 0.7 | 43 |
| 326 | Prognostic Significance of FDG Uptake of Bone Marrow on PET/CT in Patients With Non–Small-Cell Lung Cancer After Curative Surgical Resection. Clinical Lung Cancer, 2017, 18, 198-206. | 1.1 | 39 |
| 327 | The pre-treatment neutrophil-to-lymphocyte ratio, platelet-to-lymphocyte ratio, and red cell distribution width predict prognosis in patients with laryngeal carcinoma. European Archives of Oto-Rhino-Laryngology, 2017, 274, 535-542. | 0.8 | 56 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 328 | Systematic evaluation of circulating inflammatory markers for hepatocellular carcinoma. Liver International, 2017, 37, 280-289. | 1.9 | 38 |
| 329 | Pretreatment count of peripheral neutrophils, monocytes, and lymphocytes as independent prognostic factor in patients with head and neck cancer. Head and Neck, 2017, 39, 219-226. | 0.9 | 71 |
| 330 | Prognostic value of the Glasgow Prognostic Score in renal cell carcinoma: a meta-analysis. World Journal of Urology, 2017, 35, 771-780. | 1.2 | 22 |
| 331 | Retrospective evaluation of ultrasound-indeterminate renal multilocular cystic masses by using neutrophil-lymphocyte ratio and computed tomography. Urologic Oncology: Seminars and Original Investigations, 2017, 35, 35.e7-35.e14. | 0.8 | 0 |
| 332 | The Pretreatment Systemic Inflammatory Response is an Important Determinant of Poor Pathologic Response for Patients Undergoing Neoadjuvant Therapy for Rectal Cancer. Annals of Surgical Oncology, 2017, 24, 1295-1303. | 0.7 | 34 |
| 333 | Role of Monocyte Count and Neutrophil-to-Lymphocyte Ratio in Survival of Oral Cancer Patients. International Archives of Otorhinolaryngology, 2017, 21, 21-27. | 0.3 | 25 |
| 334 | Preoperative lymphocyte-to-monocyte ratio represents a superior predictor compared with neutrophil-to-lymphocyte and platelet-to-lymphocyte ratios for colorectal liver-only metastases survival. OncoTargets and Therapy, 2017, Volume 10, 3789-3799. | 1.0 | 34 |
| 335 | Peripheral blood lymphocyte-to-monocyte ratio as a prognostic factor in advanced epithelial ovarian cancer: a multicenter retrospective study. Journal of Cancer, 2017, 8, 737-743. | 1.2 | 33 |
| 336 | Clinical Usefulness of the Platelet-to Lymphocyte Ratio in Patients with Angiosarcoma of the Face and Scalp. International Journal of Molecular Sciences, 2017, 18, 2402. | 1.8 | 11 |
| 337 | Neutrophil Extracellular Trap Production in Patients with Colorectal Cancer In Vitro. International Journal of Inflammation, 2017, 2017, 1-11. | 0.9 | 63 |
| 338 | The Prognostic Value of Baseline Lymphocyte, Neutrophil, and Monocyte Counts in Locally Advanced Cervical Carcinoma Treated with Radiation. Obstetrics and Gynecology International, 2017, 2017, 1-9. | 0.5 | 3 |
| 339 | An Elevated Platelet-to-Lymphocyte Ratio Predicts Poor Prognosis and Clinicopathological Characteristics in Patients with Colorectal Cancer: A Meta-Analysis. Disease Markers, 2017, 2017, 1-10. | 0.6 | 42 |
| 340 | Platelet to white blood cell ratio predicts 30-day postoperative infectious complications in patients undergoing radical nephrectomy for renal malignancy. Canadian Urological Association Journal, 2017, 11, E414-20. | 0.3 | 20 |
| 341 | The values of neutrophil-lymphocyte ratio and/or prostate-specific antigen in discriminating real Gleason scoreÂ≥Â7 prostate cancer from group of biopsy-based Gleason scoreÂâ‰Â6. BMC Cancer, 2017, 17 629. | ,1.1 | 7 |
| 342 | Prognostic value of preoperative prognostic nutritional index and its associations with systemic inflammatory response markers in patients with stage III colon cancer. Chinese Journal of Cancer, 2017, 36, 96. | 4.9 | 38 |
| 343 | Preâ€'treatment neutrophilâ€'toâ€'lymphocyte ratio predicts survival in patients with laryngeal cancer. Oncology Letters, 2018, 15, 1664-1672. | 0.8 | 23 |
| 344 | The prognostic value of inflammation-based scores in advanced hepatocellular carcinoma patients prior to treatment with sorafenib. Oncotarget, 2017, 8, 95853-95864. | 0.8 | 28 |
| 345 | The effects of nonsteroidal anti-inflammatory drugs in the incident and recurrent risk of hepatocellular carcinoma: a meta-analysis. OncoTargets and Therapy, 2017, Volume 10, 4645-4656. | 1.0 | 32 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 346 | Prognostic Influence of Preoperative Fibrinogen to Albumin Ratio for Breast Cancer. Journal of Breast Cancer, 2017, 20, 254. | 0.8 | 59 |
| 347 | Preoperative neutrophil-lymphocyte ratio can significantly predict mortality outcomes in patients with non-muscle invasive bladder cancer undergoing transurethral resection of bladder tumor. Oncotarget, 2017, 8, 12891-12901. | 0.8 | 49 |
| 348 | Preoperative lymphocyte-to-monocyte ratio as a strong predictor of survival and recurrence for gastric cancer after radical-intent surgery. Oncotarget, 2017, 8, 79234-79247. | 0.8 | 31 |
| 349 | Inflammation and cancer: What a surgical oncologist shouldÂknow. European Journal of Surgical Oncology, 2018, 44, 566-570. | 0.5 | 127 |
| 350 | The neutrophil-to-lymphocyte ratio (NLR) predicts short-term and long-term outcomes in gastric cancer patients. European Journal of Surgical Oncology, 2018, 44, 607-612. | 0.5 | 173 |
| 351 | The Neutrophil to Lymphocyte Ratio May Predict Benefit from Chemotherapy in Lung Cancer. Cellular Physiology and Biochemistry, 2018, 46, 1595-1605. | 1.1 | 33 |
| 352 | Neutrophil: Lymphocyte ratio as a method of predicting complications following hepatic resection for colorectal liver metastasis. Journal of Surgical Oncology, 2018, 117, 1058-1065. | 0.8 | 18 |
| 353 | Neutrophil to lymphocyte ratio and clinical outcomes in COPD: recent evidence and future perspectives. European Respiratory Review, 2018, 27, 170113. | 3.0 | 133 |
| 354 | Preâ€treatment neutrophil/lymphocyte ratio and platelet/lymphocyte ratio are prognostic of progression in early stage classical Hodgkin lymphoma. British Journal of Haematology, 2018, 180, 545-549. | 1.2 | 38 |
| 355 | Prognostic and predictive role of neutrophil/lymphocytes ratio in metastatic colorectal cancer: a retrospective analysis of the TRIBE study by GONO. Annals of Oncology, 2018, 29, 924-930. | 0.6 | 99 |
| 356 | Inflammation-based prognostic scores predict disease severity in patients with acute cholecystitis. European Journal of Gastroenterology and Hepatology, 2018, 30, 484-489. | 0.8 | 24 |
| 357 | Determinants of lymph node count and positivity in patients undergoing surgery for colon cancer. Medicine (United States), 2018, 97, e0185. | 0.4 | 10 |
| 358 | Prognostic value of the Glasgow prognostic score in lung cancer: evidence from 10 studies. International Journal of Biological Markers, 2018, 33, 201-207. | 0.7 | 16 |
| 359 | Glasgow Prognostic Score is superior to ECOG PS as a prognostic factor in patients with gastric cancer with peritoneal seeding. Oncology Letters, 2018, 15, 4193-4200. | 0.8 | 19 |
| 360 | Preoperative prognostic nutritional index as a predictor of outcomes in elderly patients after surgery for lung cancer. Japanese Journal of Clinical Oncology, 2018, 48, 382-387. | 0.6 | 30 |
| 361 | Prognostic Importance of Controlling Nutritional Status in Patients Undergoing Curative Thoracoscopic Esophagectomy for Esophageal Cancer. American Journal of Therapeutics, 2018, 25, e524-e532. | 0.5 | 37 |
| 362 | The Charlson Comorbidity Index as an Independent Prognostic Factor in Older Colorectal Cancer Patients. Indian Journal of Surgery, 2018, 80, 54-60. | 0.2 | 25 |
| 363 | Comparison of Preoperative Inflammation-based Prognostic Scores in Patients With Colorectal Cancer. Annals of Surgery, 2018, 267, 527-531. | 2.1 | 102 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 364 | Correlation Between Natural Killer Cell Activity and Systemic Inflammatory Markers for Heterogeneous Cancer Patients Treated With Wheel Balance Cancer Therapy. Integrative Cancer Therapies, 2018, 17, 322-331. | 0.8 | 2 |
| 365 | Influence of neutrophil–lymphocyte ratio in prognosis of glioblastoma multiforme. Journal of Neuro-Oncology, 2018, 136, 173-180. | 1.4 | 83 |
| 366 | The pre-operative neutrophil–lymphocyte ratio predicts overall and disease-free survival following cytoreductive surgery (CRS) and hyperthermic intraperitoneal chemotherapy (HIPEC) in patients with pseudomxyoma peritonei of appendiceal origin. International Journal of Hyperthermia, 2018, 34, 559-563. | 1.1 | 10 |
| 367 | Staging the tumor and staging the host: A two centre, two country comparison of systemic inflammatory responses of patients undergoing resection of primary operable colorectal cancer. American Journal of Surgery, 2018, 216, 458-464. | 0.9 | 21 |
| 368 | Interaction among smoking status, single nucleotide polymorphisms and markers of systemic inflammation in healthy individuals. Immunology, 2018, 154, 98-103. | 2.0 | 29 |
| 369 | Validation of inflammation-based prognostic models in patients with hepatitis B-associated hepatocellular carcinoma. European Journal of Gastroenterology and Hepatology, 2018, 30, 60-70. | 0.8 | 24 |
| 370 | Comment on "The Important Role for Intravenous Iron in Perioperative Patient Blood Management in Major Abdominal Surgery. Annals of Surgery, 2018, 267, e49. | 2.1 | 4 |
| 371 | Reply. Annals of Surgery, 2018, 267, e49-e50. | 2.1 | 1 |
| 372 | Usefulness of lymphocyte-to-monocyte, neutrophil-to-monocyte and neutrophil-to-lymphocyte ratios as prognostic markers in breast cancer patients treated with neoadjuvant chemotherapy. Clinical and Translational Oncology, 2018, 20, 476-483. | 1.2 | 87 |
| 373 | Prognostic value of systemic immune-inflammation index (SII) in cancers: a systematic review and meta-analysis. Journal of Laboratory and Precision Medicine, 0, 3, 29-29. | 1.1 | 11 |
| 374 | Lung cancer resection in octogenarian patients. Journal of Thoracic Disease, 2018, 10, S1995-S1997. | 0.6 | 2 |
| 375 | The Position of Neutrophils-To-Lymphocytes and Lymphocytes-To-Platelets Ratio as Predictive Markers of Progression and Prognosis in Patients with Non-Small Cell Lung Cancer. Open Access Macedonian Journal of Medical Sciences, 2018, 6, 1382-1386. | 0.1 | 6 |
| 376 | Thyroid Nodules in Diagnostic Pathology: From Classic Concepts to Innovations. , 2018, , . | | 0 |
| 377 | Predictive value of preoperative monocyte–lymphocyte ratio among patients with localized clear renal cell carcinoma of ≤ cm on preoperative imaging. Medicine (United States), 2018, 97, e13433. | 0.4 | 3 |
| 378 | The prognostic value of C-reactive protein to albumin ratio in patients with lung cancer. Medicine (United States), 2018, 97, e13505. | 0.4 | 33 |
| 379 | Prognostic Impact of Macroscopic Complete Resection and Inflammatory Status for Colorectal Cancer With Peritoneal Dissemination. International Surgery, 2018, 103, 331-338. | 0.0 | 0 |
| 380 | Clinical utility of FDG uptake within reticuloendothelial system on F-18 FDG PET/CT for prediction of tumor recurrence in breast cancer. PLoS ONE, 2018, 13, e0208861. | 1.1 | 13 |
| 381 | The modified glasgow prognostic score is an independent prognostic indicator in neoadjuvantly treated adenocarcinoma of the esophagogastric junction. Oncotarget, 2018, 9, 6968-6976. | 0.8 | 31 |

| # | Article | IF | CITATIONS |
|-----|---|-----|------------|
| 382 | Neutrophils to lymphocytes ratio as a useful prognosticator for stage II colorectal cancer patients. BMC Cancer, 2018, 18, 1202. | 1.1 | 46 |
| 383 | The systemic immune-inflammation index is an independent predictor of survival for metastatic colorectal cancer and its association with the lymphocytic response to the tumor. Journal of Translational Medicine, 2018, 16, 273. | 1.8 | 7 3 |
| 384 | The prognostic value of 3 commonly measured blood parameters and geriatric assessment to predict overall survival in addition to clinical information in older patients with cancer. Cancer, 2018, 124, 3764-3775. | 2.0 | 11 |
| 385 | Optimal cutoff of pretreatment neutrophil-to-lymphocyte ratio in head and neck cancer patients: a meta-analysis and validation study. BMC Cancer, 2018, 18, 969. | 1.1 | 34 |
| 386 | Predictive Values of Postoperative and Dynamic Changes of Inflammation Indexes in Survival of Patients with Resected Colorectal Cancer. Current Medical Science, 2018, 38, 798-808. | 0.7 | 31 |
| 387 | The Significant Value of Preoperative Prognostic Nutritional Index for Survival in Pancreatic Cancers. Pancreas, 2018, 47, 793-799. | 0.5 | 15 |
| 388 | Prognostic Role of Neutrophil/Lymphocyte Ratio in Resected Gastric Cancer: A Systematic Review and Meta-analysis. Clinics, 2018, 73, e360. | 0.6 | 59 |
| 389 | DNA methylation derived systemic inflammation indices are associated with head and neck cancer development and survival. Oral Oncology, 2018, 85, 87-94. | 0.8 | 17 |
| 390 | Abilities of Pre- and Postoperative High-Sensitivity C-Reactive Protein Levels to Predict 90-Day Mortality After Surgery for Abdominal and Thoracic Cancers. Annals of Surgical Oncology, 2018, 25, 3660-3666. | 0.7 | 2 |
| 391 | Can preoperative neutrophil lymphocyte ratio predict malignancy in patients undergoing partial nephrectomy because of renal mass?. International Braz J Urol: Official Journal of the Brazilian Society of Urology, 2018, 44, 461-466. | 0.7 | 2 |
| 392 | Early postoperative controlling nutritional status (CONUT) score is associated with complication III-V after hepatectomy in hepatocellular carcinoma: A retrospective cohort study of 1,334 patients. Scientific Reports, 2018, 8, 13406. | 1.6 | 27 |
| 393 | Controlling nutritional status score, a promising prognostic marker in patients with gastrointestinal cancers after surgery: A systematic review and meta-analysis. International Journal of Surgery, 2018, 55, 39-45. | 1.1 | 33 |
| 394 | Optimal cut-off for neutrophil-to-lymphocyte ratio: Fact or Fantasy? A prospective cohort study in metastatic cancer patients. PLoS ONE, 2018, 13, e0195042. | 1.1 | 57 |
| 395 | Patient inflammatory status and CD4+/CD8+ intraepithelial tumor lymphocyte infiltration are predictors of outcomes in high-grade serous ovarian cancer. Gynecologic Oncology, 2018, 151, 10-17. | 0.6 | 88 |
| 396 | Preoperative neutrophil-to-lymphocyte ratio predicts the surgical outcome of Xp11.2 translocation/TFE3 renal cell carcinoma patients. BMC Urology, 2018, 18, 60. | 0.6 | 12 |
| 397 | Oral Cancer Treatment: Still an Indication for Elective Neck Dissection?. Orl, 2018, 80, 96-102. | 0.6 | 5 |
| 398 | Disparate Habitual Physical Activity and Dietary Intake Profiles of Elderly Men with Low and Elevated Systemic Inflammation. Nutrients, 2018, 10, 566. | 1.7 | 17 |
| 399 | Validation of Different Nutritional Assessment Tools in Predicting Prognosis of Patients with Soft Tissue Spindle-Cell Sarcomas. Nutrients, 2018, 10, 765. | 1.7 | 15 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 400 | Prognostic value of C-reactive protein levels in patients with bone neoplasms: A meta-analysis. PLoS ONE, 2018, 13, e0195769. | 1.1 | 15 |
| 401 | Reference values for white blood-cell-based inflammatory markers in the Rotterdam Study: a population-based prospective cohort study. Scientific Reports, 2018, 8, 10566. | 1.6 | 152 |
| 402 | Significance of Preoperative Systemic Immune Score for Stage I Gastric Cancer Patients. Gastroenterology Research and Practice, 2018, 2018, 1-10. | 0.7 | 6 |
| 403 | Influential factors on radiotherapy efficacy and prognosis in patients with secondary lymph node metastasis after esophagectomy of thoracic esophageal squamous cell carcinoma. Cancer Management and Research, 2018, Volume 10, 217-225. | 0.9 | 6 |
| 404 | Immune-related Genes to Dominate Neutrophil-lymphocyte Ratio (NLR) Associated With Survival of Cetuximab Treatment in Metastatic Colorectal Cancer. Clinical Colorectal Cancer, 2018, 17, e741-e749. | 1.0 | 20 |
| 405 | The dynamic change of neutrophil to lymphocyte ratio can predict clinical outcome in stage I-III colon cancer. Scientific Reports, 2018, 8, 9453. | 1.6 | 62 |
| 406 | High preoperative plasma fibrinogen and serum albumin score is associated with poor survival in operable esophageal squamous cell carcinoma. Ecological Management and Restoration, 2019, 32, . | 0.2 | 7 |
| 407 | Association of elevated levels of C-reactive protein with breast cancer, breast cancer subtypes, and poor outcome. Current Problems in Cancer, 2019, 43, 123-129. | 1.0 | 19 |
| 408 | Inflammatory markers and overall survival in older adults with cancer. Journal of Geriatric Oncology, 2019, 10, 279-284. | 0.5 | 16 |
| 409 | Câ€reactive protein/albumin ratio is a poor prognostic factor of esophagogastric junction and upper gastric cancer. Journal of Gastroenterology and Hepatology (Australia), 2019, 34, 355-363. | 1.4 | 44 |
| 410 | Baseline neutrophil–lymphocyte ratio and platelet–lymphocyte ratio in rectal cancer patients following neoadjuvant chemoradiotherapy. Tumori, 2019, 105, 434-440. | 0.6 | 36 |
| 411 | Predictive value of preoperative neutrophil-to-lymphocyte ratio in non-metastatic papillary renal cell carcinoma patients after receiving curative surgery. Cancer Management and Research, 2019, Volume 11, 7515-7524. | 0.9 | 4 |
| 412 | Platelet–lymphocyte ratio as a potential prognostic factor in gynecologic cancers: a meta-analysis. Archives of Gynecology and Obstetrics, 2019, 300, 829-839. | 0.8 | 16 |
| 413 | Prognostic Value of Baseline Neutrophil-to-Lymphocyte Ratio in Outcome of Immune Checkpoint Inhibitors. Cancer Investigation, 2019, 37, 265-274. | 0.6 | 31 |
| 414 | <p>The prognostic value of pretreatment Glasgow Prognostic Score in patients with esophageal cancer: a meta-analysis</p> . Cancer Management and Research, 2019, Volume 11, 8181-8190. | 0.9 | 11 |
| 415 | Glasgow PrognosticScore as a Predictor of BevacizumabEfficacy in the First-line Treatment with Metastatic Colorectal Cancer. Journal of Cancer, 2019, 10, 6858-6864. | 1.2 | 3 |
| 416 | Pretreatment prognostic nutritional index as a novel biomarker in non-small cell lung cancer patients treated with immune checkpoint inhibitors. Lung Cancer, 2019, 136, 45-51. | 0.9 | 84 |
| 417 | Clinical Significance of SERPINA1 Gene and Its Encoded Alpha1-antitrypsin Protein in NSCLC. Cancers, 2019, 11, 1306. | 1.7 | 52 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 418 | <p>The prognostic value of preoperative controlling nutritional status score in non-metastatic renal cell carcinoma treated with surgery: a retrospective single-institution study</p> . Cancer Management and Research, 2019, Volume 11, 7567-7575. | 0.9 | 12 |
| 419 | Bone Marrow and Tumor Radiomics at ¹⁸ F-FDG PET/CT: Impact on Outcome Prediction in Non–Small Cell Lung Cancer. Radiology, 2019, 293, 451-459. | 3.6 | 48 |
| 420 | The Neutrophil/Lymphocyte Count Ratio Predicts Mortality in Severe Traumatic Brain Injury Patients. Journal of Clinical Medicine, 2019, 8, 1453. | 1.0 | 31 |
| 421 | Pre-treatment inflammatory biomarkers predict early treatment response and favorable survival in patients with metastatic colorectal cancer who underwent first line cetuximab plus chemotherapy Cancer Management and Research, 2019, Volume 11, 8657-8668. | 0.9 | 21 |
| 422 | Correlation of neutrophil-lymphocyte ratio and risk scores in non-muscle invasive bladder cancer. Actas Urológicas Españolas (English Edition), 2019, 43, 503-508. | 0.2 | 2 |
| 423 | Higher Levels of Pre-operative Peripheral Lymphocyte Count Is a Favorable Prognostic Factor for Patients With Stage I and II Rectal Cancer. Frontiers in Oncology, 2019, 9, 960. | 1.3 | 16 |
| 424 | Comparison of the Prognostic Value of Systemic Inflammation Response Markers in Small Cell Lung Cancer Patients. Journal of Cancer, 2019, 10, 1685-1692. | 1.2 | 34 |
| 425 | Prognostic Value of Systemic Inflammatory Indices, NLR, PLR, and MPV, for Predicting 1-Year Survival of Patients Undergoing Cytoreductive Surgery with HIPEC. Journal of Clinical Medicine, 2019, 8, 589. | 1.0 | 24 |
| 426 | Preoperative C-reactive protein/albumin ratio predicts outcome of surgical papillary renal cell carcinoma. Future Oncology, 2019, 15, 1459-1468. | 1.1 | 9 |
| 427 | The Controlling Nutritional Status Score and Postoperative Complication Risk in Gastrointestinal and Hepatopancreatobiliary Surgical Oncology: A Systematic Review and Meta-Analysis. Annals of Nutrition and Metabolism, 2019, 74, 303-312. | 1.0 | 29 |
| 428 | The pretreatment circulating albumin-to-fibrinogen ratio in patients with non-small cell lung cancer: a simple, economical, and effective biomarker. Journal of Thoracic Disease, 2019, 11, S241-S244. | 0.6 | 4 |
| 429 | Isolation of circulating tumor cells in patients undergoing surgery for esophageal cancer and a specific confirmation method. Oncology Letters, 2019, 17, 3817-3825. | 0.8 | 6 |
| 430 | The Platelet-to-Lymphocyte Ratio as an Inflammatory Marker in Rheumatic Diseases. Annals of Laboratory Medicine, 2019, 39, 345-357. | 1.2 | 305 |
| 431 | Prognostic biomarkers for immunotherapy with ipilimumab in metastatic melanoma. Clinical and Experimental Immunology, 2019, 197, 74-82. | 1.1 | 32 |
| 432 | Glucose to Lymphocyte Ratio as a Prognostic Marker in Patients With Resected pT2 Gallbladder Cancer. Journal of Surgical Research, 2019, 240, 17-29. | 0.8 | 24 |
| 433 | The Influence of Single Nucleotide Polymorphisms and Adjuvant Radiotherapy on Systemic Inflammatory Proteins, Chemokines and Cytokines of Patients With Breast Cancer. Anticancer Research, 2019, 39, 1287-1292. | 0.5 | 5 |
| 434 | Diffuse splenic FDG uptake is predictive of clinical outcomes in patients with rectal cancer. Scientific Reports, 2019, 9, 1313. | 1.6 | 24 |
| 435 | Prognostic value of preoperative neutrophil to lymphocyte ratio is superior to systemic immune inflammation index for survival in patients with Glioblastoma. Clinical Neurology and Neurosurgery, 2019, 181, 24-27. | 0.6 | 32 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 436 | Mismatch Repair Status of Gastric Cancer and Its Association with the Local and Systemic Immune Response. Oncologist, 2019, 24, e835-e844. | 1.9 | 14 |
| 437 | A meta-analysis of the impact of neutrophil-to-lymphocyte ratio on treatment outcomes after radiotherapy for solid tumors. Medicine (United States), 2019, 98, e15369. | 0.4 | 20 |
| 438 | Prognostic role of C-reactive protein to albumin ratio in colorectal cancer. Medicine (United States), 2019, 98, e16064. | 0.4 | 8 |
| 439 | A review of canakinumab and its therapeutic potential for non-small cell lung cancer. Anti-Cancer Drugs, 2019, 30, 879-885. | 0.7 | 15 |
| 440 | Comparison of Mean Platelet Volume, Platelet Count, Neutrophil/ Lymphocyte Ratio and Platelet/Lymphocyte Ratio in the Euthyroid, Overt Hypothyroid and Subclinical Hyperthyroid Phases of Papillary Thyroid Carcinoma. Endocrine, Metabolic and Immune Disorders - Drug Targets, 2019, 19, 859-865. | 0.6 | 16 |
| 441 | Exploring the value of new preoperative inflammation prognostic score: white blood cell to hemoglobin for gastric adenocarcinoma patients. BMC Cancer, 2019, 19, 1127. | 1.1 | 11 |
| 442 | Prognostic Significance Of The Inflammatory Index-Based Scoring System In Patients Preliminarily Diagnosed With Multiple Myeloma In The Bortezomib-Based Chemotherapy Era Prognostic Significance Of The Inflammatory Index-Based Scoring System In Patients Preliminarily Prognostic States | 0.9 | 8 |
| 443 | <p>Competing Morbidities In Advanced Head And Neck Squamous Cell Carcinoma Concurrent Chemoradiotherapy: A Strong Implication Of A Multidisciplinary Team Approach</p> . Cancer Management and Research, 2019, Volume 11, 9771-9782. | 0.9 | 7 |
| 444 | Prognostic role of inflammatory biomarkers in HIVâ€infected patients with a first diagnosis of hepatocellular carcinoma: A singleâ€center study. Journal of Medical Virology, 2019, 91, 241-248. | 2.5 | 1 |
| 445 | The Relationship Between Tumor Glucose Metabolism and Host Systemic Inflammatory Responses in Patients with Cancer: A Systematic Review. Journal of Nuclear Medicine, 2019, 60, 467-471. | 2.8 | 22 |
| 446 | Inter-tissue communication in cancer cachexia. Nature Reviews Endocrinology, 2019, 15, 9-20. | 4.3 | 191 |
| 447 | Postoperative ratio of the maximum C-reactive protein level to the minimum peripheral lymphocyte count as a prognostic indicator for gastric cancer patients. Surgery Today, 2019, 49, 206-213. | 0.7 | 7 |
| 448 | Prognostic significance of neutrophil-to lymphocyte ratio and platelet-to lymphocyte ratio in older patients with metastatic colorectal cancer. Journal of Geriatric Oncology, 2019, 10, 742-748. | 0.5 | 23 |
| 449 | Poor Nutritional Status Before and During Chemotherapy Leads to Worse Prognosis in Unresectable Advanced or Recurrent Colorectal Cancer. International Surgery, 2019, 104, 321-328. | 0.0 | 12 |
| 450 | The Systemic-immune-inflammation Index Independently Predicts Survival and Recurrence in Resectable Pancreatic Cancer and its Prognostic Value Depends on Bilirubin Levels. Annals of Surgery, 2019, 270, 139-146. | 2.1 | 179 |
| 451 | Multifrequency Bioelectrical Impedance Analysis Compared With Computed Tomography for Assessment of Skeletal Muscle Mass in Primary Colorectal Malignancy: A Predictor of Shortâ€√erm Outcome After Surgery. Nutrition in Clinical Practice, 2020, 35, 664-674. | 1.1 | 10 |
| 452 | Increased neutrophil lymphocyte ratio and platelet lymphocyte ratio in malignant parotid tumors. Brazilian Journal of Otorhinolaryngology, 2020, 86, 105-110. | 0.4 | 14 |
| 453 | The systemic immuneâ€inflammation index is associated with an increased risk of incident cancerâ€"A populationâ€based cohort study. International Journal of Cancer, 2020, 146, 692-698. | 2.3 | 95 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 454 | Is the prognostic nutritional index a prognostic and predictive factor in metastatic non-small cell lung cancer patients treated with first-line chemotherapy?. Supportive Care in Cancer, 2020, 28, 2273-2282. | 1.0 | 17 |
| 455 | Prognostic nutritional index is superior as a predictor of prognosis among various inflammationâ€based prognostic scores in patients with hepatocellular carcinoma after curative resection. Hepatology Research, 2020, 50, 101-109. | 1.8 | 25 |
| 456 | Identification and Validation of Stageâ€Associated Serum Biomarkers in Colorectal Cancer Using MSâ€Based Procedures. Proteomics - Clinical Applications, 2020, 14, e1900052. | 0.8 | 9 |
| 457 | Clinical Implications of Naples Prognostic Score in Patients with Resected Pancreatic Cancer. Annals of Surgical Oncology, 2020, 27, 887-895. | 0.7 | 50 |
| 458 | Comprehensive Comparative Analysis of Prognostic Value of Systemic Inflammatory Biomarkers for Patients with Stage II/III Colon Cancer. Annals of Surgical Oncology, 2020, 27, 844-852. | 0.7 | 36 |
| 459 | Exercise-Induced Regulation of Redox Status in Cardiovascular Diseases: The Role of Exercise Training and Detraining. Antioxidants, 2020, 9, 13. | 2.2 | 34 |
| 460 | The prognostic nutritional index and postoperative complications after curative lung cancer resection: AÂretrospective cohort study. Journal of Thoracic and Cardiovascular Surgery, 2020, 160, 276-285.e1. | 0.4 | 33 |
| 461 | Local Inflammatory Response Can Predict Clinical Outcome in Patients with Curatively Resected Stage-IIB Colon Cancer: An Advanced Methodological Study. Pathology and Oncology Research, 2020, 26, 1805-1816. | 0.9 | 5 |
| 462 | Neutrophil/Lymphocyte Ratio as Predictor of Anastomotic Leak after Gastric Cancer Surgery. Diagnostics, 2020, 10, 799. | 1.3 | 24 |
| 463 | The role of preoperative albumin to globulin ratio in predicting prognosis in testicular cancer patients. Actas Urológicas Españolas (English Edition), 2020, 44, 469-476. | 0.2 | 3 |
| 464 | Prognostic Impact of Geriatric Nutritional Risk Index in Patients With Synchronous Colorectal Liver Metastasis. Anticancer Research, 2020, 40, 4165-4171. | 0.5 | 12 |
| 465 | Prognostic significance of controlling nutritional status score- based nomogram for hepatocellular carcinoma within Milan criteria after radiofrequency ablation. Journal of Gastrointestinal Oncology, 2020, 11, 1024-1039. | 0.6 | 10 |
| 466 | Role of pretreatment inflammatory indicators in pediatric acute leukemias; where do we stand? A prospective cohort study. Cancer Biomarkers, 2020, 29, 553-564. | 0.8 | 1 |
| 467 | Association between bone marrow fluorodeoxyglucose uptake and recurrence after curative surgical resection in patients with T1 \hat{a} e"2NOMO lung adenocarcinoma: a retrospective cohort study. Quantitative Imaging in Medicine and Surgery, 2020, 10, 2285-2296. | 1.1 | 6 |
| 468 | Correlation of Clinical and Pathological Diagnosis and Inflammatory Markers for Patients Undergoing Laryngeal Microsurgery. Journal of Voice, 2022, 36, 882.e9-882.e15. | 0.6 | 2 |
| 469 | The Comparison of Inflammatory Markers for the Prediction of Recurrence of the Nasal Polyp After Endoscopic Sinus Surgery. Indian Journal of Otolaryngology and Head and Neck Surgery, 2022, 74, 881-887. | 0.3 | 7 |
| 470 | Approach to Nutrition in Cancer Patients in the Context of the Coronavirus Disease 2019 (COVID-19) Pandemic: Perspectives. Nutrition and Cancer, 2021, 73, 1293-1301. | 0.9 | 9 |
| 471 | Prognostic and clinicopathological significance of systemic immune-inflammation index in colorectal cancer: a meta-analysis. Therapeutic Advances in Medical Oncology, 2020, 12, 175883592093742. | 1.4 | 51 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 472 | Prediction of postoperative pulmonary complications using preoperative controlling nutritional status (CONUT) score in patients with resectable non-small cell lung cancer. Scientific Reports, 2020, 10, 12385. | 1.6 | 28 |
| 473 | Serum Albumin Levels in Severe Traumatic Brain Injury: Role as a Predictor of Outcome. Indian Journal of Neurotrauma, 2020, 17, 24-27. | 0.3 | 0 |
| 474 | An Intraoperative Model for Predicting Survival and Deciding Therapeutic Schedules: A Comprehensive Analysis of Peritoneal Metastasis in Patients With Advanced Gastric Cancer. Frontiers in Oncology, 2020, 10, 550526. | 1.3 | 2 |
| 475 | Prognostic value of PD-L1 expression in patients with unresectable stage III non-small cell lung cancer treated with chemoradiotherapy. Radiation Oncology, 2020, 15, 247. | 1.2 | 18 |
| 476 | The Systemic Immune-Inflammation Index and Albumin as Prognostic Predictors in Laryngeal Carcinoma. Nutrition and Cancer, 2021, 73, 1916-1923. | 0.9 | 11 |
| 477 | The prognostic value of geriatric nutritional risk index in elderly patients with severe community-acquired pneumonia. Medicine (United States), 2020, 99, e22217. | 0.4 | 16 |
| 478 | The relationship between 18F-FDG-PETCT-derived tumour metabolic activity, nutritional risk, body composition, systemic inflammation and survival in patients with lung cancer. Scientific Reports, 2020, 10, 20819. | 1.6 | 13 |
| 479 | Minimally Invasive Distal Pancreatectomy Is Associated with Decreased Postoperative Neutrophil to Lymphocyte Ratio. Journal of Pancreatic Cancer, 2020, 6, 32-39. | 1.6 | 2 |
| 480 | Risk stratification for bladder cancer: Biomarkers of inflammation and immune activation. Urologic Oncology: Seminars and Original Investigations, 2020, 38, 706-712. | 0.8 | 11 |
| 481 | A high Glasgow prognostic score (GPS) or modified Glasgow prognostic score (mGPS) predicts poor prognosis in gynecologic cancers: a systematic review and meta-analysis. Archives of Gynecology and Obstetrics, 2020, 301, 1543-1551. | 0.8 | 15 |
| 482 | Alpha1-antitrypsin protects lung cancer cells from staurosporine-induced apoptosis: the role of bacterial lipopolysaccharide. Scientific Reports, 2020, 10, 9563. | 1.6 | 13 |
| 483 | Preoperative Neutrophil Lymphocyte Ratio Can Be Used as a Predictor of Prognosis in Patients With Adenocarcinoma of the Esophagogastric Junction: A Systematic Review and Meta Analysis. Frontiers in Oncology, 2020, 10, 178. | 1.3 | 4 |
| 484 | <p>Low Prognostic Nutritional Index Predicts Poor Clinical Outcomes in Patients with Stage IIIB Non-small-cell Lung Carcinoma Undergoing Chemoradiotherapy</p> . Cancer Management and Research, 2020, Volume 12, 1959-1967. | 0.9 | 17 |
| 485 | Prognostic Significance of C-reactive Protein-to-prealbumin Ratio in Patients with Esophageal Cancer. Yonago Acta Medica, 2020, 63, 8-19. | 0.3 | 16 |
| 486 | Diagnostic and prognostic value of preoperative systemic inflammatory markers in anaplastic thyroid cancer. Journal of Surgical Oncology, 2020, 122, 897-905. | 0.8 | 8 |
| 487 | Implications of Low Serum Albumin as a Prognostic Factor of Long-term Outcomes in Patients With Breast Cancer. In Vivo, 2020, 34, 2033-2036. | 0.6 | 29 |
| 488 | <p>Multiple Factor Analysis of Depression and/or Anxiety in Patients with Acute Exacerbation Chronic Obstructive Pulmonary Disease</p> . International Journal of COPD, 2020, Volume 15, 1449-1464. | 0.9 | 16 |
| 489 | <p>The Value of Geriatric Nutritional Risk Index in Evaluating Postoperative Complication Risk and Long-Term Prognosis in Elderly Colorectal Cancer Patients</p> . Cancer Management and Research, 2020, Volume 12, 165-175. | 0.9 | 30 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 490 | From Anemia to Erythropoietin Resistance in Head and Neck Squamous Cell Carcinoma Treatment: A Carousel Driven by Hypoxia OncoTargets and Therapy, 2020, Volume 13, 841-851. | 1.0 | 10 |
| 491 | Mosaic chromosome Y loss is associated with alterations in blood cell counts in UK Biobank men. Scientific Reports, 2020, 10, 3655. | 1.6 | 31 |
| 492 | The Role of Neutrophil-to-lymphocyte Ratio on the Effect of CRT for Patients With Rectal Cancer. In Vivo, 2020, 34, 863-868. | 0.6 | 16 |
| 493 | The importance of FDG-PET/CT parameters for the assessment of the immune status in advanced HNSCC. Auris Nasus Larynx, 2020, 47, 658-667. | 0.5 | 8 |
| 494 | Prognostic value of the neutrophil/lymphocyte ratio in enteropancreatic neuroendocrine tumors. Anti-Cancer Drugs, 2020, 31, 216-222. | 0.7 | 5 |
| 495 | Biologically driven cut-off definition of lymphocyte ratios in metastatic breast cancer and association with exosomal subpopulations and prognosis. Scientific Reports, 2020, 10, 7010. | 1.6 | 18 |
| 496 | The Effect of Inflammatory Markers on Survival in Advanced Biliary Tract Carcinoma Treated with Gemcitabine/Oxaliplatin Regimen. Journal of Gastrointestinal Cancer, 2021, 52, 249-255. | 0.6 | 6 |
| 497 | Elevated platelet lymphocyte ratio is a poor prognostic factor in advanced epithelial ovarian cancer. Journal of Gynecology Obstetrics and Human Reproduction, 2021, 50, 101849. | 0.6 | 12 |
| 498 | Prognostic Potential of Lymphocyte–C-Reactive Protein Ratio in Patients with Rectal Cancer Receiving Preoperative Chemoradiotherapy. Journal of Gastrointestinal Surgery, 2021, 25, 492-502. | 0.9 | 24 |
| 499 | Delta Neutrophil Index and Neutrophilâ€toâ€Lymphocyte Ratio in the Differentiation of Thyroid Malignancy and Nodular Goiter. World Journal of Surgery, 2021, 45, 507-514. | 0.8 | 9 |
| 500 | Value of preoperative neutrophil–lymphocyte ratio and human epididymis protein 4 in predicting lymph node metastasis in endometrial cancer patients. Journal of Obstetrics and Gynaecology Research, 2021, 47, 515-520. | 0.6 | 5 |
| 501 | Modified Glasgow prognostic score is a pre-surgical prognostic marker of disease mortality in upper urinary tract urothelial carcinoma. Japanese Journal of Clinical Oncology, 2021, 51, 138-144. | 0.6 | 2 |
| 502 | The Influence of Systemic Inflammation on Treatment Response and Survival in Anal Squamous Cell Cancer. Clinical Oncology, 2021, 33, e22-e30. | 0.6 | 3 |
| 503 | Comparison of Inflammation-Based Prognostic Scores Associated with the Prognostic Impact of Adenocarcinoma of Esophagogastric Junction and Upper Gastric Cancer. Annals of Surgical Oncology, 2021, 28, 2059-2067. | 0.7 | 26 |
| 504 | Comparison of De Ritis Ratio and other systemic inflammatory parameters for the prediction of prognosis of patients with transitional cell bladder cancer. International Journal of Clinical Practice, 2021, 75, e13743. | 0.8 | 4 |
| 505 | Cancer diagnosis and mortality in patients with ankylosing spondylitis: A Western Australian retrospective cohort study. International Journal of Rheumatic Diseases, 2021, 24, 216-222. | 0.9 | 6 |
| 506 | Early C-reactive protein kinetics predict survival of patients with advanced urothelial cancer treated with pembrolizumab. Cancer Immunology, Immunotherapy, 2021, 70, 657-665. | 2.0 | 20 |
| 507 | Staging the Tumor and Staging the Host: Pretreatment Combined Neutrophil Lymphocyte Ratio and Modified Glasgow Prognostic Score Is Associated with Overall Survival in Patients with Esophagogastric Cancers Undergoing Treatment with Curative Intent. Annals of Surgical Oncology, 2021. 28. 722-731. | 0.7 | 13 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 508 | High platelet × C-reactive protein level multiplier is a negative prognostic marker in rectal cancer treated by neoadjuvant chemoradiotherapy. International Journal of Clinical Oncology, 2021, 26, 708-716. | 1.0 | 3 |
| 509 | Low Pretreatment Albumin-to-Globulin Ratio Predicts Poor Prognosis in Gastric Cancer: Insight From a Meta-Analysis. Frontiers in Oncology, 2020, 10, 623046. | 1.3 | 13 |
| 510 | The Clinical Significance of Preoperative Inflammatory Indexes in Evaluating the Recurrence of Laryngeal Carcinoma. Advances in Clinical Medicine, 2021, 11, 755-762. | 0.0 | 0 |
| 511 | Albumin–to–Alkaline Phosphatase Ratio. Pancreas, 2021, 50, 111-117. | 0.5 | 5 |
| 512 | Validation of the Effectiveness of Neutrophil-to-lymphocyte Ratio (NLR) as a Predictive Factor in Patients Undergoing Prostate Biopsy With Prostate Specific Antigen (PSA) Between 4.0 and 10.0 ng/ml. In Vivo, 2021, 35, 1641-1646. | 0.6 | 4 |
| 513 | Prognostic impact of the prognostic nutritional index in cases of resected oral squamous cell carcinoma: a retrospective study. BMC Oral Health, 2021, 21, 40. | 0.8 | 14 |
| 514 | Prognostic value of preoperative inflammation-based predictors in patients with bladder carcinoma after radical cystectomy. Open Medicine (Poland), 2021, 16, 816-825. | 0.6 | 3 |
| 515 | Prognostic Value of Sarcopenia and Systemic Inflammation Markers in Patients Undergoing Definitive Radiotherapy for Esophageal Cancer. Cancer Management and Research, 2021, Volume 13, 181-192. | 0.9 | 16 |
| 516 | Prognostic value of the neutrophil-to-lymphocyte ratio in acute organophosphorus pesticide poisoning. Open Life Sciences, 2021, 16, 703-710. | 0.6 | 3 |
| 517 | Impact of preoperative nutritional scores on 1-year postoperative mortality in patients undergoing valvular heart surgery. Journal of Thoracic and Cardiovascular Surgery, 2022, 164, 1140-1149.e3. | 0.4 | 15 |
| 518 | Inflammatory prognostic index score as a new parameter predicting overall survival in renal cell carcinoma. Journal of Surgery and Medicine, 2021, 5, 163-167. | 0.0 | 0 |
| 519 | Development and Validation of a Nomogram for the Estimation of Response to Platinum-Based Neoadjuvant Chemotherapy in Patients with Locally Advanced Cervical Cancer. Cancer Management and Research, 2021, Volume 13, 1279-1289. | 0.9 | 1 |
| 520 | The prognostic importance of neutrophil-to-lymphocyte ratio in testicular cancer. Urologia, 2021, 88, 200-205. | 0.3 | 2 |
| 521 | Preoperative prognostic nutritional index level is associated with tumour-infiltrating lymphocyte status in patients with surgically resected lung squamous cell carcinoma. European Journal of Cardio-thoracic Surgery, 2021, 60, 393-401. | 0.6 | 14 |
| 522 | Sarcopenia and modified Glasgow Prognostic Score predict postsurgical outcomes in localized renal cell carcinoma. Cancer, 2021, 127, 1974-1983. | 2.0 | 26 |
| 523 | The Clinical Impacts of Neutrophil to Lymphocyte Ratio for Esophageal Cancer Patients Who Receive Curative Treatment. Indian Journal of Surgery, 0 , 1 . | 0.2 | 0 |
| 524 | Prognostic Significance of Neutrophil-Lymphocyte Ratio and Platelet-Lymphocyte Ratio in Metastatic Colorectal Cancer. Journal of Gastrointestinal Cancer, 2022, 53, 1-6. | 0.6 | 10 |
| 525 | Nötrofil lenfosit oranı: Papiller tiroit kanserini multinodüler guatrdan gerçekten ayırt eder mi?. Ege Tıp Dergisi, 2021, 60, 63-69. | 0.1 | 0 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 526 | Development and Validation of a Nomogram for Preoperative Prediction of Central Compartment Lymph Node Metastasis in Patients with Papillary Thyroid Carcinoma and Type 2 Diabetes Mellitus. Cancer Management and Research, 2021, Volume 13, 2499-2513. | 0.9 | 0 |
| 527 | Clinical biomarkers to predict preoperative lymph node metastasis in endometrial cancer. Journal of Surgery and Medicine, 2021, 5, 234-237. | 0.0 | 0 |
| 528 | Baseline Serum C-Reactive Protein and Plasma Fibrinogen-Based Score in the Prediction of Survival in Glioblastoma. Frontiers in Oncology, 2021, 11, 653614. | 1.3 | 14 |
| 529 | The Sensitivity Prediction of Neoadjuvant Chemotherapy for Gastric Cancer. Frontiers in Oncology, 2021, 11, 641304. | 1.3 | 13 |
| 530 | The relationship of pre-operative laboratory parameters with endometrial cancer and prognostic factors. Journal of Surgery and Medicine, 2021, 5, 344-348. | 0.0 | 1 |
| 531 | NLR and BRCA mutational status in patients with high grade serous advanced ovarian cancer. Scientific Reports, 2021, 11, 11125. | 1.6 | 16 |
| 532 | Prognostic Value of Neutrophil-to-Lymphocyte Ratio in Obstructing Colorectal Cancer Treated by Endoscopic Stenting as a Bridge to Surgery. Annals of Coloproctology, 2021, 37, 159-165. | 0.5 | 3 |
| 533 | Predictive impact of prognostic nutritional index in early-stage hepatocellular carcinoma after operative microwave ablation. Asian Journal of Surgery, 2021, 45, 202-202. | 0.2 | 2 |
| 534 | Development and Validation of a Prognostic Nomogram Based on the Systemic Immune-Inflammation Index for Resectable Gallbladder Cancer to Predict Survival and Chemotherapy Benefit. Frontiers in Oncology, 2021, 11, 692647. | 1.3 | 13 |
| 535 | Preoperative prognostic nutritional index predicts postoperative infectious complications and oncological outcomes after hepatectomy in intrahepatic cholangiocarcinoma. BMC Cancer, 2021, 21, 708. | 1.1 | 12 |
| 536 | A novel nomogram with preferable capability in predicting the overall survival of patients after radical esophageal cancer resection based on accessible clinical indicators: A comparison with AJCC staging. Cancer Medicine, 2021, 10, 4228-4239. | 1.3 | 6 |
| 537 | Association of high-sensitivity C-reactive protein and odds of breast cancer by molecular subtype: analysis of the MEND study. Oncotarget, 2021, 12, 1230-1242. | 0.8 | 5 |
| 538 | Diagnostic and prognostic role of neutrophil/lymphocyte ratio, platelet/lymphocyte ratio, and lymphocyte/monocyte ratio in patients with osteosarcoma. Joint Diseases and Related Surgery, 2021, 32, 489-496. | 0.6 | 20 |
| 539 | Prognostic Value of Peripheral Whole Blood Cell Counts Derived Indexes in Gallbladder Carcinoma: A Systematic Review and Meta-Analysis. Frontiers in Oncology, 2021, 11, 707742. | 1.3 | 5 |
| 540 | Study of pre-operative neutrophil–lymphocyte ratio in urothelial carcinoma. Journal of Basic and Clinical Physiology and Pharmacology, 2023, 34, 459-464. | 0.7 | 0 |
| 541 | Role of Systemic Inflammatory Reaction in Female Genital Organ Malignancies – State of the Art. Cancer Management and Research, 2021, Volume 13, 5491-5508. | 0.9 | 9 |
| 542 | The platelet to lymphocyte ratio is a potential inflammatory marker predicting the effects of adjuvant chemotherapy in patients with stage II colorectal cancer. BMC Cancer, 2021, 21, 792. | 1.1 | 8 |
| 543 | Roles of Neutrophils in Glioma and Brain Metastases. Frontiers in Immunology, 2021, 12, 701383. | 2.2 | 41 |

| # | Article | IF | CITATIONS |
|-----|---|-----------|-----------|
| 544 | Prognostic Value of the Systemic Inflammatory Response Index in Patients Undergoing Radical Cystectomy for Bladder Cancer: A Population-Based Study. Frontiers in Oncology, 2021, 11, 722151. | 1.3 | 8 |
| 545 | L'inflammation préopératoire est un facteur indépendant de mauvais pronostic après chirurgie pour cancer colorectal. Journal De Chirurgie Viscérale, 2021, 158, 333-340. | 0.0 | 0 |
| 546 | Does Preoperative Serum Neutrophil to Lymphocyte Ratio (NLR), Platelet to Lymphocyte Ratio (PLR), and Lymphocyte to Monocyte Ratio (LMR) Predict Prognosis Following Radical Surgery for Pancreatic Adenocarcinomas? Results of a Retrospective Study. Journal of Gastrointestinal Cancer, 2022, 53, 641-648. | 0.6 | 3 |
| 547 | Preoperative inflammation is an independent factor of worse prognosis after colorectal cancer surgery. Journal of Visceral Surgery, 2021, 158, 305-311. | 0.4 | 7 |
| 549 | Neutrophil-to-lymphocyte ratio in predicting neurologic outcome of patients with acute ischemic stroke treated with intravenous thrombolytics. Journal of the Chinese Medical Association, 2022, 85, 102-108. | 0.6 | 4 |
| 550 | Survival Time among Young and Old Breast Cancer Patients in Relation to Circulating Blood-Based Biomarkers, Acute Radiation Skin Reactions, and Tumour Recurrence. Oncology, 2021, 99, 1-7. | 0.9 | 1 |
| 551 | Postoperative controlling nutritional status score is an independent risk factor of survival for patients with small hepatocellular carcinoma: a retrospectiveÂstudy. BMC Surgery, 2021, 21, 338. | 0.6 | 3 |
| 552 | Controlling nutritional status (CONUT) score-based nomogram to predict overall survival of patients with pancreatic cancer undergoing radical surgery. Asian Journal of Surgery, 2022, 45, 1237-1245. | 0.2 | 9 |
| 553 | Düşük Serum Albümin Düzeyi Geriatrik Sendromlar İçin Risk Faktörü Olabilir mi?. Osmangazİ Jo Medicine, O, , . | ournal of | 0 |
| 554 | Preoperative neutrophil–lymphocyte ratio/platelet–lymphocyte ratio: A potential and economical marker for renal cell carcinoma. Journal of Cancer Research and Therapeutics, 2021, . | 0.3 | 2 |
| 555 | Inflammatory Biomarkers as Promising Predictors of Prognosis in Cervical Cancer Patients. Oncology, 2021, 99, 571-579. | 0.9 | 11 |
| 556 | Prognostic Significance of the Immunological Indices in Patients Who Underwent Complete Resection of Pulmonary Metastases of Colorectal Cancer. In Vivo, 2021, 35, 1091-1100. | 0.6 | 6 |
| 557 | Toll-Like Receptor 4 and Matrix Metalloproteases 11 and 13 as Predictors of Tumor Recurrence and Survival in Stage II Colorectal Cancer. Pathology and Oncology Research, 2019, 25, 1589-1597. | 0.9 | 8 |
| 558 | Correlación entre el Ãndice neutrófilo/linfocito y las puntuaciones de riesgo en el cáncer de vejiga no músculo-invasivo. Actas Urológicas Españolas, 2019, 43, 503-508. | 0.3 | 4 |
| 559 | La relación albúmina/globulina preoperatoria como factor pronóstico en pacientes con cáncer testicular. Actas Urológicas Españolas, 2020, 44, 469-476. | 0.3 | 8 |
| 560 | Neutrophil–lymphocyte ratio (NLR) was associated with prognosis and immunomodulatory in patients with pancreatic ductal adenocarcinoma (PDAC). Bioscience Reports, 2020, 40, . | 1.1 | 24 |
| 561 | Combination of neutrophilâ€toâ€lymphocyte ratio and early desâ€Î³â€carboxyprothrombin change ratio as a useful predictor of treatment response for hepatic arterial infusion chemotherapy against advanced hepatocellular carcinoma. Hepatology Research, 2017, 47, 533-541. | 1.8 | 13 |
| 562 | Relationship Between Lesions in Adenomatous Polyp-Dysplasia-Colorectal Cancer Sequence and Neutrophil-to-Lymphocyte Ratio. Medical Science Monitor, 2016, 22, 4536-4541. | 0.5 | 8 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 563 | The Neutrophil-Platelet Score (NPS) Predicts Survival in Primary Operable Colorectal Cancer and a Variety of Common Cancers. PLoS ONE, 2015, 10, e0142159. | 1.1 | 57 |
| 564 | A Novel Inflammation- and Nutrition-Based Prognostic System for Patients with Laryngeal Squamous Cell Carcinoma: Combination of Red Blood Cell Distribution Width and Body Mass Index (COR-BMI). PLoS ONE, 2016, 11, e0163282. | 1.1 | 14 |
| 565 | Clinical utility of the modified Glasgow prognostic score in lung cancer: A meta-analysis. PLoS ONE, 2017, 12, e0184412. | 1.1 | 49 |
| 566 | Combination of Advanced Lung Cancer Inflammation Index and C-Reactive Protein Is a Prognostic Factor in Patients With Operable Non-Small Cell Lung Cancer. World Journal of Oncology, 2017, 8, 175-179. | 0.6 | 15 |
| 567 | Obesity: An independent protective factor for localized renal cell carcinoma in a systemic inflammation state. International Braz J Urol: Official Journal of the Brazilian Society of Urology, 2020, 46, 585-598. | 0.7 | 5 |
| 568 | The role of platelets in inflammation and immunity. Issledovaniâ I Praktika V Medicine, 2018, 5, 40-52. | 0.1 | 9 |
| 569 | Clinicopathological and prognostic significance of platelet to lymphocyte ratio in patients with gastric cancer. Oncotarget, 2016, 7, 49878-49887. | 0.8 | 52 |
| 570 | Prognostic value of a systemic inflammatory response index in metastatic renal cell carcinoma and construction of a predictive model. Oncotarget, 2017, 8, 52094-52103. | 0.8 | 27 |
| 571 | Cumulative score based on preoperative plasma fibrinogen and serum C-reactive protein could predict long-term survival for esophageal squamous cell carcinoma. Oncotarget, 2016, 7, 61533-61543. | 0.8 | 8 |
| 572 | Interleukin-6 and C-reactive protein as prognostic biomarkers in metastatic colorectal cancer. Oncotarget, 2016, 7, 75013-75022. | 0.8 | 61 |
| 573 | The C-reactive protein/albumin ratio predicts long-term outcomes of patients with operable non-small cell lung cancer. Oncotarget, 2017, 8, 8835-8842. | 0.8 | 41 |
| 574 | The association of pretreatment thrombocytosis with prognosis and clinicopathological significance in cervical cancer: a systematic review and meta-analysis. Oncotarget, 2017, 8, 24327-24336. | 0.8 | 24 |
| 575 | Association of immunologic markers from complete blood counts with the response to preoperative chemoradiotherapy and prognosis in locally advanced rectal cancer. Oncotarget, 2017, 8, 59757-59765. | 0.8 | 24 |
| 576 | Large-scale clinical validation of biomarkers for pancreatic cancer using a mass spectrometry-based proteomics approach. Oncotarget, 2017, 8, 42761-42771. | 0.8 | 34 |
| 577 | Preoperative albumin/globulin ratio has predictive value for patients with laryngeal squamous cell carcinoma. Oncotarget, 2017, 8, 48240-48247. | 0.8 | 26 |
| 578 | High-sensitivity modified Glasgow prognostic score (HS-mGPS) Is superior to the mGPS in esophageal cancer patients treated with chemoradiotherapy. Oncotarget, 2017, 8, 99861-99870. | 0.8 | 13 |
| 579 | <i>AGER</i> rs2070600 polymorphism elevates neutrophil-lymphocyte ratio and mortality in metastatic lung adenocarcinoma. Oncotarget, 2017, 8, 94382-94392. | 0.8 | 8 |
| 580 | Prognostic and predictive factors in pancreatic cancer. Oncotarget, 2020, 11, 924-941. | 0.8 | 46 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 581 | Prognostic role of serum concentrations of high-sensitivity C-reactive protein in patients with metastatic colorectal cancer: results from the ITACa trial. Oncotarget, 2016, 7, 10193-10202. | 0.8 | 15 |
| 582 | Low preoperative albumin-globulin score predicts favorable survival in esophageal squamous cell carcinoma. Oncotarget, 2016, 7, 30550-30560. | 0.8 | 28 |
| 583 | Pre-treatment Glasgow prognostic score and modified Glasgow prognostic score may be potential prognostic biomarkers in urological cancers: a systematic review and meta-analysis. Annals of Translational Medicine, 2019, 7, 531-531. | 0.7 | 21 |
| 584 | Clinical Burden of C-Reactive Protein/Albumin Ratio Before Curative Surgery for Patients with Gastric Cancer. Anticancer Research, 2016, 36, 6491-6498. | 0.5 | 46 |
| 585 | Utility of Inflammatory Marker- and Nutritional Status-based Prognostic Factors for Predicting the Prognosis of Stage IV Gastric Cancer Patients Undergoing Non-curative Surgery. Anticancer Research, 2017, 37, 4215-4222. | 0.5 | 24 |
| 586 | Clinical Significance of C-Reactive Protein-to- Albumin Ratio with Rectal Cancer Patient Undergoing Chemoradiotherapy Followed by Surgery., 2017, 37, 5797-5804. | | 23 |
| 587 | Prognostic significance of preoperative fibrinogen in patients with colon cancer. World Journal of Gastroenterology, 2014, 20, 8583. | 1.4 | 59 |
| 588 | Prognostic role of neutrophil-lymphocyte ratio in operable esophageal squamous cell carcinoma. World Journal of Gastroenterology, 2015, 21, 5591. | 1.4 | 52 |
| 589 | High level of intercellular adhesion molecule-1 affects prognosis of patients with hepatocellular carcinoma. World Journal of Gastroenterology, 2015, 21, 7254-7263. | 1.4 | 23 |
| 590 | Absolute monocyte and lymphocyte count prognostic score for patients with gastric cancer. World Journal of Gastroenterology, 2015, 21, 2668. | 1.4 | 51 |
| 591 | Application of preoperative artificial neural network based on blood biomarkers and clinicopathological parameters for predicting long-term survival of patients with gastric cancer. World Journal of Gastroenterology, 2019, 25, 6451-6464. | 1.4 | 22 |
| 592 | Usefulness of neutrophil to lymphocyte ratio in patients with chronic obstructive pulmonary disease: a prospective observational study. Korean Journal of Internal Medicine, 2016, 31, 891-898. | 0.7 | 47 |
| 593 | Inflammation in malignant mesothelioma - friend or foe?. Annals of Cardiothoracic Surgery, 2012, 1, 516-22. | 0.6 | 24 |
| 594 | Pancreatic cancer surgery and nutrition management: a review of the current literature. Hepatobiliary Surgery and Nutrition, 2015, 4, 59-71. | 0.7 | 24 |
| 595 | External validation of the modified Glasgow prognostic score for renal cancer. Indian Journal of Urology, 2014, 30, 33. | 0.2 | 26 |
| 596 | Association of the neutrophil-to-lymphocyte ratio and prostate cancer detection rates in patients via contemporary multi-core prostate biopsy. Asian Journal of Andrology, 2016, 18, 937. | 0.8 | 17 |
| 597 | Systemic Inflammation Ãf¢Ã,€Ã," Impact on Tumor Biology and Outcomes in Colorectal Cancer. Journal of Clinical & Cellular Immunology, 2015, 06, . | 1.5 | 5 |
| 598 | Reprioritisation of Liver Export Protein Synthesis in Patients with Decompensated Alcoholic Liver Disease. Journal of Hepatology and Gastrointestinal Disorders, 2016, 02, . | 0.0 | 1 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 599 | The Correlation of Clinicopathological Findings and Neutrophil-to- Lymphocyte and Platelet-to-Lymphocyte Ratios in Papillary Thyroid Carcinoma. Molecular Imaging and Radionuclide Therapy, 2019, 28, 15-20. | 0.3 | 27 |
| 600 | Predictive value of preoperative neutrophil-to-lymphocyte ratio on the prognosis of germ cell testicular tumors. Turkish Journal of Urology, 2017, 43, 55-61. | 1.3 | 14 |
| 601 | Comparison of Artificial Neural Networks and Logistic Regression for 30-days Survival Prediction of Cancer Patients. Acta Informatica Medica, 2020, 28, 108. | 0.5 | 9 |
| 602 | Assessment of patients with nasal polyposis by the neutrophil-to-lymphocyte ratio and eosinophil-to-lymphocyte ratio. Kulak Burun BoÄŸaz Ihtisas Dergisi: KBB = Journal of Ear, Nose, and Throat, 2015, 25, 193-199. | 0.3 | 24 |
| 603 | Evaluation of Hemocytometer Parameters as Potential Biomarkers in Benign Multinodular Goiter and Papillary Thyroid Carcinoma. Iranian Red Crescent Medical Journal, 2017, 19, . | 0.5 | 3 |
| 604 | Elevated Neutrophil-to-Lymphocyte Ratio in Squamous Cell Carcinoma of Larynx Compared to Benign and Precancerous Laryngeal Lesions. Asian Pacific Journal of Cancer Prevention, 2014, 15, 7351-7355. | 0.5 | 53 |
| 605 | May the Platelet to Lymphocyte Ratio be a Prognostic Factor for Epithelial Ovarian Cancer?. Asian Pacific Journal of Cancer Prevention, 2014, 15, 9781-9784. | 0.5 | 37 |
| 606 | Could the Neutrophil to Lymphocyte Ratio be a Poor Prognostic Factor for Non Small Cell Lung Cancers?. Asian Pacific Journal of Cancer Prevention, 2014, 15, 2089-2094. | 0.5 | 44 |
| 607 | Pretreatment Neutrophil/Lymphocyte Ratio as a Prognostic Aid in Colorectal Cancer. Asian Pacific Journal of Cancer Prevention, 2014, 15, 2647-2650. | 0.5 | 56 |
| 608 | Preoperative Neutrophil to Lymphocyte Ratio as a Prognostic Factor in Patients with Non-metastatic Renal Cell Carcinoma. Asian Pacific Journal of Cancer Prevention, 2015, 16, 3703-3708. | 0.5 | 26 |
| 609 | The Neutrophil to Lymphocyte Ratio is an Independent Prognostic Factor in Patients with Metastatic Gastric Cancer. Asian Pacific Journal of Cancer Prevention, 2016, 17, 1309-1312. | 0.5 | 7 |
| 610 | Altered leukogram and hematological parameters among leukemia patients. MGM Journal of Medical Sciences, 2021, 8, 263. | 0.1 | 0 |
| 611 | The Clinical Influence of the C-Reactive Protein-to-Albumin Ratio in Patients Who Received Curative Treatment for Gastric Cancer. In Vivo, 2021, 35, 3475-3482. | 0.6 | 6 |
| 612 | Low Preoperative Albumin-to-Globulin Ratio Is a Marker of Poor Prognosis in Patients With Esophageal Cancer. In Vivo, 2021, 35, 3555-3561. | 0.6 | 16 |
| 613 | Impact of Preoperative Immunonutritional Support in Patients Undergoing Elective Thoracic Surgery. JMA Journal, 2021, 4, 387-396. | 0.6 | 0 |
| 614 | Prognostic Impact of Indicators of Systemic Inflammation and the Nutritional Status of Patients with Resected Carcinoma of the Ampulla of Vater: A Singleâ€Center Retrospective Study. World Journal of Surgery, 2022, 46, 246-258. | 0.8 | 5 |
| 615 | Long non-coding RNA FOXP4-AS1 is a prognostic biomarker and associated with immune infiltrates in ovarian serous cystadenocarcinoma. Medicine (United States), 2021, 100, e27473. | 0.4 | 10 |
| 616 | Systemic Inflammatory Markers for Predicting Overall Survival in Patients with Osteosarcoma: A Systematic Review and Meta-Analysis. Mediators of Inflammation, 2021, 2021, 1-16. | 1.4 | 9 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 617 | Inflammatory prognostic scoring systems are risk factors for surgical site infection following wide local excision of soft tissue sarcoma. European Journal of Orthopaedic Surgery and Traumatology, 2022, 32, 1591-1599. | 0.6 | 2 |
| 618 | The Role of Pretreatment Neutrophil to Lymphocyte Ratio and Platelet to Lymphocyte Ratio in the Diagnosis of Breast Cancer: Predicting Lymph Node Metastasis. World Journal of Oncology, 2013, 4, 262-263. | 0.6 | 4 |
| 619 | Usefulness of the Glasgow prognostic score for predicting survival in patients with resected non-small cell lung cancer. Journal of Cancer Research & Therapy, 0, , 36-39. | 0.1 | 0 |
| 620 | Biomarkers in Metastatic Colorectal Cancer. Biomarkers in Disease, 2015, , 601-629. | 0.0 | 1 |
| 621 | Serum levels of tumor necrosis factor -alpha and hsCRP in patients with breast cancer and correlation with histological parameters. Asian Journal of Medical Sciences, 2015, 6, 6-10. | 0.0 | 1 |
| 622 | Importance Of Neutrophil/lymphocyte Ratio In Squamous-cell Carcinoma Of The Larynx. Journal of Otolaryngology Advances, 2017, 1, 15-23. | 0.0 | 1 |
| 623 | Importance of preoperative hematological parameters in patients undergoing surgical resection for colorectal cancer. The European Research Journal, 0 , , . | 0.1 | 0 |
| 624 | Yþksek nötrofil- lenfosit oranının renal hþcreli karsinomda preoperatif ve postoperatif dönemde sağkalıma etkisi. Kırıkkale Üniversitesi Tıp Fakültesi Dergisi, 0, , 73-77. | 0.0 | 1 |
| 625 | A Case of Sepsis Caused by Acinetobacter after Neoadjuvant Chomoradiotherapy Followed by Surgery for Esophageal Cancer. Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association), 2018, 79, 278-282. | 0.0 | 0 |
| 626 | Correlation between carbohydrate, protein and fat intake with serum c-reactive protein level in lung cancer patients stage IIIB-IV. World Nutrition Journal, 2018, 1, 31-37. | 0.1 | 1 |
| 627 | Neutrophil-lymphocyte ratio in the management and prediction of outcomes in renal cell carcinoma. World Journal of Clinical Urology, 2018, 7, 1-6. | 0.0 | 0 |
| 628 | Regression in local recurrence in the contralateral breast following mastectomy in bilateral locally advanced breast cancer: A comparison of neutrophil-to-lymphocyte and platelet-to-lymphocyte ratios. Turkish Journal of Surgery, 2018, 34, 140-142. | 0.1 | 2 |
| 629 | Biomarkers of Aging (With a Clinical Potential in Oncology)., 2019, , 1-11. | | 0 |
| 630 | The role of inflammation in pathogenesis and treatment of colorectal cancer. Issledovani \tilde{A}^{ξ} I Praktika V Medicine, 2018, 5, 36-45. | 0.1 | 1 |
| 631 | The Effect of Neutrophile Lymphocyte Ratio (NLR) on Disease Free Survival (DFS) and Overall Survival (OS) In Gastric Cancer and its Relation with Clinicopathological Features. Eurasian Journal of Medicine and Oncology, 2019, , . | 1.0 | 0 |
| 632 | Prognostic value of pre‑treatment peripheral blood markers in pancreatic ductal adenocarcinoma and their association with S100A4 expression in tumor tissue. Oncology Letters, 2019, 18, 4523-4534. | 0.8 | 0 |
| 633 | The value of preoperative lymphocytes-to-monocytes ratio in predicting lymph node metastasis in gastric cancer. Translational Cancer Research, 2019, 8, 2053-2058. | 0.4 | 3 |
| 634 | Mir-23a and mir-181b serum levels in irritable bowel syndrome and colorectal cancer – A pilot study. Bosnian Journal of Basic Medical Sciences, 2020, 20, 254-261. | 0.6 | 5 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 635 | Hipertiroidi Hastalarında Tedavi ×ncesi ve Sonrası Trombosit/Lenfosit ve Nötrofil/Lenfosit Oranlarının Değerlendirilmesi. Harran Üniversitesi Tıp Fakýltesi Dergisi, 0, , . | 0.1 | 0 |
| 636 | Acil Serviste Minör Pediatrik Kafa Travmasında Hematolojik Belirteçlerin Değerlendirilmesi. Harran Üniversitesi Tıp Fakültesi Dergisi, 0, , 261-265. | 0.1 | O |
| 637 | Serum Biomarkers for Chemotherapy Cardiotoxicity Risk Detection of Breast Cancer Patients. Asian Pacific Journal of Cancer Prevention, 2021, 22, 3355-3363. | 0.5 | 3 |
| 638 | THE PREDICTORS OF MORTALITY IN NON-TRAUMATIC SPLENECTOMIES. Arquivos De Gastroenterologia, 2020, 57, 459-465. | 0.3 | O |
| 639 | The Prognostic Value of Neutrophil-to-Lymphocyte Ratio in Metastatic Testicular Cancer. Current Oncology, 2021, 28, 107-114. | 0.9 | 10 |
| 640 | Is C-reactive protein/albumin ratio of advanced-stage non-small cell lung cancer patients able to predict mortality in the admission for palliative care?. Indian Journal of Palliative Care, 2020, 26, 365. | 1.0 | 1 |
| 641 | Biomarkers of Aging (With a Clinical Potential in Oncology)., 2020,, 395-405. | | 0 |
| 642 | Factors affecting pathological response and survival following neoadjuvant chemoradiotherapy in rectal cancer patients. Indian Journal of Cancer, 2020, . | 0.2 | 1 |
| 643 | Relación neutrófilos-linfocitos en tumores sólidos Revista Colombiana De HematologiÌa Y OncologiÌa, 2019, 7, 43-50. | 0.0 | 0 |
| 644 | Prognostic significance of the neutrophil to lymphocyte ratio in patients with non-small cell lung cancer: a systemic review and meta-analysis. International Journal of Clinical and Experimental Medicine, 2015, 8, 3098-106. | 1.3 | 80 |
| 645 | Modified glasgow prognostic score as a prognostic factor in gastriccancer patients: a systematic review and meta-analysis. International Journal of Clinical and Experimental Medicine, 2015, 8, 15222-9. | 1.3 | 10 |
| 646 | Prognostic significance of preoperative C-reactive protein: albumin ratio in patients with clear cell renal cell carcinoma. International Journal of Clinical and Experimental Pathology, 2015, 8, 14893-900. | 0.5 | 37 |
| 647 | Prognostic value of inflammatory biomarkers for predicting the extent of lung involvement and final clinical outcome in patients with COVID-19. Journal of Research in Medical Sciences, 2021, 26, 115. | 0.4 | 7 |
| 648 | The systemic inflammatory response in predicting outcomes of patients undergoing curative resection for oral squamous cell carcinoma. British Journal of Oral and Maxillofacial Surgery, 2021, , . | 0.4 | 5 |
| 649 | Are the Derived Indexes of Peripheral Whole Blood Cell Counts (NLR, PLR, LMR/MLR) Clinically Significant Prognostic Biomarkers in Multiple Myeloma? A Systematic Review And Meta-Analysis. Frontiers in Oncology, 2021, 11, 766672. | 1.3 | 6 |
| 650 | Evaluation of the Hamburg-Glasgow Classification in Pancreatic Cancer: Preoperative Staging by Combining Disseminated Tumor Load and Systemic Inflammation. Cancers, 2021, 13, 5942. | 1.7 | 2 |
| 651 | Does Pancreatic Fistula Affect Long-Term Survival after Resection for Pancreatic Cancer? A Systematic Review and Meta-Analysis. Cancers, 2021, 13, 5803. | 1.7 | 8 |
| 652 | The Importance of Systemic Inflammatory Response Index, Systemic Immune-Inflammation Index, and Hemoglobin-Albumin-Lymphocytes-Platelets (HALP) Score in Children with Cancer. Iranian Journal of Pediatrics, 2021, 31, . | 0.1 | 2 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 653 | Research Progress on the Relationship Between Inflammation and Colorectal Cancer. Annals of Gastroenterological Surgery, 2022, 6, 204-211. | 1.2 | 10 |
| 654 | Pretreatment clinical and hematologic prognostic factors of metastatic urothelial carcinoma treated with pembrolizumab: a systematic review and meta-analysis. International Journal of Clinical Oncology, 2022, 27, 59-71. | 1.0 | 19 |
| 655 | Association of a Combined Cancer Exhaustion Score with Circulating Tumor Cells and Outcome in Ovarian Cancerâ€"A Study of the OVCAD Consortium. Cancers, 2021, 13, 5865. | 1.7 | 3 |
| 656 | Simple Serum Pancreatic Ductal Adenocarcinoma (PDAC) Protein Biomarkersâ€"Is There Anything in Sight?. Journal of Clinical Medicine, 2021, 10, 5463. | 1.0 | 9 |
| 657 | Prognostic value of preoperative high-sensitivity modified Glasgow prognostic score in advanced colon cancer: a retrospective observational study. BMC Cancer, 2022, 22, 20. | 1.1 | 6 |
| 658 | Does the modified Glasgow Prognostic Score aid in the management of patients undergoing surgery for a soft-tissue sarcoma?. Bone and Joint Journal, 2022, 104-B, 168-176. | 1.9 | 8 |
| 659 | Elevated baseline C-reactive protein levels predict poor progression-free survival in sporadic vestibular schwannoma. Journal of Neuro-Oncology, 2022, 156, 365-375. | 1.4 | 4 |
| 660 | Prognosis and survival analysis of patients with pancreatic cancer: retrospective experience of a single institution. World Journal of Surgical Oncology, 2022, 20, 11. | 0.8 | 22 |
| 661 | The relationship between non-alcoholic fatty liver disease and breast cancer: a retrospective case-control study. Journal of Health Sciences and Medicine, 2022, 5, 109-113. | 0.0 | 0 |
| 662 | Expression of Receptor Activator of Nuclear $\hat{a}\in$ Kappa \hat{l}^2 Ligand in Patients with Metastatic Bone Disease. Open Access Macedonian Journal of Medical Sciences, 2022, 10, 57-62. | 0.1 | 0 |
| 663 | Preoperative Neutrophil-to-Lymphocyte Ratio, Platelet-to-Lymphocyte Ratio, and CEA as the Potential Prognostic Biomarkers for Colorectal Cancer. Canadian Journal of Gastroenterology and Hepatology, 2022, 2022, 1-9. | 0.8 | 16 |
| 664 | Neutrophil-to-lymphocyte ratio as a predictor of overall survival and cancer advancement in patients undergoing radical cystectomy for bladder cancer. Central European Journal of Urology, 2022, 75, 41-46. | 0.2 | 3 |
| 665 | Clinical significance of preoperative inflammation-based score for the prognosis of patients with hepatocellular carcinoma who underwent hepatectomy. Surgery Today, 2022, 52, 1008-1015. | 0.7 | 3 |
| 666 | Effects of Perioperative Oral Nutrition Supplementation in Malaysian Patients Undergoing Elective Surgery for Breast and Colorectal Cancers—A Randomised Controlled Trial. Nutrients, 2022, 14, 615. | 1.7 | 4 |
| 667 | Association Between Systemic Inflammation and Malnutrition With Survival in Patients With Cancer Sarcopenia—A Prospective Multicenter Study. Frontiers in Nutrition, 2021, 8, 811288. | 1.6 | 16 |
| 668 | Lymphocyte percentage as a valuable predictor of prognosis in lung cancer. Journal of Cellular and Molecular Medicine, 2022, 26, 1918-1931. | 1.6 | 12 |
| 669 | Baseline Neutrophil-to-Lymphocyte Ratio and Glasgow Prognostic Score are Associated with Clinical Outcome in Patients with Recurrent or Metastatic Head and Neck Squamous Cell Carcinoma Treated with Nivolumab. Acta Medica Okayama, 2021, 75, 335-343. | 0.1 | 5 |
| 670 | Pretreatment Inflammatory Markers Predict Outcomes and Prognosis in Colorectal Cancer Patients With Synchronous Liver Metastasis. Clinical Medicine Insights: Oncology, 2022, 16, 117955492210848. | 0.6 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 671 | Influence of Semiquantitative [18F]FDG PET and Hematological Parameters on Survival in HNSCC Patients Using Neural Network Analysis. Pharmaceuticals, 2022, 15, 224. | 1.7 | 4 |
| 672 | Pretreatment Albumin-to-Fibrinogen Ratio is a Promising Biomarker for Predicting Postoperative Clinical Outcomes in Patients with Colorectal Cancer. Nutrition and Cancer, 2022, 74, 2896-2909. | 0.9 | 3 |
| 673 | Prognostic Value of Prognostic Nutritional Index in Patients With Colorectal Cancer Undergoing Surgical Treatment. Frontiers in Nutrition, 2022, 9, 794489. | 1.6 | 13 |
| 674 | Predictive biomarkers of response to immune checkpoint inhibitors in hepatocellular carcinoma. Expert Review of Molecular Diagnostics, 2022, 22, 253-264. | 1.5 | 20 |
| 675 | Combined systemic immune-inflammatory index (SII) and prognostic nutritional index (PNI) predicts chemotherapy response and prognosis in locally advanced gastric cancer patients receiving neoadjuvant chemotherapy with PD-1 antibody sintilimab and XELOX: a prospective study. BMC Gastroenterology, 2022, 22, 121. | 0.8 | 39 |
| 676 | Matrix Metalloproteinase 8 Expression in a Tumour Predicts a Favourable Prognosis in Pancreatic Ductal Adenocarcinoma. International Journal of Molecular Sciences, 2022, 23, 3314. | 1.8 | 4 |
| 677 | Prognostic Evaluation of Metastasis-Related Lymphocyte/Monocyte Ratio in Stage â⢠Breast Cancer Receiving Chemotherapy. Frontiers in Oncology, 2021, 11, 782383. | 1.3 | 9 |
| 678 | The combination of pre-neoadjuvant chemoradiotherapy inflammation biomarkers could be a prognostic marker for rectal cancer patients. Scientific Reports, 2022, 12, 4286. | 1.6 | 2 |
| 679 | Preoperative geriatric nutritional risk index is an independent prognostic factor for postoperative survival after gallbladder cancer radical surgery. BMC Surgery, 2022, 22, 133. | 0.6 | 7 |
| 680 | Prognostic Value of Routinely Measured Inflammatory Biomarkers in Older Cancer Patients: Pooled Analysis of Three Cohorts. Cancers, 2021, 13, 6154. | 1.7 | 4 |
| 681 | The comparison of inflammatory markers in geriatric and nongeriatric endometrial cancers. Cancer Biomarkers, 2022, 34, 583-590. | 0.8 | 2 |
| 682 | Effect of Câ€Reactive Protein-to-Albumin Ratio on Prognosis in Gastric Cancer Patients. Cureus, 2022, 14, e23972. | 0.2 | 2 |
| 683 | Chronic Inflammation in Obesity and Cancer Cachexia. Journal of Clinical Medicine, 2022, 11, 2191. | 1.0 | 10 |
| 693 | Prediction of Treatment Response and Survival with Chemotherapy for Metastatic Penile Cancer by the Modified Glasgow Prognostic Score. Urologia Internationalis, 2023, 107, 489-495. | 0.6 | 5 |
| 694 | Second-line treatment for pancreatic cancer. JOP: Journal of the Pancreas, 2014, 15, 344-7. | 1.5 | 6 |
| 695 | A Nutritional Metabolism Related Prognostic Scoring System for Patients With Newly Diagnosed Osteosarcoma. Frontiers in Nutrition, 2022, 9, 883308. | 1.6 | 2 |
| 696 | Comparison of the Value of Multiple Preoperative Objective Nutritional Indices for the Evaluation of Prognosis after Hepatectomy for Hepatocellular Carcinoma. Nutrition and Cancer, 2022, 74, 3217-3227. | 0.9 | 2 |
| 697 | Prognostic Significance of Pretreatment Neutrophil-to-Lymphocyte Ratio, Plateletâ^'toâ^'Lymphocyte Ratio, or Monocyte-to-Lymphocyte Ratio in Endometrial Neoplasms: A Systematic Review and Metaâ^'analysis. Frontiers in Oncology, 2022, 12, . | 1.3 | 18 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 698 | Outcomes of Patients with Small Intestine Adenocarcinoma in a Canadian Province: A Retrospective Multi-Center Population-Based Cohort Study. Cancers, 2022, 14, 2581. | 1.7 | 2 |
| 699 | Prognostic Factors in Resected Pancreatic Ductal Adenocarcinoma: Is Neutrophil-Lymphocyte Ratio a Useful Marker?. Journal of Gastrointestinal Cancer, 0, , . | 0.6 | 1 |
| 700 | Pretreatment BAN Score Based on Body-mass-index, Albumin and Neutrophil-lymphocyte Ratio Could Predict Long-term Survival for Patients with Operable Esophageal Squamous Cell Carcinoma. Journal of Cancer, 2022, 13, 2768-2774. | 1.2 | 2 |
| 701 | Application of Serum Biomarkers in Early Diagnosis and Prognosis of Hepatocellular Carcinoma. Advances in Clinical Medicine, 2022, 12, 5446-5453. | 0.0 | 0 |
| 702 | SIGIRR Downregulation and Interleukin-1 Signaling Intrinsic to Renal Cell Carcinoma. Frontiers in Oncology, 0, 12 , . | 1.3 | 1 |
| 703 | Factors Associated With Choriocarcinoma Syndrome Development in Poor-Risk Patients With Germ Cell Tumors. Frontiers in Oncology, 0, 12, . | 1.3 | 1 |
| 704 | Systemic inflammation response index (SIRI) as predictor of anastomotic leakage after total gastrectomy for gastric cancer. Surgical Oncology, 2022, 43, 101791. | 0.8 | 14 |
| 705 | Circulating lymphocyte subsets are prognostic factors in patients with nasopharyngeal carcinoma. BMC Cancer, 2022, 22, . | 1.1 | 3 |
| 706 | Peripheral Blood Inflammatory Markers Can Predict Benign and Malignant Thyroid Nodules. International Journal of Endocrinology, 2022, 2022, 1-6. | 0.6 | 3 |
| 707 | Combined analysis of preoperative and postoperative lymphocyte-C-reactive protein ratio precisely predicts outcomes of patients with gastric cancer. BMC Cancer, 2022, 22, . | 1.1 | 6 |
| 708 | Can We Predict a Higher Risk of Urothelial Bladder Cancer With a Simple Blood Test?. Anticancer Research, 2022, 42, 3569-3573. | 0.5 | 0 |
| 709 | Development and Validation of a Nomogram for Predicting Overall Survival to Concurrent Chemoradiotherapy in Patients with Locally Advanced Esophageal Squamous Cell Carcinoma. BioMed Research International, 2022, 2022, 1-8. | 0.9 | 1 |
| 710 | Prediction of Postoperative Survival in Young Colorectal Cancer Patients: A Cohort Study Based on the SEER Database. Journal of Immunology Research, 2022, 2022, 1-12. | 0.9 | 3 |
| 711 | A Novel Systemic Inflammation Prognostic Score to Stratify Survival in Elderly Patients With Cancer. Frontiers in Nutrition, 0, 9, . | 1.6 | 3 |
| 712 | Association Between the Neutrophil-To-Lymphocyte Ratio and Diabetes Secondary to Exocrine Pancreatic Disorders. Frontiers in Endocrinology, 0, 13, . | 1.5 | 5 |
| 713 | Clinical Lymph Node Involvement as a Predictor for Cancer-Specific Survival in Patients with Penile Squamous Cell Cancer. Current Oncology, 2022, 29, 5466-5474. | 0.9 | 3 |
| 714 | Effect of HALP Rate to Pathological Stage with Bladder Tumor Patients. The Journal of Tepecik Education and Research Hospital, 2022, 32, 323-327. | 0.2 | 0 |
| 716 | Clinical Study on Preoperative Neutrophil Lymphocyte Ratio, Platelet Lymphocyte Ratio, Serum Lipid Level and TNM Staging Relationships of Tongue Carcinoma. Advances in Clinical Medicine, 2022, 12, 7717-7726. | 0.0 | 0 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 717 | Peripheral Inflammatory Indexes Neutrophil/Lymphocyte Ratio (NLR) and Red Cell Distribution Width (RDW) as Prognostic Biomarkers in Advanced Solitary Fibrous Tumour (SFT) Treated with Pazopanib. Cancers, 2022, 14, 4186. | 1.7 | 0 |
| 718 | Prognostic Value of Preoperative Systemic Inflammatory Parameters in Advanced Gastric Cancer. Journal of Clinical Medicine, 2022, 11, 5318. | 1.0 | 3 |
| 719 | Prognostic role of the prognostic nutritional index in patients with pancreatic cancer who underwent curative resection without preoperative neoadjuvant treatment: AÂsystematic review and meta-analysis. Frontiers in Surgery, 0, 9, . | 0.6 | 5 |
| 720 | THE ROLE OF INFLAMMATION MARKERS IN THE EARLY POSTOPERATIVE PERIOD FOR MANAGEMENT PATIENTS WITH COLORECTAL CANCER. Surgical Practice, 2022, , 20-31. | 0.0 | 0 |
| 721 | Prognostic role of preoperative circulating systemic inflammatory response markers in primary breast cancer: meta-analysis. British Journal of Surgery, 2022, 109, 1206-1215. | 0.1 | 15 |
| 723 | Clinical utility of lymphocyte to C-reactive protein ratio in predicting survival and postoperative complication for esophago-gastric junction cancer. Surgical Oncology, 2022, 44, 101842. | 0.8 | 4 |
| 724 | Postoperative systemic inflammatory dysregulation and corticosteroids: a narrative review. Anaesthesia, 2023, 78, 356-370. | 1.8 | 18 |
| 725 | Impact of Preoperative Neutrophil-Lymphocyte and Platelet-Lymphocyte Ratios on Long-Term Survival in Patients with Operable Pancreatic Ductal Adenocarcinoma. Medical Principles and Practice, 2022, 31, 586-594. | 1.1 | 2 |
| 726 | Prognostic significance of prognostic nutritional index and systemic immuneâ€inflammation index in patients after curative breast cancer resection: a retrospective cohort study. BMC Cancer, 2022, 22, . | 1.1 | 6 |
| 727 | Preoperative Neutrophil: Lymphocyte Ratio, Platelet: Lymphocyte Ratio, and C-Reactive Protein Levels Predictive Value in Determining the Severity of Breast Mass. Iranian Journal of Pathology, 2022, 17, 413-418. | 0.2 | 0 |
| 728 | Development and external validation of a novel nomogram model for predicting postoperative recurrence-free survival in non-muscle-invasive bladder cancer. Frontiers in Immunology, $0,13,13$ | 2,2 | 2 |
| 729 | Associations between circulating obesity-related biomarkers and prognosis in female breast cancer survivors: a systematic review of observational data in women enrolled in lifestyle intervention trials. BMC Cancer, 2022, 22, . | 1.1 | 2 |
| 730 | Impact of fibrinogen levels and modified Glasgow prognostic score on survival of stage III/N2 non-small cell lung cancer patients treated with neoadjuvant therapy and radical resection. BMC Cancer, 2022, 22, . | 1.1 | 0 |
| 731 | Does the Preoperative Neutrophil-to-lymphocyte Ratio and Platelet-to-lymphocyte Ratio Associate with Clinic-pathological Characteristics in Papillary Carcinoma of Thyroid. Kathmandu University Medical Journal, 2022, 19, 225-229. | 0.1 | 4 |
| 732 | $\tilde{A}_{\mbox{\scriptsize n}}$ dice pron \tilde{A}^{3} stico nutricional en c $\tilde{A}_{\mbox{\scriptsize i}}$ ncer g $\tilde{A}_{\mbox{\scriptsize i}}$ strico. , 2018, 23, . | | 0 |
| 733 | Preoperative serum interleukin-6 level in head and neck cancer reflects systemic inflammatory response and is a predictor of postoperative prognosis. Japanese Journal of Clinical Oncology, 0, , . | 0.6 | 1 |
| 735 | Utility of High-Sensitivity Modified Glasgow Prognostic Score in Cancer Prognosis: A Systemic Review and Meta-Analysis. International Journal of Molecular Sciences, 2023, 24, 1318. | 1.8 | 6 |
| 736 | Pretreatment Neutrophil/Lymphocytes Ratio in Non-Metastatic Colon Cancer as a Prognostic and Predictive Factor: A Retrospective Study. Journal of Cancer Therapy, 2023, 14, 6-24. | 0.1 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 737 | A Retrospective Study to Evaluate the Association Between the Glasgow Prognostic Score and Atrial Fibrillation, Stroke, and Mortality at 30 Days and at 1 Year After Coronary Artery Bypass Graft Surgery. Medical Science Monitor, 0, 29, . | 0.5 | 0 |
| 738 | Prognostic nutritional index: A potential biomarker for predicting the prognosis of decompensated liver cirrhosis. Frontiers in Nutrition, 0, 9, . | 1.6 | 2 |
| 739 | Comprehensive comparative analysis of prognostic value of serum systemic inflammation biomarkers for colorectal cancer: Results from a large multicenter collaboration. Frontiers in Immunology, 0, 13, . | 2.2 | 4 |
| 740 | Impact of serum albumin concentration and neutrophil–lymphocyte ratio score on gastric cancer prognosis. Langenbeck's Archives of Surgery, 2023, 408, . | 0.8 | 4 |
| 741 | Inflammation and nutritional status indicators as prognostic indicators for patients with locally advanced gastrointestinal stromal tumors treated with neoadjuvant imatinib. BMC Gastroenterology, 2023, 23, . | 0.8 | 3 |
| 742 | Systemic inflammation response index and systemic immune-inflammation index for predicting complications of acute appendicitis: A retrospective study. Journal of Acute Disease, 2023, 12, 23. | 0.0 | 1 |
| 743 | Characteristics and outcomes of small bowel adenocarcinoma: 14 years of experience at a single tertiary hospital in Saudi Arabia. Molecular and Clinical Oncology, 2023, 18, . | 0.4 | 1 |
| 745 | Do haematological parameters such as HALP and Lymphocyte to C-reactive protein ratio predict tumor response to neoadjuvant chemoradiotherapy in locally advanced rectal cancer?. Polski Przeglad Chirurgiczny, 2022, 95, 1-5. | 0.2 | O |
| 746 | Clinical value of combined preoperative–postoperative neutrophil-to-lymphocyte ratio in predicting hepatocellular carcinoma prognosis after radiofrequency ablation. British Journal of Radiology, 2023, 96, . | 1.0 | 1 |
| 747 | C-reactive protein levels could be a prognosis predictor of prostate cancer: A meta-analysis. Frontiers in Endocrinology, 0, 14, . | 1.5 | 3 |
| 748 | Independent predictive value of blood inflammatory composite markers in ovarian cancer: recent clinical evidence and perspective focusing on NLR and PLR. Journal of Ovarian Research, 2023, 16, . | 1.3 | 13 |
| 749 | Colorectal Cancer (CRC): Investigating the Expression of the Suppressor of Fused (SuFu) Gene and Its Relationship with Several Inflammatory Blood-Based Biomarkers. Biomedicines, 2023, 11, 540. | 1.4 | 1 |
| 750 | Real Check RIO: A Real-World Analysis of Nivolumab in First Line Metastatic Melanoma Assessing Efficacy, Safety and Predictive Factors. Cancers, 2023, 15, 1265. | 1.7 | 0 |
| 751 | Preoperative C-reactive protein is related with renal cell tumor dimension? Preliminary results. Romanian Journal of Morphology and Embryology, 2023, 63, 639-644. | 0.4 | 0 |
| 752 | Prognostic Value of Combined Hematological/Biochemical Indexes and Tumor Clinicopathologic Features in Colorectal Cancer Patients—A Pilot Single Center Study. Cancers, 2023, 15, 1761. | 1.7 | 1 |
| 753 | Preoperative Neutrophil-Lymphocyte Ratio (NLR)-Binding Fibrinogen-Albumin Ratio (FAR) Is Superior to Platelet-Lymphocyte Ratio (PLR)-Binding Fibrinogen-Albumin Ratio (FAR) and Lymphocyte-Monocyte (LMR)-Binding Fibrinogen-Albumin Ratio (FAR) as Predictors of Survival in Surgical Patients with Colorectal Adenocarcinoma. Medical Science Monitor. 0. 29. | 0.5 | 3 |
| 754 | The Utility of Glasgow Prognostic Score as an Indicator of Mortality After Transcatheter Aortic Valve Implantation. Journal of Contemporary Medicine, 2023, 13, 182-186. | 0.1 | 0 |
| 755 | Albumin-Globulin Ratio Indicates the Survival Outcome of Pancreatic Cancer Cases Who Underwent Preoperative Treatment and Curative Surgical Resection. Nutrition and Cancer, 2023, 75, 1330-1339. | 0.9 | 2 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 756 | Prognostic significance of inflammation-related and electrolyte laboratory variables in patients with malignant pleural mesothelioma. Frontiers in Medicine, $0,10,10$ | 1.2 | 1 |
| 757 | Inflammatory Networks in Renal Cell Carcinoma. Cancers, 2023, 15, 2212. | 1.7 | 1 |
| 758 | Prognostic analysis of the plasma fibrinogen combined with <scp>neutrophilâ€toâ€lymphocyte</scp> ratio in patients with non–small cell lung cancer after radical resection. Thoracic Cancer, 2023, 14, 1383-1391. | 0.8 | 1 |
| 759 | A low cumulative perioperative prognostic nutritional index predicts poor long-term outcomes in patients with gastric cancer: A single-center retrospective study in Japan. Surgery Today, 2023, 53, 1294-1304. | 0.7 | 0 |
| 760 | The prognostic value of preoperative systemic inflammation-based scoring in patients undergoing endovascular repair of abdominal aortic aneurysm. Journal of Vascular Surgery, 2023, 78, 362-369.e2. | 0.6 | 3 |
| 761 | Role and research progress of hematological markers in laryngeal squamous cell carcinoma. Diagnostic Pathology, 2023, 18 , . | 0.9 | 0 |