

# Activation of cannabinoid 2 receptors protects against neutrophil recruitment

FASEB Journal

24, 788-798

DOI: [10.1096/fj.09-141275](https://doi.org/10.1096/fj.09-141275)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Cannabinoid-2 receptor limits inflammation, oxidative/nitrosative stress, and cell death in nephropathy. <i>Free Radical Biology and Medicine</i> , 2010, 48, 457-467.	1.3	181
2	Intracerebral Hemorrhage Research. <i>Acta Neurochirurgica Supplementum</i> , 2011, , .	0.5	4
3	HIV-1 infection and alcohol abuse: Neurocognitive impairment, mechanisms of neurodegeneration and therapeutic interventions. <i>Brain, Behavior, and Immunity</i> , 2011, 25, S61-S70.	2.0	111
4	TWEAK regulates proliferation and differentiation of adult neural progenitor cells. <i>Molecular and Cellular Neurosciences</i> , 2011, 46, 325-332.	1.0	20
5	Is lipid signaling through cannabinoid 2 receptors part of a protective system?. <i>Progress in Lipid Research</i> , 2011, 50, 193-211.	5.3	362
6	Monocyte Chemoattractant Protein-1-Deficiency Impairs the Expression of IL-6, IL-1 $\beta$ and G-CSF after Transient Focal Ischemia in Mice. <i>PLoS ONE</i> , 2011, 6, e25863.	1.1	58
7	Influenza Virus Infection Aggravates Stroke Outcome. <i>Stroke</i> , 2011, 42, 783-791.	1.0	104
8	Cannabinoid Receptor Type 2 Activation Yields Delayed Tolerance to Focal Cerebral Ischemia. <i>Current Neurovascular Research</i> , 2011, 8, 145-152.	0.4	18
9	Chronic $\delta$ -9-tetrahydrocannabinol Administration Increases Lymphocyte CXCR4 Expression in Rhesus Macaques. <i>Journal of NeuroImmune Pharmacology</i> , 2011, 6, 540-545.	2.1	15
10	Cannabinoids Inhibit Migration of Microglial-like Cells to the HIV Protein Tat. <i>Journal of NeuroImmune Pharmacology</i> , 2011, 6, 566-577.	2.1	39
11	CB2 cannabinoid receptor targets mitogenic Gi protein $\beta$ -cyclin D1 axis in osteoblasts. <i>Journal of Bone and Mineral Research</i> , 2011, 26, 308-316.	3.1	73
12	Pannexins in ischemia-induced neurodegeneration. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 20772-20777.	3.3	202
13	CC and CXC chemokines are pivotal mediators of cerebral injury in ischaemic stroke. <i>Thrombosis and Haemostasis</i> , 2011, 105, 409-420.	1.8	119
14	A Signaling Cascade of Nuclear Calcium-CREB-ATF3 Activated by Synaptic NMDA Receptors Defines a Gene Repression Module That Protects against Extrasynaptic NMDA Receptor-Induced Neuronal Cell Death and Ischemic Brain Damage. <i>Journal of Neuroscience</i> , 2011, 31, 4978-4990.	1.7	128
15	Green Tea Epigallo-Catechin-Galleate Ameliorates the Development of Obliterative Airway Disease. <i>Experimental Lung Research</i> , 2011, 37, 435-444.	0.5	13
16	Activation of Cannabinoid Receptor 2 Attenuates Leukocyte $\beta$ -Endothelial Cell Interactions and Blood $\beta$ -Brain Barrier Dysfunction under Inflammatory Conditions. <i>Journal of Neuroscience</i> , 2012, 32, 4004-4016.	1.7	202
17	Immune mechanisms of stroke. <i>Current Opinion in Neurology</i> , 2012, 25, 334-340.	1.8	71
18	Cannabinoid Type 2 Receptor Activation Downregulates Stroke-Induced Classic and Alternative Brain Macrophage/Microglial Activation Concomitant to Neuroprotection. <i>Stroke</i> , 2012, 43, 211-219.	1.0	179

#	ARTICLE	IF	CITATIONS
19	Visualization by mass spectrometry of 2-dimensional changes in rat brain lipids, including N-acylphosphatidylethanolamines, during neonatal brain ischemia. <i>FASEB Journal</i> , 2012, 26, 2667-2673.	0.2	53
20	Neutralization of the IL-17 axis diminishes neutrophil invasion and protects from ischemic stroke. <i>Blood</i> , 2012, 120, 3793-3802.	0.6	374
21	Signaling through cannabinoid receptor 2 suppresses murine dendritic cell migration by inhibiting matrix metalloproteinase 9 expression. <i>Blood</i> , 2012, 120, 3741-3749.	0.6	66
22	Targeting cannabinoid receptor CB <sub>2</sub> in cardiovascular disorders: promises and controversies. <i>British Journal of Pharmacology</i> , 2012, 167, 313-323.	2.7	101
23	Cannabinoid Receptor 2 Signaling in Peripheral Immune Cells Modulates Disease Onset and Severity in Mouse Models of Huntington's Disease. <i>Journal of Neuroscience</i> , 2012, 32, 18259-18268.	1.7	115
24	Unique Effects of Compounds Active at Both Cannabinoid and Serotonin Receptors During Stroke. <i>Translational Stroke Research</i> , 2012, 3, 348-356.	2.3	12
25	CNS effects of CB <sub>2</sub> cannabinoid receptors: beyond neuro-immuno-cannabinoid activity. <i>Journal of Psychopharmacology</i> , 2012, 26, 92-103.	2.0	158
26	Reduced infarct size and accumulation of microglia in rats treated with WIN 55,212-2 after neonatal stroke. <i>Neuroscience</i> , 2012, 207, 307-315.	1.1	47
27	Δ <sup>8</sup> -tetrahydrocannabivarin prevents hepatic ischaemia/reperfusion injury by decreasing oxidative stress and inflammatory responses through cannabinoid CB <sub>2</sub> receptors. <i>British Journal of Pharmacology</i> , 2012, 165, 2450-2461.	2.7	38
28	The fatty acid amide hydrolase inhibitor URB597 exerts anti-inflammatory effects in hippocampus of aged rats and restores an age-related deficit in long-term potentiation. <i>Journal of Neuroinflammation</i> , 2012, 9, 79.	3.1	64
29	Small-animal PET imaging of the type 1 and type 2 cannabinoid receptors in a photothrombotic stroke model. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012, 39, 1796-1806.	3.3	25
30	Connexin 36 promotes cortical spreading depolarization and ischemic brain damage. <i>Brain Research</i> , 2012, 1479, 80-85.	1.1	12
31	Cannabinoid receptor subtypes 1 and 2 mediate long-lasting neuroprotection and improve motor behavior deficits after transient focal cerebral ischemia. <i>Neuroscience</i> , 2012, 227, 313-326.	1.1	33
32	Design, Synthesis, and Pharmacological Characterization of Indol-3-ylacetamides, Indol-3-ylxoacetamides, and Indol-3-ylcarboxamides: Potent and Selective CB <sub>2</sub> Cannabinoid Receptor Inverse Agonists. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 5391-5402.	2.9	27
33	A new cannabinoid CB <sub>2</sub> receptor agonist HU-910 attenuates oxidative stress, inflammation and cell death associated with hepatic ischaemia/reperfusion injury. <i>British Journal of Pharmacology</i> , 2012, 165, 2462-2478.	2.7	90
34	Cannabinoid receptor-2 (CB <sub>2</sub> ) agonist ameliorates colitis in IL-10 <sup>-/-</sup> mice by attenuating the activation of T cells and promoting their apoptosis. <i>Toxicology and Applied Pharmacology</i> , 2012, 258, 256-267.	1.3	106
35	Proteolytic Activity Attenuates the Response of Endothelial Cells to Fluid Shear Stress. <i>Cellular and Molecular Bioengineering</i> , 2012, 5, 82-91.	1.0	7
36	Activation of Cannabinoid CB <sub>2</sub> Receptor-Mediated AMPK/CREB Pathway Reduces Cerebral Ischemic Injury. <i>American Journal of Pathology</i> , 2013, 182, 928-939.	1.9	134

#	ARTICLE	IF	CITATIONS
37	Cannabinoids Inhibit T-cells via Cannabinoid Receptor 2 in an In Vitro Assay for Graft Rejection, the Mixed Lymphocyte Reaction. <i>Journal of NeuroImmune Pharmacology</i> , 2013, 8, 1239-1250.	2.1	44
38	Cannabinoid Receptor 2: Potential Role in Immunomodulation and Neuroinflammation. <i>Journal of NeuroImmune Pharmacology</i> , 2013, 8, 608-620.	2.1	191
39	Systemic immune activation shapes stroke outcome. <i>Molecular and Cellular Neurosciences</i> , 2013, 53, 14-25.	1.0	67
40	Cerebroprotective effects of TAK-937, a novel cannabinoid receptor agonist, in permanent and thrombotic focal cerebral ischemia in rats: Therapeutic time window, combination with t-PA and efficacy in aged rats. <i>Brain Research</i> , 2013, 1526, 84-93.	1.1	11
41	Trisubstituted Sulfonamides: A New Chemotype for Development of Potent and Selective CB <sub>2</sub> Receptor Inverse Agonists. <i>ACS Medicinal Chemistry Letters</i> , 2013, 4, 387-392.	1.3	16
42	Interleukin-17 in post-stroke neurodegeneration. <i>Neuroscience and Biobehavioral Reviews</i> , 2013, 37, 436-447.	2.9	73
43	Modulating the endocannabinoid system in human health and disease – successes and failures. <i>FEBS Journal</i> , 2013, 280, 1918-1943.	2.2	315
44	N2 Neutrophils, Novel Players in Brain Inflammation After Stroke. <i>Stroke</i> , 2013, 44, 3498-3508.	1.0	284
45	2-Arachidonoyl-glycerol- and arachidonic acid-stimulated neutrophils release antimicrobial effectors against <i>E. coli</i> , <i>S. aureus</i> , HSV-1, and RSV. <i>Journal of Leukocyte Biology</i> , 2013, 93, 267-276.	1.5	34
46	Treatment with Evasin-3 Reduces Atherosclerotic Vulnerability for Ischemic Stroke, but Not Brain Injury in Mice. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2013, 33, 490-498.	2.4	55
47	Cannabinoids: Well-Suited Candidates for the Treatment of Perinatal Brain Injury. <i>Brain Sciences</i> , 2013, 3, 1043-1059.	1.1	20
48	Ageing aggravates ischemic stroke-induced brain damage in mice with chronic peripheral infection. <i>Ageing Cell</i> , 2013, 12, 842-850.	3.0	35
49	Stroke: Pathophysiology and Therapy. <i>Colloquium Series on Integrated Systems Physiology From Molecule To Function</i> , 2013, 5, 1-91.	0.3	0
50	Mass Transfer and Computational Fluid-dynamics in Bioreactors. , 2013, , 460-486.		0
51	Hydroxycarboxylic acid receptor 2 mediates dimethyl fumarate's protective effect in EAE. <i>Journal of Clinical Investigation</i> , 2014, 124, 2188-2192.	3.9	255
52	Cannabinoid type 2 receptor stimulation attenuates brain edema by reducing cerebral leukocyte infiltration following subarachnoid hemorrhage in rats. <i>Journal of the Neurological Sciences</i> , 2014, 342, 101-106.	0.3	41
53	Cancer risks from diabetes therapies: Evaluating the evidence. , 2014, 144, 71-81.		16
54	Cannabinoid receptor type 2 agonist attenuates apoptosis by activation of phosphorylated CREB's Bcl-2 pathway after subarachnoid hemorrhage in rats. <i>Experimental Neurology</i> , 2014, 261, 396-403.	2.0	47

#	ARTICLE	IF	CITATIONS
55	The cannabinoid CB2 receptor agonist GW405833 does not ameliorate brain damage induced by hypoxia-ischemia in rats. <i>Neuroscience Letters</i> , 2014, 569, 104-109.	1.0	15
56	What we know and do not know about the cannabinoid receptor 2 (CB2). <i>Seminars in Immunology</i> , 2014, 26, 369-379.	2.7	95
57	Functions of the CB1 and CB2 Receptors in Neuroprotection at the Level of the Blood-Brain Barrier. <i>NeuroMolecular Medicine</i> , 2014, 16, 620-642.	1.8	50
59	Cannabinoid 2 receptor activation reduces leukocyte adhesion and improves capillary perfusion in the iridial microvasculature during systemic inflammation. <i>Clinical Hemorheology and Microcirculation</i> , 2015, 61, 237-249.	0.9	28
60	Peripherally Restricted Cannabinoids for the Treatment of Pain. <i>Pharmacotherapy</i> , 2015, 35, 917-925.	1.2	21
61	Non-Selective Cannabinoid Receptor Antagonists, Hinokiresinols Reduce Infiltration of Microglia/Macrophages into Ischemic Brain Lesions in Rat via Modulating 2-Arachidonolyglycerol-Induced Migration and Mitochondrial Activity. <i>PLoS ONE</i> , 2015, 10, e0141600.	1.1	7
62	Complexity of the cell-cell interactions in the innate immune response after cerebral ischemia. <i>Brain Research</i> , 2015, 1623, 53-62.	1.1	17
64	A CB2-Selective Cannabinoid Suppresses T-Cell Activities and Increases Tregs and IL-10. <i>Journal of NeuroImmune Pharmacology</i> , 2015, 10, 318-332.	2.1	40
65	Cannabinoid CB2 receptor stimulation attenuates brain edema and neurological deficits in a germinal matrix hemorrhage rat model. <i>Brain Research</i> , 2015, 1602, 127-135.	1.1	18
66	Cannabinoid Signaling and Neuroinflammatory Diseases: A Melting pot for the Regulation of Brain Immune Responses. <i>Journal of NeuroImmune Pharmacology</i> , 2015, 10, 268-280.	2.1	60
67	Cannabinoids in Experimental Stroke: A Systematic Review and Meta-Analysis. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2015, 35, 348-358.	2.4	71
68	Cannabis, Cannabinoids, and Cerebral Metabolism: Potential Applications in Stroke and Disorders of the Central Nervous System. <i>Current Cardiology Reports</i> , 2015, 17, 627.	1.3	13
69	CB1 cannabinoid receptor agonist inhibits matrix metalloproteinase activity in spinal cord injury: A possible mechanism of improved recovery. <i>Neuroscience Letters</i> , 2015, 597, 19-24.	1.0	11
70	Regulation of inflammation by cannabinoids, the endocannabinoids 2-arachidonoyl-glycerol and arachidonoyl-ethanolamide, and their metabolites. <i>Journal of Leukocyte Biology</i> , 2015, 97, 1049-1070.	1.5	168
71	Downstream effects of endocannabinoid on blood cells: implications for health and disease. <i>Cellular and Molecular Life Sciences</i> , 2015, 72, 3235-3252.	2.4	10
72	The HIF-1/glial TIM-3 axis controls inflammation-associated brain damage under hypoxia. <i>Nature Communications</i> , 2015, 6, 6340.	5.8	110
73	Nutritional or pharmacological activation of HCA2 ameliorates neuroinflammation. <i>Trends in Molecular Medicine</i> , 2015, 21, 245-255.	3.5	70
74	Endocannabinoids. <i>Handbook of Experimental Pharmacology</i> , 2015, , .	0.9	19

#	ARTICLE	IF	CITATIONS
75	Genetic Manipulation of the Endocannabinoid System. Handbook of Experimental Pharmacology, 2015, 231, 129-183.	0.9	17
76	New horizons for newborn brain protection: enhancing endogenous neuroprotection. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2015, 100, F541-F552.	1.4	164
77	Cannabinoids in Neurodegenerative Disorders and Stroke/Brain Trauma: From Preclinical Models to Clinical Applications. Neurotherapeutics, 2015, 12, 793-806.	2.1	108
78	Very-late-antigen-4 (VLA-4)-mediated brain invasion by neutrophils leads to interactions with microglia, increased ischemic injury and impaired behavior in experimental stroke. Acta Neuropathologica, 2015, 129, 259-277.	3.9	210
79	Immune System Involvement in the Degeneration, Neuroprotection, and Restoration after Stroke. , 0, , .		2
80	The cannabinoid 2 receptor agonist $\Delta^2$ -caryophyllene modulates the inflammatory reaction induced by Mycobacterium bovis BCG by inhibiting neutrophil migration. Inflammation Research, 2016, 65, 869-879.	1.6	31
81	Microglia activation states and cannabinoid system: Therapeutic implications. , 2016, 166, 40-55.		127
82	CB2 cannabinoid receptors modulate HIF-1 $\alpha$ and TIM-3 expression in a hypoxia-ischemia mouse model. European Neuropsychopharmacology, 2016, 26, 1972-1988.	0.3	23
83	Cannabinoid 2 Receptor Agonist Improves Systemic Sensitivity to Insulin in High-Fat Diet/Streptozotocin-Induced Diabetic Mice. Cellular Physiology and Biochemistry, 2016, 40, 1175-1185.	1.1	26
84	Post-ischemic treatment of WIB801C, standardized Cordyceps extract, reduces cerebral ischemic injury via inhibition of inflammatory cell migration. Journal of Ethnopharmacology, 2016, 186, 169-180.	2.0	18
85	$\Delta^2$ -Caryophyllene protects <i>in vitro</i> neurovascular unit against oxygen-glucose deprivation and reoxygenation-induced injury. Journal of Neurochemistry, 2016, 139, 757-768.	2.1	43
86	CB2 receptor activation prevents glial-derived neurotoxic mediator production, BBB leakage and peripheral immune cell infiltration and rescues dopamine neurons in the MPTP model of Parkinson's disease. Experimental and Molecular Medicine, 2016, 48, e205-e205.	3.2	103
87	Cannabinoid receptor-specific mechanisms to alleviate pain in sickle cell anemia via inhibition of mast cell activation and neurogenic inflammation. Haematologica, 2016, 101, 566-577.	1.7	51
88	Non-Neuronal Mechanisms of Brain Damage and Repair After Stroke. Springer Series in Translational Stroke Research, 2016, , .	0.1	1
89	The CB2 receptor and its role as a regulator of inflammation. Cellular and Molecular Life Sciences, 2016, 73, 4449-4470.	2.4	375
90	Role of neutrophils in atherogenesis: an update. European Journal of Clinical Investigation, 2016, 46, 252-263.	1.7	32
91	Effects of cannabinoids and their receptors on viral infections. Journal of Medical Virology, 2016, 88, 1-12.	2.5	52
92	Tissue plasminogen activator followed by antioxidant-loaded nanoparticle delivery promotes activation/mobilization of progenitor cells in infarcted rat brain. Biomaterials, 2016, 81, 169-180.	5.7	69

#	ARTICLE	IF	CITATIONS
93	Neuroprotective Effect of JZL184 in MPP+-Treated SH-SY5Y Cells Through CB2 Receptors. <i>Molecular Neurobiology</i> , 2016, 53, 2312-2319.	1.9	32
94	Cannabinoids to treat spinal cord injury. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016, 64, 190-199.	2.5	20
95	Cannabinoid receptor type 2 (CB2) as one of the candidate genes in human carotid plaque imaging: Evaluation of the novel radiotracer [ <sup>11</sup> C]RS-016 targeting CB2 in atherosclerosis. <i>Nuclear Medicine and Biology</i> , 2017, 47, 31-43.	0.3	26
96	PET imaging of cannabinoid type 2 receptors with [ <sup>11</sup> C]A-836339 did not evidence changes following neuroinflammation in rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017, 37, 1163-1178.	2.4	31
97	The endocannabinoid system, a novel and key participant in acupuncture's multiple beneficial effects. <i>Neuroscience and Biobehavioral Reviews</i> , 2017, 77, 340-357.	2.9	15
98	Inhibitory effect of trans-caryophyllene (TC) on leukocyte-endothelial attachment. <i>Toxicology and Applied Pharmacology</i> , 2017, 329, 326-333.	1.3	22
99	Genetic neutrophil deficiency ameliorates cerebral ischemia-reperfusion injury. <i>Experimental Neurology</i> , 2017, 298, 104-111.	2.0	23
100	Interactions between the Kynurenine and the Endocannabinoid System with Special Emphasis on Migraine. <i>International Journal of Molecular Sciences</i> , 2017, 18, 1617.	1.8	19
101	Therapeutic Potential of Intravenous Immunoglobulin in Acute Brain Injury. <i>Frontiers in Immunology</i> , 2017, 8, 875.	2.2	19
102	Cannabinoid Receptor 2 Modulates Neutrophil Recruitment in a Murine Model of Endotoxemia. <i>Mediators of Inflammation</i> , 2017, 2017, 1-15.	1.4	24
103	Activation of cannabinoid receptor type 2 attenuates surgery-induced cognitive impairment in mice through anti-inflammatory activity. <i>Journal of Neuroinflammation</i> , 2017, 14, 138.	3.1	72
104	Is the Cannabinoid CB 2 Receptor a Major Regulator of the Neuroinflammatory Axis of the Neurovascular Unit in Humans?. <i>Advances in Pharmacology</i> , 2017, 80, 367-396.	1.2	9
105	AM1241 alleviates MPTP-induced Parkinson's disease and promotes the regeneration of DA neurons in PD mice. <i>Oncotarget</i> , 2017, 8, 67837-67850.	0.8	29
106	The role of monocytes and neutrophilia in atherosclerosis. <i>Journal of Cellular and Molecular Medicine</i> , 2018, 22, 1366-1382.	1.6	48
107	Upregulation of Microglial ZEB1 Ameliorates Brain Damage after Acute Ischemic Stroke. <i>Cell Reports</i> , 2018, 22, 3574-3586.	2.9	62
108	Effects of cannabinoid receptor type 2 in respiratory syncytial virus infection in human subjects and mice. <i>Virulence</i> , 2018, 9, 217-230.	1.8	54
109	Inflammation and CB2 signaling drive novel changes in the ocular lipidome and regulate immune cell activity in the eye. <i>Prostaglandins and Other Lipid Mediators</i> , 2018, 139, 54-62.	1.0	15
110	Targeting pain at its source in sickle cell disease. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2018, 315, R104-R112.	0.9	29

#	ARTICLE	IF	CITATIONS
111	Modulation of the Oxidative Stress and Lipid Peroxidation by Endocannabinoids and Their Lipid Analogues. <i>Antioxidants</i> , 2018, 7, 93.	2.2	71
112	Cannabinoid Receptors as Regulators of Neutrophil Activity in Inflammatory Diseases. , 2019, , .		5
113	Kynurenines and the Endocannabinoid System in Schizophrenia: Common Points and Potential Interactions. <i>Molecules</i> , 2019, 24, 3709.	1.7	16
114	N2 neutrophils may participate in spontaneous recovery after transient cerebral ischemia by inhibiting ischemic neuron injury in rats. <i>International Immunopharmacology</i> , 2019, 77, 105970.	1.7	24
115	Role of TLR4 (Toll-Like Receptor 4) in N1/N2 Neutrophil Programming After Stroke. <i>Stroke</i> , 2019, 50, 2922-2932.	1.0	106
116	The protective effect of cannabinoid type 2 receptor activation on renal ischemiaâ€“reperfusion injury. <i>Molecular and Cellular Biochemistry</i> , 2019, 462, 123-132.	1.4	14
117	Harmful Effects of Smoking Cannabis: A Cerebrovascular and Neurological Perspective. <i>Frontiers in Pharmacology</i> , 2019, 10, 1481.	1.6	29
118	The ameliorating effect of cannabinoid type 2 receptor activation on brain, lung, liver and heart damage in cecal ligation and puncture-induced sepsis model in rats. <i>International Immunopharmacology</i> , 2020, 78, 105978.	1.7	16
119	The impact of cannabinoid type 2 receptors (CB2Rs) in neuroprotection against neurological disorders. <i>Acta Pharmacologica Sinica</i> , 2020, 41, 1507-1518.	2.8	17
120	Characterization of CB2 Receptor Expression in Peripheral Blood Monocytes of Acute Ischemic Stroke Patients. <i>Translational Stroke Research</i> , 2021, 12, 550-558.	2.3	13
121	Adjuvant Cannabinoid Receptor Type 2 Agonist Modulates the Polarization of Microglia Towards a Non-Inflammatory Phenotype in Experimental Pneumococcal Meningitis. <i>Frontiers in Cellular and Infection Microbiology</i> , 2020, 10, 588195.	1.8	7
122	Beta-Caryophyllene, a CB2R Selective Agonist, Protects Against Cognitive Impairment Caused by Neuro-inflammation and Not in Dementia Due to Ageing Induced by Mitochondrial Dysfunction. <i>CNS and Neurological Disorders - Drug Targets</i> , 2021, 20, 963-974.	0.8	7
123	Neuroprotective and Immunomodulatory Action of the Endocannabinoid System under Neuroinflammation. <i>International Journal of Molecular Sciences</i> , 2021, 22, 5431.	1.8	49
124	G-Protein-Coupled Receptors and Ischemic Stroke: a Focus on Molecular Function and Therapeutic Potential. <i>Molecular Neurobiology</i> , 2021, 58, 4588-4614.	1.9	9
125	The Therapeutic Potential of Cannabis in Counteracting Oxidative Stress and Inflammation. <i>Molecules</i> , 2021, 26, 4551.	1.7	17
126	Cannabinoid Type-2 Receptor Agonist, JWH133 May Be a Possible Candidate for Targeting Infection, Inflammation, and Immunity in COVID-19. <i>Immuno</i> , 2021, 1, 285-304.	0.6	1
127	The anti-inflammatory effects of cannabidiol and cannabigerol alone, and in combination. <i>Pulmonary Pharmacology and Therapeutics</i> , 2021, 69, 102047.	1.1	24
128	Brain Immune Interactionsâ€”Novel Emerging Options to Treat Acute Ischemic Brain Injury. <i>Cells</i> , 2021, 10, 2429.	1.8	15



#	ARTICLE	IF	CITATIONS
129	Pharmacological potential of JWH133, a cannabinoid type 2 receptor agonist in neurodegenerative, neurodevelopmental and neuropsychiatric diseases. <i>European Journal of Pharmacology</i> , 2021, 909, 174398.	1.7	3
130	Neutrophil Depletion Diminishes Monocyte Infiltration and Improves Functional Outcome After Experimental Intracerebral Hemorrhage. <i>Acta Neurochirurgica Supplementum</i> , 2011, 111, 173-178.	0.5	66
131	Pseudoginsenoside-F11 ameliorates ischemic neuron injury by regulating the polarization of neutrophils and macrophages in vitro. <i>International Immunopharmacology</i> , 2020, 85, 106564.	1.7	9
132	Cannabinoid Receptor 2 Signaling Does Not Modulate Atherogenesis in Mice. <i>PLoS ONE</i> , 2011, 6, e19405.	1.1	21
133	Innovative Therapeutic Potential of Cannabinoid Receptors as Targets in Alzheimer's Disease and Less Well-Known Diseases. <i>Current Medicinal Chemistry</i> , 2019, 26, 3300-3340.	1.2	13
134	&lt;i&gt;Helicobacter&lt;/i&gt; infection decreases basal colon inflammation, but increases disease activity in experimental IBD. <i>Open Journal of Gastroenterology</i> , 2013, 03, 177-189.	0.1	5
135	Role of aryl hydrocarbon receptor in mesenchymal stromal cell activation: A minireview. <i>World Journal of Stem Cells</i> , 2017, 9, 152-158.	1.3	6
137	Cannabinoids in the Brain: Their Metabolism, Roles, and Involvement in Neurological Disorders. , 2011, , 133-157.		0
138	Roles of Neutrophils in Stroke. <i>Springer Series in Translational Stroke Research</i> , 2016, , 273-301.	0.1	0
139	NOX2 is involved in CB2-mediated protection against lung ischemia-reperfusion injury in mice. <i>International Journal of Clinical and Experimental Pathology</i> , 2020, 13, 277-285.	0.5	4
140	A Cannabinoid 2-Selective Agonist Inhibits Allogeneic Skin Graft Rejection In Vivo. <i>Frontiers in Pharmacology</i> , 2021, 12, 804950.	1.6	3
141	â€œThe Two Sides of the Same Coinâ€”Medical Cannabis, Cannabinoids and Immunity: Pros and Cons Explained. <i>Pharmaceutics</i> , 2022, 14, 389.	2.0	16
144	Cannabinoid Receptor 2 (CB2) Inverse Agonist SMM-189 Induces Expression of Endogenous CB2 and Protein Kinase A That Differentially Modulates the Immune Response and Suppresses Experimental Colitis. <i>Pharmaceutics</i> , 2022, 14, 936.	2.0	4
145	Effect of Different Psychoactive Substances on Hematological Parameters of Dependents in TÃ¼rkiye. <i>The Journal of Pediatric Academy</i> , 2022, 3, 191-196.	0.1	0
146	Neuroprotection by the cannabidiol aminoquinone VCE-004.8 in experimental ischemic stroke in mice. <i>Neurochemistry International</i> , 2023, 165, 105508.	1.9	1
148	Targeting the CB (2) receptor to delay progression of cardiovascular diseases. , 2023, , 171-182.		0