

CITATION REPORT

List of articles citing

Exercise training in older patients with heart failure and preserved ejection fraction: a randomized, controlled, single-blind trial

DOI: 10.1161/circheartfailure.110.958785

Circulation: Heart Failure, 2010, 3, 659-67.

Source: <https://exaly.com/paper-pdf/49067244/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
306	Heart failure with preserved ejection fraction. 2011 , 124, e540-3		91
305	Heart failure with a preserved ejection fraction: what is in a name?. 2011 , 58, 275-7		17
304	Exercise training improves exercise capacity and diastolic function in patients with heart failure with preserved ejection fraction: results of the Ex-DHF (Exercise training in Diastolic Heart Failure) pilot study. 2011 , 58, 1780-91		406
303	Left atrial compression and the mechanism of exercise impairment in patients with a large hiatal hernia. 2011 , 58, 1624-34		53
302	Exercise training in heart failure with preserved ejection fraction: beyond proof-of-concept. 2011 , 58, 1792-4		22
301	2nd Baltic and North Sea Conference on Physical and Rehabilitation Medicine From Biomechanisms to Outcomes! 2011 , 43, 817-869		
300	Alternative Non-Medical, Non-Surgical Therapies for the Treatment of Angina Pectoris. 2011 ,		
299	Exercise training in congestive heart failure: risks and benefits. 2011 , 53, 419-28		46
298	Heart Failure with Preserved Ejection Fraction: Persistent Diagnosis, Therapeutic Enigma. 2011 , 5, 440-449		75
297	Circulation Editors' Picks. 2011 , 124,		
296	Circulation Editors' Picks. 2011 , 124,		
295	Circulation: Heart Failure Editors' Picks. 2011 , 124,		
294	The older patient with heart failure: high risk for frailty and cognitive impairment. 2012 , 10, 779-95		25
293	Exercise training improves diastolic function in heart failure patients. 2012 , 44, 776-85		69
292	Importance of characteristics and modalities of physical activity and exercise in the management of cardiovascular health in individuals with cardiovascular disease (Part III). 2012 , 19, 1333-56		138
291	The 6-min walk test: is it an effective method for evaluating heart failure therapies?. 2012 , 14, 147-59		4
290	Most important outcomes research papers in cardiovascular disease in the elderly. 2012 , 5, e17-26		4

289	Phosphodiesterase-5 Inhibition to Improve Clinical Status and Exercise Capacity in Diastolic Heart Failure (RELAX) trial: rationale and design. <i>Circulation: Heart Failure</i> , 2012 , 5, 653-9	7.6	98
288	Cardiac rehabilitation 2012: advancing the field through emerging science. 2012 , 125, e369-73		57
287	Circulation: Heart Failure Editors' Picks. <i>Circulation: Heart Failure</i> , 2012 , 5,	7.6	2
286	Adherence of heart failure patients to exercise: barriers and possible solutions: a position statement of the Study Group on Exercise Training in Heart Failure of the Heart Failure Association of the European Society of Cardiology. 2012 , 14, 451-8		177
285	Exercise Physiology and Rehabilitation in <i>Circulation</i> and the <i>Circulation</i> Subspecialty Journals. 2012 , 125,		
284	Low-sodium dietary approaches to stop hypertension diet reduces blood pressure, arterial stiffness, and oxidative stress in hypertensive heart failure with preserved ejection fraction. 2012 , 60, 1200-6		117
283	A randomised clinical trial of comprehensive cardiac rehabilitation versus usual care for patients treated for infective endocarditis--the CopenHeartIE trial protocol. 2012 , 2,		9
282	Cardiac Rehabilitation Programs and Health-Related Quality of Life. State of the Art. 2012 , 65, 72-79		6
281	Cardiac rehabilitation programs and health-related quality of life. State of the art. 2012 , 65, 72-9		24
280	Cardiovascular effects of 1 year of progressive endurance exercise training in patients with heart failure with preserved ejection fraction. 2012 , 164, 869-77		70
279	Invited editorial commentary for American Heart Journal mechanisms of exercise training in heart failure with preserved ejection fraction: central disappointment and peripheral promise. 2012 , 164, 807-9		6
278	Effects of exercise training for heart failure with preserved ejection fraction: a systematic review and meta-analysis of comparative studies. 2012 , 162, 6-13		69
277	Reply. 2012 , 59, 1658-1659		
276	The year in heart failure. 2012 , 60, 359-68		11
275	Effect of endurance training on the determinants of peak exercise oxygen consumption in elderly patients with stable compensated heart failure and preserved ejection fraction. 2012 , 60, 120-8		194
274	Exercise oscillatory ventilation in heart failure. 2012 , 22, 185-91		32
273	Triangulating Clinically Meaningful Change in the Six-minute Walk Test in Individuals with Chronic Heart Failure: A Systematic Review. 2012 , 23, 5-15		29
272	Heart failure with a normal ejection fraction: treatments for a complex syndrome?. 2012 , 14, 305-18		1

271	Exercise and heart failure in the elderly. 2012 , 17, 635-62	9
270	Role of physical training in heart failure with preserved ejection fraction. 2012 , 9, 101-6	40
269	Exercise training improves heart rate variability in older patients with heart failure: a randomized, controlled, single-blinded trial. 2012 , 18, 192-7	32
268	Exercise training in heart failure with preserved systolic function: a randomized controlled trial of the effects on cardiac function and functional capacity. 2012 , 18, 295-301	80
267	Practical management of heart failure with preserved ejection fraction. A modest proposal. 2013 , 106, 345-8	1
266	2013 ACCF/AHA Guideline for the Management of Heart Failure: Executive Summary. 2013 , 62, 1495-1539	233
265	Differential interaction of clinical characteristics with key functional parameters in heart failure with preserved ejection fraction--results of the Aldo-DHF trial. 2013 , 169, 408-17	27
264	2013 ACCF/AHA guideline for the management of heart failure: a report of the American College of Cardiology Foundation/American Heart Association Task Force on practice guidelines. 2013 , 128, e240-327	1927
263	Heart failure in very old adults. 2013 , 10, 387-400	21
262	Update on heart failure with preserved ejection fraction. 2013 , 7, 495-502	15
261	Impaired aerobic capacity and physical functional performance in older heart failure patients with preserved ejection fraction: role of lean body mass. 2013 , 68, 968-75	105
260	Unraveling new mechanisms of exercise intolerance in chronic heart failure: role of exercise training. 2013 , 18, 65-77	44
259	Cardiac rehabilitation exercise and self-care for chronic heart failure. 2013 , 1, 540-7	120
258	Matchmaking for the optimization of clinical trials of heart failure with preserved ejection fraction: no laughing matter. 2013 , 62, 1339-42	58
257	Evaluative framework for phase II studies in patients with heart failure and preserved ejection fraction. 2013 , 1, 123-6	5
256	Carotid arterial stiffness and its relationship to exercise intolerance in older patients with heart failure and preserved ejection fraction. 2013 , 61, 112-9	76
255	2013 ACCF/AHA guideline for the management of heart failure: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. 2013 , 62, e147-239	4318
254	Effect of endurance exercise training on endothelial function and arterial stiffness in older patients with heart failure and preserved ejection fraction: a randomized, controlled, single-blind trial. 2013 , 62, 584-92	221

253	β -Adrenergic receptor antagonist improves exercise performance in pacing-induced heart failure. 2013 , 305, H923-30	8
252	[Exercise training in heart failure]. 2013 , 38, 578-86	3
251	Exercise standards for testing and training: a scientific statement from the American Heart Association. 2013 , 128, 873-934	1060
250	The effect of integrated cardiac rehabilitation versus treatment as usual for atrial fibrillation patients treated with ablation: the randomised CopenHeartRFA trial protocol. 2013 , 3,	18
249	GNAS A-1121G variant is associated with improved diastolic dysfunction in response to exercise training in heart failure patients. 2013 , 34, 274-80	4
248	Exercise capacity in the Fontan circulation. 2013 , 23, 824-30	42
247	Exercise training in chronic heart failure. 2013 , 4, 105-17	40
246	Relationship of flow-mediated arterial dilation and exercise capacity in older patients with heart failure and preserved ejection fraction. 2013 , 68, 161-7	53
245	Increased confidence to engage in physical exertion: older ICD recipients' experiences of participating in an exercise training programme. 2013 , 12, 261-8	10
244	Cardiac output response to exercise in relation to metabolic demand in heart failure with preserved ejection fraction. 2013 , 15, 776-85	202
243	Tai chi in patients with heart failure with preserved ejection fraction. 2013 , 19, 77-84	55
242	Effects of inspiratory muscle training in patients with heart failure with preserved ejection fraction. 2014 , 21, 1465-73	45
241	The central renin-angiotensin system and sympathetic nerve activity in chronic heart failure. 2014 , 126, 695-706	89
240	Multidisciplinary rehabilitation program in recently hospitalized patients with heart failure and preserved ejection fraction: rationale and design of a randomized controlled trial. 2014 , 168, 830-7.e1	10
239	Effects of long-term endurance and resistance training on diastolic function, exercise capacity, and quality of life in asymptomatic diastolic dysfunction vs. heart failure with preserved ejection fraction. 2014 , 1, 59-74	11
238	Heart Failure with Preserved Ejection Fraction. 2014 , 193-203	
237	Exercise and dietary influences on arterial stiffness in cardiometabolic disease. 2014 , 63, 888-93	32
236	Improving functional capacity in heart failure: the need for a multifaceted approach. 2014 , 29, 467-74	20

235	PARIS: A good start for exercise in HFPEF. 2014 , 2014, 249-53	2
234	Effects of an interatrial shunt on rest and exercise hemodynamics: results of a computer simulation in heart failure. 2014 , 20, 212-21	81
233	Does self-management counseling in patients with heart failure improve quality of life? Findings from the Heart Failure Adherence and Retention Trial (HART). 2014 , 23, 31-8	23
232	Developing therapies for heart failure with preserved ejection fraction: current state and future directions. 2014 , 2, 97-112	213
231	Exercise-based rehabilitation for heart failure. 2014 , CD003331	205
230	Heart failure with preserved ejection fraction: an ongoing enigma. 2014 , 32, 151-61, ix-x	9
229	Clinical trials in patients with heart failure and preserved left ventricular ejection fraction. 2014 , 10, 511-23	31
228	Effects of exercise training on depression in patients with heart failure: a systematic review and meta-analysis of randomized controlled trials. 2014 , 16, 749-57	77
227	Skeletal muscle abnormalities and exercise intolerance in older patients with heart failure and preserved ejection fraction. 2014 , 306, H1364-70	187
226	Cardiovascular phenotype in HFpEF patients with or without diabetes: a RELAX trial ancillary study. 2014 , 64, 541-9	119
225	HFpEF: is splitting into distinct phenotypes by comorbidities the pathway forward?. 2014 , 64, 550-2	10
224	Effects of a comprehensive cardiac rehabilitation program in patients with coronary heart disease in Korea. 2014 , 16, 476-82	8
223	Heart failure with preserved ejection fraction: mechanisms, clinical features, and therapies. 2014 , 115, 79-96	322
222	Epidemiology of heart failure with preserved ejection fraction. 2014 , 11, 354-65	70
221	Contemporary strategies in the diagnosis and management of heart failure. 2014 , 89, 662-76	18
220	Association of cardiorespiratory fitness with left ventricular remodeling and diastolic function: the Cooper Center Longitudinal Study. 2014 , 2, 238-46	61
219	Skeletal muscle composition and its relation to exercise intolerance in older patients with heart failure and preserved ejection fraction. 2014 , 113, 1211-6	127
218	Fatness, fitness, stiffness, and age: how does it lead to heart failure?. 2014 , 2, 247-9	4

217	Heart failure with preserved ejection fraction. 2014 , 12, 743-50		6
216	Exercise physiology in heart failure and preserved ejection fraction. 2014 , 10, 445-52		36
215	Mechanisms of exercise intolerance in heart failure with preserved ejection fraction. 2014 , 78, 20-32		74
214	Skeletal Muscle Changes in Chronic Cardiac Disease and Failure. 2015 , 5, 1947-69		7
213	Heart Failure With Preserved Ejection Fraction. 2015 , 115, 432-42		9
212	Exercise Training and Heart Failure with Preserved Ejection Fraction: What the Evidence of the Studies Show?. 2015 , 05,		
211	Assessment for Exercise Prescription in Heart Failure. 2015 , 1, 46-49		5
210	Effect of exercise training on the quality of life and echocardiography parameter of systolic function in patients with chronic heart failure: a randomized trial. 2015 , 6, e22643		20
209	Relationship of exercise capacity and left ventricular dimensions in patients with a normal ejection fraction. An exploratory study. 2015 , 10, e0119432		13
208	Cardiac endothelium-myocyte interaction: clinical opportunities for new heart failure therapies regardless of ejection fraction. 2015 , 36, 2050-2060		89
207	Clinical utility of exercise training in heart failure with reduced and preserved ejection fraction. 2015 , 9, 1-9		19
206	Exercise training in chronic heart failure: improving skeletal muscle O2 transport and utilization. 2015 , 309, H1419-39		98
205	A porcine model of hypertensive cardiomyopathy: implications for heart failure with preserved ejection fraction. 2015 , 309, H1407-18		48
204	High-intensity interval training attenuates endothelial dysfunction in a Dahl salt-sensitive rat model of heart failure with preserved ejection fraction. 2015 , 119, 745-52		32
203	Exercise training as therapy for heart failure: current status and future directions. <i>Circulation: Heart Failure</i> , 2015 , 8, 209-20	7.6	101
202	Metabolic Effects of Exercise Training Among Fitness-Nonresponsive Patients With Type 2 Diabetes: The HART-D Study. 2015 , 38, 1494-501		49
201	Training the left ventricle with preserved ejection fraction or cardiorespiratory fitness? Rocking the boat. <i>Circulation: Heart Failure</i> , 2015 , 8, 5-7	7.6	1
200	Team-based Care for Cardiac Rehabilitation and Exercise Training in Heart Failure. 2015 , 11, 431-49		4

199	Heart failure management in skilled nursing facilities: a scientific statement from the American Heart Association and the Heart Failure Society of America. <i>Circulation: Heart Failure</i> , 2015 , 8, 655-87	7.6	38
198	Heart Failure with Preserved Ejection Fraction. 2015 , 4, 283-296		
197	Heart failure management in skilled nursing facilities: a scientific statement from the American Heart Association and the Heart Failure Society of America. 2015 , 21, 263-99		27
196	Heart failure with preserved ejection fraction in the elderly: scope of the problem. 2015 , 83, 73-87		94
195	Clinical diabetic cardiomyopathy: a two-faced disease with restrictive and dilated phenotypes. 2015 , 36, 1718-27, 1727a-1727c		294
194	Sarcopenic obesity and the pathogenesis of exercise intolerance in heart failure with preserved ejection fraction. 2015 , 12, 205-14		44
193	Exercise training in patients with heart failure and preserved ejection fraction: meta-analysis of randomized control trials. <i>Circulation: Heart Failure</i> , 2015 , 8, 33-40	7.6	270
192	Heart Failure in Non-Caucasians, Women, and Older Adults: A White Paper on Special Populations From the Heart Failure Society of America Guideline Committee. 2015 , 21, 674-93		28
191	Exercise intolerance in heart failure with preserved ejection fraction: what does the heart have to do with it?. <i>Circulation: Heart Failure</i> , 2015 , 8, 233-5	7.6	13
190	Determinants of Effort Intolerance in Patients With Heart Failure: Combined Echocardiography and Cardiopulmonary Stress Protocol. 2015 , 3, 803-14		51
189	Feasibility of Measuring Ventilatory Threshold in Adults With Stroke-Induced Hemiparesis: Implications for Exercise Prescription. 2015 , 96, 1779-84		14
188	Temporal Trends and Factors Associated With Cardiac Rehabilitation Referral Among Patients Hospitalized With Heart Failure: Findings From Get With The Guidelines-Heart Failure Registry. 2015 , 66, 917-26		101
187	Exercise in Heart Failure: Effectiveness Versus Safety. 2015 , 165-177		
186	Cardiac Imaging to Evaluate Left Ventricular Diastolic Function. 2015 , 8, 1071-1093		118
185	Conventional Wisdom in Heart Failure Treatment Challenged Again: Does Heart Rate Lowering Worsen Exercise Intolerance in Heart Failure With Preserved Ejection Fraction?. 2015 , 132, 1687-9		2
184	Management of Heart Failure. 2015 ,		1
183	Exercise training attenuates chemoreflex-mediated reductions of renal blood flow in heart failure. 2015 , 309, H259-66		15
182	Reversing heart failure-associated pathophysiology with exercise: what actually improves and by how much?. 2015 , 11, 17-28		19

181	High-intensity interval training vs. moderate-intensity continuous exercise training in heart failure with preserved ejection fraction: a pilot study. 2015 , 119, 753-8	117
180	Reasonable expectations: how much aerobic capacity, muscle strength, and quality of life can improve with exercise training in heart failure. 2015 , 11, 37-57	10
179	Effects of exercise training on different quality of life dimensions in heart failure with preserved ejection fraction: the Ex-DHF-P trial. 2015 , 22, 582-93	60
178	A 70-year-old woman with heart failure with preserved ejection fraction. 2015 , 187, 510-511	2
177	Cardiac rehabilitation in chronic heart failure. 2016 , 86,	
176	Impact of Exercise Training on Peak Oxygen Uptake and its Determinants in Heart Failure with Preserved Ejection Fraction. 2016 , 2, 95-101	20
175	Carotid Artery Vascular Mechanics Serve as Biomarkers of Cognitive Dysfunction in Aortic-Banded Miniature Swine That Can Be Treated With an Exercise Intervention. 2016 , 5,	13
174	Effect of short-term exercise intervention on cardiovascular functions and quality of life of chronic heart failure patients: A meta-analysis. 2016 , 14, 67-75	10
173	Skeletal Muscle Mitochondrial Content, Oxidative Capacity, and Mfn2 Expression Are Reduced in Older Patients With Heart Failure and Preserved Ejection Fraction and Are Related to Exercise Intolerance. 2016 , 4, 636-45	87
172	Heart Failure in Older Adults. 2016 , 32, 1140-7	56
171	C-Type Natriuretic Peptide Improves Left Ventricular Functional Performance at Rest and Restores Normal Exercise Responses after Heart Failure. 2016 , 357, 545-53	3
170	Impact of Exercise Programs on Hospital Readmission Following Hospitalization for Heart Failure: A Systematic Review. 2016 , 10, 1	3
169	Exercise training effects on elderly and middle-age patients with chronic heart failure after acute decompensation: A randomized, controlled trial. 2016 , 225, 313-323	22
168	Contributory Risk and Management of Comorbidities of Hypertension, Obesity, Diabetes Mellitus, Hyperlipidemia, and Metabolic Syndrome in Chronic Heart Failure: A Scientific Statement From the American Heart Association. 2016 , 134, e535-e578	164
167	[Cardiovascular prevention and regular physical exercise : Activity and training as the true "polypill"]. 2016 , 41, 664-670	8
166	Einstein, the Blind Men, and the Elephant: Making Sense of Heart Failure With Preserved Ejection Fraction. 2016 , 22, 1028-1032	0
165	Myocardial reverse remodeling: how far can we rewind?. 2016 , 310, H1402-22	23
164	The Future of Heart Failure Diagnosis, Therapy, and Management. 2016 , 133, 2671-86	52

163	Phenotype-Specific Treatment of Heart Failure With Preserved Ejection Fraction: A Multiorgan Roadmap. 2016 , 134, 73-90	485
162	Physical therapy in heart failure with preserved ejection fraction: A systematic review. 2016 , 23, 4-13	14
161	Effects of drug and exercise intervention on functional capacity and quality of life in heart failure with preserved ejection fraction: A meta-analysis of randomized controlled trials. 2016 , 23, 78-85	67
160	Adiponectin resistance in skeletal muscle: pathophysiological implications in chronic heart failure. 2016 , 7, 261-74	54
159	One Week of Daily Dosing With Beetroot Juice Improves Submaximal Endurance and Blood Pressure in Older Patients With Heart Failure and Preserved Ejection Fraction. 2016 , 4, 428-37	113
158	Exercise training normalizes renal blood flow responses to acute hypoxia in experimental heart failure: role of the β -adrenergic receptor. 2016 , 120, 334-43	4
157	Multimorbidity in Older Adults with Heart Failure. 2016 , 32, 277-89	18
156	Heart Failure With Preserved Ejection Fraction. 2016 , 41, 145-88	80
155	Effect of Caloric Restriction or Aerobic Exercise Training on Peak Oxygen Consumption and Quality of Life in Obese Older Patients With Heart Failure With Preserved Ejection Fraction: A Randomized Clinical Trial. 2016 , 315, 36-46	366
154	Heart failure with preserved ejection fraction and skeletal muscle physiology. 2017 , 22, 141-148	7
153	Exercise training in Diastolic Heart Failure (Ex-DHF): rationale and design of a multicentre, prospective, randomized, controlled, parallel group trial. 2017 , 19, 1067-1074	25
152	Physical Activity and Prognosis in the TOPCAT Trial (Treatment of Preserved Cardiac Function Heart Failure With an Aldosterone Antagonist). 2017 , 136, 982-992	55
151	Association Between Depressive Symptoms and Exercise Capacity in Patients With Heart Disease: A META-ANALYSIS. 2017 , 37, 239-249	12
150	Exercise Therapy for Older Heart Failure Patients. 2017 , 13, 607-617	10
149	Effect of Spironolactone on Exercise Tolerance and Arterial Function in Older Adults with Heart Failure with Preserved Ejection Fraction. 2017 , 65, 2374-2382	24
148	Effects of supervised exercise and dietary nitrate in older adults with controlled hypertension and/or heart failure with preserved ejection fraction. 2017 , 69, 78-90	34
147	Heart Failure with Preserved Ejection Fraction in Older Adults. 2017 , 13, 485-502	38
146	Management of Heart Failure with Preserved Ejection Fraction: Current Challenges and Future Directions. 2017 , 17, 283-298	6

145	Response to Endurance Exercise Training in Older Adults with Heart Failure with Preserved or Reduced Ejection Fraction. 2017 , 65, 1698-1704	28
144	Exercise training reverses age-induced diastolic dysfunction and restores coronary microvascular function. 2017 , 595, 3703-3719	23
143	Management of Sleep Apnea Syndromes in Heart Failure. 2017 , 12, 107-121	9
142	Exercise-Based Rehabilitation for Heart Failure: Clinical Evidence. 2017 , 1000, 31-49	16
141	Therapeutic Targets for the Multi-system Pathophysiology of Heart Failure: Exercise Training. 2017 , 19, 87	6
140	Evolution of a Geriatric Syndrome: Pathophysiology and Treatment of Heart Failure with Preserved Ejection Fraction. 2017 , 65, 2431-2440	38
139	The Benefits of Exercise Training on Aerobic Capacity in Patients with Heart Failure and Preserved Ejection Fraction. 2017 , 1000, 51-64	6
138	The Beneficial Effects of Cardiac Rehabilitation on the Function and Levels of Endothelial Progenitor Cells. 2017 , 26, 10-17	11
137	Association Between 6-Minute Walk Test Distance and Objective Variables of Functional Capacity After Exercise Training in Elderly Heart Failure Patients With Preserved Ejection Fraction: A Randomized Exercise Trial. 2017 , 98, 600-603	19
136	Targeting Endothelial Function to Treat Heart Failure with Preserved Ejection Fraction: The Promise of Exercise Training. 2017 , 2017, 4865756	33
135	Heart Failure with Preserved Ejection Fraction. 2017 ,	
134	Nonpharmacological interventions to improve quality of life in heart failure: an integrative review. 2017 , 70, 198-209	3
133	Multiple Avenues of Modulating the Nitric Oxide Pathway in Heart Failure Clinical Trials. 2018 , 15, 44-52	9
132	Treatment of Heart Failure with Preserved Ejection Fraction. 2018 , 1067, 67-87	23
131	Drug therapies in chronic heart failure: a focus on reduced ejection fraction. 2018 , 18, 138-145	7
130	Heart failure with preserved vs reduced ejection fraction following cardiac rehabilitation: impact of endothelial function. 2018 , 33, 886-892	16
129	Obesity and heart failure with preserved ejection fraction: A growing problem. 2018 , 28, 322-327	12
128	Exercise training in heart failure. 2018 , 94, 392-397	3

127	Current Management and Future Directions of Heart Failure With Preserved Ejection Fraction: a Contemporary Review. 2018 , 20, 28	11
126	Exercise limitations in heart failure with reduced and preserved ejection fraction. 2018 , 124, 208-224	42
125	Exercise and heart failure: an update. 2018 , 5, 222-232	71
124	Resistance exercise enhances oxygen uptake without worsening cardiac function in patients with systolic heart failure: a systematic review and meta-analysis. 2018 , 23, 73-89	12
123	Amount or intensity? Potential targets of exercise interventions in patients with heart failure with preserved ejection fraction. 2018 , 5, 53-62	10
122	Mechanisms of the Improvement in Peak VO With Exercise Training in Heart Failure With Reduced or Preserved Ejection Fraction. 2018 , 27, 9-21	28
121	Expanding the Clinical Classification of Heart Failure: Inclusion of Cardiac Function During Exercise. 2018 , 65-86	
120	The Effects of Physical Training on Quality of Life, Aerobic Capacity, and Cardiac Function in Older Patients With Heart Failure: A Meta-Analysis. 2018 , 9, 1564	11
119	Impact of Exercise Training on Cardiac Function Among Patients With Type 2 Diabetes: A SYSTEMATIC REVIEW AND META-ANALYSIS. 2018 , 38, 358-365	7
118	Impaired Exercise Tolerance in Heart Failure: Role of Skeletal Muscle Morphology and Function. 2018 , 15, 323-331	33
117	Effects of Endurance Training on Detrimental Structural, Cellular, and Functional Alterations in Skeletal Muscles of Heart Failure With Preserved Ejection Fraction. 2018 , 24, 603-613	13
116	Endothelial function is disturbed in a hypertensive diabetic animal model of HFpEF: Moderate continuous vs. high intensity interval training. 2018 , 273, 147-154	21
115	Walking with controlled breathing improves exercise tolerance, anxiety, and quality of life in heart failure patients: A randomized controlled trial. 2018 , 17, 717-727	8
114	Exercise in Patients with Chronic Heart Failure. 2018 , 193-219	
113	Vitamin D Status and Exercise Capacity in Older Patients with Heart Failure with Preserved Ejection Fraction. 2018 , 131, 1515.e11-1515.e19	6
112	The Effect of Exercise Training in Systolic and Diastolic Function. 2018 , 153-162	4
111	Regional Adipose Distribution and its Relationship to Exercise Intolerance in Older Obese Patients Who Have Heart Failure With Preserved Ejection Fraction. 2018 , 6, 640-649	53
110	Therapy for heart failure with preserved ejection fraction: current status, unique challenges, and future directions. 2018 , 23, 609-629	19

109	Exercise for Preventing Hospitalization and Readmission in Adults With Congestive Heart Failure. 2019 , 27, 41-48	2
108	Utilization of Cardiac Rehabilitation Among Cardiac Intensive Care Unit Survivors. 2019 , 124, 1478-1483	3
107	Heart Failure With Preserved Ejection Fraction and Adipose Tissue: A Story of Two Tales. 2019 , 6, 110	16
106	[Relationship of sarcopenic obesity with left ventricular diastolic dysfunction in elderly patients with diabetes]. 2019 , 56, 290-300	
105	Effect of Aerobic Exercise on Peak Oxygen Consumption, VE/VCO Slope, and Health-Related Quality of Life in Patients with Heart Failure with Preserved Left Ventricular Ejection Fraction: a Systematic Review and Meta-Analysis. 2019 , 21, 45	9
104	Physical activity for patients with heart failure: Position paper from the heart failure (GICC) and cardiac rehabilitation (GERS-P) Working Groups of the French Society of Cardiology. 2019 , 112, 723-731	11
103	A systematic review and meta-analysis of adherence to physical activity interventions among three chronic conditions: cancer, cardiovascular disease, and diabetes. 2019 , 19, 636	43
102	Exercise in Heart Failure-What Is the Optimal Dose to Improve Pathophysiology and Exercise Capacity?. 2019 , 16, 98-107	10
101	Heart Failure With Preserved Ejection Fraction In Perspective. 2019 , 124, 1598-1617	229
100	Effects of exercise training on cardiac function, exercise capacity, and quality of life in heart failure with preserved ejection fraction: a meta-analysis of randomized controlled trials. 2019 , 24, 535-547	38
99	Heterogeneous Metabolic Response to Exercise Training in Heart Failure with Preserved Ejection Fraction. 2019 , 8,	3
98	The Effect of Exercise Training on Myocardial and Skeletal Muscle Metabolism by MR Spectroscopy in Rats with Heart Failure. 2019 , 9,	3
97	Exercise-based cardiac rehabilitation for adults with heart failure. 2019 , 1, CD003331	105
96	Exercise Rehabilitation Improves Cardiac Volumes and Functional Capacity in Patients With Endomyocardial Fibrosis: A RANDOMIZED CONTROLLED TRIAL. 2019 , 39, 373-380	1
95	Lower Extremity Function Is Independently Associated With Hospitalization Burden in Heart Failure With Preserved Ejection Fraction. 2019 , 25, 2-9	15
94	Effects of heavy-intensity priming exercise on pulmonary oxygen uptake kinetics and muscle oxygenation in heart failure with preserved ejection fraction. 2019 , 316, R199-R209	5
93	Heart Failure With Preserved Ejection Fraction: Prevention and Management. 2019 , 13, 182-189	10
92	Aerobic exercise alleviates depressive symptoms in patients with a major non-communicable chronic disease: a systematic review and meta-analysis. 2020 , 54, 272-278	11

91	Effects of exercise training in heart failure with preserved ejection fraction: an updated systematic literature review. 2020 , 25, 703-711	17
90	Treatment of Heart Failure with Preserved Ejection Fraction. 2020 , 568-585	
89	Heart failure with preserved ejection fraction: Similarities and differences between women and men. 2020 , 304, 101-108	12
88	Clinical Practice Guideline to Improve Locomotor Function Following Chronic Stroke, Incomplete Spinal Cord Injury, and Brain Injury. 2020 , 44, 49-100	62
87	Heart failure with preserved ejection fraction: New approaches to diagnosis and management. 2020 , 43, 145-155	29
86	Pathophysiology of Exercise Intolerance and Its Treatment With Exercise-Based Cardiac Rehabilitation in Heart Failure With Preserved Ejection Fraction. 2020 , 40, 9-16	11
85	Effect of Praliquat on Peak Rate of Oxygen Consumption in Patients With Heart Failure With Preserved Ejection Fraction: The CAPACITY HFpEF Randomized Clinical Trial. 2020 , 324, 1522-1531	39
84	Exercise Training Effects on the Relationship of Physical Function and Health-Related Quality of Life Among Older Heart Failure Patients With Preserved Ejection Fraction. 2020 , 40, 427-433	8
83	Physical activity and exercise training in heart failure with preserved ejection fraction: gathering evidence from clinical and pre-clinical studies. 2020 , 1	5
82	Abnormalities of Skeletal Muscle, Adipocyte Tissue, and Lipid Metabolism in Heart Failure: Practical Therapeutic Targets. 2020 , 7, 79	17
81	Evaluation and management of heart failure with preserved ejection fraction. 2020 , 17, 559-573	113
80	High-intensity interval training is effective and superior to moderate continuous training in patients with heart failure with preserved ejection fraction: A randomized clinical trial. 2020 , 27, 1733-1743	16
79	Haemodynamic and metabolic phenotyping of hypertensive patients with and without heart failure by combining cardiopulmonary and echocardiographic stress test. 2020 , 22, 458-468	22
78	Improving exercise capacity and quality of life using non-invasive heart failure treatments: evidence from clinical trials. 2021 , 23, 92-113	21
77	Heart Failure With Preserved Ejection Fraction: A Comprehensive Review and Update of Diagnosis, Pathophysiology, Treatment, and Perioperative Implications. 2021 , 35, 1839-1859	6
76	Association of physical activity and risk of atrial fibrillation in heart failure with preserved ejection fraction. 2021 , 31, 247-253	2
75	2020 ESC Guidelines on sports cardiology and exercise in patients with cardiovascular disease. 2021 , 42, 17-96	264
74	Stage D Heart Failure With Preserved Ejection Fraction, Heart Transplantation, and Mechanical Circulatory Support. 2021 , 276-289	

73	Searching for the Optimal Exercise Training Regimen in Heart Failure With Preserved Ejection Fraction. 2021 , 325, 537-539	5
72	Effect of High-Intensity Interval Training, Moderate Continuous Training, or Guideline-Based Physical Activity Advice on Peak Oxygen Consumption in Patients With Heart Failure With Preserved Ejection Fraction: A Randomized Clinical Trial. 2021 , 325, 542-551	39
71	New Hemodynamic Insights in Pulmonary Vascular Disease and Heart Failure with Preserved Ejection Fraction. 2021 , 23, 1	
70	Elevated Pulmonary Pressure Noted on Echocardiogram: A Simplified Approach to Next Steps. 2021 , 10, e017684	2
69	Cardiac Rehabilitation for Patients With Heart Failure: JACC Expert Panel. 2021 , 77, 1454-1469	20
68	Invasive Hemodynamic and Metabolic Evaluation of HFpEF. 2021 , 23, 1	0
67	Exercise Training for Heart Failure With Preserved Ejection Fraction (ExTraMATCH III): Protocol for an Individual Patient Data Meta-Analysis. 2021 , 10, 3-11	
66	Left ventricular diastolic dysfunction and exercise intolerance in obese heart failure with preserved ejection fraction. 2021 , 320, H1535-H1542	2
65	Salutary Acute Effects of Exercise on Central Hemodynamics in Heart Failure With Preserved Ejection Fraction. 2021 , 27, 1313-1320	0
64	Frailty and Post-hospitalization Outcomes in Patients With Heart Failure With Preserved Ejection Fraction. 2021 , 148, 84-93	1
63	Guía ESC 2020 sobre cardiología del deporte y el ejercicio en pacientes con enfermedad cardiovascular. 2021 , 74, 545.e1-545.e73	2
62	Characterisation of haemodynamic and metabolic abnormalities in the heart failure spectrum: the role of combined cardiopulmonary and exercise echocardiography stress test. 2021 ,	9
61	Relationships Between Objectively Measured Physical Activity, Exercise Capacity, and Quality of Life in Older Patients With Obese Heart Failure and Preserved Ejection Fraction. 2021 , 27, 635-641	3
60	Exercise Intolerance in Heart Failure with Preserved Ejection Fraction. 2021 , 17, 397-413	4
59	Association Between Arterial Stiffness and Heart Failure With Preserved Ejection Fraction. 2021 , 8, 707162	0
58	Physical Activity in the Treatment and Prevention of Heart Failure: An Update. 2021 , 20, 410-417	
57	High-Intensity Interval Training for Heart Failure Patients With Preserved Ejection Fraction (HIT-HF)-Rationale and Design of a Prospective, Randomized, Controlled Trial. 2021 , 12, 734111	0
56	Cardiovascular Aging and Physical Activity: Insights From Metabolomics. 2021 , 8, 728228	1

55	The HEART Camp Exercise Intervention Improves Exercise Adherence, Physical Function, and Patient-Reported Outcomes in Adults With Preserved Ejection Fraction Heart Failure. 2021 ,	1
54	Cardiorespiratory Abnormalities in Patients Recovering from Coronavirus Disease 2019. 2021 , 34, 1273-1284.e92	
53	State-of-the-Art Review of Current Therapies for HFpEF: An Overview of Interatrial Septal Device Therapy in Heart Failure. 2021 , 17, e230421189012	1
52	Exercise training for prevention and treatment of older adults with heart failure with preserved ejection fraction. 2021 , 155, 111559	1
51	Hypertension and Its Relation to Heart Failure With a Preserved Ejection Fraction. 2021 , 258-267	
50	High-intensity interval training in cardiac rehabilitation. 2021 , 17, 269-278	1
49	Heart Failure with Preserved Ejection Fraction. 2015 , 213-230	2
48	Exercise Training in Patients With Heart Failure With Preserved Ejection Fraction: A Community Hospital Pilot Study. 2021 , 36, 124-130	1
47	Exercise training reverses cardiac aging phenotypes associated with heart failure with preserved ejection fraction in male mice. 2020 , 19, e13159	16
46	Exercise intolerance in heart failure with preserved ejection fraction: more than a heart problem. 2015 , 12, 294-304	60
45	Heart failure in older adults: embracing complexity. 2016 , 13, 8-14	3
44	Effects of Exercise Training on Cardiac Function in Heart Failure with Preserved Ejection Fraction. 2020 , 6, e27	3
43	Clinical Considerations and Exercise Responses of Patients with Heart Failure and Preserved Ejection Fraction: What Have We Learned in 20 Years?. 2020 , 9, 17-28	1
42	Dynamic Balance and Mobility Explain Quality of Life in HFpEF, Outperforming All the Other Physical Fitness Components. 2020 , 114, 701-707	3
41	Breakthrough in heart failure with preserved ejection fraction: are we there yet?. 2016 , 31, 1-14	10
40	Effect of exercise training on dimensions of quality of life and fatigue in people with congestive heart failure class II and III: A randomized controlled trial. 2020 , 11, 15	1
39	Therapeutic interventions for heart failure with preserved ejection fraction: A summary of current evidence. 2014 , 6, 67-76	14
38	Exercise oscillatory ventilation: Mechanisms and prognostic significance. 2016 , 8, 258-66	16

37	Management of the Patient with Heart Failure with Preserved Ejection Fraction. 2017 , 125-148	
36	[Mechanisms of exercise intolerance in patients with heart failure and preserved ejection fraction. Part II: The role of right heart chambers, vascular system and skeletal muscles]. 2019 , 59, 4-14	1
35	Hypotensive Syndromes and Heart Failure. 2020 , 117-127	
34	Cardiac rehabilitation in heart failure: Indications for exercise training based on heart failure phenotype. 2021 ,	1
33	Pragmatic Weight Management Program for Patients With Obesity and Heart Failure With Preserved Ejection Fraction. 2021 , 10, e022930	1
32	Exercise in Specific Diseases: Heart Failure with Preserved Ejection Fraction. 2020 , 927-955	
31	The Effect of Telephone Follow-up on Lifestyle of Patients in Cardiac Care Units. 2020 , 17, 81-93	
30	Triangulating Clinically Meaningful Change in the Six-minute Walk Test in Individuals with Chronic Heart Failure: A Systematic Review. 2012 , 23, 5-15	20
29	Left Atrial Stiffness Index Independently Predicts Exercise Intolerance and Quality of Life in Older, Obese Patients With Heart Failure With Preserved Ejection Fraction. 2021 ,	0
28	Effects of different exercise programs on cardiorespiratory reserve in HFpEF: a systematic review and meta-analysis. 2021 ,	1
27	Skeletal muscle abnormalities in heart failure with preserved ejection fraction.. 2022 , 1	0
26	Exercise Stress Echocardiography in the Diagnostic Evaluation of Heart Failure with Preserved Ejection Fraction.. 2022 , 9,	0
25	2022 AHA/ACC/HFSA Guideline for the Management of Heart Failure: A Report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines.. 2022 , 101161CIR0000000000001063	35
24	2022 AHA/ACC/HFSA Guideline for the Management of Heart Failure: A Report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines.. 2022 ,	49
23	Physical Exercise Modalities for the Management of Heart Failure With Preserved Ejection Fraction: A Systematic Review and Meta-Analysis.. 2022 , 79, 698-710	0
22	Heart failure with preserved ejection fraction (HFpEF) in type 2 diabetes mellitus: from pathophysiology to therapeutics.. 2022 ,	1
21	A Bibliometric Analysis of Heart Failure with Preserved Ejection Fraction From 2000 to 2021.. 2022 , 101243	0
20	Effects of exercise-based cardiac rehabilitation delivery modes on exercise capacity and health-related quality of life in heart failure: a systematic review and network meta-analysis. 2022 , 9, e001949	0

- 19 The effect of exercise training and physiotherapy on left and right heart function in heart failure with preserved ejection fraction: a systematic literature review. ○
- 18 Peak O₂-pulse predicts exercise training-induced changes in peak V O₂ in heart failure with preserved ejection fraction. ○
- 17 Elucidating the Clinical Implications and Pathophysiology of Pulmonary Hypertension in Heart Failure With Preserved Ejection Fraction: A Call to Action: A Science Advisory From the American Heart Association. 1
- 16 Effects of Exercise on Heart Failure with Preserved Ejection Fraction: An Updated Review of Literature. **2022**, 9, 241 2
- 15 Current Management of Heart Failure with Preserved Ejection Fraction. **2022**, 31, 166-178 ○
- 14 Nonpharmacological Strategies in Heart Failure with Preserved Ejection Fraction. **2022**, 40, 491-506 ○
- 13 Neurocognitive Benefit of Weight-Loss Interventions in Older Patients with Heart Failure with Preserved Ejection Fraction. ○
- 12 Does exercise training improve exercise tolerance, quality of life, and echocardiographic parameters in patients with heart failure with preserved ejection fraction? A systematic review and meta-analysis of randomized controlled trials. ○
- 11 Physical Training in Heart Failure with Preserved Ejection Fraction. **2022**, 2, 310-315 ○
- 10 What are the outcomes of dietary interventions in Heart Failure with preserved Ejection Fraction? A systematic review and meta-analysis. ○
- 9 Cardiac Rehabilitation Among Hospitalized Patients With Heart Failure: Eligibility, Enrollment, and Participation. **2022**, 15, ○
- 8 Comparative effect of different physical exercise training on exercise capacity and cardiac function in heart failure with preserved ejection fraction: A network meta-analysis. ExIC-FEp Study. ○
- 7 Erhalt von Leistungsffigkeit und Lebensqualitt bei chronischer Herzinsuffizienz (Teil 3). **2023**, 17, 50-62 ○
- 6 High-intensity and moderate-intensity interval training in heart failure with preserved ejection fraction: A meta-analysis of randomized controlled trials. **2023**, 102, e33010 ○
- 5 Supervised Exercise Training for Chronic Heart Failure With Preserved Ejection Fraction: A Scientific Statement From the American Heart Association and American College of Cardiology. **2023**, 147, 1
- 4 Supervised Exercise Training for Chronic Heart Failure With Preserved Ejection Fraction: A Scientific Statement From the American Heart Association and American College of Cardiology. **2023**, 81, 1524-1542 ○
- 3 Advances, Challenges, and Progress in Cardiac Rehabilitation in Chronic CVD Management. ○
- 2 Exercise-based cardiac rehabilitation in women with heart failure: a review of enrollment, adherence, and outcomes. ○

- 1 Improved Peak Oxygen Uptake Reduces Cardiac Events After 3 Weeks of Inpatient Cardiac Rehabilitation for Chronic Heart Failure Patients. **2023**,

o