

CITATION REPORT

List of articles citing

Multiple genetic loci influence serum urate levels and their relationship with gout and cardiovascular disease risk factors

DOI: 10.1161/circgenetics.109.934455

Circulation: Cardiovascular Genetics, 2010, 3, 523-30.

Source: <https://exaly.com/paper-pdf/49126917/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
274	Identification of low-frequency variants associated with gout and serum uric acid levels. 2011 , 43, 1127-30		117
273	The SLC2A9 nonsynonymous Arg265His variant and gout: evidence for a population-specific effect on severity. 2011 , 13, R85		29
272	Cardiovascular diseases and genome-wide association studies. 2011 , 412, 1697-701		19
271	Large-scale genome-wide association studies in East Asians identify new genetic loci influencing metabolic traits. 2011 , 43, 990-5		229
270	ABCG transporters and disease. 2011 , 278, 3215-25		51
269	No evidence for a causal link between uric acid and type 2 diabetes: a Mendelian randomisation approach. 2011 , 54, 2561-9		73
268	A comparison of strategies for analyzing dichotomous outcomes in genome-wide association studies with general pedigrees. 2011 , 35, 650-7		12
267	Circulation: Cardiovascular Genetics EditorsRPicks. <i>Circulation: Cardiovascular Genetics</i> , 2011 , 4,		
266	Circulation: Cardiovascular Genetics EditorsRPicks. 2011 , 124,		
265	Genome-wide association study for serum urate concentrations and gout among African Americans identifies genomic risk loci and a novel URAT1 loss-of-function allele. <i>Human Molecular Genetics</i> , 2011 , 20, 4056-68	5.6	86
264	Circulation EditorsRPicks. 2011 , 124,		
263	ABCG2/BCRP dysfunction as a major cause of gout. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2011 , 30, 1117-28	1.4	21
262	Coronary Artery Disease Etiology, Genetic Epidemiology, and Pharmacogenomics. <i>Circulation: Cardiovascular Genetics</i> , 2012 , 5,		
261	No evidence for association of Chr 9p21 variant rs1333049 with gout in New Zealand case-control sample sets. <i>Rheumatology</i> , 2012 , 51, 1129-30	3.9	3
260	Genetics of Gout. 2012 , 85-93		1
259	Cardiovascular Risk Factors. <i>Circulation: Cardiovascular Genetics</i> , 2012 , 5,		
258	Metabolomics, Proteomics, Genomics, and Transcriptomics in Circulation and the Circulation Subspecialty Journals. 2012 , 125,		

257	Integration of genome-wide association studies with biological knowledge identifies six novel genes related to kidney function. <i>Human Molecular Genetics</i> , 2012 , 21, 5329-43	5.6	54
256	Genotype-based changes in serum uric acid affect blood pressure. 2012 , 81, 502-7		62
255	Functional significance of genetic polymorphisms in P-glycoprotein (MDR1, ABCB1) and breast cancer resistance protein (BCRP, ABCG2). 2012 , 27, 85-105		113
254	Large-scale association analyses identify new loci influencing glycemic traits and provide insight into the underlying biological pathways. 2012 , 44, 991-1005		621
253	Circulation Editors' Picks. 2012 , 126,		
252	A cohort study comparing cardiovascular risk factors in rural Maori, urban Maori and non-Maori communities in New Zealand. 2012 , 2,		18
251	The pharmacokinetics of oxypurinol in people with gout. 2012 , 74, 477-89		22
250	Renal transport of uric acid: evolving concepts and uncertainties. 2012 , 19, 358-71		210
249	Genetic Epidemiology in Circulation and the Circulation Subspecialty Journals. 2012 , 125,		
248	The genetics of hyperuricaemia and gout. <i>Nature Reviews Rheumatology</i> , 2012 , 8, 610-21	8.1	149
247	Genome-wide association of serum uric acid concentration: replication of sequence variants in an island population of the Adriatic coast of Croatia. 2012 , 76, 121-7		40
246	Incident gout in women and association with obesity in the Atherosclerosis Risk in Communities (ARIC) Study. 2012 , 125, 717.e9-717.e17		28
245	Meta-analysis identifies multiple loci associated with kidney function-related traits in east Asian populations. 2012 , 44, 904-9		201
244	The renal urate transporter SLC17A1 locus: confirmation of association with gout. 2012 , 14, R92		44
243	Serum uric acid and adiposity: deciphering causality using a bidirectional Mendelian randomization approach. <i>PLoS ONE</i> , 2012 , 7, e39321	3.7	83
242	Expression levels of the ABCG2 multidrug transporter in human erythrocytes correspond to pharmacologically relevant genetic variations. <i>PLoS ONE</i> , 2012 , 7, e48423	3.7	28
241	Reduced glomerular function and prevalence of gout: NHANES 2009-10. <i>PLoS ONE</i> , 2012 , 7, e50046	3.7	76
240	Regulation of uric acid excretion by the kidney. <i>Current Rheumatology Reports</i> , 2012 , 14, 179-88	4.9	120

239	Integration of GWAS SNPs and tissue specific expression profiling reveal discrete eQTLs for human traits in blood and brain. 2012 , 47, 20-8	100
238	Common genetic variants of the human uromodulin gene regulate transcription and predict plasma uric acid levels. 2013 , 83, 733-40	26
237	Short communication: genetic variations of SLC2A9 in relation to Parkinson's disease. 2013 , 2, 5	10
236	Genotypes over-represented among college students are linked to better cognitive abilities and socioemotional adjustment. 2013 , 1, 47-63	7
235	The pathophysiology of hyperuricaemia and its possible relationship to cardiovascular disease, morbidity and mortality. 2013 , 14, 164	108
234	Association analysis of the SLC22A11 (organic anion transporter 4) and SLC22A12 (urate transporter 1) urate transporter locus with gout in New Zealand case-control sample sets reveals multiple ancestral-specific effects. 2013 , 15, R220	31
233	Sugar, uric acid, and the etiology of diabetes and obesity. 2013 , 62, 3307-15	427
232	An update on the genetic causes of hyperuricemia and gout. 2013 , 54-69	
231	Population-specific influence of SLC2A9 genotype on the acute hyperuricaemic response to a fructose load. 2013 , 72, 1868-73	51
230	A urate gene-by-diuretic interaction and gout risk in participants with hypertension: results from the ARIC study. 2013 , 72, 701-6	41
229	Uric acid and the origins of hypertension. 2013 , 162, 896-902	76
228	Genome-wide association analyses identify 18 new loci associated with serum urate concentrations. 2013 , 45, 145-54	505
227	The role of uric acid in the pathogenesis of human cardiovascular disease. 2013 , 99, 759-66	259
226	ALDH16A1 is a novel non-catalytic enzyme that may be involved in the etiology of gout via protein-protein interactions with HPRT1. 2013 , 202, 22-31	28
225	How does Nutrigenetics Influence Long-Term Health?. 2013 , 223-271	
224	Redefining metabolic syndrome as a fat storage condition based on studies of comparative physiology. 2013 , 21, 659-64	43
223	A genome-wide association study of the human metabolome in a community-based cohort. <i>Cell Metabolism</i> , 2013 , 18, 130-43	24.6 188
222	Genetics of hyperuricemia and gout: implications for the present and future. <i>Current Rheumatology Reports</i> , 2013 , 15, 309	4.9 25

221	The rate of production of uric acid by hepatocytes is a sensitive index of compromised cell ATP homeostasis. 2013 , 305, E1255-65		26
220	SORCS1 contributes to the development of renal disease in rats and humans. 2013 , 45, 720-8		11
219	Genome-wide association of body fat distribution in African ancestry populations suggests new loci. 2013 , 9, e1003681		92
218	Association of Polymorphism rs1333049 with Risk of Gout. 2013 , 380-384, 4167-4169		
217	Effect of genetic polymorphisms on development of gout. <i>Journal of Rheumatology</i> , 2013 , 40, 1374-8	4.1	27
216	What are the key arguments against uric acid as a true risk factor for hypertension?. 2013 , 61, 948-51		44
215	Urate transporters in the genomic era. 2013 , 22, 545-50		35
214	A genome wide association study of plasma uric acid levels in obese cases and never-overweight controls. 2013 , 21, E490-4		18
213	Interindividual variability in the hepatic expression of the human breast cancer resistance protein (BCRP/ABCG2): effect of age, sex, and genotype. 2013 , 102, 787-93		86
212	Genetic variability related to serum uric acid concentration and risk of Parkinson's disease. 2013 , 28, 1737-40		32
211	Association of plasma uric acid with ischaemic heart disease and blood pressure: mendelian randomisation analysis of two large cohorts. 2013 , 347, f4262		188
210	Molecular Genetics of Hyperuricaemia and Gout. 2013 ,		
209	Genome-wide association analysis confirms and extends the association of SLC2A9 with serum uric acid levels to Mexican Americans. <i>Frontiers in Genetics</i> , 2013 , 4, 279	4.5	25
208	Genetic impact on uric acid concentration and hyperuricemia in the Japanese population. 2013 , 20, 351-67		15
207	Evidence of gene-environment interaction for two genes on chromosome 4 and environmental tobacco smoke in controlling the risk of nonsyndromic cleft palate. <i>PLoS ONE</i> , 2014 , 9, e88088	3.7	27
206	The ras responsive transcription factor RREB1 is a novel candidate gene for type 2 diabetes associated end-stage kidney disease. <i>Human Molecular Genetics</i> , 2014 , 23, 6441-7	5.6	26
205	Breast Cancer Resistance Protein (BCRP) or ABCG2. 2014 , 187-221		1
204	Mendelian randomization analysis associates increased serum urate, due to genetic variation in uric acid transporters, with improved renal function. 2014 , 85, 344-51		60

203	Mendelian randomization: genetic anchors for causal inference in epidemiological studies. <i>Human Molecular Genetics</i> , 2014 , 23, R89-98	5.6	1045
202	Serum uric acid levels are associated with polymorphisms in the SLC2A9, SF1, and GCKR genes in a Chinese population. 2014 , 35, 1421-7		13
201	A common variant of organic anion transporter 4 (OAT4/SLC22A11) gene is associated with renal underexcretion type gout. 2014 , 29, 208-10		36
200	The reduction of vascular disease risk mutations contributes to longevity in the Chinese population. 2014 , 2, 761-8		4
199	Gout: a review of nonmodifiable and modifiable risk factors. 2014 , 40, 581-604		56
198	Gout: a comprehensive review. 2014 , 27, 26-31		10
197	PharmGKB summary: uric acid-lowering drugs pathway, pharmacodynamics. 2014 , 24, 464-76		30
196	Two authors reply. 2014 , 179, 1148-9		
195	Racial differences in gout incidence in a population-based cohort: Atherosclerosis Risk in Communities Study. 2014 , 179, 576-83		35
194	Association of uric acid genetic risk score with blood pressure: the Rotterdam study. 2014 , 64, 1061-6		21
193	A polymorphism in the major gene regulating serum uric acid associates with clinic SBP and the white-coat effect in a family-based study. 2014 , 32, 1621-8; discussion 1628		31
192	Metabolite profiling reveals new insights into the regulation of serum urate in humans. 2014 , 10, 141-151		36
191	The frequency of single nucleotide polymorphisms and their association with uric acid concentration based on data from genome-wide association studies in the Korean population. <i>Rheumatology International</i> , 2014 , 34, 777-83	3.6	4
190	Genome-wide association studies of age at menarche and age at natural menopause. 2014 , 382, 767-779		46
189	Genetic comorbidities in Parkinson's disease. <i>Human Molecular Genetics</i> , 2014 , 23, 831-41	5.6	49
188	Serum uric acid and hypertension in adults: a paradoxical relationship in type 1 diabetes. 2014 , 16, 283-8		16
187	Structure and function of BCRP, a broad specificity transporter of xenobiotics and endobiotics. 2014 , 88, 1205-48		54
186	Temporal relationship between uric acid concentration and risk of diabetes in a community-based study population. 2014 , 179, 684-91		57

185	Tubular urate transporter gene polymorphisms differentiate patients with gout who have normal and decreased urinary uric acid excretion. <i>Journal of Rheumatology</i> , 2014 , 41, 1863-70	4.1	25
184	The genetic basis of gout. 2014 , 40, 279-90		30
183	Temporal disease trajectories condensed from population-wide registry data covering 6.2 million patients. <i>Nature Communications</i> , 2014 , 5, 4022	17.4	186
182	Genetic variants of SLC17A1 are associated with cholesterol homeostasis and hyperhomocysteinaemia in Japanese men. <i>Scientific Reports</i> , 2015 , 5, 15888	4.9	5
181	Partial HPRT Deficiency with a Novel Mutation of the HPRT Gene in Combination with Four Previously Reported Variants Associated with Hyperuricemia. 2015 , 54, 1523-6		5
180	Association between ABCG2 Q141K polymorphism and gout risk affected by ethnicity and gender: a systematic review and meta-analysis. 2015 , 18, 382-91		22
179	Evolutionary context for the association of HbA1c, serum uric acid, and hypertension in African Americans. 2015 , 16, 103		6
178	Intracranial aneurysm risk factor genes: relationship with intracranial aneurysm risk in a Chinese Han population. 2015 , 14, 6865-78		8
177	Uric Acid and Hypertension: Is There Really a Link?. 2015 , 119-128		
176	A Mendelian Randomization Study of Circulating Uric Acid and Type 2 Diabetes. 2015 , 64, 3028-36		79
175	The anatomical distribution of genetic associations. 2015 , 43, 10804-20		26
174	Correlation of GLUT9 Polymorphisms With Gout Risk. 2015 , 94, e1742		7
173	Plasma Urate and Risk of a Hospital Stay with AKI: The Atherosclerosis Risk in Communities Study. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015 , 10, 776-83	6.9	10
172	The organic anion transporter (OAT) family: a systems biology perspective. 2015 , 95, 83-123		239
171	Serum uric acid concentrations and SLC2A9 genetic variation in Hispanic children: the Viva La Familia Study. 2015 , 101, 725-32		32
170	Pharmacogenetic considerations in the treatment of gout. 2015 , 16, 619-29		4
169	Uric Acid and Cardiovascular Events: A Mendelian Randomization Study. 2015 , 26, 2831-8		151
168	Associations of the uric acid related genetic variants in SLC2A9 and ABCG2 loci with coronary heart disease risk. 2015 , 16, 4		9

167	An update on the genetic architecture of hyperuricemia and gout. 2015 , 17, 98		90
166	Genetic Basis of Common Human Disease: Insight into the Role of Missense SNPs from Genome-Wide Association Studies. 2015 , 427, 2271-89		32
165	Intestinal and hepatic drug transporters: pharmacokinetic, pathophysiological, and pharmacogenetic roles. 2015 , 50, 508-19		32
164	Why focus on uric acid?. 2015 , 31 Suppl 2, 3-7		34
163	Polymorphisms in GCKR, SLC17A1 and SLC22A12 were associated with phenotype gout in Han Chinese males: a case-control study. 2015 , 16, 66		12
162	Role of OAT4 in Uptake of Estriol Precursor 16 β -Hydroxydehydroepiandrosterone Sulfate Into Human Placental Syncytiotrophoblasts From Fetus. 2015 , 156, 2704-12		17
161	A genetic marker of hyperuricemia predicts cardiovascular events in a meta-analysis of three cohort studies in high risk patients. 2015 , 25, 1087-94		14
160	Lack of gene-diuretic interactions on the risk of incident gout: the NursesRHealth Study and Health Professionals Follow-up Study. 2015 , 74, 1394-8		15
159	NPT1/SLC17A1 is a renal urate exporter in humans and its common gain-of-function variant decreases the risk of renal underexcretion gout. <i>Arthritis and Rheumatology</i> , 2015 , 67, 281-7	9.5	51
158	Molecular targeting of the GK-GKRP pathway in diabetes. 2015 , 19, 129-39		14
157	A genetic marker of uric acid level, carotid atherosclerosis, and arterial stiffness: a family-based study. <i>American Journal of Kidney Diseases</i> , 2015 , 65, 294-302	7.4	20
156	The discovery of hypertension: evolving views on the role of the kidneys, and current hot topics. 2015 , 308, F167-78		31
155	El polimorfismo rs11613352 (genotipo TT) se asocia con disminuci3n de triglic3ridos y aumento de HDL en pacientes con hipercolesterolemia familiar. 2015 , 68, 305-309		1
154	rs11613352 polymorphism (TT genotype) associates with a decrease of triglycerides and an increase of HDL in familial hypercholesterolemia patients. 2015 , 68, 305-9		1
153	Uric Acid Metabolism and the Kidney. 2015 , 418-428		2
152	Serum uric acid levels and cardiovascular disease: the Gordian knot. 2016 , 8, E1462-E1466		18
151	Xanthine oxidase gene variants and their association with blood pressure and incident hypertension: a population study. 2016 , 34, 2147-54		21
150	Biological findings from the PheWAS catalog: focus on connective tissue-related disorders (pelvic floor dysfunction, abdominal hernia, varicose veins and hemorrhoids). 2016 , 135, 779-95		12

149	Urate Handling in the Human Body. <i>Current Rheumatology Reports</i> , 2016 , 18, 34	4.9	62
148	Effects of a Novel Fixed Combination of Nutraceuticals on Serum Uric Acid Concentrations and the Lipid Profile in Asymptomatic Hyperuricemic Patients : Results from the PICONZ-UA Study. 2016 , 23, 381-386		2
147	Hyperuricemia, the kidneys, and the spectrum of associated diseases: a narrative review. 2016 , 32, 1863-1869		29
146	Mendelian Randomization as an Approach to Assess Causality Using Observational Data. 2016 , 27, 3253-3265		119
145	Opposing effects of sodium intake on uric acid and blood pressure and their causal implication. 2016 , 10, 939-946.e2		9
144	Genome wide association study of uric acid in Indian population and interaction of identified variants with Type 2 diabetes. <i>Scientific Reports</i> , 2016 , 6, 21440	4.9	23
143	Additive composite ABCG2, SLC2A9 and SLC22A12 scores of high-risk alleles with alcohol use modulate gout risk. 2016 , 61, 803-10		11
142	Causal Inference in Medicine via Mendelian Randomization. 2016 , 499-520		
141	Twenty-eight loci that influence serum urate levels: analysis of association with gout. 2016 , 75, 124-30		84
140	Plasma urate concentration and risk of coronary heart disease: a Mendelian randomisation analysis. 2016 , 4, 327-36		100
139	Causal Assessment of Serum Urate Levels in Cardiometabolic Diseases Through a Mendelian Randomization Study. 2016 , 67, 407-416		101
138	Uric acid in metabolic syndrome: From an innocent bystander to a central player. <i>European Journal of Internal Medicine</i> , 2016 , 29, 3-8	3.9	193
137	Serum urate gene associations with incident gout, measured in the Framingham Heart Study, are modified by renal disease and not by body mass index. <i>Rheumatology International</i> , 2016 , 36, 263-70	3.6	3
136	Genome-wide association study of clinically defined gout identifies multiple risk loci and its association with clinical subtypes. 2016 , 75, 652-9		117
135	Association of ABCG2 rs2231142-A allele and serum uric acid levels in male and obese individuals in a Han Taiwanese population. 2017 , 116, 18-23		14
134	Transcriptomic analysis and plasma metabolomics in Aldh16a1-null mice reveals a potential role of ALDH16A1 in renal function. 2017 , 276, 15-22		10
133	Use of febuxostat in the management of gout in the United Kingdom. 2017 , 9, 55-64		12
132	Effects of multiple genetic loci on the pathogenesis from serum urate to gout. <i>Scientific Reports</i> , 2017 , 7, 43614	4.9	30

131	The importance of breast cancer resistance protein to the kidneys excretory function and chemotherapeutic resistance. 2017 , 30, 15-27		23
130	Gout. 2017 , 349-364		
129	Dietary Sodium Modifies Serum Uric Acid Concentrations in Humans. <i>American Journal of Hypertension</i> , 2017 , 30, 1196-1202	2.3	8
128	Mendelian randomization analysis indicates serum urate has a causal effect on renal function in Chinese women. 2017 , 49, 2035-2042		5
127	A Powerful Approach to Estimating Annotation-Stratified Genetic Covariance via GWAS Summary Statistics. <i>American Journal of Human Genetics</i> , 2017 , 101, 939-964	11	61
126	DNA methylation profiles in sibling pairs discordant for intrauterine exposure to maternal gestational diabetes. 2017 , 12, 825-832		21
125	Replication of Gout/Urate Concentrations GWAS Susceptibility Loci Associated with Gout in a Han Chinese Population. <i>Scientific Reports</i> , 2017 , 7, 4094	4.9	12
124	The genetics of gout: towards personalised medicine?. 2017 , 15, 108		30
123	Serum uric acid and acute kidney injury: A mini review. 2017 , 8, 529-536		60
122	Serum uric acid levels and multiple health outcomes: umbrella review of evidence from observational studies, randomised controlled trials, and Mendelian randomisation studies. 2017 , 357, j2376		154
121	Impact of comorbidities on gout and hyperuricaemia: an update on prevalence and treatment options. 2017 , 15, 123		138
120	DNA hypomethylation of a transcription factor binding site within the promoter of a gout risk gene upregulates its expression by inhibition of TFAP2A binding. 2017 , 9, 99		8
119	Relationship Between Serum Uric Acid and Incident Hypertension in Patients with Type 2 Diabetes. 2018 , 14, 354-363		2
118	Genetic variants in two pathways influence serum urate levels and gout risk: a systematic pathway analysis. <i>Scientific Reports</i> , 2018 , 8, 3848	4.9	3
117	Hyperuricemia, Acute and Chronic Kidney Disease, Hypertension, and Cardiovascular Disease: Report of a Scientific Workshop Organized by the National Kidney Foundation. <i>American Journal of Kidney Diseases</i> , 2018 , 71, 851-865	7.4	181
116	From genome-wide association studies to Mendelian randomization: novel opportunities for understanding cardiovascular disease causality, pathogenesis, prevention, and treatment. 2018 , 114, 1192-1208		36
115	ABCG2 contributes to the development of gout and hyperuricemia in a genome-wide association study. <i>Scientific Reports</i> , 2018 , 8, 3137	4.9	30
114	Cardiac and renal protective effects of urate-lowering therapy. <i>Rheumatology</i> , 2018 , 57, i47-i50	3.9	23

113	Hyperuricemia enhances intracellular urate accumulation via down-regulation of cell-surface BCRP/ABCG2 expression in vascular endothelial cells. 2018 , 1860, 973-980		24
112	PDZ domain containing protein 1 (PDZK1), a modulator of membrane proteins, is regulated by the nuclear receptor THR β 2018 , 461, 215-225		6
111	Reverse Translational Research of ABCG2 (BCRP) in Human Disease and Drug Response. 2018 , 103, 233-242		17
110	Uric Acid Is a Strong Risk Marker for Developing Hypertension From Prehypertension: A 5-Year Japanese Cohort Study. 2018 , 71, 78-86		99
109	Hyperuricemia: Does It Matter for the Progression From Prehypertension to Hypertension?. 2018 , 71, 66-67		5
108	Identification of CDC42BPG as a novel susceptibility locus for hyperuricemia in a Japanese population. 2018 , 293, 371-379		6
107	An evaluation of gout visits in the United States for the years 2007 to 2011. 2018 , 2, 14		1
106	Urate crystal deposition, prevention and various diagnosis techniques of GOUT arthritis disease: a comprehensive review. 2018 , 6, 19		17
105	Large-scale whole-exome sequencing association studies identify rare functional variants influencing serum urate levels. <i>Nature Communications</i> , 2018 , 9, 4228	17.4	31
104	Multiple Membrane Transporters and Some Immune Regulatory Genes are Major Genetic Factors to Gout. 2018 , 12, 94-113		14
103	The polymorphism rs35767 at IGF1 locus is associated with serum urate levels. <i>Scientific Reports</i> , 2018 , 8, 12255	4.9	1
102	Uric acid and cardiovascular disease. 2018 , 484, 150-163		151
101	Identification of four genes as novel susceptibility loci for early-onset type 2 diabetes mellitus, metabolic syndrome, or hyperuricemia. 2018 , 9, 21-36		6
100	Human Mutations in SLC2A9 (Glut9) Affect Transport Capacity for Urate. 2018 , 9, 476		30
99	Physiology of Hyperuricemia and Urate-Lowering Treatments. 2018 , 5, 160		98
98	Mendelian randomization study shows no causal relationship between circulating urate levels and Parkinson's disease. 2018 , 84, 191-199		29
97	An Exome-wide Association Study for Type 2 Diabetes-Attributed End-Stage Kidney Disease in African Americans. 2018 , 3, 867-878		9
96	An update on the genetics of hyperuricaemia and gout. <i>Nature Reviews Rheumatology</i> , 2018 , 14, 341-353.1		114

95	Evidence for a role of PDZ domain-containing proteins to mediate hypophosphatemia in calcium stone formers. 2018 , 33, 759-770	2
94	Association of ABCG polymorphisms with ischemic stroke in a Chinese population. 2018 , 82, 325-330	2
93	Common gene variants interactions related to uric acid transport are associated with knee osteoarthritis susceptibility. 2019 , 60, 219-229	4
92	A conserved role of the insulin-like signaling pathway in diet-dependent uric acid pathologies in <i>Drosophila melanogaster</i> . 2019 , 15, e1008318	20
91	Genome-wide association study revealed novel loci which aggravate asymptomatic hyperuricaemia into gout. 2019 , 78, 1430-1437	46
90	The Kidney in Hypertension. 2019 , 191-210	
89	The case for uric acid-lowering treatment in patients with hyperuricaemia and CKD. 2019 , 15, 767-775	68
88	Population-specific factors associated with fractional excretion of uric acid. 2019 , 21, 234	9
87	Target genes, variants, tissues and transcriptional pathways influencing human serum urate levels. 2019 , 51, 1459-1474	122
86	Learning Physiology From Inherited Kidney Disorders. 2019 , 99, 1575-1653	28
85	Sex hormone binding globulin and risk of breast cancer: a Mendelian randomization study. 2019 , 48, 807-816	22
84	Exome-Based Rare-Variant Analyses in CKD. 2019 , 30, 1109-1122	23
83	Association between SLC2A9 Genetic Variants and Risk of Hyperuricemia in a Uygur Population. 2019 , 39, 243-249	1
82	Genome-wide meta-analysis identifies multiple novel loci associated with serum uric acid levels in Japanese individuals. 2019 , 2, 115	42
81	Hyperuricemia and Hypertension: Links and Risks. 2019 , 12, 43-62	29
80	Uromodulin in a Pathway Between Decreased Renal Urate Excretion and Albuminuria. <i>American Journal of Hypertension</i> , 2019 , 32, 384-392	2-3 1
79	Polymorphisms of and Genes Associated with Gout Risk in Vietnamese Population. 2019 , 55,	6
78	No causal effects of serum urate levels on the risk of chronic kidney disease: A Mendelian randomization study. 2019 , 16, e1002725	54

77	Interactions between serum urate-associated genetic variants and sex on gout risk: analysis of the UK Biobank. 2019 , 21, 13		12
76	The effect of polymorphism of uric acid transporters on uric acid transport. 2019 , 32, 177-187		23
75	The SLC transporter in nutrient and metabolic sensing, regulation, and drug development. 2019 , 11, 1-13		74
74	Uric Acid Metabolism and the Kidney. 2020 , 689-701		
73	Efflux transporters in cancer resistance: Molecular and functional characterization of breast cancer resistance protein. 2020 , 67-96		1
72	Refining genome-wide associated loci for serum uric acid in individuals with African ancestry. <i>Human Molecular Genetics</i> , 2020 , 29, 506-514	5.6	5
71	Prevalence and associated factors of hyperuricemia among urban adults aged 35-79 years in southwestern China: a community-based cross-sectional study. <i>Scientific Reports</i> , 2020 , 10, 15683	4.9	5
70	Hyperuricaemia and gout in cardiovascular, metabolic and kidney disease. <i>European Journal of Internal Medicine</i> , 2020 , 80, 1-11	3.9	46
69	Whole genome sequence analysis identifies a PAX2 mutation to establish a correct diagnosis for a syndromic form of hyperuricemia. <i>American Journal of Medical Genetics, Part A</i> , 2020 , 182, 2521-2528	2.5	1
68	A mendelian randomization analysis: The causal association between serum uric acid and atrial fibrillation. <i>European Journal of Clinical Investigation</i> , 2020 , 50, e13300	4.6	5
67	Toll-Like receptor 4 (TLR4) polymorphism rs2149356 and risk of gout in a Spanish cohort. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2020 , 39, 1424-1431	1.4	2
66	Association of plasma xanthine oxidoreductase activity with blood pressure affected by oxidative stress level: MedCity21 health examination registry. <i>Scientific Reports</i> , 2020 , 10, 4437	4.9	11
65	Uric Acid and Hypertension: An Update With Recommendations. <i>American Journal of Hypertension</i> , 2020 , 33, 583-594	2.3	34
64	Advances in our understanding of gout as an auto-inflammatory disease. <i>Seminars in Arthritis and Rheumatism</i> , 2020 , 50, 1089-1100	5.3	12
63	Personalized Medicine of Urate-Lowering Therapy for Gout. 2020 ,		1
62	Gout epidemiology and comorbidities. <i>Seminars in Arthritis and Rheumatism</i> , 2020 , 50, S11-S16	5.3	48
61	Association of Serum Uric Acid with Metabolic Syndrome and Its Components: A Mendelian Randomization Analysis. <i>BioMed Research International</i> , 2020 , 2020, 6238693	3	13
60	Epistatic interaction between PKD2 and ABCG2 influences the pathogenesis of hyperuricemia and gout. <i>Hereditas</i> , 2020 , 157, 2	2.4	0

59	Systematic genetic analysis of early-onset gout: ABCG2 is the only associated locus. <i>Rheumatology</i> , 2020 , 59, 2544-2549	3.9	16
58	The Use of Genomics to Drive Kidney Disease Drug Discovery and Development. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2020 , 15, 1342-1351	6.9	1
57	The Optimal Range of Serum Uric Acid for Cardiometabolic Diseases: A 5-Year Japanese Cohort Study. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	15
56	Uric Acid and Hypertension: Prognostic Role and Guide for Treatment. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	13
55	Allopurinol: Good for Gout But Not for Preventing Loss of Kidney Function. <i>American Journal of Kidney Diseases</i> , 2021 , 77, 459-461	7.4	1
54	The Epidemiology and Genetics of Hyperuricemia and Gout across Major Racial Groups: A Literature Review and Population Genetics Secondary Database Analysis. <i>Journal of Personalized Medicine</i> , 2021 , 11,	3.6	18
53	Local genetic covariance between serum urate and kidney function obtained from local Bayesian regressions.		
52	Gout prevalence in the Hmong: a prime example of health disparity and the role of community-based genetic research. <i>Personalized Medicine</i> , 2021 , 18, 311-327	2.2	5
51	OATP2B1 - The underrated member of the organic anion transporting polypeptide family of drug transporters?. <i>Biochemical Pharmacology</i> , 2021 , 188, 114534	6	6
50	Dietary and Lifestyle-Centered Approach in Gout Care and Prevention. <i>Current Rheumatology Reports</i> , 2021 , 23, 51	4.9	3
49	Causal Associations of Urate With Cardiovascular Risk Factors: Two-Sample Mendelian Randomization. <i>Frontiers in Genetics</i> , 2021 , 12, 687279	4.5	0
48	The individual and global impact of copy number variants on complex human traits.		0
47	Assessing the Causal Relationships Between Insulin Resistance and Hyperuricemia and Gout Using Bidirectional Mendelian Randomization. <i>Arthritis and Rheumatology</i> , 2021 , 73, 2096-2104	9.5	7
46	Hyperuricemia in Kidney Disease: A Major Risk Factor for Cardiovascular Events, Vascular Calcification, and Renal Damage. <i>Seminars in Nephrology</i> , 2020 , 40, 574-585	4.8	9
45	PKD2 influence uric acid levels and gout risk by interacting with ABCG2.		1
44	A conserved role of the insulin-like signaling pathway in uric acid pathologies revealed in <i>Drosophila melanogaster</i> .		2
43	Relationship between inflammatory cytokines and uric acid levels with adverse cardiovascular outcomes in patients with stable coronary heart disease. <i>PLoS ONE</i> , 2012 , 7, e45907	3.7	19
42	Modulation of genetic associations with serum urate levels by body-mass-index in humans. <i>PLoS ONE</i> , 2015 , 10, e0119752	3.7	31

41	Serum Urate and Incident Cardiovascular Disease: The Coronary Artery Risk Development in Young Adults (CARDIA) Study. <i>PLoS ONE</i> , 2015 , 10, e0138067	3.7	10
40	Genome-wide association analysis identifies multiple loci associated with kidney disease-related traits in Korean populations. <i>PLoS ONE</i> , 2018 , 13, e0194044	3.7	13
39	Identification of C21orf59 and ATG2A as novel determinants of renal function-related traits in Japanese by exome-wide association studies. <i>Oncotarget</i> , 2017 , 8, 45259-45273	3.3	7
38	An old disease with new insights: Update on diagnosis and treatment of gout. <i>European Journal of Rheumatology</i> , 2014 , 1, 72-77	1.7	9
37	Molecular aspects of fructose metabolism and metabolic disease. <i>Cell Metabolism</i> , 2021 , 33, 2329-2354	24.6	9
36	Mini Review: Reappraisal of Uric Acid in Chronic Kidney Disease. <i>American Journal of Nephrology</i> , 2021 , 52, 837-844	4.6	4
35	Statistical Methods in Genetic and Molecular Epidemiology and Their Application in Studies with Metabolic Phenotypes. 2012 , 39-56		
34	A powerful approach to estimating annotation-stratified genetic covariance using GWAS summary statistics.		0
33	Elevated serum urate is a potential factor in reduction of total bilirubin: a Mendelian randomization study. <i>Oncotarget</i> , 2017 , 8, 103864-103873	3.3	
32	[Comorbidity in gout and hyperuricemia: prevalence, causes, prospects of urate lowering therapy]. <i>Terapevticheskii Arkhiv</i> , 2019 , 91, 120-128	0.9	7
31	[Hyperuricemia, gout and high cardiovascular risk - how to manage them in clinical practice]. <i>Terapevticheskii Arkhiv</i> , 2019 , 91, 75-83	0.9	5
30	Unraveling the genetic causes in large pedigrees with gout by whole-exome sequencing. <i>International Journal of Molecular Medicine</i> , 2020 , 45, 1047-1058	4.4	
29	Do Serum Urate-associated Genetic Variants Influence Gout Risk in People Taking Diuretics? Analysis of the UK Biobank. <i>Journal of Rheumatology</i> , 2020 , 47, 1704-1711	4.1	1
28	[Asymptomatic Hyperuricemia and Risk Of Cardiovascular and Renal Diseases]. <i>Kardiologiya</i> , 2020 , 60, 113-121	1.5	4
27	Pathophysiology of Gout. <i>Seminars in Nephrology</i> , 2020 , 40, 550-563	4.8	4
26	Genetic insights into cardiometabolic risk factors. <i>Clinical Biochemist Reviews</i> , 2014 , 35, 15-36	7.3	26
25	Genetic polymorphisms in the PDZK1 gene and susceptibility to gout in male Han Chinese: a case-control study. <i>International Journal of Clinical and Experimental Medicine</i> , 2015 , 8, 13911-8		7
24	A meta-analysis of the associations between the Q141K and Q126X ABCG2 gene variants and gout risk. <i>International Journal of Clinical and Experimental Pathology</i> , 2015 , 8, 9812-23	1.4	15

23	The Daniel K. Inouye College of Pharmacy Scripts: Perspectives on the Epidemiology of Gout and Hyperuricemia. <i>Hawaii Journal of Medicine & Public Health: A Journal of Asia Pacific Medicine & Public Health</i> , 2019 , 78, 71-76	0.6	7
22	Serum uric acid level is associated with an increase in systolic blood pressure over time in female subjects: Linear mixed-effects model analyses. <i>Hypertension Research</i> , 2021 ,	4.7	0
21	Integrative Studies of Human Cord Blood Derived Mononuclear Cells and Umbilical Cord Derived Mesenchyme Stem Cells in Ameliorating Bronchopulmonary Dysplasia. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 679866	5.7	2
20	Genetics of hyperuricemia and gout: Insights from recent genome-wide association studies and Mendelian randomization studies. <i>Tzu Chi Medical Journal</i> , 2021 ,	1.1	
19	Genetic risk of hyperuricemia in hypertensive patients associated with antihypertensive drug therapy: a longitudinal study.. <i>Clinical Genetics</i> , 2022 ,	4	0
18	Genetic risk score for plasma uric acid levels is associated with early rapid kidney function decline in type 2 diabetes.. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022 ,	5.6	0
17	Association between glucokinase regulator gene polymorphisms and serum uric acid levels in Taiwanese adolescents.. <i>Scientific Reports</i> , 2022 , 12, 5519	4.9	0
16	The individual and global impact of copy-number variants on complex human traits.. <i>American Journal of Human Genetics</i> , 2022 ,	11	1
15	Natural compounds lower uric acid levels and hyperuricemia: Molecular mechanisms and prospective. <i>Trends in Food Science and Technology</i> , 2022 , 123, 87-102	15.3	1
14	Excess comorbidities in gout: the causal paradigm and pleiotropic approaches to care.. <i>Nature Reviews Rheumatology</i> , 2021 ,	8.1	4
13	Epigenome-wide association study of serum urate reveals insights into urate co-regulation and the SLC2A9 locus. <i>Nature Communications</i> , 2021 , 12, 7173	17.4	1
12	Pharmacogenetic Perspective for Optimal Gout Management. <i>Future Pharmacology</i> , 2022 , 2, 135-152		1
11	Differential diagnosis in Charcot neuroarthropathy. 2022 , 223-259		
10	Are polymorphisms affecting serum urate, renal urate handling and alcohol intake associated with co-morbidities in gout cases? A case-control study using data from the UK Biobank. <i>Rheumatology International</i> ,	3.6	
9	Trends in the Contribution of Genetic Susceptibility Loci to Hyperuricemia and Gout and Associated Novel Mechanisms. <i>Frontiers in Cell and Developmental Biology</i> , 10,	5.7	2
8	Urate Transporter ABCG2 Function and Asymptomatic Hyperuricemia: A Retrospective Cohort Study of CKD Progression. <i>American Journal of Kidney Diseases</i> , 2022 ,	7.4	0
7	Local genetic covariance between serum urate and kidney function estimated with Bayesian multitrait models. <i>G3: Genes, Genomes, Genetics</i> ,	3.2	
6	Uric Acid and Hypertension: a Review of Evidence and Future Perspectives for the Management of Cardiovascular Risk. 2022 , 79, 1927-1936		3

- 5 Research Progress on the Relationship between Dietary Patterns and Hyperuricemia. **2022**, 2022, 1-6 1
- 4 Causal relationship between serum uric acid and abnormal blood pressure based on the panel model study:A 5-year Cohort Study. **2022**, 0
- 3 A genome-wide association analysis of 2,622,830 individuals reveals new pathogenic pathways in gout. 0
- 2 Uric Acid and Chronic Kidney Disease: Still More to Do. **2022**, 0
- 1 Global burden of gout in 1990-2019: a systematic analysis of the Global Burden of Disease Study 2019. 0