

CITATION REPORT

List of articles citing

Maternal risk factors for hypertensive disorders in pregnancy: a multivariate approach

DOI: 10.1038/jhh.2009.45

Journal of Human Hypertension, 2010, 24, 104-10.

Source: <https://exaly.com/paper-pdf/49270616/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
242	Maternal smoking and blood pressure in different trimesters of pregnancy: the Generation R study. 2010 , 28, 2210-8		26
241	Maternal plasma soluble endoglin at 11-13 weeks' gestation in pre-eclampsia. 2010 , 35, 680-7		58
240	Hypertensive disorders in pregnancy: screening by biophysical and biochemical markers at 11-13 weeks. 2010 , 35, 662-70		106
239	Screening for preeclampsia using first-trimester serum markers and uterine artery Doppler in nulliparous women. 2010 , 203, 383.e1-8		118
238	Maternal serum screening for preeclampsia: is performance enough?. 2010 , 43, 707-8		3
237	Maternal thyroid function at 11 to 13 weeks of gestation and subsequent development of preeclampsia. 2010 , 30, 1032-8		33
236	Chorionic villus sampling at 11 to 13 weeks of gestation and hypertensive disorders in pregnancy. 2010 , 116, 374-380		11
235	Interethnic differences in ADMA concentrations and negative association with nitric oxide formation in preeclampsia. 2010 , 411, 1457-60		28
234	Clinical risk prediction for pre-eclampsia in nulliparous women: development of model in international prospective cohort. 2011 , 342, d1875		286
233	Selenium and preeclampsia: A global perspective. <i>Pregnancy Hypertension</i> , 2011 , 1, 213-24	2.6	26
232	Examination of the fetal cardiovascular system. 2011 , 16, 2-12		24
231	Screening for pre-eclampsia: a systematic review of tests combining uterine artery Doppler with other markers. 2011 , 39, 619-35		32
230	[Prenatal care and management of hypertension in pregnant women in the public healthcare system in Rio de Janeiro, Brazil]. 2011 , 27, 1021-34		8
229	Early screening for preeclampsia. 2011 , 33, 367-75		22
228	Contemporary prediction of preeclampsia. 2011 , 23, 65-71		30
227	Current world literature. 2011 , 23, 135-41		
226	Prevention of adverse pregnancy outcomes with low-dose ASA in early pregnancy: new perspectives for future randomized trials. 2011 , 33, 480-483		5

225	Screening for pre-eclampsia--lessons from aneuploidy screening. 2011 , 32 Suppl, S42-8		59
224	Pregenesys pre-eclampsia markers consensus meeting: What do we require from markers, risk assessment and model systems to tailor preventive strategies?. 2011 , 32 Suppl, S4-16		62
223	Prediction of early, intermediate and late pre-eclampsia from maternal factors, biophysical and biochemical markers at 11-13 weeks. 2011 , 31, 66-74		291
222	Hypertensive disorders in pregnancy: screening by systolic diastolic and mean arterial pressure at 11-13 weeks. 2011 , 30, 93-107		53
221	Maternal age during pregnancy is associated with third trimester blood pressure level: the generation R study. 2011 , 24, 1046-53		12
220	Bridging global gene expression candidates in first trimester placentas with susceptibility loci from linkage studies of preeclampsia. 2011 , 39, 361-8		12
219	Placental lesions associated with maternal underperfusion are more frequent in early-onset than in late-onset preeclampsia. 2011 , 39, 641-52		172
218	Identification of high-risk patients for adverse pregnancy outcome based on multivariate logistic regression analysis at 20-23 gestational weeks. 2011 , 39, 667-72		3
217	Ultrasonographic prediction of early miscarriage. 2011 , 26, 1685-92		47
216	Endothelin as a final common pathway in the pathophysiology of preeclampsia: therapeutic implications. 2012 , 21, 157-62		44
215	Current world literature. 2012 , 21, 216-27		
214	Maternal serum insulin-like growth factor-binding protein-3 (IGFBP-3) at 11-13 weeks in preeclampsia. <i>Journal of Human Hypertension</i> , 2012 , 26, 253-8	2.6	11
213	Extracellular nucleic acids in maternal circulation as potential biomarkers for placental insufficiency. 2012 , 31, 1221-32		25
212	Prevention of preeclampsia. <i>Journal of Pregnancy</i> , 2012 , 2012, 435090	2.5	34
211	Ultrasound markers for the detection of women at risk of developing pre-eclampsia. 2012 , 50, 1009-14		6
210	Candidate biochemical markers for screening of pre-eclampsia in early pregnancy. 2012 , 50, 973-84		24
209	Pregnancy outcomes in women with and without gestational diabetes mellitus according to the International Association of the Diabetes and Pregnancy Study Groups criteria. 2012 , 120, 746-52		61
208	ASPIRIN ADMINISTRATION FOR PREVENTION OF ADVERSE PREGNANCY OUTCOMES. 2012 , 23, 187-200		1

207	Maternal body mass index, height, and risks of preeclampsia. 2012 , 25, 120-5	89
206	Vascular Mechanisms of Hypertension in the Pathophysiology of Preeclampsia. 2012 , 1329-1337	
205	Maternal hemodynamics at 11-13 weeks' gestation and risk of pre-eclampsia. 2012 , 40, 28-34	66
204	First trimester maternal serum PIGF, free β hCG, PAPP-A, PP-13, uterine artery Doppler and maternal history for the prediction of preeclampsia. 2012 , 33, 495-501	89
203	Maternal age and adverse pregnancy outcome: a cohort study. 2013 , 42, 634-43	204
202	Clinical evaluation of a first trimester algorithm predicting the risk of hypertensive disease of pregnancy. 2013 , 53, 532-9	97
201	Second-trimester uterine artery Doppler, PlGF, sFlt-1, sEndoglin, and lipid-related markers for predicting preeclampsia in a high-risk population. 2013 , 33, 1070-4	18
200	Performance of a first-trimester screening of preeclampsia in a routine care low-risk setting. 2013 , 208, 203.e1-203.e10	88
199	Risk factors of early and late onset pre-eclampsia. 2013 , 39, 627-31	42
198	First-trimester metabolomic detection of late-onset preeclampsia. 2013 , 208, 58.e1-7	55
197	Repeated measures of placental growth factor, placental protein 13, and a disintegrin and metalloprotease 12 at first and second trimesters for preeclampsia screening. 2013 , 30, 681-8	11
196	Asymmetric dimethylarginine, arginine and homoarginine at 11-13 weeks' gestation and preeclampsia: a case-control study. <i>Journal of Human Hypertension</i> , 2013 , 27, 38-43	2.6 43
195	Maternal racial origin and adverse pregnancy outcome: a cohort study. 2013 , 41, 278-85	62
194	Serum Markers for the Prediction of Preeclampsia. 2014 , 06,	1
193	The use of pulse wave velocity in predicting pre-eclampsia in high-risk women. 2014 , 37, 733-40	22
192	Early prediction of preeclampsia. 2014 , 2014, 297397	135
191	First trimester aneuploidy screening program for preeclampsia prediction in a portuguese obstetric population. 2014 , 2014, 435037	4
190	New approaches for managing preeclampsia: clues from clinical and basic research. 2014 , 36, 1873-1881	16

189	Maternal hypertensive pregnancy disorders and cognitive functioning of the offspring: a systematic review. 2014 , 8, 832-47.e1		48
188	Early disturbed placental ischemia and hypoxia creates immune alteration and vascular disorder causing preeclampsia. 2014 , 45, 519-24		53
187	Pregnancy, parturition and preeclampsia in women of African ancestry. 2014 , 210, 510-520.e1		60
186	New directions in the prediction of pre-eclampsia. 2014 , 54, 101-7		22
185	Major changes in diagnosis and management of preeclampsia. 2014 , 59, 596-605		28
184	Preeclampsia and maternal cardiovascular disease: consequence or predisposition?. 2014 , 51, 290-304		30
183	First-trimester maternal factors and biomarker screening for preeclampsia. 2014 , 34, 618-27		87
182	Including ethical considerations in models for first-trimester screening for pre-eclampsia. 2014 , 28, 638-43		6
181	Vasopressin in preeclampsia: a novel very early human pregnancy biomarker and clinically relevant mouse model. <i>Hypertension</i> , 2014 , 64, 852-9	8.5	79
180	Maternal lipids in pre-eclampsia: innocent bystander or culprit?. 2014 , 33, 508-23		16
179	Predictive biomarkers of pre-eclampsia and effectiveness of preventative interventions for the disease. 2014 , 14, 1161-73		4
178	Maternal risk factors and obstetric complications in late preterm prematurity. 2014 , 179, 105-9		11
177	Low-dose aspirin for prevention of morbidity and mortality from preeclampsia: a systematic evidence review for the U.S. Preventive Services Task Force. 2014 , 160, 695-703		287
176	Combined Screening for Early Detection of Pre-Eclampsia. 2015 , 16, 17952-74		40
175	Knowledge towards Pregnancy-induced Hypertension among Pregnant Women in Vhembe District, Limpopo Province. 2015 , 51, 47-54		4
174	TRAIL Is Decreased Before 20 Weeks Gestation in Women with Hypertensive Disorders of Pregnancy. <i>PLoS ONE</i> , 2015 , 10, e0128425	3.7	5
173	Preeclampsia: Short-term and Long-term Implications. 2015 , 42, 299-313		58
172	Association between maternal haemoglobin at 27-29weeks gestation and intrauterine growth restriction. <i>Pregnancy Hypertension</i> , 2015 , 5, 339-45	2.6	7

171	Risk factors of hypertensive disorders among Chinese pregnant women. 2015 , 35, 801-807	9
170	Demographic factors that can be used to predict early-onset pre-eclampsia. 2015 , 28, 535-9	5
169	Reproducibility of first- and second-trimester uterine artery pulsatility index measured by transvaginal and transabdominal ultrasound. 2015 , 46, 546-52	21
168	Second trimester angiotensin-converting enzyme and uterine artery Doppler as predictors of preeclampsia in a high-risk population. 2015 , 34, 171-80	3
167	Risk assessment for preeclampsia in nulliparous women at 11-13 weeks gestational age: prospective evaluation of two algorithms. 2015 , 122, 1781-8	31
166	Gestational hypertension and advanced maternal age. 2015 , 386, 1627-8	6
165	Assessing quality standards in measurement of uterine artery pulsatility index at 11 to 13 + 6 weeks' gestation. 2015 , 46, 299-305	14
164	Activin signalling and pre-eclampsia: from genetic risk to pre-symptomatic biomarker. 2015 , 71, 360-5	21
163	Screening for pre-eclampsia early in pregnancy: performance of a multivariable model combining clinical characteristics and biochemical markers. 2015 , 122, 402-10	28
162	First trimester screening for early and late preeclampsia based on maternal characteristics, biophysical parameters, and angiogenic factors. 2015 , 35, 183-91	80
161	The first trimester: prediction and prevention of the great obstetrical syndromes. 2015 , 29, 183-93	23
160	Correlation of VCAM-1 expression in serum, cord blood, and placental tissue with gestational hypertension associated with fetal growth restriction in women from Xingtai Hebei, China. 2016 , 15,	4
159	Risk of gestational hypertension and preeclampsia in women who discontinued or continued antidepressant medication use during pregnancy. 2016 , 19, 1051-1061	19
158	Artificially Intelligent Nanoarray for the Detection of Preeclampsia under Real-World Clinical Conditions. 2016 , 1, 1600132	11
157	Prediction of Pre-eclampsia. 2016 , 3, 55-61	
156	Prediction of pre-eclampsia combining NGAL and other biochemical markers with Doppler in the first and/or second trimester of pregnancy. A pilot study. 2016 , 205, 153-7	14
155	Renal Interlobar Vein Impedance Index as a First-Trimester Marker Does Not Predict Hypertensive Disorders of Pregnancy. 2016 , 35, 2641-2648	5
154	Clinical risk factors for pre-eclampsia determined in early pregnancy: systematic review and meta-analysis of large cohort studies. 2016 , 353, i1753	360

153	The performance of risk prediction models for pre-eclampsia using routinely collected maternal characteristics and comparison with models that include specialised tests and with clinical guideline decision rules: a systematic review. 2016 , 123, 1441-52			54
152	First trimester screening for pre-eclampsia. 2016 , 9, 106-12			7
151	TNF-R1 as a first trimester marker for prediction of pre-eclampsia. 2016 , 29, 897-903			2
150	The use of ultrasound and other markers for early detection of preeclampsia. 2016 , 12, 199-207			17
149	Similarities and differences between the risk factors for gestational hypertension and preeclampsia: A population based cohort study in south China. <i>Pregnancy Hypertension</i> , 2016 , 6, 66-71	2.6		29
148	Degree of obesity at delivery and risk of preeclampsia with severe features. 2016 , 214, 651.e1-5			18
147	Prognostic models in obstetrics: available, but far from applicable. 2016 , 214, 79-90.e36			91
146	First trimester uterine artery Doppler, sFlt-1 and PlGF to predict preeclampsia in a high-risk population. 2017 , 30, 1514-1519			9
145	Development and validation of a prediction model for gestational hypertension in a Ghanaian cohort. <i>BMJ Open</i> , 2017 , 7, e012670		3	14
144	Evaluation of the predictive value of placental vascularisation indices derived from 3-Dimensional power Doppler whole placental volume scanning for prediction of pre-eclampsia: A systematic review and meta-analysis. 2017 , 51, 89-97			18
143	Pre-gravid predictors of new onset hypertension in pregnancy - Results from a pre-conception cohort study in China. 2017 , 214, 140-144			3
142	Simple approach based on maternal characteristics and mean arterial pressure for the prediction of preeclampsia in the first trimester of pregnancy. 2017 , 45, 843-849			12
141	Update in the Management of Patients with Preeclampsia. 2017 , 35, 95-106			33
140	Performance of first trimester biochemical markers and mean arterial pressure in prediction of early-onset pre-eclampsia. 2017 , 75, 6-15			11
139	Comparison of three algorithms for prediction preeclampsia in the first trimester of pregnancy. <i>Pregnancy Hypertension</i> , 2017 , 10, 113-117	2.6		9
138	Circulating soluble fms-like tyrosine kinase-1 and placental growth factor from 10 to 40 weeks' pregnancy in normotensive women. 2017 , 45, 895-901			6
137	Metabolomic determination of pathogenesis of late-onset preeclampsia. 2017 , 30, 658-664			20
136	Should we recommend universal aspirin for all pregnant women?. 2017 , 216, 141.e1-141.e5			39

135	Efficacy of structured teaching programme on home care management of pregnancy induced hypertension in primigravida mothers: a tertiary hospital study. 2017 , 6, 3808		0
134	Revisiting the discriminatory accuracy of traditional risk factors in preeclampsia screening. <i>PLoS ONE</i> , 2017 , 12, e0178528	3.7	9
133	Comparison of risk factors and outcomes of gestational hypertension and pre-eclampsia. <i>PLoS ONE</i> , 2017 , 12, e0175914	3.7	69
132	Prediction and prevention of pre-eclampsia in Asian subpopulation. 2018 , 44, 813-830		12
131	Screening for Preeclampsia. 2018 , 5, 31-36		
130	Soluble fms-like tyrosine kinase-1, placental growth factor and their ratio as a predictor for pre-eclampsia in East Asians. <i>Pregnancy Hypertension</i> , 2018 , 11, 61-65	2.6	1
129	Improved prediction of gestational hypertension by inclusion of placental growth factor and pregnancy associated plasma protein-a in a sample of Ghanaian women. 2018 , 15, 56		4
128	sFlt-1/PLGF. 2018 , 175-198		
127	Preeclampsia. 2018 ,		1
126	Maternal Characteristics for the Prediction of Preeclampsia in Nulliparous Women: The Great Obstetrical Syndromes (GOS) Study. 2018 , 40, 572-578		12
125	First trimester screening for pre-eclampsia in Chinese pregnancies: case-control study. 2018 , 125, 442-449		12
124	Pregnant women are doing it for themselves: Self-monitoring of blood pressure in pregnancy. 2018 , 26, 451-454		3
123	Risk assessment for preterm preeclampsia in first trimester: Comparison of three calculation algorithms. 2018 , 231, 241-247		2
122	Preeclampsia in 2018: Revisiting Concepts, Physiopathology, and Prediction. 2018 , 2018, 6268276		65
121	Ethnic Diversities, Hypertension and Global Cardiovascular Risk. <i>Updates in Hypertension and Cardiovascular Protection</i> , 2018 ,	0.1	
120	Placental vascularization indices and prediction of pre-eclampsia in high-risk women. 2018 , 70, 53-59		11
119	Discriminatory Accuracy of Preeclampsia Risk Factors in Primary Care. 2018 , 49, 240-247		1
118	[Preeclampsia: A challenge also for cardiologists]. 2018 , 67, 280-287		1

117	Comparison of materno-fetal predictors and short-term outcomes between early and late onset pre-eclampsia in the low-income setting of Douala, Cameroon. 2018 , 142, 228-234		3
116	Application of metabolomics to preeclampsia diagnosis. 2018 , 64, 324-339		22
115	The Use of Biochemical and Biophysical Markers in Early Screening for Preeclampsia in Mongolia. 2018 , 6,		
114	Antidepressant use during pregnancy and the risk of developing gestational hypertension: a retrospective cohort study. 2018 , 18, 187		12
113	Prediction of pre-eclampsia and its subtypes in high-risk cohort: hyperglycosylated human chorionic gonadotropin in multivariate models. 2018 , 18, 279		6
112	Prevalence of hypertensive disorders of pregnancy in Ethiopia: a systemic review and meta-analysis. 2018 , 18, 34		43
111	The association of maternal country of birth and education with hypertensive disorders of pregnancy: A population-based study of 960 516 deliveries in Norway. 2018 , 97, 1237-1247		13
110	Strategies for the prediction of late preeclampsia. 2019 , 32, 3729-3733		2
109	Incidence and risk factors for Preeclampsia in a cohort of healthy nulliparous pregnant women: a nested case-control study. 2019 , 9, 9517		24
108	Increased BMI has a linear association with late-onset preeclampsia: A population-based study. <i>PLoS ONE</i> , 2019 , 14, e0223888	3.7	26
107	High rate of early onset preeclampsia in Mauritius. 2019 , 136, 102611		
106	Cardiovascular Outcomes in Advanced Maternal Age Delivering Women. Clinical Review and Medico-Legal Issues. 2019 , 55,		8
105	Usefulness of uterine artery Doppler velocimetry as a predictor for hypertensive disorders in pregnancy in women with prehypertension before 20 weeks gestation. <i>PLoS ONE</i> , 2019 , 14, e0210566	3.7	2
104	Two-stage screening for preterm preeclampsia at 11-13 weeks' gestation. 2019 , 220, 197.e1-197.e11		24
103	Predictive performance of the competing risk model in screening for preeclampsia. 2019 , 220, 199.e1-199.e13		83
102	Role of ACE I/D polymorphism in pathological assessment of preeclampsia in Pakistan. 2019 , 7, e00799		11
101	External validation of the Fetal Medicine Foundation algorithm for the prediction of preeclampsia in a Brazilian population. <i>Pregnancy Hypertension</i> , 2019 , 17, 64-68	2.6	6
100	The prediction of early preeclampsia: Results from a longitudinal proteomics study. <i>PLoS ONE</i> , 2019 , 14, e0217273	3.7	41

99	The International Federation of Gynecology and Obstetrics (FIGO) initiative on pre-eclampsia: A pragmatic guide for first-trimester screening and prevention. 2019 , 145 Suppl 1, 1-33		209
98	Screening for preeclampsia in the first trimester of pregnancy in routine clinical practice in Hungary. 2019 , 300, 11-19		1
97	Prediction models for preeclampsia: A systematic review. <i>Pregnancy Hypertension</i> , 2019 , 16, 48-66	2.6	41
96	[Potential value of placental angiogenic factors as biomarkers in preeclampsia for clinical physicians]. 2019 , 15, 413-429		3
95	Using proteomics to advance the search for potential biomarkers for preeclampsia: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2019 , 14, e0214671	3.7	11
94	Aspirin in the prevention of preeclampsia: the conundrum of how, who and when. <i>Journal of Human Hypertension</i> , 2019 , 33, 1-9	2.6	8
93	Maternal Height and Risk of Preeclampsia among Race/Ethnic Groups. 2019 , 36, 864-871		5
92	Prediction of pre-eclampsia: review of reviews. 2019 , 54, 16-27		39
91	Pre-eclampsia: the role of highly active antiretroviral therapy and immune markers. 2019 , 68, 47-57		9
90	How do maternal factors impact preeclampsia prediction in Brazilian population?. 2019 , 32, 1051-1056		2
89	Body mass index and the risk of hypertensive disorders of pregnancy: the great obstetrical syndromes (GOS) study. 2019 , 32, 1063-1068		14
88	Ethnicity and Immigration Status as Risk Factors for Gestational Diabetes Mellitus, Anemia and Pregnancy Outcomes Among Food Insecure Women Attending the Montreal Diet Dispensary Program. 2020 , 44, 139-145.e1		2
87	Hypertension in Pregnancy. 2020 , 455-483		
86	Family history of pre-eclampsia and cardiovascular disease as risk factors for pre-eclampsia: the GenPE case-control study. 2020 , 39, 56-63		8
85	Central hemodynamics are associated with fetal outcomes in pregnancies of advanced maternal age. <i>Pregnancy Hypertension</i> , 2020 , 19, 67-73	2.6	3
84	The competing risk approach for prediction of preeclampsia. 2020 , 223, 12-23.e7		54
83	The effect of dietary patterns on hypertensive disorders of pregnancy in North Shewa, Ethiopia: A propensity score matched case-control study. <i>Pregnancy Hypertension</i> , 2020 , 22, 24-29	2.6	1
82	First trimester preeclampsia screening and prediction. 2020 ,		30

81	Incidence of pre-eclampsia and other perinatal complications among pregnant women with congenital heart disease: systematic review and meta-analysis. 2021 , 58, 519-528		3
80	Postpartum Hypertension. 2020 , 22, 58		6
79	Does race or ethnicity play a role in the origin, pathophysiology, and outcomes of preeclampsia? An expert review of the literature. 2020 ,		25
78	Gestational Smoking and Hypertension as Predictors of Working Memory Functioning in Childhood Attention-Deficit/Hyperactivity Disorder. 2020 , 11, 1950		2
77	Uterine Artery Doppler Ultrasonography for First Trimester Prediction of Preeclampsia in Individuals at Risk from Low-Resource Settings. 2020 , 56,		4
76	Placental Microbial Colonization and Its Association With Pre-eclampsia. 2020 , 10, 413		6
75	Factors associated with hypertensive disorders of pregnancy in sub-Saharan Africa: A systematic and meta-analysis. <i>PLoS ONE</i> , 2020 , 15, e0237476	3-7	5
74	Preeclampsia: Linking Placental Ischemia with Maternal Endothelial and Vascular Dysfunction. 2020 , 11, 1315-1349		4
73	External validation of prognostic models predicting pre-eclampsia: individual participant data meta-analysis. 2020 , 18, 302		4
72	Late pregnancy screening for preeclampsia with a urinary point-of-care test for misfolded proteins. <i>PLoS ONE</i> , 2020 , 15, e0233214	3-7	5
71	Predictive value of ophthalmic artery Doppler velocimetry in relation to hypertensive disorders of pregnancy. 2020 , 48, 388-395		4
70	Population screening for gestational hypertensive disorders using maternal, fetal and placental characteristics: A population-based prospective cohort study. 2020 , 40, 746-757		4
69	Early Pregnancy Serum Metabolite Profiles Associated with Hypertensive Disorders of Pregnancy in African American Women: A Pilot Study. <i>Journal of Pregnancy</i> , 2020 , 2020, 1515321	2-5	4
68	Is gestational hypertension associated with affective temperaments?. 2020 , 39, 159-164		2
67	Maternal Obesity and the Risk of Early-Onset and Late-Onset Hypertensive Disorders of Pregnancy. 2020 , 136, 118-127		13
66	Parameterization of the mid-trimester drop in blood pressure trajectory during pregnancy and its utility for predicting preeclampsia. 2020 , 38, 1355-1366		2
65	A new model for screening for early-onset preeclampsia. 2020 , 222, 608.e1-608.e18		19
64	Die Itere Schwangere Ber 40. 2020 , 18, 67-72		

63	Early prediction of preeclampsia via machine learning. 2020 , 2, 100100		10
62	Concordance-analysis and evaluation of different diagnostic algorithms used in first trimester screening for late-onset preeclampsia. 2020 , 39, 172-185		1
61	Systematic review of prediction models for gestational hypertension and preeclampsia. <i>PLoS ONE</i> , 2020 , 15, e0230955	3.7	14
60	Management of pregnancy blood pressure increase in the emergency room: role of PlGF-based biochemical markers and relative economic impact. 2021 , 34, 1083-1090		1
59	Relationship between LPA SNPs and inflammatory burden in patients with preeclampsia to address future cardiovascular risk. 2021 , 34, 898-906		2
58	Maternal low birth weight and hypertensive disorders of pregnancy. <i>Pregnancy Hypertension</i> , 2021 , 23, 5-10	2.6	2
57	Semiautonomous Treatment Algorithm for the Management of Severe Hypertension in Pregnancy. 2021 , 137, 211-217		2
56	Vasohibin 1, a clinically relevant biomarker, contributes to pre-eclampsia. 2021 , 75, e14017		1
55	Prediction of pre-eclampsia. 2021 , 14, 220-224		1
54	Incidence and Clinical Risk Factors for Preeclampsia and Its Subtypes: A Population-Based Study in Beijing, China. 2021 , 3, 91-99		2
53	First Trimester Screening for Preeclampsia: An Asian Perspective. 2021 , 3, 116-123		0
52	Short Term Prediction of Preeclampsia. 2021 , 3, 107-115		2
51	Use of FMF algorithm for prediction of preeclampsia in high risk pregnancies: a single center longitudinal study. 2021 , 40, 171-179		0
50	Hypertension in pregnancy: Prevalence, risk factors and outcomes for women birthing in Ireland. <i>Pregnancy Hypertension</i> , 2021 , 24, 1-6	2.6	6
49	Risk factors and prevention of placenta-associated diseases. 2021 , 23, 236-240		
48	Explaining the Black-White Disparity in Preterm Birth: A Consensus Statement From a Multi-Disciplinary Scientific Work Group Convened by the March of Dimes. 2021 , 3,		10
47	Hypertension in Pregnancy. 2021 , 289-298		1
46	Vibrational Spectroscopy: A Valuable Screening and Diagnostic Tool for Obstetric Disorders?. 2020 , 1, 610582		3

45	Maternal circulating concentrations of soluble Fas and Elabela in early- and late-onset preeclampsia. 2020 , 1-14		8
44	Work-related maternal risk factors and the risk of pregnancy induced hypertension and preeclampsia during pregnancy. The Generation R Study. <i>PLoS ONE</i> , 2012 , 7, e39263	3.7	19
43	Mini-combined test compared with NICE guidelines for early risk-assessment for pre-eclampsia: the SPREE diagnostic accuracy study. 2020 , 7, 1-156		1
42	Validation and development of models using clinical, biochemical and ultrasound markers for predicting pre-eclampsia: an individual participant data meta-analysis. <i>Health Technology Assessment</i> , 2020 , 24, 1-252	4.4	6
41	Liver stiffness reversibly increases during pregnancy and independently predicts preeclampsia. <i>World Journal of Gastroenterology</i> , 2018 , 24, 4393-4402	5.6	15
40	First Trimester Ultrasound Screening: An Update. <i>Donald School Journal of Ultrasound in Obstetrics and Gynecology</i> , 2010 , 4, 97-116	0.4	4
39	Maternal, infant, and perinatal mortality statistics and trends in Korea between 2009 and 2017. <i>Obstetrics and Gynecology Science</i> , 2020 , 63, 623-630	1.9	5
38	First- and Third-Trimester Urinary Phthalate Metabolites in the Development of Hypertensive Diseases of Pregnancy. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
37	Prospective Evaluation of International Prediction of Pregnancy Complications Collaborative Network Models for Prediction of Preeclampsia: Role of Serum sFlt-1 at 11-13 Weeks' Gestation. <i>Hypertension</i> , 2021 , HYPERTENSIONAHA12118021	8.5	1
36	Hypertensive Schwangerschaftserkrankungen. 2011 , 305-342		
35	The diagnostic accuracy of the usage of the <i>Fetal Medicine Foundation</i> (FMF) on-line risk calculator with first-trimester ultrasound for screening for preeclampsia in high-risk pregnant Brazilian population. <i>Open Journal of Obstetrics and Gynecology</i> , 2012 , 02, 298-303	0.1	
34	Hypertension in Pregnancy. 2017 ,		
33	Maternal & Perinatal outcome in Hypertensive Disorders of Pregnancy in a Tertiary Care Hospital in Northern India. <i>Obstetrics & Gynecology International Journal</i> , 2017 , 6,	0.4	1
32	High-Risk Pregnancy: Management Options. 2018 ,		1
31	SCREENING FOR PREECLAMPSIA: A EVIDENCE-BASED REVIEW. <i>Journal of Medicine and Pharmacy</i> , 2017 , 11-18	0	
30	Hypertension in Pregnancy and Related Health Outcomes in European Ethnic Minorities. <i>Updates in Hypertension and Cardiovascular Protection</i> , 2018 , 299-308	0.1	
29	Hypertensive disorders of in-vitro fertilization pregnancies: A study from Kosovo. <i>International Journal of Reproductive BioMedicine</i> , 2018 , 16, 77-82	1.3	
28	STUDY OF PREVALENCE OF HYPERTENSIVE DISORDERS OF PREGNANCY AND THEIR MATERNAL AND PERINATAL OUTCOME AT GOVERNMENT VICTORIA HOSPITAL, VISAKHAPATNAM. <i>Journal of Evidence Based Medicine and Healthcare</i> , 2019 , 6, 2097-2100	0	

27	FEATURES OF PREGNANCY IN NULLIPAROUS WITH EARLY PREECLAMPSIA. <i>V F Snegirev Archives of Obstetrics and Gynecology</i> , 2019 , 6, 145-150	0.1	1
26	External validation of first trimester combined screening for pre-eclampsia in Brazil: An observational study. <i>Pregnancy Hypertension</i> , 2021 , 26, 110-115	2.6	0
25	Liver Stiffness and Pregnancy. 2020 , 307-314		
24	Risk factors for hypertensive disorders in pregnancy: a report from the maroua regional hospital, cameroon. <i>Journal of Reproduction and Infertility</i> , 2011 , 12, 227-34	1.5	21
23	Hypertensive disorders of in-vitro fertilization pregnancies: A study from Kosovo. <i>International Journal of Reproductive BioMedicine</i> , 2018 , 16, 77-82	1.3	
22	Evaluation of Serum Biomarkers and Other Diagnostic Modalities for Early Diagnosis of Preeclampsia. <i>Journal of Family & Reproductive Health</i> , 2019 , 13, 56-69	0.6	6
21	Metabolomics for prediction of hypertension in pregnancy: a systematic review and meta-analysis protocol. <i>BMJ Open</i> , 2020 , 10, e040652	3	
20	Racial and ethnic disparities in pregnancy complications and the protective role of greenspace: A retrospective birth cohort study. <i>Science of the Total Environment</i> , 2021 , 808, 152145	10.2	0
19	Pre-eclampsia diagnosis and management. <i>Bailliere's Best Practice and Research in Clinical Anaesthesiology</i> , 2022 ,	4	0
18	Maternal and perinatal outcome in hypertensive disorders of pregnancy in tertiary care rural hospital. 2022 , 8, 21-25		
17	Effectiveness of Different Algorithms and Cut-off Value in Preeclampsia First Trimester Screening.. <i>Journal of Pregnancy</i> , 2022 , 2022, 6414857	2.5	
16	First trimester serum matrix metalloproteinase-7 is a poor predictor of late-onset preeclampsia.. <i>Pregnancy Hypertension</i> , 2022 , 28, 94-99	2.6	1
15	Differences in disease severity and delivery gestational age between black and white patients with hypertensive disorders of pregnancy.. <i>Pregnancy Hypertension</i> , 2022 , 28, 88-93	2.6	0
14	A ten-year review of indications and outcomes of obstetric admissions to an intensive care unit in a low-resource country.. <i>PLoS ONE</i> , 2021 , 16, e0261974	3.7	
13	Metabolomics for prediction of hypertension in pregnancy: a systematic review and meta-analysis protocol. 2020 , 10, e040652		0
12	Estimated Fetal Weight and Placental Thickness in Hypertensive and Non-hypertensive Women Diagnosed on Ultrasound: A Case Control Study. <i>Pakistan Biomedical Journal</i> ,		
11	Development and Validation of Multi-Stage Prediction Models for Pre-eclampsia: A Retrospective Cohort Study on Chinese Women. <i>Frontiers in Public Health</i> , 2022 , 10,	6	
10	Reviewing Accuracy of First Trimester Screening for Preeclampsia Using Maternal Factors and Biomarkers. Volume 14, 1371-1384		0

- 9 Diagnostic biomolecules and combination therapy for pre-eclampsia. **2022**, 20, 0
- 8 Gestational diabetes mellitus and hypertensive disorder of pregnancy play as spouse-pair risk factors of diabetes and hypertension: Insights from Tehran Lipid and Glucose Study. **2022**, 36, 108311 0
- 7 Obstructive Sleep Apnea Among Gravidas With Chronic Hypertension Compared to Matched Controls: A Prospective Cohort Study. Publish Ahead of Print, 0
- 6 Modeling Preeclampsia In Vitro: Polymorphic Variants of STOX1-A/B Genes Can Downregulate CD24 in Trophoblast Cell Lines. **2022**, 23, 15927 1
- 5 Doppler de arterias uterinas para tamizaje y prevención de preeclampsia. **2023**, 3, e119 0
- 4 Predictive Performance of Machine Learning-Based Methods for the Prediction of Preeclampsia: A Prospective Study. **2023**, 12, 418 0
- 3 Factors Predicting Transformation of Non-Severe Pre-Eclampsia into Pre-Eclampsia with Severe Features. **2023**, 13, 153-165 0
- 2 The Role of Nitric Oxide in the Etiopathogenesis of Preeclampsia. **2023**, 391-409 0
- 1 Pre-eclampsia. **2023**, 9, 1