

# CITATION REPORT

List of articles citing

The effect of hematocrit on assay bias when using DBS samples for the quantitative bioanalysis of drugs

DOI: 10.4155/bio.10.103  
Bioanalysis, 2010, 2, 1385-95.

**Source:** <https://exaly.com/paper-pdf/49310839/citation-report.pdf>

**Version:** 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
247	Study to assess the effect of age of control human and animal blood on its suitability for use in quantitative bioanalytical DBS methods. <i>Bioanalysis</i> , <b>2010</b> , 2, 1373-84	2.1	15
246	Analytical methods used in conjunction with dried blood spots. <b>2011</b> , 3, 1709		42
245	Method of applying internal standard to dried matrix spot samples for use in quantitative bioanalysis. <i>Analytical Chemistry</i> , <b>2011</b> , 83, 8779-86	7.8	60
244	Dried blood spot sampling: practical considerations and recommendation for use with preclinical studies. <i>Bioanalysis</i> , <b>2011</b> , 3, 1099-107	2.1	45
243	Dried blood spots, pharmacokinetic studies and better medicines for children. <i>Bioanalysis</i> , <b>2011</b> , 3, 779-86	2.1	48
242	The best of Bioanalysis 2010. <i>Bioanalysis</i> , <b>2011</b> , 3, 1533-1540	2.1	1
241	A dried blood spots technique based LC-MS/MS method for the analysis of posaconazole in human whole blood samples. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2011</b> , 879, 3626-38	3.2	30
240	Perforated dried blood spots: a novel format for accurate microsampling. <i>Bioanalysis</i> , <b>2011</b> , 3, 2321-33	2.1	66
239	Pre-cut dried blood spot (PCDBS): an alternative to dried blood spot (DBS) technique to overcome hematocrit impact. <b>2011</b> , 25, 2951-8		84
238	Determination of moxifloxacin in dried blood spots using LC-MS/MS and the impact of the hematocrit and blood volume. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2011</b> , 879, 1063-70	3.2	98
237	Quantitative analysis of NIM811, a cyclophilin inhibitor, in human dried blood spots using liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2011</b> , 879, 2376-82	3.2	11
236	Dried blood spots: a new tool for tuberculosis treatment optimization. <b>2011</b> , 17, 2931-9		58
235	Determination of drug concentrations using dried blood spots: investigation of blood sampling and collection techniques in CrI:CD(SD) rats. <b>2011</b> , 45, 109-13		5
234	Application of automated dried blood spot sampling and LC-MS/MS for pharmacokinetic studies of AMG 517 in rats. <i>Bioanalysis</i> , <b>2011</b> , 3, 2349-56	2.1	20
233	Exploration of a new concept for automated dried blood spot analysis using flow-through desorption and online SPE-MS/MS. <i>Bioanalysis</i> , <b>2011</b> , 3, 2311-20	2.1	41
232	The effect of hematocrit and punch location on assay bias during quantitative bioanalysis of dried blood spot samples. <i>Bioanalysis</i> , <b>2011</b> , 3, 2335-47	2.1	120
231	Dried blood spots as a sampling technique for the quantitative determination of guanfacine in clinical studies. <i>Bioanalysis</i> , <b>2011</b> , 3, 2501-14	2.1	30

230	Direct analysis of DBS: emerging and desirable technologies. <i>Bioanalysis</i> , <b>2011</b> , 3, 1675-1678	2.1	30
229	Implementing DBS methodology for the determination of Compound A in monkey blood: GLP method validation and investigation of the impact of blood spreading on performance. <i>Bioanalysis</i> , <b>2011</b> , 3, 1241-52	2.1	16
228	Simultaneous LC-MS/MS quantitation of acetaminophen and its glucuronide and sulfate metabolites in human dried blood spot samples collected by subjects in a pilot clinical study. <i>Bioanalysis</i> , <b>2012</b> , 4, 1429-43	2.1	23
227	Automated dried blood spots standard and QC sample preparation using a robotic liquid handler. <i>Bioanalysis</i> , <b>2012</b> , 4, 2795-804	2.1	9
226	Dried blood spots in toxicology: from the cradle to the grave?. <b>2012</b> , 42, 230-43		117
225	Use of dried blood spots for the determination of plasma concentrations of nevirapine and efavirenz. <b>2012</b> , 67, 1211-6		46
224	Discovery pharmacokinetic studies in mice using serial microsampling, dried blood spots and microbore LC-MS/MS. <i>Bioanalysis</i> , <b>2012</b> , 4, 1077-95	2.1	39
223	Capillary microsampling of 25 $\mu$ l blood for the determination of toxicokinetic parameters in regulatory studies in animals. <i>Bioanalysis</i> , <b>2012</b> , 4, 661-74	2.1	78
222	Managing the effect of hematocrit on DBS analysis in a regulated environment. <i>Bioanalysis</i> , <b>2012</b> , 4, 345-71	2.1	64
221	What is next for dried blood spots?. <i>Bioanalysis</i> , <b>2012</b> , 4, 2059-65	2.1	24
220	Impact of Sampling Paper/Cards on Bioanalytical Quantitation via Dried Blood Spots by Liquid Chromatography-Mass Spectrometry. <b>2012</b> , 67-80		
219	Application of DBS sampling in combination with LC-MS/MS for pharmacokinetic evaluation of a compound with species-specific blood-to-plasma partitioning. <i>Bioanalysis</i> , <b>2012</b> , 4, 2037-47	2.1	7
218	Impact of hemolysis during sample collection: how different is drug concentration in hemolyzed plasma from that of normal plasma?. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2012</b> , 901, 79-84	3.2	17
217	Liquid chromatography-mass spectrometric determination of losartan and its active metabolite on dried blood spots. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2012</b> , 902, 47-54	3.2	17
216	Analysis of cyclosporin A, tacrolimus, sirolimus, and everolimus in dried blood spot samples using liquid chromatography tandem mass spectrometry. <b>2012</b> , 404, 1803-11		41
215	Dried blood spot analysis of an iron chelator--deferasirox and its potential application to therapeutic drug monitoring. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2012</b> , 907, 65-73	3.2	11
214	Evaluation of dried blood spot (DBS) technology versus plasma analysis for the determination of MK-1775 by HILIC-MS/MS in support of clinical studies. <b>2012</b> , 404, 3037-48		26
213	Dried matrix on paper disks: the next generation DBS microsampling technique for managing the hematocrit effect in DBS analysis. <i>Bioanalysis</i> , <b>2012</b> , 4, 2027-35	2.1	51

212	The use of a membrane filtration device to form dried plasma spots for the quantitative determination of guanfacine in whole blood. <b>2012</b> , 26, 1208-12		65
211	Perforated dried blood spot accurate microsampling: the concept and its applications in toxicokinetic sample collection. <b>2012</b> , 47, 655-67		36
210	Exploring dried blood spot sampling technique for simultaneous quantification of antiretrovirals: lamivudine, stavudine and nevirapine in a rodent pharmacokinetic study. <b>2012</b> , 26, 1472-81		11
209	Dried blood spot on-card derivatization: an alternative form of sample handling to overcome the instability of thiorphan in biological matrix. <b>2012</b> , 26, 1617-24		14
208	Sensitive determination of prohibited drugs in dried blood spots (DBS) for doping controls by means of a benchtop quadrupole/Orbitrap mass spectrometer. <b>2012</b> , 403, 1279-89		113
207	Current and future applications of dried blood spots in viral disease management. <b>2012</b> , 93, 309-21		102
206	Validation of a ligand binding assay using dried blood spot sampling. <i>AAPS Journal</i> , <b>2013</b> , 15, 123-31	3.7	15
205	LC-MS/MS determination of pramipexole on rat dried blood spots: a pharmacokinetic study. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2013</b> , 932, 34-9	3.2	9
204	Simple, miniaturized blood plasma extraction method. <i>Analytical Chemistry</i> , <b>2013</b> , 85, 11501-8	7.8	75
203	The stability of amitriptyline N-oxide and clozapine N-oxide on treated and untreated dry blood spot cards. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2013</b> , 76, 164-8	3.5	13
202	The effect of hematocrit on bioanalysis of DBS: results from the EBF DBS-microsampling consortium. <i>Bioanalysis</i> , <b>2013</b> , 5, 2147-60	2.1	86
201	State-of-the-art dried blood spot analysis: an overview of recent advances and future trends. <i>Bioanalysis</i> , <b>2013</b> , 5, 2187-208	2.1	94
200	Dried blood spots: analysis and applications. <i>Analytical Chemistry</i> , <b>2013</b> , 85, 779-89	7.8	180
199	An alternative approach for quantitative bioanalysis using diluted blood to profile oral exposure of small molecule anticancer drugs in mice. <b>2013</b> , 102, 750-60		3
198	Microsample analyses via DBS: challenges and opportunities. <i>Bioanalysis</i> , <b>2013</b> , 5, 2547-65	2.1	48
197	Quantification of insulin-like growth factor-1 in dried blood spots for detection of growth hormone abuse in sport. <b>2013</b> , 405, 1949-58		67
196	Development of a validated LC-MS/MS method for determination of doxofylline on rat dried blood spots and urine: application to pharmacokinetics. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2013</b> , 78-79, 211-6	3.5	8
195	A dried blood spot update: still an important bioanalytical technique?. <i>Bioanalysis</i> , <b>2013</b> , 5, 879-83	2.1	26

194	Prediction of the hematocrit of dried blood spots via potassium measurement on a routine clinical chemistry analyzer. <i>Analytical Chemistry</i> , <b>2013</b> , 85, 404-10	7.8	114
193	Effect of ambient humidity on the rate at which blood spots dry and the size of the spot produced. <i>Bioanalysis</i> , <b>2013</b> , 5, 1863-71	2.1	11
192	New bioanalytical technologies and concepts: worth the effort?. <i>Bioanalysis</i> , <b>2013</b> , 5, 1975-8	2.1	2
191	Assessment of the within- and between-lot variability of Whatman FTA( ) DMPK and 903( ) DBS papers and their suitability for the quantitative bioanalysis of small molecules. <i>Bioanalysis</i> , <b>2013</b> , 5, 2613-30	2.1	9
190	A novel approach to capillary plasma microsampling for quantitative bioanalysis. <i>Bioanalysis</i> , <b>2013</b> , 5, 1131-5	2.1	48
189	Dried blood spots and sparse sampling: a practical approach to estimating pharmacokinetic parameters of caffeine in preterm infants. <b>2013</b> , 75, 805-13		29
188	Hemato-critical issues in quantitative analysis of dried blood spots: challenges and solutions. <i>Bioanalysis</i> , <b>2013</b> , 5, 2023-41	2.1	170
187	Merck perspective on the implementation of dried blood spot technology in clinical drug development - why, when and how. <i>Bioanalysis</i> , <b>2013</b> , 5, 341-50	2.1	59
186	Analysis of Biologic Fluids. <b>2013</b> , 87-96		
185	Training and microsample collection. <b>2013</b> , 14-28		3
184	. <b>2014</b> ,		23
183	Automated direct extraction and analysis of dried blood spots employing on-line SPE high-resolution accurate mass bioanalysis. <i>Bioanalysis</i> , <b>2014</b> , 6, 2027-41	2.1	23
182	Potassium-based algorithm allows correction for the hematocrit bias in quantitative analysis of caffeine and its major metabolite in dried blood spots. <b>2014</b> , 406, 6749-55		50
181	Direct Analysis of Dried Blood Spot Samples. <b>2014</b> , 243-297		2
180	Clinical Implications of Dried Blood Spot Assays for Biotherapeutics. <b>2014</b> , 188-194		
179	Potential Role for Dried Blood Spot Sampling and Bioanalysis in Preclinical Studies. <b>2014</b> , 195-201		
178	Challenges and Experiences with Dried Blood Spot Technology for Method Development and Validation. <b>2014</b> , 179-187		2
177	Punching and Extraction Techniques for Dried Blood Spot Sample Analysis. <b>2014</b> , 160-167		2

176	Pharmaceutical Perspectives of Use of Dried Blood Spots. <b>2014</b> , 151-159		1
175	Applications of Dried Blood Spots in Environmental Population Studies. <b>2014</b> , 130-139		
174	CYP1A2 phenotyping in dried blood spots and microvolumes of whole blood and plasma. <i>Bioanalysis</i> , <b>2014</b> , 6, 3011-24	2.1	13
173	Evaluation of dried blood spot technique for pharmacokinetic study of hydrochlorothiazide and comparison of human plasma versus dried blood spot. <b>2014</b> , 6, 44-49		
172	Determination of tamoxifen and endoxifen in dried blood spots using LC-MS/MS and the effect of coated DBS cards on recovery and matrix effects. <i>Bioanalysis</i> , <b>2014</b> , 6, 2999-3009	2.1	23
171	Accurate weighing and dilution-assisted plasma microsampling (AWADA-PM): an easy-to-implement and rugged strategy. <i>Bioanalysis</i> , <b>2014</b> , 6, 805-17	2.1	6
170	Evaluation of matrix microsampling methods for therapeutic drug candidate quantification in discovery-stage rodent pharmacokinetic studies. <i>Bioanalysis</i> , <b>2014</b> , 6, 2135-46	2.1	8
169	Quantification of valproic acid in dried blood spots. <b>2014</b> , 74, 648-52		12
168	Sensitive quantification of IGF-1 and its synthetic analogs in dried blood spots. <i>Bioanalysis</i> , <b>2014</b> , 6, 2651-62		17
167	Spot them in the spot: analysis of abused substances using dried blood spots. <i>Bioanalysis</i> , <b>2014</b> , 6, 2211-21		59
166	Procedures and practices for the validation of bioanalytical methods using dried blood spots: a review. <i>Bioanalysis</i> , <b>2014</b> , 6, 2481-514	2.1	67
165	Dried blood spots: concepts, present status, and future perspectives in bioanalysis. <i>Drug Testing and Analysis</i> , <b>2014</b> , 6, 399-414	3.5	88
164	Therapeutic drug monitoring by dried blood spot: progress to date and future directions. <b>2014</b> , 53, 961-73		212
163	Current strategies for coping with the hematocrit problem in dried blood spot analysis. <i>Bioanalysis</i> , <b>2014</b> , 6, 1871-4	2.1	65
162	Why dried blood spots are an ideal tool for CYP1A2 phenotyping. <b>2014</b> , 53, 763-71		15
161	Development of LC-MS/MS method for the determination of dapiprazole on dried blood spots and urine: application to pharmacokinetics. <b>2014</b> , 28, 615-20		3
160	Automated high-capacity on-line extraction and bioanalysis of dried blood spot samples using liquid chromatography/high-resolution accurate mass spectrometry. <b>2014</b> , 28, 2415-26		20
159	Performance and storage integrity of dried blood spots for PCB, BFR and pesticide measurements. <b>2014</b> , 494-495, 252-60		17

158	Interpatient distributions of bloodspot area per fixed volume of application: comparison between filter paper and non-cellulose dried matrix spotting cards. <i>Clinica Chimica Acta</i> , <b>2014</b> , 437, 187-90	6.2	3
157	HPLC-PDA-ORD bioassay of S-(+) and R(-) clopidogrel on rat dried blood spots. <b>2014</b> , 26, 102-7		5
156	Volumetric absorptive microsampling: a dried sample collection technique for quantitative bioanalysis. <i>Analytical Chemistry</i> , <b>2014</b> , 86, 8489-95	7.8	235
155	Fully-automated approach for online dried blood spot extraction and bioanalysis by two-dimensional-liquid chromatography coupled with high-resolution quadrupole time-of-flight mass spectrometry. <i>Analytical Chemistry</i> , <b>2014</b> , 86, 1246-53	7.8	36
154	Influence of haematocrit level on the kinetics of blood spreading on thin porous medium during dried blood spot sampling. <b>2014</b> , 451, 38-47		30
153	Methods for pharmacokinetic analysis in young children. <b>2014</b> , 10, 497-509		6
152	Dried blood spots and their role in bioanalysis. <b>2015</b> , 194-208		
151	Dried blood spot analysis of (+) and (-) darunavir enantiomers on immobilized amylose tris-(3, 5-dimethylphenylcarbamate) LC and its application to pharmacokinetics. <b>2015</b> , 29, 1878-84		3
150	A novel approach for quantitation of glucosylceramide in human dried blood spot using LC-MS/MS. <i>Bioanalysis</i> , <b>2015</b> , 7, 1483-96	2.1	9
149	Quantitative bioanalytical validation of fosfomycin in human whole blood with volumetric absorptive microsampling. <i>Bioanalysis</i> , <b>2015</b> , 7, 2585-95	2.1	36
148	Optimization of an automated IS addition system for use in high-throughput quantitative DBS analysis. <i>Bioanalysis</i> , <b>2015</b> , 7, 2763-75	2.1	3
147	New microfluidic-based sampling procedure for overcoming the hematocrit problem associated with dried blood spot analysis. <i>Analytical Chemistry</i> , <b>2015</b> , 87, 2068-71	7.8	72
146	A device for dried blood microsampling in quantitative bioanalysis: overcoming the issues associated blood hematocrit. <i>Bioanalysis</i> , <b>2015</b> , 7, 653-9	2.1	133
145	Quantitative bioanalysis of paracetamol in rats using volumetric absorptive microsampling (VAMS). <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2015</b> , 108, 61-9	3.5	53
144	Does volumetric absorptive microsampling eliminate the hematocrit bias for caffeine and paraxanthine in dried blood samples? A comparative study. <b>2015</b> , 881, 65-73		96
143	Validation and clinical application of a method to quantify nevirapine in dried blood spots and dried breast-milk spots. <b>2015</b> , 70, 2816-22		15
142	"Center punch" and "whole spot" bioanalysis of apixaban in human dried blood spot samples by UHPLC-MS/MS. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2015</b> , 988, 66-74	3.2	31
141	Implementing dried blood spot sampling for clinical pharmacokinetic determinations: considerations from the IQ Consortium Microsampling Working Group. <i>AAPS Journal</i> , <b>2015</b> , 17, 292-300	3.7	43

140	Therapeutic drug monitoring of carbamazepine and its metabolite in children from dried blood spots using liquid chromatography and tandem mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2015</b> , 109, 164-70	3.5	38
139	Investigation of different approaches to incorporating internal standard in DBS quantitative bioanalytical workflows and their effect on nullifying hematocrit-based assay bias. <i>Analytical Chemistry</i> , <b>2015</b> , 87, 4996-5003	7.8	68
138	A validated method for quantification of efavirenz in dried blood spots using high-performance liquid chromatography-mass spectrometry. <i>Therapeutic Drug Monitoring</i> , <b>2015</b> , 37, 220-8	3.2	21
137	Potential missing steps for a wide use of dried matrix spots in biomedical analysis. <i>Bioanalysis</i> , <b>2015</b> , 7, 2375-2385	2.1	9
136	Enhanced stability of blood matrices using a dried sample spot assay to measure human butyrylcholinesterase activity and nerve agent adducts. <i>Analytical Chemistry</i> , <b>2015</b> , 87, 5723-9	7.8	20
135	Hematocrit-independent recovery is a key for bioanalysis using volumetric absorptive microsampling devices, Mitra. <i>Bioanalysis</i> , <b>2015</b> , 7, 1821-9	2.1	56
134	Evaluation of two blood microsampling approaches for drug discovery PK studies in rats. <i>Bioanalysis</i> , <b>2015</b> , 7, 2345-2359	2.1	21
133	DBS direct elution: optimizing performance in high-throughput quantitative LC-MS/MS analysis. <i>Bioanalysis</i> , <b>2015</b> , 7, 2003-17	2.1	5
132	A new DBS card with spot sizes independent of the hematocrit value of blood. <i>Bioanalysis</i> , <b>2015</b> , 7, 2095-104	2.1	19
131	A disposable sampling device to collect volume-measured DBS directly from a fingerprick onto DBS paper. <i>Bioanalysis</i> , <b>2015</b> , 7, 2085-94	2.1	47
130	The effect of drying on the homogeneity of DBS. <i>Bioanalysis</i> , <b>2015</b> , 7, 1977-85	2.1	22
129	Hematocrit-independent recovery of immunosuppressants from DBS using heated flow-through desorption. <i>Bioanalysis</i> , <b>2015</b> , 7, 2019-29	2.1	18
128	A LC-MS/MS method for therapeutic drug monitoring of carbamazepine, lamotrigine and valproic acid in DBS. <i>Bioanalysis</i> , <b>2015</b> , 7, 2031-9	2.1	25
127	Dried blood spot analysis without dilution: Application to the LC-MS/MS determination of BMS-986001 in rat dried blood spot. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2015</b> , 1002, 201-9	3.2	3
126	Suitability of methylmalonic acid and total homocysteine analysis in dried bloodspots. <b>2015</b> , 853, 435-441		11
125	The use of dried blood spots for quantification of 15 antipsychotics and 7 metabolites with ultra-high performance liquid chromatography - tandem mass spectrometry. <i>Drug Testing and Analysis</i> , <b>2015</b> , 7, 502-11	3.5	32
124	The use of mass spectrometry to analyze dried blood spots. <b>2016</b> , 35, 361-438		143
123	Validation and Clinical Evaluation of a Novel Method To Measure Miltefosine in Leishmaniasis Patients Using Dried Blood Spot Sample Collection. <b>2016</b> , 60, 2081-9		14



122	Is there a role for microsampling in antibiotic pharmacokinetic studies?. <b>2016</b> , 12, 601-14		16
121	Dried blood spots analysis with mass spectrometry: Potentials and pitfalls in therapeutic drug monitoring. <b>2016</b> , 49, 1035-46		77
120	Determination of ultra-trace amounts of prosthesis-related metals in whole blood using volumetric absorptive micro-sampling and tandem ICP - Mass spectrometry. <b>2016</b> , 941, 1-9		25
119	Dried Blood Spot Methodology in Combination With Liquid Chromatography/Tandem Mass Spectrometry Facilitates the Monitoring of Teriflunomide. <i>Therapeutic Drug Monitoring</i> , <b>2016</b> , 38, 471-82 <sup>3,2</sup>		7
118	Analysis of ochratoxin A in dried blood spots - Correlation between venous and finger-prick blood, the influence of hematocrit and spotted volume. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2016</b> , 1020, 158-64	3.2	11
117	Estimation and Correction of the Blood Volume Variations of Dried Blood Spots Using a Postcolumn Infused-Internal Standard Strategy with LC-Electrospray Ionization-MS. <i>Analytical Chemistry</i> , <b>2016</b> , 88, 6457-64	7.8	16
116	Recent developments in the chromatographic bioanalysis of approved kinase inhibitor drugs in oncology. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2016</b> , 130, 244-263	3.5	24
115	A clinical validation study for application of DBS in therapeutic drug monitoring of antidepressants. <i>Bioanalysis</i> , <b>2016</b> , 8, 413-24	2.1	9
114	Quantitation of brinzolamide in dried blood spots by a novel LC-QTOF-MS/MS method. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2016</b> , 119, 84-90	3.5	8
113	Quantification of phosphatidylethanol 16:0/18:1, 18:1/18:1, and 16:0/16:0 in venous blood and venous and capillary dried blood spots from patients in alcohol withdrawal and control volunteers. <b>2016</b> , 408, 825-38		42
112	LC-HRMS determination of piperine on rat dried blood spots: A pharmacokinetic study. <b>2016</b> , 6, 18-23		5
111	Estimation of hematocrit in filter paper dried bloodspots by potassium measurement: advantage of use of perimeter ring samples over circular center sub-punch samples. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2017</b> , 55, 53-57	5.9	4
110	Evaluation of sample extraction methods for minimizing hematocrit effect on whole blood analysis with volumetric absorptive microsampling. <i>Bioanalysis</i> , <b>2017</b> , 9, 349-357	2.1	29
109	Clinical perspectives of dried blood spot protein quantification using mass spectrometry methods. <b>2017</b> , 54, 173-184		14
108	Quantitative LC-HRMS determination of selected cardiovascular drugs, in dried blood spots, as an indicator of adherence to medication. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2017</b> , 142, 232-243	3.5	14
107	Quantitation of Fentanyl Analogs in Dried Blood Spots by Flow-Through Desorption Coupled to Online Solid Phase Extraction Tandem Mass Spectrometry. <b>2017</b> , 9, 3876-3883		13
106	Application of volumetric absorptive microsampling device for quantification of tacrolimus in human blood as a model drug of high blood cell partition. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2017</b> , 143, 168-175	3.5	34
105	Capillary blood collected on volumetric absorptive microsampling (VAMS) device for monitoring hydroxychloroquine in rheumatoid arthritis patients. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2017</b> , 140, 334-341	3.5	45

104	Iron isotopic analysis of finger-prick and venous blood by multi-collector inductively coupled plasma-mass spectrometry after volumetric absorptive microsampling. <i>Journal of Analytical Atomic Spectrometry</i> , <b>2017</b> , 32, 314-321	3.7	14
103	Volumetric absorptive microsampling (VAMS) as an alternative to conventional dried blood spots in the quantification of miltefosine in dried blood samples. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2017</b> , 135, 160-166	3.5	46
102	Ensuring the collection of high-quality dried blood spot samples across multisite clinical studies. <i>Bioanalysis</i> , <b>2017</b> , 9, 209-213	2.1	21
101	Liquid chromatography-mass spectrometry determination of iloperidone on rat dried blood spots: application to pharmacokinetics. <b>2017</b> , 9, 5749-5756		
100	LC-MS determination of triazolam and its hydroxy metabolites in mouse dried blood spots: application to transgenic mouse pharmacokinetic studies. <i>Bioanalysis</i> , <b>2017</b> , 9, 987-1000	2.1	6
99	Automated high throughput analysis of antiretroviral drugs in dried blood spots. <b>2017</b> , 52, 534-542		17
98	Volumetric absorptive microsampling combined with impact-assisted extraction for hematocrit effect free assays. <i>Bioanalysis</i> , <b>2017</b> , 9, 1761-1769	2.1	10
97	Evaluation of fibronectin 1 in one dried blood spot and in urine after rhGH treatment. <i>Drug Testing and Analysis</i> , <b>2017</b> , 9, 1011-1016	3.5	12
96	Novel volumetric adsorptive microsampling technique for determination of perfluorinated compounds in blood. <b>2018</b> , 545, 49-53		8
95	Precise, accurate and user-independent blood collection system for dried blood spot sample preparation. <b>2018</b> , 410, 3315-3323		32
94	Dried blood spots and parallel artificial liquid membrane extraction-A simple combination of microsampling and microextraction. <b>2018</b> , 1009, 56-64		14
93	Drug monitoring by volumetric absorptive microsampling: method development considerations to mitigate hematocrit effects. <i>Bioanalysis</i> , <b>2018</b> , 10, 241-255	2.1	14
92	Development and validation of a method for gefitinib quantification in dried blood spots using liquid chromatography-tandem mass spectrometry: Application to finger-prick clinical blood samples of patients with non-small cell lung cancer. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2018</b> , 1087-1088, 1-5	3.2	10
91	Extractability-mediated stability bias and hematocrit impact: High extraction recovery is critical to feasibility of volumetric adsorptive microsampling (VAMS) in regulated bioanalysis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2018</b> , 156, 58-66	3.5	47
90	Incorporating dried blood spot LC-MS/MS analysis for clinical development of a novel oncolytic agent. <i>Bioanalysis</i> , <b>2018</b> , 10, 341-356	2.1	5
89	LC-PDA-ORD Bioassay of S-(+) and R-(-) Colchicine on Rat Dried Blood Spots: Application to a Pharmacokinetic Study. <b>2018</b> , 8, 139-151		
88	Dried blood spots for estimating mercury exposure in birds. <b>2018</b> , 236, 236-246		15
87	Quantitation of salbutamol using micro-volume blood sampling - applications to exacerbations of pediatric asthma. <b>2018</b> , 55, 1205-1213		6

86	Investigation of the effect of blood hematocrit and lipid content on the blood volume deposited by a disposable dried blood spot collection device. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2018</b> , 149, 419-424	3.5	24
85	The effect of hematocrit on solid-phase microextraction. <b>2018</b> , 1001, 40-50		13
84	Estimation of the Volume of Blood in a Small Disc Punched From a Dried Blood Spot Card. <b>2018</b> , 120, 1700362		13
83	Volumetric absorptive microsampling: Current advances and applications. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2018</b> , 147, 288-296	3.5	89
82	FACTORS AFFECTING LIQUID CHROMATOGRAPHY TANDEM-MASS SPECTROMETRY ANALYSIS OF 6-MERCAPTOPYRINE AND 6-THIOGUANINE IN DRIED BLOOD SPOTS. <b>2018</b> , 10, 200		
81	Dried Blood Spots for Global Health Diagnostics and Surveillance: Opportunities and Challenges. <b>2018</b> , 99, 256-265		66
80	The Use of Dried Blood Spots for the Quantification of Antihypertensive Drugs. <b>2018</b> , 2018, 3235072		2
79	Dried Blood Spheroids for Dry-State Room Temperature Stabilization of Microliter Blood Samples. <i>Analytical Chemistry</i> , <b>2018</b> , 90, 9353-9358	7.8	22
78	Investigation of dried blood sampling with liquid chromatography tandem mass spectrometry to confirm human exposure to nerve agents. <b>2018</b> , 1033, 100-107		6
77	Volumetric absorptive MicroSampling vs. other blood sampling materials in LC-MS-based protein analysis - preliminary investigations. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2018</b> , 156, 239-246	2.5	14
76	Microsampling: considerations for its use in pharmaceutical drug discovery and development. <i>Bioanalysis</i> , <b>2019</b> , 11, 1015-1038	2.1	26
75	A review of microsampling techniques and their social impact. <b>2019</b> , 21, 81		40
74	Challenges and opportunities in blood flow through porous substrate: A design and interface perspective of dried blood spot. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2019</b> , 175, 112772	3.5	7
73	Dried blood spots sampling in case samples deprived of hematocrit level information - Investigation and calculation strategy. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2019</b> , 1124, 308-312	3.2	9
72	Agreement between measurement of 25-hydroxyvitamin D in dried blood spot samples and serum in a Chinese population in the Netherlands. <b>2019</b> , 195, 105472		4
71	Preanalytical considerations in therapeutic drug monitoring of immunosuppressants with dried blood spots. <b>2019</b> , 6, 57-68		8
70	Determination of haemoglobin derivatives in aged dried blood spot to estimate haematocrit. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2019</b> , 57, 1026-1034	5.9	1
69	Hematocrit effect on dried blood spots in adults: a computational study and theoretical considerations. <b>2019</b> , 79, 325-333		6

68	Fully automated therapeutic drug monitoring of anti-epileptic drugs making use of dried blood spots. <b>2019</b> , 1601, 95-103		24
67	Development and clinical applications of the dried blood spot method for therapeutic drug monitoring of anti-epileptic drugs. <b>2019</b> , 125, 215-236		14
66	The dried blood spot sampling method in the laboratory medicine. <b>2019</b> , 120, 223-234		2
65	Instrumental and technical evolution over the past decade in bioanalysis. <i>Bioanalysis</i> , <b>2019</b> , 11, 601-606	2.1	3
64	Microsampling Applications with LC-MS Bioanalysis. <b>2019</b> , 117-127		
63	Evaluation of a Volumetric Dried Blood Spot Card Using a Gravimetric Method and a Bioanalytical Method with Capillary Blood from 44 Volunteers. <i>Analytical Chemistry</i> , <b>2019</b> , 91, 5558-5565	7.8	11
62	Development and validation of an assay for quantifying budesonide in dried blood spots collected from extremely low gestational age neonates. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2019</b> , 167, 7-14	3.5	11
61	. <b>2019</b> ,		6
60	Validation of methods for determining pediatric midazolam using wet whole blood and volumetric absorptive microsampling. <i>Bioanalysis</i> , <b>2019</b> , 11, 1737-1754	2.1	10
59	Identification of the factors affecting the consistency of DBS formation via experimental design and image processing methodology. <i>Microchemical Journal</i> , <b>2019</b> , 145, 1003-1010	4.8	3
58	LC-MS application for therapeutic drug monitoring in alternative matrices. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2019</b> , 166, 40-51	3.5	47
57	Determination of Fentanyl Analog Exposure Using Dried Blood Spots with LC-MS-MS. <b>2019</b> , 43, 266-276		16
56	Comparing Dried Blood Spots and Plasma Concentrations for Busulfan Therapeutic Drug Monitoring in Children. <i>Therapeutic Drug Monitoring</i> , <b>2020</b> , 42, 111-117	3.2	8
55	Technological advancement in dry blood matrix microsampling and its clinical relevance in quantitative drug analysis. <i>Bioanalysis</i> , <b>2020</b> , 12, 1483-1501	2.1	1
54	Fully Automated Optical Hematocrit Measurement From Dried Blood Spots. <b>2020</b> ,		7
53	Use of Dried Blood Spot Specimens to Monitor Patients with Inherited Metabolic Disorders. <b>2020</b> , 6, 26		16
52	Dried Blood Spot in Laboratory: Directions and Prospects. <b>2020</b> , 10,		25
51	Use of capillary dried blood for quantification of intact IGF-I by LC-HRMS for antidoping analysis. <i>Bioanalysis</i> , <b>2020</b> , 12, 737-752	2.1	9

50	Fluispotter, a novel automated and wearable device for accurate volume serial dried blood spot sampling. <i>Bioanalysis</i> , <b>2020</b> , 12, 665-681	2.1	3
49	A novel functional C1 inhibitor activity assay in dried blood spot for diagnosis of Hereditary angioedema. <i>Clinica Chimica Acta</i> , <b>2020</b> , 504, 155-162	6.2	6
48	The potential of neurofilaments analysis using dry-blood and plasma spots. <i>Scientific Reports</i> , <b>2020</b> , 10, 97	4.9	4
47	Opportunities and obstacles for microsampling techniques in bioanalysis: Special focus on DBS and VAMS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2020</b> , 182, 113102	3.5	23
46	Determination of fluoroquinolones in dried plasma spots by using microwave-assisted extraction coupled to ultra-high performance liquid chromatography-tandem mass spectrometry for therapeutic drug monitoring. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2021</b> , 195, 113821	3.5	2
45	Dried blood spots for anti-doping: Why just going volumetric may not be sufficient. <i>Drug Testing and Analysis</i> , <b>2021</b> , 13, 69-73	3.5	5
44	Determination of Cu in blood via direct analysis of dried blood spots using high-resolution continuum source graphite furnace atomic absorption spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , <b>2021</b> , 36, 1666-1677	3.7	4
43	An integrated self-powered 3D printed sample concentrator for highly sensitive molecular detection of HIV in whole blood at the point of care. <i>Analyst, The</i> , <b>2021</b> , 146, 3234-3241	5	1
42	Volumetric absorptive microsampling (VAMS) in therapeutic protein quantification by LC-MS/MS: Investigation of anticoagulant impact on assay performance and recommendations for best practices in method development. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2021</b> , 196, 113895	3.5	2
41	A $\Phi$ ilute and ShootQ liquid Chromatography-Mass Spectrometry Method for Multiclass Drug Analysis in Pre-Cut Dried Blood Spots. <i>International Journal of Environmental Research and Public Health</i> , <b>2021</b> , 18,	4.6	2
40	Addressing New Possibilities and New Challenges: Automated Nondestructive Hematocrit Normalization for Dried Blood Spots. <i>Therapeutic Drug Monitoring</i> , <b>2021</b> , 43, 346-350	3.2	2
39	The Evolving Role of Microsampling in Therapeutic Drug Monitoring of Monoclonal Antibodies in Inflammatory Diseases. <i>Molecules</i> , <b>2021</b> , 26,	4.8	1
38	Multicenter evaluation of use of dried blood spot compared to conventional plasma in measurements of globotriaosylsphingosine (LysoGb3) concentration in 104 Fabry patients. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2021</b> , 59, 1516-1526	5.9	2
37	Dried blood spots for the quantitative evaluation of IgG isotypes and correlation with serum samples in HIV-exposed uninfected (HEU) infants. <i>Journal of Immunological Methods</i> , <b>2021</b> , 493, 113019	2.5	1
36	Can dried blood spots be used to accurately measure vitamin D metabolites?. <i>Clinica Chimica Acta</i> , <b>2021</b> , 518, 70-77	6.2	0
35	Solutions for hematocrit bias in dried blood spot hormone analysis. <i>Bioanalysis</i> , <b>2021</b> ,	2.1	2
34	Toward proteome-wide exploration of proteins in dried blood spots using liquid chromatography-coupled mass spectrometry. <i>Proteomics</i> , <b>2021</b> , e2100019	4.8	1
33	Volumetric absorptive microsampling: its use in COVID-19 research and testing. <i>Bioanalysis</i> , <b>2021</b> , 13, 1851-1863	2.1	1

32	Patterned Dried Blood Spot Cards for the Improved Sampling of Whole Blood.. <i>ACS Measurement Science Au</i> , <b>2022</b> , 2, 31-38		0
31	Microsampling with a Solid-Phase Extraction Cartridge: Storage and Online Mass Spectrometry Analysis. <i>Analytical Chemistry</i> , <b>2021</b> , 93, 13632-13640	7.8	3
30	Hematocrit and standardization in DBS analysis: A practical approach for hormones mainly present in the plasma fraction. <i>Clinica Chimica Acta</i> , <b>2021</b> , 520, 179-185	6.2	2
29	Review of the Preanalytical Errors That Impact Therapeutic Drug Monitoring. <i>Therapeutic Drug Monitoring</i> , <b>2021</b> , 43, 595-608	3.2	1
28	Green and sustainable drug analysis [Combining microsampling and microextraction of drugs of abuse. <i>Sustainable Chemistry and Pharmacy</i> , <b>2021</b> , 24, 100517	3.9	2
27	Validation of a simple liquid chromatography coupled to tandem mass spectrometry method for the simultaneous determination of tacrolimus, sirolimus, everolimus and cyclosporin A in dried matrix on paper discs. <i>Journal of Mass Spectrometry and Advances in the Clinical Lab</i> , <b>2021</b> , 19, 7-19		1
26	Giving patients choices: AstraZeneca® evolving approach to patient-centric sampling. <i>Bioanalysis</i> , <b>2020</b> , 12, 957-970	2.1	3
25	Precise sample metering method by coordinated burst action of hydrophobic burst valves applied to dried blood spot collection. <i>Lab on A Chip</i> , <b>2021</b> , 21, 4445-4454	7.2	1
24	Dried blood sample analysis by antibody array across the total testing process. <i>Scientific Reports</i> , <b>2021</b> , 11, 20549	4.9	1
23	Dried blood spots: challenges. <b>2013</b> , 30-46		0
22	Advantages and Challenges of Dried Blood Spot Analysis by Mass Spectrometry Across the Total Testing Process. <i>Electronic Journal of the International Federation of Clinical Chemistry and Laboratory Medicine</i> , <b>2016</b> , 27, 288-317	2.4	60
21	A hydrophilic interaction liquid chromatography - Tandem mass spectrometry method for the determination of phenylephrine in dried blood spots from preterm infants.. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2022</b> , 1190, 123084	3.2	
20	A Joint Technology Combining the Advantages of Capillary Microsampling with Mass Spectrometry Applied to the Trans-Resveratrol Pharmacokinetic Study in Mice.. <i>Journal of Analytical Methods in Chemistry</i> , <b>2022</b> , 2022, 5952436	2	0
19	Methodological aspects of dried blood spot sampling for the determination of isoprostanoids and prostanoids. <i>Microchemical Journal</i> , <b>2022</b> , 175, 107212	4.8	0
18	A Model-Based Approach to Bridging Plasma and Dried Blood Spot Concentration Data for Phase 3 Verubecestat Trials.. <i>AAPS Journal</i> , <b>2022</b> , 24, 53	3.7	1
17	Dried Samples of Biological Fluids on Porous Membranes as a Promising Sample Preparation Method for Biomedical and Veterinary Diagnostics. <i>Journal of Analytical Chemistry</i> , <b>2022</b> , 77, 410-428	1.1	0
16	Clinical validation of a liquid chromatography-tandem mass spectrometry method for the quantification of calcineurin and mTOR inhibitors in dried matrix on paper discs. <i>Journal of Mass Spectrometry and Advances in the Clinical Lab</i> , <b>2022</b> ,		
15	Next generation VAMS□ □rypsin immobilization for instant proteolysis in bottom-up protein determination. <i>Advances in Sample Preparation</i> , <b>2022</b> , 3, 100027		

14	Biofabrication of Multiplexed Electrochemical Immunosensors for Simultaneous Detection of Clinical Biomarkers in Complex Fluids. <i>Advanced Healthcare Materials</i> , 2200589	10.1	○
13	Hematocrit: an uncontrollable variable in newborn screening?. <b>2022</b> ,		
12	Effects of spot size on biomarker levels of field-collected dried blood spots: A new algorithm for exact dried blood spot size measurement.		
11	DropWise: current role and future perspectives of dried blood spots (DBS), blood microsampling, and their analysis in sports drug testing. 1-22		1
10	Hemoglobin normalization outperforms other methods for standardizing dried blood spot metabolomics: A comparative study. <b>2023</b> , 854, 158716		○
9	Dried Blood Spots in Therapeutic Drug Monitoring and Toxicology. <b>2022</b> , 43-66		○
8	Application of a new volumetric microsampling device for quantitative bioanalysis of immunosuppression.		○
7	Microsampling tools for collecting, processing, and storing blood at the point-of-care.		○
6	Quantification of 25-hydroxyvitamin D2 and D3 in Mitra <sup>®</sup> devices with volumetric absorptive microsampling technology (VAMS <sup>®</sup> ) by UHPLC-HRMS for regular vitamin D status monitoring. <b>2023</b> , 228, 115314		○
5	Pre-analytical conditions influencing analysis of folate in dried plasma microsamples. <b>2023</b> , 28, 1-8		○
4	Dried Blood Spot Sampling in the Monitoring of Anticancer Therapy for Solid Tumors: A Systematic Review. <b>2023</b> , Publish Ahead of Print,		○
3	Do dried blood spots have the potential to support result management processes in routine sports drug testing? Part 3: LCMS/MS-based peptide analysis for dried blood spot sampling time point estimation.		○
2	Applications of Volumetric Absorptive Microsampling Technique: A Systematic Critical Review. <b>2023</b> , Publish Ahead of Print,		○
1	A validated method for the determination of hematocrit in dried blood spots using image analysis.		○