

# CITATION REPORT

List of articles citing

Pharmacokinetic considerations as to when to use dried blood spot sampling

DOI: 10.4155/bio.10.159  
Bioanalysis, 2010, 2, 1791-6.

**Source:** <https://exaly.com/paper-pdf/49315517/citation-report.pdf>

**Version:** 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
123	Hematocrit-Independent Quantitation of Stimulants in Dried Blood Spots: Pipet versus Microfluidic-Based Volumetric Sampling Coupled with Automated Flow-Through Desorption and Online Solid Phase Extraction-LC-MS/MS Bioanalysis.		
122	Dried blood spot punches for confirmation of suspected $\gamma$ -hydroxybutyric acid intoxications: validation of an optimized GC-MS procedure. <i>Bioanalysis</i> , <b>2011</b> , 3, 2271-81	2.1	43
121	Dried blood spots, pharmacokinetic studies and better medicines for children. <i>Bioanalysis</i> , <b>2011</b> , 3, 779-86	2.1	48
120	The best of Bioanalysis 2010. <i>Bioanalysis</i> , <b>2011</b> , 3, 1533-1540	2.1	1
119	Microassay of drugs and modern measurement techniques. <b>2011</b> , 21, 197-205		12
118	Application of automated serial blood sampling and dried blood spot technique with liquid chromatography-tandem mass spectrometry for pharmacokinetic studies in mice. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2011</b> , 56, 604-8	3.5	29
117	Development and validation of a dried blood spot LC-MS/MS assay to quantify ranitidine in paediatric samples. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2011</b> , 56, 1057-63	3.5	18
116	Pre-cut dried blood spot (PCDBS): an alternative to dried blood spot (DBS) technique to overcome hematocrit impact. <b>2011</b> , 25, 2951-8		84
115	Dried blood spots: a new tool for tuberculosis treatment optimization. <b>2011</b> , 17, 2931-9		58
114	LC-MS/MS sensitivity enhancement using 2D-SCX/RPLC and its application in the assessment of pharmacokinetics of clonidine in dried blood spots. <i>Bioanalysis</i> , <b>2011</b> , 3, 1577-86	2.1	15
113	Application of automated dried blood spot sampling and LC-MS/MS for pharmacokinetic studies of AMG 517 in rats. <i>Bioanalysis</i> , <b>2011</b> , 3, 2349-56	2.1	20
112	GlaxoSmithKline's experience of incurred sample reanalysis for dried blood spot samples. <i>Bioanalysis</i> , <b>2011</b> , 3, 1025-30	2.1	18
111	EBF recommendation on the validation of bioanalytical methods for dried blood spots. <i>Bioanalysis</i> , <b>2011</b> , 3, 1567-75	2.1	132
110	Dried blood spot sampling: coupling bioanalytical feasibility, blood-plasma partitioning and transferability to in vivo preclinical studies. <i>Bioanalysis</i> , <b>2011</b> , 3, 1635-46	2.1	26
109	Clinical evaluation of the determination of plasma concentrations of darunavir, etravirine, raltegravir and ritonavir in dried blood spot samples. <i>Bioanalysis</i> , <b>2011</b> , 3, 1093-7	2.1	21
108	Perspectives on microsampling: DBS. <i>Bioanalysis</i> , <b>2012</b> , 4, 1417-9	2.1	21
107	Validation of a bioanalytical method using capillary microsampling of 8 $\mu$ l plasma samples: application to a toxicokinetic study in mice. <i>Bioanalysis</i> , <b>2012</b> , 4, 1989-98	2.1	53

106	Dried blood spots in toxicology: from the cradle to the grave?. <b>2012</b> , 42, 230-43		117
105	Discovery pharmacokinetic studies in mice using serial microsampling, dried blood spots and microbore LC-MS/MS. <i>Bioanalysis</i> , <b>2012</b> , 4, 1077-95	2.1	39
104	Capillary microsampling of 25 µl blood for the determination of toxicokinetic parameters in regulatory studies in animals. <i>Bioanalysis</i> , <b>2012</b> , 4, 661-74	2.1	78
103	Dried blood spot analysis for therapeutic drug monitoring of linezolid in patients with multidrug-resistant tuberculosis. <b>2012</b> , 56, 5758-63		57
102	Oral flurbiprofen metabolic ratio assessment using a single-point dried blood spot. <b>2012</b> , 91, 489-96		25
101	What is next for dried blood spots?. <i>Bioanalysis</i> , <b>2012</b> , 4, 2059-65	2.1	24
100	Quantitation of therapeutic proteins following direct trypsin digestion of dried blood spot samples and detection by LC-MS-based bioanalytical methods in drug discovery. <i>Bioanalysis</i> , <b>2012</b> , 4, 29-40	2.1	45
99	Application of DBS sampling in combination with LC-MS/MS for pharmacokinetic evaluation of a compound with species-specific blood-to-plasma partitioning. <i>Bioanalysis</i> , <b>2012</b> , 4, 2037-47	2.1	7
98	Simultaneous quantification of centchroman and its 7-demethylated metabolite in rat dried blood spot samples using LC-MS/MS. <b>2012</b> , 26, 1089-95		8
97	Development of an UPLC-MS/MS method for the determination of antibiotic ertapenem on dried blood spots. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2012</b> , 61, 108-13	3.5	41
96	A modified serial blood sampling technique and utility of dried-blood spot technique in estimation of blood concentration: application in mouse pharmacokinetics. <b>2012</b> , 37, 23-30		19
95	Validation of a ligand binding assay using dried blood spot sampling. <b>2013</b> , 15, 123-31		15
94	Assessment of Whole Blood Stability and Blood/Plasma Distribution of Drugs. <b>2013</b> , 127-138		4
93	State-of-the-art dried blood spot analysis: an overview of recent advances and future trends. <i>Bioanalysis</i> , <b>2013</b> , 5, 2187-208	2.1	94
92	Dried blood spots: analysis and applications. <b>2013</b> , 85, 779-89		180
91	An alternative approach for quantitative bioanalysis using diluted blood to profile oral exposure of small molecule anticancer drugs in mice. <b>2013</b> , 102, 750-60		3
90	Bioanalytical Assays □ Toxicokinetics. <b>2013</b> , 887-896		
89	A dried blood spot update: still an important bioanalytical technique?. <i>Bioanalysis</i> , <b>2013</b> , 5, 879-83	2.1	26

88	Microsampling in Pharmaceutical Bioanalysis. <b>2013</b> ,		1
87	The first 5 years of Bioanalysis: a story of growth and evolution. <i>Bioanalysis</i> , <b>2013</b> , 5, 2975-80	2.1	
86	Preclinical bridging studies: understanding dried blood spot and plasma exposure profiles. <i>Bioanalysis</i> , <b>2013</b> , 5, 159-70	2.1	21
85	Measurement of in vivo therapeutic mAb concentrations: comparison of conventional serum/plasma collection and analysis to dried blood spot sampling. <i>Bioanalysis</i> , <b>2013</b> , 5, 1979-90	2.1	8
84	Determination of efavirenz in human dried blood spots by reversed-phase high-performance liquid chromatography with UV detection. <i>Therapeutic Drug Monitoring</i> , <b>2013</b> , 35, 203-8	3.2	19
83	Dried blood spot analysis suitable for therapeutic drug monitoring of voriconazole, fluconazole, and posaconazole. <b>2013</b> , 57, 4999-5004		43
82	Silibinin hemisuccinate binding to proteins in plasma and blood cell/plasma partitioning in mouse, rat, dog and man in vitro. <b>2013</b> , 28, 115-22		2
81	A novel approach to capillary plasma microsampling for quantitative bioanalysis. <i>Bioanalysis</i> , <b>2013</b> , 5, 1131-5	2.1	48
80	Hemato-critical issues in quantitative analysis of dried blood spots: challenges and solutions. <i>Bioanalysis</i> , <b>2013</b> , 5, 2023-41	2.1	170
79	Merck® perspective on the implementation of dried blood spot technology in clinical drug development - why, when and how. <i>Bioanalysis</i> , <b>2013</b> , 5, 341-50	2.1	59
78	Analysis of Biologic Fluids. <b>2013</b> , 87-96		
77	Interpretation of microsampling data during drug development and regulatory considerations. <b>2013</b> , 120-133		1
76	. <b>2014</b> ,		23
75	Blood microsampling using capillaries for drug-exposure determination in early preclinical studies: a beneficial strategy to reduce blood sample volumes. <i>Bioanalysis</i> , <b>2014</b> , 6, 293-306	2.1	28
74	Application of Dried Blood Spot Sampling in Clinical Pharmacology Trials and Therapeutic Drug Monitoring. <b>2014</b> , 216-228		2
73	Potential Role for Dried Blood Spot Sampling and Bioanalysis in Preclinical Studies. <b>2014</b> , 195-201		
72	Pharmaceutical Perspectives of Use of Dried Blood Spots. <b>2014</b> , 151-159		1
71	EBF: reflection on bioanalytical assay requirements used to support liquid microsampling. <i>Bioanalysis</i> , <b>2014</b> , 6, 2581-6	2.1	13

70	Emerging liquid chromatography-mass spectrometry technologies improving dried blood spot analysis. <b>2014</b> , 11, 425-30		10
69	Accurate weighing and dilution-assisted plasma microsampling (AWADA-PM): an easy-to-implement and rugged strategy. <i>Bioanalysis</i> , <b>2014</b> , 6, 805-17	2.1	6
68	Evaluation of matrix microsampling methods for therapeutic drug candidate quantification in discovery-stage rodent pharmacokinetic studies. <i>Bioanalysis</i> , <b>2014</b> , 6, 2135-46	2.1	8
67	Relationships between pazopanib exposure and clinical safety and efficacy in patients with advanced renal cell carcinoma. <b>2014</b> , 111, 1909-16		125
66	Geneva cocktail for cytochrome p450 and P-glycoprotein activity assessment using dried blood spots. <b>2014</b> , 96, 349-59		77
65	Therapeutic drug monitoring by dried blood spot: progress to date and future directions. <b>2014</b> , 53, 961-73		212
64	Simultaneous LC-MS/MS quantification of P-glycoprotein and cytochrome P450 probe substrates and their metabolites in DBS and plasma. <i>Bioanalysis</i> , <b>2014</b> , 6, 151-64	2.1	35
63	Evaluation of peripheral blood microsampling techniques in combination with liquid chromatography-high resolution mass spectrometry for the determination of drug pharmacokinetics in clinical studies. <i>Drug Testing and Analysis</i> , <b>2014</b> , 6, 568-77	3.5	2
62	Methods for pharmacokinetic analysis in young children. <b>2014</b> , 10, 497-509		6
61	2015 White Paper on recent issues in bioanalysis: focus on new technologies and biomarkers (Part 1 - small molecules by LCMS). <i>Bioanalysis</i> , <b>2015</b> , 7, 2913-25	2.1	27
60	Dried blood spots for monitoring and individualization of antiepileptic drug treatment. <b>2015</b> , 75, 25-39		32
59	Implementing dried blood spot sampling for clinical pharmacokinetic determinations: considerations from the IQ Consortium Microsampling Working Group. <b>2015</b> , 17, 292-300		43
58	Dried blood spot analysis for rat and dog studies: validation, hematocrit, toxicokinetics and incurred sample reanalysis. <i>Bioanalysis</i> , <b>2015</b> , 7, 869-83	2.1	10
57	Multiple Reaction Monitoring Enables Precise Quantification of 97 Proteins in Dried Blood Spots. <b>2015</b> , 14, 3094-104		66
56	Potential missing steps for a wide use of dried matrix spots in biomedical analysis. <i>Bioanalysis</i> , <b>2015</b> , 7, 2375-2385	2.1	9
55	Are capillary DBS applicable for therapeutic drug monitoring of common antipsychotics? A proof of concept. <i>Bioanalysis</i> , <b>2015</b> , 7, 2119-30	2.1	18
54	Bioanalysis of emixustat (ACU-4429) in whole blood collected with volumetric absorptive microsampling by LC-MS/MS. <i>Bioanalysis</i> , <b>2015</b> , 7, 2071-83	2.1	25
53	Novel membrane devices and their potential utility in blood sample collection prior to analysis of dried plasma spots. <i>Bioanalysis</i> , <b>2015</b> , 7, 1987-2002	2.1	30

52	Dried Blood Spot Technique for the Monitoring of Ambrisentan, Bosentan, Sildenafil, and Tadalafil in Patients with Pulmonary Arterial Hypertension. <b>2015</b> , 87, 12112-20		18
51	The use of mass spectrometry to analyze dried blood spots. <b>2016</b> , 35, 361-438		143
50	Pharmacokinetic Study of Praziquantel Enantiomers and Its Main Metabolite R-trans-4-OH-PZQ in Plasma, Blood and Dried Blood Spots in Opisthorchis viverrini-Infected Patients. <b>2016</b> , 10, e0004700		12
49	Clinical feasibility of dried blood spots: Analytics, validation, and applications. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2016</b> , 130, 231-243	3.5	79
48	Quantitative analysis of methyl and propyl parabens in neonatal DBS using LC-MS/MS. <i>Bioanalysis</i> , <b>2016</b> , 8, 1173-82	2.1	10
47	Validation and Clinical Evaluation of a Novel Method To Measure Miltefosine in Leishmaniasis Patients Using Dried Blood Spot Sample Collection. <b>2016</b> , 60, 2081-9		14
46	Single-Ascending-Dose Pharmacokinetic Study of Tribendimidine in Opisthorchis viverrini-Infected Patients. <b>2016</b> , 60, 5705-15		8
45	Development of a prototype blood fractionation cartridge for plasma analysis by paper spray mass spectrometry. <b>2016</b> , 2, 18-24		24
44	Quantitative determination of opioids in whole blood using fully automated dried blood spot desorption coupled to on-line SPE-LC-MS/MS. <i>Drug Testing and Analysis</i> , <b>2016</b> , 8, 30-8	3.5	49
43	Recent developments in the chromatographic bioanalysis of approved kinase inhibitor drugs in oncology. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2016</b> , 130, 244-263	3.5	24
42	Model-based approaches for ivabradine development in paediatric population, part I: study preparation assessment. <b>2016</b> , 43, 13-27		10
41	Development and validation of an enantioselective LC-MS/MS method for the analysis of the anthelmintic drug praziquantel and its main metabolite in human plasma, blood and dried blood spots. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2016</b> , 118, 81-88	3.5	18
40	Model-based approaches for ivabradine development in paediatric population, part II: PK and PK/PD assessment. <b>2016</b> , 43, 29-43		8
39	An Integrated Strategy for Implementation of Dried Blood Spots in Clinical Development Programs. <b>2016</b> , 18, 519-27		33
38	Comparison between dried blood spot and plasma sampling for therapeutic drug monitoring of antiepileptic drugs in children with epilepsy: A step towards home sampling. <b>2017</b> , 50, 418-424		24
37	Validation of a dried blood spot method for therapeutic drug monitoring of citalopram, mirtazapine and risperidone and its active metabolite 9-hydroxyrisperidone using HPLC-MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2017</b> , 140, 347-354	3.5	23
36	Capillary microsampling in nonclinical safety assessment: practical sampling and bioanalysis from a CRO perspective. <i>Bioanalysis</i> , <b>2017</b> , 9, 787-798	2.1	7
35	Volumetric adsorptive microsampling-liquid chromatography tandem mass spectrometry assay for the simultaneous quantification of four antibiotics in human blood: Method development, validation and comparison with dried blood spot. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2017</b> , 145, 704-710	3.5	33

34	LC-MS/MS method for the simultaneous determination of tenofovir, emtricitabine, elvitegravir and rilpivirine in dried blood spots. <b>2018</b> , 32, e4270		3
33	Incorporating dried blood spot LC-MS/MS analysis for clinical development of a novel oncolytic agent. <i>Bioanalysis</i> , <b>2018</b> , 10, 341-356	2.1	5
32	Clinical application of microsampling versus conventional sampling techniques in the quantitative bioanalysis of antibiotics: a systematic review. <i>Bioanalysis</i> , <b>2018</b> , 10, 407-423	2.1	20
31	Liquid chromatography tandem-mass spectrometry (LC-MS/MS) and dried blood spot sampling applied to pharmacokinetics studies in animals: Correlation of classic and block design. <b>2018</b> , 52, 125-134		2
30	Quantification of amlodipine in dried blood spot samples by high performance liquid chromatography tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2018</b> , 1072, 252-258	3.2	16
29	Carbamazepine, lamotrigine, levetiracetam and valproic acid in dried blood spots with liquid chromatography tandem mass spectrometry; method development and validation. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2018</b> , 1072, 116-122	3.2	19
28	High-Yield Passive Plasma Filtration from Human Finger Prick Blood. <b>2018</b> , 90, 13393-13399		20
27	Dried Blood Spots for Global Health Diagnostics and Surveillance: Opportunities and Challenges. <b>2018</b> , 99, 256-265		66
26	Using dried blood spots to facilitate therapeutic drug monitoring of antiretroviral drugs in resource-poor regions. <b>2018</b> , 73, 2729-2737		11
25	Microsampling: considerations for its use in pharmaceutical drug discovery and development. <i>Bioanalysis</i> , <b>2019</b> , 11, 1015-1038	2.1	26
24	Hematocrit effect on dried blood spots in adults: a computational study and theoretical considerations. <b>2019</b> , 79, 325-333		6
23	Dried Blood Spot Self-Sampling by Guardians of Children With Epilepsy Is Feasible: Comparison With Plasma for Multiple Antiepileptic Drugs. <i>Therapeutic Drug Monitoring</i> , <b>2019</b> , 41, 509-518	3.2	10
22	LC-MS application for therapeutic drug monitoring in alternative matrices. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2019</b> , 166, 40-51	3.5	47
21	Clinical Validation of a Dried Blood Spot Assay for 8 Antihypertensive Drugs and 4 Active Metabolites. <i>Therapeutic Drug Monitoring</i> , <b>2020</b> , 42, 460-467	3.2	8
20	Comparing Dried Blood Spots and Plasma Concentrations for Busulfan Therapeutic Drug Monitoring in Children. <i>Therapeutic Drug Monitoring</i> , <b>2020</b> , 42, 111-117	3.2	8
19	Analysis of 14 drugs in dried blood microsamples in a single workflow using whole blood and serum calibrators. <i>Bioanalysis</i> , <b>2020</b> , 12, 1243-1261	2.1	2
18	Development of a dried blood spot sampling method towards therapeutic monitoring of radotinib in the treatment of chronic myeloid leukaemia. <i>Journal of Clinical Pharmacy and Therapeutics</i> , <b>2020</b> , 45, 1006-1013	2.2	6
17	Low-volume LC-MS/MS method for the pharmacokinetic investigation of carvedilol, enalapril and their metabolites in whole blood and plasma: Application to a paediatric clinical trial. <i>Drug Testing and Analysis</i> , <b>2021</b> , 13, 694-708	3.5	1

16	A Novel Microfluidic Device for Blood Plasma Filtration. <i>Micromachines</i> , <b>2021</b> , 12,	3.3	1
15	Critical considerations of matrix selection in LC-MS bioanalysis for toxicokinetic and pharmacokinetic assessment in drug development. <i>Bioanalysis</i> , <b>2021</b> , 13, 605-608	2.1	0
14	Mind the Quality Gap When Banking on Dry Blood Spots. <i>Biopreservation and Biobanking</i> , <b>2021</b> , 19, 136-142		3
13	Dried Blood Spot Technique Applied in Therapeutic Drug Monitoring of Anticancer Drugs: a Review on Conversion Methods to Correlate Plasma and Dried Blood Spot Concentrations. <i>Pharmaceutical Research</i> , <b>2021</b> , 38, 759-778	4.5	7
12	Population Pharmacokinetics Modeling of Lamotrigine in Jordanian Epileptic Patients Using Dried Blood Spot Sampling. <i>Drug Research</i> , <b>2021</b> , 71, 429-437	1.8	1
11	Solutions for hematocrit bias in dried blood spot hormone analysis. <i>Bioanalysis</i> , <b>2021</b> ,	2.1	2
10	Case studies. <b>2013</b> , 96-118		
9	Development of an LC-MS/MS method to simultaneously quantify therapeutic mAbs and estimate hematocrit values in dried blood spot samples. <i>Analytica Chimica Acta</i> , <b>2022</b> , 1189, 339231	6.6	2
8	Using dried blood spot sampling to improve data quality and reduce animal use in mouse pharmacokinetic studies. <i>Journal of the American Association for Laboratory Animal Science</i> , <b>2015</b> , 54, 139-44	1.3	13
7	Determination of polymyxin B in dried blood spots using LC-MS/MS for therapeutic drug monitoring.. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2022</b> , 1192, 123131	3.2	1
6	Therapeutic Drug Monitoring of Tyrosine Kinase Inhibitors Using Dried Blood Microsamples.. <i>Frontiers in Oncology</i> , <b>2022</b> , 12, 821807	5.3	1
5	Dried Samples of Biological Fluids on Porous Membranes as a Promising Sample Preparation Method for Biomedical and Veterinary Diagnostics. <i>Journal of Analytical Chemistry</i> , <b>2022</b> , 77, 410-428	1.1	0
4	Important roles of transporters in the pharmacokinetics of anti-viral nucleoside/nucleotide analogs.		0
3	Development of the dried blood spot preparation protocol for comprehensive evaluation of the hematocrit effect. <b>2023</b> , 1239, 340650		0
2	Toxicokinetics in preclinical drug development of small-molecule new chemical entities.		0
1	Development and validation of a liquid chromatographic-tandem mass spectrometric assay for the quantification of cabotegravir and rilpivirine from dried blood spots. <b>2023</b> , 228, 115307		0