

# CITATION REPORT

List of articles citing

Angiographic versus functional severity of coronary artery stenoses in the FAME study fractional flow reserve versus angiography in multivessel evaluation

DOI: 10.1016/j.jacc.2009.11.096

Journal of the American College of Cardiology, 2010, 55, 2816-21.

**Source:** <https://exaly.com/paper-pdf/49341298/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1006	Diagnostic Techniques in Cardiac Surgery. <b>2010</b> , 85-127		
1005	Three branch bifurcation QCA: moving forward but still short of the goal. <b>2010</b> , 76, 824-5		
1004	Fractional flow reserve: a new set of lenses for the oculostenotic reflex?. <b>2010</b> , 3, 1282-3		2
1003	Sex differences in the prevalence of peripheral artery disease in patients undergoing coronary catheterization. <b>2010</b> , 15, 443-50		26
1002	Economic evaluation of fractional flow reserve-guided percutaneous coronary intervention in patients with multivessel disease. <b>2010</b> , 122, 2545-50		278
1001	Coronary artery disease: Percent stenosis in CAD--a flaw in current practice. <b>2010</b> , 7, 482-4		9
1000	Coronary artery disease: Fractional flow reserve successfully predicts ischemic stenoses. <b>2010</b> , 7, 477		
999	Fractional flow reserve-guided stent therapy for multivessel disease: taking a closer look. <i>Journal of the American College of Cardiology</i> , <b>2010</b> , 55, 2822-4	15.1	5
998	Fractional flow reserve versus angiography for guiding percutaneous coronary intervention in patients with multivessel coronary artery disease: 2-year follow-up of the FAME (Fractional Flow Reserve Versus Angiography for Multivessel Evaluation) study. <i>Journal of the American College of Cardiology</i> , <b>2010</b> , 54, 177-81	15.1	796
997	TCTAP 2011: connecting East and West for interventional societies. <b>2011</b> , 9, 983-5		
996	Coronary flow velocity reserve in the three main coronary arteries assessed with transthoracic Doppler: a comparative study with quantitative coronary angiography. <b>2011</b> , 24, 758-67		34
995	Coronary physiology in the cath lab: beyond the basics. <b>2011</b> , 29, 237-67		4
994	Comparison between non-invasive coronary flow reserve and fractional flow reserve to assess the functional significance of left anterior descending artery stenosis of intermediate severity. <b>2011</b> , 24, 374-81		29
993	Importance of different techniques in assessing the significance of coronary stenosis. <b>2011</b> , 30, 679-682		
992	FAME and coronary stent investigations: is there a kink in the wire?. <i>Journal of the American College of Cardiology</i> , <b>2011</b> , 57, 115-6; author reply 116	15.1	2
991	Reply. <i>Journal of the American College of Cardiology</i> , <b>2011</b> , 57, 116	15.1	
990	Highlights of the year in JACC 2010. <i>Journal of the American College of Cardiology</i> , <b>2011</b> , 57, 480-514	15.1	1

989	The Year in Interventional Cardiology. <i>Journal of the American College of Cardiology</i> , <b>2011</b> , 57, 2207-2220.	15.1	851
988	Diagnosis of ischemia-causing coronary stenoses by noninvasive fractional flow reserve computed from coronary computed tomographic angiograms. Results from the prospective multicenter DISCOVER-FLOW (Diagnosis of Ischemia-Causing Stenoses Obtained Via Noninvasive Fractional Flow Reserve) Study. <i>Journal of the American College of Cardiology</i> , <b>2011</b> , 58, 1222-1232.	15.1	804
987	2011 ACCF/AHA/SCAI Guideline for Percutaneous Coronary Intervention: Executive Summary: A Report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines and the Society for Cardiovascular Angiography and Interventions. <i>Journal of the American College of Cardiology</i> , <b>2011</b> , 58, 1282-1302.	15.1	99
986	2011 ACCF/AHA/SCAI Guideline for Percutaneous Coronary Intervention. A report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines and the Society for Cardiovascular Angiography and Interventions. <i>Journal of the American College of Cardiology</i> , <b>2011</b> , 58, 1282-1302.	15.1	1703
985	2011 ACCF/AHA Guideline for Coronary Artery Bypass Graft Surgery. A report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. Developed in collaboration with the American Association for Thoracic Surgery, Society of Cardiovascular Anesthesiologists, and Society of Thoracic Surgeons. <i>Journal of the American College of Cardiology</i> , <b>2011</b> , 58, 1222-1232.	15.1	531
984	Detection of myocardial perfusion abnormalities using ultra-low radiation dose regadenoson stress multidetector computed tomography. <b>2011</b> , 5, 247-54		32
983	Rationale and design of the DeFACTO (Determination of Fractional Flow Reserve by Anatomic Computed Tomographic Angiography) study. <b>2011</b> , 5, 301-9		95
982	Long-term follow-up after fractional flow reserve-guided treatment strategy in patients with an isolated proximal left anterior descending coronary artery stenosis. <b>2011</b> , 4, 1175-82		69
981	Contemporary and evolving risk scoring algorithms for percutaneous coronary intervention. <b>2011</b> , 97, 1902-13		56
980	[Importance of different techniques in assessing the significance of coronary stenosis]. <b>2011</b> , 30, 679-82		
979	Fame comes at a cost: a Canadian analysis of procedural costs in use of pressure wire to guide multivessel percutaneous coronary intervention. <b>2011</b> , 27, 262.e1-2		3
978	Comparison of coronary bypass surgery with drug-eluting stenting for the treatment of left main and/or three-vessel disease: 3-year follow-up of the SYNTAX trial. <b>2011</b> , 32, 2125-34		417
977	The SYNTAX score and SYNTAX-based clinical risk scores. <b>2011</b> , 23, 99-105		16
976	A new algorithm for the management of stable coronary artery disease incorporating CT coronary angiography and fractional flow reserve: how we can improve outcomes and reduce costs. <b>2011</b> , 194, 186-9		10
975	Fractional flow reserve-guided myocardial revascularization. <b>2011</b> , 3, 228-241		1
974	Does it pay to be indecisive when considering revascularization during percutaneous coronary intervention?. <b>2011</b> , 3, 523-525		
973	From SYNTAX to FAME, a paradigm shift in revascularization strategies: the key role of fractional flow reserve in guiding myocardial revascularization. <b>2011</b> , 12, 538-42		17
972	Angiographic Versus Functional Severity of Coronary Artery Stenoses in the FAME Study: Fractional Flow Reserve Versus Angiography in Multivessel Evaluation. <b>2011</b> , 2011, 210-212		

971	Transmural perfusion gradient in adenosine triphosphate stress myocardial perfusion computed tomography. <b>2011</b> , 75, 1905-12		20
970	Physiological and metabolic effects of grafts in coronary artery bypass surgery. <b>2011</b> , 75, 766-72		29
969	Early angio-guided complete revascularization versus culprit vessel PCI followed by ischemia-guided staged PCI in STEMI patients with multivessel disease. <b>2011</b> , 24, 535-41		23
968	Effectiveness and safety of the genous endothelial progenitor cell-capture stent in acute ST-elevation myocardial infarction. <b>2011</b> , 108, 202-5		19
967	Looks can be deceiving: dissociation between angiographic severity and hemodynamic significance of a lesion. The importance of microvascular resistance. <b>2011</b> , 12, 258-61		4
966	Functional SYNTAX score for risk assessment in multivessel coronary artery disease. <i>Journal of the American College of Cardiology</i> , <b>2011</b> , 58, 1211-8	15.1	188
965	2011 ACCF/AHA/SCAI guideline for percutaneous coronary intervention: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines and the Society for Cardiovascular Angiography and Interventions. <b>2013</b> , 82, E266-355		81
964	From stenosis imaging to functional imaging: a new horizon of coronary computed tomography. <b>2011</b> , 27, 1045-7		3
963	Nuclear myocardial perfusion imaging with a novel cadmium-zinc-telluride detector SPECT/CT device: first validation versus invasive coronary angiography. <b>2011</b> , 38, 2025-30		69
962	Myocardial fractional flow reserve. Its role in guiding PCI in stable coronary artery disease. <b>2011</b> , 36, 410-6		4
961	Use of coronary physiology in the catheterization laboratory to guide treatment in patients with coronary artery disease. <b>2011</b> , 13, 35-45		5
960	Techniques for phenotyping coronary artery disease in the cardiac catheterization laboratory for applications in translational research. <b>2011</b> , 4, 385-92		6
959	CT-based myocardial perfusion imaging-practical considerations: acquisition, image analysis, interpretation, and challenges. <b>2011</b> , 4, 437-48		8
958	Accelerated, high spatial resolution cardiovascular magnetic resonance myocardial perfusion imaging. <b>2011</b> , 18, 952-8		5
957	Imaging as an End Point in Ischemia Trials. <b>2011</b> , 4, 90-97		
956	FFR-Guided Percutaneous Intervention in Multivessel Coronary Artery Disease: A Real Game Changer. <b>2011</b> , 4, 263-265		
955	Hybrid SPECT-CT and PET-CT: Current Concepts and Developments. <b>2011</b> , 4, 468-475		1
954	[Cardiac hybrid imaging]. <b>2011</b> , 6, 32-42		0

953	Importance of residual myocardial ischemia after intervention in the genesis of cardiovascular events among patients with chronic coronary artery disease. <b>2011</b> , 13, 280-6	1
952	Utilizing risk scores in determining the optimal revascularization strategy for complex coronary artery disease. <b>2011</b> , 13, 415-23	14
951	Do not be deceived by the cunning jailed side branch. <b>2011</b> , 78, 727-8	
950	Influence of arterial wall-stenosis compliance on the coronary diagnostic parameters. <b>2011</b> , 44, 842-7	38
949	Revascularization treatment of stable coronary artery disease. <b>2011</b> , 12, 195-212	13
948	Non-invasive imaging in coronary artery disease including anatomical and functional evaluation of ischaemia and viability assessment. <b>2011</b> , 84 Spec No 3, S280-95	19
947	Don't judge a book by its cover: don't judge stenosis severity solely by intravascular ultrasound. <b>2011</b> , 4, 6-8	1
946	Letter by Schuster et al regarding article, "Selecting a noninvasive imaging study after an inconclusive exercise test". <b>2011</b> , 123, e632; author reply e633	1
945	2011 ACCF/AHA Guideline for Coronary Artery Bypass Graft Surgery: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. <b>2011</b> , 124, e652-735	487
944	Impact of angiographic complete revascularization after drug-eluting stent implantation or coronary artery bypass graft surgery for multivessel coronary artery disease. <b>2011</b> , 123, 2373-81	87
943	2011 ACCF/AHA/SCAI Guideline for Percutaneous Coronary Intervention: executive summary: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines and the Society for Cardiovascular Angiography and Interventions. <b>2011</b> , 124, 2574-609	389
942	SYNTAX score reproducibility and variability between interventional cardiologists, core laboratory technicians, and quantitative coronary measurements. <b>2011</b> , 4, 553-61	101
941	Tissue Doppler echocardiography reveals impaired cardiac function in patients with reversible ischaemia. <b>2011</b> , 12, 628-34	12
940	Impact of cardiac hybrid single-photon emission computed tomography/computed tomography imaging on choice of treatment strategy in coronary artery disease. <b>2011</b> , 32, 2824-9	52
939	Cardiac hybrid imaging. <b>2011</b> , 32, 2100-8	73
938	Absolute quantification of myocardial perfusion: a method proves its mettle. <b>2011</b> , 4, 607-9	
937	Paradigm shift to functional angioplasty: new insights for fractional flow reserve- and intravascular ultrasound-guided percutaneous coronary intervention. <b>2011</b> , 124, 951-7	33
936	Role of the functional SYNTAX score in evaluating multivessel coronary artery disease. <b>2011</b> , 3, 695-704	2

935	2011 ACCF/AHA/SCAI Guideline for Percutaneous Coronary Intervention: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines and the Society for Cardiovascular Angiography and Interventions. <b>2011</b> , 124, e574-651	1039
934	Three years after SYNTAX trial--change in practice?. <b>2011</b> , 40, 1279-81	3
933	A 10-year angiographic follow-up of competitive flow in sequential and composite arterial grafts. <b>2011</b> , 40, 399-404	14
932	Competitive flow and arterial graft a word of caution. <b>2012</b> , 41, 768-9	10
931	Angiographic evaluation of flow distribution in sequential and composite arterial grafts for three vessel disease. <b>2012</b> , 41, 763-9	18
930	Revascularization in multivessel CAD: a functional approach. <b>2012</b> , 9, 243-52	5
929	Should we be using fractional flow reserve more routinely to select stable coronary patients for percutaneous coronary intervention?. <b>2012</b> , 27, 675-81	10
928	Relationship between vein graft failure and subsequent clinical outcomes after coronary artery bypass surgery. <b>2012</b> , 125, 749-56	98
927	Coronary microcirculatory resistance is independent of epicardial stenosis. <b>2012</b> , 5, 103-8, S1-2	55
926	Angina pectoris in patients with normal coronary angiograms: current pathophysiological concepts and therapeutic options. <b>2012</b> , 98, 1020-9	18
925	Response to Letter Regarding Article, Impact of the Presence and Extent of Incomplete Angiographic Revascularization After Percutaneous Coronary Intervention in Acute Coronary Syndromes: The Acute Catheterization and Urgent Intervention Triage Strategy (ACUITY) Trial[] <b>2012</b> , 126,	
924	Recent Advances in the Treatment of ST-Segment Elevation Myocardial Infarction. <b>2012</b> , 2012, 683683	8
923	When collateral supply is accounted for epicardial stenosis does not increase microvascular resistance. <b>2012</b> , 5, 97-102	27
922	Cardiac hybrid imaging. <b>2012</b> , 13, 51-60	35
921	Whole-heart dynamic three-dimensional magnetic resonance perfusion imaging for the detection of coronary artery disease defined by fractional flow reserve: determination of volumetric myocardial ischaemic burden and coronary lesion location. <b>2012</b> , 33, 2016-24	64
920	CCTA to guide revascularization for high-risk CAD: a 'cliff hanger'. <b>2012</b> , 33, 3011-3	5
919	Non-obstructive coronary artery disease upon multi-detector computed tomography in patients presenting with acute chest pain--results of an intermediate term follow-up. <b>2012</b> , 13, 169-73	7
918	Development and validation of the fractional flow reserve (FFR) angiographic scoring tool (FAST) to improve the angiographic grading and selection of intermediate lesions that require FFR assessment. <b>2012</b> , 23, 45-50	10

917	Quantitative three-dimensional evaluation of myocardial perfusion during regadenoson stress using multidetector computed tomography. <b>2012</b> , 36, 443-9	15
916	Changing of SYNTAX score performing fractional flow reserve in multivessel coronary artery disease. <b>2012</b> , 13, 368-75	15
915	Cardiology in Denmark. <b>2012</b> , 33, 550-1	
914	CT Myocardial Perfusion Imaging: Clinical Implementation. <b>2012</b> , 209-225	
913	Dynamic, Time-Resolved CT Imaging of Myocardial Perfusion: Dual-Source CT. <b>2012</b> , 111-124	
912	Diagnostic value of left ventricular dyssynchrony after exercise and at rest in the detection of multivessel coronary artery disease on single-photon emission computed tomography. <b>2012</b> , 76, 1942-52	40
911	Cardiovascular magnetic resonance and single-photon emission computed tomography for diagnosis of coronary heart disease (CE-MARC): a prospective trial. <b>2012</b> , 379, 453-60	746
910	CMR versus SPECT for diagnosis of coronary heart disease. <b>2012</b> , 379, 2145; author reply 2147-8	1
909	Complete versus incomplete revascularization with coronary artery bypass graft or percutaneous intervention in stable coronary artery disease. <b>2012</b> , 5, 597-604	62
908	The multi-scale modelling of coronary blood flow. <b>2012</b> , 40, 2399-413	61
907	Results of Fractional Flow Reserve Measurement to Evaluate Nonculprit Coronary Artery Stenoses in Patients With Acute Coronary Syndrome. <b>2012</b> , 65, 164-170	
906	Non-alcoholic fatty liver disease: a new and important cardiovascular risk factor?. <b>2012</b> , 33, 1190-200	312
905	Results of fractional flow reserve measurement to evaluate nonculprit coronary artery stenoses in patients with acute coronary syndrome. <b>2012</b> , 65, 164-70	19
904	Coronary pressure-flow relations as basis for the understanding of coronary physiology. <b>2012</b> , 52, 786-93	87
903	Plaque volume derived from three-dimensional reconstruction of coronary angiography predicts the fractional flow reserve. <b>2012</b> , 160, 140-4	8
902	Angiographic versus functional assessment of coronary artery disease: a "proof of concept" case report. <b>2012</b> , 156, e30-2	
901	Design and rationale of the MR-INFORM study: stress perfusion cardiovascular magnetic resonance imaging to guide the management of patients with stable coronary artery disease. <b>2012</b> , 14, 65	65
900	Impact of the presence and extent of incomplete angiographic revascularization after percutaneous coronary intervention in acute coronary syndromes: the Acute Catheterization and Urgent Intervention Triage Strategy (ACUITY) trial. <b>2012</b> , 125, 2613-20	99

899	Morphometric assessment of coronary stenosis relevance with optical coherence tomography: a comparison with fractional flow reserve and intravascular ultrasound. <i>Journal of the American College of Cardiology</i> , <b>2012</b> , 59, 1080-9	15.1	160
898	Coronary atherosclerosis and quantitative myocardial perfusion: a relationship beyond stenosis. <i>Journal of the American College of Cardiology</i> , <b>2012</b> , 59, 1407-8; author reply 1408	15.1	
897	Reply. <i>Journal of the American College of Cardiology</i> , <b>2012</b> , 59, 1408	15.1	3
896	Impact of ischemia-guided revascularization with myocardial perfusion imaging for patients with multivessel coronary disease. <i>Journal of the American College of Cardiology</i> , <b>2012</b> , 60, 181-90	15.1	54
895	Validation of dynamic 3-dimensional whole heart magnetic resonance myocardial perfusion imaging against fractional flow reserve for the detection of significant coronary artery disease. <i>Journal of the American College of Cardiology</i> , <b>2012</b> , 60, 756-65	15.1	87
894	Quantification and impact of untreated coronary artery disease after percutaneous coronary intervention: the residual SYNTAX (Synergy Between PCI with Taxus and Cardiac Surgery) score. <i>Journal of the American College of Cardiology</i> , <b>2012</b> , 59, 2165-74	15.1	241
893	Functional assessment of jailed side branches in coronary bifurcation lesions using fractional flow reserve. <b>2012</b> , 5, 155-61		61
892	Percutaneous coronary intervention use in the United States: defining measures of appropriateness. <b>2012</b> , 5, 229-35		43
891	The impact of sex differences on fractional flow reserve-guided percutaneous coronary intervention: a FAME (Fractional Flow Reserve Versus Angiography for Multivessel Evaluation) substudy. <b>2012</b> , 5, 1037-42		58
890	Visual-functional mismatch between coronary angiography and fractional flow reserve. <b>2012</b> , 5, 1029-36		193
889	Combined CT coronary angiography and stress myocardial perfusion imaging for hemodynamically significant stenoses in patients with suspected coronary artery disease: a comparison with fractional flow reserve. <b>2012</b> , 5, 1097-111		109
888	Validation of functional state of coronary tandem lesions using computational flow dynamics. <b>2012</b> , 110, 1578-84		37
887	The concept of functional revascularization. <b>2012</b> , 54, e162-e166		
886	PET: Is myocardial flow quantification a clinical reality?. <b>2012</b> , 19, 1044-59		56
885	Integrating Physiologic and Anatomic Assessment of Coronary Artery Disease by Coronary Computed Tomographic Angiography. <b>2012</b> , 5, 301-309		
884	Identifying and redefining stenosis by CT angiography. <b>2012</b> , 30, 57-67		
883	Fractional flow reserve is not associated with inflammatory markers in patients with stable coronary artery disease. <b>2012</b> , 7, e46356		5
882	Fractional flow reserve: the past, present and future. <b>2012</b> , 42, 441-6		8



881	Coronary pressure-derived fractional flow reserve measurements: recommendations for standardization, recording, and reporting as a core laboratory technique. Proposals for integration in clinical trials. <b>2012</b> , 5, 312-7		40
880	2011 ACCF/AHA/SCAI Guideline for Percutaneous Coronary Intervention: executive summary: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines and the Society for Cardiovascular Angiography and Interventions. <b>2012</b> , 79, 453-95		121
879	Comparison of the efficacy and safety of paclitaxel-eluting coroflex please stents and paclitaxel-eluting stents in patients with coronary artery disease: a randomized PIPA trial. <b>2012</b> , 80, 799-806		2
878	Coronary artery calcification and vascular function. <b>2012</b> , 19, 227-9		3
877	PET measurement of adenosine stimulated absolute myocardial blood flow for physiological assessment of the coronary circulation. <b>2012</b> , 19, 347-54		16
876	Why Quantify Myocardial Perfusion?. <b>2012</b> , 5, 133-143		4
875	Comparison of coronary flow velocity reserve measurement by transthoracic Doppler echocardiography with 320-row multidetector computed tomographic coronary angiography in the detection of in-stent restenosis in the three major coronary arteries. <b>2012</b> , 110, 13-20		11
874	Cardiac PET, CT, and MR: what are the advantages of hybrid imaging?. <b>2012</b> , 14, 24-31		15
873	Downstream resource utilization following hybrid cardiac imaging with an integrated cadmium-zinc-telluride/64-slice CT device. <b>2012</b> , 39, 430-6		23
872	Value of additional myocardial perfusion imaging during dobutamine stress magnetic resonance for the assessment of intermediate coronary artery disease. <b>2012</b> , 28, 89-97		12
871	Outcomes after complete versus incomplete revascularization of patients with multivessel coronary artery disease: a meta-analysis of 89,883 patients enrolled in randomized clinical trials and observational studies. <i>Journal of the American College of Cardiology</i> , <b>2013</b> , 62, 1421-31	15.1	262
870	The adequacy of myocardial revascularization in patients with multivessel coronary artery disease. <b>2013</b> , 168, 1748-57		28
869	Chest Pain with Normal Coronary Arteries. <b>2013</b> ,		2
868	Cardiac PET-CT and CT Angiography. <b>2013</b> , 6, 191-196		
867	Modeling of fractional flow reserve based on coronary CT angiography. <b>2013</b> , 15, 336		22
866	Quantitative evaluation improves specificity of myocardial perfusion SPECT in the assessment of functionally significant intermediate coronary artery stenoses: a comparative study with fractional flow reserve measurements. <b>2013</b> , 27, 132-9		10
865	Diagnosing coronary artery disease with hybrid PET/CT: it takes two to tango. <b>2013</b> , 20, 874-90		38
864	VERIFY (VERification of Instantaneous Wave-Free Ratio and Fractional Flow Reserve for the Assessment of Coronary Artery Stenosis Severity in EverydaY Practice): a multicenter study in consecutive patients. <i>Journal of the American College of Cardiology</i> , <b>2013</b> , 61, 1421-7	15.1	160

863	Cost-effectiveness of cardiovascular magnetic resonance and single-photon emission computed tomography for diagnosis of coronary artery disease in Germany. <b>2013</b> , 15, 30		35
862	Recent insights into the treatment of stable CAD : FFR-guided PCI vs. medical therapy. <b>2013</b> , 38, 376-81		2
861	La FFR. <b>2013</b> , 2013, 23-25		2
860	Fractional flow reserve versus angiography in guiding management to optimize outcomes in non-ST-elevation myocardial infarction (FAMOUS-NSTEMI): rationale and design of a randomized controlled clinical trial. <b>2013</b> , 166, 662-668.e3		10
859	Computed tomography angiography and myocardial computed tomography perfusion in patients with coronary stents: prospective intraindividual comparison with conventional coronary angiography. <i>Journal of the American College of Cardiology</i> , <b>2013</b> , 62, 1476-85	15.1	83
858	Accuracy and clinical outcomes of computed tomography coronary angiography in the presence of a high coronary calcium score. <b>2013</b> , 22, 980-6		9
857	Coronary computed tomography angiography for stable angina: past, present, and future. <b>2013</b> , 29, 266-74		8
856	Computational fluid dynamics applied to cardiac computed tomography for noninvasive quantification of fractional flow reserve: scientific basis. <i>Journal of the American College of Cardiology</i> , <b>2013</b> , 61, 2233-41	15.1	695
855	Fractional flow reserve as a surrogate for inducible myocardial ischaemia. <b>2013</b> , 10, 439-52		111
854	Sex differences in the visual-functional mismatch between coronary angiography or intravascular ultrasound versus fractional flow reserve. <b>2013</b> , 6, 562-8		49
853	Does flow during rest and relaxation suffice?. <i>Journal of the American College of Cardiology</i> , <b>2013</b> , 61, 1436-9	15.1	22
852	Patterns of coronary vasomotor responses to intracoronary acetylcholine provocation. <b>2013</b> , 99, 1288-95		27
851	Transthoracic Doppler echocardiography for detection of stenoses in the left coronary artery by use of poststenotic coronary flow profiles: a comparison with quantitative coronary angiography and coronary flow reserve. <b>2013</b> , 26, 77-85		13
850	Diagnostic accuracy of quantitative angiographic and intravascular ultrasound parameters predicting the functional significance of single de novo lesions. <b>2013</b> , 168, 1364-9		23
849	¿Se valoran las lesiones coronarias intermedias según los resultados de la guñ de presiñ?. <b>2013</b> , 48, 174-176		
848	Predictors for functionally significant in-stent restenosis: an integrated analysis using coronary angiography, IVUS, and myocardial perfusion imaging. <b>2013</b> , 6, 1183-90		30
847	Saphenous vein graft failure and clinical outcomes: toward a surrogate end point in patients following coronary artery bypass surgery?. <b>2013</b> , 165, 639-43		33
846	Clinical characteristics of coronary artery disease in adults with congenital heart defects. <b>2013</b> , 164, 217-20		47

845	Alternative ankle-brachial index method identifies additional at-risk individuals. <i>Journal of the American College of Cardiology</i> , <b>2013</b> , 62, 553-9	15.1	43
844	Clinical validation of the resting pressure parameters in the assessment of functionally significant coronary stenosis; results of an independent, blinded comparison with fractional flow reserve. <b>2013</b> , 168, 4070-5		42
843	Usefulness of the addition of beta-2-microglobulin, cystatin C and C-reactive protein to an established risk factors model to improve mortality risk prediction in patients undergoing coronary angiography. <b>2013</b> , 111, 851-6		19
842	How and when to decide on revascularization in stable ischemic heart disease. <b>2013</b> , 15, 79-92		4
841	Effect of lesion length on functional significance of intermediate long coronary lesions. <b>2013</b> , 81, E186-94		26
840	A Poiseuille-based coronary angiographic index for prediction of fractional flow reserve. <b>2013</b> , 167, 862-5		9
839	The world post STICH: is this a "Game Changer?" A surgeon's perspective--revascularization is still the treatment of choice. <b>2013</b> , 55, 470-5		4
838	Can anatomy be used as a surrogate for physiology? The IVUS conundrum. <b>2013</b> , 168, 631-2		1
837	Diagnostic accuracy of combined coronary angiography and adenosine stress myocardial perfusion imaging using 320-detector computed tomography: pilot study. <b>2013</b> , 23, 1812-21		51
836	Hybrid cardiac imaging: insights in the dilemma of the appropriate clinical management of patients with suspected coronary artery disease. <b>2013</b> , 82, 281-7		4
835	Usefulness of fractional flow reserve to improve diagnostic efficiency in patients with non-ST elevation myocardial infarction. <b>2013</b> , 111, 45-50		20
834	View point: what should the future design of clinical imaging studies be?. <b>2013</b> , 34, 2432-5		5
833	Caracterizaci3n cl3nica y hemodin3mica de pacientes sometidos a medici3n de la reserva de flujo fraccional en la Fundaci3n Abood Shaio entre 2010-2011. Primera experiencia en Colombia. <b>2013</b> , 20, 355-362		
832	Usefulness of coronary calcium scoring to myocardial perfusion SPECT in the diagnosis of coronary artery disease in a predominantly high risk population. <b>2013</b> , 29, 677-84		2
831	Combined non-invasive functional and anatomical diagnostic work-up in clinical practice: the magnetic resonance and computed tomography in suspected coronary artery disease (MARCC) study. <b>2013</b> , 34, 1990-8		32
830	Incremental diagnostic accuracy of hybrid SPECT/CT coronary angiography in a population with an intermediate to high pre-test likelihood of coronary artery disease. <b>2013</b> , 14, 642-9		41
829	The diabetes conundrum: despite increasing incidences of coronary disease in diabetic type II patients, their first cathlab presentation is later than expected: observations from an angiographic and optical coherence tomography study. <b>2013</b> , 34, 715-8		1
828	Functional assessment of coronary stenoses: can we live without it?. <b>2013</b> , 34, 1335-44		66

827	Clinical impact of myocardial ischemia and viability after treatment of proximal left anterior descending artery chronic total occlusions. <b>2013</b> , 21, 140-145	
826	Sex-related differences in fractional flow reserve-guided treatment. <b>2013</b> , 6, 662-70	29
825	Coronary angiography: is it time to reassess?. <b>2013</b> , 127, 1760-2	14
824	Paradigm has already shifted to ischemia-guided functional approach. <b>2013</b> , 128, 95-7	3
823	Complete revascularization in contemporary practice. <b>2013</b> , 6, 5-7	2
822	Benefit of revascularization for stable ischaemic heart disease: the jury is still out. <b>2013</b> , 34, 1534-8	6
821	Fractional flow reserve as the reference standard for myocardial perfusion studies: fool's gold?. <b>2013</b> , 14, 1211-3	22
820	Aerodynamics in Cardiac CT. <b>2013</b> , 6, 853-4	4
819	Hybrid imaging using quantitative H215O PET and CT-based coronary angiography for the detection of coronary artery disease. <b>2013</b> , 54, 55-63	91
818	Projected costs and consequences of computed tomography-determined fractional flow reserve. <b>2013</b> , 36, 743-8	62
817	Advanced cardiovascular magnetic resonance myocardial perfusion imaging: high-spatial resolution versus 3-dimensional whole-heart coverage. <b>2013</b> , 6, 339-48	31
816	Cost-effectiveness of percutaneous coronary intervention in patients with stable coronary artery disease and abnormal fractional flow reserve. <b>2013</b> , 128, 1335-40	65
815	European Perspectives. <b>2013</b> , 128,	
814	Impact of expeditious management of perioperative myocardial ischemia in patients undergoing isolated coronary artery bypass surgery. <b>2013</b> , 128, S226-34	30
813	Revascularization strategies in patients with Type 2 diabetes mellitus. <b>2013</b> , 11, 1337-47	2
812	Noninvasive fractional flow reserve derived from coronary computed tomography angiography: integrated anatomical and functional assessment. <b>2013</b> , 9, 243-51	4
811	Ischemia-guided percutaneous coronary intervention for patients with stable coronary artery disease. <b>2013</b> , 77, 1967-74	12
810	Impact of lesion length on functional significance in intermediate coronary lesions. <b>2013</b> , 36, 172-7	46

809	Accuracy of two-dimensional speckle tracking echocardiography for the detection of significant coronary stenosis. <b>2013</b> , 21, 177-82	13
808	The time has come to move from coronary angiography to physiological assessment of coronary lesions. <b>2013</b> , 9, 1-2	2
807	Invasive and non-invasive fractional flow reserve index in validation of hemodynamic severity of intracoronary lesions. <b>2013</b> , 9, 160-9	4
806	Translesional pressure ratio predicts technical outcome and patency in angioplasty on outflow stenosis of hemodialysis graft. <b>2014</b> , 15, 264-71	1
805	Computed Tomography Imaging of the Coronary Arteries: State of the Art Applications and Recent Patents. <b>2014</b> , 4, 22-30	
804	Impact of system and physician factors on the detection of obstructive coronary disease with diagnostic angiography in stable ischemic heart disease. <b>2014</b> , 7, 648-55	5
803	Sind neue diagnostische Verfahren hilfreich?. <b>2014</b> , 14, 48-50	
802	Aktueller Stellenwert der nichtinvasiven koronaren Flussmessung. <b>2014</b> , 14, 42-46	
801	Do you see what I see? Time for a standardized approach to angiography-based decision making. <b>2014</b> , 7, 736-8	
800	Revascularization decisions in patients with stable angina and intermediate lesions: results of the international survey on interventional strategy. <b>2014</b> , 7, 751-9	101
799	Obesity-metabolic derangement exacerbates cardiomyocyte loss distal to moderate coronary artery stenosis in pigs without affecting global cardiac function. <b>2014</b> , 306, H1087-101	18
798	Low yield of routine preoperative coronary computed tomography angiography in patients evaluated for liver transplantation. <b>2014</b> , 130, 1337-9	9
797	Current use of fractional flow reserve: a nationwide survey. <b>2014</b> , 41, 579-84	22
796	From NAFLD to Cardiovascular Disease. Is it (Still) the Metabolic Syndrome?. <b>2014</b> , 87, 80-6	2
795	Diagnostic performance of hyperaemic myocardial blood flow index obtained by dynamic computed tomography: does it predict functionally significant coronary lesions?. <b>2014</b> , 15, 85-94	106
794	Fractional flow reserve and appropriate use criteria. <b>2014</b> , 6, 159-165	
793	Effect of cardiac hybrid <sup>18</sup> F-water PET/CT imaging on downstream referral for invasive coronary angiography and revascularization rate. <b>2014</b> , 15, 170-9	23
792	Rapid-acquisition myocardial perfusion scintigraphy (MPS) on a novel gamma camera using multipinhole collimation and miniaturized cadmium-zinc-telluride (CZT) detectors: prognostic value and diagnostic accuracy in a 'real-world' nuclear cardiology service. <b>2014</b> , 15, 275-83	29

791	Outcome impact of coronary revascularization strategy reclassification with fractional flow reserve at time of diagnostic angiography: insights from a large French multicenter fractional flow reserve registry. <b>2014</b> , 129, 173-85		131
790	Cardiac CT for myocardial ischaemia detection and characterization--comparative analysis. <b>2014</b> , 87, 20140159	11	
789	Functional assessment of multivessel coronary artery disease: ischemia-guided percutaneous coronary intervention. <b>2014</b> , 25, 521-8		3
788	Cost-effectiveness of initial stress cardiovascular MR, stress SPECT or stress echocardiography as a gate-keeper test, compared with upfront invasive coronary angiography in the investigation and management of patients with stable chest pain: mid-term outcomes from the CECaT randomised controlled trial. <b>2014</b> , 4, e003419		45
787	Quantitative computed tomographic coronary angiography: does it predict functionally significant coronary stenoses?. <b>2014</b> , 7, 43-51		48
786	Preventive angioplasty in ST-segment elevation myocardial infarction. <b>2014</b> , 172, 249		
785	The severity of coronary artery disease and reversible ischemia revealed by N-terminal pro-brain natriuretic peptide in patients with unstable angina and preserved left ventricular function. <b>2014</b> , 52, 143-8		2
784	Detection of coronary artery disease using coronary flow velocity reserve by transthoracic Doppler echocardiography versus multidetector computed tomography coronary angiography: influence of calcium score. <b>2014</b> , 27, 775-85		7
783	Improving the quality of percutaneous revascularisation in patients with multivessel disease in Australia: cost-effectiveness, public health implications, and budget impact of FFR-guided PCI. <b>2014</b> , 23, 527-33		24
782	Clinical impact of fractional flow reserve in a real-world cohort of patients. <b>2014</b> , 172, 251-2		7
781	Effect of myocardial contractility on hemodynamic end points under concomitant microvascular disease in a porcine model. <b>2014</b> , 29, 97-109		9
780	Novel Approaches to Myocardial Perfusion: 3D First-Pass CMR Perfusion Imaging and Oxygenation-Sensitive CMR. <b>2014</b> , 7, 1		5
779	Combined anatomy and physiology on coronary computed tomography angiography: a step or two in the right direction. <i>Journal of the American College of Cardiology</i> , <b>2014</b> , 63, 1913-5	15.1	7
778	Additional value of transluminal attenuation gradient in CT angiography to predict hemodynamic significance of coronary artery stenosis. <b>2014</b> , 7, 374-86		57
777	The game changer?. <i>Journal of the American College of Cardiology</i> , <b>2014</b> , 63, 1156-1158	15.1	10
776	Diagnostic performance of noninvasive fractional flow reserve derived from coronary computed tomography angiography in suspected coronary artery disease: the NXT trial (Analysis of Coronary Blood Flow Using CT Angiography: Next Steps). <i>Journal of the American College of Cardiology</i> , <b>2014</b> , 63, 1145-1155	15.1	871
775	Geometry-based pressure drop prediction in mildly diseased human coronary arteries. <b>2014</b> , 47, 1810-5		17
774	Cardiac hybrid imaging. <b>2014</b> , 41 Suppl 1, S91-103		23

773	CT Imaging of Myocardial Perfusion and Viability. <b>2014,</b>	
772	Percutaneous coronary intervention should be guided by fractional flow reserve measurement. <b>2014, 129, 1860-70</b>	25
771	Assessment of ischaemic burden in angiographic three-vessel coronary artery disease with high-resolution myocardial perfusion cardiovascular magnetic resonance imaging. <b>2014, 15, 701-8</b>	18
770	Arterial grafts balance survival between incomplete and complete revascularization: a series of 1000 consecutive coronary artery bypass graft patients with 98% arterial grafts. <b>2014, 147, 75-83</b>	28
769	Seeing and not believing: understanding the visual-functional mismatch between angiography and FFR. <b>2014, 84, 414-5</b>	5
768	Added value of hybrid myocardial perfusion SPECT and CT coronary angiography in the diagnosis of coronary artery disease. <b>2014, 15, 1281-8</b>	23
767	The impact of age on fractional flow reserve-guided percutaneous coronary intervention: a FAME (Fractional Flow Reserve versus Angiography for Multivessel Evaluation) trial substudy. <b>2014, 177, 66-70</b>	38
766	Impact of myocardial supply area on the transstenotic hemodynamics as determined by fractional flow reserve. <b>2014, 84, 406-13</b>	18
765	Screening and risk stratification of coronary artery disease in end-stage renal disease. <b>2014, 7, 715-28</b>	40
764	Impact of anatomical and functional severity of coronary atherosclerotic plaques on the transmural perfusion gradient: a [15O]H <sub>2</sub> O PET study. <b>2014, 35, 2094-105</b>	47
763	Invasive testing for coronary artery disease: FFR, IVUS, OCT, NIRS. <b>2014, 32, 405-17</b>	12
762	Evolving concepts of angiogram: fractional flow reserve discordances in 4000 coronary stenoses. <b>2014, 35, 2831-8</b>	183
761	Adult post-mortem imaging in traumatic and cardiorespiratory death and its relation to clinical radiological imaging. <b>2014, 87, 20130662</b>	18
760	Quantitative assessment of myocardial perfusion in the detection of significant coronary artery disease: cutoff values and diagnostic accuracy of quantitative [(15O)H <sub>2</sub> O] PET imaging. <i>Journal of the American College of Cardiology</i> , <b>2014, 64, 1464-75</b>	15.1 165
759	Exploring unknowns in cardiology. <b>2014, 11, 664-70</b>	10
758	Intelligent telemetric stent for wireless monitoring of intravascular pressure and its in vivo testing. <b>2014, 16, 745-59</b>	37
757	Benefit of cardiac N-13 PET CFR for combined anatomical and functional diagnosis of ischemic coronary artery disease: a pilot study. <b>2014, 28, 746-60</b>	9
756	Prevalence of visual-functional mismatch regarding coronary artery stenosis in the CVIT-DEFER registry. <b>2014, 29, 300-8</b>	42

755	Physiological basis and long-term clinical outcome of discordance between fractional flow reserve and coronary flow velocity reserve in coronary stenoses of intermediate severity. <b>2014</b> , 7, 301-11	260
754	Guía de Práctica Clínica de la ESC 2013 sobre diagnóstico y tratamiento de la cardiopatía isquémica estable. <b>2014</b> , 67, 135.e1-135.e81	9
753	Impact of coronary artery calcium characteristics on accuracy of CT angiography. <b>2014</b> , 7, 49-58	56
752	Evaluation of hemodynamically severe coronary stenosis as determined by fractional flow reserve with frequency domain optical coherence tomography measured anatomical parameters. <b>2014</b> , 64, 19-24	30
751	Cardiac magnetic resonance performs better in the detection of functionally significant coronary artery stenosis compared to single-photon emission computed tomography and dobutamine stress echocardiography. <b>2014</b> , 78, 2468-76	19
750	Diagnostic performance of a novel cadmium-zinc-telluride gamma camera system assessed using fractional flow reserve. <b>2014</b> , 78, 2727-34	23
749	Evaluating intracranial atherosclerosis rather than intracranial stenosis. <b>2014</b> , 45, 645-51	67
748	Dynamic CT Myocardial Perfusion Imaging: Detection of Ischemia in a Porcine Model with FFR Verification. <b>2014</b> , 9038,	5
747	Different Treatment Strategies for Patients with Multivessel Coronary Disease and High SYNTAX Score. <b>2015</b> , 73, 769-74	
746	Usefulness and safety of intracoronary administration of nicorandil for evaluating fractional flow reserve in Japanese patients. <b>2015</b> , 38, 20-4	7
745	Stop invasive coronary angiography as the gold standard for the diagnosis of stable angina!. <b>2015</b> , 7, 415-418	4
744	Physiological assessment of coronary lesion severity: fractional flow reserve versus nonhyperaemic indices. <b>2015</b> , 26 Suppl 1, e8-14	2
743	Current developments and future applications of intracoronary hemodynamics. <b>2015</b> , 26, 448-58	1
742	Three dimensional quantitative coronary angiography can detect reliably ischemic coronary lesions based on fractional flow reserve. <b>2015</b> , 30, 716-24	12
741	A Case of Successful Percutaneous Coronary Intervention by Fractional Flow Reserve and <sup>13</sup> N-Ammonia Positron Emission Tomography. <b>2015</b> , 4, 39	
740	Dipyridamole stress myocardial perfusion by computed tomography in patients with left bundle branch block. <b>2015</b> , 105, 614-24	
739	May Distal Coronary Pressure Measurement taken from Anastomosed Radial Artery Grafts Predict Early-Term Graft Patency?. <b>2015</b> , 03,	
738	Coronary Artery Disease and Symptomatic Severe Aortic Valve Stenosis: Clinical Outcomes after Transcatheter Aortic Valve Implantation. <b>2015</b> , 2, 18	16



737	Noninvasive physiologic assessment of coronary stenoses using cardiac CT. <b>2015</b> , 2015, 435737	7
736	How changes to the Medicare Benefits Schedule could improve the practice of cardiology and save taxpayer money. <b>2015</b> , 203, 256-8.e1	4
735	Coronary CT Angiography and the Napkin-ring Sign Indicates High-Risk Atherosclerotic Lesions. <b>2015</b> ,	
734	Non-invasive nuclear myocardial perfusion imaging improves the diagnostic yield of invasive coronary angiography. <b>2015</b> , 16, 842-7	16
733	Change in coronary blood flow after percutaneous coronary intervention in relation to baseline lesion physiology: results of the JUSTIFY-PCI study. <b>2015</b> , 8, e001715	27
732	Clinical Cardiac Positron Emission Tomography. <b>2015</b> , 263-281	
731	Percutaneous Coronary Intervention and the Various Coronary Artery Disease Syndromes. <b>2015</b> , 597-620	
730	Pharmacological Treatment of Chronic Stable Angina Pectoris. <b>2015</b> ,	3
729	Fractional flow reserve modeled from resting coronary CT angiography: state of the science. <b>2015</b> , 204, W243-8	9
728	Current and future trends in multimodality imaging of coronary artery disease. <b>2015</b> , 13, 715-31	4
727	Low dose dynamic myocardial CT perfusion using advanced iterative reconstruction. <b>2015</b> , 9417,	3
726	Transthoracic Doppler for detection of stenoses in the three main coronary arteries by use of stenotic to prestenotic velocity ratio and aliased coronary flow. <b>2015</b> , 16, 1323-30	10
725	Dynamic Myocardial Perfusion in a Porcine Balloon-induced Ischemia Model using a Prototype Spectral Detector CT. <b>2015</b> , 9417,	7
724	Biomedical Engineering Systems and Technologies. <b>2015</b> ,	0
723	Physiological assessment of coronary stenosis: a view from the coronary microcirculation. <b>2015</b> , 7, 403-416	3
722	FFRCT: Solid PLATFORM or Thin Ice?. <i>Journal of the American College of Cardiology</i> , <b>2015</b> , 66, 2324-2328 15.1	5
721	Diagnostic accuracy and discrimination of ischemia by fractional flow reserve CT using a clinical use rule: results from the Determination of Fractional Flow Reserve by Anatomic Computed Tomographic Angiography study. <b>2015</b> , 9, 120-8	17
720	Fractional flow reserve derived from coronary CT angiography in stable coronary disease: a new standard in non-invasive testing?. <b>2015</b> , 25, 2282-90	19

719	Diagnostic coronary angiography is 'getting old!. <b>2015</b> , 8, 11-13	4
718	Non-invasive computed fractional flow reserve from computed tomography (CT) for diagnosing coronary artery disease □Japanese results from NXT trial (Analysis of Coronary Blood Flow Using CT Angiography: Next Steps). <b>2015</b> , 79, 406-12	20
717	The diagnostic performance of CT-derived fractional flow reserve for evaluation of myocardial ischaemia confirmed by invasive fractional flow reserve: a meta-analysis. <b>2015</b> , 70, 476-86	27
716	Severity of morphological lesion complexity affects fractional flow reserve in intermediate coronary stenosis. <b>2015</b> , 66, 239-45	14
715	Discordance between ischemia and stenosis, or PINSS and NIPSS: are we ready for new vocabulary?. <b>2015</b> , 8, 111-114	33
714	Invasive coronary physiology for assessing intermediate lesions. <b>2015</b> , 8, e001942	20
713	Atherosclerotic plaque characteristics by CT angiography identify coronary lesions that cause ischemia: a direct comparison to fractional flow reserve. <b>2015</b> , 8, 1-10	183
712	Diagnosis of functionally significant coronary stenosis with exercise CT myocardial perfusion imaging. <b>2015</b> , 274, 684-92	2
711	Cost analysis of non-invasive fractional flow reserve derived from coronary computed tomographic angiography in Japan. <b>2015</b> , 30, 38-44	33
710	Effect of physical activity assessment on prognostication for peripheral artery disease and mortality. <b>2015</b> , 90, 339-45	24
709	Complete versus incomplete coronary revascularization of patients with multivessel coronary artery disease. <b>2015</b> , 17, 366	17
708	Stress thallium-201/rest technetium-99m sequential dual-isotope high-speed myocardial perfusion imaging validation versus invasive coronary angiography. <b>2015</b> , 22, 513-22	13
707	Role of Fractional-Flow Reserve in Guiding Percutaneous Revascularization in Stable Coronary Artery Disease. <b>2015</b> , 17, 52	5
706	Comparison of instantaneous wave-free ratio (iFR) and fractional flow reserve (FFR)--first real world experience. <b>2015</b> , 199, 1-7	33
705	The haemodynamic effects of collateral donation to a chronic total occlusion: Implications for patient management. <b>2015</b> , 198, 159-66	6
704	Modifying angiographic syntax score according to PCI strategy: lessons learnt from ERACI IV Study. <b>2015</b> , 16, 418-20	10
703	Noninvasive coronary angiography. <b>2015</b> , 173-202	
702	Assessment of perioperative cardiac risk of patients undergoing noncardiac surgery using coronary computed tomographic angiography. <b>2015</b> , 8,	22

701 Molecular and Multimodality Imaging in Cardiovascular Disease. **2015,**

700	What is ischemia and how should this be defined based on modern imaging?. <b>2015, 57, 537-54</b>	5
699	Automated Quantitative Plaque Burden from Coronary CT Angiography Noninvasively Predicts Hemodynamic Significance by using Fractional Flow Reserve in Intermediate Coronary Lesions. <b>2015, 276, 408-15</b>	52
698	Incremental diagnostic value of epicardial adipose tissue for the detection of functionally relevant coronary artery disease. <b>2015, 242, 161-6</b>	17
697	Interventional Cardiology Imaging. <b>2015,</b>	
696	Myocardial ischemic reduction evidenced by gated myocardial perfusion imaging after treatment results in good prognosis in patients with coronary artery disease. <b>2015, 65, 278-84</b>	16
695	Multi-modality imaging for the assessment of myocardial perfusion with emphasis on stress perfusion CT and MR imaging. <b>2015, 31 Suppl 1, 1-21</b>	4
694	Rationale and design of the dual-energy computed tomography for ischemia determination compared to "gold standard" non-invasive and invasive techniques (DECIDE-Gold): A multicenter international efficacy diagnostic study of rest-stress dual-energy computed tomography angiography with perfusion. <b>2015, 22, 1031-40</b>	19
693	Incremental Value of Hybrid PET/CT in Patients with Coronary Artery Disease. <b>2015, 8, 1</b>	1
692	Angiographic characteristics of intermediate stenosis of the left anterior descending artery for determination of lesion significance as identified by fractional flow reserve. <b>2015, 115, 1475-80</b>	16
691	Measurement of myocardial blood flow by cardiovascular magnetic resonance perfusion: comparison of distributed parameter and Fermi models with single and dual bolus. <b>2015, 17, 17</b>	18
690	Relative flow reserve derived from quantitative perfusion imaging may not outperform stress myocardial blood flow for identification of hemodynamically significant coronary artery disease. <b>2015, 8,</b>	50
689	The 50% coronary stenosis. <b>2015, 115, 1162-5</b>	15
688	Integrated Cardiac Imaging. <b>2015, 198-201</b>	
687	Multicenter evaluation of dynamic three-dimensional magnetic resonance myocardial perfusion imaging for the detection of coronary artery disease defined by fractional flow reserve. <b>2015, 8,</b>	43
686	Diseases of the Chest and Heart 2015-2018. <b>2015,</b>	
685	CT Assessment of Myocardial Perfusion and Fractional Flow Reserve. <b>2015, 57, 623-31</b>	11
684	Diagnostic performance of quantitative coronary computed tomography angiography and quantitative coronary angiography to predict hemodynamic significance of intermediate-grade stenoses. <b>2015, 31, 1651-61</b>	8

683	Antiplatelet Therapy During PCI for Patients with Stable Angina and Atrial Fibrillation. <b>2015</b> , 17, 64	1
682	The Concept of Functional Percutaneous Coronary Intervention: Why Physiologic Lesion Assessment Is Integral to Coronary Angiography. <b>2015</b> , 4, 411-417	
681	Landmark Fractional Flow Reserve Trials. <b>2015</b> , 4, 435-441	1
680	Can Resting Indices Obviate the Need for Hyperemia and Promote the Routine Use of Physiologically Guided Revascularization?. <b>2015</b> , 4, 459-469	1
679	Computed tomography: The optimal imaging method for differentiation of ischemic vs non-ischemic cardiomyopathy. <b>2015</b> , 22, 961-7	1
678	A numerical investigation of the functionality of coronary bifurcation lesions with respect to lesion configuration and stenosis severity. <b>2015</b> , 48, 3103-11	11
677	Quantifying Plaque Burden and Morphology Using Coronary Computed Tomography Angiography to Predict Coronary Physiology: Helpful But Is It Sufficient?. <b>2015</b> , 8, e004058	
676	Noninvasive Fractional Flow Reserve Derived From Coronary CT Angiography: Clinical Data and Scientific Principles. <b>2015</b> , 8, 1209-1222	144
675	Interventional Management of Unprotected Left Main Coronary Artery Disease: Patient Selection and Technique Optimization. <b>2015</b> , 28, 326-38	5
674	Trends in Outcomes of Revascularization for Left Main Coronary Disease or Three-Vessel Disease With the Routine Incorporation of Fractional Flow Reserve in Real Practice. <b>2015</b> , 116, 1163-71	6
673	Very high coronary artery calcium score with normal myocardial perfusion SPECT imaging is associated with a moderate incidence of severe coronary artery disease. <b>2015</b> , 42, 1542-50	9
672	Revascularization for stable ischemic heart disease: are there new parallels between percutaneous coronary intervention and coronary artery bypass grafting?. <b>2015</b> , 7, 149-167	4
671	Editor's note. <b>2015</b> , 8,	
670	FFR(CT): a new technology in search of a clinical application. <b>2015</b> , 36, 3368-9	3
669	Hemodynamic significance of coronary stenosis by vessel attenuation measurement on CT compared with adenosine perfusion MRI. <b>2015</b> , 84, 92-99	5
668	The instantaneous wave-free ratio (iFR) for evaluation of non-culprit lesions in patients with acute coronary syndrome and multivessel disease. <b>2015</b> , 178, 46-54	33
667	Fractional flow reserve vs. angiography in guiding management to optimize outcomes in non-ST-segment elevation myocardial infarction: the British Heart Foundation FAMOUS-NSTEMI randomized trial. <b>2015</b> , 36, 100-11	174
666	Modification of treatment strategy after FFR measurement: CVIT-DEFER registry. <b>2015</b> , 30, 12-21	16

665	Diagnostic performance of non-invasive fractional flow reserve derived from coronary computed tomography angiography: current perspectives. <b>2016</b> , 1	
664	Fractional Flow Reserve Measurement by Coronary Computed Tomography Angiography: A Review with Future Directions. <b>2016</b> , 2, 125-135	1
663	Clinical outcomes of combined flow-pressure drop measurements using newly developed diagnostic endpoint: Pressure drop coefficient in patients with coronary artery dysfunction. <b>2016</b> , 8, 283-92	3
662	Glycated Hemoglobin (HbA1c) Correlation with Severity of Coronary Artery Disease in Non-diabetic Patients - A Hospital based Study from North-Eastern India. <b>2016</b> , 10, OC20-OC23	6
661	Prognostic Value of Major Cardiac Event Risk Score Estimated With Gated Myocardial Perfusion Imaging in Japanese Patients With Coronary Artery Disease. <b>2016</b> , 57, 408-16	1
660	Physiologic Assessment of Coronary Artery Disease: Focus on Fractional Flow Reserve. <b>2016</b> , 17, 307-20	7
659	Efficacy and safety outcomes of fractional flow reserve in guiding clinical therapy of non-ST-segment elevation myocardial infarction compared with angiography alone in elderly Chinese patients. <b>2016</b> , 11, 1751-1754	6
658	Noninvasive FFR derived from coronary CT angiography in the management of coronary artery disease: technology and clinical update. <b>2016</b> , 12, 269-78	21
657	Completeness of revascularization in multivessel coronary artery disease. <b>2016</b> , 8, E1493-E1496	5
656	Fractional Flow Reserve Assessment of Coronary Artery Stenosis. <b>2016</b> , 11, 77-82	4
655	Fractional Flow Reserve-guided Percutaneous Coronary Intervention: Standing the Test of Time. <b>2016</b> , 1, 225-232	
654	Early and late diastolic strain rate vs global longitudinal strain at rest and during dobutamine stress for the assessment of significant coronary artery stenosis in patients with a moderate and high probability of coronary artery disease. <b>2016</b> , 33, 1512-1522	13
653	Effect of Varying Hemodynamic and Vascular Conditions on Fractional Flow Reserve: An In Vitro Study. <b>2016</b> , 5,	14
652	Complete versus incomplete revascularization in patients with multivessel coronary artery disease treated with drug-eluting stents. <b>2016</b> , 179, 157-65	21
651	REvascularization with paclitaxEL-coated balloon angioplasty versus drug-eluting stenting in acute myocardial infarction-A randomized controlled trial: Rationale and design of the REVELATION trial. <b>2016</b> , 87, 1213-21	9
650	Comparison between two-dimensional and three-dimensional quantitative coronary angiography for the prediction of functional severity in true bifurcation lesions: Insights from the randomized DK-CRUSH II, III, and IV trials. <b>2016</b> , 87 Suppl 1, 589-98	5
649	. <b>2016</b> ,	
648	Fractional flow reserve to guide and to assess coronary artery bypass grafting. <b>2017</b> , 38, 1959-1968	15

- 647 Coronary fractional flow reserve measurements of a stenosed side branch: a computational study investigating the influence of the bifurcation angle. **2016**, 15, 91 15
- 646 Invasive Angiographic Assessment of Coronary Graft Patency. **2016**, 515-530
- 645 Beyond Stenosis With Fractional Flow Reserve Via Computed Tomography and Advanced Plaque Analyses for the Diagnosis of Lesion-Specific Ischemia. **2016**, 32, 1315.e1-1315.e9 3
- 644 FFR and iFR guided percutaneous coronary intervention. **2016**, 31, 183-95 13
- 643 Optical coherence tomography of re-pressurised porcine coronary arteries: A systematic study. **2016**, 4, 53-57 2
- 642 Resting multilayer 2D speckle-tracking transthoracic echocardiography for the detection of clinically stable myocardial ischemic segments confirmed by invasive fractional flow reserve. Part 1: Vessel-by-vessel analysis. **2016**, 218, 324-332 13
- 641 Utilizing Post-Intervention Fractional Flow Reserve to Optimize Acute Results and the Relationship to Long-Term Outcomes. **2016**, 9, 1022-31 83
- 640 Impact of the origin of the collateral feeding donor artery on short-term mortality in ST-elevation myocardial infarction with comorbid chronic total occlusion. **2016**, 218, 158-163 11
- 639 Diagnostic Performance of 3D 'Bull's Eye Display of SPECT and 'Coronary CTA' Fusion. **2016**, 9, 703-11 7
- 638 Value Based Imaging for Coronary Artery Disease: Implications for Nuclear Cardiology and Cardiac CT. **2016**, 349-380
- 637 Sex Differences in Functional and CT-Angiography Testing in Patients With Suspected Coronary Artery Disease. *Journal of the American College of Cardiology*, **2016**, 67, 2607-16 15.1 50
- 636 Current Risk Scores for the Establishment of the Best Myocardial Revascularization Methods. **2016**, 101-129
- 635 Early CABG Failure. **2016**, 131-138
- 634 CABG Versus PCI in Multilesional Vessel Disease. **2016**, 161-165
- 633 Total Arterial Myocardial Revascularization. **2016**, 27-40
- 632 Multicentre multi-device hybrid imaging study of coronary artery disease: results from the EVAluation of INTEgrated Cardiac Imaging for the Detection and Characterization of Ischaemic Heart Disease (EVINCI) hybrid imaging population. **2016**, 17, 951-60 67
- 631 Better Diagnosis of Functionally Significant Intermediate Sized Narrowings Using Intravascular Ultrasound-Minimal Lumen Area and Coronary Computed Tomographic Angiography-Based Myocardial Segmentation. **2016**, 117, 1282-8 14
- 630 Revascularization in complex multivessel coronary artery disease after FREEDOM. Is there an indication for PCI and drug-eluting stents?. **2016**, 41, 224-32 2

629	Determining the haemodynamic significance of arterial stenosis: the relationship between CT angiography, computational fluid dynamics, and non-invasive fractional flow reserve. <b>2016</b> , 71, 750-7	7
628	Factores asociados al error en la estimaci3n visual de la importancia funcional de lesiones coronarias. <b>2016</b> , 69, 657-663	0
627	Clinical Outcomes After Evaluation of Stable Chest Pain by Coronary Computed Tomographic Angiography Versus Usual Care: A Meta-Analysis. <b>2016</b> , 9, e004419	83
626	Cardiac CT Imaging. <b>2016</b> ,	4
625	Bilateral internal mammary artery grafting: in situ versus Y-graft. Similar 20-year outcome. <b>2016</b> , 50, 729-734	24
624	Association of Coronary Stenosis and Plaque Morphology With Fractional Flow Reserve and Outcomes. <b>2016</b> , 1, 350-7	69
623	Diagnostic performance of cardiac imaging methods to diagnose ischaemia-causing coronary artery disease when directly compared with fractional flow reserve as a reference standard: a meta-analysis. <b>2017</b> , 38, 991-998	134
622	Complete myocardial revascularization using only bilateral internal thoracic arteries provides a low-risk and durable 10-year clinical outcome. <b>2016</b> , 50, 735-741	15
621	Clinical and angiographic outcomes associated with surgical revascularization of angiographically borderline 50-69% coronary artery stenoses. <b>2016</b> , 49, e112-8	1
620	Visual-Functional Mismatch Between Coronary Angiography, Fractional Flow Reserve, and Quantitative Coronary Angiography. <b>2016</b> , 25, 229-234	3
619	Factors Associated With Errors in Visual Estimation of the Functional Significance of Coronary Lesions. <b>2016</b> , 69, 657-63	0
618	Clinical outcomes of deferred revascularisation using fractional flow reserve in patients with and without diabetes mellitus. <b>2016</b> , 15, 100	23
617	Fractional Flow Assessment for the Evaluation of Intracranial Atherosclerosis: A Feasibility Study. <b>2016</b> , 5, 65-75	18
616	Anatomic or Functional Evaluation as an Initial Test for Stable Coronary Artery Disease: A Propensity Score Analysis. <b>2016</b> , 57, 1364-9	8
615	Potential impact of clinical use of noninvasive FFRCT on radiation dose exposure and downstream clinical event rate. <b>2016</b> , 40, 1055-60	7
614	Integrated Myocardial Perfusion Imaging Diagnostics Improve Detection of Functionally Significant Coronary Artery Stenosis by 13N-ammonia Positron Emission Tomography. <b>2016</b> , 9,	58
613	Restenosis after percutaneous coronary intervention for coronary chronic total occlusion. The central role of an optimized immediate post-procedural angiographic result. <b>2016</b> , 224, 343-347	7
612	When should fractional flow reserve be performed to assess the significance of borderline coronary artery lesions: Derivation of a simplified scoring system. <b>2016</b> , 222, 606-610	4

611	Non-invasive assessment of the haemodynamic significance of coronary stenosis using fusion of cardiac computed tomography and 3D echocardiography. <b>2017</b> , 18, 670-680	17
610	Standardization of Fractional Flow Reserve Measurements. <i>Journal of the American College of Cardiology</i> , <b>2016</b> , 68, 742-53	15.1 106
609	Fractional Flow Reserve and Coronary Computed Tomographic Angiography: A Review and Critical Analysis. <b>2016</b> , 119, 300-16	23
608	FFR prediction model based on conventional quantitative coronary angiography and the amount of myocardium subtended by an intermediate coronary artery stenosis. <b>2016</b> , 223, 340-344	7
607	Identifying the progression of coronary artery disease: prediction of cardiac events. <b>2016</b> , 2, 105-114	4
606	The role of angiographic follow-up after percutaneous coronary intervention. <b>2016</b> , 222, 911-920	5
605	Diagnostic Performance of a Cadmium-Zinc-Telluride Single-Photon Emission Computed Tomography System With Low-Dose Technetium-99m as Assessed by Fractional Flow Reserve. <b>2016</b> , 80, 1217-24	11
604	Quantitative assessment of myocardial blood flow in coronary artery disease by cardiovascular magnetic resonance: comparison of Fermi and distributed parameter modeling against invasive methods. <b>2016</b> , 18, 57	15
603	Impact of functional focal versus diffuse coronary artery disease on bypass graft patency. <b>2016</b> , 222, 16-21	18
602	Prognostic Determinants of Coronary Atherosclerosis in Stable Ischemic Heart Disease: Anatomy, Physiology, or Morphology?. <b>2016</b> , 119, 317-29	24
601	The Influence of Lesion Location on the Diagnostic Accuracy of Adenosine-Free Coronary Pressure Wire Measurements. <b>2016</b> , 9, 2390-2399	54
600	Diagnostic performance of noninvasive fractional flow reserve derived from coronary computed tomography angiography in ischemia-causing coronary stenosis: a meta-analysis. <b>2016</b> , 34, 795-808	5
599	The Evolution of Coronary Bypass Surgery Will Determine Its Relevance as the Standard of Care for the Treatment for Multivessel Coronary Artery Disease. <b>2016</b> , 134, 1206-1208	1
598	Echokardiografie als Gatekeeper bei KHK. <b>2016</b> , 5, 399-403	
597	Diagnostic performance of instantaneous wave-free ratio for the evaluation of coronary stenosis severity confirmed by fractional flow reserve: A PRISMA-compliant meta-analysis of randomized studies. <b>2016</b> , 95, e4774	8
596	Fractional Flow Reserve Evaluation and Chronic Kidney Disease: Analysis From a Multicenter Italian Registry (the FREAK Study). <b>2016</b> , 88, 555-562	32
595	Long-term outcome of intravascular ultrasound application in patients with moderate coronary lesions and grey-zone fractional flow reserve. <b>2016</b> , 27, 221-6	6
594	Danish study of Non-Invasive testing in Coronary Artery Disease (Dan-NICAD): study protocol for a randomised controlled trial. <b>2016</b> , 17, 262	27



593	Mathematically Derived Criteria for Detecting Functionally Significant Stenoses Using Coronary Computed Tomographic Angiography-Based Myocardial Segmentation and Intravascular Ultrasound-Measured Minimal Lumen Area. <b>2016</b> , 118, 170-6	15
592	Implementation and consistency of Heart Team decision-making in complex coronary revascularisation. <b>2016</b> , 206, 37-41	25
591	Integration of Quantitative Positron Emission Tomography Absolute Myocardial Blood Flow Measurements in the Clinical Management of Coronary Artery Disease. <b>2016</b> , 133, 2180-96	31
590	Clinical usefulness and cost effectiveness of fractional flow reserve among Indian patients (FIND study). <b>2016</b> , 88, E139-E144	4
589	Predictors of high-risk coronary artery disease in subjects with normal SPECT myocardial perfusion imaging. <b>2016</b> , 23, 530-41	27
588	Stress Computed Tomography Myocardial Perfusion Imaging: A New Topic in Cardiology. <b>2016</b> , 69, 188-200	8
587	Distinction of non-ischemia inducing versus ischemia inducing coronary stenosis by fluorescent cardiac imaging. <b>2016</b> , 32, 363-371	6
586	CT-based myocardial ischemia evaluation: quantitative angiography, transluminal attenuation gradient, myocardial perfusion, and CT-derived fractional flow reserve. <b>2016</b> , 32 Suppl 1, 1-19	17
585	Static and dynamic assessment of myocardial perfusion by computed tomography. <b>2016</b> , 17, 836-44	78
584	CT Angiography for the Prediction of Hemodynamic Significance in Intermediate and Severe Lesions: Head-to-Head Comparison With Quantitative Coronary Angiography Using Fractional Flow Reserve as the Reference Standard. <b>2016</b> , 9, 559-64	40
583	Técnica de imagen de perfusión miocárdica con tomografía computarizada de estrés: un nuevo tema en cardiología. <b>2016</b> , 69, 188-200	8
582	Quantitative myocardial perfusion imaging in a porcine ischemia model using a prototype spectral detector CT system. <b>2016</b> , 61, 2407-31	23
581	Assessing suspected angina: requiem for coronary computed tomography angiography or exercise electrocardiogram?. <b>2017</b> , 38, 1792-1800	10
580	Coronary Artery Bypass Surgery Is Not Underutilized!. <b>2016</b> , 133, 1027-35	3
579	Functional and anatomical measures for outflow boundary conditions in atherosclerotic coronary bifurcations. <b>2016</b> , 49, 2127-2134	12
578	Coronary Computed Tomography Angiography Derived Fractional Flow Reserve and Plaque Stress. <b>2016</b> , 9, 2	25
577	Software-based on-site estimation of fractional flow reserve using standard coronary CT angiography data. <b>2016</b> , 57, 1186-92	34
576	Invasive Testing for Coronary Artery Disease: FFR, IVUS, OCT, NIRS. <b>2016</b> , 12, 83-95	10

575	Medical Therapy With Versus Without Revascularization in Stable Patients With Moderate and Severe Ischemia: The Case for Community Equipoise. <i>Journal of the American College of Cardiology</i> , <b>2016</b> , 67, 81-99	15.1	70
574	High-risk coronary artery disease, but normal myocardial perfusion: A matter of concern?. <b>2016</b> , 23, 542-5		9
573	Impact of incomplete revascularization of coronary artery disease on long-term cardiac outcomes. Retrospective comparison of angiographic and myocardial perfusion imaging criteria for completeness. <b>2016</b> , 23, 546-55		9
572	Differences between automatically detected and steady-state fractional flow reserve. <b>2016</b> , 105, 127-34		7
571	Imaging of atherosclerosis. <b>2016</b> , 32, 5-12		14
570	Electrocardiographic Left Ventricular Hypertrophy as a Predictor for Nonsignificant Coronary Artery Disease in Patients With Non-ST-Segment Elevation Myocardial Infarction. <b>2016</b> , 67, 27-33		5
569	Lesion characteristics of coronary arteries associated with a mismatch between angiographic severity of stenosis and fractional flow reserve. <b>2017</b> , 32, 120-126		8
568	Impact of additional intracoronary nicorandil administration during fractional flow reserve measurement with intravenous adenosine 5'-triphosphate infusion. <b>2017</b> , 69, 119-124		8
567	Relation between quantitative coronary CTA and myocardial ischemia by adenosine stress myocardial CT perfusion. <b>2017</b> , 24, 1253-1262		10
566	Detection of non-obstructive coronary artery disease: Is post-stress diastolic dysfunction assessed by myocardial perfusion imaging a useful tool?. <b>2017</b> , 24, 1551-1554		1
565	Diagnostic performance of a semiconductor gamma-camera system as studied by multicenter registry. <b>2017</b> , 69, 449-455		7
564	Second vs. First generation drug eluting stents in multiple vessel disease and left main stenosis: Two-year follow-up of the observational, prospective, controlled, and multicenter ERACI IV registry. <b>2017</b> , 89, 37-46		14
563	Impact of TCFA on Unanticipated Ischemic Events in Medically Treated Diabetes Mellitus: Insights From the PROSPECT Study. <b>2017</b> , 10, 451-458		14
562	Clinical Outcomes of patients with coronary artery disease who underwent FFR evaluation of intermediate coronary lesionS- COFFRS study. <b>2017</b> , 69, 499-504		3
561	Design and rationale of the COMPARE-ACUTE trial: Fractional flow reserve-guided primary multivessel percutaneous coronary intervention to improve guideline indexed actual standard of care for treatment of ST-elevation myocardial infarction in patients with multivessel coronary disease. <b>2017</b> , 186, 21-28		9
560	Stable CAD and Approach to Chronic Chest Pain. <b>2017</b> , 65-91		
559	Evaluation of Coronary Artery Disease Using Myocardial Elastography with Diverging Wave Imaging: Validation against Myocardial Perfusion Imaging and Coronary Angiography. <b>2017</b> , 43, 893-902		9
558	Stress cardiovascular magnetic resonance imaging: current and future perspectives. <b>2017</b> , 15, 181-189		10

557	Outcomes-Based CV Imaging Research Endpoints and Trial Design: From Pixels to Patient Satisfaction. <b>2017</b> , 10, 253-263	2
556	Intracoronary pressure measurement differences between anterior and posterior coronary territories. <b>2017</b> , 42, 395-402	9
555	Dynamic Computed Tomography Myocardial Perfusion Imaging: Comparison of Clinical Analysis Methods for the Detection of Vessel-Specific Ischemia. <b>2017</b> , 10,	29
554	Noninvasive FFR Derived From Coronary CT Angiography: Management and Outcomes in the PROMISE Trial. <b>2017</b> , 10, 1350-1358	112
553	Fractional Flow Reserve-Guided Complete Revascularization Improves the Prognosis in Patients With ST-Segment-Elevation Myocardial Infarction and Severe Nonculprit Disease: A DANAMI 3-PRIMULTI Substudy (Primary PCI in Patients With ST-Elevation Myocardial Infarction and Multivessel Disease: Treatment of Culprit Lesion Only or Complete Revascularization). <b>2017</b> , 10,	29
552	Effect of stenosis eccentricity on the functionality of coronary bifurcation lesions-a numerical study. <b>2017</b> , 55, 2079-2095	5
551	Myocardial perfusion with single-photon emission computed tomography, multidetector computed tomography, or neither?. <b>2017</b> , 24, 1722-1724	
550	Fractional flow reserve in 2017: current data and everyday practice. <b>2017</b> , 15, 457-472	3
549	ACR Appropriateness Criteria Dyspnea-Suspected Cardiac Origin. <b>2017</b> , 14, S127-S137	11
548	Instantaneous wave-free ratio derived from coronary computed tomography angiography in evaluation of ischemia-causing coronary stenosis: Feasibility and initial clinical research. <b>2017</b> , 96, e5979	12
547	Significance of Microvascular Function in Visual-Functional Mismatch Between Invasive Coronary Angiography and Fractional Flow Reserve. <b>2017</b> , 6,	16
546	A Test in Context: Fractional Flow Reserve: Accuracy, Prognostic Implications, and Limitations. <i>Journal of the American College of Cardiology</i> , <b>2017</b> , 69, 2748-2758	15.1 25
545	Non-invasive fractional flow reserve using computed tomographic angiography: where are we now and where are we going?. <b>2017</b> , 103, 1216-1222	7
544	Manual of Gynecardiology. <b>2017</b> ,	0
543	Conservative versus aggressive treatment strategy with angiographic guidance alone in patients with intermediate coronary lesions: The SMART-CASE randomized, non-inferiority trial. <b>2017</b> , 240, 114-119	3
542	Dense calcium and lesion-specific ischemia: A comparison of CCTA with fractional flow reserve. <b>2017</b> , 260, 163-168	5
541	Change in angiogram-derived management strategy of patients with chest pain when some FFR data are available: How consistent is the effect?. <b>2017</b> , 18, 320-327	6
540	Coronary artery stenoses more often overestimated in older patients: Angiographic stenosis overestimation in elderly. <b>2017</b> , 241, 46-49	5

539	Competitive Coronary Flow between the Native Left Anterior Descending Artery and Left Internal Mammmary Artery Graft: Is It a Surrogate Angiographic Marker of Over-or-Unnecessary Revascularization Decision in Daily Practice?. <b>2017</b> , 26, 27-31	4
538	Characteristics of coronary artery disease among patients with atrial fibrillation compared to patients with sinus rhythm. <b>2017</b> , 58, 204-212	8
537	Noninvasive measurement of pressure gradient across a coronary stenosis using phase contrast (PC)-MRI: A feasibility study. <b>2017</b> , 77, 529-537	9
536	Quantitative plaque features from coronary computed tomography angiography to identify regional ischemia by myocardial perfusion imaging. <b>2017</b> , 18, 499-507	25
535	Clinical and angiographic predictors of persistently ischemic fractional flow reserve after percutaneous revascularization. <b>2017</b> , 184, 10-16	14
534	Collateral filling efficiency of comorbid chronic total occlusion segment on short-term mortality in ST-elevation myocardial infarction. <b>2017</b> , 230, 346-352	2
533	Fractional flow reserve derived from coronary computed tomography angiography reclassification rate using value distal to lesion compared to lowest value. <b>2017</b> , 11, 462-467	34
532	[FFR-Guided Revascularisation - Pros and Cons]. <b>2017</b> , 142, 1595-1603	0
531	Assessment of coronary artery disease with fractional flow reserve in patients with aortic stenosis undergoing transcatheter aortic valve implantation. <b>2017</b> , 7, 139-142	
530	Degrees of Belief and the Burden of Proof: The ART Trial. <b>2017</b> , 104, 1441-1444	5
529	Finding a gatekeeper to coronary angiography: a step in the right direction. <b>2017</b> , 18, 978-979	1
528	Comprehensive Assessment of the Coronary Circulation Using Pressure and Flow Measurements. <b>2017</b> , 251-260	
527	Revisiting the Historical Origins of Clinically Meaningful Coronary Artery Obstruction. <b>2017</b> , 92, 1312	
526	Functional assessment of lesion severity without using the pressure wire: coronary imaging and blood flow simulation. <b>2017</b> , 15, 863-877	2
525	Clinical Outcomes of Deferred Lesions With Angiographically Insignificant Stenosis But Low Fractional Flow Reserve. <b>2017</b> , 6,	8
524	Functional assessment of coronary artery disease by cardiac computed tomography. <b>2017</b> , 15, 657-665	5
523	Complete Coronary Revascularization: The End Justifies the Means, as Long as Something Justifies the End. <b>2017</b> , 10, 1425-1427	
522	Coronary Computed Tomographic Angiography-Derived Fractional Flow Reserve Based on Machine Learning for Risk Stratification of Non-Culprit Coronary Narrowings in Patients with Acute Coronary Syndrome. <b>2017</b> , 120, 1260-1266	22

521	Coronary CT-Derived Fractional Flow Reserve. <b>2017</b> , 5, 1	
520	Can Discrepancies Between Coronary Computed Tomography Angiography and Cardiac Catheterization in High-Risk Patients be Overcome With Consensus Reading?. <b>2017</b> , 41, 159-164	1
519	Prognostic Value of Fractional Flow Reserve Measured Immediately After Drug-Eluting Stent Implantation. <b>2017</b> , 10,	62
518	Comparison of Coronary CT Angiography, SPECT, PET, and Hybrid Imaging for Diagnosis of Ischemic Heart Disease Determined by Fractional Flow Reserve. <b>2017</b> , 2, 1100-1107	176
517	Effect of the ratio of coronary arterial lumen volume to left ventricle myocardial mass derived from coronary CT angiography on fractional flow reserve. <b>2017</b> , 11, 429-436	41
516	Stress-only myocardial perfusion scintigraphy: a prospective study on the accuracy and observer agreement with quantitative coronary angiography as the gold standard. <b>2017</b> , 38, 904-911	2
515	Interpreting results of coronary computed tomography angiography-derived fractional flow reserve in clinical practice. <b>2017</b> , 11, 383-388	31
514	Robotic Percutaneous Coronary Intervention: Time to Focus on the Patient. <b>2017</b> , 10, 1328-1331	
513	Is ischemia the only factor predicting cardiovascular outcomes in all diabetes mellitus patients?. <b>2017</b> , 16, 51	17
512	A study of noninvasive fractional flow reserve derived from a simplified method based on coronary computed tomography angiography in suspected coronary artery disease. <b>2017</b> , 16, 43	24
511	Assessment of left anterior descending artery stenosis of intermediate severity by fractional flow reserve, instantaneous wave-free ratio, and non-invasive coronary flow reserve. <b>2017</b> , 33, 999-1007	2
510	Angiographic severity does not correlate with fractional flow reserve in heavily calcified coronary arteries. <b>2017</b> , 89, 226-232	7
509	Use of fractional flow reserve in patients with coronary artery disease: The right choice for the right outcome. <b>2017</b> , 27, 106-120	3
508	Computed tomography myocardial perfusion vs O-water positron emission tomography and fractional flow reserve. <b>2017</b> , 27, 1114-1124	18
507	Computed Tomography Fractional Flow Reserve Can Identify Culprit Lesions in Aortoiliac Occlusive Disease Using Minimally Invasive Techniques. <b>2017</b> , 38, 151-157	4
506	Real-world use of fractional flow reserve in Germany: results of the prospective ALKK coronary angiography and PCI registry. <b>2017</b> , 106, 140-150	28
505	Risk of New Native-Vessel Occlusion After Coronary Artery Bypass Grafting. <b>2017</b> , 119, 7-13	8
504	Comparison of 3-dimensional and 2-dimensional quantitative coronary angiography and intravascular ultrasound for functional assessment of coronary lesions. <b>2017</b> , 69, 280-286	13

503	Cost-effectiveness analysis of new generation coronary CT scanners for difficult-to-image patients. <b>2017</b> , 18, 731-742	4
502	Effects of alogliptin on fractional flow reserve evaluated by coronary computed tomography angiography in patients with type 2 diabetes: Rationale and design of the TRACT study. <b>2017</b> , 69, 518-522	9
501	Intracranial artery stenosis: Current status of evaluation and treatment in China. <b>2017</b> , 3, 197-206	4
500	Is Complete Revascularisation Mandated for all Patients with Multivessel Coronary Artery Disease?. <b>2018</b> , 13, 45-50	7
499	Hybrid Instantaneous Wave-Free Ratio-Fractional Flow Reserve versus Fractional Flow Reserve in the Real World. <b>2017</b> , 4, 35	3
498	FFR and iFR. <b>2017</b> , 3, 53-60	5
497	Diagnostic Accuracy of Endocardial-to-Epicardial Myocardial Blood Flow Ratio for the Detection of Significant Coronary Artery Disease With Dynamic Myocardial Perfusion Dual-Source Computed Tomography. <b>2017</b> , 81, 1477-1483	10
496	Diagnostic performance of semi-quantitative and quantitative stress CMR perfusion analysis: a meta-analysis. <b>2017</b> , 19, 92	19
495	Noninvasive Fractional Flow Reserve Derived From Coronary Computed Tomography Angiography - Is This Just Another New Diagnostic Test or the Long-Awaited Game Changer?. <b>2017</b> , 81, 1085-1093	5
494	Myocardial blood flow quantification for evaluation of coronary artery disease by computed tomography. <b>2017</b> , 7, 129-150	26
493	Advances in Cardiac Computed Tomography. <b>2017</b> ,	
492	Plaque imaging with CT-a comprehensive review on coronary CT angiography based risk assessment. <b>2017</b> , 7, 489-506	51
491	Fractional flow reserve computed tomography in the evaluation of coronary artery disease. <b>2017</b> , 7, 463-474	6
490	Impact of plaque characteristics on the degree of functional stenosis. <b>2017</b> , 7, 219-226	
489	Fractional flow reserve to guide surgical coronary revascularization. <b>2017</b> , 9, S317-S326	12
488	Stenotic flow reserve derived from quantitative coronary angiography has modest but incremental value in predicting functionally significant coronary stenosis as evaluated by fractional flow reserve. <b>2017</b> , 7, 52-59	1
487	Incomplete coronary revascularization: a cautionary tale. <b>2017</b> , 9, E264-E265	
486	Reconciling discordant myocardial perfusion imaging and coronary angiography. <b>2018</b> , 25, 86-93	

485	Automated SPECT analysis compared with expert visual scoring for the detection of FFR-defined coronary artery disease. <b>2018</b> , 45, 1091-1100		9
484	Relationship of the Duke jeopardy score combined with minimal lumen diameter as assessed by computed tomography angiography to the hemodynamic relevance of coronary artery stenosis. <b>2018</b> , 12, 247-254		5
483	Prognosis of anatomic coronary artery disease without myocardial ischemia: Coronary computed tomography angiography detects high-risk patients even in cases of negative single-photon emission computed tomography findings. <b>2018</b> , 72, 162-169		1
482	Chest pain CT in the Emergency Department: evaluating the coronary arteries even when not specifically asked for?. <b>2018</b> , 59, 1309-1315		1
481	Role of Invasive Functional Assessment in Surgical Revascularization of Coronary Artery Disease. <b>2018</b> , 137, 1731-1739		7
480	The transluminal attenuation gradient in coronary CT angiography for the detection of hemodynamically significant disease: can all arteries be treated equally?. <b>2018</b> , 91, 20180043		4
479	Técnicas de imagen híbridas en cardiopatía isquémica. <b>2018</b> , 71, 382-390		2
478	Influence of visual-functional mismatch on coronary flow profiles after percutaneous coronary intervention: a propensity score-matched analysis. <b>2018</b> , 33, 1129-1138		4
477	Multimodality quantitative assessments of myocardial perfusion using dynamic contrast enhanced magnetic resonance and O-labelled water positron emission tomography imaging. <b>2018</b> , 2, 259-271		9
476	Complete revascularization for everyone: anatomic, functional, or neither? It depends!. <b>2018</b> , 29, 177-180		
475	Prognostic Value of Transthoracic Doppler Echocardiography Coronary Flow Velocity Reserve in Patients with Nonculprit Stenosis of Intermediate Severity Early after Primary Percutaneous Coronary Intervention. <b>2018</b> , 31, 880-887		10
474	Cardiac CTA Fractional Flow Reserve. <b>2018</b> , 203-222		
473	Effect of Plaque Burden and Morphology on Myocardial Blood Flow and Fractional Flow Reserve. <i>Journal of the American College of Cardiology</i> , <b>2018</b> , 71, 499-509	15.1	82
472	Coronary Plaque Volume and Stenosis: Important Determinants of Myocardial Ischemia. <i>Journal of the American College of Cardiology</i> , <b>2018</b> , 71, 510-512	15.1	1
471	Comparison of invasively measured FFR with FFR derived from coronary CT angiography for detection of lesion-specific ischemia: Results from a PC-based prototype algorithm. <b>2018</b> , 12, 101-107		21
470	Lesion-Specific and Vessel-Related Determinants of Fractional Flow Reserve Beyond Coronary Artery Stenosis. <b>2018</b> , 11, 521-530		55
469	Prognostic Implication of Functional Incomplete Revascularization and Residual Functional SYNTAX Score in Patients With Coronary Artery Disease. <b>2018</b> , 11, 237-245		28
468	Identifying cardiac pathologies with coronary wave intensity analysis: an enrichment to the ever-expanding coronary haemodynamics armamentarium?. <b>2018</b> , 39, 1815-1817		1

467	Incidence and predictors of lesion-specific ischemia by FFR: Learnings from the international ADVANCE registry. <b>2018</b> , 12, 95-100	21
466	Atherosclerosis, Stenosis, and Ischemia: One Primary, One Secondary, and One Tertiary. <b>2018</b> , 11, 531-533	2
465	Impact of fractional flow reserve on decision-making in daily clinical practice: A single center experience in Egypt. <b>2018</b> , 70, 161-165	1
464	Hybrid Imaging in Ischemic Heart Disease. <b>2018</b> , 71, 382-390	1
463	Revascularization Strategies in Multivessel Coronary Artery Disease. <b>2018</b> , 881-900	0
462	Pathophysiological coronary and microcirculatory flow alterations in aortic stenosis. <b>2018</b> , 15, 420-431	26
461	Function over form: Is it time to use endothelial function to diagnose vascular diseases?. <b>2018</b> , 260, 191-192	
460	CT Fractional Flow Reserve for Stable Coronary Artery Disease: The Ongoing Journey. <b>2018</b> , 287, 85-86	1
459	Fusion of Three-Dimensional Echocardiographic Regional Myocardial Strain with Cardiac Computed Tomography for Noninvasive Evaluation of the Hemodynamic Impact of Coronary Stenosis in Patients with Chest Pain. <b>2018</b> , 31, 664-673	19
458	Deep Learning for Prediction of Obstructive Disease From Fast Myocardial Perfusion SPECT: A Multicenter Study. <b>2018</b> , 11, 1654-1663	147
457	Diagnostic performance of the quantification of myocardium at risk from MPI SPECT/CTA 2G fusion for detecting obstructive coronary disease: A multicenter trial. <b>2018</b> , 25, 1376-1386	10
456	Estimating the accuracy of a reduced-order model for the calculation of fractional flow reserve (FFR). <b>2018</b> , 34, e2908	38
455	The impact of tissue Doppler index E/e' ratio on instantaneous wave-free ratio. <b>2018</b> , 71, 237-243	5
454	Diagnostic efficacy of fractional flow reserve with coronary angiography in dual-source computed tomography scanner. <b>2018</b> , 73, 76-83	1
453	Validation of Fractional Flow Reserve. <b>2018</b> , 223-231	
452	Comparison Between Anatomic and Physiologic Indices. <b>2018</b> , 249-257	
451	Fractional Flow Reserve in Intermediate or Ambiguous Lesion. <b>2018</b> , 259-268	
450	Evaluation of lesion flow coefficient for the detection of coronary artery disease in patient groups from two academic medical centers. <b>2018</b> , 19, 348-354	2



449	Noninvasive Computed Tomography-Derived Fractional Flow Reserve Based on Structural and Fluid Analysis: Reproducibility of On-site Determination by Unexperienced Observers. <b>2018</b> , 42, 256-262	12
448	Feasibility of coronary fractional flow reserve with dual anti-platelet therapy in low risk coronary lesions without systemic anticoagulation-results of the SMART-FFR study. <b>2018</b> , 19, 343-347	2
447	Coronary and Peripheral Artery Hemodynamics. <b>2018</b> , 270-301	
446	Intravascular Lesion Assessment. <b>2018</b> , 107-158	
445	A Practical Guide for Fractional Flow Reserve Guided Revascularisation. <b>2018</b> , 27, 406-419	10
444	Comparative diagnostic accuracy of dual-energy CT myocardial perfusion imaging by monochromatic energy versus material decomposition methods. <b>2018</b> , 50, 1-4	2
443	Relationship between instantaneous wave-free ratio and fractional flow reserve in patients receiving hemodialysis. <b>2018</b> , 33, 256-263	7
442	Myocardial Mass Contributes to the Discrepancy Between Anatomic Stenosis Severity Assessed by Intravascular Ultrasound and Fractional Flow Reserve in Intermediate Lesions of the Coronary Artery. <b>2018</b> , 91, 182-191	4
441	Correlation between early revascularization and major cardiac events demonstrated by ischemic myocardium in Japanese patients with stable coronary artery disease. <b>2018</b> , 71, 44-51	8
440	Predictors of medium-term mortality in patients hospitalised with coronary artery disease in a resource-limited South-East Asian setting. <b>2018</b> , 5, e000801	4
439	Invasive Testing. <b>2018</b> , 194-203	0
438	Putting It All Together: Which Test for Which Patient?. <b>2018</b> , 204-225	1
437	A physiological approach to refine appropriateness of revascularization, clinical decision making and prognosis in patients with multi vessel coronary artery disease. <b>2018</b> , 10, 5661-5665	
436	Multimodality Image Fusion for Coronary Artery Disease Detection: Concepts and Latest Developments. <b>2018</b> , 4, 74-78	3
435	Impact of Residual SYNTAX Score and Its Derived Indexes on Clinical Outcomes after Percutaneous Coronary Intervention: Data from a Large Single Center. <b>2018</b> , 131, 1390-1396	2
434	Fractional Flow Reserve Versus Angiographically-Guided Coronary Artery Bypass Grafting. <i>Journal of the American College of Cardiology</i> , <b>2018</b> , 72, 2732-2743	15.1 47
433	Machine learning assessment of myocardial ischemia using angiography: Development and retrospective validation. <b>2018</b> , 15, e1002693	20
432	The Spectrum of Clinical Presentations and Management Options for the Treatment of Degenerative Atherothrombotic Disease of Saphenous Vein Grafts. <b>2018</b> , 377-398	

431	Anatomically and functionally relevant coronary stenoses in patients with normal single-photon emission computed tomography but persistent stable angina. <b>2018</b> , 19, 1327-1333	1
430	Diabetes and Subclinical Coronary Atherosclerosis. <b>2018</b> , 42, 355-363	11
429	Diagnostic Testing in Coronary Artery Disease: Relieving the Stenosis, Attenuating Ischemia, or Preventing Hard Events?. <i>Journal of the American College of Cardiology</i> , <b>2018</b> , 72, 2135-2138	15.1
428	Prognostic Implications of Relative Increase and Final Fractional Flow Reserve in Patients With Stent Implantation. <b>2018</b> , 11, 2099-2109	36
427	CT Myocardial Perfusion Imaging: A New Frontier in Cardiac Imaging. <b>2018</b> , 2018, 7295460	22
426	The value of Coronary Artery computed Tomography as the first-line anatomical test for stable patients with indications for invasive angiography due to suspected Coronary Artery Disease: CAT-CAD randomized trial. <b>2018</b> , 12, 472-479	17
425	Should functional assessment of lesion severity be used to guide coronary bypass?. <b>2018</b> , 33, 565-570	
424	Evolving Routine Standards in Invasive Hemodynamic Assessment of Coronary Stenosis: The Nationwide Italian SICI-GISE Cross-Sectional ERIS Study. <b>2018</b> , 11, 1482-1491	51
423	The performance of non-invasive tests to rule-in and rule-out significant coronary artery stenosis in patients with stable angina: a meta-analysis focused on post-test disease probability. <b>2018</b> , 39, 3322-3330	156
422	Non-invasive fractional flow reserve in vessels without severe obstructive stenosis is associated with coronary plaque burden. <b>2018</b> , 12, 379-384	9
421	Computed Tomography Fractional Flow Reserve to Guide Coronary Angiography and Intervention. <b>2018</b> , 7, 345-354	9
420	Hybrid SPECT Perfusion Imaging and Coronary CT Angiography: Long-term Prognostic Value for Cardiovascular Outcomes. <b>2018</b> , 288, 694-702	20
419	Fractional flow reserve (FFR) as a guide to treat coronary artery disease. <b>2018</b> , 16, 465-477	8
418	Diagnostic performance of machine-learning-based computed fractional flow reserve (FFR) derived from coronary computed tomography angiography for the assessment of myocardial ischemia verified by invasive FFR. <b>2018</b> , 34, 1987-1996	14
417	Usefulness of Postsystolic Shortening to Diagnose Coronary Artery Disease and Predict Future Cardiovascular Events in Stable Angina Pectoris. <b>2018</b> , 31, 870-879.e3	20
416	Numerical analysis of the impact of flow rate, heart rate, vessel geometry, and degree of stenosis on coronary hemodynamic indices. <b>2018</b> , 18, 132	22
415	Fully automated, inline quantification of myocardial blood flow with cardiovascular magnetic resonance: repeatability of measurements in healthy subjects. <b>2018</b> , 20, 48	32
414	Complex PCI procedures: challenges for the interventional cardiologist. <b>2018</b> , 107, 64-73	23

413	Study Design of the Graft Patency After FFR-Guided Versus Angiography-Guided CABG Trial (GRAFFITI). <b>2018</b> , 11, 269-273	9
412	CT-based total vessel plaque analyses improves prediction of hemodynamic significance lesions as assessed by fractional flow reserve in patients with stable angina pectoris. <b>2018</b> , 12, 344-349	13
411	Clinical Usefulness of Coronary Flow Reserve Ratio for the Detection of Significant Coronary Artery Disease on N-Ammonia Positron Emission Tomography. <b>2018</b> , 82, 486-493	7
410	Fractional Flow Reserve. <b>2018</b> , 313-328	
409	Feasibility of cardiovascular magnetic resonance to detect oxygenation deficits in patients with multi-vessel coronary artery disease triggered by breathing maneuvers. <b>2018</b> , 20, 31	26
408	Cardiognometry Compared to Fractional Flow Reserve at Identifying Physiologically Significant Coronary Stenosis: The CARDIOFLOW Study. <b>2018</b> , 9, 439-446	1
407	Prediction of blood pressure and blood flow in stenosed renal arteries using CFD. <b>2018</b> , 346, 012066	1
406	Is there a role for fractional flow reserve in coronary artery bypass graft (CABG) planning?. <b>2018</b> , 7, 546-551	4
405	Non-invasive instantaneous wave-free ratio using coronary CT angiography: diagnostic performance for evaluation of ischaemia-causing coronary stenosis confirmed by invasive fractional flow reserve. <b>2018</b> , 73, 983.e15-983.e22	1
404	Real-world clinical utility and impact on clinical decision-making of coronary computed tomography angiography-derived fractional flow reserve: lessons from the ADVANCE Registry. <b>2018</b> , 39, 3701-3711	118
403	Numerical analysis of the pressure drop across highly-eccentric coronary stenoses: application to the calculation of the fractional flow reserve. <b>2018</b> , 17, 67	8
402	Impact of Coronary Lesion Geometry on Fractional Flow Reserve: Data From Interventional Cardiology Research In-Cooperation Society-Fractional Flow Reserve and Intravascular Ultrasound Registry. <b>2018</b> , 11, e007087	15
401	CT morphological index provides incremental value to machine learning based CT-FFR for predicting hemodynamically significant coronary stenosis. <b>2018</b> , 265, 256-261	16
400	Diagnostic Accuracy of a Machine-Learning Approach to Coronary Computed Tomographic Angiography-Based Fractional Flow Reserve: Result From the MACHINE Consortium. <b>2018</b> , 11, e007217	165
399	High efficiency gamma camera enables ultra-low fixed dose stress/rest myocardial perfusion imaging. <b>2019</b> , 20, 218-224	8
398	Domain decomposition based parallel computing for multi-scale coronary blood flow simulations. <b>2019</b> , 191, 104254	4
397	Atherosclerosis. <b>2019</b> , 5, 56	657
396	Prognosis of CT-derived Fractional Flow Reserve in the Prediction of Clinical Outcomes. <b>2019</b> , 1, e190021	3

395	Non-invasive coronary CT angiography-derived fractional flow reserve: A benchmark study comparing the diagnostic performance of four different computational methodologies. <b>2019</b> , 35, e3235	20
394	Danish study of Non-Invasive testing in Coronary Artery Disease 2 (Dan-NICAD 2): Study design for a controlled study of diagnostic accuracy. <b>2019</b> , 215, 114-128	5
393	Comparison of diagnostic accuracy of stress myocardial perfusion imaging for detecting hemodynamically significant coronary artery disease between cardiac magnetic resonance and nuclear medical imaging: A meta-analysis. <b>2019</b> , 293, 278-285	8
392	Cardiac CT and MR for the Evaluation of Acute Chest Pain in the Emergency Setting. <b>2019</b> , 366-387	
391	The association of coronary lumen volume to left ventricle mass ratio with myocardial blood flow and fractional flow reserve. <b>2019</b> , 13, 179-187	5
390	Controversies in Diagnostic Imaging of Patients With Suspected Stable and Acute Chest Pain Syndromes. <b>2019</b> , 12, 1254-1278	3
389	Angiographically Guided Complete Revascularization Versus Selective Stress Echocardiography-Guided Revascularization in Patients With ST-Segment-Elevation Myocardial Infarction and Multivessel Disease: The CROSS-AMI Randomized Clinical Trial. <b>2019</b> , 12, e007924	10
388	Computational instantaneous wave-free ratio (IFR) for patient-specific coronary artery stenoses using 1D network models. <b>2019</b> , 35, e3255	10
387	CT and calcification. <b>2019</b> , 83-123	
386	Toward a "More Perfect" Interventional Algorithm: Post-Intervention Functional Assessment Using Quantitative Flow Ratio. <b>2019</b> , 12, 2076-2078	
385	Antithrombotic treatment after coronary artery bypass graft surgery: systematic review and network meta-analysis. <b>2019</b> , 367, l5476	34
384	. <b>2019</b> ,	2
383	Clinical significance of corrected relative flow reserve derived from N-ammonia positron emission tomography combined with coronary computed tomography angiography. <b>2021</b> , 28, 1851-1860	
382	Optimizing the Technique for Invasive Fractional Flow Reserve to Assess Lesion-Specific Ischemia. <b>2019</b> , 12, e007939	2
381	A comprehensive prediction model of functionally significant coronary artery stenosis based on coronary computed tomography and the amount of myocardium in jeopardy assessed by fractional flow reserve. <b>2019</b> , 1, 55-62	
380	Detection of Hemodynamically Significant Coronary Stenosis: CT Myocardial Perfusion versus Machine Learning CT Fractional Flow Reserve. <b>2019</b> , 293, 305-314	24
379	Measurement of Hyperemic Pullback Pressure Gradients to Characterize Patterns of Coronary Atherosclerosis. <i>Journal of the American College of Cardiology</i> , <b>2019</b> , 74, 1772-1784	15.1 36
378	State-of-the-Art Coronary Artery Bypass Grafting: Patient Selection, Graft Selection, and Optimizing Outcomes. <b>2019</b> , 8, 173-198	8

377	Impact of sublingual nitroglycerin dosage on FFR assessment and coronary luminal volume-to-myocardial mass ratio. <b>2019</b> , 29, 6829-6836	6
376	Reduced-order modeling of blood flow for noninvasive functional evaluation of coronary artery disease. <b>2019</b> , 18, 1867-1881	7
375	Coronary Computed Tomography Angiography as a Gatekeeper to Coronary Revascularization: Emphasizing Atherosclerosis Findings Beyond Stenosis. <b>2019</b> , 12, 1	3
374	Impact of preoperative fractional flow reserve on arterial bypass graft anastomotic function: the IMPAG trial. <b>2019</b> , 40, 2421-2428	39
373	Prognostic Value and Risk Continuum of Noninvasive Fractional Flow Reserve Derived from Coronary CT Angiography. <b>2019</b> , 292, 343-351	41
372	Comparison of Outcomes After Transcatheter Aortic Valve Replacement vs Surgical Aortic Valve Replacement Among Patients With Aortic Stenosis at Low Operative Risk. <b>2019</b> , 2, e195742	23
371	Non-invasive fractional flow reserve derived from coronary computed tomography angiography in patients with acute chest pain: Subgroup analysis of the ROMICAT II trial. <b>2019</b> , 13, 196-202	17
370	Paclitaxel-Coated Balloon Angioplasty Versus Drug-Eluting Stent in Acute Myocardial Infarction: The REVELATION Randomized Trial. <b>2019</b> , 12, 1691-1699	58
369	Hemodynamic impact of coronary stenosis using computed tomography: comparison between noninvasive fractional flow reserve and 3D fusion of coronary angiography with stress myocardial perfusion. <b>2019</b> , 35, 1733-1743	3
368	Clinical Impact of Coronary Computed Tomography Angiography-Derived Fractional Flow Reserve on Japanese Population in the ADVANCE Registry. <b>2019</b> , 83, 1293-1301	5
367	A comparison of fractional flow reserve determination and coronary angiography results in patients with unstable angina and analysis of related factors. <b>2019</b> , 11, 549-556	1
366	Systematic assessment of procedural parameters, influence on downstream testing and 12-month outcomes of a CT-myocardial perfusion service. <b>2019</b> , 13, 11-20	1
365	Evaluation of fractional flow reserve in patients with stable angina: can CT compete with angiography?. <b>2019</b> , 29, 3669-3677	11
364	In vitro test-retest repeatability of invasive physiological indices to assess coronary flow. <b>2019</b> , 94, 677-683	0
363	Influence of Collaterals on True FFR Prediction for a Left Main Stenosis with Concomitant Lesions: An In Vitro Study. <b>2019</b> , 47, 1409-1421	5
362	The best predictor of ischemic coronary stenosis: subtended myocardial volume, machine learning-based FFR, or high-risk plaque features?. <b>2019</b> , 29, 3647-3657	16
361	Prognostic impact of residual SYNTAX score in patients with obstructive sleep apnea and acute coronary syndrome: a prospective cohort study. <b>2019</b> , 20, 43	3
360	Relation between serum uric acid levels with the degree of coronary artery disease: A prospective study from Ecuador. <b>2019</b> , 31, 8-14	

359	Impact of Inflow Boundary Conditions on the Calculation of CT-Based FFR. <b>2019</b> , 4, 60	8
358	Angiography-Based Machine Learning for Predicting Fractional Flow Reserve in Intermediate Coronary Artery Lesions. <b>2019</b> , 8, e011685	24
357	Computed Tomography to Replace Invasive Coronary Angiography?. <b>2019</b> , 12, e008710	2
356	Influence of coronary calcification on hyperemic response during fractional flow reserve measurements. <b>2019</b> , 285, 93-96	
355	Effect of Coronary Anatomy and Myocardial Ischemia on Long-Term Survival in Patients with Stable Ischemic Heart Disease. <b>2019</b> , 12, e005079	11
354	Coronary Physiology in the Cardiac Catheterization Laboratory. <b>2019</b> , 8,	4
353	The challenge of asymptomatic coronary artery disease in aircrew; detecting plaque before the accident. <b>2019</b> , 105, s17-s24	10
352	Cardiac/Chest and Lung. <b>2019</b> ,	
351	Cardiovascular magnetic resonance in emergency patients with multivessel disease or unobstructed coronary arteries: a cost-effectiveness analysis in the UK. <b>2019</b> , 9, e025700	1
350	Pretest Probability: Cornerstone of Testing in Suspected Ischemic Heart Disease: A Call to Revise Criteria for Noninvasive Testing. <b>2019</b> , 12, e009835	2
349	Revascularization therapy in stable ischaemic heart disease: Perfusion restores, why does outcome not?. <b>2020</b> , 21, 47-48	
348	The Role of Fractional Flow Reserve and Instantaneous Wave-Free Ratio Measurements in Patients with Acute Coronary Syndrome. <b>2019</b> , 21, 159	4
347	Myocardial revascularization driven by functional testing and PET imaging. <b>2021</b> , 28, 1673-1675	0
346	The early detection of atherosclerosis in type 1 diabetes: why, how and what to do about it. <b>2019</b> , 8, 14-27	7
345	Impact of individualized segmentation on diagnostic performance of quantitative positron emission tomography for haemodynamically significant coronary artery disease. <b>2019</b> , 20, 525-532	8
344	Hybrid anatomic-functional imaging of coronary artery disease: Beneficial irrespective of its core components. <b>2019</b> , 26, 752-762	4
343	Referral of patients for fractional flow reserve using quantitative flow ratio. <b>2019</b> , 20, 1231-1238	10
342	Current Evidence in Cardiothoracic Imaging: Computed Tomography-derived Fractional Flow Reserve in Stable Chest Pain. <b>2019</b> , 34, 12-17	16

341	Application of the DILEMMA score to improve lesion selection for invasive physiological assessment. <b>2019</b> , 94, E96-E103	8
340	The influence of model order reduction on the computed fractional flow reserve using parameterized coronary geometries. <b>2019</b> , 82, 313-323	9
339	Evaluation of the cut-off value for the instantaneous wave-free ratio of patients with aortic valve stenosis. <b>2019</b> , 34, 269-274	1
338	Clinical use of physiological lesion assessment using pressure guidewires: an expert consensus document of the Japanese Association of Cardiovascular Intervention and Therapeutics. <b>2019</b> , 34, 85-96	25
337	Comparison of Coronary Computed Tomography Angiography, Fractional Flow Reserve, and Perfusion Imaging for Ischemia Diagnosis. <i>Journal of the American College of Cardiology</i> , <b>2019</b> , 73, 161-173	124
336	Relation between serum uric acid levels with the degree of coronary artery disease: A prospective study from Ecuador. <b>2019</b> , 31, 8-14	3
335	Hybrid coronary computed tomography angiography and positron emission tomography myocardial perfusion imaging in evaluation of recurrent symptoms after coronary artery bypass grafting. <b>2019</b> , 20, 1298-1304	4
334	Impact of Subtended Myocardial Mass Assessed by Coronary Computed Tomographic Angiography-Based Myocardial Segmentation. <b>2019</b> , 123, 757-763	9
333	Coronary Artery Bypass Graft. <b>2019</b> , 291-310	
332	Management of Diabetes Mellitus. <b>2019</b> , 113-177	
331	Deep Learning Analysis of Upright-Supine High-Efficiency SPECT Myocardial Perfusion Imaging for Prediction of Obstructive Coronary Artery Disease: A Multicenter Study. <b>2019</b> , 60, 664-670	58
330	Validation and comparison of non-hyperemic pressure reserve to fractional flow reserve for assessment of coronary artery stenosis: A real world study. <b>2019</b> , 93, 250-255	
329	Coronary CTA enhanced with CTA based FFR analysis provides higher diagnostic value than invasive coronary angiography in patients with intermediate coronary stenosis. <b>2019</b> , 13, 62-67	13
328	Improved diagnosis of the number of stenosed coronary artery vessels by segmentation with scatter and photo-peak window data for attenuation correction in myocardial perfusion SPECT. <b>2019</b> , 26, 574-581	4
327	Corrected coronary opacification decrease from coronary computed tomography angiography: Validation with quantitative <sup>13</sup> N-ammonia positron emission tomography. <b>2019</b> , 26, 561-568	10
326	Coronary circulation: Pressure/flow parameters for assessment of ischemic heart disease. <b>2019</b> , 26, 459-470	4
325	Diagnostic Value of Transluminal Attenuation Gradient for the Presence of Ischemia as Defined by Fractional Flow Reserve and Quantitative Positron Emission Tomography. <b>2019</b> , 12, 323-333	11
324	Dynamic CT perfusion imaging: Few small steps toward the implementation into the real clinical world. <b>2020</b> , 14, 285-286	

323	Impact of scan quality on the diagnostic performance of CCTA, SPECT, and PET for diagnosing myocardial ischemia defined by fractional flow reserve. <b>2020</b> , 14, 60-67	4
322	Moving beyond stenosis: Assessing ischemia based off plaque morphology and burden of disease on coronary CTA. <b>2020</b> , 14, 282-284	
321	Does fractional flow reserve overestimate severity of LAD lesions?. <b>2020</b> , 27, 1306-1313	2
320	Rationale and design of the REgistry of Fast Myocardial Perfusion Imaging with NExt generation SPECT (REFINE SPECT). <b>2020</b> , 27, 1010-1021	38
319	State-of-the-art-myocardial perfusion stress testing: Static CT perfusion. <b>2020</b> , 14, 294-302	4
318	Adverse Plaque Characteristics Relate More Strongly With Hyperemic Fractional Flow Reserve and Instantaneous Wave-Free Ratio Than With Resting Instantaneous Wave-Free Ratio. <b>2020</b> , 13, 746-756	13
317	Prediction of Coronary Revascularization in Stable Angina: Comparison of FFR With CMR Stress Perfusion Imaging. <b>2020</b> , 13, 994-1004	16
316	Adjustment of CT-fractional flow reserve based on fluid-structure interaction underestimation to minimize 1-year cardiac events. <b>2020</b> , 35, 162-169	4
315	Feasibility and accuracy of SPECT myocardial perfusion imaging in end-stage lung disease. <b>2020</b> , 27, 903-911	3
314	Radiology in Forensic Medicine. <b>2020</b> ,	3
313	Fractional flow reserve as the standard of reference: All that glistens is not gold. <b>2020</b> , 27, 1314-1316	2
312	2019 ESC Guidelines for the diagnosis and management of chronic coronary syndromes. <b>2020</b> , 41, 407-477	1835
311	How atherosclerosis defines ischemia: Atherosclerosis quantification and characterization as a method for determining ischemia. <b>2020</b> , 14, 394-399	2
310	What's in Your Wallet?. <b>2020</b> , 13, 462-464	1
309	Clinical Outcomes of Dynamic Computed Tomography Myocardial Perfusion Imaging Combined With Coronary Computed Tomography Angiography Versus Coronary Computed Tomography Angiography-Guided Strategy. <b>2020</b> , 13, e009775	12
308	Human Microcirculation in Ischemic Heart Disease. <b>2020</b> , 40, 11-13	2
307	Rationale and design of the Flow Evaluation to Guide Revascularization in Multivessel ST-Elevation Myocardial Infarction (FLOWER-MI) trial. <b>2020</b> , 222, 1-7	10
306	Complete revascularization reduces cardiovascular death in patients with ST-segment elevation myocardial infarction and multivessel disease: systematic review and meta-analysis of randomized clinical trials. <b>2020</b> , 41, 4103-4110	33



305	Network Medicine: A Clinical Approach for Precision Medicine and Personalized Therapy in Coronary Heart Disease. <b>2020</b> , 27, 279-302		18
304	Clinical and angiographic factors predicting fractional flow reserve and explaining the visual-functional mismatch in patients with intermediate coronary artery stenosis. <b>2020</b> , 31, 73-80		2
303	Non-hyperaemic pressure ratios to guide percutaneous coronary intervention. <b>2020</b> , 7,		3
302	Complete Revascularization in Acute and Chronic Coronary Syndrome. <b>2020</b> , 38, 491-505		2
301	Multivessel Versus Culprit-Only Revascularization in STEMI: Is "Treat Them All" A Right Strategy?. <b>2020</b> , 13, 2308		
300	Physiology over Angiography to Determine Lesion Severity: the FAME Trials. <b>2020</b> , 9, 409-418		
299	Phase-III Clinical Trial of Fluorine-18 Flurpiridaz Positron Emission Tomography for Evaluation of Coronary Artery Disease. <i>Journal of the American College of Cardiology</i> , <b>2020</b> , 76, 391-401	15.1	25
298	Quantitative myocardial perfusion Rb-PET assessed by hybrid PET/coronary-CT: Normal values and diagnostic performance. <b>2020</b> , 1		1
297	Determinants of visual-functional mismatches as assessed by coronary angiography and quantitative flow ratio. <b>2021</b> , 98, 1047-1056		1
296	Physiology-Based Revascularization Decisions and Improved Clinical Outcomes Following Percutaneous Coronary Interventions. <b>2020</b> , 324, 2377-2380		1
295	Reply: The Natural History of Nonculprit Lesions in STEMI Based on FFR. <b>2020</b> , 13, 1724-1725		
294	Effect of random deferral of percutaneous coronary intervention in patients with diabetes and stable ischaemic heart disease. <b>2020</b> , 106, 1651-1657		1
293	The Problem of Target Vessel Revascularization as Endpoint When Coronary Anatomy Is Known. <b>2020</b> , 13, 1723		
292	Comparison of diagnostic performance between quantitative flow ratio, non-hyperemic pressure indices and fractional flow reserve. <b>2020</b> , 10, 442-452		0
291	A novel fiber-optic based 0.014? pressure wire: Designs of the OptoWire development phases, and the O first-in-man results. <b>2020</b> ,		3
290	CCTA in the diagnosis of coronary artery disease. <b>2020</b> , 125, 1102-1113		6
289	Gadobutrol-Enhanced Cardiac Magnetic Resonance Imaging for Detection of Coronary Artery Disease. <i>Journal of the American College of Cardiology</i> , <b>2020</b> , 76, 1536-1547	15.1	13
288	Nonculprit Lesion Severity and Outcome of Revascularization in Patients With STEMI and Multivessel Coronary Disease. <i>Journal of the American College of Cardiology</i> , <b>2020</b> , 76, 1277-1286	15.1	6

287	GadCAD: A Vigorous Interrogation of Diagnostic Accuracy and Consistency. <i>Journal of the American College of Cardiology</i> , <b>2020</b> , 76, 1548-1550	15.1
286	Stress Myocardial Perfusion Imaging vs Coronary Computed Tomographic Angiography for Diagnosis of Invasive Vessel-Specific Coronary Physiology: Predictive Modeling Results From the Computed Tomographic Evaluation of Atherosclerotic Determinants of Myocardial Ischemia (CREDESCENCE) Trial. <b>2020</b> , 5, 1338-1348	13
285	Risikostratifizierung des chronischen Koronarsyndroms [Empfehlungen zur Risikobewertung und Diagnostik im klinischen Alltag gem. ESC-Leitlinie]. <b>2020</b> , 9, 254-259	
284	Funktionelle Diagnostik zur Detektion myokardialer Ischämie. <b>2020</b> , 9, 260-267	
283	Topological Data Analysis of Vascular Disease: A Theoretical Framework. <b>2020</b> , 6,	0
282	Value of Machine Learning-based Coronary CT Fractional Flow Reserve Applied to Triple-Rule-Out CT Angiography in Acute Chest Pain. <b>2020</b> , 2, e190137	5
281	Combined assessment of subtended myocardial volume and myocardial blood flow for diagnosis of obstructive coronary artery disease using cardiac computed tomography: A feasibility study. <b>2020</b> , 76, 259-265	2
280	SCAI position statement on optimal percutaneous coronary interventional therapy for complex coronary artery disease. <b>2020</b> , 96, 346-362	26
279	Initial evaluation of a convolutional neural network used for noninvasive assessment of coronary artery disease severity from coronary computed tomography angiography data. <b>2020</b> , 47, 3996-4004	2
278	Coronary artery decision algorithm trained by two-step machine learning algorithm.. <b>2020</b> , 10, 4014-4022	2
277	Association of combined genetic variations in SOD3, GPX3, PON1, and GSTT1 with hypertension and severity of coronary artery disease. <b>2020</b> , 35, 918-929	9
276	Rationale and design of the quantification of myocardial blood flow using dynamic PET/CTA-fused imagery (DEMYSTIFY) to determine physiological significance of specific coronary lesions. <b>2020</b> , 27, 1030-1039	6
275	Endovascular procedures cause transient endothelial injury but do not disrupt mature neointima in Drug Eluting Stents. <b>2020</b> , 10, 2173	6
274	Fractional Flow Reserve Derived from Coronary Computed Tomography Angiography Safely Defers Invasive Coronary Angiography in Patients with Stable Coronary Artery Disease. <b>2020</b> , 9,	12
273	Revascularization Strategies in Patients Presenting With ST-Elevation Myocardial Infarction and Multivessel Coronary Disease. <b>2020</b> , 125, 1486-1491	3
272	Physiological Assessment of Coronary Lesions in 2020. <b>2020</b> , 22, 2	7
271	Correlation between fractional flow reserve and instantaneous wave-free ratio with morphometric assessment by optical coherence tomography in diabetic patients. <b>2020</b> , 36, 1193-1201	1
270	Assessment of coronary flow reserve in nuclear cardiology. <b>2020</b> , 44, 172-180	1

269	Future Directions in Coronary CT Angiography: CT-Fractional Flow Reserve, Plaque Vulnerability, and Quantitative Plaque Assessment. <b>2020</b> , 50, 185-202	5
268	Percutaneous coronary intervention versus medical therapy in patients with angina and grey-zone fractional flow reserve values: a randomised clinical trial. <b>2020</b> , 106, 758-764	4
267	Diagnostic value of comprehensive on-site and off-site coronary CT angiography for identifying hemodynamically obstructive coronary artery disease. <b>2021</b> , 15, 37-45	3
266	Cardiac Computed Tomography Perfusion: Contrast Agents, Challenges and Emerging Methodologies from Preclinical Research to the Clinics. <b>2021</b> , 28, e1-e13	1
265	Selecting target lesion(s). <b>2021</b> , 111-121	
264	Diagnostic performance of quantitative, semi-quantitative, and visual analysis of dynamic CT myocardial perfusion imaging: a validation study with invasive fractional flow reserve. <b>2021</b> , 31, 525-534	9
263	Diagnostic Techniques in Cardiac Surgery. <b>2021</b> , 121-171	
262	Coronary angiography. <b>2021</b> , 97-109	
261	Diagnostic Performance of PET Versus SPECT Myocardial Perfusion Imaging in Patients with Smaller Left Ventricles: A Substudy of the F-Flurpiridaz Phase III Clinical Trial. <b>2021</b> , 62, 849-854	1
260	Comparison of automated beam hardening correction (ABHC) algorithms for myocardial perfusion imaging using computed tomography. <b>2021</b> , 48, 287-299	1
259	What should be the role of fractional flow reserve measurement in patients undergoing coronary artery bypass grafting?. <b>2021</b> , 5, 74-79	
258	Coronary intravascular ultrasound and optical coherence tomography imaging and clinical contexts in coronary hemodynamics. <b>2021</b> , 149-170	
257	Hemodynamic disturbance due to serial stenosis in human coronary bifurcations: a computational fluid dynamics study. <b>2021</b> , 225-250	
256	A new reduced-order model to assess the true fractional flow reserve of a left main coronary artery stenosis with downstream lesions and collateral circulations: an in vitro study. <b>2021</b> , 273-295	
255	Preprocessing of general stenotic vascular flow data for topological data analysis.	
254	The interaction of biochemical, biomechanical, and clinical factors of coronary disease. <b>2021</b> , 171-190	1
253	Health economics-based verification of functional myocardial ischemia evaluation of stable coronary artery disease in Japan: A long-term longitudinal study using propensity score matching. <b>2021</b> , 1	0
252	Dynamic Myocardial Ultrasound Localization Angiography. <b>2021</b> , 40, 3379-3388	3

251	Coronary Physiology: From Basic Concepts to FFR and iFR. <b>2021</b> , 183-202	
250	A 2-year investigation of the impact of the computed tomography-derived fractional flow reserve calculated using a deep learning algorithm on routine decision-making for coronary artery disease management. <b>2021</b> , 31, 7039-7046	5
249	Functional Assessment of Coronary Artery Lesions-Old and New Kids on the Block. <b>2021</b> , 30, 40-47	
248	Association of Epicardial Fat Volume With Increased Risk of Obstructive Coronary Artery Disease in Chinese Patients With Suspected Coronary Artery Disease. <b>2021</b> , 10, e018080	6
247	Multiparametric exercise stress cardiovascular magnetic resonance in the diagnosis of coronary artery disease: the EMPIRE trial. <b>2021</b> , 23, 17	0
246	[Less is more in cardiology and angiology]. <b>2021</b> , 62, 379-384	
245	Vasodilator Myocardial Perfusion Cardiac Magnetic Resonance Imaging Is Superior to Dobutamine Stress Echocardiography in the Detection of Relevant Coronary Artery Stenosis: A Systematic Review and Meta-Analysis on Their Diagnostic Accuracy. <b>2021</b> , 8, 630846	3
244	The association between coronary graft patency and clinical status in patients with coronary artery disease. <b>2021</b> , 42, 1433-1441	10
243	Application of physics-based flow models in cardiovascular medicine: Current practices and challenges. <b>2021</b> , 2, 011302	2
242	JCS 2018 Guideline on Diagnosis of Chronic Coronary Heart Diseases. <b>2021</b> , 85, 402-572	11
241	The current status of CZT SPECT myocardial blood flow and reserve assessment: Tips and tricks. <b>2021</b> , 1	5
240	Cardiovascular risk stratification by coronary computed tomography angiography imaging: current state-of-the-art. <b>2021</b> ,	1
239	A Computational Analysis of the Influence of a Pressure Wire in Evaluating Coronary Stenosis. <b>2021</b> , 6, 165	2
238	Investigating the haemodynamics of myocardial bridging. <b>2021</b> , 62, 1	
237	Anatomical-functional discordance between quantitative coronary angiography and diastolic pressure ratio during wave-free period. <b>2021</b> ,	
236	Prevalence of pathological FFR values without coronary artery stenosis in an asymptomatic marathon runner cohort. <b>2021</b> , 31, 8975-8982	0
235	Ischemic Heart Disease: Noninvasive Imaging Techniques and Findings. <b>2021</b> , 41, 990-1021	3
234	Coronary Assessment and Revascularization Before Transcatheter Aortic Valve Implantation: An Update on Current Knowledge. <b>2021</b> , 8, 654892	2

- 233 Standardizing the Definition and Analysis Methodology for Complete Coronary Artery Revascularization. **2021**, 10, e020110 4
- 232 Ischemia From Nonculprit Stenoses Is Not Associated With Reduced Culprit Infarct Size in Patients with ST-Segment-Elevation Myocardial Infarction. **2021**, 14, e012290 0
- 231 Long-term outcomes after deferral of revascularization of in-stent restenosis using fractional flow reserve. **2021**,
- 230 Myocardial perfusion imaging using computed tomography: Current status, clinical value and prognostic implications. **2021**, 13, 49-60
- 229 Ten-year clinical outcomes in patients with intermediate coronary stenosis according to the combined culprit lesion. **2021**, 44, 1161-1168 2
- 228 Functional assessment of coronary plaques using CT based hemodynamic simulations: Current status, technical principles and clinical value. **2021**, 13, 37-48
- 227 Diagnostic Approach to Angina Pectoris. **2021**, 96, 218-224
- 226 Predictors of angina resolution after percutaneous coronary intervention in stable coronary artery disease. **2021**,
- 225 Coronary artery stenosis prediction does not mean coronary artery stenosis obstruction. **2021**, 42, 4401 1
- 224 Diagonal Earlobe Crease (Frank's Sign) for Diagnosis of Coronary Artery Disease: A Systematic Review of Diagnostic Test Accuracy Studies. **2021**, 10, 3
- 223 A fast algebraic approach for noninvasive prediction of fractional flow reserve in coronary arteries. **2021**, 24, 1761-1793
- 222 The Impact of the ISCHEMIA Trial on Clinical Practice: an Interventionist's Perspective. **2021**, 1
- 221 Evaluation of the Fractional Flow Reserve by Computer Tomography Data: Comparison of the Calculated Parameters with the Results of Invasive Measurements. **2021**, 61, 28-35
- 220 Quantitative flow ratio-guided residual functional SYNTAX score for risk assessment in patients with ST-segment elevation myocardial infarction undergoing percutaneous coronary intervention. **2021**, 17, e287-e293 5
- 219 Comparison Between 5- and 1-Year Outcomes Using Cutoff Values of Pressure Drop Coefficient and Fractional Flow Reserve for Diagnosing Coronary Artery Diseases. **2021**, 12, 689517 0
- 218 Effect of the ratio of vessel-specific volume to fractional myocardial mass on fractional flow reserve. **2021**, 15353702211027119
- 217 Improving patient identification for advanced cardiac imaging through machine learning-integration of clinical and coronary CT angiography data. **2021**, 335, 130-136 1
- 216 Functionally Complete Coronary Revascularisation in Patients Presenting with ST-elevation MI and Multivessel Coronary Artery Disease. **2021**, 16, e24

215	Thin-cap fibroatheroma predicts clinical events in diabetic patients with normal fractional flow reserve: the COMBINE OCT-FFR trial. <b>2021</b> , 42, 4671-4679	18
214	The relationship between coronary stenosis morphology and fractional flow reserve: a computational fluid dynamics modelling study.	0
213	Diagnostic accuracy of dynamic CZT-SPECT in coronary artery disease. A systematic review and meta-analysis. <b>2021</b> , 1	2
212	Functional assessment of coronary blood flow as contemporary method for optimizing results of percutaneous coronary interventions in patients with ischemic heart disease. <b>2021</b> , 32-36	
211	Research on the Method of Predicting Fractional Flow Reserve Based on Multiple Independent Risk Factors. <b>2021</b> , 12, 716877	1
210	The role of modern cardiovascular imaging in (suspected) coronary artery disease in competitive athletes. <b>2021</b> ,	0
209	Non-invasive imaging software to assess the functional significance of coronary stenoses: a systematic review and economic evaluation. <b>2021</b> , 25, 1-230	1
208	Coronary Microcalcification. <b>2022</b> , 139-175	
207	[Artificial Intelligence and teleradiology in cardiovascular imaging by CT-Scan and MRI]. <b>2021</b> , 70, 339-347	0
206	Eurasian Guidelines for the diagnostics and management of stable coronary artery disease (2020-2021). <b>2021</b> , 54-93	
205	Diagnostic strategies in suspected chronic coronary syndrome - The case for a hybrid approach. <b>2021</b> ,	
204	Beyond the ISCHEMIA Trial: Revascularization for Stable Ischemic Heart Disease in Patients With High-Risk Coronary Anatomical Features. <b>2021</b> , 10, e019974	1
203	Assessment of Coronary Vasomotor Responses: Clinical Usefulness. <b>2013</b> , 243-252	1
202	Nonangiographic Coronary Lesion Assessment. <b>2013</b> , 244-289	1
201	Survival of Patients With Angina Pectoris Undergoing Percutaneous Coronary Intervention With Intracoronary Pressure Wire Guidance. <i>Journal of the American College of Cardiology</i> , <b>2020</b> , 75, 2785-2795 <sup>15.1</sup>	10
200	Evaluation and Management of Nonculprit Lesions in STEMI. <b>2020</b> , 13, 1145-1154	12
199	Prediction of fractional flow reserve with angiographic DILEMMA score. <b>2017</b> , 17, 285-292	6
198	CT Determination of Fractional Flow Reserve in Coronary Lesions. <b>2016</b> , 1, 237-241	3

197	Prediction of Post Percutaneous Coronary Intervention Myocardial Ischaemia. <b>2016</b> , 11, 85-89	1
196	Non-invasive fractional flow reserve: a comparison of one-dimensional and three-dimensional mathematical modeling effectiveness. <b>2020</b> , 19, 2303	2
195	[The foreign experience with the application of the modern radiodiagnostic methods for the estimation of prescription of death coming and time of infliction of injury]. <b>2016</b> , 59, 47-54	2
194	. <b>2018</b> , 58, 85-92	3
193	Cardiac computed tomography radiomics: an emerging tool for the non-invasive assessment of coronary atherosclerosis. <b>2020</b> , 10, 2005-2017	9
192	Cardiac CT perfusion and FFR: pathophysiological features in ischemic heart disease. <b>2020</b> , 10, 1954-1978	3
191	Diagnostic Performance of QFR for the Evaluation of Intermediate Coronary Artery Stenosis Confirmed by Fractional Flow Reserve. <b>2019</b> , 34, 165-172	6
190	Fractional flow reserve: a new paradigm for diagnosis and management of coronary artery disease. <b>2012</b> , 4, 61-71	2
189	Dynamic CT Perfusion Imaging: State of the Art. <b>2018</b> , 2, 38	5
188	[Comparison of myocardial contrast stress-echocardiography and standard stress-echocardiography in detecting myocardial ischemia in patients with different severity of coronary artery stenoses]. <b>2020</b> , 92, 45-50	1
187	Revaskularizace myokardu. Perkutáněkoronárněintervence a aortokoronárněbypass. <b>2011</b> , 53, 3-24	1
186	Physiologic approach for coronary intervention. <b>2013</b> , 28, 1-7	4
185	Immediate multivessel revascularization may increase cardiac death and myocardial infarction in patients with ST-elevation myocardial infarction and multivessel coronary artery disease: data analysis from real world practice. <b>2016</b> , 31, 488-500	2
184	Percutaneous coronary intervention in patients with multi-vessel coronary artery disease: a focus on physiology. <b>2018</b> , 33, 851-859	2
183	Myocardial CT perfusion for the prediction of obstructive coronary artery disease, valuable or not?. <b>2015</b> , 5, 63-6	4
182	Modified residual SYNTAX score and clinical outcomes in patients with multivessel disease undergoing percutaneous coronary intervention. <b>2017</b> , 13, 87-96	2
181	Impact of residual SYNTAX score on clinical outcomes after incomplete revascularisation percutaneous coronary intervention: a large single-centre study. <b>2017</b> , 13, 1185-1193	12
180	Pressure wire compared to microcatheter sensing for coronary fractional flow reserve: the PERFORM study. <b>2018</b> , 14, e459-e466	6

179	Graft patency after FFR-guided versus angiography-guided coronary artery bypass grafting: the GRAFFITI trial. <b>2019</b> , 15, e999-e1005	32
178	Validation of a three-dimensional quantitative coronary angiography-based software to calculate fractional flow reserve: the FAST study. <b>2020</b> , 16, 591-599	40
177	Head-to-head comparison of basal stenosis resistance index, instantaneous wave-free ratio, and fractional flow reserve: diagnostic accuracy for stenosis-specific myocardial ischaemia. <b>2015</b> , 11, 914-25	52
176	Additive diagnostic value of atherosclerotic plaque characteristics to non-invasive FFR for identification of lesions causing ischaemia: results from a prospective international multicentre trial. <b>2016</b> , 12, 473-81	19
175	Myocardial ischemia is a key factor in the management of stable coronary artery disease. <b>2014</b> , 6, 130-9	17
174	Delineation of epicardial stenosis in patients with microvascular disease using pressure drop coefficient: A pilot outcome study. <b>2017</b> , 9, 813-821	2
173	Improving CT-Derived Fractional Flow Reserve Analysis: A Quality Improvement Initiative. <b>2020</b> , 12, e10835	1
172	Prognostic value of modified Syntax Score in high- and medium-risk patients with multiple-vessel coronary artery disease and involvement of the left main coronary artery. <b>2021</b> , 14, 407	
171	CT Fractional Flow Reserve for the Diagnosis of Myocardial Bridging-Related Ischemia: A Study Using Dynamic CT Myocardial Perfusion Imaging as a Reference Standard. <b>2021</b> , 22, 1964-1973	2
170	Diagnostic de la maladie coronaire. <b>2011</b> , 115-123	
169	Imaging integrato. <b>2011</b> , 129-138	
168	Tools & techniques: risk stratification and diagnostic tools in left main stem intervention. <b>2011</b> , 7, 747-53	2
167	Integrated Imaging. <b>2012</b> , 125-137	
166	Evaluation of Cardiovascular Disease in Patients with Diabetes Mellitus Using Myocardial Perfusion SPECT. <b>2012</b> , 13, 191	
165	Invasive assessment and management of intermediate coronary narrowings. <b>2012</b> , 302-311	
164	Fractional flow reserve: Role in guiding clinical decision making. <b>2012</b> , 140-151	
163	Fractional flow reserve. <b>2012</b> , 140-151	
162	Guidelines for revascularization: The evidence base matures. <b>2012</b> , 2012, 29-35	2



- 161 The Anatomic-Functional Duality of So-called 'Significant' Atherosclerotic Stenosis - Update on Invasive Diagnostic Strategies in Coronaropathy. **2013**, 8, 112-117
- 160 High-Risk Percutaneous Coronary Interventions. **2013**, 220-243
- 159 Physiologic Evaluation of Patients with Ischemic Heart Disease. **2014**, 193-205
- 158 Reduction of Motion Disturbances in Coronary Cineangiograms through Template Matching. **2014**, 267-273 ○
- 157 Implementing the Heart Team Approach for Optimal Strategy in Myocardial Revascularization and Structural Valve Disease. **2014**, 1-12
- 156 Ischemia-guided Revascularization for Stable Ischemic Heart Disease. **2014**, 87, 675
- 155 Combining CT Coronary Angiography and Myocardial Flow Reserve: Is It the Future?. **2015**, 207-224
- 154 [Harmony of medical care and radiological technology for ischemic heart disease -sharing knowledge and technique for safe examination and treatment-]. **2015**, 71, 249-70
- 153 Three-Dimensional Fusion Display of CT Coronary Angiography and Myocardial Perfusion. **2015**, 195-206
- 152 Diagnostics of Coronary Stenosis: Analysis of Arterial Blood Pressure and Mathematical Modeling. **2015**, 299-312 2
- 151 Heart Team Approach for Optimal Strategy in Myocardial Revascularization and Structural Valve Disease. **2015**, 4913-4922
- 150 Intracoronary Imaging for PCI Planning and Stent Optimization. **2015**, 189-202
- 149 Medical Therapy Versus Revascularization in the Management of Stable Angina Pectoris. **2015**, 235-264
- 148 Hierarchical Region Based Template Matching Technique for Global Motion Reduction of Coronary Cineangiograms. **2015**, 7, 156-161 2
- 147 Ischemia-Guided Percutaneous Revascularization. **2015**, 4,
- 146 Clinical Performance of the Discovery NM530c in Japanese Patients. **2016**, 2, 125-130 2
- 145 Cardiovascular CT: Interventional Cardiology Applications. **2016**, 487-505
- 144 Non-Invasive Fractional Flow Reserve Estimation with Coronary Computed Tomography Angiography. **2016**, 2, 1

- 143 Noninvasive Cardiac Quantum Spectrum Technology Effectively Detects Myocardial Ischemia. **2016**, 22, 2235-42 1
- 142 Noninvasive Assessment of Coronary Artery Disease: Fractional Flow Reserved Derived from Coronary Computed Tomography Angiography (FFRCT). **2016**, 1, 137-141
- 141 Invasive FFR [Current Applications and New Developments. **2016**, 1, 231-236 1
- 140 Ischemic Heart Disease in Women. **2017**, 33-53
- 139 [The diagnostic value of measuring the momentary blood flow reserve versus non-invasive methods to detect myocardial ischemia in assessing the functional significance of borderline coronary artery stenoses]. **2017**, 89, 15-21
- 138 A Comparative Preliminary Study on CT Contrast Attenuation Gradient Versus Invasive FFR in Patients with Unstable Angina. **2017**, 3, 72-78 3
- 137 Original Research. Transluminal Contrast Attenuation Gradient Is Associated with Coronary Plaque Vulnerability in Computed Tomography Angiography-based Study. **2017**, 3, 121-127 1
- 136 Editorial. The Closer We Get, The Further Apart We Become. **2017**, 3, 111-112
- 135 Introduction. **2018**, 1-4
- 134 Myocardial revascularisation in high-risk subjects. **2018**, 104, 166-179
- 133 Importance of evaluation for severity of myocardial ischemia: interpreted from clinical trials. **2018**, 24, 79-83
- 132 Method comparison for cardiac image registration of coronary computed tomography angiography and 3-D echocardiography. **2018**, 5, 014001 2
- 131 Clinical Outcomes and Cost-Effectiveness Analysis of FFR Compared with Angiography in Multivessel Disease Patient. **2019**, 112, 40-47 4
- 130 Physiologic Lesion Assessment: Fractional Flow Reserve. **2018**, 211-227
- 129 Post-reperfusion syndrome in patients with ischemic heart disease after coronary stenting.. **2018**, 96, 73-77 0
- 128 Non-invasive assessment of ischaemic heart disease. **2019**, 381-389
- 127 Topological data analysis of vascular disease: A theoretical framework.
- 126 A national registry to assess the value of cardiovascular magnetic resonance imaging after primary percutaneous coronary intervention pathway activation: a feasibility cohort study. **2019**, 7, 1-134

125	Postmortem Imaging in Sudden Adult Death. <b>2020</b> , 247-253	
124	CT FFR A paradigm shift in evaluation of coronary artery disease. <b>2019</b> , 29, 233-235	0
123	PET Myocardial Perfusion Imaging: 82Rb. <b>2020</b> , 143-178	3
122	Invasive Physiological Assessment: From Binary to Continuous. <b>2020</b> , 114, 265-267	1
121	"All-in-one" concept of functional myocardial revascularization in the cathlab. <b>2020</b> , 66, 152-159	
120	Complete revascularisation in the STEMI patient: is it worth the effort?. <b>2020</b> , 16, 195-199	
119	Cardiac computed tomography-derived coronary artery volume to myocardial mass. <b>2021</b> ,	0
118	Effect of plaque compositions on fractional flow reserve in a fluid-structure interaction analysis. <b>2021</b> , 1	0
117	Design of the Japanese Comprehensive Health-Economic Assessment for Appropriate Cardiac Imaging Strategy Including Outcome and Cost-Effectiveness in Stable Coronary Artery Disease Study (J-CONCIOUS). <b>2020</b> , 2, 759-763	0
116	The use of lesion-specific calcium morphology to guide the appropriate use of dynamic CT myocardial perfusion imaging and CT fractional flow reserve.. <b>2022</b> , 12, 1257-1269	0
115	Paradigm change for stable coronary disease in chronic coronary syndrome: Novelty in the guidelines of the European Society of Cardiologists from 2019. <b>2020</b> , 45, 32-67	
114	Comparison of Exercise Performance and Clinical Outcome Between Functional Complete and Incomplete Revascularization. <b>2020</b> , 50, 406-417	1
113	Clinical Applications of CT Myocardial Perfusion Imaging. <b>2020</b> , 4, 86	
112	Functional Evaluation of Coronary Stenosis and Ischemic Myocardium with Fractional Flow Reserve Derived from Computed Tomography. <b>2020</b> , 79, 113-117	
111	Prognostic value of coronary computed tomography angiographic derived fractional flow reserve: a systematic review and meta-analysis. <b>2021</b> ,	3
110	Identification of Flow-Limiting Coronary Stenosis With PCS: A New Cost-Effective Index Derived From the Product of Corrected TIMI Frame Count and Percent Diameter Stenosis. <b>2021</b> , 8, 718935	0
109	Influence of reconstruction kernels on the accuracy of CT-derived fractional flow reserve. <b>2021</b> , 1	1
108	High dose escalation of intracoronary adenosine in the assessment of fractional flow reserve: A retrospective cohort study. <b>2020</b> , 15, e0240699	0

107	Efficacy of Fractional Flow Reserve-Guided Percutaneous Coronary Intervention for Patients with Angina Pectoris. <b>2020</b> , 61, 1097-1106	0
106	Incremental value of regional wall motion abnormalities for detecting obstructive coronary artery disease by rest-only electrocardiogram-gated single-photon emission computerized tomography myocardial perfusion imaging in suspected coronary artery disease patients. <b>2021</b> , 42, 276-283	0
105	Normal fractional flow reserve with a critical stenosis supplying viable myocardium. <b>2012</b> , 17, 142-3	1
104	Fractional flow reserve application in everyday practice: adherence to clinical recommendations. <b>2013</b> , 3, 137-45	6
103	Evaluating the impact of fractional flow reserve-guided percutaneous coronary intervention in intermediate coronary artery lesions on the mode of treatment and their outcomes: An Iranian experience. <b>2015</b> , 11, 153-9	3
102	Intravascular ultrasound-based analysis of factors affecting minimum lumen area in coronary artery intermediate lesions. <b>2016</b> , 13, 169-74	
101	Homogenization of Atrial Electrical Activities: Conceptual Restoration of Regional Electrophysiological Parameters to Deter Ischemia-Dependent Conflictogenic Atrial Fibrillation. <b>2013</b> , 6, 879	2
100	The Impact of Fractional Flow Reserve-Guided Coronary Revascularization in Patients with Coronary Stenoses of Intermediate Severity. <b>2017</b> , 33, 353-361	3
99	Long-term outcomes after fractional flow reserve-guided percutaneous coronary intervention in patients with severe coronary stenosis. <b>2019</b> , 16, 329-337	1
98	[Long-term outcomes of off-pump coronary artery bypass grafting in patients aged over 75 years]. <b>2017</b> , 37, 75-78	
97	[Value of maximum area stenosis combined with perivascular fat attenuation index in predicting hemodynamically significant coronary artery disease]. <b>2021</b> , 41, 988-994	
96	Importance of Visual Estimation of Coronary Artery Stenoses and Use of Functional Evaluation for Appropriate Guidance of Coronary Revascularization-Multiple Operator Evaluation.. <b>2021</b> , 11,	1
95	Phenotypic Clustering of Patients With Newly Diagnosed Coronary Artery Disease Using Cardiovascular Magnetic Resonance and Coronary Computed Tomography Angiography. <b>2021</b> , 8, 760120	0
94	Revascularizaço do Miocrdio Guiada pela Fisiologia: Esth Hora do Cirurgio Cardaco Incorporar a Reserva de Fluxo Fracionada na Prtica?. <b>2021</b> , 117, 1124-1125	0
93	How Gold Is the Gold Standard for Machine Learning-Based CT-FFR?. <b>2021</b> ,	
92	FLOWER-MI and the root of the problem with non-culprit revascularisation. <b>2021</b> , 8,	
91	Hospital and mid-term results of simultaneous correction of coronary and carotid arteries. <b>2021</b> , 60-66	
90	Bildgebung bei Verdacht auf KHK (1): Hilfestellung fr die Praxis.	

89	Society for Cardiovascular Magnetic Resonance perspective on the 2021 AHA/ACC Chest Pain Guidelines.. <b>2022</b> , 24, 8	1
88	Early and late outcomes of combined and staged surgeries in patients with concomitant atherosclerotic lesions of the coronary and brachiocephalic arteries. <b>2022</b> , 36, 107-119	
87	The unbearable lightness of the instantaneous wave-free ratio/fractional flow reserve discordance.. <b>2022</b> , 23, 116-118	
86	Coronary CT Angiography to Guide Percutaneous Coronary Intervention. <b>2022</b> , 4,	0
85	Results of a six-year prospective study of surgical treatment of patients with combined atherosclerosis of coronary and brachiocephalic arteries based on differentiated approach. <b>2021</b> , 38, 35-48	
84	Prognosis in patients with coronary heart disease and breath-holding limitations: a free-breathing cardiac magnetic resonance protocol at 3.0 T. <b>2021</b> , 21, 580	0
83	JCS 2018 Guideline on Revascularization of Stable Coronary Artery Disease.. <b>2022</b> , 86,	3
82	Myocardial Strain Imaging With Electrocardiogram-Gated and Coherent Compounding for Early Diagnosis of Coronary Artery Disease.. <b>2022</b> ,	0
81	Increased deformation of the left ventricle during exercise test measured by global longitudinal strain can rule out significant coronary artery disease in patients with suspected unstable angina pectoris.. <b>2022</b> ,	
80	Stable Ischemic Heart Disease and Approach to Chronic Chest Pain. <b>2022</b> , 74-101	
79	FAME 3 fails to defame coronary artery bypass grafting: what went wrong in the percutaneous coronary intervention arm?. <b>2022</b> ,	1
78	Differential Association Between Significant Coronary Stenosis and Cardiac Troponin T Serial Algorithms in Chronic Kidney Disease Patients Diagnosed with Non-ST-Segment Elevation Acute Coronary Syndromes.. <b>2022</b> , 14, 41-49	
77	CT Fractional Flow Reserve: A Practical Guide to Application, Interpretation, and Problem Solving.. <b>2022</b> , 210097	1
76	Contemporary Management of Stable Coronary Artery Disease.. <b>2022</b> , 1	0
75	New applications of cardiac computed tomography for evaluation of myocardial ischemia.	
74	Quantitative Assessment Using the Compartment Model for Detecting Regional Coronary Artery Disease by Dynamic Myocardial Perfusion Single-Photon Emission Computed Tomography.. <b>2022</b> ,	0
73	Performance of Hybrid Imaging in the Diagnosis of Coronary Artery Disease.. <b>2022</b> ,	
72	Prognostic value of post-percutaneous coronary intervention diastolic pressure ratio.. <b>2022</b> , 1	0

- 71 Angiographic predictors of coronary hemodynamics.. **2022**,
- 70 Atheroma or ischemia: which is more important for managing patients with stable chest pain?. **2022**,
- 69 Quantitative Flow Ratio or Angiography for the Assessment of Non-culprit Lesions in Acute Coronary Syndromes: Protocol of the Randomized Trial QUOMODO.. **2022**, 9, 815434 ○
- 68 Bifurcation functional significance score as predictor of mortality: a validating study.. **2021**, 11, 24308 ○
- 67 SPECT/CT for Imaging of Coronary Artery Disease. **2022**, 209-227
- 66 Impact of the caFFR-Guided Functional SYNTAX Score on Ventricular Tachycardia/Fibrillation Development in Patients With Acute Myocardial Infarction.. **2022**, 9, 807805 ○
- 65 Effect of the Coronary Arterial Diameter Derived From Coronary Computed Tomography Angiography on Fractional Flow Reserve.. **2022**, 46,
- 64 Physiologic Assessment and Guidance in the Cardiac Catheterization Laboratory. **2022**, 75-92
- 63 Clinical use of physiological lesion assessment using pressure guidewires: an expert consensus document of the Japanese association of cardiovascular intervention and therapeutics-update 2022.. **2022**, 1
- 62 Transforming the Coronary Artery Disease Care Pathway Bridging Computational Fluid Dynamics to Coronary CTA. **2022**,
- 61 ACR Appropriateness Criteria□ Chronic Chest Pain-High Probability of Coronary Artery Disease: 2021 Update.. **2022**, 19, S1-S18 ○
- 60 [Myocardial revascularization : Controversy over noninvasive and invasive detection of ischemia].. **2022**, 1
- 59 Prognostic Value of Stress CMR in Symptomatic Patients With Coronary Stenosis on CCTA. **2022**, ○
- 58 The impact of deep learning reconstruction on image quality and coronary CT angiography-derived fractional flow reserve values.
- 57 Prognostic Implications of Pre-stent Pullback Pressure Gradient and Post-stent Quantitative Flow Ratio in Patients Undergoing Percutaneous Coronary Intervention. ○
- 56 Artificial Intelligence in Coronary CT Angiography: Current Status and Future Prospects. 9, ○
- 55 Diagnostic accuracy of CCTA-derived versus angiography-derived quantitative flow ratio (CAREER) study: a prospective study protocol. **2022**, 12, e055481
- 54 A model combining rest-only ECG-gated SPECT myocardial perfusion imaging and cardiovascular risk factors can effectively predict obstructive coronary artery disease. **2022**, 22,

- 53 Correlation of Morphological and Functional Cardiac Images: Fusion of Myocardial Perfusion SPECT and CT Angiography. **2022**, 31, 89-95
- 52 Coronary physiological assessment in the catheter laboratory: haemodynamics, clinical assessment and future perspectives. *heartjnl-2020-318743* ○
- 51 Multivessel coronary bed lesion in patients with stable coronary artery disease: Current state of the problem and gap in evidence. **2022**, 37, 28-34
- 50 The Complementary Value of Absolute Coronary Flow in the Assessment of Patients with Ischaemic Heart Disease. **2022**, 1, 611-616 ○
- 49 Multi-center study of inter-rater reproducibility, image quality, and diagnostic accuracy of CZT versus conventional SPECT myocardial perfusion imaging.
- 48 Three-Dimensional Angiographic Characteristics versus Functional Stenosis Severity in Fractional and Coronary Flow Reserve Discordance: A DEFINE FLOW Sub Study. **2022**, 12, 1770
- 47 Dynamic CT myocardial perfusion without image registration. **2022**, 12, 1 ○
- 46 Addition of FFRct in the diagnostic pathway of patients with stable chest pain to reduce unnecessary invasive coronary angiography (FUSION). ○
- 45 Computed tomography-derived fractional flow reserve (FFRCT) has no additional clinical impact over the anatomical Coronary Artery Disease - Reporting and Data System (CAD-RADS) in real-world elective healthcare of coronary artery disease. **2022**, ○
- 44 Retinal and Choroidal Thinning: A Predictor of Coronary Artery Occlusion?. **2022**, 12, 2016 ○
- 43 Real-world validation of fractional flow reserve computed tomography in patients with stable angina: Results from the prospective AFFECTS trial. **2022**, 91, 32-36 ○
- 42 Importance of plaque volume and composition for the prediction of myocardial ischaemia using sequential coronary computed tomography angiography/positron emission tomography imaging. 1
- 41 Impact of overestimation of fractional flow reserve by adenosine on anatomical/functional mismatch. **2022**, 12, ○
- 40 Hybrid Cardiac Imaging for the Clinical Cardiologist. **2022**, 3-27 ○
- 39 Hybrid Cardiac Imaging for the Invasive Cardiologist. **2022**, 93-115 ○
- 38 How to deal with nonsevere stenoses in coronary artery bypass grafting: A critical perspective on competitive flow and surgical precision. **2022**, 37, 468-473 ○
- 37 Machine-learning-derived radiomics signature of pericoronary tissue in coronary CT angiography associates with functional ischemia. 13, ○
- 36 Additional prognostic value of stress cardiovascular magnetic resonance for cardiovascular risk stratification after a cryptogenic ischemic stroke. 9, ○

- 35 Comparison of diagnostic performance between dynamic versus static adenosine-stress myocardial CT perfusion to detect hemodynamically significant coronary artery stenosis: A prospective multicenter study. **2022**, 101, e30477 ○
- 34 Prognostic value of coronary computer tomography fractional flow reserve for major adverse cardiac events in suspected coronary artery disease patients with low to intermediate Framingham Risk Score. ○
- 33 Angiographic Quantitative Flow Ratio-Guided Coronary Intervention: Two-Year Outcomes of the FAVOR III China Trial. **2022**, ○
- 32 Association between coronary plaque volume and myocardial ischemia detected by dynamic perfusion CT imaging. 9, ○
- 31 A predictive patient-specific computational model of coronary artery bypass grafts for potential use by cardiac surgeons to guide selection of graft configurations. 9, ○
- 30 Value of myocardial deformation parameters for detecting significant coronary artery disease. **2022**, 14, 180-190 ○
- 29 Complete versus incomplete percutaneous coronary intervention mediated revascularization in patients with chronic coronary syndromes. **2022**, ○
- 28 Relation Between Coronary Plaque Composition Assessed by Intravascular Ultrasound Virtual Histology and Myocardial Ischemia Assessed by Quantitative Flow Ratio. **2022**, ○
- 27 Routine revascularization with percutaneous coronary intervention in patients with coronary artery disease undergoing transcatheter aortic valve implantation [The third nordic aortic valve intervention trial NOTION-3]. **2023**, 255, 39-51 ○
- 26 Impact of Intermediate Lesions on the 10-Years Clinical Outcomes in Patients With Significant Coronary Artery Disease. 2, ○
- 25 Coronary physiology in the catheterisation laboratory: an A to Z practical guide. **2022**, 8, 86-109 ○
- 24 Incorporating coronary artery calcium scoring in the prediction of obstructive coronary artery disease with myocardial ischemia: a study with sequential use of coronary computed tomography angiography and positron emission tomography imaging. ○
- 23 Preoperative Functional Assessment of the Left Main and Postoperative Side Branch Evaluation. **2022**, 119-127 ○
- 22 Dual Antiplatelet Therapy With Ticagrelor and Vein Graft Failure After Coronary Artery Bypass Graft Surgery. **2022**, 328, 2273 ○
- 21 Outcomes of Functionally Complete vs Incomplete Revascularization. **2022**, 15, 2490-2502 ○
- 20 Sex- and age-specific normal values for automated quantitative pixel-wise myocardial perfusion cardiovascular magnetic resonance. ○
- 19 The value of regional and global CACS combined with SPECT MPI in detecting obstructive CAD: a retrospective real-world comparative study. **2023**, 23, ○
- 18 Detecting lesion-specific ischemia in patients with coronary artery disease with computed tomography fractional flow reserve measured at different sites. ○



- 17 Prognostic value of myocardial flow reserve derived by quantitative SPECT for patients with intermediate coronary stenoses. ○
- 16 Opportunities and Challenges of Computed Tomography Coronary Angiography in the Investigation of Chest Pain in the Emergency Department Narrative Review. **2023**, ○
- 15 The prognostic value of CT-derived fractional flow reserve in coronary artery bypass graft: a retrospective multicenter study. ○
- 14 Can EAT be an INOCA goalkeeper. 13, ○
- 13 Assessment of fractional flow reserve in intermediate coronary stenosis using optical coherence tomography-based machine learning. 10, ○
- 12 Diagnostic performance of exercise stress tests for detection of epicardial and microvascular coronary artery disease: the UZ Clear study. **2023**, 18, e1090-e1098 ○
- 11 Personalized surgical planning for coronary bypass graft configurations using patient-specific computational modeling to avoid flow competition in arterial grafts. 10, ○
- 10 Second-Line Myocardial Perfusion Imaging to Detect Obstructive Stenosis. **2023**, ○
- 9 Integration of fractional flow reserve derived from CT into clinical practice. **2023**, 81, 577-585 ○
- 8 On the nonlinear relationship between wall shear stress topology and multi-directionality in coronary atherosclerosis. **2023**, 231, 107418 ○
- 7 Selecting target lesion(s). **2023**, 99-124 ○
- 6 The spectrum of angiography-derived IMR according to morphological and physiological coronary stenosis in patients with suspected myocardial ischemia. ○
- 5 Patient-specific computational simulation of coronary artery bypass grafting. **2023**, 18, e0281423 ○
- 4 The Comparative Method Based on Coronary Computed Tomography Angiography for Assessing the Hemodynamic Significance of Coronary Artery Stenosis. ○
- 3 Effect of 320-Row Computed Tomography Acquisition Technology on Coronary Computed Tomography Angiography-Derived Fractional Flow Reserve Based on Machine Learning: Systolic and Diastolic Scan Acquisition. **2023**, 47, 205-211 ○
- 2 Prevalence and clinical characteristics of atrial fibrillation in hospitalized patients with coronary artery disease and hypertension: a cross-sectional study from 2008 to 2018. **2023**, 136, 588-595 ○
- 1 Impact of epicardial adipose tissue volume on hemodynamically significant coronary artery disease in Chinese patients with known or suspected coronary artery disease. 10, ○