

# Accelerometer profiles of physical activity and inactivity and obese U.S. men and women

International Journal of Behavioral Nutrition and Physical Activity  
7, 60

DOI: [10.1186/1479-5868-7-60](https://doi.org/10.1186/1479-5868-7-60)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Employment and Physical Activity in the U.S.. American Journal of Preventive Medicine, 2011, 41, 136-145.	1.6	135
2	Exercise Guidelines for Women with Gestational Diabetes. , 0, , .		0
3	Tempering the Decline in College Student Physical Activity Using Informational Interventions: Moderating Effects of Stress and Stage of Change. Journal of Applied Biobehavioral Research, 2011, 16, 16-41.	2.0	14
4	How many steps/day are enough? for adults. International Journal of Behavioral Nutrition and Physical Activity, 2011, 8, 79.	2.0	733
5	How many steps/day are enough? For older adults and special populations. International Journal of Behavioral Nutrition and Physical Activity, 2011, 8, 80.	2.0	734
6	Time use choices and healthy body weight: A multivariate analysis of data from the American Time use Survey. International Journal of Behavioral Nutrition and Physical Activity, 2011, 8, 84.	2.0	65
7	Time Trends for Step-Determined Physical Activity among Japanese Adults. Medicine and Science in Sports and Exercise, 2011, 43, 1913-1919.	0.2	69
8	Effects of The Coach Approach intervention on psychosocial predictors of exercise and subsequent changes in glucose metabolism, cardiorespiratory functioning, and body composition: a pilot project of the interior health of British Columbia and a local YMCA. Archives of Exercise in Health and Disease, 2012, 3, 162-167.	0.6	2
9	Visual Impairment, Uncorrected Refractive Error, and Accelerometer-Defined Physical Activity in the United States. JAMA Ophthalmology, 2012, 130, 329.	2.6	81
10	Peak Stepping Cadence in Free-Living Adults: 2005â€“2006 NHANES. Journal of Physical Activity and Health, 2012, 9, 1125-1129.	1.0	73
11	The use of individual cut points from treadmill walking to assess free-living moderate to vigorous physical activity in obese subjects by accelerometry: is it useful?. BMC Medical Research Methodology, 2012, 12, 172.	1.4	11
12	Association of total daily physical activity with disability in community-dwelling older persons: a prospective cohort study. BMC Geriatrics, 2012, 12, 63.	1.1	56
13	Direct and indirect measurement of physical activity in older adults: a systematic review of the literature. International Journal of Behavioral Nutrition and Physical Activity, 2012, 9, 148.	2.0	154
14	Objectively measured sedentary time and physical activity time across the lifespan: a cross-sectional study in four age groups. International Journal of Behavioral Nutrition and Physical Activity, 2012, 9, 149.	2.0	100
15	Can sedentary behavior be made more active? A randomized pilot study of TV commercial stepping versus walking. International Journal of Behavioral Nutrition and Physical Activity, 2012, 9, 95.	2.0	31
16	More Active Mums in Stirling (MAMMiS): a physical activity intervention for postnatal women. Study protocol for a randomized controlled trial. Trials, 2012, 13, 112.	0.7	5
17	Comparison of two ActiGraph accelerometer generations in the assessment of physical activity in free living conditions. BMC Research Notes, 2012, 5, 187.	0.6	92
19	Patterns of physical activity and sedentary behavior in normal-weight, overweight and obese adults, as measured with a portable armband device and an electronic diary. Clinical Nutrition, 2012, 31, 756-764.	2.3	54

#	ARTICLE	IF	CITATIONS
20	MEMS accelerometers and their bio-applications. , 2012, , .		8
21	Ejercicio y prevención de obesidad y diabetes mellitus gestacional. Revista Chilena De Obstetricia Y Ginecología, 2012, 77, 401-406.	0.1	10
22	Treadmill Calibration of the Actigraph GT1M in Young-to-Middle-Aged Obese-to-Severely Obese Subjects. Journal of Obesity, 2012, 2012, 1-8.	1.1	12
23	The Relationship between Physical Activity Variety and Objectively Measured Moderate-to-Vigorous Physical Activity Levels in Weight Loss Maintainers and Normal-Weight Individuals. Journal of Obesity, 2012, 2012, 1-6.	1.1	23
24	A Catalog of Rules, Variables, and Definitions Applied to Accelerometer Data in the National Health and Nutrition Examination Survey, 2003â€“2006. Preventing Chronic Disease, 2012, 9, E113.	1.7	219
25	Lifestyle Modification with Diet and Exercise in Obese Patients with Heart Failure â€“ A Pilot Study. Journal of Obesity & Weight Loss Therapy, 2012, 02, 1-8.	0.1	19
26	Advances in physical activity monitoring and lifestyle interventions in obesity: a review. International Journal of Obesity, 2012, 36, 167-177.	1.6	70
27	Steps/day translation of the moderate-to-vigorous physical activity guideline for children and adolescents. International Journal of Behavioral Nutrition and Physical Activity, 2013, 10, 49.	2.0	91
28	Physical activity and sedentary time in persons with obstructive sleep apnea and overweight enrolled in a randomized controlled trial for enhanced physical activity and healthy eating. Sleep and Breathing, 2013, 17, 1257-1266.	0.9	31
29	Activities of Daily Living and Health. Public Health Forum, 2013, 21, .	0.1	10
30	Low physical activity in patients with type 2 diabetes: The role of obesity. Diabetes and Metabolism, 2013, 39, 85-87.	1.4	49
31	Reciprocal effects of treatment-induced increases in exercise and improved eating, and their psychosocial correlates, in obese adults seeking weight loss: a field-based trial. International Journal of Behavioral Nutrition and Physical Activity, 2013, 10, 133.	2.0	14
32	Adult self-reported and objectively monitored physical activity and sedentary behavior: NHANES 2005â€“2006. International Journal of Behavioral Nutrition and Physical Activity, 2013, 10, 126.	2.0	119
33	Effect of varying accelerometry criteria on physical activity: The look ahead study. Obesity, 2013, 21, 32-44.	1.5	52
34	Do radiographic disease and pain account for why people with or at high risk of knee osteoarthritis do not meet physical activity guidelines?. Arthritis and Rheumatism, 2013, 65, 139-147.	6.7	52
35	Walking to Meet Physical Activity Guidelines in Knee Osteoarthritis: Is 10,000 Steps Enough?. Archives of Physical Medicine and Rehabilitation, 2013, 94, 711-717.	0.5	33
36	A step-defined sedentary lifestyle index: &lt;5000 steps/day. Applied Physiology, Nutrition and Metabolism, 2013, 38, 100-114.	0.9	279
37	The Impact of Symptom Type and Frequency on Activity Level During Pregnancy. Journal of Women's Health Physical Therapy, 2013, 37, 4-10.	0.5	0

#	ARTICLE	IF	CITATIONS
38	Effect of physical activity measurement type on the association between walking activity and glucose regulation in a high-risk population recruited from primary care. <i>International Journal of Epidemiology</i> , 2013, 42, 533-540.	0.9	18
39	Moderation of Age, Sex, and Ethnicity on Psychosocial Predictors of Increased Exercise and Improved Eating. <i>Journal of Psychology: Interdisciplinary and Applied</i> , 2013, 147, 455-468.	0.9	6
40	Validity of ActiGraph 2-Regression Model, Matthews Cut-Points, and NHANES Cut-Points for Assessing Free-Living Physical Activity. <i>Journal of Physical Activity and Health</i> , 2013, 10, 504-514.	1.0	74
41	Comparison of GT3X Accelerometer and YAMAX Pedometer Steps/Day in a Free-Living Sample of Overweight and Obese Adults. <i>Journal of Physical Activity and Health</i> , 2013, 10, 263-270.	1.0	40
42	Indoor and Outdoor Mobility following Total Knee Arthroplasty. <i>Physiotherapy Canada</i> / <i>Physiotherapie Canada</i> , 2013, 65, 279-288.	0.3	4
43	A Hybrid Online Intervention for Reducing Sedentary Behavior in Obese Women. <i>Frontiers in Public Health</i> , 2013, 1, 45.	1.3	23
44	Reliability and validity of the Mywellness Key physical activity monitor. <i>Clinical Epidemiology</i> , 2013, 5, 13.	1.5	18
45	High Intensity Interval Training in a Real World Setting: A Randomized Controlled Feasibility Study in Overweight Inactive Adults, Measuring Change in Maximal Oxygen Uptake. <i>PLoS ONE</i> , 2014, 9, e83256.	1.1	102
46	Occupational Sitting and Weight Status in a Diverse Sample of Employees in Midwest Metropolitan Cities, 2012-2013. <i>Preventing Chronic Disease</i> , 2014, 11, E203.	1.7	15
47	Light physical activity determined by a motion sensor decreases insulin resistance, improves lipid homeostasis and reduces visceral fat in high-risk subjects: PreDiabEx study RCT. <i>International Journal of Obesity</i> , 2014, 38, 1089-1096.	1.6	65
48	Changes in Daily Activity Patterns with Age in U.S. Men and Women: National Health and Nutrition Examination Survey 2003-2004 and 2005-2006. <i>Journal of the American Geriatrics Society</i> , 2014, 62, 1263-1271.	1.3	76
49	A 20-min window is optimal in a non-wear algorithm for tri-axial thigh-worn accelerometry in overweight people. <i>Physiological Measurement</i> , 2014, 35, 2205-2212.	1.2	2
50	Comparisons of intensity-duration patterns of physical activity in the US, Jamaica and 3 African countries. <i>BMC Public Health</i> , 2014, 14, 882.	1.2	29
51	A three month controlled intervention of intermittent whole body vibration designed to improve functional ability and attenuate bone loss in patients with rheumatoid arthritis. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 403.	0.8	11
52	Evaluation of a Workplace Treadmill Desk Intervention. <i>Journal of Occupational and Environmental Medicine</i> , 2014, 56, 1266-1276.	0.9	46
53	Physical Activity and Cardiometabolic Characteristics in Overweight Latina Women. <i>Journal of Immigrant and Minority Health</i> , 2014, 16, 856-864.	0.8	10
54	Temporal Aspects of Psychosocial Predictors of Increased Fruit and Vegetable Intake in Adults with Severe Obesity: Mediation by Physical Activity. <i>Journal of Community Health</i> , 2014, 39, 454-463.	1.9	11
55	Monitoring human health behaviour in one's living environment: A technological review. <i>Medical Engineering and Physics</i> , 2014, 36, 147-168.	0.8	112

#	ARTICLE	IF	CITATIONS
56	Heritability and genetic etiology of habitual physical activity: a twin study with objective measures. <i>Genes and Nutrition</i> , 2014, 9, 415.	1.2	20
57	Association of Chronic Widespread Pain With Objectively Measured Physical Activity in Adults: Findings From the National Health and Nutrition Examination Survey. <i>Journal of Pain</i> , 2014, 15, 507-515.	0.7	52
58	Practical Guide to Measuring Physical Activity. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2014, 114, 199-208.	0.4	354
59	Steps That Count: The Association Between the Number and Intensity of Steps Accumulated and Fitness and Health Measures. <i>Journal of Physical Activity and Health</i> , 2014, 11, 10-17.	1.0	23
60	Self-reported and accelerometer-measured physical activity by body mass index in US Hispanic/Latino adults: HCHS/SOL. <i>Preventive Medicine Reports</i> , 2015, 2, 824-828.	0.8	17
61	Associations between parenting partners' objectively-assessed physical activity and Body Mass Index: A cross-sectional study. <i>Preventive Medicine Reports</i> , 2015, 2, 473-477.	0.8	5
62	Reducing Sedentary Behavior: Active Steps for Overweight Women. <i>Women in Sport and Physical Activity Journal</i> , 2015, 23, 9-18.	1.0	5
63	Measuring the Ability to Tolerate Activity-Related Discomfort: Initial Validation of the Physical Activity Acceptance Questionnaire (PAAQ). <i>Journal of Physical Activity and Health</i> , 2015, 12, 717-726.	1.0	34
64	Validity of smartphone pedometer applications. <i>BMC Research Notes</i> , 2015, 8, 733.	0.6	45
65	Sedentary time among spouses: a cross-sectional study exploring associations in sedentary time and behaviour in parents of 5 and 6-year old children. <i>BMC Research Notes</i> , 2015, 8, 787.	0.6	8
66	Markers of adiposity among children and adolescents: implications of the isothermal substitution paradigm with sedentary behavior and physical activity patterns. <i>Journal of Diabetes and Metabolic Disorders</i> , 2015, 14, 46.	0.8	42
67	Tracking the Evolution of Smartphone Sensing for Monitoring Human Movement. <i>Sensors</i> , 2015, 15, 18901-18933.	2.1	157
68	Comparison of Self-Reported and Accelerometer-Assessed Physical Activity in Older Women. <i>PLoS ONE</i> , 2015, 10, e0145950.	1.1	47
69	Physical Activity and Quality of Life in Severely Obese Adults during a Two-Year Lifestyle Intervention Programme. <i>Journal of Obesity</i> , 2015, 2015, 1-11.	1.1	20
70	Correlates of Depressive Symptoms After Birth for Latinas Who Are Overweight or Obese. <i>Health Care for Women International</i> , 2015, 36, 356-374.	0.6	5
71	Increased physical activity may be more protective for metabolic syndrome than reduced caloric intake. An analysis of estimated energy balance in U.S. adults: 2007-2010 NHANES. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2015, 25, 535-540.	1.1	16
72	Weight-activity associations with cardiometabolic risk factors among U.S. youth. <i>Physiology and Behavior</i> , 2015, 149, 165-168.	1.0	1
73	A model for presenting accelerometer paradata in large studies: ISCOLE. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015, 12, 52.	2.0	18

#	ARTICLE	IF	CITATIONS
74	Differences in levels of physical activity between White and South Asian populations within a healthcare setting: impact of measurement type in a cross-sectional study. <i>BMJ Open</i> , 2015, 5, e006181.	0.8	25
75	Objectively measured physical activity in obese women with and without migraine. <i>Cephalalgia</i> , 2015, 35, 886-893.	1.8	28
76	Unique contributions of ISCOLE to the advancement of accelerometry in large studies. <i>International Journal of Obesity Supplements</i> , 2015, 5, S53-S58.	12.5	8
77	Frequency of moderate-to-vigorous physical activity (MVPA) is a greater predictor of systemic inflammation than total weekly volume of MVPA: Implications for physical activity promotion. <i>Physiology and Behavior</i> , 2015, 141, 46-50.	1.0	19
78	Health-Enhancing Multibehavior and Medical Multimorbidity. <i>Mayo Clinic Proceedings</i> , 2015, 90, 624-632.	1.4	40
79	Physical Activity and Sedentary Time in Sleep Apnea and Obesity. , 2015, , 297-301.		1
80	Validity of activity monitors worn at multiple nontraditional locations under controlled and free-living conditions in young adult women. <i>Applied Physiology, Nutrition and Metabolism</i> , 2015, 40, 448-456.	0.9	8
81	Differences in correlates of energy balance in normal weight, overweight and obese adults. <i>Obesity Research and Clinical Practice</i> , 2015, 9, 592-602.	0.8	16
82	Measurement of Affective Responses to Exercise. , 2016, , 299-321.		15
83	Challenges and Opportunities for Harmonizing Research Methodology: Raw Accelerometry. <i>Methods of Information in Medicine</i> , 2016, 55, 525-532.	0.7	40
84	Escape From Cognitivism: Exercise as Hedonic Experience. , 2016, , 389-414.		39
85	Do Dopaminergic Impairments Underlie Physical Inactivity in People with Obesity?. <i>Frontiers in Human Neuroscience</i> , 2016, 10, 514.	1.0	31
86	Quantifying the effect of body mass index, age, and depression severity on 24-h activity patterns in persons with a lifetime history of affective disorders. <i>BMC Psychiatry</i> , 2016, 16, 317.	1.1	14
87	In Patients with Established RA, Positive Effects of a Randomised Three Month WBV Therapy Intervention on Functional Ability, Bone Mineral Density and Fatigue Are Sustained for up to Six Months. <i>PLoS ONE</i> , 2016, 11, e0153470.	1.1	24
88	Patterns of Sedentary Behavior in US Middle-Age and Older Adults. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 430-438.	0.2	130
89	Quaternion-Based Complementary Filter for Attitude Determination of a Smartphone. <i>IEEE Sensors Journal</i> , 2016, 16, 6008-6017.	2.4	68
90	Longitudinal trajectories of physical activity in women using latent class growth analysis: The WIN Study. <i>Journal of Sport and Health Science</i> , 2016, 5, 410-416.	3.3	8
91	Excessive Appetite vs. Inadequate Physical Activity in the Pathology of Obesity: Evidence from Objective Monitoring. <i>Springer Series on Epidemiology and Public Health</i> , 2016, , 277-298.	0.5	0

#	ARTICLE	IF	CITATIONS
92	Outputs Available from Objective Monitors. Springer Series on Epidemiology and Public Health, 2016, , 85-112.	0.5	4
93	Progress in physical activity over the Olympic quadrennium. Lancet, The, 2016, 388, 1325-1336.	6.3	676
94	Sedentary behaviour as a new behavioural target in the prevention and treatment of type 2 diabetes. Diabetes/Metabolism Research and Reviews, 2016, 32, 213-220.	1.7	67
95	Within-Day Time-Varying Associations Between Behavioral Cognitions and Physical Activity in Adults. Journal of Sport and Exercise Psychology, 2016, 38, 423-434.	0.7	34
96	Changing minds: Bounded rationality and heuristic processes in exercise-related judgments and choices.. Sport, Exercise, and Performance Psychology, 2016, 5, 337-351.	0.6	17
97	PHYSICAL ACTIVITY PROGRAMMING FOR CLIENTS WITH OBESITY. ACSM's Health and Fitness Journal, 2016, 20, 21-27.	0.3	4
98	The WATCH (Weight Activity and Time Contributes to Health) paradigm and quality of life: the impact of overweight/obesity duration on the association between physical activity and health-related quality of life. International Journal of Clinical Practice, 2016, 70, 409-415.	0.8	11
99	Health Behavior Combinations and Their Association With Inflammation. American Journal of Health Promotion, 2016, 30, 331-334.	0.9	15
100	Physical activity and non-movement behaviours: their independent and combined associations with metabolic syndrome. International Journal of Behavioral Nutrition and Physical Activity, 2016, 13, 26.	2.0	24
101	The mysterious case of the public health guideline that is (almost) entirely ignored: call for a research agenda on the causes of the extreme avoidance of physical activity in obesity. Obesity Reviews, 2016, 17, 313-329.	3.1	144
102	Exploring Perceptions of Barriers, Facilitators, and Motivators to Physical Activity Among Female Bariatric Patients. American Journal of Health Promotion, 2016, 30, 536-544.	0.9	41
103	Associations between sensor-based physical activity behaviour features and health-related parameters. Human Movement Science, 2016, 45, 1-6.	0.6	3
104	Spousal Influence on Physical Activity in Middle-Aged and Older Adults. American Journal of Epidemiology, 2016, 183, 444-451.	1.6	65
106	Accelerometer data treatment for adolescents: Fitting a piece of the puzzle. Preventive Medicine Reports, 2017, 5, 228-231.	0.8	14
107	Epidemiology of Physical Activity and Exercise Training in the United States. Progress in Cardiovascular Diseases, 2017, 60, 3-10.	1.6	145
108	Comparison of wrist-worn and hip-worn activity monitors under free living conditions. Journal of Medical Engineering and Technology, 2017, 41, 200-207.	0.8	28
109	People have feelings! Exercise psychology in paradigmatic transition. Current Opinion in Psychology, 2017, 16, 84-88.	2.5	77
110	Effect of Alternate-Day Fasting on Weight Loss, Weight Maintenance, and Cardioprotection Among Metabolically Healthy Obese Adults. JAMA Internal Medicine, 2017, 177, 930.	2.6	426

#	ARTICLE	IF	CITATIONS
111	Understanding physical activity lapses among women: responses to lapses and the potential buffering effect of social support. <i>Journal of Behavioral Medicine</i> , 2017, 40, 740-749.	1.1	12
112	Impact of 4 weeks of interval training on resting metabolic rate, fitness, and health-related outcomes. <i>Applied Physiology, Nutrition and Metabolism</i> , 2017, 42, 1073-1081.	0.9	30
113	Accelerometer-Measured Daily Activity in Heart Failure With Preserved Ejection Fraction. <i>Circulation: Heart Failure</i> , 2017, 10, e003878.	1.6	45
114	Obesity History and Daily Patterns of Physical Activity at Age 60-64 Years: Findings From the MRC National Survey of Health and Development. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2017, 72, 1424-1430.	1.7	10
115	Accelerometer thresholds: Accounting for body mass reduces discrepancies between measures of physical activity for individuals with overweight and obesity. <i>Applied Physiology, Nutrition and Metabolism</i> , 2017, 42, 53-58.	0.9	3
116	Ten thousand steps: a pedometer study of junior dentists in a major British teaching hospital and a district general hospital. <i>British Journal of Oral and Maxillofacial Surgery</i> , 2017, 55, e12-e16.	0.4	0
117	Exploring parents' screen-viewing behaviours and sedentary time in association with their attitudes toward their young child's screen-viewing. <i>Preventive Medicine Reports</i> , 2017, 7, 198-205.	0.8	10
118	Let's Walk Outdoors! Self-Paced Walking Outdoors Improves Future Intention to Exercise in Women With Obesity. <i>Journal of Sport and Exercise Psychology</i> , 2017, 39, 145-157.	0.7	36
119	Objectively measured active travel and uses of activity-friendly neighborhood resources: Does change in use relate to change in physical activity and BMI?. <i>Preventive Medicine Reports</i> , 2017, 8, 60-66.	0.8	14
120	Physical activity in patients with COPD: the impact of comorbidities. <i>Expert Review of Respiratory Medicine</i> , 2017, 11, 685-698.	1.0	21
121	Health enhancing physical activity in patients with hip or knee osteoarthritis - an observational intervention study. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 42.	0.8	16
122	Comparison of affect-regulated, self-regulated, and heart-rate regulated exercise prescriptions: Protocol for a randomized controlled trial. <i>Psychology of Sport and Exercise</i> , 2017, 32, 124-130.	1.1	3
123	More efficient, perhaps, but at what price? Pleasure and enjoyment responses to high-intensity interval exercise in low-active women with obesity. <i>Psychology of Sport and Exercise</i> , 2017, 28, 1-10.	1.1	102
124	Effect of alternate day fasting on markers of bone metabolism: An exploratory analysis of a 6-month randomized controlled trial. <i>Nutrition and Healthy Aging</i> , 2017, 4, 255-263.	0.5	27
125	Changes in Daily Steps and Body Mass Index and Waist to Height Ratio during Four Year Follow-Up in Adults: Cardiovascular Risk in Young Finns Study. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 1015.	1.2	4
126	Feasibility of Using Accelerometer Measurements to Assess Habitual Physical Activity in Rural Heart Failure Patients. <i>Geriatrics (Switzerland)</i> , 2017, 2, 23.	0.6	2
127	Changing Diet and Physical Activity in Nurses: A Pilot Study and Process Evaluation Highlighting Challenges in Workplace Health Promotion. <i>Journal of Nutrition Education and Behavior</i> , 2018, 50, 1015-1025.	0.3	31
128	Associations between change in sedentary behavior and outcome in standard behavioral weight loss treatment. <i>Translational Behavioral Medicine</i> , 2018, 8, 299-304.	1.2	8



#	ARTICLE	IF	CITATIONS
129	Changes in Physical Performance During 21 d of Military Field Training in Warfighters. <i>Military Medicine</i> , 2018, 183, e174-e181.	0.4	19
130	Specific Approaches to Reduce Sedentary Behaviour in Overweight and Obese People. <i>Springer Series on Epidemiology and Public Health</i> , 2018, , 487-496.	0.5	0
131	Promoting physical activity using a wearable activity tracker in college students: A cluster randomized controlled trial. <i>Journal of Sports Sciences</i> , 2018, 36, 1889-1896.	1.0	56
132	Pilot Test of an Acceptance-Based Behavioral Intervention to Promote Physical Activity During Weight Loss Maintenance. <i>Behavioral Medicine</i> , 2018, 44, 77-87.	1.0	14
133	That feeling I get: Examination of the exercise intensity-affect-enjoyment relationship. <i>Psychology of Sport and Exercise</i> , 2018, 35, 39-46.	1.1	10
134	Sedentary time, physical activity, and adiposity in a longitudinal cohort of nonobese young adults. <i>American Journal of Clinical Nutrition</i> , 2018, 108, 946-952.	2.2	14
135	Resistance Training and Protein Supplementation Increase Strength After Bariatric Surgery: A Randomized Controlled Trial. <i>Obesity</i> , 2018, 26, 1709-1720.	1.5	63
136	Residential Environments and Active Living. , 2018, , 51-76.		0
137	Transfer Learning and Data Fusion Approach to Recognize Activities of Daily Life. , 2018, , .		5
138	How fast is fast enough? Walking cadence (steps/min) as a practical estimate of intensity in adults: a narrative review. <i>British Journal of Sports Medicine</i> , 2018, 52, 776-788.	3.1	215
139	Physical training following gastric bypass: effects on physical activity and quality of life—a randomized controlled trial. <i>Quality of Life Research</i> , 2018, 27, 3113-3122.	1.5	33
140	Targeting Postprandial Hyperglycemia With Physical Activity May Reduce Cardiovascular Disease Risk. But What Should We Do, and When Is the Right Time to Move?. <i>Frontiers in Cardiovascular Medicine</i> , 2018, 5, 99.	1.1	23
141	Acute Effects of High-Intensity Interval and Moderate-Intensity Continuous Exercise on GLP-1, Appetite and Energy Intake in Obese Men: A Crossover Trial. <i>Nutrients</i> , 2018, 10, 889.	1.7	21
142	Direct healthcare costs associated with device assessed and self-reported physical activity: results from a cross-sectional population-based study. <i>BMC Public Health</i> , 2018, 18, 966.	1.2	8
143	Child- and Parent-Related Correlates of Total and Prolonged Sedentary Time in 5- to 6-Year-Old Children. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1817.	1.2	0
144	Patterns and Levels of Sedentary Behavior and Physical Activity in a General Japanese Population: The Hisayama Study. <i>Journal of Epidemiology</i> , 2018, 28, 260-265.	1.1	29
145	Postpartum physical activity and sleep levels in overweight, obese and normal-weight mothers. <i>British Journal of Midwifery</i> , 2018, 26, 400-408.	0.1	0
146	Obesity and Diabetes. , 2019, , 597-610.		0

#	ARTICLE	IF	CITATIONS
147	Learning the Orientation of a Loosely-Fixed Wearable IMU Relative to the Body Improves the Recognition Rate of Human Postures and Activities. <i>Sensors</i> , 2019, 19, 2845.	2.1	6
148	Proportion of Adults Meeting the 2018 Physical Activity Guidelines for Americans According to Accelerometers. <i>Frontiers in Public Health</i> , 2019, 7, 135.	1.3	67
149	The Limits of Cognitive Reappraisal: Changing Pain Valence, but not Persistence, during a Resistance Exercise Task. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 3739.	1.2	5
150	Interrupting Sitting Time with Simple Resistance Activities Lowers Postprandial Insulinemia in Adults with Overweight or Obesity. <i>Obesity</i> , 2019, 27, 1428-1433.	1.5	10
151	Associations between self-reported and objectively measured physical activity and overweight/obesity among adults in Kota Bharu and Penang, Malaysia. <i>BMC Public Health</i> , 2019, 19, 621.	1.2	15
152	Accelerometer-based assessment of physical activity within the Fun For Wellness online behavioral intervention: protocol for a feasibility study. <i>Pilot and Feasibility Studies</i> , 2019, 5, 73.	0.5	9
153	Basal and Postprandial Myofibrillar Protein Synthesis Rates Do Not Differ between Lean and Obese Middle-Aged Men. <i>Journal of Nutrition</i> , 2019, 149, 1533-1542.	1.3	19
154	Effectiveness of the fun for wellness online behavioral intervention to promote well-being and physical activity: protocol for a randomized controlled trial. <i>BMC Public Health</i> , 2019, 19, 737.	1.2	20
155	Changes in Cardiorespiratory Fitness After Gastric Bypass: Relations with Accelerometry-Assessed Physical Activity. <i>Obesity Surgery</i> , 2019, 29, 2936-2941.	1.1	16
156	Enjoyment and affective responses to two regimes of high intensity interval training in inactive women with obesity. <i>European Journal of Sport Science</i> , 2019, 19, 1377-1385.	1.4	16
157	Promoting Health-Enhancing Physical Activity: a State-of-the-art Review of Peer-Delivered Interventions. <i>Current Obesity Reports</i> , 2019, 8, 341-353.	3.5	15
158	Promoting Exercise Adherence Through Groups: A Self-Categorization Theory Perspective. <i>Exercise and Sport Sciences Reviews</i> , 2019, 47, 54-61.	1.6	25
159	Psychological responses, muscle damage, inflammation, and delayed onset muscle soreness to high-intensity interval and moderate-intensity continuous exercise in overweight men. <i>Physiology and Behavior</i> , 2019, 199, 200-209.	1.0	23
160	Effects of various interval training regimes on changes in maximal oxygen uptake, body composition, and muscular strength in sedentary women with obesity. <i>European Journal of Applied Physiology</i> , 2019, 119, 879-888.	1.2	14
161	Individual variations in steps per day for meeting physical activity guidelines in young adult women. <i>Applied Physiology, Nutrition and Metabolism</i> , 2019, 44, 713-719.	0.9	2
162	Do moderate- to vigorous-intensity accelerometer count thresholds correspond to relative moderate- to vigorous-intensity physical activity?. <i>Applied Physiology, Nutrition and Metabolism</i> , 2019, 44, 407-413.	0.9	8
163	Effect of Low-Volume High-Intensity Interval Exercise and Continuous Exercise on Delayed-Onset Muscle Soreness in Untrained Healthy Males. <i>Journal of Strength and Conditioning Research</i> , 2019, 33, 774-782.	1.0	7
164	The association between negative affect and physical activity among adults in a behavioral weight loss treatment. <i>Psychology of Sport and Exercise</i> , 2020, 47, 101507.	1.1	12

#	ARTICLE	IF	CITATIONS
165	Are primary care physicians ill equipped to evaluate and treat childhood physical inactivity?. <i>Physician and Sportsmedicine</i> , 2020, 48, 199-207.	1.0	4
166	Increasing physical activity in adult women with Prader-Willi syndrome: A transferability study. <i>Journal of Applied Research in Intellectual Disabilities</i> , 2020, 33, 258-267.	1.3	14
167	Perceived barriers to physical activity during and after a behavioural weight loss programme. <i>Obesity Science and Practice</i> , 2020, 6, 10-18.	1.0	5
168	Family history of cancer as a cue to action for physical activity behaviour and beliefs. <i>Psychology and Health</i> , 2020, 35, 933-945.	1.2	5
169	The Performance of an Algorithm for Classifying Gym-based Tasks across Individuals with Different Body Mass Index. <i>Measurement in Physical Education and Exercise Science</i> , 2020, 24, 282-290.	1.3	1
170	The effect of transcranial direct current stimulation along with a hypocaloric diet on weight loss in excessive weight people: A pilot randomized clinical trial. <i>Clinical Nutrition ESPEN</i> , 2020, 40, 68-76.	0.5	8
171	Physical activity level and perceived exertion predict in-task affective valence to low-volume high-intensity interval exercise in adult males. <i>Physiology and Behavior</i> , 2020, 224, 112960.	1.0	6
172	Mediating role of body-related shame and guilt in the relationship between weight perceptions and lifestyle behaviours. <i>Obesity Science and Practice</i> , 2020, 6, 365-372.	1.0	12
173	Low-volume high-intensity interval training improves cardiometabolic health, work ability and well-being in severely obese individuals: a randomized-controlled trial sub-study. <i>Journal of Translational Medicine</i> , 2020, 18, 419.	1.8	21
174	&lt;p&gt;Frailty in Chronic Obstructive Pulmonary Disease and Risk of Exacerbations and Hospitalizations&lt;/p&gt;. <i>International Journal of COPD</i> , 2020, Volume 15, 1967-1976.	0.9	21
175	Normalised step targets in fitness apps affect users' autonomy need satisfaction, motivation and physical activity – a six-week RCT. <i>International Journal of Sport and Exercise Psychology</i> , 2020, , 1-22.	1.1	11
176	An Exploration of the Effectiveness of the Fun For Wellness Online Intervention to Promote Health in Adults With Obesity: A Randomized Controlled Trial. <i>Journal of Prevention and Health Promotion</i> , 2020, 1, 212-239.	0.4	2
177	Veterinary-prescribed physical activity promotes walking in healthy dogs and people. <i>BMC Veterinary Research</i> , 2020, 16, 468.	0.7	3
178	Physical activity is favorably associated with arterial stiffness in patients with obesity and elevated metabolic risk. <i>International Journal of Clinical Practice</i> , 2020, 74, e13563.	0.8	9
179	Bidirectional association between stress and physical activity in adults with overweight and obesity. <i>Journal of Behavioral Medicine</i> , 2020, 43, 246-253.	1.1	11
180	Affect and exertion during incremental physical exercise: Examining changes using automated facial action analysis and experiential self-report. <i>PLoS ONE</i> , 2020, 15, e0228739.	1.1	20
181	Proportion and associated factors of meeting the 2018 Physical Activity Guidelines for Americans in adults with or at risk for knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2020, 28, 774-781.	0.6	27
182	Effectiveness of the Fun For Wellness Online Behavioral Intervention to Promote Subjective Well-Being in Adults with Obesity: A Randomized Controlled Trial. <i>Journal of Happiness Studies</i> , 2021, 22, 1905-1923.	1.9	11

#	ARTICLE	IF	CITATIONS
183	Associations of movement behaviors and body mass index: comparison between a report-based and monitor-based method using Compositional Data Analysis. <i>International Journal of Obesity</i> , 2021, 45, 266-275.	1.6	14
184	Risk and Trust in Self-Tracking via Fitness Apps. , 2021, , 253-271.		0
185	A comparison of pathogenesis of Diabetes in China and the United States. <i>E3S Web of Conferences</i> , 2021, 233, 02018.	0.2	0
186	Preliminary Evaluation of a 1-Day Acceptance and Commitment Therapy Workshop for Increasing Moderate-to-Vigorous Physical Activity in Adults with Overweight or Obesity. <i>International Journal of Behavioral Medicine</i> , 2021, 28, 827-833.	0.8	2
187	Effects of very low volume high intensity versus moderate intensity interval training in obese metabolic syndrome patients: a randomized controlled study. <i>Scientific Reports</i> , 2021, 11, 2836.	1.6	27
188	Effectiveness of the Fun for Wellness Online Behavioral Intervention to Promote Well-Being Actions in Adults With Obesity or Overweight: A Randomized Controlled Trial. <i>Journal of Sport and Exercise Psychology</i> , 2021, 43, 83-96.	0.7	7
189	Project Step: A Randomized Controlled Trial Investigating the Effects of Frequent Feedback and Contingent Incentives on Physical Activity. <i>Journal of Physical Activity and Health</i> , 2021, 18, 247-253.	1.0	2
190	ActiGraph and Short-term Heart Rate Variability Study Protocol. <i>Journal of Cardiovascular Nursing</i> , 2021, Publish Ahead of Print, 599-608.	0.6	3
191	The Effect of Sensor Placement and Number on Physical Activity Recognition and Energy Expenditure Estimation in Older Adults: Validation Study. <i>JMIR MHealth and UHealth</i> , 2021, 9, e23681.	1.8	18
192	Iron Beats Electricity: Resistance Training but Not Whole-Body Electromyostimulation Improves Cardiometabolic Health in Obese Metabolic Syndrome Patients during Caloric Restrictionâ€”A Randomized-Controlled Study. <i>Nutrients</i> , 2021, 13, 1640.	1.7	8
193	Objectively Measured Physical Activity Is Associated With Body Composition and Metabolic Profiles of Pacific and New Zealand European Women With Different Metabolic Disease Risks. <i>Frontiers in Physiology</i> , 2021, 12, 684782.	1.3	6
194	Physical activity in management of persons with obesity. <i>European Journal of Internal Medicine</i> , 2021, 93, 8-12.	1.0	24
195	Mechanisms by Which the Fun for Wellness Intervention May Promote Subjective Well-Being in Adults with Obesity: a Reanalysis Using Baseline Target Moderation. <i>Prevention Science</i> , 2023, 24, 286-298.	1.5	6
196	Associations between multiple positive health behaviors and cardiometabolic risk using 3 alternative measures of physical activity: NHANES 2005â€”2006. <i>Applied Physiology, Nutrition and Metabolism</i> , 2021, 46, 617-625.	0.9	5
197	Free-Living Physical Activity and Sedentary Behaviour in Autoimmune Myasthenia Gravis: A Cross-Sectional Study. <i>Journal of Neuromuscular Diseases</i> , 2021, 8, 689-697.	1.1	8
198	Recent Trends in Sedentary Time: A Systematic Literature Review. <i>Healthcare (Switzerland)</i> , 2021, 9, 969.	1.0	14
199	Recruitment, Retention and Compliance of Overweight Inactive Adults with Intermediate Hyperglycaemia to a Novel Walking Intervention. <i>Obesities</i> , 2021, 1, 88-100.	0.3	1
200	Intervention of Wearables and Smartphones in Real Time Monitoring of Sleep and Behavioral Health: An Assessment Using Adaptive Neuro-Fuzzy Technique. <i>Arabian Journal for Science and Engineering</i> , 2022, 47, 1999-2024.	1.7	12

#	ARTICLE	IF	CITATIONS
201	Daily Physical Activity in Older Age. <i>GeroPsych: the Journal of Gerontopsychology and Geriatric Psychiatry</i> , 2021, 34, 125-135.	0.2	0
202	Obesity treatment: Weight loss versus increasing fitness and physical activity for reducing health risks. <i>IScience</i> , 2021, 24, 102995.	1.9	65
203	Meaning in life and accelerometer-measured physical activity: Association based on 67,038 UK Biobank participants. <i>Mental Health and Physical Activity</i> , 2021, 21, 100412.	0.9	4
204	Insufficient physical activity level among Sahrawi adults living in a protracted refugee setting. <i>BMC Public Health</i> , 2021, 21, 166.	1.2	6
205	Is physical activity a risk or protective factor for subsequent dietary lapses among behavioral weight loss participants?. <i>Health Psychology</i> , 2020, 39, 240-244.	1.3	13
206	Do exercisers maximize their pleasure by default? Using prompts to enhance the affective experience of exercise.. <i>Sport, Exercise, and Performance Psychology</i> , 2020, 9, 405-417.	0.6	5
207	Effect of Varying Accelerometry Criteria on Physical Activity: The Look AHEAD Study. <i>Obesity</i> , 2013, 21, 32-44.	1.5	38
208	Evaluation of Step-Counting Interventions Differing on Intensity Messages. <i>Journal of Physical Activity and Health</i> , 2020, 17, 21-28.	1.0	8
209	The Influence of Fitness-App Usage on Psychological Well-Being and Body Awarenessâ€”A Daily Diary Randomized Trial. <i>Journal of Sport and Exercise Psychology</i> , 2020, 42, 249-260.	0.7	9
210	Sedentary Behavior Is Not Associated with Cardiometabolic Risk in Adults with Abdominal Obesity. <i>PLoS ONE</i> , 2011, 6, e20503.	1.1	31
211	Patterns of Objectively Measured Physical Activity in Normal Weight, Overweight, and Obese Individuals (20â€”85 Years): A Cross-Sectional Study. <i>PLoS ONE</i> , 2013, 8, e53044.	1.1	50
212	A Semi-Quantitative Method to Denote Generic Physical Activity Phenotypes from Long-Term Accelerometer Data â€” The ATLAS Index. <i>PLoS ONE</i> , 2013, 8, e63522.	1.1	16
213	Moderate-Vigorous Physical Activity across Body Mass Index in Females: Moderating Effect of Endocannabinoids and Temperament. <i>PLoS ONE</i> , 2014, 9, e104534.	1.1	41
214	Prolonged Sitting Time: Barriers, Facilitators and Views on Change among Primary Healthcare Patients Who Are Overweight or Moderately Obese. <i>PLoS ONE</i> , 2015, 10, e0125739.	1.1	22
215	Patterns of sedentary behavior in overweight and moderately obese users of the Catalan primary-health care system. <i>PLoS ONE</i> , 2018, 13, e0190750.	1.1	15
216	Early and current physical activity: cross-sectional associations with overweight among adults. <i>Journal of Preventive Medicine and Hygiene</i> , 2019, 60, E354-E360.	0.9	1
217	Effectiveness of the Fun for Wellness Web-Based Behavioral Intervention to Promote Physical Activity in Adults With Obesity (or Overweight): Randomized Controlled Trial. <i>JMIR Formative Research</i> , 2020, 4, e15919.	0.7	14
218	Development and Evaluation of an Accelerometer-Based Protocol for Measuring Physical Activity Levels in Cancer Survivors: Development and Usability Study. <i>JMIR MHealth and UHealth</i> , 2020, 8, e18491.	1.8	8

#	ARTICLE	IF	CITATIONS
219	Public Health Guidelines for Physical Activity: Is There an App for That? A Review of Android and Apple App Stores. JMIR MHealth and UHealth, 2015, 3, e43.	1.8	102
221	Flexible R Functions for Processing Accelerometer Data, with Emphasis on NHANES 2003-2006. R Journal, 2014, 6, 52.	0.7	12
222	Health impacts of the M74 urban motorway extension: a mixed-method natural experimental study. Public Health Research, 2017, 5, 1-164.	0.5	8
223	Use of Accelerometers to Measure Real-Life Physical Activity in Ambulatory Individuals with Multiple Sclerosis. International Journal of MS Care, 2015, 17, 215-220.	0.4	18
224	Factors and associations for physical activity in severely obese adults during a two-year lifestyle intervention. PeerJ, 2014, 2, e505.	0.9	3
225	Supported Exercise Improves Controlled Eating and Weight through Its Effects on Psychosocial Factors: Extending a Systematic Research Program Toward Treatment Development. , 2012, 16, 7-18.		83
226	Weight Loss and the Prevention of Weight Regain: Evaluation of a Treatment Model of Exercise Self-Regulation Generalizing to Controlled Eating. , 2016, 20, 15-146.		40
227	Cross-sectional study of physical activity in adults with achondroplasia. Advances in Rare Diseases, 2014, 01, .	1.0	0
228	Environments Change Child Behavior, But Who Changes Environments?. Kinesiology Review, 2015, 4, 71-76.	0.4	0
229	Sitzender Lebensstil und Gesundheit. , 2017, , 77-84.		1
230	Causes of Obesity: Individual Physiology and Consumption Choices. , 2017, , 75-103.		0
231	Physical fitness and physical activity in women with obesity: short term effects of sleeve gastrectomy. Nutricion Hospitalaria, 2019, 36, 840-845.	0.2	2
232	Understanding and promoting physical activity adherence.. , 2019, , 241-270.		0
233	Effects of Time in Sitting and Standing on Pleasantness, Acceptability, Fatigue, and Pain When Using a Sitâ€“Stand Desk: An Experiment on Overweight and Normal-Weight Subjects. Journal of Physical Activity and Health, 2020, 17, 1222-1230.	1.0	4
235	Declared and real physical activity in obese individuals as assessed by the questionnaire and accelerometer. Journal of Sports Medicine and Physical Fitness, 2020, 60, 1576-1582.	0.4	0
237	Patterns of sedentary behavior in overweight and obese women. Ethnicity and Disease, 2013, 23, 336-42.	1.0	10
238	Relationship of initial self-regulatory ability with changes in self-regulation and associated fruit and vegetable consumption in severely obese women initiating an exercise and nutrition treatment: moderation of mood and self-efficacy. Journal of Sports Science and Medicine, 2011, 10, 643-8.	0.7	2
240	Effects of High-Intensity Interval and Moderate-Intensity Continuous Exercise on Physical Activity and Sedentary Behavior Levels in Inactive Obese Males: A Crossover Trial. Journal of Sports Science and Medicine, 2019, 18, 390-398.	0.7	4

#	ARTICLE	IF	CITATIONS
241	Verification Testing to Confirm VO <sub>max</sub> Attainment in Inactive Women with Obesity. <i>International Journal of Exercise Science</i> , 2020, 13, 1448-1458.	0.5	3
242	Effects of high intensity interval training on sustained reduction in cardiometabolic risk associated with overweight/obesity. A randomized trial. <i>Journal of Exercise Science and Fitness</i> , 2022, 20, 172-181.	0.8	9
244	Measurement of Physical Activity Self-Efficacy in Adults With Obesity: A Latent Variable Approach to Explore Dimensionality, Temporal Invariance, and External Validity. <i>Journal of Sport and Exercise Psychology</i> , 2021, 43, 497-513.	0.7	5
247	A Systematic Review of eHealth Interventions to Promote Physical Activity in Adults with Obesity or Overweight. <i>Behavioral Medicine</i> , 2023, 49, 213-230.	1.0	6
248	“HIIT the Inflammation”: Comparative Effects of Low-Volume Interval Training and Resistance Exercises on Inflammatory Indices in Obese Metabolic Syndrome Patients Undergoing Caloric Restriction. <i>Nutrients</i> , 2022, 14, 1996.	1.7	13
249	Device-worn measures of sedentary time and physical activity in South Asian adults at high risk for type 2 diabetes in Metro-Vancouver, Canada. <i>PLoS ONE</i> , 2022, 17, e0266599.	1.1	2
250	TV time, physical activity, sedentary behaviour and cardiometabolic biomarkers in pregnancy—NHANES 2003–2006. <i>Canadian Journal of Public Health</i> , 2022, 113, 726-735.	1.1	3
251	Effects of a Gamified, Behavior Change Technique-Based Mobile App on Increasing Physical Activity and Reducing Anxiety in Adults With Autism Spectrum Disorder: Feasibility Randomized Controlled Trial. <i>JMIR Formative Research</i> , 2022, 6, e35701.	0.7	3
252	The Influence of Affective Priming on the Affective Response During Exercise: A Replication Study. <i>Journal of Sport and Exercise Psychology</i> , 2022, 44, 286-294.	0.7	2
253	Association between Ultra-Processed Food Consumption and Frailty in American Elder People: Evidence from a Cross-Sectional Study. <i>Journal of Nutrition, Health and Aging</i> , 2022, 26, 688-697.	1.5	12
254	The physical activity profiles of patients with persecutory delusions. <i>Mental Health and Physical Activity</i> , 2022, 23, 100462.	0.9	0
255	High-intensity interval training to promote cerebral oxygenation and affective valence during exercise in individuals with obesity. <i>Journal of Sports Sciences</i> , 2022, 40, 1500-1511.	1.0	0
256	Impacts of a workplace-based weight-control intervention on objective and perceived physical activity among a subgroup of workers. <i>Journal of Healthy Eating and Active Living</i> , 2022, 2, 73-87.	0.6	0
257	Age-related muscle anabolic resistance: inevitable or preventable?. <i>Nutrition Reviews</i> , 2023, 81, 441-454.	2.6	6
258	Initial Validity Evidence for Responses to the Newly Developed Well-Being Actions Self-Efficacy Scale from Adults with Obesity under an Exploratory Latent Variable Approach. <i>Measurement in Physical Education and Exercise Science</i> , 2023, 27, 151-170.	1.3	1
259	Cross-Sectional and Individual Relationships between Physical Activity and Glycemic Variability. <i>Translational Journal of the American College of Sports Medicine</i> , 2022, 7, 1-12.	0.3	1
260	A healthy settings approach to addressing painogenic environments: New perspectives from health promotion. <i>Frontiers in Pain Research</i> , 0, 3, .	0.9	9
261	Response to McAvoy and Tudor-Locke on their commentary on our manuscript: “Association of accelerometer-derived step volume and intensity with hospitalizations and mortality in older adults: A prospective cohort study”. <i>Journal of Sport and Health Science</i> , 2022, , .	3.3	0

#	ARTICLE	IF	CITATIONS
262	Nursesâ€™ steps, distance traveled, and perceived physical demands in a three-shift schedule. <i>Human Resources for Health</i> , 2022, 20, .	1.1	6
263	Feature Engineering: Toward Identification of Symptom Clusters of Mental Disorders. <i>IEEE Access</i> , 2022, 10, 134136-134156.	2.6	0
264	Measuring Multidimensional Well-being Actions with the Newly Expanded Version of the I COPPE Actions Scale in Adults with Obesity. <i>Measurement in Physical Education and Exercise Science</i> , 2023, 27, 207-223.	1.3	0
265	Concordance Between Accelerometer-Measured and Self-Reported Physical Activity and Sedentary Time in Adults with Autism. <i>Journal of Autism and Developmental Disorders</i> , 2024, 54, 1517-1526.	1.7	0
266	Physical Activity and Its Association With Body Mass Index: A Cross-Sectional Analysis in Middle-Aged Adults From 4 Sub-Saharan African Countries. <i>Journal of Physical Activity and Health</i> , 2023, 20, 217-225.	1.0	1
267	Extraordinary claims in the literature on high-intensity interval training (HIIT): III. Critical analysis of four foundational arguments from an interdisciplinary lens. <i>Psychology of Sport and Exercise</i> , 2023, 66, 102399.	1.1	7
268	Comprehensive assessment of postoperative mobility during the first days after mini-invasive lung surgery: A prospective observational study. <i>Journal of Clinical Anesthesia</i> , 2023, 86, 111048.	0.7	1
269	The assessment of affective responses within exercise prescription: A narrative review. <i>International Journal of Sports Medicine</i> , 0, , .	0.8	0
270	Maximum Heart Rate- and Lactate Threshold-Based Low-Volume High-Intensity Interval Training Prescriptions Provide Similar Health Benefits in Metabolic Syndrome Patients. <i>Healthcare (Switzerland)</i> , 2023, 11, 711.	1.0	4
271	Factor Analysis with Ordered Categorical Indicators and Measurement of Self-Efficacy in Physical Activity Contexts: A Substantive-Methodological Synergy. <i>Measurement in Physical Education and Exercise Science</i> , 2023, 27, 332-351.	1.3	4
272	Fostering weight status understanding among exercise science and health students by simulating common physical activities with additional body mass. <i>American Journal of Physiology - Advances in Physiology Education</i> , 2023, 47, 399-408.	0.8	0
273	Obesity and Diabetes: Clinical Aspects. , 2023, , 657-671.		0
275	Extraordinary Claims in the Literature on High-Intensity Interval Training (HIIT): I. Bonafide Scientific Revolution or a Looming Crisis of Replication and Credibility?. <i>Sports Medicine</i> , 2023, 53, 1865-1890.	3.1	5
277	Daily Activity Profiles and Activity Fluctuations Correlate with BMI. , 2023, , .		0