

CITATION REPORT

List of articles citing

Influence of the β -phase content and degree of crystallinity on the piezo- and ferroelectric properties of poly(vinylidene fluoride)

DOI: 10.1088/0964-1726/19/6/065010

Smart Materials and Structures, 2010, 19, 065010.

Source: <https://exaly.com/paper-pdf/49370936/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
318	Enhancement of the Dielectric Constant and Thermal Properties of Poly(vinylidene fluoride)/Zeolite Nanocomposites. 2010 , 114, 14446-14452		25
317	Fullerenes Decorated with Poly(vinylidene fluoride). 2011 , 44, 2597-2603		25
316	Micro and nanofilms of poly(vinylidene fluoride) with controlled thickness, morphology and electroactive crystalline phase for sensor and actuator applications. <i>Smart Materials and Structures</i> , 2011 , 20, 087002	3.4	96
315	Large Area Microfabrication of Electroactive Polymeric Structures Based on Near-Field Electrospinning. 2011 , 25, 888-891		5
314	Optimizing piezoelectric and magnetoelectric responses on CoFe ₂ O ₄ /P(VDF-TrFE) nanocomposites. 2011 , 44, 495303		110
313	Enhancement of Crystalline phase of poly(vinylidene fluoride) in the presence of hyperbranched copolymer wrapped multiwalled carbon nanotubes. 2011 , 363, 122-8		29
312	Nucleation of the Electroactive Phase and Enhancement of the Optical Transparency in Low Filler Content Poly(vinylidene)/Clay Nanocomposites. 2011 , 115, 18076-18082		216
311	Degradation of the dielectric and piezoelectric response of Poly(vinylidene fluoride) after temperature annealing. 2011 , 18, 1451-1457		57
310	Extrusion of poly(vinylidene fluoride) filaments: effect of the processing conditions and conductive inner core on the electroactive phase content and mechanical properties. 2011 , 18, 1653-1658		35
309	Preparation and electroactive properties of a PVDF/nano-TiO ₂ composite film. 2011 , 257, 3831-3835		86
308	Role of Nanoparticle Surface Charge on the Nucleation of the Electroactive Poly(vinylidene fluoride) Nanocomposites for Sensor and Actuator Applications. 2012 , 116, 15790-15794		176
307	Local piezoelectric activity of single poly(L-lactic acid) (PLLA) microfibers. 2012 , 109, 51-55		48
306	Improving the optical and electroactive response of poly(vinylidene fluoride)trifluoroethylene spin-coated films for sensor and actuator applications. <i>Smart Materials and Structures</i> , 2012 , 21, 085020	3.4	48
305	Local piezoelectric response of single poly(vinylidene fluoride) electrospun fibers. 2012 , 209, 2605-2609		38
304	Fibronectin adsorption and cell response on electroactive poly(vinylidene fluoride) films. 2012 , 7, 035004		69
303	Enhanced proliferation of pre-osteoblastic cells by dynamic piezoelectric stimulation. 2012 , 2, 11504		82
302	Crystallization behavior and phase-transformation mechanism with the use of graphite nanosheets in poly(vinylidene fluoride) nanocomposites. 2012 , 125, E314		19

301	Piezoelectric polymeric bicomponent fibers produced by melt spinning. 2012 , 126, 490-500	36
300	Thermal degradation of Pb(Zr _{0.53} Ti _{0.47})O ₃ /poly(vinylidene fluoride) composites as a function of ceramic grain size and concentration. 2013 , 114, 757-763	8
299	Extrusion of poly(vinylidene fluoride) recycled filaments: Effect of the processing cycles on the degree of crystallinity and electroactive phase content. 2013 , 32, 1041-1044	5
298	Effect of poling state and morphology of piezoelectric poly(vinylidene fluoride) membranes for skeletal muscle tissue engineering. 2013 , 3, 17938	103
297	Osteoblast, fibroblast and in vivo biological response to poly(vinylidene fluoride) based composite materials. 2013 , 24, 395-403	34
296	Facile and effective promotion of β -crystalline phase in poly(vinylidene fluoride) via the incorporation of imidazolium ionic liquids. 2013 , 62, 638-646	58
295	Effect of POSS nanofiller on structure, thermal and mechanical properties of PVDF matrix. 2013 , 15, 1	9
294	Multilayer spin-coating deposition of poly(vinylidene fluoride) films for controlling thickness and piezoelectric response. 2013 , 192, 76-80	43
293	Spectroscopic evidence for a high fraction of ferroelectric phase induced in electrospun polyvinylidene fluoride fibers. 2013 , 3, 24952	62
292	Influence of zeolite structure and chemistry on the electrical response and crystallization phase of poly(vinylidene fluoride). 2013 , 48, 2199-2206	21
291	Piezoelectric formation mechanisms and phase transformation of poly(vinylidene fluoride)/graphite nanosheets nanocomposites. 2013 , 24, 927-932	18
290	Morphology, crystallization, thermal, and mechanical properties of poly(vinylidene fluoride) films filled with different concentrations of polyhedral oligomeric silsesquioxane. 2013 , 53, 1364-1373	15
289	Continuous production of piezoelectric PVDF fibre for e-textile applications. <i>Smart Materials and Structures</i> , 2013 , 22, 075017	3-4 72
288	Nucleation of the electroactive β -phase, dielectric and magnetic response of poly(vinylidene fluoride) composites with Fe ₂ O ₃ nanoparticles. 2013 , 361, 93-99	45
287	A New Approach of Polyvinylidene Fluoride (PVDF) Poling Method for Higher Electric Response. 2013 , 446, 28-38	31
286	Processing and Electrical Response of Fully Polymer Piezoelectric Filaments for E-Textiles Applications. 2014 , 60, 27-34	4
285	Characterization and analysis on atomic oxygen resistance of POSS/PVDF composites. 2014 , 320, 908-913	18
284	Piezoelectric coaxial filaments produced by coextrusion of poly(vinylidene fluoride) and electrically conductive inner and outer layers. 2014 , 131, n/a-n/a	17

283	Nonvolatile organic transistor memory devices based on nanostructured polymeric materials. 2014 ,	1
282	The Graphene Oxide Polymer Composites with High Breakdown Field Strength and Energy Storage Ability. 2014 , 431-438	1
281	Polar phase formation and competition in the melt crystallization of poly (vinylidene fluoride) containing an ionic liquid. 2014 , 144, 194-198	32
280	Electroactive phases of poly(vinylidene fluoride): Determination, processing and applications. 2014 , 39, 683-706	1743
279	Effect of temperature on the crystalline phase and dielectric and ferroelectric properties of poly(vinylidene fluoride) film. 2014 , 25, 858-864	11
278	Enhanced piezoelectric responses and crystalline arrangement of electroactive polyvinylidene fluoride/magnetite nanocomposites. 2014 , 131, n/a-n/a	5
277	Conformational studies of poly(vinylidene fluoride), poly(trifluoroethylene) and poly(vinylidene fluoride-co-trifluoroethylene) using density functional theory. 2014 , 16, 12929-39	42
276	Composition dependent phase transformation of poly(vinylidene fluoride) in its miscible blends upon stretching. 2014 , 4, 39491	4
275	Studies on the transformation process of PVDF from β to β' phase by stretching. 2014 , 4, 3938-3943	179
274	Ti _{1-x} Ag _x electrodes deposited on polymer based sensors. 2014 , 317, 490-495	12
273	Novel B-D spacer ² all fibre piezoelectric textiles for energy harvesting applications. 2014 , 7, 1670-1679	196
272	The effect of compressive stress on the electrical resistivity of poly(vinylidene fluoride)/polypyrrole blends. 2014 , 196, 186-192	10
271	Enhanced dielectric and ferroelectric properties induced by TiO ₂ @MWCNTs nanoparticles in flexible poly(vinylidene fluoride) composites. 2014 , 65, 125-134	78
270	Microstructural variations of poly(vinylidene fluoride co-hexafluoropropylene) and their influence on the thermal, dielectric and piezoelectric properties. 2014 , 40, 245-255	60
269	Ag-TiN _x electrodes deposited on piezoelectric poly(vinylidene fluoride) for biomedical sensor applications. 2015 , 234, 1-8	3
268	Phase morphology and crystallinity of poly(vinylidene fluoride)/poly(ethylene oxide) piezoelectric blend membranes. 2015 , 4, 214-221	14
267	Shape-Memory PVDF Exhibiting Switchable Piezoelectricity. 2015 , 36, 2042-6	20
266	Tailoring poly(vinylidene fluoride-co-chlorotrifluoroethylene) microstructure and physicochemical properties by exploring its binary phase diagram with dimethylformamide. 2015 , 53, 761-773	31

265	Dielectric relaxation dynamics of high-temperature piezoelectric polyimide copolymers. 2015 , 120, 731-743	12
264	Electrospun PVdF with enhanced piezoelectric behavior. 2015 ,	1
263	Effects of dynamic vulcanization on the kinetics of isothermal crystallization in a miscible polymeric blend. 2015 , 39, 6130-6140	5
262	Double equilibrium melting temperatures and zero growth temperature of PVDF in PVDF/graphene composites. 2015 , 22, 1	2
261	Critical Composition of the β Form of Poly(vinylidene fluoride) in Miscible Crystalline/Crystalline Blends. 2015 , 119, 14303-8	14
260	Piezoelectric poly(vinylidene fluoride) microstructure and poling state in active tissue engineering. 2015 , 15, 351-356	70
259	Highly porous piezoelectric PVDF membrane as effective lithium ion transfer channels for enhanced self-charging power cell. 2015 , 14, 77-86	73
258	Enhancement of adhesion and promotion of osteogenic differentiation of human adipose stem cells by poled electroactive poly(vinylidene fluoride). 2015 , 103, 919-28	50
257	Effect of electrospinning parameters and polymer concentrations on mechanical-to-electrical energy conversion of randomly-oriented electrospun poly(vinylidene fluoride) nanofiber mats. 2015 , 5, 14345-14350	139
256	Crystalline polymorphism in poly(vinylidene fluoride) membranes. 2015 , 51, 94-126	195
255	Electro-mechanical properties of free standing micro- and nano-scale polymer-ceramic composites for energy density capacitors. 2015 , 648, 698-705	13
254	Influence of oxygen plasma treatment parameters on poly(vinylidene fluoride) electrospun fiber mats wettability. 2015 , 85, 151-158	59
253	Electrospinning-induced preferred dipole orientation in PVDF fibers. 2015 , 50, 4342-4347	58
252	Exclusive self-aligned β phase PVDF films with abnormal piezoelectric coefficient prepared via phase inversion. 2015 , 51, 8257-60	123
251	Development of magnetoelectric CoFe ₂ O ₄ /poly(vinylidene fluoride) microspheres. 2015 , 5, 35852-35857	69
250	Piezoelectric polymers as biomaterials for tissue engineering applications. 2015 , 136, 46-55	274
249	Electrospun nanofibers with piezoelectric properties. 2015 ,	
248	Enhanced piezoelectric and mechanical properties of electroactive polyvinylidene fluoride/iron oxide composites. 2015 , 149-150, 172-178	22

247	Energy harvesting and storage textiles. 2016 , 357-396	6
246	High β phase content in PVDF/CoFe ₂ O ₄ nanocomposites induced by DC magnetic fields. 2016 , 109, 102904	30
245	Electret behavior of electrospun PVdF-based polymers. 2016 ,	3
244	Enhancement of polar phases in PVDF by forming PVDF/SiC nanowire composite. 2016 , 23, 3612-3619	7
243	New Physical Insights into Shear History Dependent Polymorphism in Poly(vinylidene fluoride). 2016 , 16, 2937-2944	23
242	Piezoresistive response of spray-printed carbon nanotube/poly(vinylidene fluoride) composites. 2016 , 96, 242-247	27
241	A Versatile Method for the Preparation of Ferroelectric Supramolecular Materials via Radical End-Functionalization of Vinylidene Fluoride Oligomers. 2016 , 138, 6217-23	27
240	Design and characterization of one-layer PVDF thin film for a 3D force sensor. 2016 , 250, 129-137	34
239	Preparation of organosilicate/PVDF composites with enhanced piezoelectricity and pyroelectricity by stretching. 2016 , 137, 138-147	62
238	Enhanced dielectric and energy storage performance of surface treated gallium ferrite/polyvinylidene fluoride nanocomposites. 2016 , 6, 105137-105145	21
237	Enhanced dielectric properties of polymer matrix composites with BaTiO ₃ and MWCNT hybrid fillers using simple phase separation. 2016 , 30, 407-416	100
236	High performance triboelectric nanogenerators based on phase-inversion piezoelectric membranes of poly(vinylidene fluoride)-zinc stannate (PVDF-ZnSnO ₃) and polyamide-6 (PA6). 2016 , 30, 470-480	97
235	Crystallinity and mechanical effects from annealing Parylene thin films. 2016 , 603, 371-376	20
234	Modeling of hysteretic behavior in ferroelectric polymers. 2016 , 54, 499-508	4
233	Size-dependent piezoelectric and mechanical properties of electrospun P(VDF-TrFE) nanofibers for enhanced energy harvesting. 2016 , 4, 2293-2304	92
232	MWCNTs-TiO ₂ core-shell nanoassemblies for fabrication of poly(vinylidene fluoride) based composites with high breakdown strength and discharged energy density. 2016 , 23, 1	11
231	First-Principles Study of the β Phase Transition of Ferroelectric Poly(vinylidene difluoride): Observation of Multiple Transition Pathways. 2016 , 120, 3240-9	15
230	Electrospun polyvinylidene fluoride nanofibers by bubble electrospinning technique. 2016 , 167, 34-37	15

229	PVDFBaTiO ₃ /carbon nanotubes ternary nanocomposites: Effect of nanofillers and processing. 2017 , 38, 227-235	9
228	Multiscale-structuring of polyvinylidene fluoride for energy harvesting: the impact of molecular-, micro- and macro-structure. 2017 , 5, 3091-3128	265
227	Polyvinylidene fluoride/hydroxyapatite/Etricalcium phosphate multifunctional biocomposite: Potentialities for bone tissue engineering. 2017 , 17, 767-773	20
226	Mechanical Energy-to-Electricity Conversion of Electron/Hole-Transfer Agent-Doped Poly(Vinylidene Fluoride) Nanofiber Webs. 2017 , 302, 1600451	10
225	Simulation and Fabrication of Wagon-Wheel-Shaped Piezoelectric Transducer for Raindrop Energy Harvesting Application. 2017 , 46, 1587-1597	5
224	Influence of nitrodopamine-functionalized barium titanate content on the piezoelectric response of poly(vinylidene fluoride) based polymer-ceramic composites. 2017 , 147, 16-21	22
223	A critical analysis of the β and γ phases in poly(vinylidene fluoride) using FTIR. 2017 , 7, 15382-15389	518
222	Facile preparation of highly oriented poly(vinylidene fluoride) uniform films and their ferro- and piezoelectric properties. 2017 , 7, 17038-17043	15
221	Effects of in-situ poling and process parameters on fused filament fabrication printed PVDF sheet mechanical and electrical properties. 2017 , 13, 81-92	40
220	Ferroelectric performance, surface and mechanical properties of poled PVDF sheet with metal coating: Assessing through PFM, FTIR, and nanoindentation and nanoscratch. 2017 , 515, 134-142	1
219	Fabrication of electroactive poly(vinylidene fluoride) through non-isothermal crystallization and supercritical CO ₂ processing. 2017 , 7, 48712-48722	16
218	Influence of Graphene Oxide on Crystallization Behavior and Chain Folding Surface Free Energy of Poly(vinylidene fluoride-co-hexafluoropropylene). 2017 , 218, 1700103	15
217	Energy harvesting efficiency of piezoelectric polymer film with graphene and metal electrodes. 2017 , 7, 17290	44
216	Predicting mechanical properties of polyvinylidene fluoride/carbon nanotube composites by molecular simulation. 2017 , 4, 115025	3
215	Enhancement of dielectric and ferroelectric properties in cobalt ferrite doped poly(vinylidene fluoride) multiferroic composites. 2017 , 4, 075301	8
214	Development of mono-component and tri-component fibres 100% polymer based piezoelectric PVDF to harvest energy. 2017 , 254, 072026	5
213	Piezoelectric response of graphene-filled PVDF nanocomposites through Piezoresponse Force Microscopy (PFM). 2017 ,	4
212	Effect of ionic liquid on crystallization kinetics and crystal form transition of poly(vinylidene fluoride) blends. 2018 , 132, 1153-1165	9

211	Electroactive PVDF thin films fabricated via cooperative stretching process. 2018 , 135, 46324	10
210	First-principles studies of spontaneous polarization in mixed poly(vinylidene fluoride)/2,3,3,3-tetrafluoropropene polymer crystals. 2018 , 14, 2484-2491	8
209	Piezoelectric materials as stimulatory biomedical materials and scaffolds for bone repair. 2018 , 73, 1-20	130
208	3D interlock design 100% PVDF piezoelectric to improve energy harvesting. <i>Smart Materials and Structures</i> , 2018 , 27, 075010	3-4 22
207	Process mediated polymorphism, crystallographic texture and structure-property correlation in crystalline/amorphous blends. 2018 , 138, 307-319	10
206	Electroactive poly(vinylidene fluoride)-based structures for advanced applications. 2018 , 13, 681-704	320
205	Investigation of microstructure and mechanical properties of polyvinylidene fluoride/carbon nanotube composites after electric field polarization: A molecular dynamics study. 2018 , 149, 217-229	3
204	Improving waterproof/breathable performance of electrospun poly(vinylidene fluoride) fibrous membranes by thermo-pressing. 2018 , 56, 36-45	19
203	Harvesting Energy from Human Activity: Ferroelectric Energy Harvesters for Portable, Implantable, and Biomedical Electronics. 2018 , 6, 791-812	37
202	Spatially Probed Plasmonic Photothermic Nanoheater Enhanced Hybrid Polymeric-Metallic PVDF-Ag Nanogenerator. 2018 , 14, 1702268	20
201	Synergistic improvement of piezoelectric properties of PVDF/ CaCO ₃ /montmorillonite hybrid nanocomposites. 2018 , 152, 93-100	25
200	Evaluation of the electromechanical behavior of polyvinylidene fluoride used as a component of risers in the offshore oil industry. 2018 , 73, 48	7
199	Piezoelectric Melt-Spun Textile Fibers: Technological Overview. 2018 ,	1
198	Piezoelectric Nanofibers for Integration in Multifunctional Materials. 2018 ,	2
197	Magnetic NanoparticlesPiezoelectric Polymer Nanocomposites for Energy Harvesting. 2018 , 295-322	7
196	Ferroelectric polymers exhibiting behaviour reminiscent of a morphotropic phase boundary. 2018 , 562, 96-100	112
195	Piezoelectric Effect and Electroactive Phase Nucleation in Self-Standing Films of Unpoled PVDF Nanocomposite Films. 2018 , 8,	17
194	Insight into Cigarette Wrapper and Electroactive Polymer Based Efficient TENG as Biomechanical Energy Harvester for Smart Electronic Applications. 2018 , 1, 4963-4975	13

193	Electrospun Piezoelectric Polymer Nanofiber Layers for Enabling in Situ Measurement in High-Performance Composite Laminates. 2018 , 3, 8891-8902	34
192	Piezoelectric Response in Electrospun Poly(vinylidene fluoride) Fibers Containing Fluoro-Doped Graphene Derivatives. 2018 , 3, 5317-5326	25
191	Strain-Induced Crystallization. 2018 , 471-508	10
190	Electroactive biomaterial surface engineering effects on muscle cells differentiation. 2018 , 92, 868-874	30
189	Properties and Applications of the β Phase Poly(vinylidene fluoride). 2018 , 10,	261
188	Crystalline structure, dielectric, and mechanical properties of simultaneously biaxially stretched polyvinylidene fluoride film. 2018 , 29, 3056-3064	13
187	Characteristic analysis of biaxially stretched PVDF thin films. 2018 , 135, 46677	23
186	Superior Energy Storage Performances of Polymer Nanocomposites via Modification of Filler/Polymer Interfaces. 2018 , 5, 1800096	117
185	Multi-stage crystallization mechanism of electroactive phase polyvinylidene fluoride induced by thermal and supercritical carbon dioxide processing. 2018 , 20, 4080-4089	12
184	Flexible ZnO-PVDF/PTFE based piezo-tribo hybrid nanogenerator. 2018 , 51, 216-222	88
183	Durable, efficient, and flexible piezoelectric nanogenerator from electrospun PANi/HNT/PVDF blend nanocomposite. 2019 , 40, 1663-1675	34
182	Journey of Electroactive β Polymorph of Poly(vinylidene fluoride) from Crystal Growth to Design to Applications. 2019 , 19, 5441-5456	25
181	Effects of an ionic liquid and processing conditions on the β polymorph crystal formation in poly(vinylidene fluoride). 2019 , 21, 5418-5428	22
180	Development of titanium dioxide nanowire incorporated poly(vinylidene fluoride-trifluoroethylene) scaffolds for bone tissue engineering applications. 2019 , 30, 96	19
179	Preparation of Nanofibrous PVDF Membrane by Solution Blow Spinning for Mechanical Energy Harvesting. 2019 , 9,	13
178	Enhanced piezoelectric properties of polyvinylidene fluoride nanofibers using carbon nanofiber and electrical poling. 2019 , 255, 126515	10
177	A new strategy to improve the cyclic stability of high voltage lithium nickel manganese oxide cathode by poly(butyl methacrylate-acrylonitrile-styrene) terpolymer as co-binder in lithium ion batteries. 2019 , 319, 527-540	14
176	Freeze-extraction microporous electroactive supports for cell culture. 2019 , 119, 531-540	4

175	PVDF based nanocomposites produced by solution blow spinning, structure and morphology induced by the presence of MWCNT and their consequences on some properties. 2019 , 297, 1105-1118	7
174	Environmentally Friendly Printable Piezoelectric Inks and Their Application in the Development of All-Printed Touch Screens. 2019 , 1, 1678-1687	17
173	Effect of hot press temperature on β phase, dielectric and ferroelectric properties of solvent casted Poly(vinylidene fluoride) films. 2019 , 6, 095306	16
172	Phase Inversion in PVDF Films with Enhanced Piezoresponse Through Spin-Coating and Quenching. 2019 , 11,	17
171	Ultrahigh β phase content poly(vinylidene fluoride) with relaxor-like ferroelectricity for high energy density capacitors. 2019 , 10, 4535	126
170	Preparation of PVDF flexible piezoelectric film with high β phase content by matching solvent dipole moment and crystallization temperature. 2019 , 30, 20174-20180	4
169	Bioinspired Three-Dimensional Magnetoactive Scaffolds for Bone Tissue Engineering. 2019 , 11, 45265-45275	56
168	Direct preparation of β crystalline poly(vinylidene fluoride) nanofibers by electrospinning and the use of non-polar silver nanoparticles coated poly(vinylidene fluoride) nanofibers as electrodes for piezoelectric sensor. 2019 , 183, 121910	5
167	Magnetolectric nanocomposite scaffold for high yield differentiation of mesenchymal stem cells to neural-like cells. 2019 , 234, 13617-13628	25
166	Development and analysis of a novel PVDF membrane with higher content of β phase. 2019 , 24, 684-695	2
165	Does the nature of chemically grafted polymer onto PVDF decide the extent of electroactive β polymorph?. 2019 , 181, 121764	11
164	Nanostructured flexible PVDF and fluoropolymer-based hybrid films. 2019 , 14, 67-101	3
163	Flexible electronic skins based on piezoelectric nanogenerators and piezotronics. 2019 , 59, 84-90	99
162	A molecular ferroelectrics induced electroactive β phase in solution processed PVDF films for flexible piezoelectric sensors. 2019 , 7, 1532-1543	34
161	Fabrication and Characterisation of Stimuli Responsive Piezoelectric PVDF and Hydroxyapatite-Filled PVDF Fibrous Membranes. 2019 , 24,	17
160	Preparation of PVDF/TiO ₂ nanofibers with enhanced piezoelectric properties for geophone applications. <i>Smart Materials and Structures</i> , 2019 , 28, 085006	3-4 7
159	Inclusion of water and KDP as a mechanism for controlling structural and dielectric parameters in PVDF films. 2019 , 42, 1	2
158	Piezoelectric Response in Hybrid Micropillar Arrays of Poly(Vinylidene Fluoride) and Reduced Graphene Oxide. 2019 , 11,	15

157	Shielding Effectiveness Study of Barium Hexaferrite-Incorporated, EPhase-Improved Poly(vinylidene fluoride) Composite Film: A Metamaterial Useful for the Reduction of Electromagnetic Pollution. 2019 , 11, 23701-23713	26
156	EPhase improved Mn-Zn-Cu-ferrite-PVDF nanocomposite film: A metamaterial for enhanced microwave absorption. 2019 , 245, 17-29	18
155	Nonbonding interaction analyses on PVDF/[BMIM][BF] complex system in gas and solution phase. 2019 , 25, 131	15
154	Improved performance of ferroelectric nanocomposite flexible film based triboelectric nanogenerator by controlling surface morphology, polarizability, and hydrophobicity. 2019 , 178, 765-771	44
153	Hybrid lead-free polymer-based nanocomposites with improved piezoelectric response for biomedical energy-harvesting applications: A review. 2019 , 62, 475-506	122
152	Perovskite Ceramics as New-Generation Materials for Orthopedic Applications. 2019 , 72, 1999-2010	7
151	Enhanced pyroelectric properties of 1B nanocomposites achieved by uniaxial stretching. 2019 , 30, 6760-6767	3
150	Design and application of piezoelectric biomaterials. 2019 , 52, 194002	30
149	Enhanced dielectric performance and energy storage of PVDF-HFP-based composites induced by surface charged Al ₂ O ₃ . 2019 , 57, 574-583	21
148	PVDF/BaTiO ₃ /carbon nanotubes ternary nanocomposites prepared by ball milling: Piezo and dielectric responses. 2019 , 136, 47788	11
147	Synergistic Effect of Hydrogen Bonds and Diffusion on the ECrystallization of Poly(vinylidene fluoride) On Poly(methyl methacrylate) Interface. 2019 , 58, 7389-7396	15
146	A high-performance soft actuator based on a poly(vinylidene fluoride) piezoelectric bimorph. <i>Smart Materials and Structures</i> , 2019 , 28, 055011	3-4 15
145	Flowmeter based on a piezoelectric PVDF tube. 2019 , 138, 368-378	8
144	Development of three-dimensional piezoelectric polyvinylidene fluoride-graphene oxide scaffold by non-solvent induced phase separation method for nerve tissue engineering. 2019 , 167, 107636	50
143	Advances in Piezoelectric Polymer Composites for Energy Harvesting Applications: A Systematic Review. 2019 , 304, 1800463	153
142	Surface wettability modification of poly(vinylidene fluoride) and copolymer films and membranes by plasma treatment. 2019 , 169, 138-147	30
141	Characterization and Application of PVDF and Its Copolymer Films Prepared by Spin-Coating and Langmuir-Blodgett Method. 2019 , 11,	47
140	Textile-Compatible, Electroactive Polyvinylidene Fluoride Electrospun Mats for Energy Harvesting. 2019 , 220, 1900364	4

139	Multicaloric effect in a multiferroic composite of Gd(Si,Ge) microparticles embedded into a ferroelectric PVDF matrix. 2019 , 9, 18308	12
138	Preparation and electroactive phase adjustment of Ag-doped poly(vinylidene fluoride) (PVDF) films.. 2019 , 9, 40286-40291	7
137	Melt electrowriting of electroactive poly(vinylidene difluoride) fibers. 2019 , 68, 735-745	32
136	Improving the electroactive phase, thermal and dielectric properties of PVDF/graphene oxide composites by using methyl methacrylate-co-glycidyl methacrylate copolymers as compatibilizer. 2019 , 54, 3832-3846	18
135	Light driven PVDF fibers based on photochromic nanosilica@naphthopyran fabricated by wet spinning. 2019 , 470, 951-958	18
134	Improving piezoelectric and pyroelectric properties of electrospun PVDF nanofibers using nanofillers for energy harvesting application. 2019 , 30, 279-291	31
133	PBO/graphene added PVDF piezoelectric composite nanofiber production. 2019 , 158, 141-148	19
132	Improving ferroelectricity and ferromagnetism of PVDF-CoFe ₂ O ₄ thick films: Effect of Ethyl acetate and Temperature. 2020 , 137, 48345	1
131	Poly (vinylidene fluoride) (PVDF)/Potassium Sodium Niobate (KNN) nanorods based flexible nanocomposite film: Influence of KNN concentration in the performance of nanogenerator. 2020 , 78, 105547	25
130	Gate-Tunable Synaptic Dynamics of Ferroelectric-Coupled Carbon-Nanotube Transistors. 2020 , 12, 4707-4714	30
129	Probing the local piezoelectric behavior in stretched barium titanate/poly(vinylidene fluoride) nanocomposites. 2020 , 186, 107914	13
128	Solution blow spun graded dielectrics based on poly(vinylidene fluoride)/multi-walled carbon nanotubes nanocomposites. 2020 , 122, 109397	5
127	Trifluoroethylene bond enrichment in P(VDF-TrFE) copolymers with enhanced ferroelectric behaviors by plasma fluorination on bottom electrode. 2020 , 107, 152-160	1
126	Multiferroic properties of La _{0.7} Ba _{0.3} MnO ₃ /P(VDF-TrFE) (0-3) nano-composite films. 2020 , 261, 127161	7
125	A filament stretching rheometer for in situ X-ray experiments: Combining rheology and crystalline morphology characterization. 2020 , 91, 073903	4
124	PVDF-based shape memory materials. 2020 , 247-274	0
123	Magnetic field induced formation of ferroelectric β phase of poly (vinylidene fluoride). 2020 , 126, 1	2
122	Beta Phase Crystallization and Ferro- and Piezoelectric Performances of Melt-Processed Poly(vinylidene difluoride) Blends with Poly(methyl methacrylate) Copolymers Containing Ionizable Moieties. 2020 , 2, 3766-3780	5

121	Phase composition, crystalline structure and piezoelectric properties of thin films of polyvinylidene fluoride obtained by the spin-coating method. 2020 , 147, 105857	4
120	A novel facile preparation method of self-polarized Poly(vinylidene fluorides) nanofiber for high-performance piezoelectric nanogenerator. 2020 , 208, 122956	5
119	PVDF-BaTiO Nanocomposite Inkjet Inks with Enhanced Phase Crystallinity for Printed Electronics. 2020 , 12,	15
118	Quantitative Study of the Energy Changes in Voltage-Controlled Spin Crossover Molecular Thin Films. 2020 , 11, 8231-8237	8
117	Effect of multi-step processing on the structural, morphological and dielectric behaviour of PVDF films. 2020 , 26, 6069-6081	3
116	Soft Ferroelectrics Enabling High-Performance Intelligent Photo Electronics. 2021 , 33, e2004999	18
115	Formulation, printing, and poling method for piezoelectric films based on PVDF/TrFE. 2020 , 128, 225304	4
114	Characterization of Polyvinylidene Fluoride (PVDF) Electrospun Fibers Doped by Carbon Flakes. 2020 , 12,	23
113	Preparation and ferroelectric properties of poly (vinylidene fluoride-hexafluoropropylene) (PVDF-HFP) filled with graphene-nanoplatelets film composites. 2020 , 773, 012021	0
112	Influence of the Stabilization Process on the Piezotronic Performance of Electrospun Silk Fibroin. 2020 , 305, 2000165	3
111	Ferroelectric P(VDF-TrFE)/POSS nanocomposite films: compatibility, piezoelectricity, energy harvesting performance, and mechanical and atomic oxygen erosion.. 2020 , 10, 17377-17386	8
110	Negatively Charged Nanosheets Significantly Enhance the Energy-Storage Capability of Polymer-Based Nanocomposites. 2020 , 32, e1907227	87
109	Human motion interactive mechanical energy harvester based on all inorganic perovskite-PVDF. 2020 , 74, 104870	37
108	Acoustic Energy Harvesting and Sensing via Electrospun PVDF Nanofiber Membrane. 2020 , 20,	10
107	Process-induced morphological features in material extrusion-based additive manufacturing of polypropylene. 2020 , 35, 101384	11
106	Self-polarized Poly(vinylidene fluoride) Ultrathin Film and Its Piezo/Ferroelectric Properties. 2020 , 12, 29818-29825	5
105	Structure and performance of electroblown PVDF-based nanofibrous electret filters. 2020 , 60, 1186-1193	11
104	A flexible piezoelectric pressure sensor based on PVDF nanocomposite fibers doped with PZT particles for energy harvesting applications. 2020 , 46, 19669-19681	47

103	A Flexible Film Bulk Acoustic Resonator Based on β -Phase Poly(vinylidene Fluoride) Polymer. 2020 , 20,	4
102	Electroactive poly(vinylidene fluoride)-based materials: recent progress, challenges, and opportunities. 2020 , 1-43	2
101	Ferroelectric Polymers Exhibiting Negative Longitudinal Piezoelectric Coefficient: Progress and Prospects. 2020 , 7, 1902468	33
100	Flow-Induced Crystallization of Crosslinked Poly(vinylidene fluoride) at Elevated Temperatures: Formation and Evolution of the Electroactive β Phase. 2020 , 59, 4459-4471	10
99	Silica nanoparticles surface charge modulation of the electroactive phase content and physical-chemical properties of poly(vinylidene fluoride) nanocomposites. 2020 , 185, 107786	7
98	Bacteriostatic Effect of Piezoelectric Poly-3-Hydroxybutyrate and Poly(vinylidene Fluoride) Polymer Films under Ultrasound Treatment. 2020 , 12,	11
97	Inducing β phase crystallinity of PVDF homopolymer, blends and block copolymers by anti-solvent crystallization. 2020 , 234, 109522	16
96	Fabrication of co-PVDF/modacrylic/SiO ₂ nanofibrous membrane: Composite separator for safe and high performance lithium-ion batteries. 2021 , 138, 49835	7
95	The intrinsic piezoelectric properties of materials - a review with a focus on biological materials.. 2021 , 11, 30657-30673	3
94	Influences of poling temperature and elongation ratio on PVDF-HFP piezoelectric films. 2021 , 10, 1009-1017	1
93	PVDF Ultrasonic Sensors for In-Air Applications: A Review. 2021 , 68, 2324-2335	4
92	Preparation of PVDF-CNT composite. 2021 , 270, 01012	2
91	Powering Implantable and Ingestible Electronics. 2021 , 31, 2009289	18
90	High dielectric constant poly(vinylidene fluoride-trifluoroethylene-chlorofluoroethylene) for capacitive pressure and bending sensors. 2021 , 214, 123349	4
89	In-situ Raman monitoring of the poly(vinylidene fluoride) crystalline structure during a melt-spinning process. 2021 , 52, 1073-1079	2
88	Effects of annealing time on physical and mechanical properties of PVDF microporous membranes by a melt extrusion-stretching process. 2021 , 32, 2397-2408	5
87	Holistic investigation of the electrospinning parameters for high percentage of β phase in PVDF nanofibers. 2021 , 214, 123366	9
86	Pyroelectric poly(vinylidene fluoride) film prepared by a novel combining method and its application in fully flexible infrared detector. 2021 , 113, 103624	1

- 85 Time and volume-ratio effect on reusable polybenzoxazole nanofiber oil sorption capacity investigated via machine learning. **2021**, 138, 50732
- 84 Development of PVDF nanocomposite with single-walled carbon nanotubes (SWCNT) and boron nitride nanotubes (BNNT) for soft morphing actuator. *Smart Materials and Structures*, **2021**, 30, 055014 3-4
- 83 Interfacial preparation of ferroelectric polymer nanostructures for electronic applications. **2021**, 53, 877-886 1
- 82 Enhanced performance of flexible Piezoelectric PVDF sensors by ultrasonic spray coating method. **2021**,
- 81 Studies on the electrostatic effects of stretched PVDF films and nanofibers. **2021**, 16, 79 4
- 80 Enhanced piezoelectric performance of PVDF-based electrospun nanofibers by utilizing in situ synthesized graphene-ZnO nanocomposites. **2021**, 32, 15789-15800 2
- 79 A Comparative Study of BaTiO₃/PDMS Composite Film and a PVDF Nanofiber Mat for Application to Flexible Pressure Sensors. **2021**, 59, 412-421 2
- 78 Tunable In Situ 3D-Printed PVDF-TrFE Piezoelectric Arrays. **2021**, 21, 1
- 77 Melt electrowriting of poly(vinylidene fluoride-co-trifluoroethylene). **2021**, 70, 1725 2
- 76 Polymer conformation-dependent piezoelectric properties and self-bias magnetoelectric responses in adhesive-free laminate composites of Ni-foam/PVDF/Ni-foam. **2021**, 13, 1266-1274 3
- 75 Piezoelectric Materials for Energy Harvesting and Sensing Applications: Roadmap for Future Smart Materials. **2021**, 8, e2100864 57
- 74 Exploration of 2D TiC MXene for all solution processed piezoelectric nanogenerator applications. **2021**, 11, 17432 2
- 73 Direct-Ink-Writing of Electroactive Polymers for Sensing and Energy Storage Applications. 2100372 1
- 72 Study of enhanced dielectric permittivity of functionalize multiwall carbon nanotube-based polyvinylidene fluoride free-standing film for flexible storage device. **2021**, 407, 127455 1
- 71 Piezoelectric Properties of PVDF-Zn₂GeO₄ Fine Fiber Mats. **2021**, 14, 5936 1
- 70 Flexible and transparent piezoelectric loudspeaker. **2021**, 5, 3
- 69 A ferroelectric nanocomposite-film-based device for harvesting energy from water droplets using both piezoelectric and triboelectric effects. **2021**, 32, 1
- 68 Electrostriction-enhanced giant piezoelectricity via relaxor-like secondary crystals in extended-chain ferroelectric polymers. **2021**, 2

67	Study on flexible large-area Poly(vinylidene fluoride)-based piezoelectric films prepared by extrusion-casting process for sensors and microactuators. 2022 , 275, 125221	1
66	Magnetolectric effect in flexible nanocomposite films based on size-matching. 2021 , 13, 4177-4187	2
65	Flexible Piezoelectric and Pyroelectric Polymers and Nanocomposites for Energy Harvesting Applications. 2017 , 537-557	1
64	Enhancing triboelectric performances of electrospun poly(vinylidene fluoride) with graphene oxide sheets. 2020 , 5, 49-57	3
63	Phase Formation of Polyvinylidene Fluoride via Hot Pressing under Cyclic Pulsating Pressure. 2020 , 53, 8494-8501	6
62	Piezoelectric polymorph formation of new textiles by surface modification with coating process based on interfacial interaction on the conformational variation of poly (vinylidene fluoride) (PVDF) chains. 2020 , 91, 31301	2
61	Fabrication of novel nanogenerator from PVDF nanocomposites encompassing hybrid silanized MWCNTs. 2020 ,	1
60	A large piezoelectric response in highly-aligned electrospun poly(vinylidene fluoride/trifluoroethylene) nanofiber webs for wearable energy harvesting. 2021 , 32, 015401	4
59	Preparation of PVDF Nanowire by Infiltration Method into Lumina Nanopores. 2020 , 569-572	
58	Polymer Electrolytes as Energy-Harvesting Materials to Capture Electrical Energy from Dynamic Mechanical Deformations. 2021 , e2100204	
57	Enhancement of the piezoelectric coefficient in PVDF-TrFe/CoFe ₂ O ₄ nanocomposites through DC magnetic poling. 12, 1262-1270	0
56	High-Dielectric Polymer Coating for Uniform Lithium Deposition in Anode-Free Lithium Batteries. 4416-4425	6
55	Piezoelectric materials and systems for tissue engineering and implantable energy harvesting devices for biomedical applications. 1-51	4
54	Rational design of PVDF/BaTiO ₃ nanoparticle/Cu nanowire ternary nanocomposite films for optimal piezoelectric power generation. 2021 , 130, 204101	1
53	Fabrication of poly (vinylidene fluoride) films by ultrasonic spray coating; uniformity and piezoelectric properties. 2021 , 212, 110273	0
52	High performance piezoelectric polymer film with aligned electroactive phase nanofibrils achieved by melt stretching of slightly crosslinked poly(vinylidene fluoride) for sensor applications. 2022 , 433, 134475	0
51	Highly flexible and conductive stainless-steel thread based piezoelectric coaxial yarn nanogenerators via solution coating and touch-spun nanofibers coating methods. <i>Smart Materials and Structures</i> , 2022 , 31, 035028	3-4 1
50	Ferroelectric polymers for energy harvesting. 2022 , 503-533	

49	Solution processing of piezoelectric unconventional structures. 2022 , 375-439	
48	Preparation of efficient piezoelectric PVDF/β-BFP/Ni composite films by high electric field poling. 2022 , 11, 452-462	0
47	Thermoelectromechanical Characteristics of Piezoelectric Composites Under Mechanical and Thermal Loading. 2101212	2
46	A Comprehensive Review on Piezoelectric Polymeric and Ceramic Nanogenerators. 2101312	1
45	Exploration of the Nucleation-Growth Effect of Cetyltrimethylammonium Bromide for High β-Poly(Vinylidene Fluoride) Crystallization. 1-20	
44	Prospects of Metal-Free Perovskites for Piezoelectric Applications.. 2022 , e2104703	4
43	Enhanced Piezoelectricity in Poly(vinylidene fluoride-co-trifluoroethylene-co-chlorotrifluoroethylene) Random Terpolymers with Mixed Ferroelectric Phases.	1
42	Effects of applied voltage on the morphology and phases of electrospun PVDF nanofibers.	0
41	Study of structural, thermal and piezoelectric properties of polyvinylidene fluoride BaZrO3 nanocomposites. 1	0
40	Polar Phase Formation and Piezoelectricity of PVDF by Hot-pressing under Electrostatic Intermolecular Interactions. 1	1
39	Transparent Piezoelectric Polymer-Based Materials for Energy Harvesting and Multitouch Detection Devices. 2022 , 4, 287-296	0
38	Electrospun 1D and 2D Carbon and Polyvinylidene Fluoride (PVDF) Piezoelectric Nanocomposites. 2022 , 2022, 1-17	0
37	The Effect of Substrate on the Properties of Non-volatile Ferroelectric P(VDF-TrFE)/P3HT Memory Devices. 1	0
36	Piezoelectric Energy Harvesting Using Flexible Self-Poled Electroactive Nanofabrics Based on PVDF/ZnO-Decorated SWCNT Nanocomposites.	
35	Electrical stimulation: Effective cue to direct osteogenic differentiation of mesenchymal stem cells?. 2022 , 138, 212918	1
34	Enhanced magneto-mechano-electric conversion in flexible multiferroic nanocomposites via slender magnetic nanofibers regulated by tailored carbon nanotubes. 2022 , 446, 137137	1
33	Structure dependent piezoelectricity in electrospun PVDF-SiC nanoenergy harvesters. 2022 , 917, 165505	0
32	Tunable β-phase of polyvinylidene fluoride to enhance piezoelectric coefficient. 2022 , 29,	

- 31 Recent advances in vinylidene fluoride copolymers and their applications as nanomaterials. **2022**, 1-41
- 30 Characterization methods used for the identification of ferroelectric beta phase of fluoropolymers. **2022**, 43-64
- 29 Triaxial Braided Piezo Fiber Energy Harvester for Self-Powered Wearable Technology. **2022**, 77-100
- 28 Two- and three-dimensional piezoelectric scaffolds for bone tissue engineering. **2022**, 112708 ○
- 27 First-Principles Study of Ferroelectric and Optical Properties in Derivatives of Thiourea. **2022**, 126, 13920-13928
- 26 A review of ceramic, polymer and composite piezoelectric materials. **2022**, 55, 423002 4
- 25 ZnO@Ag Modified Piezoelectric Fibers for Higher Sensitivity and Enhanced Energy Harvesting. **2022**,
- 24 Piezoelectricity enhancement in graphene/polyvinylidene fluoride composites due to graphene-induced $\sqrt{3}\times\sqrt{3}$ crystal phase transition. **2022**, 269, 116121 ○
- 23 Enhanced neuronal differentiation by dynamic piezoelectric stimulation. ○
- 22 Recent progress on polyvinylidene difluoride-based nanocomposites: applications in energy harvesting and sensing. 1
- 21 A Critical Review: Impact of Electrical Poling on Longitudinal Piezoelectric Strain Coefficient. ○
- 20 CoronaPoled Porous Electrospun Films of GramScale YDoped ZnO and PVDF Composites for Piezoelectric Nanogenerators. **2022**, 14, 3912 1
- 19 The effect of chain topology on the crystallization and polymorphism of PVDF: linear versus star molecules. 2200268 ○
- 18 A review of piezoelectric materials for nanogenerator applications. ○
- 17 Surface charge and dynamic mechanolectrical stimuli improves adhesion, proliferation and differentiation of neuron-like cells. **2022**, 11, 144-153 ○
- 16 Piezoelectric Nanofibrous Composite Materials for Energy and Electronic Applications. **2022**, ○
- 15 Investigation of the optimum vibration energy harvesting performance of electrospun PVDF/BaTiO₃ nanogenerator. 002199832211446 ○
- 14 Melt-stretched poly(vinylidene fluoride)/zinc oxide nanocomposite films with enhanced piezoelectricity by stress concentrations in piezoelectric domains for wearable electronics. **2022**, 140771 ○

- 13 Piezoelectric and Magnetoelectric Effects of Flexible Magnetoelectric Heterostructure PVDF-TrFE/FeCoSiB. **2022**, 23, 15992 ○
- 12 Innovative antibacterial electrospun nanofibers mats depending on piezoelectric generation. **2022**, 12, 1 ○
- 11 Enhanced dielectric and energy storage properties of P(VDF-HFP) through elevating β phase formation under unipolar nanosecond electric pulses. **2023**, 122, 023903 1
- 10 Stimuli-responsive piezoelectricity in electrospun polycaprolactone (PCL)/Polyvinylidene fluoride (PVDF) fibrous scaffolds for bone regeneration. **2023**, 23, 379-390 ○
- 9 Design and fabrication of polyvinylidene fluoride-graphene oxide/gelatine nanofibrous scaffold for cardiac tissue engineering. 1-22 ○
- 8 MXene-Functionalized Ferroelectric Nanocomposite Membranes with Modulating Surface Potential Enhance Bone Regeneration. ○
- 7 Advances in wearable flexible piezoelectric energy harvesters: materials, structures, and fabrication. **2023**, 34, ○
- 6 Efficient degradation of chlortetracycline in water by ultrasound activation of flexible ZnCoO doped PVDF membranes with high β phase. **2023**, 619, 156782 ○
- 5 Tailoring electrolyte solvation to push the capacity limit of layered oxide cathodes via polarized ferroelectric polymers. **2023**, 252, 118923 ○
- 4 Development of fiber-based piezoelectric sensors for the load monitoring of dynamically stressed fiber-reinforced composites. **2023**, 32, 045013 ○
- 3 Processing-structure-property relationships in the fabrication of extrusion electroactive poly(vinylidene fluoride) filaments. ○
- 2 Piezoelectric Polymers. 1-31 ○
- 1 Significant magnetoelectric enhancement of composite films of $\text{CoZn}_x\text{Fe}_{2-x}\text{O}_4$ particles and poly(vinylidene fluoride-trifluoroethylene) for AC magnetic sensors. **2023**, ○