

CITATION REPORT

List of articles citing

Presence of pathogens and indicator microbes at a non-point source subtropical recreational marine beach

DOI: 10.1128/aem.02127-09

Applied and Environmental Microbiology, 2010, 76, 724-32.

Source: <https://exaly.com/paper-pdf/49422899/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
146	The effect of agrochemicals on indicator bacteria densities in outdoor mesocosms. 2010 , 12, 3150-8		13
145	Traditional and molecular analyses for fecal indicator bacteria in non-point source subtropical recreational marine waters. <i>Water Research</i> , 2010 , 44, 3763-72	12.5	104
144	Beach boundary layer: a framework for addressing recreational water quality impairment at enclosed beaches. 2010 , 44, 8804-13		18
143	Bacteria in beach sands: an emerging challenge in protecting coastal water quality and bather health. 2011 , 45, 370-9		110
142	Microbial Source Tracking: Methods, Applications, and Case Studies. 2011 ,		47
141	Impact of erosion and accretion on the distribution of enterococci in beach sands. 2011 , 31, 1457-1461		26
140	Survival of environmental and clinical strains of methicillin-resistant <i>Staphylococcus aureus</i> [MRSA] in marine and fresh waters. <i>Water Research</i> , 2011 , 45, 5681-6	12.5	24
139	Relationships between sand and water quality at recreational beaches. <i>Water Research</i> , 2011 , 45, 6763-9	12.5	59
138	Detection and Occurrence of Indicator Organisms and Pathogens. 2011 , 83, 900-926		1
137	Ribosomal tag pyrosequencing of DNA and RNA from benthic coral reef microbiota: community spatial structure, rare members and nitrogen-cycling guilds. 2011 , 13, 1138-52		78
136	Indicator microbes correlate with pathogenic bacteria, yeasts and helminthes in sand at a subtropical recreational beach site. 2011 , 110, 1571-83		62
135	Spatial variability in airborne bacterial communities across land-use types and their relationship to the bacterial communities of potential source environments. 2011 , 5, 601-12		288
134	Pore water transport of enterococci out of beach sediments. <i>Marine Pollution Bulletin</i> , 2011 , 62, 2293-8	6.7	34
133	Shedding of <i>Staphylococcus aureus</i> and methicillin-resistant <i>Staphylococcus aureus</i> from adult and pediatric bathers in marine waters. 2011 , 11, 5		49
132	Temporal genetic variability and host sources of <i>Escherichia coli</i> associated with fecal pollution from domesticated animals in the shellfish culture environment of Xiangshan Bay, East China Sea. <i>Environmental Pollution</i> , 2011 , 159, 2808-14	9.3	8
131	Nucleopolyhedrovirus detection and distribution in terrestrial, freshwater, and marine habitats of Appledore Island, Gulf of Maine. 2011 , 62, 48-57		12
130	Quantification of methicillin-resistant <i>Staphylococcus aureus</i> strains in marine and freshwater samples by the most-probable-number method. <i>Applied and Environmental Microbiology</i> , 2011 , 77, 3541-3	4.8	7

129	Prominent human health impacts from several marine microbes: history, ecology, and public health implications. 2011 , 2011, 152815		18
128	Correlation between quantitative PCR and culture-based methods for measuring <i>Enterococcus</i> spp. over various temporal scales at three California marine beaches. <i>Applied and Environmental Microbiology</i> , 2012 , 78, 1237-42	4.8	40
127	Occurrence and persistence of bacterial pathogens and indicator organisms in beach sand along the California coast. <i>Applied and Environmental Microbiology</i> , 2012 , 78, 1733-45	4.8	79
126	Relationship between enterococcal levels and sediment biofilms at recreational beaches in South Florida. <i>Applied and Environmental Microbiology</i> , 2012 , 78, 5973-82	4.8	49
125	Scientific Opinion on the minimum hygiene criteria to be applied to clean seawater and on the public health risks and hygiene criteria for bottled seawater intended for domestic use. 2012 , 10, 2613		5
124	Enterococci in the environment. 2012 , 76, 685-706		366
123	Comparative studies on <i>Enterococcus</i> , <i>Clostridium perfringens</i> and <i>Staphylococcus aureus</i> as quality indicators in tropical seawater at a Pacific Mexican beach resort. <i>Marine Pollution Bulletin</i> , 2012 , 64, 2193-8	6.7	14
122	Human Beach Use Affects Abundance and Identity of Fungi Present in Sand. 2012 , 283, 787-792		5
121	Quantitative microbial risk assessment of human illness from exposure to marine beach sand. 2012 , 46, 2799-805		28
120	Spatial and temporal variation in indicator microbe sampling is influential in beach management decisions. <i>Water Research</i> , 2012 , 46, 2237-46	12.5	55
119	Pyrosequencing of bacterial symbionts within <i>Axinella corrugata</i> sponges: diversity and seasonal variability. <i>PLoS ONE</i> , 2012 , 7, e38204	3.7	65
118	Intracellular <i>Staphylococcus aureus</i> : live-in and let die. 2012 , 2, 43		202
117	Distribution of genetic marker concentrations for fecal indicator bacteria in sewage and animal feces. <i>Applied and Environmental Microbiology</i> , 2012 , 78, 4225-32	4.8	29
116	Methicillin-resistant <i>Staphylococcus aureus</i> from Northwest marine and freshwater recreational beaches. 2012 , 79, 412-20		23
115	Automated dead-end ultrafiltration of large volume water samples to enable detection of low-level targets and reduce sample variability. 2012 , 113, 351-60		14
114	Microbiological and physicochemical analysis of the coastal waters of southern Brazil. <i>Marine Pollution Bulletin</i> , 2012 , 64, 40-48	6.7	51
113	Human-associated methicillin-resistant <i>Staphylococcus aureus</i> from a subtropical recreational marine beach. 2013 , 65, 1039-51		26
112	Studies on the bacteriological qualities of the Buffalo River and three source water dams along its course in the Eastern Cape Province of South Africa. <i>Environmental Science and Pollution Research</i> , 2013 , 20, 4125-36	5.1	39

111	Validation of the Enterococci indicator for bacteriological quality monitoring of beaches in Malaysia using a multivariate approach. 2013 , 2, 425		6
110	Comparison of filters for concentrating microbial indicators and pathogens in lake water samples. <i>Applied and Environmental Microbiology</i> , 2013 , 79, 1342-52	4.8	47
109	Filtration recovery of extracellular DNA from environmental water samples. 2013 , 47, 9324-31		47
108	Quantification of human and animal viruses to differentiate the origin of the fecal contamination present in environmental samples. 2013 , 2013, 192089		53
107	Virus indicators for food and water. 2013 , 483-509		6
106	Comparison of Multi-Drug Resistant Environmental Methicillin-Resistant Staphylococcus aureus Isolated from Recreational Beaches and High Touch Surfaces in Built Environments. <i>Frontiers in Microbiology</i> , 2013 , 4, 74	5.7	28
105	Modeling sediment-related enterococci loading, transport, and inactivation at an embayed nonpoint source beach. 2013 , 49, 693-712		35
104	Molecular Approach to Microbiological Examination of Water Quality in the Grand Bay National Estuarine Research Reserve (NERR) in Mississippi, USA. 2013 , 7, 33-41		6
103	Comprehensive analysis of prokaryotes in environmental water using DNA microarray analysis and whole genome amplification. 2013 , 2, 591-605		2
102	Comparison of bacterial communities in sands and water at beaches with bacterial water quality violations. <i>PLoS ONE</i> , 2014 , 9, e90815	3.7	40
101	Gastroenteric virus dissemination and influence of rainfall events in urban beaches in Brazil. 2014 , 117, 1210-8		21
100	Microbial source tracking markers for detection of fecal contamination in environmental waters: relationships between pathogens and human health outcomes. 2014 , 38, 1-40		386
99	Factors affecting the relationship between quantitative polymerase chain reaction (qPCR) and culture-based enumeration of Enterococcus in environmental waters. 2014 , 116, 737-46		17
98	Viral pathogens in water: occurrence, public health impact, and available control strategies. 2014 , 4, 50-7		91
97	Effect of hydrological and geophysical factors on formation of standing water and FIB reservoirs at a Lake Michigan beach. 2014 , 40, 778-789		2
96	Water quality, weather and environmental factors associated with fecal indicator organism density in beach sand at two recreational marine beaches. <i>Science of the Total Environment</i> , 2014 , 497-498, 440-447	10.2	18
95	Physicochemical parameters aid microbial community? A case study from marine recreational beaches, Southern India. <i>Environmental Monitoring and Assessment</i> , 2014 , 186, 1875-87	3.1	17
94	Microbes in Beach Sands: Integrating Environment, Ecology and Public Health. 2014 , 13, 329-368		98

93	Cryptosporidium and Giardia in tropical recreational marine waters contaminated with domestic sewage: estimation of bathing-associated disease risks. <i>Marine Pollution Bulletin</i> , 2014 , 85, 268-73	6.7	30
92	Receiver-operating characteristics analysis: a new approach to predicting the presence of pathogens in surface waters. 2014 , 48, 5628-35		6
91	Effects of full-scale beach renovation on fecal indicator levels in shoreline sand and water. <i>Water Research</i> , 2014 , 48, 579-91	12.5	25
90	Routine screening of harmful microorganisms in beach sands: implications to public health. <i>Science of the Total Environment</i> , 2014 , 472, 1062-9	10.2	48
89	Decay of genetic markers for fecal bacterial indicators and pathogens in sand from Lake Superior. <i>Water Research</i> , 2014 , 59, 99-111	12.5	35
88	Microbial source tracking: a tool for identifying sources of microbial contamination in the food chain. 2014 , 54, 699-707		17
87	Dynamics of marine bacterial community diversity of the coastal waters of the reefs, inlets, and wastewater outfalls of southeast Florida. 2015 , 4, 390-408		48
86	Assessing the sources of high fecal coliform levels at an urban tropical beach. 2015 , 46, 1019-26		3
85	Quantification of Protozoa and Viruses from Small Water Volumes. <i>International Journal of Environmental Research and Public Health</i> , 2015 , 12, 7118-32	4.6	9
84	Contribution of sand-associated enterococci to dry weather water quality. 2015 , 49, 451-8		14
83	Recreational Water and Infection: A Review of Recent Findings. 2015 , 2, 85-94		76
82	A hydrodynamics-based approach to evaluating the risk of waterborne pathogens entering drinking water intakes in a large, stratified lake. <i>Water Research</i> , 2015 , 83, 227-36	12.5	27
81	Are fecal indicator bacteria appropriate measures of recreational water risks in the tropics: A cohort study of beach goers in Brazil?. <i>Water Research</i> , 2015 , 87, 59-68	12.5	40
80	Wildlife, urban inputs, and landscape configuration are responsible for degraded swimming water quality at an embayed beach. 2015 , 41, 156-163		25
79	Specific Viruses Present in Polluted Groundwater Are Indicative of the Source of Nitrates and Faecal Contamination in Agricultural Areas. 2015 , 1-24		
78	Abundance and Distribution of Enteric Bacteria and Viruses in Coastal and Estuarine Sediments-a Review. <i>Frontiers in Microbiology</i> , 2016 , 7, 1692	5.7	61
77	Evaluation of Glass Wool Filters and Hollow-Fiber Ultrafiltration Concentration Methods for qPCR Detection of Human Adenoviruses and Polyomaviruses in River Water. <i>Water, Air, and Soil Pollution</i> , 2016 , 227, 327	2.6	4
76	Using probabilities of enterococci exceedance and logistic regression to evaluate long term weekly beach monitoring data. <i>Journal of Water and Health</i> , 2016 , 14, 81-9	2.2	10

75	Beach sand and the potential for infectious disease transmission: observations and recommendations. 2016 , 96, 101-120		53
74	Comparison of Microbial and Chemical Source Tracking Markers To Identify Fecal Contamination Sources in the Humber River (Toronto, Ontario, Canada) and Associated Storm Water Outfalls. <i>Applied and Environmental Microbiology</i> , 2016 , 82, 6357-6366	4.8	28
73	Evaluation of coastal management: Study case in the province of Alicante, Spain. <i>Science of the Total Environment</i> , 2016 , 572, 1184-1194	10.2	12
72	Sediment characteristics and microbiological contamination of beach sand - A case-study in the archipelago of Madeira. <i>Science of the Total Environment</i> , 2016 , 573, 627-638	10.2	11
71	Human polyomavirus: Advantages and limitations as a human-specific viral marker in aquatic environments. <i>Water Research</i> , 2016 , 105, 456-469	12.5	32
70	Floors and Toilets: Association of Floors and Sanitation Practices with Fecal Contamination in Peruvian Amazon Peri-Urban Households. 2016 , 50, 7373-81		20
69	Detection and risk assessment of diarrheagenic E. coli in recreational beaches of Brazil. <i>Marine Pollution Bulletin</i> , 2016 , 109, 163-170	6.7	15
68	Evaluation of the quality of coastal bathing waters in Spain through fecal bacteria Escherichia coli and Enterococcus. <i>Science of the Total Environment</i> , 2016 , 566-567, 288-297	10.2	36
67	Occurrence of methicillin-resistant Staphylococcus aureus in surface waters near industrial hog operation spray fields. <i>Science of the Total Environment</i> , 2016 , 565, 1028-1036	10.2	12
66	Evaluation of environmental quality of sandy beaches in southeastern Brazil. <i>Marine Pollution Bulletin</i> , 2017 , 119, 133-142	6.7	25
65	Next-generation sequencing and culture-based techniques offer complementary insights into fungi and prokaryotes in beach sands. <i>Marine Pollution Bulletin</i> , 2017 , 119, 351-358	6.7	13
64	Modelling of Escherichia coli concentrations in bathing water at microtidal coasts. <i>Science of the Total Environment</i> , 2017 , 593-594, 173-181	10.2	17
63	Sources and persistence of fecal indicator bacteria and in sand as measured by culture-based and culture-independent methods: A case study at Santa Monica Pier, California. <i>Water, Air, and Soil Pollution</i> , 2017 , 228, 1	2.6	2
62	Validation and application of quantitative PCR assays using host-specific Bacteroidales genetic markers for swine fecal pollution tracking. <i>Environmental Pollution</i> , 2017 , 231, 1569-1577	9.3	4
61	Assessing the seawater quality of a coastal city using fecal indicators and environmental variables (eastern Aegean Sea). <i>Marine Pollution Bulletin</i> , 2017 , 123, 400-403	6.7	9
60	Spatial and temporal microbial pollution patterns in a tropical estuary during high and low river flow conditions. <i>Marine Pollution Bulletin</i> , 2017 , 114, 952-961	6.7	17
59	Prevalence and Characterization of and Methicillin-Resistant on Public Recreational Beaches in Northeast Ohio. 2017 , 1, 320-332		19
58	Antimicrobial Susceptibility of Staphylococcus aureus Isolated from Recreational Waters and Beach Sand in Eastern Cape Province of South Africa. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	40

57	Physicochemical Factors Influence the Abundance and Culturability of Human Enteric Pathogens and Fecal Indicator Organisms in Estuarine Water and Sediment. <i>Frontiers in Microbiology</i> , 2017 , 8, 1996	5.7	16
56	Monitoring E. coli in a changing beachscape. <i>Science of the Total Environment</i> , 2018 , 619-620, 1236-1246	10.2	9
55	Microbial source tracking markers associated with domestic rainwater harvesting systems: Correlation to indicator organisms. 2018 , 161, 446-455		21
54	Transcriptome analysis and discovery of genes involved in immune pathways from coelomocytes of <i>Onchidium struma</i> after bacterial challenge. 2018 , 72, 528-543		7
53	Regional Variations of Bovine and Porcine Fecal Pollution as a Function of Landscape, Nutrient, and Hydrological Factors. 2018 , 47, 1024-1032		5
52	Relationships between Microbial Indicators and Pathogens in Recreational Water Settings. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	63
51	Detection and quantification of human adenovirus (HAdV), JC polyomavirus (JCPyV) and hepatitis A virus (HAV) in recreational waters of Niterói Rio de Janeiro, Brazil. <i>Marine Pollution Bulletin</i> , 2018 , 133, 240-245	6.7	18
50	Recreational water quality status of the Kidd's Beach as determined by its physicochemical and bacteriological quality parameters. 2019 , 5, e01893		6
49	Impacts of a changing earth on microbial dynamics and human health risks in the continuum between beach water and sand. <i>Water Research</i> , 2019 , 162, 456-470	12.5	28
48	Biomonitoring of the environmental indicator and pathogenic microorganisms assortment in foremost pilgrimage beaches of the Bay of Bengal, Southeast coast, India. <i>Marine Pollution Bulletin</i> , 2019 , 149, 110548	6.7	0
47	Fecal indicator dynamics at the watershed scale: Variable relationships with land use, season, and water chemistry. <i>Science of the Total Environment</i> , 2019 , 697, 134113	10.2	18
46	Bacteria: the natural indicator of environmental pollution. 2019 , 393-420		3
45	Using millimeter-waves for rapid detection of pathogenic bacteria in food based on bacteriophage. <i>Engineering Reports</i> , 2019 , 1, e12026	1.2	2
44	Occurrence of norovirus genogroups I and II in recreational water from four beaches in Belém city, Brazilian Amazon region. <i>Journal of Water and Health</i> , 2019 , 17, 442-454	2.2	2
43	Advancements in mitigating interference in quantitative polymerase chain reaction (qPCR) for microbial water quality monitoring. <i>Science of the Total Environment</i> , 2019 , 671, 732-740	10.2	7
42	Optical detection of waterborne pathogens using nanomaterials. <i>TrAC - Trends in Analytical Chemistry</i> , 2019 , 113, 280-300	14.6	35
41	Development and application of a real-time polymerase chain reaction method for quantification of <i>Escherichia coli</i> in oysters (<i>Crassostrea gigas</i>). <i>Food Microbiology</i> , 2019 , 77, 85-92	6	10
40	The potential human exposure to antibiotic resistant- <i>Escherichia coli</i> through recreational water. <i>Science of the Total Environment</i> , 2019 , 650, 786-795	10.2	30

39	Enterococci may not present the pollution of most enteric pathogenic bacteria in recreational seawaters of Xinghai bathing Beach, China. <i>Ecological Indicators</i> , 2020 , 110, 105938	5.8	6
38	Frontier review on the propensity and repercussion of SARS-CoV-2 migration to aquatic environment.. <i>Journal of Hazardous Materials Letters</i> , 2020 , 1, 100001	3.3	23
37	Assessment of some water quality of Obuburu River, Okene, Kogi State, Nigeria. <i>Journal of Applied Sciences and Environmental Management</i> , 2020 , 23, 1995	0.4	
36	The Role of Land Use Types and Water Chemical Properties in Structuring the Microbiomes of a Connected Lake System. <i>Frontiers in Microbiology</i> , 2020 , 11, 89	5.7	13
35	Variable fecal source prioritization in recreational waters routinely monitored with viral and bacterial general indicators. <i>Water Research</i> , 2021 , 192, 116845	12.5	4
34	A Critical Review of Applications of QMRA for Healthy and Safe Reclaimed Water Management. <i>Environmental Modeling and Assessment</i> , 2021 , 26, 339-354	2	1
33	Occurrence and distribution of fecal indicators and pathogenic bacteria in seawater and Perna perna mussel in the Gulf of Annaba (Southern Mediterranean). <i>Environmental Science and Pollution Research</i> , 2021 , 28, 46035-46052	5.1	2
32	Impact of effluent discharge on recreational beach water quality: a case study of Karachi-Pakistan. <i>Journal of Coastal Conservation</i> , 2021 , 25, 1	1.9	1
31	Performance of faecal indicator bacteria, microbial source tracking, and pollution risk mapping in tropical water. <i>Environmental Pollution</i> , 2021 , 276, 116693	9.3	3
30	Bathing Water Quality Monitoring Practices in Europe and the United States. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	13
29	Seasonal Dynamics of Microbial Contamination and Antibiotic Resistance in the Water at the Tiet� Ecological Park, Brazil. <i>Water, Air, and Soil Pollution</i> , 2021 , 232, 1	2.6	5
28	Trends in regional enterococci levels at marine beaches and correlations with environmental, global oceanic changes, community populations, and wastewater infrastructure. <i>Science of the Total Environment</i> , 2021 , 793, 148641	10.2	2
27	Evaluation of E. coli in sediment for assessing irrigation water quality using machine learning. <i>Science of the Total Environment</i> , 2021 , 799, 149286	10.2	6
26	Viruses as Tracers of Fecal Contamination. 2011 , 113-135		6
25	New Methods to Assess Fecal Contamination in Beach Water Quality. <i>Coastal Research Library</i> , 2015 , 65-81	0.4	1
24	Chapter 2:Waterborne Pathogens. <i>Issues in Environmental Science and Technology</i> , 2011 , 25-67	0.7	2
23	The role of land use types and water chemical properties in structuring the microbiomes of a connected lakes system.		2
22	Biomonitoring along the Tropical Southern Indian Coast with Multiple Biomarkers. <i>PLoS ONE</i> , 2016 , 11, e0154105	3.7	6

21	Effects of ecological factors and human activities on nonpoint source pollution in the upper reach of the Yangtze River and its management strategies.		8
20	Beaches and Coastal Environments. 2011 , 451-483		
19	Human Bacterial Diseases ocean/oceanic human bacterial diseases from Ocean ocean/oceanic. 2012 , 5047-5070		
18	Human Bacterial Diseases from Ocean. 2013 , 63-97		1
17	Pollution from land-based sources. 2019 , 106-122		1
16	Occurrence and distribution of fecal indicators and pathogenic bacteria in seawater and Perna pernamussel in the Gulf of Annaba (Southern Mediterranean).		
15	Influenza A and D Viruses in Non-Human Mammalian Hosts in Africa: A Systematic Review and Meta-Analysis.. <i>Viruses</i> , 2021 , 13,	6.2	1
14	Evaluation of Microbial Status of Coastal recreational Waters in the Caspian Sea [A Case Study Mazandaran Province. <i>Journal of Human, Environment, and Health Promotion</i> , 2021 , 7, 197-204	0.7	
13	Data_Sheet_1.docx. 2020 ,		
12	Data_Sheet_2.xlsx. 2020 ,		
11	Data_Sheet_3.xlsx. 2020 ,		
10	Microbiological and chemical characteristics of beaches along the Taranto Gulf (Ionian Sea, Southern Italy). <i>Environmental Monitoring and Assessment</i> , 2022 , 194,	3.1	
9	Microbiological assessment of marine and estuarine ecosystems using fecal indicator bacteria, Salmonella, Vibrio and antibiotic resistance pattern. <i>Marine Pollution Bulletin</i> , 2022 , 180, 113824	6.7	1
8	Fecal Indicator Bacteria Levels at a Marine Beach Before, During, and after the COVID-19 Shutdown Period and Associations with Decomposing Seaweed and Human Presence. <i>SSRN Electronic Journal</i> ,	1	
7	Fecal indicator bacteria levels at a marine beach before, during, and after the COVID-19 shutdown period and associations with decomposing seaweed and human presence. 2022 , 851, 158349		0
6	Impact of water reuse on agricultural practices and human health. 2023 , 216, 114762		1
5	Cattle access to small streams increases concentrations of Escherichia coli in bed sediments.		1
4	A Preliminary Approximation to Microbiological Beach Sand Quality along the Coast of the Department of Atl�tico (Caribbean Sea of Colombia): Influence of the Magdalena River. 2023 , 15, 48		0

- 3 Antimicrobial activities of the soft-tissue ethanolic crude extracts of corbiculid clam, *Corbicula fluminea* and cyrenid clam, *Geloina expansa*. **2022**, 6, 68 ○
- 2 Occurrence of enteric and non-enteric microorganisms in coastal waters impacted by anthropogenic activities: A multi-route QMRA for swimmers. **2023**, 188, 114716 ○
- 1 A scoping review of waterborne and water-related disease in the Florida environment from 1999 to 2022. **2023**, ○