

Light Trapping in Silicon Nanowire Solar Cells

Nano Letters

10, 1082-1087

DOI: [10.1021/nl100161z](https://doi.org/10.1021/nl100161z)

Citation Report

#	ARTICLE	IF	CITATIONS
5	Motion Picture Sets<!--<xref ref-type="other" rid="fn1-10.5594_J07510">*</xref>-->. Journal of the Society of Motion Picture Engineers, 1931, 17, 789-791.	0.2	1
6	Tracking in Control Systems Described by Nonlinear Differential-Algebraic Equations with Applications to Constrained Robot Systems. , 1993, , .		13
7	Image enhancement with wave-equation redatuming: application to GPR data collected at public transportation sites. Journal of Geophysics and Engineering, 2007, 4, 139-147.	0.7	25
8	An adaptive gaze stabilization controller inspired by the vestibulo-ocular reflex. Bioinspiration and Biomimetics, 2008, 3, 035001.	1.5	30
9	Temperature-induced coexistence of integer, half-integer and quarter-integer fluxoid configurations in d-wave SQUIDs with a ferromagnetic junction. Superconductor Science and Technology, 2009, 22, 075022.	1.8	1
10	Design of a 450 MHz $\hat{I}^2 = 0.2$ single spoke cavity at PKU. Chinese Physics C, 2009, 33, 292-296.	1.5	2
11	Spectroscopic Changes of Silicon Nanowires Induced by Femtosecond Laser Pulses. Chemistry Letters, 2010, 39, 890-891.	0.7	1
12	n-Type Doping of Vaporâ€“Liquidâ€“Solid Grown GaAs Nanowires. Nanoscale Research Letters, 2011, 6, 65.	3.1	58
13	Patterning Colloidal Crystals and Nanostructure Arrays by Soft Lithography. Advanced Functional Materials, 2010, 20, 3411-3424.	7.8	133
14	Strong Efficiency Improvements in Ultraâ€“lowâ€“Cost Inorganic Nanowire Solar Cells. Advanced Materials, 2010, 22, E254-8.	11.1	181
15	Anti-reflecting and photonic nanostructures. Materials Science and Engineering Reports, 2010, 69, 1-35.	14.8	531
16	Boosting short circuit current with rationally designed periodic Si nanopillar surface texturing for thin film solar cell. , 2010, , .		6
17	A waferscale Si wire solar cell using radial and bulk pâ€“n junctions. Nanotechnology, 2010, 21, 445303.	1.3	105
18	A high efficiency and cost effective Si thin film solar cell with novel periodic nanohole textured surface. , 2010, , .		1
19	Retinal light trapping in textured photovoltaic cells. Applied Physics Letters, 2010, 97, .	1.5	7
20	Design and growth of III–V nanowire solar cell arrays on low cost substrates. , 2010, , .		7
21	Faceting and disorder in nanowire solar cell arrays. , 2010, , .		1
22	Silicon nanowire-array-textured solar cells for photovoltaic application. Journal of Applied Physics, 2010, 108, 094318.	1.1	56

#	ARTICLE	IF	CITATIONS
23	Ordered silicon nanowire array based solar cells produced by metal assisted chemical etching. , 2010, , .		0
24	Optical absorption enhancement in silicon nanowire and nanohole arrays for photovoltaic applications. , 2010, , .		9
25	Fundamental limit of nanophotonic light-trapping in solar cells. , 2010, , .		29
26	Fabrication of Silicon Nanowires with Precise Diameter Control Using Metal Nanodot Arrays as a Hard Mask Blocking Material in Chemical Etching. Chemistry of Materials, 2010, 22, 4111-4116.	3.2	83
27	High-Performance Silicon Nanohole Solar Cells. Journal of the American Chemical Society, 2010, 132, 6872-6873.	6.6	313
28	High-Efficiency Ordered Silicon Nano-Conical-Frustum Array Solar Cells by Self-Powered Parallel Electron Lithography. Nano Letters, 2010, 10, 4651-4656.	4.5	211
29	Electrospun Ultralong Hierarchical Vanadium Oxide Nanowires with High Performance for Lithium Ion Batteries. Nano Letters, 2010, 10, 4750-4755.	4.5	549
30	Fast and Scalable Printing of Large Area Monolayer Nanoparticles for Nanotexturing Applications. Nano Letters, 2010, 10, 2989-2994.	4.5	87
31	High-Performance Photoelectrochemical Cells from Ionic Liquid Electrolyte in Methyl-Terminated Silicon Nanowire Arrays. ACS Nano, 2010, 4, 5869-5876.	7.3	93
32	Vertically arrayed Si nanowire/nanorod-based core-shell p-n junction solar cells. Journal of Applied Physics, 2010, 108, .	1.1	71
33	Fundamental limit of nanophotonic light trapping in solar cells. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 17491-17496.	3.3	703
34	Ordered Arrays of Dual-Diameter Nanopillars for Maximized Optical Absorption. Nano Letters, 2010, 10, 3823-3827.	4.5	269
35	Light absorption and emission in nanowire array solar cells. Optics Express, 2010, 18, 27589.	1.7	143
36	Optical absorption enhancement in disordered vertical silicon nanowire arrays for photovoltaic applications. Optics Letters, 2010, 35, 3378.	1.7	156
37	Fundamental limit of light trapping in grating structures. Optics Express, 2010, 18, A366.	1.7	306
38	Electro optical simulation of diffraction in solar cells. Optics Express, 2010, 18, A584.	1.7	27
39	Toward the Lambertian Limit of Light Trapping in Thin Nanostructured Silicon Solar Cells. Nano Letters, 2010, 10, 4692-4696.	4.5	255
40	Vertical Pillar-Superlattice Array and Graphene Hybrid Light Emitting Diodes. Nano Letters, 2010, 10, 2783-2788.	4.5	129

#	ARTICLE	IF	CITATIONS
41	Silicon nanowire hybrid photovoltaics. , 2010, , .		10
42	Subwavelength Si nanowire arrays for self-cleaning antireflection coatings. Journal of Materials Chemistry, 2010, 20, 10924.	6.7	81
43	Hybrid solar cells using GaAs nanopillars. , 2010, , .		0
44	Amorphous silicon core-shell nanowire Schottky solar cells. , 2010, , .		4
45	Si microwire-array solar cells. Energy and Environmental Science, 2010, 3, 1037.	15.6	217
46	Design and photovoltaic performance of nanorod solar cells with amorphous silicon absorber layer thickness of only 25 nm. , 2011, , .		0
47	Growth, structural and vibrating properties of CdSeâ€“Ge, CdSeâ€“Geâ€“CdSe, CdSeâ€“Ge/Ge, Geâ€“GeSe heterostructure nanowires and GeSe nanobelts. CrystEngComm, 2011, 13, 2734.	1.3	10
48	A novel low aspect-ratio Si nano-hemisphere surface texturing scheme for ultrathin film solar cells. , 2011, , .		0
49	Spatially resolved photovoltaic performance of axial GaAs nanowire pn-diodes. , 2011, , .		0
50	Si/PEDOT:PSS core/shell nanowire arrays for efficient hybrid solar cells. Nanoscale, 2011, 3, 3631.	2.8	126
51	Low-Temperature Self-Catalytic Growth of Tin Oxide Nanocones over Large Areas. ACS Nano, 2011, 5, 5800-5807.	7.3	40
52	Tetracene-Doped Anthracene Nanowire Arrays: Preparation and Doping Effects. Langmuir, 2011, 27, 6374-6380.	1.6	12
53	Size control of CuInSe ₂ nanotube arrays via nanochannel-confined galvanic displacement. Journal of Materials Chemistry, 2011, 21, 17091.	6.7	8
54	Using intruded gold nanoclusters as highly active catalysts to fabricate silicon nanostalactite structures exhibiting excellent light trapping and field emission properties. Energy and Environmental Science, 2011, 4, 5020.	15.6	11
55	Enhanced reflection from arrays of silicon based inverted nanocones. Applied Physics Letters, 2011, 99, 133105.	1.5	23
56	Silicon doping effect on SF ₆ /O ₂ plasma chemical texturing. Journal of Applied Physics, 2011, 110, .	1.1	2
57	Three-Dimensional High-Density Hierarchical Nanowire Architecture for High-Performance Photoelectrochemical Electrodes. Nano Letters, 2011, 11, 3413-3419.	4.5	223
58	Theoretical analysis and modeling of light trapping in high efficiency GaAs nanowire array solar cells. Applied Physics Letters, 2011, 99, .	1.5	132

#	ARTICLE	IF	CITATIONS
59	Nanorod solar cell with an ultrathin a-Si:H absorber layer. Applied Physics Letters, 2011, 98, 113111.	1.5	75
60	High Optical Quality InP-Based Nanopillars Fabricated by a Top-Down Approach. Nano Letters, 2011, 11, 4805-4811.	4.5	36
61	Tuning Surface Wettability of In _x Ga _(1-x) N Nanotip Arrays by Phosphonic Acid Modification and Photoillumination. Langmuir, 2011, 27, 13220-13225.	1.6	20
62	Structural and Photoelectrochemical Properties of GaP Nanowires Annealed in NH ₃ . Journal of Physical Chemistry C, 2011, 115, 22652-22661.	1.5	14
63	Near-Infrared Light Trapping in Disordered Inverse Opals. Journal of Physical Chemistry C, 2011, 115, 14341-14346.	1.5	14
64	Angular constraint on light-trapping absorption enhancement in solar cells. Applied Physics Letters, 2011, 98, 011106.	1.5	41
65	In _x Ga _(1-x) As Nanowires on Silicon: One-Dimensional Heterogeneous Epitaxy, Bandgap Engineering, and Photovoltaics. Nano Letters, 2011, 11, 4831-4838.	4.5	133
66	Silicon nanohole photovoltaic cells. , 2011, , .		1
67	Si Nanopillar Array Surface-Textured Thin-Film Solar Cell With Radial p-n Junction. IEEE Electron Device Letters, 2011, 32, 176-178.	2.2	32
68	Reconfigurable Imaging Systems Using Elliptical Nanowires. Nano Letters, 2011, 11, 4299-4303.	4.5	68
69	Hybrid Si Microwire and Planar Solar Cells: Passivation and Characterization. Nano Letters, 2011, 11, 2704-2708.	4.5	151
70	Directed nanorobot-based handling of single nanowires. , 2011, , .		7
71	Monolayer graphene film/silicon nanowire array Schottky junction solar cells. Applied Physics Letters, 2011, 99, .	1.5	120
72	Absorption of Light in a Single-Nanowire Silicon Solar Cell Decorated with an Octahedral Silver Nanocrystal. Nano Letters, 2011, 11, 5189-5195.	4.5	72
73	Characterization of Semiconductor Nanowires Using Optical Tweezers. Nano Letters, 2011, 11, 2375-2381.	4.5	79
74	Strongly enhanced minority lifetimes in single silicon nanowires by surface passivation. , 2011, , .		0
75	Dramatic Reduction of Surface Recombination by in Situ Surface Passivation of Silicon Nanowires. Nano Letters, 2011, 11, 2527-2532.	4.5	230
76	High-performance Schottky solar cells using ZrS ₂ nanobelt networks. Energy and Environmental Science, 2011, 4, 2586.	15.6	68

#	ARTICLE	IF	CITATIONS
77	Graphene/Silicon Nanowire Schottky Junction for Enhanced Light Harvesting. ACS Applied Materials & Interfaces, 2011, 3, 721-725.	4.0	214
78	Highly efficient Si-nanorods/organic hybrid core-sheath heterojunction solar cells. Applied Physics Letters, 2011, 99, .	1.5	102
79	Aligned Si nanowire-based solar cells. Nanoscale, 2011, 3, 4888.	2.8	44
80	Unveiling the Formation Pathway of Single Crystalline Porous Silicon Nanowires. ACS Applied Materials & Interfaces, 2011, 3, 261-270.	4.0	156
81	Cadmium sulfide nanowires for the window semiconductor layer in thin film CdS/CdTe solar cells. Nanotechnology, 2011, 22, 145304.	1.3	57
82	Air Stable, Efficient Hybrid Photovoltaic Devices Based on Poly(3-hexylthiophene) and Silicon Nanostructures. Chemistry of Materials, 2011, 23, 2084-2090.	3.2	146
83	Solar energy enhancement using down-converting particles: A rigorous approach. Journal of Applied Physics, 2011, 109, .	1.1	78
84	Simple Approach of Fabricating High Efficiency Si Nanowire/Conductive Polymer Hybrid Solar Cells. IEEE Electron Device Letters, 2011, 32, 1406-1408.	2.2	77
85	A photonic-plasmonic structure for enhancing light absorption in thin film solar cells. Applied Physics Letters, 2011, 99, .	1.5	102
86	Numerical model of current-voltage characteristics and efficiency of GaAs nanowire solar cells. Journal of Applied Physics, 2011, 109, .	1.1	98
87	Design guideline of high efficiency crystalline Si thin film solar cell with nanohole array textured surface. Journal of Applied Physics, 2011, 109, .	1.1	47
88	Low aspect-ratio hemispherical nanopit surface texturing for enhancing light absorption in crystalline Si thin film-based solar cells. Applied Physics Letters, 2011, 98, .	1.5	68
89	Sulfur passivation and contact methods for GaAs nanowire solar cells. Nanotechnology, 2011, 22, 225402.	1.3	94
90	Tin-Catalyzed Plasma-Assisted Growth of Silicon Nanowires. Journal of Physical Chemistry C, 2011, 115, 3833-3839.	1.5	54
91	Patterning of various silicon structures via polymer lithography and catalytic chemical etching. Nanotechnology, 2011, 22, 275305.	1.3	12
92	Light Trapping in Single Coaxial Nanowires for Photovoltaic Applications. IEEE Electron Device Letters, 2011, 32, 45-47.	2.2	37
93	Nanowire Solar Cells. Annual Review of Materials Research, 2011, 41, 269-295.	4.3	556
94	Photoluminescence origins of the porous silicon nanowire arrays. Journal of Applied Physics, 2011, 110, .	1.1	34

#	ARTICLE	IF	CITATIONS
95	Highly selective spectral response with enhanced responsivity of n-ZnO/p-Si radial heterojunction nanowire photodiodes. Applied Physics Letters, 2011, 98, 033102.	1.5	101
96	Optimization of vertical silicon nanowire based solar cell using 3D TCAD simulation. , 2011, , .		1
97	Schottky-barrier lowering in silicon nanowire field-effect transistors prepared by metal-assisted chemical etching. Applied Physics Letters, 2011, 98, .	1.5	11
98	Prediction of high zT in thermoelectric silicon nanowires with axial germanium heterostructures. Europhysics Letters, 2011, 94, 67001.	0.7	29
99	Fundamental limits in the external quantum efficiency of single nanowire solar cells. Applied Physics Letters, 2011, 99, 263102.	1.5	45
100	Effect of electroless etching parameters on the growth and reflection properties of silicon nanowires. Nanotechnology, 2011, 22, 155606.	1.3	90
101	Strong Light Absorption of Self-Organized 3-D Nanospire Arrays for Photovoltaic Applications. ACS Nano, 2011, 5, 9291-9298.	7.3	76
102	Influence of nanowires length on performance of crystalline silicon solar cell. Applied Physics Letters, 2011, 98, .	1.5	79
103	Atomically Smooth p-Doped Silicon Nanowires Catalyzed by Aluminum at Low Temperature. ACS Nano, 2011, 5, 1313-1320.	7.3	44
104	Surface Texturing of n- and p-Doped c-Si Using a Novel Plasma Chemical Texturing Process. Energy Procedia, 2011, 10, 1-7.	1.8	2
105	Hybrid Heterojunction Solar Cell Based on Organic-Inorganic Silicon Nanowire Array Architecture. Journal of the American Chemical Society, 2011, 133, 19408-19415.	6.6	275
106	Enhanced absorptive characteristics of metal nanoparticle-coated silicon nanowires for solar cell applications. Applied Optics, 2011, 50, G63.	2.1	29
107	<i>In vivo</i> pharmacokinetics, long-term biodistribution and toxicology study of functionalized upconversion nanoparticles in mice. Nanomedicine, 2011, 6, 1327-1340.	1.7	190
108	Nanomoulding of transparent zinc oxide electrodes for efficient light trapping in solar cells. Nature Photonics, 2011, 5, 535-538.	15.6	265
109	Optical properties of Si microwires combined with nanoneedles for flexible thin film photovoltaics. Optics Express, 2011, 19, A41.	1.7	44
110	Directionally selective light trapping in a germanium solar cell. Optics Express, 2011, 19, A136.	1.7	15
111	Multifunctional light escaping architecture inspired by compound eye surface structures: From understanding to experimental demonstration. Optics Express, 2011, 19, A157.	1.7	51
112	Optical and electrical study of core-shell silicon nanowires for solar applications. Optics Express, 2011, 19, A1057.	1.7	15

#	ARTICLE	IF	CITATIONS
113	Modal analysis of enhanced absorption in silicon nanowire arrays. Optics Express, 2011, 19, A1067.	1.7	126
114	Optimal design of aperiodic, vertical silicon nanowire structures for photovoltaics. Optics Express, 2011, 19, A1148.	1.7	90
115	Ray optical light trapping in silicon microwires: exceeding the 2n ² intensity limit. Optics Express, 2011, 19, 3316.	1.7	47
116	Design of wavelength selective concentrator for micro PV/TPV systems using evolutionary algorithm. Optics Express, 2011, 19, 13140.	1.7	5
117	Optical performance of top-down fabricated InGaN/GaN nanorod light emitting diode arrays. Optics Express, 2011, 19, 25528.	1.7	167
118	Broadband absorption enhancement in randomly positioned silicon nanowire arrays for solar cell applications. Optics Letters, 2011, 36, 1884.	1.7	82
119	Effective method to extract optical bandgaps in Si nanowire arrays. Optics Letters, 2011, 36, 2677.	1.7	17
120	Coherent light trapping in thin-film photovoltaics. MRS Bulletin, 2011, 36, 453-460.	1.7	84
121	Enhancement of Si-Based Solar Cell Efficiency via Nanostructure Integration. Green Energy and Technology, 2011, , 3-55.	0.4	0
122	Strong Geometrical Dependence of the Absorption of Light in Arrays of Semiconductor Nanowires. ACS Nano, 2011, 5, 2316-2323.	7.3	169
123	Nanostructured Inorganic Solar Cells. Green, 2011, 1, .	0.4	8
124	Detailed balance limit of silicon nanowire and nanohole array solar cells. Proceedings of SPIE, 2011, , .	0.8	6
125	Photon management for photovoltaics. MRS Bulletin, 2011, 36, 424-428.	1.7	63
126	Self-assembly of one-dimensional nanomaterials for cost-effective photovoltaics. International Journal of Nanoparticles, 2011, 4, 164.	0.1	11
127	One-dimensional coaxial nanowire solar cell. International Journal of Nanoparticles, 2011, 4, 184.	0.1	0
128	Texturing of crystalline Si thin film solar cells via nanostructure to boost efficiency. International Journal of Nanoparticles, 2011, 4, 284.	0.1	1
129	Nanowire based heterostructures: fundamental properties and applications. Proceedings of SPIE, 2011, , .	0.8	4
130	Comparing nanowire, multijunction, and single junction solar cells in the presence of light trapping. Journal of Applied Physics, 2011, 109, .	1.1	27

#	ARTICLE	IF	CITATIONS
131	Graded index and randomly oriented core-shell silicon nanowires for broadband and wide angle antireflection. AIP Advances, 2011, 1, .	0.6	15
132	Two-dimensionally patterned nanostructures based on monolayer colloidal crystals: Controllable fabrication, assembly, and applications. Nano Today, 2011, 6, 608-631.	6.2	328
133	Wideband anti-reflective micro/nano dual-scale structures: fabrication and optical properties. Micro and Nano Letters, 2011, 6, 947.	0.6	35
134	Broadband Enhancement of Light Harvesting in a Luminescent Solar Concentrator. IEEE Journal of Quantum Electronics, 2011, 47, 1171-1176.	1.0	5
135	Nanowires With Promise for Photovoltaics. IEEE Journal of Selected Topics in Quantum Electronics, 2011, 17, 1050-1061.	1.9	123
136	Compound Semiconductor Nanowire Solar Cells. IEEE Journal of Selected Topics in Quantum Electronics, 2011, 17, 1033-1049.	1.9	45
137	Boosting Short-Circuit Current With Rationally Designed Periodic Si Nanopillar Surface Texturing for Solar Cells. IEEE Transactions on Electron Devices, 2011, 58, 3224-3229.	1.6	21
138	Light-trapping nano-structures in organic photovoltaic cells. Journal of Materials Chemistry, 2011, 21, 16293.	6.7	88
139	Vertical Transfer of Uniform Silicon Nanowire Arrays via Crack Formation. Nano Letters, 2011, 11, 1300-1305.	4.5	73
140	Multicolored Vertical Silicon Nanowires. Nano Letters, 2011, 11, 1851-1856.	4.5	350
141	Solution-processed core-shell nanowires for efficient photovoltaic cells. Nature Nanotechnology, 2011, 6, 568-572.	15.6	492
142	Nanophotonic light-trapping theory for solar cells. Applied Physics A: Materials Science and Processing, 2011, 105, 329-339.	1.1	57
143	Bioinspired Si subwavelength gratings by closely-packed silica nanospheres as etch masks for efficient antireflective surface. Applied Physics B: Lasers and Optics, 2011, 105, 335-342.	1.1	8
144	Spatially resolved photoelectric performance of axial GaAs nanowire pn-diodes. Nano Research, 2011, 4, 987-995.	5.8	31
145	Fabrication of large area high density, ultra-low reflection silicon nanowire arrays for efficient solar cell applications. Nano Research, 2011, 4, 1136-1143.	5.8	50
146	Organic nanofibers integrated by transfer technique in field-effect transistor devices. Nanoscale Research Letters, 2011, 6, 319.	3.1	14
147	Analysis of optical absorption in GaAs nanowire arrays. Nanoscale Research Letters, 2011, 6, 617.	3.1	50
148	Nanocoax solar cells based on aligned multiwalled carbon nanotube arrays. Physica Status Solidi (A) Applications and Materials Science, 2011, 208, 924-927.	0.8	22

#	ARTICLE	IF	CITATIONS
149	Novel Silicon Nanohemisphere Array Solar Cells with Enhanced Performance. <i>Small</i> , 2011, 7, 3138-3143.	5.2	50
150	(Bio)nanotechnologies to enhance environmental quality and energy production. <i>Journal of Chemical Technology and Biotechnology</i> , 2011, 86, 1354-1363.	1.6	20
151	Monolithic, Hierarchical Surface Reliefs by Holographic Photofluidization of Azopolymer Arrays: Direct Visualization of Polymeric Flows. <i>Advanced Functional Materials</i> , 2011, 21, 4412-4422.	7.8	58
152	Non-Reflecting Silicon and Polymer Surfaces by Plasma Etching and Replication. <i>Advanced Materials</i> , 2011, 23, 122-126.	11.1	149
153	Silicon Nanowires for Photovoltaic Solar Energy Conversion. <i>Advanced Materials</i> , 2011, 23, 198-215.	11.1	546
154	Light Absorption Enhancement in Thin-Film Solar Cells Using Whispering Gallery Modes in Dielectric Nanospheres. <i>Advanced Materials</i> , 2011, 23, 1272-1276.	11.1	329
155	Deterministic Nanotexturing by Directional Photofluidization Lithography. <i>Advanced Materials</i> , 2011, 23, 3244-3250.	11.1	37
156	Minority Carrier Lifetimes and Surface Effects in VLS-Grown Axial p-n Junction Silicon Nanowires. <i>Advanced Materials</i> , 2011, 23, 4306-4311.	11.1	32
157	Broadband Optical Antireflection Enhancement by Integrating Antireflective Nanoislands with Silicon Nanoconical-Frustum Arrays. <i>Advanced Materials</i> , 2011, 23, 5796-5800.	11.1	89
158	Giant Efficiency Enhancement of GaAs Solar Cells with Graded Antireflection Layers Based on Syringelike ZnO Nanorod Arrays. <i>Advanced Energy Materials</i> , 2011, 1, 506-510.	10.2	91
161	Understanding the Origin of the Low Performance of Chemically Grown Silicon Nanowires for Solar Energy Conversion. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 2334-2338.	7.2	71
162	High-Performance Silicon Nanowire Array Photoelectrochemical Solar Cells through Surface Passivation and Modification. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 9861-9865.	7.2	127
163	Synthesis of cadmium sulfide spongy balls with nanoconduits for effective light harvesting. <i>Electrochimica Acta</i> , 2011, 56, 2762-2768.	2.6	47
164	Concepts of inorganic solid-state nanostructured solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2011, 95, 1527-1536.	3.0	91
165	Nanostructured thin films for anti-reflection applications. <i>Thin Solid Films</i> , 2011, 519, 5194-5198.	0.8	19
166	Top-down fabrication of vertical silicon nano-rings based on Poisson diffraction. <i>Nanotechnology</i> , 2011, 22, 305301.	1.3	3
167	Theoretical conversion efficiency of a two-junction III-V nanowire on Si solar cell. <i>Journal of Applied Physics</i> , 2011, 110, .	1.1	85
168	Functional semiconductor nanowires via vapor deposition. <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , 2011, 29, 060801.	0.6	18

#	ARTICLE	IF	CITATIONS
169	Strain effects on the phonon thermal properties of ultra-scaled Si nanowires. Applied Physics Letters, 2011, 99, 083115.	1.5	7
170	Influence of cross-section geometry and wire orientation on the phonon shifts in ultra-scaled Si nanowires. Journal of Applied Physics, 2011, 110, .	1.1	7
171	High-efficiency Si-nanowire photovoltaic devices with optimal tip head design. , 2011, , .		0
172	Plasmonics induced absorption enhancement in silicon nanowires coated with metallic nanoparticles. , 2011, , .		2
173	Optical technique for determining surface recombination velocity and bulk lifetime in silicon nanowire arrays. , 2011, , .		0
174	Ultra high-density silicon nanowires for extremely low reflection in visible regime. Applied Physics Letters, 2011, 99, .	1.5	40
175	Decoupling single nanowire mobilities limited by surface scattering and bulk impurity scattering. Journal of Applied Physics, 2011, 110, 033705.	1.1	11
176	Self-organized antireflecting nano-cone arrays on Si (100) induced by ion bombardment. Journal of Applied Physics, 2011, 109, .	1.1	34
177	Parametric study of micropillar array solar cells. , 2011, , .		7
178	Optical absorption enhancement in silicon nanohole arrays for photovoltaics. , 2011, , .		0
179	Silicon nanostructure solar cells with excellent photon harvesting. Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics, 2011, 29, 021014.	0.6	11
180	Shape and orientation effects on the ballistic phonon thermal properties of ultra-scaled Si nanowires. Journal of Applied Physics, 2011, 110, .	1.1	9
181	Light Absorption Enhancement in Single Si(Core)/SiO ₂ (Shell) Coaxial Nanowires for Photovoltaic Applications. Advanced Materials Research, 0, 391-392, 264-268.	0.3	2
182	Facile Fabrication of Free-Standing Titanium Dioxide Nanorods Array with Highly Efficient Ultraviolet Light Induced Photocatalytic Activity. Advanced Materials Research, 2011, 306-307, 1266-1270.	0.3	1
183	Minimizing the Gibbs-Thomson effect in the low-temperature plasma synthesis of thin Si nanowires. Nanotechnology, 2011, 22, 315707.	1.3	2
184	Cost Effective Fabrication of Wafer Scale Nanoholes for Solar Cells Application. Materials Research Society Symposia Proceedings, 2011, 1323, 81.	0.1	0
185	Applying Silicon Nanoholes with Excellent Antireflection for Enhancing Photovoltaic Performance. Journal of the Electrochemical Society, 2011, 159, B104-B108.	1.3	17
186	Realization of effective light trapping and omnidirectional antireflection in smooth surface silicon nanowire arrays. Nanotechnology, 2011, 22, 065704.	1.3	69

#	ARTICLE	IF	CITATIONS
187	Study of electronic structures and absorption bands of BaMgF ₄ crystal with F colour centre. Chinese Physics B, 2011, 20, 047101.	0.7	1
188	Robust Nanoscale Patterns for Thin Film Solar Cells Using Inverse Optimization of Nonuniformly Sampled Absorption Spectrum. , 2011, , .		1
189	Optical trapping of nanowires. , 2011, , .		2
190	Plasmonics and nanophotonics for photovoltaics. MRS Bulletin, 2011, 36, 461-467.	1.7	108
191	Recycling Si wafers to fabricate multiple Si nanohole thin films by metal-assisted etching. , 2011, , .		0
192	Giving photovoltaics the green light: Plasmon-enhanced upconversion for broadband solar absorption. , 2011, , .		0
193	Plasma-aided fabrication in Si-based photovoltaic applications: an overview. Journal Physics D: Applied Physics, 2011, 44, 174033.	1.3	23
194	Correlated micro-photoluminescence and electron microscopy studies of the same individual heterostructured semiconductor nanowires. Nanotechnology, 2011, 22, 325707.	1.3	13
195	Electrode-contact enhancement in silicon nanowire-array-textured solar cells. Applied Physics Letters, 2011, 98, 143108.	1.5	21
196	Semiconductor nanowire building blocks: From flux line pinning to artificial photosynthesis. MRS Bulletin, 2012, 37, 806-813.	1.7	18
197	Heteroepitaxial Growth of Ge Nanowires on Si Substrates. International Journal of Photoenergy, 2012, 2012, 1-5.	1.4	3
198	A Novel Method to Grow Vertically Aligned Silicon Nanowires on Si (111) and Their Optical Absorption. Journal of Nanomaterials, 2012, 2012, 1-9.	1.5	11
199	Silicon Nanoscale Materials: From Theoretical Simulations to Photonic Applications. International Journal of Photoenergy, 2012, 2012, 1-21.	1.4	21
200	Light Absorption in Semiconductor Nanowire Arrays with Multijunction Cell Structures. Japanese Journal of Applied Physics, 2012, 51, 11PE07.	0.8	0
201	Wafer-Scale, Highly-Ordered Silicon Nanowires Produced by Step-and-Flash Imprint Lithography and Metal-Assisted Chemical Etching. Materials Research Society Symposia Proceedings, 2012, 1512, 1.	0.1	0
202	Radial p-n Junction Solar Cells by Core-Shell Silicon Nanowire Arrays. Materials Research Society Symposia Proceedings, 2012, 1302, 87801.	0.1	3
203	Analysis of surface recombination in nanowire array solar cells. Journal of Photonics for Energy, 2012, 2, 028002-1.	0.8	29
204	Effective medium analysis on the optical properties of silicon nanowire arrays. Proceedings of SPIE, 2012, , .	0.8	1

#	ARTICLE	IF	CITATIONS
205	Biomimetic nanostructures for anti-reflection (AR) devices. , 2012, , 108-146.		1
206	Tunable and selective resonant absorption in vertical nanowires. Optics Letters, 2012, 37, 3756.	1.7	134
207	Experiments with resonant thin-film hydrogenated amorphous silicon solar cells. Proceedings of SPIE, 2012, , .	0.8	1
208	Maskless fabrication of selectively sized silicon nanostructures for solar cell application. Journal of Vacuum Science and Technology B:Nanotechnology and Microelectronics, 2012, 30, 041401.	0.6	3
209	Enhanced Conversion Efficiency for Si Nanowireâ€“Organic Hybrid Solar Cells through the Incorporation of Organic Small Molecule. Japanese Journal of Applied Physics, 2012, 51, 10NE36.	0.8	5
210	Crystalline Silicon Cells Fabricated by Different Preclean Processes. Japanese Journal of Applied Physics, 2012, 51, 10NA11.	0.8	0
211	A new fragment-based approach for calculating electronic excitation energies of large systems. Journal of Chemical Physics, 2012, 136, 024113.	1.2	24
212	Polarization-resolved reflections in ordered and bunched silicon nanowire arrays. Journal of the Optical Society of America B: Optical Physics, 2012, 29, 3063.	0.9	8
213	Enhanced photon absorption and carrier generation in nanowire solar cells. Optics Express, 2012, 20, 3733.	1.7	19
214	Photon management with core-shell nanowire structures. Optics Express, 2012, 20, A255.	1.7	4
215	The tradeoff between plasmonic enhancement and optical loss in silicon nanowire solar cells integrated in a metal back reflector. Optics Express, 2012, 20, A777.	1.7	16
216	Sub-wavelength temperature probing in near-field laser heating by particles. Optics Express, 2012, 20, 14152.	1.7	16
217	Optical characteristics of silicon nanowires grown from tin catalyst layers on silicon coated glass. Optics Express, 2012, 20, 20266.	1.7	5
218	A close to unity and all-solar-spectrum absorption by ion-sputtering induced Si nanocone arrays. Optics Express, 2012, 20, 22087.	1.7	25
219	Enhanced anisotropy of the nonlinear absorption in the individual Au nanoparticles functionalized KNbO ₃ sub-microwire. Optics Express, 2012, 20, 24209.	1.7	3
220	Polarization resolved reflection from ordered vertical silicon nanowire arrays. Optics Letters, 2012, 37, 2961.	1.7	8
221	Design of a plasmonic back reflector for silicon nanowire decorated solar cells. Optics Letters, 2012, 37, 4245.	1.7	21
222	Simulation and optimization of 1-D periodic dielectric nanostructures for light-trapping. Optics Express, 2012, 20, 1849.	1.7	19

#	ARTICLE	IF	CITATIONS
223	Enhanced photon absorption of single nanowire $\hat{\pm}$ -Si solar cells modulated by silver core. Optics Express, 2012, 20, 11506.	1.7	26
224	Energetic instability of polygonal micro- and nanowires. Journal of Applied Physics, 2012, 111, 103509.	1.1	6
225	Optical and electrical characteristics of asymmetric nanowire solar cells. Journal of Applied Physics, 2012, 111, 073102.	1.1	8
226	Individual nanowire handling for NEMS fabrication. , 2012, , .		5
227	Broadband optical absorption enhancement in silicon nanofunnel arrays for photovoltaic applications. Applied Physics Letters, 2012, 100, .	1.5	29
228	Efficiency enhancement and sensitive broadband 1Hz ∼ 1kHz of power generator by recycling vibration energy on Automobile. , 2012, , .		3
229	Heat flow in InAs/InP heterostructure nanowires. Physical Review B, 2012, 86, .	1.1	11
230	Polarization-dependent light extinction in ensembles of polydisperse vertical semiconductor nanowires: A Mie scattering effective medium. Physical Review B, 2012, 86, .	1.1	15
231	On the design and applicability of nanowire solar cells using low-grade semiconductors. Journal of Applied Physics, 2012, 111, 034501.	1.1	21
232	Linear stability of circular micro- and nanowires with facets. Journal of Applied Physics, 2012, 111, 113503.	1.1	5
233	Room temperature atomic layer deposition of Al ₂ O ₃ and replication of butterfly wings for photovoltaic application. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2012, 30, .	0.9	15
234	Solar energy trapping with modulated silicon nanowire photonic crystals. Journal of Applied Physics, 2012, 112, .	1.1	50
235	Effects of nanowire texturing on the performance of Si/organic hybrid solar cells fabricated with a 2.2 $\hat{\mu}$ m thin-film Si absorber. Applied Physics Letters, 2012, 100, 103104.	1.5	47
236	Heterojunction photodiode fabricated from hydrogen treated ZnO nanowires grown on \langle i>p</i>-silicon substrate. Applied Physics Letters, 2012, 101, 211103.	1.5	36
237	High performance radial p-n junction solar cell based on silicon nanopillar array with enhanced decoupling mechanism. Applied Physics Letters, 2012, 101, .	1.5	25
238	Enhancement of the ultraviolet absorption and Raman efficiencies of a few nanometer thick Si-on-insulator. Journal of Applied Physics, 2012, 112, 074317.	1.1	10
239	Recent advances in the synthesis of colloidal nanowires. Canadian Journal of Chemistry, 2012, 90, 1032-1047.	0.6	14
240	CdS nanowire layers of enhanced transmittance for window layer applications in thin film solar cells. , 2012, , .		2

#	ARTICLE	IF	CITATIONS
241	Efficiency enhancement of InGaN multi-quantum-well solar cells via light-harvesting SiO ₂ nano-honeycombs. Applied Physics Letters, 2012, 100, .	1.5	24
242	Nanowire array photovoltaics: Radial disorder versus design for optimal efficiency. Applied Physics Letters, 2012, 101, .	1.5	39
243	Thermodynamic Upper Bound on Broadband Light Coupling with Photonic Structures. Physical Review Letters, 2012, 109, 173901.	2.9	59
244	Guided-mode quantum efficiency: A novel optoelectronic characterization technique. Review of Scientific Instruments, 2012, 83, 114704.	0.6	4
245	GaAs nanopillar arrays with suppressed broadband reflectance and high optical quality for photovoltaic applications. Optical Materials Express, 2012, 2, 1671.	1.6	35
246	Light-trapping in Thin Film Silicon Solar Cells with a Combination of Periodic and Randomly Textured Back-reflectors. Materials Research Society Symposia Proceedings, 2012, 1426, 117-123.	0.1	1
247	Fabrication and modeling of large-scale silicon nanowire solar cells for thin-film photovoltaics. , 2012, , .		3
248	Characterization of silicon nanowire biosensors and solar cells. , 2012, , .		0
249	Analysis of the equal width wave equation with the mesh-free reproducing kernel particle Ritz method. Chinese Physics B, 2012, 21, 100209.	0.7	5
250	Nanofabricated optical and detector elements for light-field camera sensors. Proceedings of SPIE, 2012, , .	0.8	1
251	Thermal Radiative Properties of Vertical Graphitic Petal Arrays. , 2012, , .		1
252	Wavelet Based Nano-Texture Structures for Thin Film PV Cells. , 2012, , .		0
253	Electrical Transport Features of SiNWs Random Network on Si Support after Covalent Attachment of New Organic Functionalities. Nanomaterials and Nanotechnology, 2012, 2, 2.	1.2	12
254	Optical reflectivity of GaAs nanowire arrays: Experiment and model. Journal of Applied Physics, 2012, 111, 114302.	1.1	22
255	Structure dependence in hybrid Si nanowire/poly(3,4-ethylenedioxythiophene):poly(styrenesulfonate) solar cells: Understanding photovoltaic conversion in nanowire radial junctions. Applied Physics Letters, 2012, 100, 023112.	1.5	27
256	Controlled Synthesis of Si Nanopillar Arrays for Photovoltaic and Plasmonic Applications. Materials Research Society Symposia Proceedings, 2012, 1449, 87.	0.1	1
257	5 Properties and Applications. , 2012, , 184-192.		0
258	A Story Told by a Single Nanowire: Optical Properties of Wurtzite GaAs. Nano Letters, 2012, 12, 6090-6095.	4.5	99

#	ARTICLE	IF	CITATIONS
259	Design Principles for Photovoltaic Devices Based on Si Nanowires with Axial or Radial p-n Junctions. Nano Letters, 2012, 12, 6024-6029.	4.5	119
260	Gallium Arsenide Solar Cell Absorption Enhancement Using Whispering Gallery Modes of Dielectric Nanospheres. IEEE Journal of Photovoltaics, 2012, 2, 123-128.	1.5	84
261	Experimental Study of Design Parameters in Silicon Micropillar Array Solar Cells Produced by Soft Lithography and Metal-Assisted Chemical Etching. IEEE Journal of Photovoltaics, 2012, 2, 129-133.	1.5	46
262	A Viable and Scalable Route for the Homogrowth of Si Nanocones and Si/C Nanostructures. Crystal Growth and Design, 2012, 12, 4473-4478.	1.4	10
263	Silicon nanowires for photovoltaic applications: The progress and challenge. Nano Energy, 2012, 1, 654-673.	8.2	108
264	Semiconductor Nanowires for Solar Cells. Nanoscience and Technology, 2012, , 297-328.	1.5	6
265	One-step synthesis of lightly doped porous silicon nanowires in HF/AgNO ₃ /H ₂ O ₂ solution at room temperature. Journal of Solid State Chemistry, 2012, 196, 596-600.	1.4	63
266	Assessing Charge Carrier Trapping in Silicon Nanowires Using Picosecond Conductivity Measurements. Nano Letters, 2012, 12, 3821-3827.	4.5	16
267	TiO ₂ -Coated Carbon Nanotube-Silicon Solar Cells with Efficiency of 15%. Scientific Reports, 2012, 2, 884.	1.6	141
268	Nanophotonic light trapping in solar cells. Journal of Applied Physics, 2012, 112, .	1.1	243
269	Evaluation and optimization of mass transport of redox species in silicon microwire-array photoelectrodes. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 15622-15627.	3.3	43
271	Nanotechnology-Enabled Energy Harvesting for Self-Powered Micro-Nanosystems. Angewandte Chemie - International Edition, 2012, 51, 11700-11721.	7.2	910
272	Transport properties of Sb-doped Si nanowires. Journal of Crystal Growth, 2012, 353, 140-144.	0.7	4
273	Plasmonic nano-antenna a-Si:H solar cell. Optics Express, 2012, 20, 27327.	1.7	24
274	Nanoscale photon management in silicon solar cells. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2012, 30, .	0.9	36
275	Si thin film solar cell with asymmetric p-n junction. , 2012, , .		0
276	Hybrid Si/PEDOT:PSS Core/Shell Nanowire Array Photoanode for Photoelectrochemical Cells. , 2012, , .		0
277	Measurement of light diffusion in ZnO nanowire forests. Applied Physics Letters, 2012, 100, .	1.5	10

#	ARTICLE	IF	CITATIONS
278	Silicon nanowire development for solar cell devices. , 2012, , .		1
279	An efficient broadband and omnidirectional light-harvesting scheme employing a hierarchical structure based on a ZnO nanorod/Si ₃ N ₄ -coated Si microgroove on 5-inch single crystalline Si solar cells. <i>Nanoscale</i> , 2012, 4, 6520.	2.8	32
280	Silicon nanowires as a rechargeable template for hydride transfer in redox biocatalysis. <i>Nanoscale</i> , 2012, 4, 7636.	2.8	5
281	Efficient Photon Capturing with Ordered Three-Dimensional Nanowell Arrays. <i>Nano Letters</i> , 2012, 12, 3682-3689.	4.5	168
282	Minimizing reflection losses from metallic electrodes and enhancing photovoltaic performance using the Si-micrograting solar cell with vertical sidewall electrodes. <i>Applied Physics Letters</i> , 2012, 101, .	1.5	8
283	p-CdTe nanoribbon/n-silicon nanowires array heterojunctions: photovoltaic devices and zero-power photodetectors. <i>CrystEngComm</i> , 2012, 14, 7222.	1.3	38
284	Hybrid effect of gas flow and light excitation in carbon/silicon Schottky solar cells. <i>Journal of Materials Chemistry</i> , 2012, 22, 3330.	6.7	12
285	Plasmon enhanced light trapping for thin film silicon solar cells application. , 2012, , .		0
286	Heterojunction with organic thin layer for three dimensional high performance hybrid solar cells. <i>Journal of Materials Chemistry</i> , 2012, 22, 5362.	6.7	45
287	Surface Second-Harmonic Generation from Vertical GaP Nanopillars. <i>Nano Letters</i> , 2012, 12, 820-826.	4.5	83
288	Application of ZnO Single Crystal Rods as Anti-Reflective Material for PV Cells. <i>Molecular Crystals and Liquid Crystals</i> , 2012, 565, 68-77.	0.4	2
289	Nanowire Arrays in Multicrystalline Silicon Thin Films on Glass: A Promising Material for Research and Applications in Nanotechnology. <i>Nano Letters</i> , 2012, 12, 4050-4054.	4.5	74
290	Bismuth-Catalyzed and Doped Silicon Nanowires for One-Pump-Down Fabrication of Radial Junction Solar Cells. <i>Nano Letters</i> , 2012, 12, 4153-4158.	4.5	76
291	Broadband absorption of semiconductor nanowire arrays for photovoltaic applications. <i>Journal of Optics (United Kingdom)</i> , 2012, 14, 024004.	1.0	87
292	Metal-Assisted Chemical Etching Using Silica Nanoparticle for the Fabrication of a Silicon Nanowire Array. <i>Japanese Journal of Applied Physics</i> , 2012, 51, 02BP09.	0.8	13
293	Development of Inorganic Solar Cells by Nano-technology. <i>Nano-Micro Letters</i> , 2012, 4, 124-134.	14.4	18
294	On-Surface Formation of Metal Nanowire Transparent Top Electrodes on CdSe Nanowire Array-Based Photoconductive Devices. <i>ACS Applied Materials & Interfaces</i> , 2012, 4, 3157-3162.	4.0	22
295	Heterogeneous Integration of InGaAs Nanowires on the Rear Surface of Si Solar Cells for Efficiency Enhancement. <i>ACS Nano</i> , 2012, 6, 11074-11079.	7.3	42

#	ARTICLE	IF	CITATIONS
296	One-dimensional nanostructured materials for solar energy harvesting. <i>Nanomaterials and Energy</i> , 2012, 1, 4-17.	0.1	31
297	Coaxial multishell nanowires with high-quality electronic interfaces and tunable optical cavities for ultrathin photovoltaics. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 1407-1412.	3.3	238
298	Optical Properties of Silicon and Germanium Nanowire Fabric. <i>Journal of Physical Chemistry C</i> , 2012, 116, 22486-22491.	1.5	23
299	Light Trapping in Solar Cells: Can Periodic Beat Random?. <i>ACS Nano</i> , 2012, 6, 2790-2797.	7.3	480
300	Shrinking and Growing: Grain Boundary Density Reduction for Efficient Polysilicon Thin-Film Solar Cells. <i>Nano Letters</i> , 2012, 12, 6485-6491.	4.5	24
301	High Density Growth of Indium seeded Silicon Nanowires in the Vapor phase of a High Boiling Point Solvent. <i>Chemistry of Materials</i> , 2012, 24, 2204-2210.	3.2	45
302	Magnetically Guided Nano-µ Shaping and Slicing of Silicon. <i>Nano Letters</i> , 2012, 12, 2045-2050.	4.5	32
303	Interconnection effects on the electronic and optical properties of Ge nanostructures: A semi-empirical approach. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2012, 44, 1230-1235.	1.3	11
304	Absorption enhancement in InGaN-based photonic crystal-implemented solar cells. <i>Journal of Nanophotonics</i> , 2012, 6, 061603.	0.4	4
305	Tuning Light Absorption in Core/Shell Silicon Nanowire Photovoltaic Devices through Morphological Design. <i>Nano Letters</i> , 2012, 12, 4971-4976.	4.5	237
306	High Efficiency Thin Upgraded Metallurgical-Grade Silicon Solar Cells on Flexible Substrates. <i>Nano Letters</i> , 2012, 12, 5143-5147.	4.5	46
307	Enhanced absorption in silicon nanocone arrays for photovoltaics. <i>Nanotechnology</i> , 2012, 23, 194003.	1.3	120
308	Three-Dimensional a-Si:H Solar Cells on Glass Nanocone Arrays Patterned by Self-Assembled Sn Nanospheres. <i>ACS Nano</i> , 2012, 6, 265-271.	7.3	60
309	Demonstration of Magnetic Dipole Resonances of Dielectric Nanospheres in the Visible Region. <i>Nano Letters</i> , 2012, 12, 3749-3755.	4.5	857
310	3D branched nanowire heterojunction photoelectrodes for high-efficiency solar water splitting and H ₂ generation. <i>Nanoscale</i> , 2012, 4, 1515.	2.8	167
311	Wafer-scale fabrication of silicon nanowire arrays with controllable dimensions. <i>Applied Surface Science</i> , 2012, 258, 8649-8655.	3.1	29
312	Nanomaterials and nanostructures for efficient light absorption and photovoltaics. <i>Nano Energy</i> , 2012, 1, 57-72.	8.2	270
313	Nanopillar photovoltaics: Materials, processes, and devices. <i>Nano Energy</i> , 2012, 1, 132-144.	8.2	142

#	ARTICLE	IF	CITATIONS
314	Template-guided growth of well-aligned ZnO nanocone arrays on FTO substrate. <i>Journal of Crystal Growth</i> , 2012, 346, 64-68.	0.7	11
315	Negative differential resistance behavior of silicon monatomic chain encapsulated in carbon nanotubes. <i>Computational Materials Science</i> , 2012, 62, 87-92.	1.4	25
316	Iodine-Doped Poly(3,4-Ethylenedioxythiophene)-Modified Si Nanowire 1D Core-Shell Arrays as an Efficient Photocatalyst for Solar Hydrogen Generation. <i>Advanced Materials</i> , 2012, 24, 6199-6203.	11.1	53
317	Novel Assembly of an MoS ₂ Electro-catalyst onto a Silicon Nanowire Array Electrode to Construct a Photocathode Composed of Elements Abundant on the Earth for Hydrogen Generation. <i>Chemistry - A European Journal</i> , 2012, 18, 13994-13999.	1.7	109
318	Efficiency improvement of silicon solar cells enabled by ZnO nanowisker array coating. <i>Nanoscale Research Letters</i> , 2012, 7, 306.	3.1	22
319	Thermal conductivity in porous silicon nanowire arrays. <i>Nanoscale Research Letters</i> , 2012, 7, 554.	3.1	64
320	Radial n-i-p structure SiNW-based microcrystalline silicon thin-film solar cells on flexible stainless steel. <i>Nanoscale Research Letters</i> , 2012, 7, 621.	3.1	11
321	Fabrication and characterization of ordered CuIn(1-x)Ga x Se2 nanopore films via template-based electrodeposition. <i>Nanoscale Research Letters</i> , 2012, 7, 675.	3.1	15
322	Application of Micro- and Nanotechnology in Photovoltaics. , 2012, , 515-531.		3
323	Optical characteristics of GaAs nanowire solar cells. <i>Journal of Applied Physics</i> , 2012, 112, .	1.1	53
324	An 18.2%-efficient black-silicon solar cell achieved through control of carrier recombination in nanostructures. <i>Nature Nanotechnology</i> , 2012, 7, 743-748.	15.6	836
325	Top-down fabrication of GaN-based nanorod LEDs and lasers. , 2012, , .		2
326	Enhanced Photoelectrochemical Hydrogen Production from Silicon Nanowire Array Photocathode. <i>Nano Letters</i> , 2012, 12, 298-302.	4.5	297
327	Colorful InAs Nanowire Arrays: From Strong to Weak Absorption with Geometrical Tuning. <i>Nano Letters</i> , 2012, 12, 1990-1995.	4.5	90
328	Power conversion efficiency enhancement based on the bio-inspired hierarchical antireflection layer in dye sensitized solar cells. <i>Nanoscale</i> , 2012, 4, 4464.	2.8	20
329	Si Nanowires Organic Semiconductor Hybrid Heterojunction Solar Cells Toward 10% Efficiency. <i>ACS Applied Materials & Interfaces</i> , 2012, 4, 1704-1708.	4.0	69
330	Towards light-trapping free amorphous Si only multi-junction solar cells. , 2012, , .		0
331	High efficiency nanotextured silicon solar cells. <i>Optics Communications</i> , 2012, 285, 4211-4214.	1.0	16

#	ARTICLE	IF	CITATIONS
332	Fabrication and characterization of nanorod solar cells with an ultrathin a-Si:H absorber layer. <i>Journal of Non-Crystalline Solids</i> , 2012, 358, 2209-2213.	1.5	13
333	Geometrical control of photocurrent in active Si nanowire devices. <i>Nano Energy</i> , 2012, 1, 714-722.	8.2	15
334	Conductive white back reflector and scatter based on ZnO nanostructure arrays for harvesting solar energy. <i>Nano Energy</i> , 2012, 1, 783-788.	8.2	9
335	Highly sensitive, reproducible, and stable SERS sensors based on well-controlled silver nanoparticle-decorated silicon nanowire building blocks. <i>Journal of Materials Chemistry</i> , 2012, 22, 14127.	6.7	49
336	Colloidal Stripe Pattern with Controlled Periodicity by Convective Self-Assembly with Liquid-Level Manipulation. <i>ACS Applied Materials & Interfaces</i> , 2012, 4, 3184-3190.	4.0	29
337	Solar Cell Light Trapping beyond the Ray Optic Limit. <i>Nano Letters</i> , 2012, 12, 214-218.	4.5	298
338	Conjugated polymer-silicon nanowire array hybrid Schottky diode for solar cell application. <i>Nanotechnology</i> , 2012, 23, 194006.	1.3	69
339	Sub-100 nm Si nanowire and nano-sheet array formation by MacEtch using a non-lithographic InAs nanowire mask. <i>Nanotechnology</i> , 2012, 23, 305305.	1.3	10
340	High yield transfer of ordered nanowire arrays into transparent flexible polymer films. <i>Nanotechnology</i> , 2012, 23, 495305.	1.3	21
341	Enhanced and persistent photoconductivity in vertical silicon nanowires and ZnS nanoparticles hybrid devices. <i>Applied Physics Letters</i> , 2012, 101, .	1.5	22
342	Enhanced photocurrent in thin-film amorphous silicon solar cells via shape controlled three-dimensional nanostructures. <i>Nanotechnology</i> , 2012, 23, 405203.	1.3	12
343	Direct Determination of Minority Carrier Diffusion Lengths at Axial GaAs Nanowire-n Junctions. <i>Nano Letters</i> , 2012, 12, 1453-1458.	4.5	112
344	Continuous phase-shift lithography with a roll-type mask and application to transparent conductor fabrication. <i>Nanotechnology</i> , 2012, 23, 344008.	1.3	50
345	Color Matrix Refractive Index Sensors Using Coupled Vertical Silicon Nanowire Arrays. <i>Nano Letters</i> , 2012, 12, 4228-4234.	4.5	82
346	Prospects and challenges of organic/group IV nanomaterial solar cells. <i>Journal of Materials Chemistry</i> , 2012, 22, 4216.	6.7	46
347	Solar energy harnessing in hexagonally arranged Si nanowire arrays and effects of array symmetry on optical characteristics. <i>Nanotechnology</i> , 2012, 23, 194010.	1.3	48
348	Black silicon with controllable macropore array for enhanced photoelectrochemical performance. <i>Applied Physics Letters</i> , 2012, 101, .	1.5	51
349	Radial junction amorphous silicon solar cells on PECVD-grown silicon nanowires. <i>Nanotechnology</i> , 2012, 23, 194011.	1.3	42

#	ARTICLE	IF	CITATIONS
350	Modeling the Interactions Among Neighboring Nanostructures for Local Feature Characterization and Defect Detection. IEEE Transactions on Automation Science and Engineering, 2012, 9, 745-754.	3.4	34
351	Modeling and simulation of the optical response rod-functionalized reflective surfaces. Computational Mechanics, 2012, 50, 257-268.	2.2	13
353	Gold Contamination in VLS-Grown Si Nanowires: Multiwavelength Anomalous Diffraction Investigations. Chemistry of Materials, 2012, 24, 4511-4516.	3.2	16
354	Optimizing non-radiative energy transfer in hybrid colloidal-nanocrystal/silicon structures by controlled nanopillar architectures for future photovoltaic cells. Applied Physics Letters, 2012, 100, 021902.	1.5	24
355	Electrically Active Screw Dislocations in Helical ZnO and Si Nanowires and Nanotubes. ACS Nano, 2012, 6, 10042-10049.	7.3	17
356	Inherent Control of Growth, Morphology, and Defect Formation in Germanium Nanowires. Nano Letters, 2012, 12, 5654-5663.	4.5	31
357	Carrier Dynamics in Si Nanowires Fabricated by Metal-Assisted Chemical Etching. ACS Nano, 2012, 6, 7814-7819.	7.3	24
358	Inorganic semiconductor nanomaterials for flexible and stretchable bio-integrated electronics. NPC Asia Materials, 2012, 4, e15-e15.	3.8	134
359	Heteroepitaxial Growth of GaSb Nanotrees with an Ultra-Low Reflectivity in a Broad Spectral Range. Nano Letters, 2012, 12, 1799-1805.	4.5	39
360	Oxide nanowires for solar cell applications. Nanoscale, 2012, 4, 1436-1445.	2.8	62
361	Heterojunction Silicon Microwire Solar Cells. Nano Letters, 2012, 12, 6278-6282.	4.5	95
362	Bunching characteristics of silicon nanowire arrays. Journal of Applied Physics, 2012, 111, .	1.1	45
363	Nanowire Heating by Optical Electromagnetic Irradiation. Langmuir, 2012, 28, 16177-16185.	1.6	28
364	COMPUTATIONAL SIMULATIONS OF NANOSTRUCTURED SOLAR CELLS. Nano LIFE, 2012, 02, 1230007.	0.6	3
365	Vertical Silicon Nanowire Platform for Low Power Electronics and Clean Energy Applications. Journal of Nanotechnology, 2012, 2012, 1-21.	1.5	35
366	Wet " Chemically Etched Silicon Nanowire Solar Cells: Fabrication and Advanced Characterization. , 2012, , .		2
367	Surface chemistry and morphology effects on optoelectronic transport at metal/nanostructured silicon/silicon structures. Journal of Applied Physics, 2012, 111, 094903.	1.1	8
368	Quantum-Sensitized TiO ₂ Inverse Opals for Photoelectrochemical Hydrogen Generation. Small, 2012, 8, 37-42.	5.2	208

#	ARTICLE	IF	CITATIONS
369	Silicon Patterning Using Self-assembled PS-b-PAA Diblock Copolymer Masks for Black Silicon Fabrication via Plasma Etching. <i>Plasma Processes and Polymers</i> , 2012, 9, 968-974.	1.6	12
370	Nanostructured thin film silicon solar cells efficiency improvement using gold nanoparticles. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2012, 209, 1475-1480.	0.8	49
371	High-Efficiency Si/Polymer Hybrid Solar Cells Based on Synergistic Surface Texturing of Si Nanowires on Pyramids. <i>Small</i> , 2012, 8, 1664-1668.	5.2	95
372	Core-shell CdTe-TiO ₂ nanostructured solar cell. <i>Journal of Materials Chemistry</i> , 2012, 22, 10441.	6.7	23
373	A silicon/zinc 2,9,16,23-tetraaminophthalocyanine coaxial core-shell nanowire array as an efficient solar hydrogen generation photocatalyst. <i>Nanotechnology</i> , 2012, 23, 175401.	1.3	5
374	Hybrid Silicon Nanocone-Polymer Solar Cells. <i>Nano Letters</i> , 2012, 12, 2971-2976.	4.5	402
375	Recent advances in solar cells based on one-dimensional nanostructure arrays. <i>Nanoscale</i> , 2012, 4, 2783.	2.8	211
376	Wrinkles and deep folds as photonic structures in photovoltaics. <i>Nature Photonics</i> , 2012, 6, 327-332.	15.6	346
377	Broadband light management using low-Q whispering gallery modes in spherical nanoshells. <i>Nature Communications</i> , 2012, 3, 664.	5.8	203
378	Dielectric Core-Shell Optical Antennas for Strong Solar Absorption Enhancement. <i>Nano Letters</i> , 2012, 12, 3674-3681.	4.5	106
379	Fabrication of Flexible and Vertical Silicon Nanowire Electronics. <i>Nano Letters</i> , 2012, 12, 3339-3343.	4.5	107
380	Optimized light absorption in Si wire array solar cells. <i>Journal of Optics (United Kingdom)</i> , 2012, 14, 024006.	1.0	59
381	One-dimensional homogeneous and heterogeneous nanowires for solar energy conversion. <i>Journal of Materials Chemistry</i> , 2012, 22, 16171.	6.7	53
382	Porosification-reduced optical trapping of silicon nanostructures. <i>Nanoscale</i> , 2012, 4, 5835.	2.8	18
383	Nickel Silicide Nanowire Arrays for Anti-Reflective Electrodes in Photovoltaics. <i>Advanced Functional Materials</i> , 2012, 22, 3650-3657.	7.8	22
384	Optical Absorption Enhancement in Freestanding GaAs Thin Film Nanopyramid Arrays. <i>Advanced Energy Materials</i> , 2012, 2, 1254-1260.	10.2	52
386	Silicon Nanowires as Photoelectrodes for Carbon Dioxide Fixation. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 6709-6712.	7.2	62
387	Tailoring Broadband Antireflection on a Silicon Surface through Two-Step Silver-Assisted Chemical Etching. <i>ChemPhysChem</i> , 2012, 13, 1415-1420.	1.0	20

#	ARTICLE	IF	CITATIONS
388	Efficient Light Trapping in Inverted Nanopyramid Thin Crystalline Silicon Membranes for Solar Cell Applications. Nano Letters, 2012, 12, 2792-2796.	4.5	322
389	Enhanced first-order Raman scattering from arrays of vertical silicon nanowires. Nanotechnology, 2012, 23, 275706.	1.3	68
390	Computational electromagnetics for nanowire solar cells. Journal of Computational Electronics, 2012, 11, 153-165.	1.3	20
391	The effects of surface modification on the electrical properties of p ⁺ n junction silicon nanowires grown by an aqueous electroless etching method. Journal of Nanoparticle Research, 2012, 14, 1.	0.8	4
392	Investigation on the performance enhancement of silicon solar cells with an assembly grating structure. Energy Conversion and Management, 2012, 54, 30-37.	4.4	35
393	Bismuth catalyzed growth of silicon nanowires by electron beam evaporation. Materials Letters, 2012, 82, 163-166.	1.3	14
394	Fabrication of TiO ₂ nanorod array/semiconductor nanocrystal hybrid structure for photovoltaic applications. Solar Energy, 2012, 86, 1359-1365.	2.9	22
395	Core-shell heterojunction solar cells on silicon nanowire arrays. Solar Energy Materials and Solar Cells, 2012, 96, 226-230.	3.0	106
396	Preparation of hybrid silicon wire and planar solar cells having ZnO antireflection coating by all-solution processes. Solar Energy Materials and Solar Cells, 2012, 96, 251-256.	3.0	44
397	Silicon nanowire/organic hybrid solar cell with efficiency of 8.40%. Solar Energy Materials and Solar Cells, 2012, 98, 267-272.	3.0	121
398	Experimental study of flat light-scattering substrates in thin-film silicon solar cells. Solar Energy Materials and Solar Cells, 2012, 101, 193-199.	3.0	38
399	Structural and photoluminescence investigation on the hot-wire assisted plasma enhanced chemical vapor deposition growth silicon nanowires. Journal of Luminescence, 2012, 132, 1345-1352.	1.5	16
400	n ⁺ -GaAs/InGaP/p ⁺ -GaAs Core-Multishell Nanowire Diodes for Efficient Light-to-Current Conversion. Advanced Functional Materials, 2012, 22, 929-936.	7.8	56
401	Sn-catalyzed silicon nanowire solar cells with 4.9% efficiency grown on glass. Progress in Photovoltaics: Research and Applications, 2013, 21, 77-81.	4.4	37
402	Optimal design of ultra-broadband, omnidirectional, and polarization-insensitive amorphous silicon solar cells with a core-shell nanograting structure. Progress in Photovoltaics: Research and Applications, 2013, 21, 1077-1086.	4.4	22
403	Geometrical optimization and contact configuration in radial pn junction silicon nanorod and microrod solar cells. Progress in Photovoltaics: Research and Applications, 2013, 21, 1567-1579.	4.4	8
404	High-efficiency graphene/Si nanoarray Schottky junction solar cells via surface modification and graphene doping. Journal of Materials Chemistry A, 2013, 1, 6593.	5.2	122
405	Silicon nanowires for Li-based battery anodes: a review. Journal of Materials Chemistry A, 2013, 1, 9566.	5.2	311

#	ARTICLE	IF	CITATIONS
406	Photocurrent generation through electron–exciton interaction at the organic semiconductor donor/acceptor interface. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 16891.	1.3	9
407	Nanostructure surface design for broadband and angle-independent antireflection. <i>Journal of Nanophotonics</i> , 2013, 7, 073594.	0.4	31
408	Rational geometrical design of multi-diameter nanopillars for efficient light harvesting. <i>Nano Energy</i> , 2013, 2, 951-957.	8.2	57
409	Optoelectronic analysis of multijunction wire array solar cells. <i>Journal of Applied Physics</i> , 2013, 114, .	1.1	9
410	Carbon nanotube-based heterostructures for solar energy applications. <i>Chemical Society Reviews</i> , 2013, 42, 8134.	18.7	85
411	Silicon Nanowires for Biosensing, Energy Storage, and Conversion. <i>Advanced Materials</i> , 2013, 25, 5177-5195.	11.1	158
412	Solution phase synthesis of silicon and germanium nanowires. <i>Journal of Materials Chemistry C</i> , 2013, 1, 4996.	2.7	34
413	III–V nanowire photovoltaics: Review of design for high efficiency. <i>Physica Status Solidi - Rapid Research Letters</i> , 2013, 7, 815-830.	1.2	204
414	Electrochemical Nanostructuring of n-GaAs Photoelectrodes. <i>ACS Nano</i> , 2013, 7, 6840-6849.	7.3	21
415	Manipulating the Growth Kinetics of Vapor–Liquid–Solid Propagated Ge Nanowires. <i>Nano Letters</i> , 2013, 13, 4044-4052.	4.5	51
416	Modeling the front side plasmonics effect in nanotextured silicon surface for thin film solar cells application. <i>Microsystem Technologies</i> , 2013, 19, 871-877.	1.2	10
417	Opportunities in nanometer sized Si wires for PV applications. <i>Progress in Materials Science</i> , 2013, 58, 1361-1387.	16.0	20
418	Electrical annealing effect in bulk heterojunction polymer solar cells. <i>Thin Solid Films</i> , 2013, 529, 54-57.	0.8	7
419	Electroassisted Transfer of Vertical Silicon Wire Arrays Using a Sacrificial Porous Silicon Layer. <i>Nano Letters</i> , 2013, 13, 4362-4368.	4.5	33
420	Portable Scheme for Solving 1-D Time-Dependent Schrödinger Equation for Photo-Induced Dynamics of an Electron in Quantum Wells. <i>IEEE Journal of Quantum Electronics</i> , 2013, 49, 395-401.	1.0	2
421	Atomic Layer Deposition of Platinum Catalysts on Nanowire Surfaces for Photoelectrochemical Water Reduction. <i>Journal of the American Chemical Society</i> , 2013, 135, 12932-12935.	6.6	256
422	Vertical nanostructure arrays by plasma etching for applications in biology, energy, and electronics. <i>Nano Today</i> , 2013, 8, 265-289.	6.2	84
423	Alkali-treated Si nanowire array for improving solar cell performance. <i>Applied Physics A: Materials Science and Processing</i> , 2013, 113, 13-17.	1.1	5

#	ARTICLE	IF	CITATIONS
424	High-quality ZnO nanorods grown on graphite substrates by chemical solution method. Applied Physics A: Materials Science and Processing, 2013, 111, 1071-1076.	1.1	3
425	Research on ultra-small textured surface of multicrystalline silicon solar cell. Science China Technological Sciences, 2013, 56, 952-956.	2.0	4
426	Optical Properties of Silicon Nanowires. , 2013, , 357-385.		5
427	Nano-particle based scattering layers for optical efficiency enhancement of organic light-emitting diodes and organic solar cells. Journal of Applied Physics, 2013, 113, .	1.1	147
428	Comparison of optical properties of Si and ZnO/CdTe core/shell nanowire arrays. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2013, 178, 665-669.	1.7	19
429	Diameter dependence of polarization resolved reflectance from vertical silicon nanowire arrays: Evidence of tunable absorption. Journal of Applied Physics, 2013, 114, 024304.	1.1	16
430	Highly organised and dense vertical silicon nanowire arrays grown in porous alumina template on <100> silicon wafers. Nanoscale Research Letters, 2013, 8, 287.	3.1	18
431	Lithography-free fabrication of silicon nanowire and nanohole arrays by metal-assisted chemical etching. Nanoscale Research Letters, 2013, 8, 155.	3.1	39
432	Three dimensional urchin-like ordered hollow TiO ₂ /ZnO nanorods structure as efficient photoelectrochemical anode. Nano Energy, 2013, 2, 779-786.	8.2	79
433	Solar Hydrogen Generation by Silicon Nanowires Modified with Platinum Nanoparticle Catalysts by Atomic Layer Deposition. Angewandte Chemie - International Edition, 2013, 52, 11119-11123.	7.2	100
434	Design parameters for nanowireâ€planar tandem solar cells. Physica Status Solidi (A) Applications and Materials Science, 2013, 210, 425-429.	0.8	8
435	Catalytic growth of CdTe nanowires by closed space sublimation method. Thin Solid Films, 2013, 546, 375-378.	0.8	12
436	Vertical CNT-Si Photodiode Array. Nano Letters, 2013, 13, 4131-4136.	4.5	11
437	Study of optical absorbance in porous silicon nanowires for photovoltaic applications. Applied Surface Science, 2013, 283, 828-832.	3.1	21
438	Silicon-based Nanomaterials. Springer Series in Materials Science, 2013, , .	0.4	12
439	Surface passivation of nano-textured silicon solar cells by atomic layer deposited Al ₂ O ₃ films. Journal of Applied Physics, 2013, 114, .	1.1	21
440	High Schottky barrier height of Au contact on Si-nanowire arrays with sulfide treatment. Journal of Applied Physics, 2013, 114, 143710.	1.1	22
441	ZnO/CuO Heterojunction Branched Nanowires for Photoelectrochemical Hydrogen Generation. ACS Nano, 2013, 7, 11112-11120.	7.3	275

#	ARTICLE	IF	CITATIONS
442	Growth of vertically aligned CdTe nanorod arrays through patterned electrodeposition. <i>Nano Energy</i> , 2013, 2, 1207-1213.	8.2	21
443	A Route for Modulating the Diameter of Cylindrical Silicon Nanowires by Using Thermal Self-Ordering Silver Nanoparticles. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 11777-11782.	4.0	12
444	Elongated nanostructures for radial junction solar cells. <i>Reports on Progress in Physics</i> , 2013, 76, 106502.	8.1	43
445	Improved open-circuit voltage of silicon nanowires solar cells by surface passivation. <i>RSC Advances</i> , 2013, 3, 24971.	1.7	7
446	Fabrication of Broadband Antireflective Plasmonic Gold Nanocone Arrays on Flexible Polymer Films. <i>Nano Letters</i> , 2013, 13, 6164-6169.	4.5	94
447	Core-shell silicon nanowire solar cells. <i>Scientific Reports</i> , 2013, 3, 1546.	1.6	115
448	Bactericidal activity of black silicon. <i>Nature Communications</i> , 2013, 4, 2838.	5.8	731
449	Surface energy guided sub-10 nm hierarchy structures fabrication by direct e-beam etching. <i>RSC Advances</i> , 2013, 3, 17860.	1.7	3
450	Rear surface protection and front surface bi-layer passivation for silicon nanostructure-textured solar cells. <i>Journal Physics D: Applied Physics</i> , 2013, 46, 025101.	1.3	6
451	Fabrication of antireflective nanostructures for crystalline silicon solar cells by reactive ion etching. <i>Thin Solid Films</i> , 2013, 529, 138-142.	0.8	8
452	All-back-contact ultra-thin silicon nanocone solar cells with 13.7% power conversion efficiency. <i>Nature Communications</i> , 2013, 4, 2950.	5.8	287
453	Design, optimization and fabrication of 2D photonic crystals for solar cells. <i>Photonics and Nanostructures - Fundamentals and Applications</i> , 2013, 11, 29-36.	1.0	23
454	Design and Analysis of Spectrally Selective Patterned Thin-Film Cells. <i>International Journal of Thermophysics</i> , 2013, 34, 1930-1952.	1.0	9
455	The influence of passivation and photovoltaic properties of $\hat{\text{I}}\pm\text{-Si:H}$ coverage on silicon nanowire array solar cells. <i>Nanoscale Research Letters</i> , 2013, 8, 396.	3.1	16
456	Versatile pattern generation of periodic, high aspect ratio Si nanostructure arrays with sub-50-nm resolution on a wafer scale. <i>Nanoscale Research Letters</i> , 2013, 8, 506.	3.1	14
457	High-Efficiency Nanostructured Window GaAs Solar Cells. <i>Nano Letters</i> , 2013, 13, 4850-4856.	4.5	118
458	3D Branched Nanowire Photoelectrochemical Electrodes for Efficient Solar Water Splitting. <i>ACS Nano</i> , 2013, 7, 9407-9415.	7.3	132
459	Polymer-free Vertical Transfer of Silicon Nanowires and their Application to Energy Storage. <i>ChemSusChem</i> , 2013, 6, 2144-2148.	3.6	14

#	ARTICLE	IF	CITATIONS
460	Realizing High-Efficiency Omnidirectional n-Type Si Solar Cells <i>via</i> the Hierarchical Architecture Concept with Radial Junctions. <i>ACS Nano</i> , 2013, 7, 9325-9335.	7.3	94
461	High Efficiency Hybrid Silicon Nanopillar-Polymer Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 9620-9627.	4.0	102
463	Three-dimensional ZnO/Si broom-like nanowire heterostructures as photoelectrochemical anodes for solar energy conversion. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2013, 210, 2561-2568.	0.8	9
464	Nanostructured plasmonics silicon solar cells. <i>Microelectronic Engineering</i> , 2013, 110, 126-131.	1.1	18
465	Microsphere assembly of TiO ₂ with tube-in-tube nanostructures: anisotropic etching and photovoltaic enhancement. <i>CrystEngComm</i> , 2013, 15, 8972.	1.3	18
466	Generation of scalable quasi-3D metallo-dielectric SERS substrates through orthogonal reactive ion etching. <i>Journal of Materials Chemistry C</i> , 2013, 1, 3110.	2.7	11
467	Vertically p-n-junctioned GaN nano-wire array diode fabricated on Si(111) using MOCVD. <i>Nanoscale</i> , 2013, 5, 2959.	2.8	12
468	Effective antireflection properties of porous silicon nanowires for photovoltaic applications. , 2013, , .		8
469	Influences of silicon nanowire morphology on its electro-optical properties and applications for hybrid solar cells. <i>Progress in Photovoltaics: Research and Applications</i> , 2013, 21, 1400-1410.	4.4	27
470	Positional disorder in nanowire array photovoltaics. , 2013, , .		0
471	Integration of antireflection and light diffraction in nature: a strategy for light trapping. <i>Journal of Materials Chemistry A</i> , 2013, 1, 10607.	5.2	24
472	Innovative approaches in thin film photovoltaic cells. , 2013, , 596-630.		5
473	Ultrasensitive and recyclable SERS substrate based on Au-decorated Si nanowire arrays. <i>Dalton Transactions</i> , 2013, 42, 14324.	1.6	50
474	High-efficiency, air stable graphene/Si micro-hole array Schottky junction solar cells. <i>Journal of Materials Chemistry A</i> , 2013, 1, 15348.	5.2	86
475	Surface passivation and orientation dependence in the electronic properties of silicon nanowires. <i>Journal of Physics Condensed Matter</i> , 2013, 25, 145501.	0.7	15
476	Simulation of Rough Silicon Nanowire Array for Use in Spin-on-Doped PN Core-Shell Solar Cells. , 2013, , .		0
477	3-D Solar Cells Based on Radial Silicon Heterojunctions Exploiting Microhole Lattices. <i>IEEE Photonics Technology Letters</i> , 2013, 25, 1908-1911.	1.3	1
478	Optical properties of nanocrystal-silicon thin films on silicon nanopillar arrays after thermal annealing. <i>Applied Surface Science</i> , 2013, 265, 324-328.	3.1	5

#	ARTICLE	IF	CITATIONS
479	InP Nanowire Array Solar Cells Achieving 13.8% Efficiency by Exceeding the Ray Optics Limit. <i>Science</i> , 2013, 339, 1057-1060.	6.0	1,093
480	Nanorobotic Strategies for Handling and Characterization of Metal-Assisted Etched Silicon Nanowires. <i>IEEE/ASME Transactions on Mechatronics</i> , 2013, 18, 887-894.	3.7	3
481	Transparent double-period electrode with effective light management for thin film solar cells. <i>RSC Advances</i> , 2013, 3, 208-214.	1.7	13
482	Anisotropic optical properties of silicon nanowire arrays based on the effective medium approximation. <i>International Journal of Thermal Sciences</i> , 2013, 65, 62-69.	2.6	59
483	In situ growth of oriented polyaniline nanowires array for efficient cathode of Co($\text{Co}(\text{Co})$ mediated dye-sensitized solar cell. <i>Journal of Materials Chemistry A</i> , 2013, 1, 97-104.	5.2	98
485	Optical absorption enhancement in silicon square nanohole and hybrid square nanowire-hole arrays for photovoltaic applications. <i>Optics Communications</i> , 2013, 294, 377-383.	1.0	12
486	Radial junctions formed by conformal chemical doping for innovative hole-based solar cells. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2013, 178, 686-690.	1.7	15
488	18.2% Efficient Nanostructured Si Solar Cells. , 2013, , .		0
489	Selectively grown vertical silicon nanowire p ⁺ photodiodes via aqueous electroless etching. <i>Applied Surface Science</i> , 2013, 274, 79-84.	3.1	10
490	Key technique for texturing a uniform pyramid structure with a layer of silicon nitride on monocrystalline silicon wafer. <i>Applied Surface Science</i> , 2013, 266, 245-249.	3.1	20
491	Fabrication of holey silicon structures with inner radial p ⁺ junction for solar cells. <i>Solid State Communications</i> , 2013, 156, 76-79.	0.9	2
492	Solar cell implemented with silicon nanowires on pyramid-texture silicon surface. <i>Solar Energy</i> , 2013, 91, 256-262.	2.9	33
493	Towards Perfect Anti-Reflection and Absorption for Nanodome-Array Thin Film Silicon Solar Cell. <i>Energy Procedia</i> , 2013, 33, 150-156.	1.8	6
494	Research on the surface passivation of nanostructure-textured crystalline silicon solar cell. <i>Science China Technological Sciences</i> , 2013, 56, 120-124.	2.0	2
495	CuInSe ₂ Nanowires from Facile Chemical Transformation of In ₂ Se ₃ and Their Integration in Single-Nanowire Devices. <i>ACS Nano</i> , 2013, 7, 3205-3211.	7.3	20
496	Synthetic Nanoelectronic Probes for Biological Cells and Tissues. <i>Annual Review of Analytical Chemistry</i> , 2013, 6, 31-51.	2.8	82
497	Porous SiO ₂ anti-reflective coatings on large-area substrates by electrospinning and their application to solar modules. <i>Solar Energy Materials and Solar Cells</i> , 2013, 111, 9-15.	3.0	81
498	Multiple Core-Shell Silicon Nanowire-Based Heterojunction Solar Cells. <i>Journal of Physical Chemistry C</i> , 2013, 117, 1091-1096.	1.5	42

#	ARTICLE	IF	CITATIONS
499	UV-VIS and Photoluminescence Spectroscopy for Nanomaterials Characterization. , 2013, , .		46
500	Mesoscopic light transport by very strong collective multiple scattering in nanowire mats. Nature Photonics, 2013, 7, 413-418.	15.6	50
501	Silicon nanowires for advanced energy conversion and storage. Nano Today, 2013, 8, 75-97.	6.2	266
502	Efficient Light Absorption with Integrated Nanopillar/Nanowell Arrays for Three-Dimensional Thin-Film Photovoltaic Applications. ACS Nano, 2013, 7, 2725-2732.	7.3	106
503	Optical Absorption Properties of Semiconducting Nanostructures with Different Shapes. Advanced Optical Materials, 2013, 1, 158-166.	3.6	26
504	Solar light trapping in slanted conical-pore photonic crystals: Beyond statistical ray trapping. Journal of Applied Physics, 2013, 113, .	1.1	60
505	Silicon Nanowires Show Improved Performance as Photocathode for Catalyzed Carbon Dioxide Photofixation. Angewandte Chemie - International Edition, 2013, 52, 4225-4228.	7.2	43
506	Mechanics of Capillary Forming of Aligned Carbon Nanotube Assemblies. Langmuir, 2013, 29, 5190-5198.	1.6	39
507	Optical Far-Field Method with Subwavelength Accuracy for the Determination of Nanostructure Dimensions in Large-Area Samples. Nano Letters, 2013, 13, 2662-2667.	4.5	15
508	Flexible, Transparent Contacts for Inorganic Nanostructures and Thin Films. Advanced Materials, 2013, 25, 4018-4022.	11.1	10
509	Extreme Light Absorption in Thin Semiconductor Films Wrapped around Metal Nanowires. Nano Letters, 2013, 13, 3173-3178.	4.5	93
510	Coupled optical and electrical modeling of solar cell based on conical pore silicon photonic crystals. Journal of Applied Physics, 2013, 113, .	1.1	44
511	Theoretical short-circuit current density for different geometries and organizations of silicon nanowires in solar cells. Solar Energy Materials and Solar Cells, 2013, 117, 645-651.	3.0	33
512	Si Microwire Solar Cells: Improved Efficiency with a Conformal SiO ₂ Layer. ACS Nano, 2013, 7, 5539-5545.	7.3	42
513	Branched TiO ₂ /Si nanostructures for enhanced photoelectrochemical water splitting. Nano Energy, 2013, 2, 351-360.	8.2	96
514	Horizontal Silicon Nanowires with Radial p-n Junctions: A Platform for Unconventional Solar Cells. Journal of Physical Chemistry Letters, 2013, 4, 2002-2009.	2.1	41
515	Low temperature solution-processed high performance photodiode based on Si-ZnO core-shell structure. Physical Chemistry Chemical Physics, 2013, 15, 4970.	1.3	10
516	Atomically Abrupt Silicon-Germanium Axial Heterostructure Nanowires Synthesized in a Solvent Vapor Growth System. Nano Letters, 2013, 13, 1675-1680.	4.5	61

#	ARTICLE	IF	CITATIONS
517	POSS-Enhanced Phase Separation in Air-Processed P3HT:PCBM Bulk Heterojunction Photovoltaic Systems. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 6136-6146.	4.0	18
518	Silicon nanowires with controlled sidewall profile and roughness fabricated by thin-film dewetting and metal-assisted chemical etching. <i>Nanotechnology</i> , 2013, 24, 225305.	1.3	60
519	Optical absorption enhancement in submicrometre crystalline silicon films with nanotexturing arrays for solar photovoltaic applications. <i>Journal Physics D: Applied Physics</i> , 2013, 46, 195106.	1.3	8
520	Nanostructural dependence of hydrogen production in silicon photocathodes. <i>Journal of Materials Chemistry A</i> , 2013, 1, 5414.	5.2	55
521	High Magnetic Field Reveals the Nature of Excitons in a Single GaAs/AlAs Core/Shell Nanowire. <i>Nano Letters</i> , 2013, 13, 2442-2447.	4.5	19
522	Nanowire Heterostructures. <i>Annual Review of Materials Research</i> , 2013, 43, 451-479.	4.3	140
523	A novel wrap-around metal contact optimized for radial p-n junction Si wire solar cells. <i>Energy and Environmental Science</i> , 2013, 6, 1756.	15.6	7
524	Efficient photon management with nanostructures for photovoltaics. <i>Nanoscale</i> , 2013, 5, 6627.	2.8	75
525	Synthesis of Tin Catalyzed Silicon and Germanium Nanowires in a Solvent-Vapor System and Optimization of the Seed/Nanowire Interface for Dual Lithium Cycling. <i>Chemistry of Materials</i> , 2013, 25, 1816-1822.	3.2	88
526	Optimal design for antireflective Si nanowire solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2013, 112, 84-90.	3.0	66
527	Nanostructures for photon management in solar cells. <i>Nanophotonics</i> , 2013, 2, 187-210.	2.9	82
528	Coupling Photocatalysis and Redox Biocatalysis Toward Biocatalyzed Artificial Photosynthesis. <i>Chemistry - A European Journal</i> , 2013, 19, 4392-4406.	1.7	124
529	Silicon solar cell light-trapping using defect mode photonic crystals. <i>Proceedings of SPIE</i> , 2013, , .	0.8	2
530	Epitaxial growth of radial Si p-i-n junctions for photovoltaic applications. <i>Applied Physics Letters</i> , 2013, 102, .	1.5	34
531	Amorphous silicon nanotubes via galvanic displacement deposition. <i>Electrochemistry Communications</i> , 2013, 34, 134-137.	2.3	33
532	A Strategy to Prepare Wafer Scale Bismuth Compound Superstructures. <i>Small</i> , 2013, 9, 2394-2398.	5.2	21
533	Preparing the Way for Doping Wurtzite Silicon Nanowires while Retaining the Phase. <i>Nano Letters</i> , 2013, 13, 5900-5906.	4.5	32
534	Efficiency Enhancement of PEDOT:PSS/Si Hybrid Solar Cells by Using Nanostructured Radial Junction and Antireflective Surface. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 7552-7558.	4.0	31

#	ARTICLE	IF	CITATIONS
535	Electrically Modulated Microtransfer Molding for Fabrication of Micropillar Arrays with Spatially Varying Heights. <i>Langmuir</i> , 2013, 29, 1351-1355.	1.6	26
536	Observation of nanosize effect in lateral nanoscale p-n and p-i-n junctions. , 2013, , .		0
537	Absorption Coefficients of Crystalline Silicon at Wavelengths from 500 nm to 1000 nm. <i>International Journal of Thermophysics</i> , 2013, 34, 213-225.	1.0	31
538	Synthesis of Single-Crystal Copper Indium Gallium Diselenide (CIGS) Nanotubes Using AAO Templates. <i>Advanced Materials Research</i> , 0, 760-762, 732-735.	0.3	1
539	Mechanisms of Enhanced Optical Absorption for Ultrathin Silicon Solar Microcells with an Integrated Nanostructured Backside Reflector. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 4239-4246.	4.0	12
540	Deterministic quasi-random nanostructures for photon control. <i>Nature Communications</i> , 2013, 4, 2665.	5.8	210
541	On Demand Shape-Selective Integration of Individual Vertical Germanium Nanowires on a Si(111) Substrate <i>via</i> Laser-Localized Heating. <i>ACS Nano</i> , 2013, 7, 2090-2098.	7.3	20
542	Reactive ion etching surface texturing of c-Si using silica nanosphere lithography technique for solar cell application. , 2013, , .		1
543	A novel square silicon nanohole structure: Fabrication and antireflective property. , 2013, , .		0
544	Direct-bandgap nanopillar photovoltaics based on patterned catalyst-free epitaxy. <i>Proceedings of SPIE</i> , 2013, , .	0.8	0
545	Broadband and wide-angle antireflection realized by multireflection effect in a micro- ϕ -shape array. <i>Applied Optics</i> , 2013, 52, 5585.	0.9	3
546	Effective index approximation for ordered silicon nanowire arrays. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2013, 30, 306.	0.9	20
547	Highly tunable self-assembled plasmonic lattices through nanosphere lithography. <i>Optics Letters</i> , 2013, 38, 2153.	1.7	1
548	A high efficiency dual-junction solar cell implemented as a nanowire array. <i>Optics Express</i> , 2013, 21, A167.	1.7	11
549	FDTD modeling of solar energy absorption in silicon branched nanowires. <i>Optics Express</i> , 2013, 21, A392.	1.7	22
550	Fabrication of resonant patterns using thermal nano-imprint lithography for thin-film photovoltaic applications. <i>Optics Express</i> , 2013, 21, A631.	1.7	19
551	Light trapping in ultrathin silicon photonic crystal superlattices with randomly-textured dielectric incouplers. <i>Optics Express</i> , 2013, 21, 30315.	1.7	25
552	The influence of silver core position on enhanced photon absorption of single nanowire Si solar cells. <i>Optics Express</i> , 2013, 21, A1007.	1.7	9

#	ARTICLE	IF	CITATIONS
553	Enhanced optical absorption in nanohole-textured silicon thin-film solar cells with rear-located metal particles. Optics Letters, 2013, 38, 3973.	1.7	14
554	Nanosphere@nanorod hybrid arrays generated on substrates by a one-pot process as low-reflecting surfaces. RSC Advances, 2013, 3, 21039.	1.7	2
555	Statistical Analysis of Surface Nanopatterned Thin Film Solar Cells Obtained by Inverse Optimization. Journal of Heat Transfer, 2013, 135, .	1.2	7
556	Quantitative analysis of the contribution of nanocone gratings to the efficiency of crystalline Si thin-film solar cells. Journal Physics D: Applied Physics, 2013, 46, 145104.	1.3	3
557	Aluminum oxide passivated radial junction sub-micrometre pillar array textured silicon solar cells. Journal Physics D: Applied Physics, 2013, 46, 235104.	1.3	31
558	Direct integration of subwavelength structure on a GaAs solar cell by using colloidal lithography and dry etching process. Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics, 2013, 31, .	0.6	5
559	Graded Silicon Nanostructure Arrays for Tailoring Antireflection Performances. Applied Mechanics and Materials, 0, 479-480, 105-109.	0.2	0
560	Synthesis, Characterization and Device Applications of InGaAs Nanowires. ECS Transactions, 2013, 50, 179-185.	0.3	0
561	Highly Efficient Light-Trapping Structure Design Inspired By Natural Evolution. Scientific Reports, 2013, 3, 1025.	1.6	83
562	Broadband absorptance enhancement of silicon nanowire arrays with germanium as the substrate. Optical Engineering, 2013, 52, 087104.	0.5	1
563	Fabrication research on the sandwich layered cathode electrode for a triode field emission display prototype. Journal of Semiconductors, 2013, 34, 074004.	2.0	0
564	The effects of DRIE operational parameters on vertically aligned micropillar arrays. Journal of Micromechanics and Microengineering, 2013, 23, 035039.	1.5	18
565	Wafer-scale fabrication of ultra-thin silicon nanowire devices. , 2013, , .		0
566	Investigation on Silicon Based Solar Cell by Ultrafast Terahertz Spectroscopy. , 2013, , .		0
567	Observation of light scattering properties of silicon nanowire arrays. , 2013, , .		1
568	Electrical characterization of inorganic-organic hybrid photovoltaic devices based on silicon-poly(3,4-ethylenedioxythiophene):poly(styrenesulfonate). Applied Physics Letters, 2013, 102, .	1.5	24
569	Light trapping in thin-film solar cells via scattering by nanostructured antireflection coatings. Journal of Applied Physics, 2013, 114, 044310.	1.1	38
570	Design and photovoltaic performance of nanorod solar cells with amorphous silicon absorber layer thickness of only 25 nm. , 2013, , .		1

#	ARTICLE	IF	CITATIONS
571	Photoresponse in arrays of thermoelectric nanowire junctions. Applied Physics Letters, 2013, 103, 041114.	1.5	5
573	Pore size dependence of diffuse light scattering from anodized aluminum solar cell backside reflectors. Optics Express, 2013, 21, A84.	1.7	30
574	Facile Solution Synthesis and Photoelectric Properties of Monolithic Tin(II) Sulfide Nanobelt Arrays. Chemistry - an Asian Journal, 2013, 8, 2483-2488.	1.7	7
575	Nondestructively decorating surface textured silicon with nanorod arrays for enhancing light harvesting. Physica Status Solidi (A) Applications and Materials Science, 2013, 210, 2542-2549.	0.8	6
576	Optimization of CdS/ZnO Electrode for Use in Photoelectrochemical Cell. Journal of the Electrochemical Society, 2013, 160, H852-H857.	1.3	13
577	Efficient light trapping in low aspect-ratio honeycomb nanobowl surface texturing for crystalline silicon solar cell applications. Applied Physics Letters, 2013, 103, .	1.5	43
578	Design and fabrication of nano-pyramid GaAs solar cell. , 2013, , .		7
579	Synthesis of Macro-Porous Anti-Reflective Materials from the TEOS-PS System for a Solar Cover Glass. Molecular Crystals and Liquid Crystals, 2013, 585, 82-90.	0.4	0
580	Indium-Rich InGaP Nanowires Formed on InP (111)A Substrates by Selective-Area Metal Organic Vapor Phase Epitaxy. Japanese Journal of Applied Physics, 2013, 52, 04CH05.	0.8	8
581	Radial junction nanopillar arrays textured n-type silicon solar cells. , 2013, , .		3
582	Silicon based core-shell silicon nanowires for broadband and wide angle antireflection. Materials Research Society Symposia Proceedings, 2013, 1510, 1.	0.1	0
583	An in-house approach for fabrication of silicon nanowire arrays using electroless metal deposition and etching method. International Journal of Surface Science and Engineering, 2013, 7, 285.	0.4	4
584	Ultralow Reflection from $\text{Si Nanograss/Si Nanofrustum Double Layers}$. Advanced Materials, 2013, 25, 1724-1728.	11.1	21
585	Analysis of absorption enhancement in tailor-made periodic polycrystalline silicon microarrays. Physica Status Solidi - Rapid Research Letters, 2013, 7, 1045-1049.	1.2	3
586	Natural evolution inspired design of light trapping structure in thin film organic solar cells. Proceedings of SPIE, 2013, , .	0.8	1
587	Discrete-contact nanowire photovoltaics. Journal of Applied Physics, 2013, 114, 174503.	1.1	2
588	TURN A HIGHLY-REFLECTIVE METAL INTO AN OMNIDIRECTIONAL BROADBAND ABSORBER BY COATING A PURELY-DIELECTRIC THIN LAYER OF GRATINGS. Progress in Electromagnetics Research, 2013, 134, 95-109.	1.6	12
590	Design Multilayer Antireflection Coatings for Terrestrial Solar Cells. Scientific World Journal, The, 2014, 2014, 1-5.	0.8	7

#	ARTICLE	IF	CITATIONS
592	Polarity-Controllable Silicon Nanowire Transistors With Dual Threshold Voltages. IEEE Transactions on Electron Devices, 2014, 61, 3654-3660.	1.6	68
593	Comparative study of absorption in tilted silicon nanowire arrays for photovoltaics. Nanoscale Research Letters, 2014, 9, 620.	3.1	14
594	Strong broadband absorption in GaAs nanocone and nanowire arrays for solar cells. Optics Express, 2014, 22, A386.	1.7	55
595	Design parameters for enhanced photon absorption in vertically aligned silicon nanowire arrays. Nanoscale Research Letters, 2014, 9, 511.	3.1	17
596	Phase-Shift Lithography. , 2014, , 1-10.		0
597	Nanostructured dielectric layer - A new approach to design nanostructured solar cells. , 2014, , .		0
598	Vacancy effect on the doping of silicon nanowires: A first-principles study. Chinese Physics B, 2014, 23, 067304.	0.7	8
599	Effect of the length of silicon nanodot/wire on band gap. , 2014, , .		1
600	Enhancing Bremsstrahlung production from ultraintense laser-solid interactions with front surface structures. European Physical Journal D, 2014, 68, 1.	0.6	20
601	A review on plasma-assisted VLS synthesis of silicon nanowires and radial junction solar cells. Journal Physics D: Applied Physics, 2014, 47, 393001.	1.3	73
602	Optical and electrical simulations of silicon nanowire array/Poly(3-hexylthiophene):Phenyl-C61-butyric acid methyl ester hybrid solar cell. Applied Physics Letters, 2014, 105, .	1.5	8
603	Photoresponsive properties of ultrathin silicon nanowires. Applied Physics Letters, 2014, 105, 231116.	1.5	22
604	Optical Simulation of Multijunction Solar Cells Based on III-V Nanowires on Silicon. Energy Procedia, 2014, 60, 109-115.	1.8	6
605	Synthesis of GeSe ₂ Nanobelts Using Thermal Evaporation and Their Photoelectrical Properties. Journal of Nanomaterials, 2014, 2014, 1-9.	1.5	4
606	Nanopatterned Silicon Substrate Use in Heterojunction Thin Film Solar Cells Made by Magnetron Sputtering. International Journal of Photoenergy, 2014, 2014, 1-10.	1.4	2
607	Horizontal Assembly of Single Nanowire Diode Fabricated by p-n Junction GaN NW Grown by MOCVD. Journal of Nanomaterials, 2014, 2014, 1-9.	1.5	3
608	Formation of an Anti-Contamination Layer with Polystyrene Nanobeads over Cover Glass for Solar Cells. Molecular Crystals and Liquid Crystals, 2014, 602, 226-233.	0.4	0
609	Efficiency Enhancement and Anti-Corrosion Protection on Silicon Solar Cells by Atomic-Layer-Deposited Al ₂ O ₃ Conformal Shell Layer on Antireflective ZnO Nanorod Array. ECS Journal of Solid State Science and Technology, 2014, 3, Q221-Q226.	0.9	4

#	ARTICLE	IF	CITATIONS
610	Periodic Nanopillar N-I-P Amorphous Si Photovoltaic Cells Using Carbon Nanotube Scaffolds. IEEE Nanotechnology Magazine, 2014, 13, 997-1004.	1.1	3
611	Light Trapping Textures Designed by Electromagnetic Optimization for Subwavelength Thick Solar Cells. IEEE Journal of Photovoltaics, 2014, 4, 175-182.	1.5	74
612	Nanostructuring of GaAs with tailored topologies using colloidal lithography and dry etching. Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics, 2014, 32, 021801.	0.6	14
613	Understanding the nanophotonic light-trapping structure of diatom frustule for enhanced solar energy conversion: a theoretical and experimental study. , 2014, , .		1
614	Enhanced photovoltaic performance of organic/silicon nanowire hybrid solar cells by solution-evacuated method. Optics Letters, 2014, 39, 3219.	1.7	6
615	Investigation of optical absorptance of one-dimensionally periodic silicon gratings as solar absorbers for solar cells. Optics Express, 2014, 22, A68.	1.7	21
616	Light trapping in ZnO nanowire arrays covered with an absorbing shell for solar cells. Optics Express, 2014, 22, A1174.	1.7	40
617	Near-unity broadband absorption designs for semiconducting nanowire arrays via localized radial mode excitation. Optics Express, 2014, 22, A930.	1.7	94
618	Extraction of absorption coefficients from as-grown GaN nanowires on opaque substrates using all-optical method. Optics Express, 2014, 22, 19555.	1.7	15
619	Nanopyramids and rear-located Ag nanoparticles for broad spectrum absorption enhancement in thin-film solar cells. Optics Express, 2014, 22, 20473.	1.7	27
620	Silicon nanodisk array design for effective light trapping in ultrathin c-Si. Optics Express, 2014, 22, A1431.	1.7	29
621	Electrodeposition of InSb branched nanowires: Controlled growth with structurally tailored properties. Journal of Applied Physics, 2014, 116, 083506.	1.1	14
622	Silicon nanowire arrays passivated by Al ₂ O ₃ /TiO ₂ stack layers. , 2014, , .		1
623	Plan-view transmission electron microscopy investigation of GaAs/(In,Ga)As core-shell nanowires. Applied Physics Letters, 2014, 105, 121602.	1.5	16
624	Opsin vs opsin: New materials for biotechnological applications. Journal of Applied Physics, 2014, 116, 064901.	1.1	13
625	Diffraction intermediate layer enables broadband light trapping for high efficiency ultrathin c-Si tandem cells. Applied Physics Letters, 2014, 104, .	1.5	6
626	Resonant absorption in semiconductor nanowires and nanowire arrays: Relating leaky waveguide modes to Bloch photonic crystal modes. Journal of Applied Physics, 2014, 116, .	1.1	100
627	Study of the optical properties of a micro pillar array solar cell for different configurations. , 2014, , .		0

#	ARTICLE	IF	CITATIONS
628	Printable Nanostructured Silicon Solar Cells for High-Performance, Large-Area Flexible Photovoltaics. ACS Nano, 2014, 8, 10507-10516.	7.3	53
629	The promise and challenge of nanostructured solar cells. Nature Nanotechnology, 2014, 9, 951-954.	15.6	181
630	Substantial influence on solar energy harnessing ability by geometries of ordered Si nanowire array. Nanoscale Research Letters, 2014, 9, 495.	3.1	7
631	Phononic and Electronic Engineering in Nanowires for Enhanced Thermoelectric Performance. RSC Smart Materials, 2014, , 400-437.	0.1	1
632	Nanowires for Photovoltaics and Artificial Photosynthesis. RSC Smart Materials, 2014, , 277-311.	0.1	2
633	Modeling of dual-metal Schottky contacts based silicon micro and nano wire solar cells. Solar Energy Materials and Solar Cells, 2014, 130, 456-465.	3.0	5
634	Simulation study of Schottky contact based single Si wire solar cell. , 2014, , .		0
635	Crystalline Silicon Thin Film and Nanowire Solar Cells. RSC Energy and Environment Series, 2014, , 53-88.	0.2	0
636	Repurposing Blu-ray movie discs as quasi-random nanoimprinting templates for photon management. Nature Communications, 2014, 5, 5517.	5.8	57
637	Broadband absorption enhancement in elliptical silicon nanowire arrays for photovoltaic applications. Optics Express, 2014, 22, A1292.	1.7	31
638	Synchrotron Soft X-ray Absorption Spectroscopy Study of Carbon and Silicon Nanostructures for Energy Applications. Advanced Materials, 2014, 26, 7786-7806.	11.1	84
639	Wideband Omnidirectional Polarization-insensitive Light Absorbers Made with 1D Silicon Gratings. Advanced Optical Materials, 2014, 2, 1206-1212.	3.6	11
640	Probing inhomogeneous composition in core/shell nanowires by Raman spectroscopy. Journal of Applied Physics, 2014, 116, 184303.	1.1	4
641	Properties of Si/SiO ₂ superlattice nanodisc array prepared by nanosphere lithography. , 2014, , .		1
642	InP-based nano solar cells. , 2014, , .		2
643	Formation of periodic structures on silicon by laser beam interference ablation technique for light control in solar cells. , 2014, , .		2
644	Control of size and density of self-assembled Au droplets via systematic deposition amount control on high-index GaAs type-A surfaces. Japanese Journal of Applied Physics, 2014, 53, 095502.	0.8	1
645	Optical properties of the different tapered silicon nanowires based on KK relation. Journal of Nonlinear Optical Physics and Materials, 2014, 23, 1450049.	1.1	1

#	ARTICLE	IF	CITATIONS
646	Nanostructured Silicon-Based Photovoltaic Cells. Springer Series in Materials Science, 2014, , 131-164.	0.4	0
647	Fabrication of the hexagonal Si nanorod arrays using the template of polystyrene nanospheres in monolayer dispersion. Proceedings of the Institution of Mechanical Engineers, Part N: Journal of Nanoengineering and Nanosystems, 2014, 228, 40-45.	0.1	0
648	Light management through guided-mode resonances in thin-film silicon solar cells. Journal of Nanophotonics, 2014, 8, 083995.	0.4	55
649	Solid-phase crystallization of amorphous silicon nanowire array and optical properties. Japanese Journal of Applied Physics, 2014, 53, 02BE09.	0.8	8
650	Improving the Efficiency Enhancement of Photonic Crystal Based InGaN Solar Cell by Using a GaN Cap Layer. Advances in Materials Science and Engineering, 2014, 2014, 1-9.	1.0	2
651	Fabrication and enhanced light-trapping properties of three-dimensional silicon nanostructures for photovoltaic applications. Pure and Applied Chemistry, 2014, 86, 557-573.	0.9	9
652	Geometric dependence of antireflective nanocone arrays towards ultrathin crystalline silicon solar cells. Nanotechnology, 2014, 25, 415401.	1.3	7
653	The study of the structural and morphology features of indium tin oxide (ITO) nanostructures. Materials Research Express, 2014, 1, 015041.	0.8	3
655	Minority carrier lifetime of thin polycrystalline silicon nanowire films on polycrystalline silicon layer prepared by aluminum-induced crystallization. , 2014, , .		2
656	Bifunctional Mothâ€Eye Nanopatterned Dyeâ€Sensitized Solar Cells: Lightâ€Harvesting and Selfâ€Cleaning Effects. Advanced Energy Materials, 2014, 4, 1300632.	10.2	73
657	Effect of alkali treatment on the spectral response of silicon-nanowire solar cells. Materials Science in Semiconductor Processing, 2014, 17, 81-86.	1.9	8
658	Leaky mode engineering: A general design principle for dielectric optical antenna solar absorbers. Optics Communications, 2014, 314, 79-85.	1.0	23
659	Optimizing scattering layer for efficient dye sensitized solar cells based on TiO2 nanofiber. Polyhedron, 2014, 82, 7-11.	1.0	9
660	Low temperature and self catalytic growth of ultrafine ITO nanowires by electron beam evaporation method and their optical and electrical properties. Materials Research Bulletin, 2014, 52, 167-176.	2.7	21
661	Self-assembled, wrinkled zinc oxide for enhanced solar cell performances. Materials Letters, 2014, 122, 55-57.	1.3	15
662	Electrical and optoelectronic properties of graphene Schottky contact on Si-nanowire arrays with and without H2O2 treatment. Applied Physics A: Materials Science and Processing, 2014, 116, 581-587.	1.1	6
663	Lowâ€Cost, Flexible, and Selfâ€Cleaning 3D Nanocone Antiâ€Reflection Films for Highâ€Efficiency Photovoltaics. Advanced Materials, 2014, 26, 2805-2811.	11.1	170
664	Wurtzite Cu2ZnSnS4 nanospindles with enhanced optical and electrical properties. Chemical Physics Letters, 2014, 592, 144-148.	1.2	23

#	ARTICLE	IF	CITATIONS
665	Metal-Core/Semiconductor-Shell Nanocones for Broadband Solar Absorption Enhancement. Nano Letters, 2014, 14, 1093-1098.	4.5	98
666	Photon management in nanostructured solar cells. Journal of Materials Chemistry C, 2014, 2, 3144.	2.7	64
667	Modeling Practical Performance Limits of Photoelectrochemical Water Splitting Based on the Current State of Materials Research. ChemSusChem, 2014, 7, 1372-1385.	3.6	195
668	Catalyst-free synthesis of silicon nanowires by oxidation and reduction process. Journal of Materials Science, 2014, 49, 3592-3597.	1.7	7
669	Carrier dynamics and doping profiles in GaAs nanosheets. Nano Research, 2014, 7, 163-170.	5.8	14
671	Design of two dimensional silicon nanowire arrays for antireflection and light trapping in silicon solar cells. Journal of Applied Physics, 2014, 115, .	1.1	12
672	Light management for photovoltaics using high-index nanostructures. Nature Materials, 2014, 13, 451-460.	13.3	796
673	Efficiency improvement of a nanostructured polymer solar cell employing atomic layer deposited Al ₂ O ₃ as a passivation layer. Microelectronic Engineering, 2014, 119, 6-10.	1.1	25
674	Inverted nanopyramid texturing for silicon solar cells using interference lithography. Microelectronic Engineering, 2014, 119, 146-150.	1.1	76
675	A broadband and omnidirectional light-harvesting scheme employing nanospheres on Si solar cells. Nano Energy, 2014, 6, 36-43.	8.2	38
676	Nanostructured semiconductor composites for solar cells. , 2014, , 267-320.		3
677	Photoinduced Conversion of Methane into Benzene over GaN Nanowires. Journal of the American Chemical Society, 2014, 136, 7793-7796.	6.6	136
678	Nanostructured WO ₃ /BiVO ₄ Photoanodes for Efficient Photoelectrochemical Water Splitting. Small, 2014, 10, 3692-3699.	5.2	217
679	Characteristics of large-scale nanohole arrays for thin-silicon photovoltaics. Progress in Photovoltaics: Research and Applications, 2014, 22, 452-461.	4.4	47
680	The effect of noble metals in Si nanocrystals. Chemical Physics Letters, 2014, 605-606, 38-43.	1.2	5
681	Solvent-Controlled Spin-Coating Method for Large-Scale Area Deposition of Two-Dimensional Silica Nanosphere Assembled Layers. Langmuir, 2014, 30, 5732-5738.	1.6	52
682	Radial junction Si micro/nano-wire array photovoltaics: Recent progress from theoretical investigation to experimental realization. Nano Energy, 2014, 7, 10-24.	8.2	46
683	25th Anniversary Article: Semiconductor Nanowires – Synthesis, Characterization, and Applications. Advanced Materials, 2014, 26, 2137-2184.	11.1	759

#	ARTICLE	IF	CITATIONS
684	Tandem photonic-crystal thin films surpassing Lambertian light-trapping limit over broad bandwidth and angular range. <i>Applied Physics Letters</i> , 2014, 104, .	1.5	15
685	Nanostructured silicon flapping wing with higher strength and low reflectivity for solar powered MEMS aircraft. , 2014, , .		1
686	Nanowire Antenna Absorption Probed with Time-Reversed Fourier Microscopy. <i>Nano Letters</i> , 2014, 14, 3227-3234.	4.5	42
688	Study on the Al ϵ -P3HT:PCBM interfaces in electrical stressed polymer solar cell by X-ray photoelectron spectroscopy. <i>Solar Energy Materials and Solar Cells</i> , 2014, 123, 1-6.	3.0	7
689	Effects of front-surface target structures on properties of relativistic laser-plasma electrons. <i>Physical Review E</i> , 2014, 89, 013106.	0.8	51
690	Enhanced absorption in elliptical silicon nanowire arrays for solar energy harvesting. <i>Optical Engineering</i> , 2014, 53, 027102.	0.5	17
691	Sequentially Layered CdSe/CdS Nanowire Architecture for Improved Nanowire Solar Cell Performance. <i>Journal of Physical Chemistry C</i> , 2014, 118, 206-213.	1.5	33
692	Silicon Microwire Arrays for Solar Energy-Conversion Applications. <i>Journal of Physical Chemistry C</i> , 2014, 118, 747-759.	1.5	85
693	Exploring the kinetics of ordered silicon nanowires with the formation of nanogaps using metal-assisted chemical etching. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 26711-26714.	1.3	12
694	Optical absorption enhancement in a Si nanohole structure with hexagonal unit cell for solar cell application. <i>Nanotechnology</i> , 2014, 25, 415303.	1.3	4
695	An Integrated 1-Dimensional Model of a Photoelectrochemical Cell for Water Splitting. <i>Journal of the Electrochemical Society</i> , 2014, 161, E3328-E3340.	1.3	31
696	Water-repellent perovskite solar cell. <i>Journal of Materials Chemistry A</i> , 2014, 2, 20017-20021.	5.2	65
697	Microwell ϵ -Directed Self ϵ -Assembly of Vertical Nanowire Arrays. <i>Particle and Particle Systems Characterization</i> , 2014, 31, 492-499.	1.2	3
698	Toward an efficient extremely thin absorber solar cell based on ZnO nanowire arrays. , 2014, , .		0
699	CuO nanoleaves enhance the c-Si solar cell efficiency. <i>Journal of Materials Chemistry A</i> , 2014, 2, 6796-6800.	5.2	53
700	Ordered arrays of tilted silicon nanobelts with enhanced solar hydrogen evolution performance. <i>Nanoscale</i> , 2014, 6, 2097.	2.8	8
701	A one-step template-free approach to achieve tapered silicon nanowire arrays with controllable filling ratios for solar cell applications. <i>RSC Advances</i> , 2014, 4, 1794-1798.	1.7	33
702	Low-temperature plasma-assisted growth of germanium nanorods. <i>CrystEngComm</i> , 2014, 16, 2937.	1.3	0

#	ARTICLE	IF	CITATIONS
703	Si nanocorals/PbS quantum dots composited high efficiency c-Si solar cell. RSC Advances, 2014, 4, 14862-14867.	1.7	2
704	Periodically textured metal electrodes: large-area fabrication, characterization, simulation, and application as efficient back-reflective scattering contact-electrodes for thin-film solar cells. Journal of Materials Chemistry A, 2014, 2, 13259-13269.	5.2	10
705	Polymethylmethacrylate coating on aligned carbon nanotubeâ€“silicon solar cells for performance improvement. Journal of Materials Chemistry A, 2014, 2, 4140-4143.	5.2	51
706	Quantum cutting in nanoparticles producing two green photons. Chemical Communications, 2014, 50, 13282-13284.	2.2	22
707	Diameter modulation as a route to probe the vapourâ€“liquidâ€“solid growth kinetics of semiconductor nanowires. Journal of Materials Chemistry C, 2014, 2, 3285-3291.	2.7	11
708	Decreasing reflection through the mutually positive effects of nanoglass and nanopillars. Journal of Materials Chemistry C, 2014, 2, 3645-3650.	2.7	7
709	Incorporation of a self-aligned selective emitter to realize highly efficient (12.8%) Si nanowire solar cells. Nanoscale, 2014, 6, 5193-5199.	2.8	31
710	Large area fabrication of vertical silicon nanowire arrays by silver-assisted single-step chemical etching and their formation kinetics. Nanotechnology, 2014, 25, 175601.	1.3	94
711	Solution-Phase Epitaxial Growth of Quasi-Monocrystalline Cuprous Oxide on Metal Nanowires. Nano Letters, 2014, 14, 5891-5898.	4.5	27
712	A three-dimensional hierarchical TiO ₂ urchin as a photoelectrochemical anode with omnidirectional anti-reflectance properties. Physical Chemistry Chemical Physics, 2014, 16, 22953-22957.	1.3	36
713	Light Management with Nanostructures for Optoelectronic Devices. Journal of Physical Chemistry Letters, 2014, 5, 1479-1495.	2.1	147
714	Rational Design of Inverted Nanopencil Arrays for Cost-Effective, Broadband, and Omnidirectional Light Harvesting. ACS Nano, 2014, 8, 3752-3760.	7.3	106
715	Asymmetric van der Waals Forces Drive Orientation of Compositionally Anisotropic Nanocylinders within Smectic Arrays: Experiment and Simulation. ACS Nano, 2014, 8, 657-670.	7.3	14
716	Enhanced Photovoltaic Performance in Polycrystalline BiFeO ₃ Thin Film/ZnO Nanorod Heterojunctions. Journal of Physical Chemistry C, 2014, 118, 15200-15206.	1.5	35
717	Ultrathin, Flexible Organicâ€“Inorganic Hybrid Solar Cells Based on Silicon Nanowires and PEDOT:PSS. ACS Applied Materials & Interfaces, 2014, 6, 4356-4363.	4.0	97
718	Synthesis of nickel catalyzed Si/SiC coreâ€“shell nanowires by HWCVD. Journal of Crystal Growth, 2014, 407, 25-30.	0.7	8
719	Thermodynamics of light management in photovoltaic devices. Physical Review B, 2014, 90, .	1.1	163
720	Thermoelectric Properties of Silver Tellurideâ€“Bismuth Telluride Nanowire Heterostructure Synthesized by Site-Selective Conversion. Chemistry of Materials, 2014, 26, 3322-3327.	3.2	51

#	ARTICLE	IF	CITATIONS
721	Quantum-Mechanical Prediction of Nanoscale Photovoltaics. <i>Journal of Physical Chemistry Letters</i> , 2014, 5, 1272-1277.	2.1	30
722	Resistive switching behaviors of Au/pentacene/Si-nanowire arrays/heavily doped n-type Si devices for memory applications. <i>Applied Physics Letters</i> , 2014, 104, 053501.	1.5	19
723	Facile Fabrication of Ordered Nanostructures from Protruding Nanoballs to Recessional Nanosuckers via Solvent Treatment on Covered Nanosphere Assembled Monolayers. <i>Nano Letters</i> , 2014, 14, 1546-1550.	4.5	23
724	Air Heating Approach for Multilayer Etching and Roll-to-Roll Transfer of Silicon Nanowire Arrays as SERS Substrates for High Sensitivity Molecule Detection. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 977-984.	4.0	18
725	Advances in Conceptual Electronic Nanodevices based on 0D and 1D Nanomaterials. <i>Nano-Micro Letters</i> , 2014, 6, 1-19.	14.4	32
726	Enhanced Photothermal Conversion in Vertically Oriented Gallium Arsenide Nanowire Arrays. <i>Nano Letters</i> , 2014, 14, 5820-5826.	4.5	15
727	Windowless CdSe/CdTe Solar Cells with Differentiated Back Contacts: J_{sc} , EQE, and Photocurrent Mapping. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 15972-15979.	4.0	10
728	Topology optimization for light-trapping structure in solar cells. <i>Structural and Multidisciplinary Optimization</i> , 2014, 50, 367-382.	1.7	11
729	Synergistic plasmonic and photonic crystal light-trapping: Architectures for optical up-conversion in thin-film solar cells. <i>Optics Express</i> , 2014, 22, A1.	1.7	30
730	Novel graphene oxide semiconductor nanowire phototransistors. <i>Journal of Materials Chemistry C</i> , 2014, 2, 1592.	2.7	19
731	Three dimensional a-Si:H thin-film solar cells with silver nano-rod back electrodes. <i>Current Applied Physics</i> , 2014, 14, 637-640.	1.1	17
732	Enhanced Performance of Organic Thin Film Solar Cells Using Electrodes with Nanoimprinted Light-Diffraction and Light-Diffusion Structures. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 6164-6169.	4.0	20
733	Fabrication of locally thinned down silicon nanowires. <i>Journal of Materials Chemistry C</i> , 2014, 2, 5229-5234.	2.7	12
734	Geometric parameter optimization to minimize the light-reflection losses of regular vertical silicon nanorod arrays used for solar cells. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2014, 211, 2527-2531.	0.8	6
735	Experimental Demonstration of $4n^2$ Classical Absorption Limit in Nanotextured Ultrathin Solar Cells with Dielectric Omnidirectional Back Reflector. <i>ACS Photonics</i> , 2014, 1, 270-278.	3.2	97
736	Experimental Demonstration of Quasi-resonant Absorption in Silicon Thin Films for Enhanced Solar Light Trapping. <i>ACS Photonics</i> , 2014, 1, 304-309.	3.2	20
737	Design and fabrication of broadband ultralow reflectivity black Si surfaces by laser micro/nanoprocessing. <i>Light: Science and Applications</i> , 2014, 3, e185-e185.	7.7	257
738	Broadband optical absorption measurement of silicon nanowires for photovoltaic solar cell applications. <i>International Nano Letters</i> , 2014, 4, 1.	2.3	8

#	ARTICLE	IF	CITATIONS
739	Optical simulations of P3HT/Si nanowire array hybrid solar cells. <i>Nanoscale Research Letters</i> , 2014, 9, 238.	3.1	11
740	Nanofabrication on monocrystalline silicon through friction-induced selective etching of Si ₃ N ₄ mask. <i>Nanoscale Research Letters</i> , 2014, 9, 241.	3.1	13
741	Assembly and Densification of Nanowire Arrays via Shrinkage. <i>Nano Letters</i> , 2014, 14, 3304-3308.	4.5	19
742	Performance enhancement in silicon solar cell by inverted nanopyramid texturing and silicon quantum dots coating. <i>Journal of Renewable and Sustainable Energy</i> , 2014, 6, 011204.	0.8	14
743	Grating-structured metallic microsprings. <i>Nanoscale</i> , 2014, 6, 9428-9435.	2.8	19
744	Non-polar InGaN quantum dots grown on the m-plane of n-GaN nanowires by a self-catalyst method using metal organic chemical vapor deposition. <i>CrystEngComm</i> , 2014, 16, 7580.	1.3	6
745	Zinc oxide nanowire arrays for silicon core/shell solar cells. <i>Optics Express</i> , 2014, 22, A622.	1.7	16
746	Effect of Wettability on the Agglomeration of Silicon Nanowire Arrays Fabricated by Metal-Assisted Chemical Etching. <i>Langmuir</i> , 2014, 30, 10290-10298.	1.6	60
747	Non-Lithographic Growth of Core-Shell GaAs Nanowires on Si for Optoelectronic Applications. <i>Crystal Growth and Design</i> , 2014, 14, 1510-1515.	1.4	11
748	Efficiency enhancement of mono-Si solar cell with CdO nanotip antireflection and down-conversion layer. <i>RSC Advances</i> , 2014, 4, 51683-51687.	1.7	10
749	Near perfect solar absorption in ultra-thin-film GaAs photonic crystals. <i>Journal of Materials Chemistry A</i> , 2014, 2, 761-769.	5.2	48
750	Composition-Graded Nanowire Solar Cells Fabricated in a Single Process for Spectrum-Splitting Photovoltaic Systems. <i>Nano Letters</i> , 2014, 14, 5772-5779.	4.5	20
751	Periodic nanostructures imprinted on high-temperature stable sol-gel films by ultraviolet-based nanoimprint lithography for photovoltaic and photonic applications. <i>Thin Solid Films</i> , 2014, 562, 274-281.	0.8	23
752	Radiative behaviors of crystalline silicon nanowire and nanohole arrays for photovoltaic applications. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2014, 133, 579-588.	1.1	55
753	Design of efficient dye-sensitized solar cells with patterned ZnO-ZnS core-shell nanowire array photoanodes. <i>Nanoscale</i> , 2014, 6, 4691-4697.	2.8	38
754	Nanopyramid Structure for Ultrathin c-Si Tandem Solar Cells. <i>Nano Letters</i> , 2014, 14, 2563-2568.	4.5	71
755	Simple approach for improving gold deposition inside nanoporous alumina template on Si substrate. <i>Applied Surface Science</i> , 2014, 305, 9-15.	3.1	4
756	Cadmium sulfide nanowire arrays for window layer applications in solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2014, 126, 184-191.	3.0	23

#	ARTICLE	IF	CITATIONS
757	Broadband and omnidirectional antireflection of Si nanocone structures clad by SiN film for Si thin film solar cells. <i>Optics Communications</i> , 2014, 316, 37-41.	1.0	12
758	Nanotechnology enhanced solar cells prepared on laser-crystallized polycrystalline thin films (10Å). <i>Solar Energy Materials and Solar Cells</i> , 2014, 126, 62-67.	3.0	25
759	Low-temperature plasma processing for Si photovoltaics. <i>Materials Science and Engineering Reports</i> , 2014, 78, 1-29.	14.8	44
760	Fabrication and photoelectrochemical properties of ordered Si nanohole arrays. <i>Applied Surface Science</i> , 2014, 292, 86-92.	3.1	10
761	Optical absorption of amorphous silicon on anodized aluminum substrates for solar cell applications. <i>Optics Communications</i> , 2014, 315, 17-25.	1.0	9
762	Superhydrophobic and antireflective nanoglass-coated glass for high performance solar cells. <i>Nano Research</i> , 2014, 7, 670-678.	5.8	66
763	Metal-assisted chemical etching of silicon and nanotechnology applications. <i>Nano Today</i> , 2014, 9, 271-304.	6.2	369
764	Influence of the microstructure of n-type Si:H and passivation by ultrathin Al ₂ O ₃ on the efficiency of Si radial junction nanowire array solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2014, 128, 11-17.	3.0	18
765	Schottky barrier inhomogeneity for graphene/Si-nanowire arrays/n-type Si Schottky diodes. <i>Applied Physics Letters</i> , 2014, 104, 133506.	1.5	34
766	Visible-light-driven photocatalytic properties of ZnO/ZnFe ₂ O ₄ core/shell nanocable arrays. <i>Applied Catalysis B: Environmental</i> , 2014, 160-161, 408-414.	10.8	144
767	Solvothermal synthesis of chalcopyrite CuIn _{0.7} Ga _{0.3} Se ₂ nanoparticles and the studies on reaction mechanism and structure defects. <i>Materials Chemistry and Physics</i> , 2014, 147, 390-394.	2.0	6
768	Semiconductor nanowires for photovoltaic and photoelectrochemical energy conversion. <i>Frontiers of Physics</i> , 2014, 9, 289-302.	2.4	49
769	Heterojunction based hybrid silicon nanowire solar cell: surface termination, photoelectron and photoemission spectroscopy study. <i>Progress in Photovoltaics: Research and Applications</i> , 2014, 22, 1050-1061.	4.4	33
770	Patterned electrodeposition of CdTe nanorod and nanotube arrays for solar cells. <i>Nanomaterials and Energy</i> , 2014, 3, 167-176.	0.1	3
771	Disruptive bubble behaviour leading to microstructure damage in an ultrasonic field. <i>Journal of Fluid Mechanics</i> , 2014, 750, 355-371.	1.4	49
772	Radial Junction Architecture: A New Approach to Stable and Highly Efficient Silicon Thin Film Solar Cells. <i>Materials Research Society Symposia Proceedings</i> , 2015, 1770, 73-78.	0.1	1
773	Numerical and experimental investigation of light trapping effect of nanostructured diatom frustules. <i>Scientific Reports</i> , 2015, 5, 11977.	1.6	36
774	Replication of Leaf Surface Structures for Light Harvesting. <i>Scientific Reports</i> , 2015, 5, 14281.	1.6	33

#	ARTICLE	IF	CITATIONS
775	Enhanced light trapping in periodically truncated cone silicon nanowire structure. <i>Journal of Semiconductors</i> , 2015, 36, 104005.	2.0	4
776	In-situ microfluidic controlled, low temperature hydrothermal growth of nanoflakes for dye-sensitized solar cells. <i>Scientific Reports</i> , 2015, 5, 17750.	1.6	16
777	Conversion Efficiency Enhancement of Multi-crystalline Si Solar Cells by Using a Micro-structured Junction. <i>Chinese Physics Letters</i> , 2015, 32, 118401.	1.3	1
778	Hybrid ZnO nanowire/a-Si:H thin-film radial junction solar cells using nanoparticle front contacts. <i>Applied Physics Letters</i> , 2015, 107, .	1.5	11
779	Quantum confinement effect in cheese like silicon nano structure fabricated by metal induced etching. <i>AIP Conference Proceedings</i> , 2015, , .	0.3	0
780	Fabrication and characterization of Al ₂ O ₃ /Si composite nanodome structures for high efficiency crystalline Si thin film solar cells. <i>AIP Advances</i> , 2015, 5, 127209.	0.6	3
781	Wafer-scale self-organized InP nanopillars with controlled orientation for photovoltaic devices. <i>Nanotechnology</i> , 2015, 26, 415304.	1.3	13
782	Photoelectrochemical reduction of carbon dioxide using Ge doped GaN nanowire photoanodes. <i>APL Materials</i> , 2015, 3, 116106.	2.2	13
783	Bi-Sn alloy catalyst for simultaneous morphology and doping control of silicon nanowires in radial junction solar cells. <i>Applied Physics Letters</i> , 2015, 107, .	1.5	18
784	Light-trapping optimization in wet-etched silicon photonic crystal solar cells. <i>Journal of Applied Physics</i> , 2015, 118, .	1.1	30
785	Broadband resonances in indium-tin-oxide nanorod arrays. <i>Applied Physics Letters</i> , 2015, 107, 031104.	1.5	11
786	Near-field enhanced optical tweezers utilizing femtosecond-laser nanostructured substrates. <i>Applied Physics Letters</i> , 2015, 107, .	1.5	19
787	Spin synthesis of monolayer of SiO ₂ thin films. <i>Journal of Semiconductors</i> , 2015, 36, 043002.	2.0	13
788	DRIE process optimization to fabricate vertical silicon nanowires using gold nanoparticles as masks. <i>Advances in Natural Sciences: Nanoscience and Nanotechnology</i> , 2015, 6, 045016.	0.7	7
789	Improvement of a-Si:H Thin-film Solar Cells by Employing Large Ag Nanoparticles. <i>Israel Journal of Chemistry</i> , 2015, 55, 1103-1108.	1.0	0
790	Nanotextured multicrystalline Al-BSF solar cells reaching 18% conversion efficiency using industrially viable solar cell processes. <i>Physica Status Solidi - Rapid Research Letters</i> , 2015, 9, 448-452.	1.2	23
791	Direct Transfer Printing with Metal Oxide Layers for Fabricating Flexible Nanowire Devices. <i>Advanced Functional Materials</i> , 2015, 25, 6921-6926.	7.8	10
792	Highly efficient ultra-thin crystalline silicon solar cell with plasmonic cavities. <i>International Journal of Nanotechnology</i> , 2015, 12, 769.	0.1	1

#	ARTICLE	IF	CITATIONS
793	Synthesis of ZnO Nanowires and Their Photovoltaic Application: ZnO Nanowires/AgGaSe ₂ Thin Film Core-Shell Solar Cell. Journal of Nanomaterials, 2015, 2015, 1-10.	1.5	8
794	Simple approach for the fabrication of PEDOT-coated Si nanowires. Beilstein Journal of Nanotechnology, 2015, 6, 640-650.	1.5	6
795	Photonic Nanostructures Design and Optimization for Solar Cell Application. Photonics, 2015, 2, 893-905.	0.9	5
796	Towards Ordered Silicon Nanostructures through Self-Assembling Mechanisms and Processes. Journal of Nanomaterials, 2015, 2015, 1-20.	1.5	9
797	Historic Developments, Current Technologies and Potential of Nanotechnology to Develop Next Generation Solar Cells with Improved Efficiency. International Journal of Renewable Energy Development, 2015, 4, 77-93.	1.2	4
799	Large-Area Nanosphere Self-Assembly by a Micro-Propulsive Injection Method for High Throughput Periodic Surface Nanotexturing. Nano Letters, 2015, 15, 4591-4598.	4.5	191
800	Electrical Characteristics of Metal Catalyst-Assisted Etched Rough Silicon Nanowire Depending on the Diameter Size. ACS Applied Materials & Interfaces, 2015, 7, 929-934.	4.0	8
801	Core-Shell CdS-Cu ₂ S Nanorod Array Solar Cells. Nano Letters, 2015, 15, 4096-4101.	4.5	114
802	Dense nanoimprinted silicon nanowire arrays with passivated axial <i>p-i-n</i> junctions for photovoltaic applications. Journal of Applied Physics, 2015, 117, .	1.1	11
803	Reducing the porosity and reflection loss of silicon nanowires by a sticky tape. Nanotechnology, 2015, 26, 185601.	1.3	1
804	Nanostructured p-type CZTS thin films prepared by a facile solution process for 3D <i>p-n</i> junction solar cells. Nanoscale, 2015, 7, 11182-11189.	2.8	27
805	Conformal growth of copper sulfide thin films on highly textured surface via microreactor-assisted solution deposition. CrystEngComm, 2015, 17, 2827-2836.	1.3	13
806	Photocatalytic generation of hydrogen by core-shell WO ₃ /BiVO ₄ nanorods with ultimate water splitting efficiency. Scientific Reports, 2015, 5, 11141.	1.6	464
807	Arrays of ZnO/CuInxGa1-xSe ₂ nanocables with tunable shell composition for efficient photovoltaics. Journal of Applied Physics, 2015, 117, .	1.1	11
808	Improvement of conversion efficiency of multi-crystalline silicon solar cells using reactive ion etching with surface pre-etching. Thin Solid Films, 2015, 597, 50-56.	0.8	10
810	Robust technique for computation of scattering and absorption of light by array of nanowires on layered substrate. Journal of the Optical Society of America B: Optical Physics, 2015, 32, 2448.	0.9	14
811	Heterojunction formation between zinc oxide nanowire array and Cu ₂ ZnSnS ₄ nanoparticles for 3-dimensional nanostructured solar cells. , 2015, , .		0
812	Effective light trapping by modulated quantum structures for Si nanowire/wall solar cells. Japanese Journal of Applied Physics, 2015, 54, 102301.	0.8	10

#	ARTICLE	IF	CITATIONS
813	Design principles of nanostructured window solar cells. , 2015, , .		0
814	Effects of the CdS nanowire layer on the photocurrent generation in CIGS solar cells. <i>Optik</i> , 2015, 126, 5088-5091.	1.4	3
815	Absorption enhancement in thin film a-Si solar cells with double-sided SiO ₂ particle layers. <i>Chinese Physics B</i> , 2015, 24, 104201.	0.7	8
816	(Invited) Atomic Layer Deposition of Core-Shell Nanowires for Solar Energy Conversion Devices. <i>ECS Transactions</i> , 2015, 69, 3-13.	0.3	1
817	Enhanced broadband absorption of crystalline-amorphous core-shell silicon nanowire array via diverse geometry design. , 2015, , .		1
818	Rear contact solar cell with ZrO ₂ nano structured front surface for efficient light trapping and enhanced surface passivation. , 2015, , .		3
819	Enhanced photovoltaic performance of an inclined nanowire array solar cell. <i>Optics Express</i> , 2015, 23, A1603.	1.7	27
820	A review and analysis on growth and optical absorption properties of silicon nanowire array for photovoltaic applications. <i>Modern Physics Letters B</i> , 2015, 29, 1530007.	1.0	2
821	Plasmon-Enhanced Light Absorption in GaAs Nanowire Array Solar Cells. <i>Nanoscale Research Letters</i> , 2015, 10, 436.	3.1	43
822	Introducing Perturbations into Turbulent Wall-Bounded Flow With Arrays of Long TiO ₂ Nanowires. <i>Journal of Fluids Engineering, Transactions of the ASME</i> , 2015, 137, .	0.8	2
823	Enhanced absorption of solar energy in elliptical GaAs nanowire array solar cells. , 2015, , .		0
824	Substantial Improvement of Short Wavelength Response in n-SiNW/PEDOT:PSS Solar Cell. <i>Nanoscale Research Letters</i> , 2015, 10, 998.	3.1	23
825	High Efficiency Nanostructured Silicon Solar Cells on a Large Scale Realized Through the Suppression of Recombination Channels. <i>Advanced Materials</i> , 2015, 27, 555-561.	11.1	67
826	Automatic Release of Silicon Nanowire Arrays with a High Integrity for Flexible Electronic Devices. <i>Scientific Reports</i> , 2014, 4, 3940.	1.6	15
827	Textured window with DLAR coating design for an effective minimization of electrical and optical losses in an efficient III-V solar cell. <i>Journal of Computational Electronics</i> , 2015, 14, 288-299.	1.3	7
828	A facile two-step fabrication of nano-wrinkled double-layer moth-eye-like antireflection surface by integrating cage-like silsesquioxane nanoislands with fluoroacrylate. <i>Materials Letters</i> , 2015, 143, 1-4.	1.3	3
829	Maximizing the ultimate absorption efficiency of vertically-aligned semiconductor nanowire arrays with wires of a low absorption cross-section. <i>Nano Energy</i> , 2015, 12, 801-809.	8.2	39
830	Broadband radiative energy absorption using a silicon nanowire forest with silver nanoclusters for thermal energy conversion. <i>International Journal of Heat and Mass Transfer</i> , 2015, 82, 267-272.	2.5	10

#	ARTICLE	IF	CITATIONS
831	Fabrication and optical properties of multishell InAs quantum dots on GaAs nanowires. Journal of Applied Physics, 2015, 117, 054301.	1.1	3
832	ZnO Nanowires: Growth, Properties and Advantages. NATO Science for Peace and Security Series A: Chemistry and Biology, 2015, , 129-149.	0.5	2
833	Fabrication and properties of ZnO nanorods within silicon nanostructures for solar cell application. Applied Physics Letters, 2015, 106, .	1.5	11
834	Performance of solar cells fabricated on black multicrystalline Si by nanowire decoration. Applied Surface Science, 2015, 332, 266-271.	3.1	14
835	Selective growth of ZnO nanorods on hydrophobic Si nanorod arrays. Nanotechnology, 2015, 26, 055604.	1.3	5
836	Shear induced simultaneous consolidation and alignment of silicon nanowires into ingots using equal channel angular extrusion (ECAE). Materials Research Express, 2015, 2, 015013.	0.8	2
837	N-doped graphene quantum sheets on silicon nanowire photocathodes for hydrogen production. Energy and Environmental Science, 2015, 8, 1329-1338.	15.6	136
838	Hybrid tapered silicon nanowire/PEDOT:PSS solar cells. RSC Advances, 2015, 5, 10310-10317.	1.7	31
839	Nanoparticle and nanosphere mask for etching of ITO nanostructures and their reflection properties. Physica Status Solidi (A) Applications and Materials Science, 2015, 212, 171-176.	0.8	6
840	Broadband optical absorption by tunable Mie resonances in silicon nanocone arrays. Scientific Reports, 2015, 5, 7810.	1.6	126
841	15.7% Efficient 10 μm -Thick Crystalline Silicon Solar Cells Using Periodic Nanostructures. Advanced Materials, 2015, 27, 2182-2188.	11.1	156
842	Optical and electrical modeling of solar cells based on graphene/Si nanowires with radial p-n junctions. Solar Energy Materials and Solar Cells, 2015, 137, 146-153.	3.0	26
843	Understanding Light Harvesting in Radial Junction Amorphous Silicon Thin Film Solar Cells. Scientific Reports, 2015, 4, 4357.	1.6	44
844	Oxidatively Stable Nanoporous Silicon Photocathodes with Enhanced Onset Voltage for Photoelectrochemical Proton Reduction. Nano Letters, 2015, 15, 2517-2525.	4.5	80
845	Quantitative analysis of photons' decaying pathways in Si nanowire arrays for highly efficient photoelectrochemical solar hydrogen generation. Chemical Communications, 2015, 51, 3383-3386.	2.2	7
846	One-step femtosecond laser patterning of light-trapping structure on dye-sensitized solar cell photoelectrodes. Journal of Materials Chemistry C, 2015, 3, 3336-3341.	2.7	30
847	Enhanced photovoltaics inspired by the fovea centralis. Scientific Reports, 2015, 5, 8570.	1.6	50
848	Unraveling the Janus Role of Mie Resonances and Leaky/Guided Modes in Semiconductor Nanowire Absorption for Enhanced Light Harvesting. ACS Photonics, 2015, 2, 921-929.	3.2	90

#	ARTICLE	IF	CITATIONS
849	Silicon Surface Modification and Characterization for Emergent Photovoltaic Applications Based on Energy Transfer. <i>Chemical Reviews</i> , 2015, 115, 12764-12796.	23.0	81
850	One-step-MACE nano/microstructures for high-efficient large-size multicrystalline Si solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2015, 143, 302-310.	3.0	36
851	Reduced graphene oxide/silicon nanowire heterostructures with enhanced photoactivity and superior photoelectrochemical stability. <i>Nano Research</i> , 2015, 8, 2850-2858.	5.8	34
852	Electrodeposition and characterization of Bi/Tl multilayer nanowires. <i>Superlattices and Microstructures</i> , 2015, 85, 768-775.	1.4	3
853	13.7% Efficiency graphene-gallium arsenide Schottky junction solar cells with a P3HT hole transport layer. <i>Nano Energy</i> , 2015, 16, 91-98.	8.2	36
854	Three-dimensional structures based on ZnO/CdS and ZnO/(Zn,Mg)O core-shell nanowires embedded in Cu(In,Ga)S ₂ for solar cell applications. <i>Solar Energy Materials and Solar Cells</i> , 2015, 141, 356-363.	3.0	6
855	A Nitrogen-Doped Carbon Dot-Sensitized TiO ₂ Inverse Opal Film: Preparation, Enhanced Photoelectrochemical and Photocatalytic Performance. <i>Journal of the Electrochemical Society</i> , 2015, 162, H638-H644.	1.3	20
856	Growth of nanowire heterostructures and their optoelectronic and spintronic applications. , 2015, , 125-146.		1
857	Highly efficient hybrid solar cell using ZnO nanorods and assessment of changes in cell performance by varying the growth period. <i>Journal of the Korean Physical Society</i> , 2015, 66, 1527-1531.	0.3	4
858	Exploring the effective absorption length of Si nanohole array for photovoltaic by plasmonic enhanced Raman scattering. , 2015, , .		0
859	Ultra-thin, high performance crystalline silicon tandem cells fabricated on a glass substrate. <i>Solar Energy Materials and Solar Cells</i> , 2015, 141, 225-231.	3.0	8
860	Methodology exploration of specimen preparation for atom probe tomography from nanowires. <i>Ultramicroscopy</i> , 2015, 159, 427-431.	0.8	6
861	Diameter-Controlled Germanium Nanowires with Lamellar Twinning and Polytypes. <i>Chemistry of Materials</i> , 2015, 27, 3408-3416.	3.2	19
862	Fast Strain Mapping of Nanowire Light-Emitting Diodes Using Nanofocused X-ray Beams. <i>ACS Nano</i> , 2015, 9, 6978-6984.	7.3	25
863	Simulation study of dielectrophoretic assembly of nanowire between electrode pairs. <i>Journal of Nanoparticle Research</i> , 2015, 17, 1.	0.8	6
864	Polyelectrolyte multilayer-assisted fabrication of non-periodic silicon nanocolumn substrates for cellular interface applications. <i>Nanoscale</i> , 2015, 7, 14627-14635.	2.8	15
865	13.2% efficiency Si nanowire/PEDOT:PSS hybrid solar cell using a transfer-imprinted Au mesh electrode. <i>Scientific Reports</i> , 2015, 5, 12093.	1.6	84
866	Advanced light-trapping effect of thin-film solar cell with dual photonic crystals. <i>Nanoscale Research Letters</i> , 2015, 10, 214.	3.1	9

#	ARTICLE	IF	CITATIONS
867	First-principles calculations of a promising intermediate-band photovoltaic material based on Co-hyperdoped crystalline silicon. Applied Physics Express, 2015, 8, 081302.	1.1	9
868	Short-wavelength infrared photodetector on Si employing strain-induced growth of very tall InAs nanowire arrays. Scientific Reports, 2015, 5, 10764.	1.6	54
869	High efficiency silicon solar cell based on asymmetric nanowire. Scientific Reports, 2015, 5, 11646.	1.6	54
870	Theory of Half-Space Light Absorption Enhancement for Leaky Mode Resonant Nanowires. Nano Letters, 2015, 15, 5513-5518.	4.5	13
871	Effects of vacancy defects and axial strain on thermal conductivity of silicon nanowires: A reverse nonequilibrium molecular dynamics simulation. Journal of Physics and Chemistry of Solids, 2015, 85, 233-238.	1.9	20
872	Characteristics of a Silicon Nanowires/PEDOT:PSS Heterojunction and Its Effect on the Solar Cell Performance. ACS Applied Materials & Interfaces, 2015, 7, 5830-5836.	4.0	50
873	<i>In situ</i> fabrication and optoelectronic analysis of axial CdS/p-Si nanowire heterojunctions in a high-resolution transmission electron microscope. Nanotechnology, 2015, 26, 154001.	1.3	17
874	The photoelectrochemical exploration of multifunctional TiO ₂ mesocrystals and its enzyme-assisted biosensing application. Biosensors and Bioelectronics, 2015, 72, 18-24.	5.3	43
875	Towards a full integration of vertically aligned silicon nanowires in MEMS using silane as a precursor. Nanotechnology, 2015, 26, 195302.	1.3	37
876	Efficiency improvement in Si thin film solar cells by employing composite nanocone-shaped grating structure. Japanese Journal of Applied Physics, 2015, 54, 062301.	0.8	7
877	Efficiency Enhancement of Nanotextured Black Silicon Solar Cells Using Al ₂ O ₃ /TiO ₂ Dual-Layer Passivation Stack Prepared by Atomic Layer Deposition. ACS Applied Materials & Interfaces, 2015, 7, 10228-10237.	4.0	52
878	Method to determine the optimal silicon nanowire length for photovoltaic devices. Applied Physics Letters, 2015, 106, 091908.	1.5	18
879	High index of refraction nanosphere coatings for light trapping in crystalline silicon thin film solar cells. Nano Energy, 2015, 13, 226-232.	8.2	37
880	Preparation of nano-patterned Si structures for hetero-junction solar cells. Applied Surface Science, 2015, 334, 123-128.	3.1	9
881	Semiconductor nanowires studied by photocurrent spectroscopy. , 2015, , 365-391.		1
882	Semiconductor nanowires for solar cells. , 2015, , 411-439.		2
883	Electrical interfacing of nanowire devices with cells and tissues. , 2015, , 521-542.		0
884	Measurement of strain in InGaN/GaN nanowires and nanopramids. Journal of Applied Crystallography, 2015, 48, 344-349.	1.9	18

#	ARTICLE	IF	CITATIONS
885	Enhanced properties of silicon nano-textured solar cells enabled by controlled ZnO nanorods coating. <i>Solar Energy</i> , 2015, 115, 770-776.	2.9	30
886	Nanowire and nanohole silicon solar cells: a thorough optoelectronic evaluation. <i>Progress in Photovoltaics: Research and Applications</i> , 2015, 23, 1734-1741.	4.4	35
887	Axially connected nanowire core-shell p-n junctions: a composite structure for high-efficiency solar cells. <i>Nanoscale Research Letters</i> , 2015, 10, 22.	3.1	15
888	Nanostructuring of c-Si surface by F2-based atmospheric pressure dry texturing process. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2015, 212, 307-311.	0.8	17
889	Black silicon solar cells with interdigitated back-contacts achieve 22.1% efficiency. <i>Nature Nanotechnology</i> , 2015, 10, 624-628.	15.6	512
890	Structured InP-based nanoantenna for photovoltaics applications. <i>Journal of Photonics for Energy</i> , 2015, 5, 053098.	0.8	1
891	BaCl ₂ :Er ³⁺ —A High Efficient Upconversion Phosphor for Broadband Near-Infrared Photoresponsive Devices. <i>Journal of the American Ceramic Society</i> , 2015, 98, 2508-2513.	1.9	17
892	A Bioinspired, Reusable, Paper-Based System for High-Performance Large-Scale Evaporation. <i>Advanced Materials</i> , 2015, 27, 2768-2774.	11.1	698
893	Transparent dielectric nanostructures for efficient light management in optoelectronic applications. <i>Nano Today</i> , 2015, 10, 22-47.	6.2	61
894	A multiscale quantum mechanics/electromagnetics method for device simulations. <i>Chemical Society Reviews</i> , 2015, 44, 1763-1776.	18.7	27
895	Fabrication of silsesquioxane-based nano-wrinkled structures by coupling the polymeric surface onto rigid templates assembled from unique deca-silsesquioxane. <i>Journal of Materials Chemistry C</i> , 2015, 3, 2897-2908.	2.7	7
896	Si microstructures laminated with a nanolayer of TiO ₂ as long-term stable and effective photocathodes in PEC devices. <i>Nanoscale</i> , 2015, 7, 7726-7733.	2.8	24
897	Development of a novel fluorinated n-nc-SiO:H material for solar cell application. <i>Materials Chemistry and Physics</i> , 2015, 157, 130-137.	2.0	12
898	Bilayer graphene based surface passivation enhanced nano structured self-powered near-infrared photodetector. <i>Optics Express</i> , 2015, 23, 4839.	1.7	39
899	InAs/GaAs Sharply Defined Axial Heterostructures in Self-Assisted Nanowires. <i>Nano Letters</i> , 2015, 15, 3677-3683.	4.5	20
900	Exciton Dynamics in Anthracene Nanoaggregates. <i>Journal of Physical Chemistry C</i> , 2015, 119, 10641-10652.	1.5	31
901	Tunable p-type doping of Si nanostructures for near infrared light photodetector application. <i>RSC Advances</i> , 2015, 5, 19020-19026.	1.7	9
902	Inclined angle-controlled growth of GaN nanorods on <i>im</i> -sapphire by metal organic chemical vapor deposition without a catalyst. <i>Nanotechnology</i> , 2015, 26, 335601.	1.3	6

#	ARTICLE	IF	CITATIONS
903	Dispersion engineering of plasmonic nanocomposite for ultrathin broadband optical absorber. <i>Optics Express</i> , 2015, 23, 2328.	1.7	24
904	Improvement in light harvesting of dye-sensitized solar cells with antireflective and hydrophobic textile PDMS coating by facile soft imprint lithography. <i>Optics Express</i> , 2015, 23, A169.	1.7	22
905	Concurrent spatial and spectral filtering by resonant nanogratings. <i>Optics Express</i> , 2015, 23, 23428.	1.7	22
906	How tilting and cavity-mode-resonant absorption contribute to light harvesting in 3D radial junction solar cells. <i>Optics Express</i> , 2015, 23, A1288.	1.7	15
907	Ultrathin amorphous silicon thin-film solar cells by magnetic plasmonic metamaterial absorbers. <i>RSC Advances</i> , 2015, 5, 81866-81874.	1.7	22
908	Colorful titanium oxides: a new class of photonic materials. <i>Nanoscale</i> , 2015, 7, 19894-19898.	2.8	12
909	Interaction at the silicon/transition metal oxide heterojunction interface and its effect on the photovoltaic performance. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 27409-27413.	1.3	36
910	Spontaneous shape transition of thin films into ZnO nanowires with high structural and optical quality. <i>Nanoscale</i> , 2015, 7, 16994-17003.	2.8	9
911	Absorption enhancement of GaInP nanowires by tailoring transparent shell thicknesses and its application in III-V nanowire/Si film two-junction solar cells. <i>Optics Express</i> , 2015, 23, 25316.	1.7	12
912	Black silicon film with modulated macropores for thin-silicon photovoltaics. <i>Optical Materials Express</i> , 2015, 5, 1482.	1.6	8
913	Modeling the dielectric function of degenerately doped ZnO:Al thin films grown by ALD using physical parameters. <i>Optical Materials Express</i> , 2015, 5, 1979.	1.6	8
914	Spatial coherence of sunlight and its implications for light management in photovoltaics. <i>Optica</i> , 2015, 2, 95.	4.8	54
915	Multiscale Modeling of Plasmon-Enhanced Power Conversion Efficiency in Nanostructured Solar Cells. <i>Journal of Physical Chemistry Letters</i> , 2015, 6, 4410-4416.	2.1	24
916	Recent advances in the transparent conducting ZnO for thin-film Si solar cells. <i>Electronic Materials Letters</i> , 2015, 11, 917-930.	1.0	18
917	Nanopurification of silicon from 84% to 99.999% purity with a simple and scalable process. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 13473-13477.	3.3	56
918	Fabrication of silicon nanowire/poly(3,4-ethylenedioxythiophene):poly(styrenesulfonate)-graphene oxide hybrid solar cells. <i>Journal of Applied Physics</i> , 2015, 117, .	1.1	13
919	Integrated three-dimensional photonic nanostructures for achieving near-unity solar absorption and superhydrophobicity. <i>Journal of Applied Physics</i> , 2015, 117, 215309.	1.1	6
920	Nanomaterials in Solar Cells. , 2015, , 1-18.		9

#	ARTICLE	IF	CITATIONS
921	Growth of Ordered Nanostructure Arrays including Nanotubes and Nanorods for High Efficiency Solar Cells. ECS Transactions, 2015, 66, 1-7.	0.3	3
922	Fabrication and Doping Methods for Silicon Nano- and Micropillar Arrays for Solar Cell Applications: A Review. Advanced Materials, 2015, 27, 6781-6796.	11.1	60
923	Probing Thermal Flux in Twinned Ge Nanowires through Raman Spectroscopy. ACS Applied Materials & Interfaces, 2015, 7, 24679-24685.	4.0	23
924	III-V nanowires and nanowire optoelectronic devices. Journal Physics D: Applied Physics, 2015, 48, 463001.	1.3	132
925	Optical absorption of several nanostructures arrays for silicon solar cells. Optics Communications, 2015, 356, 526-529.	1.0	30
926	Theoretical insights into highly transparent multi-sized conducting films with high-haze and wide-angular scattering for thin film solar cells. Journal of Power Sources, 2015, 297, 68-74.	4.0	9
927	Hybrid Metal-Semiconductor Nanostructure for Ultrahigh Optical Absorption and Low Electrical Resistance at Optoelectronic Interfaces. ACS Nano, 2015, 9, 10590-10597.	7.3	41
928	Light trapping in randomly arranged silicon nanorocket arrays for photovoltaic applications. Nanotechnology, 2015, 26, 375401.	1.3	9
929	Full potential of radial junction Si thin film solar cells with advanced junction materials and design. Applied Physics Letters, 2015, 107, .	1.5	20
930	Selective growth of vertical silicon nanowire array guided by anodic aluminum oxide template. Japanese Journal of Applied Physics, 2015, 54, 095003.	0.8	3
931	Plasmon enhanced broadband optical absorption in ultrathin silicon nanobowl array for photoactive devices applications. Applied Physics Letters, 2015, 107, .	1.5	10
932	Remarkable enhancement of photovoltaic performance of ZnO/CdTe core-shell nanorod array solar cells through interface passivation with a TiO ₂ layer. RSC Advances, 2015, 5, 71883-71889.	1.7	10
933	Cosine light-trapping nanostructures for thin film solar cells. Optics Letters, 2015, 40, 3866.	1.7	7
934	Prospects of optical refrigeration in oxyfluoride glasses and glass-ceramics: experiments. Proceedings of SPIE, 2015, , .	0.8	1
935	Microplasma: A New Generation of Technology for Functional Nanomaterial Synthesis. Plasma Chemistry and Plasma Processing, 2015, 35, 925-962.	1.1	116
936	Synthesis of silicon-germanium axial nanowire heterostructures in a solvent vapor growth system using indium and tin catalysts. Physical Chemistry Chemical Physics, 2015, 17, 6919-6924.	1.3	13
937	Nanoscale concave structures for field enhancement in organic thin films. , 2015, , .		0
938	Structural and photoluminescent properties of nanowires formed by the metal-assisted chemical etching of monocrystalline silicon with different doping level. Semiconductors, 2015, 49, 1025-1029.	0.2	16

#	ARTICLE	IF	CITATIONS
939	Flexible Nanotexture Structures for Thin Film PV Cells Using Wavelet Functions. IEEE Nanotechnology Magazine, 2015, 14, 904-910.	1.1	7
940	Nanostructured silicon photoelectrodes for solar water electrolysis. Nano Energy, 2015, 17, 308-322.	8.2	45
941	Low temperature fabrication of PEDOT:PSS/micro-textured silicon-based heterojunction solar cells. Journal of Materials Science, 2015, 50, 8046-8056.	1.7	30
942	Controlled Doping Methods for Radial p/n Junctions in Silicon. Advanced Energy Materials, 2015, 5, 1401745.	10.2	23
943	New Approaches to Improve the Performance of Thin-Film Radial Junction Solar Cells Built Over Silicon Nanowire Arrays. IEEE Journal of Photovoltaics, 2015, 5, 40-45.	1.5	35
944	Annealed Au-Assisted Epitaxial Growth of Si Nanowires: Control of Alignment and Density. Langmuir, 2015, 31, 4290-4298.	1.6	12
945	Review of one-dimensional and two-dimensional nanostructured materials for hydrogen generation. Physical Chemistry Chemical Physics, 2015, 17, 2960-2986.	1.3	151
946	Electronic and Optical Properties of Nanoporous Silicon for Solar-Cell Applications. ACS Photonics, 2015, 2, 208-215.	3.2	43
947	CdS Nanoflake Arrays for Highly Efficient Light Trapping. Advanced Materials, 2015, 27, 740-745.	11.1	40
948	A review of the ecotoxicological effects of nanowires. International Journal of Environmental Science and Technology, 2015, 12, 1163-1172.	1.8	17
949	Unveiling the shape-diversified silicon nanowires made by HF/HNO ₃ isotropic etching with the assistance of silver. Nanoscale, 2015, 7, 1216-1223.	2.8	42
950	Fabrication of CdTe nanorod arrays over large area through patterned electrodeposition for efficient solar energy conversion. Solar Energy Materials and Solar Cells, 2015, 133, 260-267.	3.0	35
951	An effective way to simultaneous realization of excellent optical and electrical performance in large-scale Si nano/microstructures. Progress in Photovoltaics: Research and Applications, 2015, 23, 964-972.	4.4	29
952	Zn ₃ As ₂ Nanowires and Nanoplatelets: Highly Efficient Infrared Emission and Photodetection by an Earth Abundant Material. Nano Letters, 2015, 15, 378-385.	4.5	17
953	Theoretical design of multi-colored semi-transparent organic solar cells with both efficient color filtering and light harvesting. Scientific Reports, 2015, 4, 7036.	1.6	39
954	Two-dimensional high efficiency thin-film silicon solar cells with a lateral light trapping architecture. Scientific Reports, 2015, 4, 6169.	1.6	6
955	Dielectric Coating-Induced Absorption Enhancement in Si Nanowire Junctions. Advanced Optical Materials, 2015, 3, 120-128.	3.6	13
956	Semiconductor-based photocatalysts and photoelectrochemical cells for solar fuel generation: a review. Catalysis Science and Technology, 2015, 5, 1360-1384.	2.1	824

#	ARTICLE	IF	CITATIONS
957	In-situ Observations of Nanoscale Effects in Germanium Nanowire Growth with Ternary Eutectic Alloys. <i>Small</i> , 2015, 11, 103-111.	5.2	10
958	Extended short-wavelength spectral response of organic/(silver nanoparticles/Si nanoholes) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T 5 <i>Science</i> , 2015, 334, 110-114.	3.1	8
959	Improved performance of silicon nanowire/cadmium telluride quantum dots/organic hybrid solar cells. <i>Applied Surface Science</i> , 2015, 334, 15-18.	3.1	10
960	Photoluminescence and structural properties of Si/SiC core-shell nanowires growth by HWCVD. <i>Journal of Luminescence</i> , 2015, 157, 149-157.	1.5	14
961	Silicon-core glass fibres as microwire radial-junction solar cells. <i>Scientific Reports</i> , 2014, 4, 6283.	1.6	52
962	Effects of copper precursor concentration on the growth of cupric oxide nanorods for photoelectrode using a modified chemical bath deposition method. <i>Journal of Alloys and Compounds</i> , 2015, 620, 55-59.	2.8	20
963	Photovoltaic Cell: Optimum Photon Utilisation. <i>PAM Review Energy Science & Technology</i> , 2016, 3, 64-85.	0.2	0
964	Silicon Micro/Nanowire Solar Cells. <i>Semiconductors and Semimetals</i> , 2016, 94, 185-225.	0.4	5
965	Enhancing silicon solar cell efficiency with double layer antireflection coating. <i>Turkish Journal of Physics</i> , 2016, 40, 30-39.	0.5	10
966	Bottom-Up Assembly and Applications of Photonic Materials. <i>Crystals</i> , 2016, 6, 54.	1.0	35
967	Non-Vacuum Processed Polymer Composite Antireflection Coating Films for Silicon Solar Cells. <i>Energies</i> , 2016, 9, 633.	1.6	10
968	Light harvesting of silicon nanostructure for solar cells application. <i>Optics Express</i> , 2016, 24, A1075.	1.7	25
969	Symmetry-breaking nanostructures on crystalline silicon for enhanced light trapping in thin film solar cells. <i>Optics Express</i> , 2016, 24, A1586.	1.7	10
970	Geometrical shape design of nanophotonic surfaces for thin film solar cells. <i>Optics Express</i> , 2016, 24, A1033.	1.7	20
971	Non-chemically amplified resists containing polyhedral oligomeric silsesquioxane for a bilayer resist system. <i>Polymer</i> , 2016, 98, 336-343.	1.8	1
972	Location-Controlled Growth of Vertically Aligned Si Nanowires using Au Nanodisks Patterned by KrF Stepper Lithography. <i>Chemistry - an Asian Journal</i> , 2016, 11, 1878-1882.	1.7	4
973	Nanostructured semiconductor solar absorbers with near 100% absorption and related light management picture. <i>Journal Physics D: Applied Physics</i> , 2016, 49, 215104.	1.3	11
974	Optimized antireflective silicon nanostructure arrays using nanosphere lithography. <i>Nanotechnology</i> , 2016, 27, 215302.	1.3	10

#	ARTICLE	IF	CITATIONS
975	Resonant photo-thermal modification of vertical gallium arsenide nanowires studied using Raman spectroscopy. <i>Nanotechnology</i> , 2016, 27, 245708.	1.3	8
976	Optical and Electrical Characteristics of Hybrid ZnO Nanowire/a-Si:H Solar Cells on Flexible Substrates under Mechanical Bending. <i>Small</i> , 2016, 12, 2554-2558.	5.2	9
977	A Monolithically Integrated Gallium Nitride Nanowire/Silicon Solar Cell Photocathode for Selective Carbon Dioxide Reduction to Methane. <i>Chemistry - A European Journal</i> , 2016, 22, 8809-8813.	1.7	57
978	Advances in the Application of Silicon and Germanium Nanowires for High-Performance Lithium-Ion Batteries. <i>Advanced Materials</i> , 2016, 28, 5696-5704.	11.1	171
979	Empirical Comparison of Random and Periodic Surface Light-Trapping Structures for Ultrathin Silicon Photovoltaics. <i>Advanced Optical Materials</i> , 2016, 4, 858-863.	3.6	28
980	Effects of Pillar Height and Junction Depth on the Performance of Radially Doped Silicon Pillar Arrays for Solar Energy Applications. <i>Advanced Energy Materials</i> , 2016, 6, 1501728.	10.2	20
981	High-strength nanostructured black-silicon wafer for photovoltaic applications. <i>Micro and Nano Letters</i> , 2016, 11, 900-903.	0.6	0
982	Investigations of the optical properties of Si surface with microwires for solar cell applications. <i>Chinese Physics B</i> , 2016, 25, 028401.	0.7	1
983	Axicons for power conversion efficiency enhancement in solar cells for the visible spectrum. <i>Journal of Physics: Conference Series</i> , 2016, 741, 012102.	0.3	0
984	Formation properties of an InGaN active layer for high-efficiency InGaN/GaN multi-quantum-well-nanowire light-emitting diodes. <i>Journal of the Korean Physical Society</i> , 2016, 69, 772-777.	0.3	1
985	Periodic molybdenum disc array for light trapping in amorphous silicon layer. <i>AIP Advances</i> , 2016, 6, 055305.	0.6	2
986	First-principles calculations of SO ₂ sensing with Si nanowires. <i>European Physical Journal B</i> , 2016, 89, 1.	0.6	4
987	Bilayer-metal assisted chemical etching of silicon microwire arrays for photovoltaic applications. <i>AIP Advances</i> , 2016, 6, .	0.6	11
988	Hexagonal arrays of round-head silicon nanopillars for surface anti-reflection applications. <i>Applied Physics Letters</i> , 2016, 109, 143901.	1.5	8
989	Black-Silicon on Micropillars with Minimal Surface Area Enlargement to Enhance the Performance of Silicon Solar Cells. <i>Nanoscale Research Letters</i> , 2016, 11, 489.	3.1	10
990	New harvesting system based on photovoltaic cells with antireflexive ZnO nanoparticles coatings and DC/DC isolation conversion. , 2016, , .		3
991	Manufacturing of using spray method to produce solar cell. , 2016, , .		0
992	Super-resolution imaging of light-matter interactions near single semiconductor nanowires. <i>Nature Communications</i> , 2016, 7, 13950.	5.8	19

#	ARTICLE	IF	CITATIONS
993	A monolayer graphene/GaAs nanowire array Schottky junction self-powered photodetector. Applied Physics Letters, 2016, 109, .	1.5	57
994	Double-gated Si NW FET sensors: Low-frequency noise and photoelectric properties. Journal of Applied Physics, 2016, 120, .	1.1	8
995	Black silicon based on simple fabrication of mesoporous silicon nanowires for solar energy harvesting. , 2016, , .		3
996	First-principles study of structural & electronic properties of pyramidal silicon nanowire. AIP Conference Proceedings, 2016, , .	0.3	3
997	Tandem photovoltaicâ€“photoelectrochemical GaAs/InGaAsPâ€“WO ₃ /BiVO ₄ device for solar hydrogen generation. Japanese Journal of Applied Physics, 2016, 55, 04ES01.	0.8	28
998	Experimental demonstration and modeling of the internal light scattering profile within solar cells due to random dielectric scatterers. Journal of Applied Physics, 2016, 119, 023104.	1.1	4
999	Exact comprehensive equations for the photon management properties of silicon nanowire. Scientific Reports, 2016, 6, 24847.	1.6	16
1000	Shape-dependent conversion efficiency of Si nanowire solar cells with polygonal cross-sections. Journal of Applied Physics, 2016, 119, 225101.	1.1	10
1001	Recovery of hexagonal Si-IV nanowires from extreme GPa pressure. Journal of Applied Physics, 2016, 119, 185902.	1.1	7
1002	Double sided nanopyramid arrays for broad spectrum absorption enhancement in ultrathin-film solar cells. , 2016, , .		0
1003	Hut-like pillar array Si solar cells. Solar Energy, 2016, 132, 357-362.	2.9	0
1004	Plasmonic metasurface for light absorption enhancement in GaAs thin film. Plasmonics, 2016, 11, 1401-1406.	1.8	10
1005	Silicon microhole arrays architecture for stable and efficient photoelectrochemical cells using ionic liquids electrolytes. Journal of Power Sources, 2016, 318, 146-153.	4.0	9
1006	Analytical method for the analysis of thin SiGe/Si solar cells with front surface field. Optical and Quantum Electronics, 2016, 48, 1.	1.5	9
1007	Hybrid silicon honeycomb/organic solar cells with enhanced efficiency using surface etching. Nanotechnology, 2016, 27, 254006.	1.3	4
1008	Improved Efficiency of Silicon Nanoholes/Gold Nanoparticles/Organic Hybrid Solar Cells via Localized Surface Plasmon Resonance. Nanoscale Research Letters, 2016, 11, 160.	3.1	17
1009	Design and fabrication of 1-D semiconductor nanomaterials for high-performance photovoltaics. Science Bulletin, 2016, 61, 357-367.	4.3	14
1010	Wafer-Scale Integration of Inverted Nanopyramid Arrays for Advanced Light Trapping in Crystalline Silicon Thin Film Solar Cells. Nanoscale Research Letters, 2016, 11, 194.	3.1	27

#	ARTICLE	IF	CITATIONS
1011	High efficiency AZO-InP nanopillar-based heterojunction solar cells. <i>Current Applied Physics</i> , 2016, 16, 726-730.	1.1	9
1012	Controlled faceting and morphology for light trapping in aluminum-catalyzed silicon nanostructures. <i>Journal of Crystal Growth</i> , 2016, 452, 248-252.	0.7	4
1013	Design rules for net absorption enhancement in pseudo-disordered photonic crystal for thin film solar cells. <i>Optics Express</i> , 2016, 24, A650.	1.7	21
1014	Strongly enhanced light trapping in a two-dimensional silicon nanowire random fractal array. <i>Light: Science and Applications</i> , 2016, 5, e16062-e16062.	7.7	97
1015	Inorganic photovoltaics – Planar and nanostructured devices. <i>Progress in Materials Science</i> , 2016, 82, 294-404.	16.0	50
1016	Comparison of ordered and disordered silicon nanowire arrays: experimental evidence of photonic crystal modes. <i>Optics Letters</i> , 2016, 41, 2045.	1.7	8
1017	Growth and Photoelectrochemical Energy Conversion of Wurtzite Indium Phosphide Nanowire Arrays. <i>ACS Nano</i> , 2016, 10, 5525-5535.	7.3	70
1018	Engineering inverse woodpile and woodpile photonic crystal solar cells for light trapping. <i>Nanotechnology</i> , 2016, 27, 225404.	1.3	4
1019	Heterostructured semiconductor nanowire arrays for artificial photosynthesis. <i>Materials Horizons</i> , 2016, 3, 270-282.	6.4	95
1020	Doping evaluation of InP nanowires for tandem junction solar cells. <i>Nanotechnology</i> , 2016, 27, 065706.	1.3	15
1021	Template-based syntheses for shape controlled nanostructures. <i>Advances in Colloid and Interface Science</i> , 2016, 234, 51-79.	7.0	108
1022	Nanowires: a new pathway to nanotechnology-based applications. <i>Journal of Electroceramics</i> , 2016, 37, 34-49.	0.8	19
1023	Flexible Photodiodes Based on Nitride Core/Shell p-n Junction Nanowires. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 26198-26206.	4.0	66
1024	Opportunities and Limitations for Nanophotonic Structures To Exceed the Shockley-Queisser Limit. <i>ACS Nano</i> , 2016, 10, 8620-8631.	7.3	48
1025	Boosting Solar Cell Photovoltage via Nanophotonic Engineering. <i>Nano Letters</i> , 2016, 16, 6467-6471.	4.5	55
1026	Reliable fabrication of sub-10 nm silicon nanowires by optical lithography. <i>Nanotechnology</i> , 2016, 27, 425302.	1.3	5
1027	Optimizations of GaAs Nanowire Solar Cells. <i>IEEE Journal of Photovoltaics</i> , 2016, 6, 1494-1501.	1.5	21
1028	Fabrication of flexible silicon nanowires by self-assembled metal assisted chemical etching for surface enhanced Raman spectroscopy. <i>RSC Advances</i> , 2016, 6, 93649-93659.	1.7	34

#	ARTICLE	IF	CITATIONS
1029	Inorganic Nano Light-Emitting Transistor: p-type Porous Silicon Nanowire/n-type ZnO Nanofilm. <i>Small</i> , 2016, 12, 4222-4228.	5.2	11
1030	Near-Unity Unselective Absorption in Sparse InP Nanowire Arrays. <i>ACS Photonics</i> , 2016, 3, 1826-1832.	3.2	81
1031	Numerical simulation of rear contact silicon solar cell with a novel front surface design for the suppression of interface recombination and improved absorption. <i>Current Applied Physics</i> , 2016, 16, 1581-1587.	1.1	23
1032	Near-Field Energy Transfer Using Nanoemitters For Optoelectronics. <i>Advanced Functional Materials</i> , 2016, 26, 8158-8177.	7.8	73
1033	Synthesis of hybrid nanowires comprising uniaxial and coaxial InGaN/GaN MQWs with a nano-cap. <i>Journal of Materials Chemistry C</i> , 2016, 4, 10005-10010.	2.7	5
1034	Vertical Si nanowire arrays fabricated by magnetically guided metal-assisted chemical etching. <i>Nanotechnology</i> , 2016, 27, 455302.	1.3	8
1035	Optical absorption enhancement in slanted silicon nanocone hole arrays for solar photovoltaics. <i>Chinese Physics B</i> , 2016, 25, 106802.	0.7	6
1036	Radial microwire array solar cell with pyramidal structure. <i>Superlattices and Microstructures</i> , 2016, 98, 208-219.	1.4	2
1037	Enhanced Absorption and $\sim 1\%$ Spectrum-and-Angle-Averaged Reflection in Tapered Microwire Arrays. <i>ACS Photonics</i> , 2016, 3, 1854-1861.	3.2	24
1038	Nanowire-Enabled Energy Conversion. <i>Nanoscience and Technology</i> , 2016, , 227-254.	1.5	0
1039	Fabrication of single-crystal silicon nanotubes with sub-10 nm walls using cryogenic inductively coupled plasma reactive ion etching. <i>Nanotechnology</i> , 2016, 27, 365302.	1.3	19
1040	Materials for Photovoltaic Solar Cells. , 2016, , 27-91.		0
1041	Metal assisted catalyzed etched (MACE) black Si: optics and device physics. <i>Nanoscale</i> , 2016, 8, 15448-15466.	2.8	66
1042	Effect of Si nanostructures on PEDOT:PSS Si hybrid solar cells. <i>Thin Solid Films</i> , 2016, 616, 335-338.	0.8	10
1043	Near-Unity Absorption in van der Waals Semiconductors for Ultrathin Optoelectronics. <i>Nano Letters</i> , 2016, 16, 5482-5487.	4.5	156
1044	Pressure-induced formation of highly controlled branched silicon nanowires suitable for broadband absorption. <i>Journal of Materials Science: Materials in Electronics</i> , 2016, 27, 12903-12912.	1.1	2
1045	Silicon nanospheres for directional scattering in thin-film solar cells. <i>Journal of Nanophotonics</i> , 2016, 10, 036013.	0.4	8
1046	Ordered Nanoscale Heterojunction Architecture for Enhanced Solution-Based CuInGaS ₂ Thin Film Solar Cell Performance. <i>Advanced Energy Materials</i> , 2016, 6, 1601114.	10.2	11

#	ARTICLE	IF	CITATIONS
1047	Effect of defects in oxide templates on Non-catalytic growth of GaN nanowires for high-efficiency light-emitting diodes. <i>Journal of the Korean Physical Society</i> , 2016, 68, 864-868.	0.3	0
1048	Application of Three-Dimensionally Ordered Mesoporous TiO ₂ Particles as Dual-function Scatterers in Dye-Sensitized Solar Cells. <i>Electrochimica Acta</i> , 2016, 222, 1079-1085.	2.6	8
1049	The effect of shifting of the absorption edge in the silicon nanowire. <i>Journal of Contemporary Physics</i> , 2016, 51, 345-349.	0.1	0
1050	Tandem Core-Shell Si ₃ N ₅ Photoanodes for Photoelectrochemical Water Splitting. <i>Nano Letters</i> , 2016, 16, 7565-7572.	4.5	99
1051	Design and analysis of multilayer waveguides containing nanoparticles for solar cells. <i>Solar Energy</i> , 2016, 137, 409-412.	2.9	21
1052	1D Crossed Nanojunctions from Electroless-Etched Si Nanowires. <i>Journal of Physical Chemistry C</i> , 2016, 120, 22744-22749.	1.5	2
1053	CdTe heterojunction nanotube arrays for efficient solar energy conversion. <i>Journal of Materials Chemistry A</i> , 2016, 4, 14637-14648.	5.2	14
1054	Surface Charge Transfer Doping of Low-Dimensional Nanostructures toward High-Performance Nanodevices. <i>Advanced Materials</i> , 2016, 28, 10409-10442.	11.1	144
1055	Thin Film Silicon Nanowire/PEDOT:PSS Hybrid Solar Cells with Surface Treatment. <i>Nanoscale Research Letters</i> , 2016, 11, 311.	3.1	23
1056	A nanomesh scaffold for supramolecular nanowire optoelectronic devices. <i>Nature Nanotechnology</i> , 2016, 11, 900-906.	15.6	72
1057	Single-layer graphene-TiO ₂ nanotubes array heterojunction for ultraviolet photodetector application. <i>Applied Surface Science</i> , 2016, 387, 1162-1168.	3.1	56
1058	Mesoscale Growth and Assembly of Bright Luminescent Organolead Halide Perovskite Quantum Wires. <i>Chemistry of Materials</i> , 2016, 28, 5043-5054.	3.2	63
1059	Interface Engineering To Boost Photoresponse Performance of Self-Powered, Broad-Bandwidth PEDOT:PSS/Si Heterojunction Photodetector. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 19158-19167.	4.0	72
1060	Nanostructured Silicon Used for Flexible and Mobile Electricity Generation. <i>Advanced Materials</i> , 2016, 28, 10539-10547.	11.1	37
1061	Moderate bending strain induced semiconductor to metal transition in Si nanowires. <i>Semiconductor Science and Technology</i> , 2016, 31, 125019.	1.0	5
1062	Design and fabrication of silicon nanowires towards efficient solar cells. <i>Nano Today</i> , 2016, 11, 704-737.	6.2	163
1063	Theoretical investigation about the optical characterization of cone-shaped pin-Si nanowire for top cell application. <i>Energy Science and Engineering</i> , 2016, 4, 383-393.	1.9	6
1064	Large Absorption Enhancement in Ultrathin Solar Cells Patterned by Metallic Nanocavity Arrays. <i>Scientific Reports</i> , 2016, 6, 34219.	1.6	18

#	ARTICLE	IF	CITATIONS
1065	Accurate <i>ab initio</i> tight-binding Hamiltonians: Effective tools for electronic transport and optical spectroscopy from first principles. <i>Physical Review B</i> , 2016, 94, .	1.1	25
1066	Control over Alignment and Growth Kinetics of Si Nanowires through Surface Fluctuation of Liquid Precursor. <i>Crystal Growth and Design</i> , 2016, 16, 6700-6704.	1.4	1
1067	Hybrid Energy Cell with Hierarchical Nano/Micro-Architected Polymer Film to Harvest Mechanical, Solar, and Wind Energies Individually/Simultaneously. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 30165-30175.	4.0	46
1068	Axial strain effects on ballistic phonon thermal transport in silicon nanowires. <i>Japanese Journal of Applied Physics</i> , 2016, 55, 04EP07.	0.8	1
1069	Effect of advanced nanowire-based targets in nanosecond laser-matter interaction (invited). <i>Review of Scientific Instruments</i> , 2016, 87, 02B324.	0.6	2
1070	Observation of Quantum Size Effect from Silicon Nanowall. <i>Nanoscale Research Letters</i> , 2016, 11, 530.	3.1	5
1071	Improved Work Function of Poly(3,4-ethylenedioxythiophene): Poly(styrenesulfonic acid) and its Effect on Hybrid Silicon/Organic Heterojunction Solar Cells. <i>Nanoscale Research Letters</i> , 2016, 11, 532.	3.1	22
1072	Optical vortex pulse illumination to create chiral monocrystalline silicon nanostructures. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2016, 213, 1063-1068.	0.8	28
1073	Raman spectroscopy for study of interplay between phonon confinement and Fano effect in silicon nanowires. <i>Journal of Raman Spectroscopy</i> , 2016, 47, 283-288.	1.2	43
1074	Zeolite Crystals Embedded Nanotextured Coating with Hydrophobic Surface: An Innovation Toward Next Generation Solar Cover Glass for Efficient Light Harvesting. <i>Advanced Materials Interfaces</i> , 2016, 3, 1500848.	1.9	6
1075	Achieving an Accurate Surface Profile of a Photonic Crystal for Near-Unity Solar Absorption in a Super Thin-Film Architecture. <i>ACS Nano</i> , 2016, 10, 6116-6124.	7.3	77
1076	Effect of plasma ion etching on Si nano wires towards superhydrophobicity. <i>Materials Today: Proceedings</i> , 2016, 3, 1907-1913.	0.9	2
1077	0.76% absolute efficiency increase for screen-printed multicrystalline silicon solar cells with nanostructures by reactive ion etching. <i>Solar Energy Materials and Solar Cells</i> , 2016, 157, 48-54.	3.0	42
1078	Nanowire-Modified Three-Dimensional Electrode Enabling Low-Voltage Electroporation for Water Disinfection. <i>Environmental Science & Technology</i> , 2016, 50, 7641-7649.	4.6	95
1079	Plasmonic materials for flexible near-infrared photovoltaic devices. <i>Science China Materials</i> , 2016, 59, 410-411.	3.5	2
1080	Nanoscale aluminum concaves for light-trapping in organic thin-films. <i>Optics Communications</i> , 2016, 370, 135-139.	1.0	4
1081	Enhanced performance of photoelectrochemical water oxidation using a three-dimensional interconnected nanostructural photoanode via simultaneously harnessing charge transfer and coating with an oxygen evolution catalyst. <i>Nano Energy</i> , 2016, 26, 257-266.	8.2	24
1082	ZnO/Al ₂ O ₃ core/shell nanorods array as excellent anti-reflection layers on silicon solar cells. <i>Materials Chemistry and Physics</i> , 2016, 180, 195-202.	2.0	15

#	ARTICLE	IF	CITATIONS
1083	Fabrication of Si-nanowires controlled by spontaneously formed nanoholes on annealed Au thin films. <i>Materials Science in Semiconductor Processing</i> , 2016, 53, 28-35.	1.9	4
1084	Fluorinated alkyne-derived monolayers on oxide-free silicon nanowires via one-step hydrosilylation. <i>Applied Surface Science</i> , 2016, 387, 1202-1210.	3.1	11
1085	17.6%-Efficient radial junction solar cells using silicon nano/micro hybrid structures. <i>Nanoscale</i> , 2016, 8, 14473-14479.	2.8	37
1086	Spectroscopic Investigation of well aligned Silicon Nano wires Fabricated by Metal Induced Etching. <i>Materials Today: Proceedings</i> , 2016, 3, 1835-1839.	0.9	2
1087	Enhanced Electro-Optical Properties of Nanocone/Nanopillar Dual-Structured Arrays for Ultrathin Silicon/Organic Hybrid Solar Cell Applications. <i>Advanced Energy Materials</i> , 2016, 6, 1501793.	10.2	75
1088	Flexible Near-Infrared Photovoltaic Devices Based on Plasmonic Hot-Electron Injection into Silicon Nanowire Arrays. <i>Angewandte Chemie</i> , 2016, 128, 4653-4657.	1.6	7
1089	Flexible Near-Infrared Photovoltaic Devices Based on Plasmonic Hot-Electron Injection into Silicon Nanowire Arrays. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 4577-4581.	7.2	64
1090	Metal-assisted chemical etching for designable monocrystalline silicon nanostructure. <i>Materials Research Bulletin</i> , 2016, 76, 436-449.	2.7	58
1091	Silicon Nanowires for Solar Thermal Energy Harvesting: an Experimental Evaluation on the Trade-off Effects of the Spectral Optical Properties. <i>Nanoscale Research Letters</i> , 2016, 11, 1.	3.1	653
1092	Effects of reagent gas composition on the morphology and optical properties of Cu ₂ S nanowire arrays. <i>Journal of Alloys and Compounds</i> , 2016, 662, 263-267.	2.8	7
1093	Reviews in Plasmonics 2015. <i>International Journal of Behavioral and Consultation Therapy</i> , 2016, , .	0.4	3
1094	Highly efficient antireflective and self-cleaning coatings that incorporate carbon nanotubes (CNTs) into solar cells: A review. <i>Renewable and Sustainable Energy Reviews</i> , 2016, 59, 620-635.	8.2	91
1095	Two-dimensional layered material/silicon heterojunctions for energy and optoelectronic applications. <i>Nano Research</i> , 2016, 9, 72-93.	5.8	62
1096	Fabrication of silicon nanowire arrays by near-field laser ablation and metal-assisted chemical etching. <i>Nanotechnology</i> , 2016, 27, 075301.	1.3	40
1097	Efficient light trapping in tapered silicon nanohole arrays. <i>Optik</i> , 2016, 127, 2861-2865.	1.4	13
1098	Nanophotonic perovskite solar cell architecture with a three-dimensional TiO ₂ nanodendrite scaffold for light trapping and electron collection. <i>Journal of Materials Chemistry A</i> , 2016, 4, 1119-1125.	5.2	30
1099	Optical absorption enhancement with low structural-parameter sensitivity in three-dimensional silicon nanocavity array for solar photovoltaics. <i>Japanese Journal of Applied Physics</i> , 2016, 55, 010302.	0.8	1
1100	Realizing ordered arrays of nanostructures: A versatile platform for converting and storing energy efficiently. <i>Nano Energy</i> , 2016, 19, 328-362.	8.2	66

#	ARTICLE	IF	CITATIONS
1101	Fabrication and optical simulation of vertically aligned silicon nanowires. Applied Nanoscience (Switzerland), 2016, 6, 1031-1036.	1.6	8
1102	Compound Semiconductor Nanowire Photodetectors. Semiconductors and Semimetals, 2016, 94, 75-107.	0.4	5
1103	Fabricating vertically aligned sub-20 nm Si nanowire arrays by chemical etching and thermal oxidation. Nanotechnology, 2016, 27, 165303.	1.3	15
1104	Aperiodic Silicon Nanowire Arrays: Fabrication, Light Trapping Properties and Solar Cell Applications. Advanced Structured Materials, 2016, , 329-363.	0.3	6
1105	Rate controlled metal assisted chemical etching to fabricate vertical and uniform Si nanowires. , 2016, , .		0
1106	Photovoltaic performance of Gallium-doped ZnO thin film/Si nanowires heterojunction diodes. Philosophical Magazine, 2016, 96, 1093-1109.	0.7	20
1107	GaAs Core/SrTiO ₃ Shell Nanowires Grown by Molecular Beam Epitaxy. Nano Letters, 2016, 16, 2393-2399.	4.5	10
1108	Recent developments in nanowires for bio-applications from molecular to cellular levels. Lab on A Chip, 2016, 16, 1126-1138.	3.1	43
1109	An Alternative Metal-Assisted Etching Route for Texturing Silicon Wafers for Solar Cell Applications. IEEE Journal of Photovoltaics, 2016, 6, 440-446.	1.5	19
1110	Ultrasound-assisted recovery of free-standing high-aspect-ratio micropillars. RSC Advances, 2016, 6, 16640-16644.	1.7	10
1111	Structure and antireflection properties of SiNWs arrays form mc-Si wafer through Ag-catalyzed chemical etching. Applied Surface Science, 2016, 369, 232-240.	3.1	37
1112	Effect of a High Density of Stacking Faults on the Young's Modulus of GaAs Nanowires. Nano Letters, 2016, 16, 1911-1916.	4.5	61
1113	Optical Manipulation and Spectroscopy Of Silicon Nanoparticles Exhibiting Dielectric Resonances. Nano Letters, 2016, 16, 1903-1910.	4.5	46
1114	Elongated Nanostructured Solar Cells with a Plasmonic Core. International Journal of Behavioral and Consultation Therapy, 2016, , 225-248.	0.4	0
1115	An effective three-dimensional surface-enhanced Raman scattering substrate based on oblique Si nanowire arrays decorated with Ag nanoparticles. Journal of Materials Science, 2016, 51, 3854-3860.	1.7	10
1116	Opto-electronic properties of a TiO ₂ /PS/mc-Si heterojunction based solar cell. Applied Surface Science, 2016, 368, 140-145.	3.1	6
1117	Phase transition kinetics and surface binding states of methylammonium lead iodide perovskite. Physical Chemistry Chemical Physics, 2016, 18, 7284-7292.	1.3	94
1118	Large arrays of ultra-high aspect ratio periodic silicon nanowires obtained via top-down route. Applied Physics A: Materials Science and Processing, 2016, 122, 1.	1.1	12

#	ARTICLE	IF	CITATIONS
1119	Funnel-shaped silicon nanowire for highly efficient light trapping. Optics Letters, 2016, 41, 1010.	1.7	49
1120	Graphene oxide as a p-dopant and an anti-reflection coating layer, in graphene/silicon solar cells. Nanoscale, 2016, 8, 6473-6478.	2.8	56
1121	Effect of Growth Parameters and Substrate Surface Preparation for High-Density Vertical GaAs/GaAsSb Core-Shell Nanowires on Silicon with Photoluminescence Emission at 1.3 μ m. Journal of Electronic Materials, 2016, 45, 2108-2114.	1.0	6
1122	A computational study of antireflection structures bio-mimicked from leaf surface morphologies. Solar Energy, 2016, 131, 131-137.	2.9	22
1123	Concurrent improvement in optical and electrical characteristics by using inverted pyramidal array structures toward efficient Si heterojunction solar cells. Nano Energy, 2016, 23, 1-6.	8.2	20
1124	Si/PEDOT:PSS hybrid solar cells incorporated with silver plasmonic nanospheres. Thin Solid Films, 2016, 599, 37-41.	0.8	2
1125	High-Efficiency Planar Thin-Film Si/PEDOT:PSS Hybrid Solar Cell. IEEE Journal of Photovoltaics, 2016, 6, 217-222.	1.5	3
1126	Impact of Dopant Compensation on Graded p-n Junctions in Si Nanowires. ACS Applied Materials & Interfaces, 2016, 8, 128-134.	4.0	8
1127	Surface physics of semiconducting nanowires. Progress in Surface Science, 2016, 91, 1-28.	3.8	36
1128	Performance Boosting of Flexible ZnO UV Sensors with Rational Designed Absorbing Antireflection Layer and Humectant Encapsulation. ACS Applied Materials & Interfaces, 2016, 8, 381-389.	4.0	23
1129	High Quantum Efficiency Nanopillar Photodiodes Overcoming the Diffraction Limit of Light. Nano Letters, 2016, 16, 199-204.	4.5	38
1130	Core-Shell Heterojunction Solar Cells Based on Disordered Silicon Nanowire Arrays. Journal of Physical Chemistry C, 2016, 120, 2962-2972.	1.5	32
1131	Fully Tunable Silicon Nanowire Arrays Fabricated by Soft Nanoparticle Templating. Nano Letters, 2016, 16, 157-163.	4.5	98
1132	Improving the performance of radial n-i-p junction Si nanowire solar cells by catalyst residue removal. Materials Science in Semiconductor Processing, 2016, 41, 457-461.	1.9	8
1133	Semiconductor Materials for Solar Photovoltaic Cells. Springer Series in Materials Science, 2016, , .	0.4	29
1134	Novel back-contact back-junction SiGe (BC-BJ SiGe) solar cell for improved power conversion efficiency. Microsystem Technologies, 2016, 22, 2673-2680.	1.2	18
1135	Modification of Front Surface Antireflection of Silicon Solar Cells with Composite Metallic Nanoparticle Arrays. Plasmonics, 2017, 12, 589-596.	1.8	4
1136	Periodic Upright Nanopyramids for Light Management Applications in Ultrathin Crystalline Silicon Solar Cells. IEEE Journal of Photovoltaics, 2017, 7, 493-501.	1.5	26

#	ARTICLE	IF	CITATIONS
1137	A review of III-V nanowire infrared photodetectors and sensors. Journal Physics D: Applied Physics, 2017, 50, 123001.	1.3	175
1138	Large-Area Au-Nanoparticle-Functionalized Si Nanorod Arrays for Spatially Uniform Surface-Enhanced Raman Spectroscopy. ACS Nano, 2017, 11, 1478-1487.	7.3	199
1139	Controlling the Geometries of Si Nanowires through Tunable Nanosphere Lithography. ACS Applied Materials & Interfaces, 2017, 9, 7368-7375.	4.0	13
1140	Highly doped silicon nanowires by monolayer doping. Nanoscale, 2017, 9, 2836-2844.	2.8	19
1141	Enhanced photovoltaic performance of polymer-filled nanoporous Si hybrid structures. Physical Chemistry Chemical Physics, 2017, 19, 5121-5126.	1.3	4
1142	Terahertz emission and photoluminescence of silicon nanowires electrolessly etched on the surface of silicon (100), (110), and (111) substrates for photovoltaic cell applications. Photonics and Nanostructures - Fundamentals and Applications, 2017, 24, 1-6.	1.0	7
1143	A High-Efficiency Si Nanowire Array/Perovskite Hybrid Solar Cell. Nanoscale Research Letters, 2017, 12, 14.	3.1	12
1144	One-dimensional Si/Ge nanowires and their heterostructures for multifunctional applications—a review. Nanotechnology, 2017, 28, 092001.	1.3	64
1145	Transparent Carbon Nanotubes (CNTs) as Antireflection and Self-cleaning Solar Cell Coating. Topics in Mining, Metallurgy and Materials Engineering, 2017, , 101-114.	1.4	7
1147	The design of broad band anti-reflection coatings for solar cell applications. EPJ Applied Physics, 2017, 77, 10301.	0.3	5
1148	Hybrid silicon-carbon nanostructures for broadband optical absorption. RSC Advances, 2017, 7, 8070-8076.	1.7	5
1149	Novel field-effect passivation for nanostructured Si solar cells using interfacial sulfur incorporation. Progress in Photovoltaics: Research and Applications, 2017, 25, 376-383.	4.4	3
1150	Nanoscale characterization of GaN/InGaN multiple quantum wells on GaN nanorods by photoluminescence spectroscopy. , 2017, , .		1
1151	One-step synthesis and scale-dependent luminescence properties of 1D Zn _{0.9} Cd _{0.1} S nanostructures prepared by PVD. Journal Physics D: Applied Physics, 2017, 50, 125301.	1.3	2
1152	Silver-decorated silicon nanowires array as surface-enhanced Raman scattering (SERS) substrate. Proceedings of SPIE, 2017, , .	0.8	1
1153	Perspectives: Nanofibers and nanowires for disordered photonics. APL Materials, 2017, 5, 035301.	2.2	4
1154	Optical analysis of Si-tapered nanowires/low band gap polymer hybrid solar cells. Proceedings of SPIE, 2017, , .	0.8	2
1155	Luminescence and carrier dynamics in nanostructured silicon. Journal of Luminescence, 2017, 186, 312-317.	1.5	2

#	ARTICLE	IF	CITATIONS
1156	Effect of isopropanol on gold assisted chemical etching of silicon microstructures. <i>Microelectronic Engineering</i> , 2017, 177, 59-65.	1.1	35
1158	Photoionization cross section and binding energy of single dopant in hollow cylindrical core/shell quantum dot. <i>Journal of Applied Physics</i> , 2017, 121, .	1.1	30
1160	Periodic upright nanopyramid fabricated by ultraviolet curable nanoimprint lithography for thin film solar cells. <i>International Journal of Nanotechnology</i> , 2017, 14, 3.	0.1	9
1161	Rapid Surface Functionalization of Hydrogen-Terminated Silicon by Alkyl Silanols. <i>Journal of the American Chemical Society</i> , 2017, 139, 5870-5876.	6.6	33
1162	Focused ion beam supported growth of monocrystalline wurtzite InAs nanowires grown by molecular beam epitaxy. <i>Journal of Crystal Growth</i> , 2017, 470, 46-50.	0.7	5
1163	Well incorporation of carbon nanodots with silicon nanowire arrays featuring excellent photocatalytic performances. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 11786-11792.	1.3	36
1164	Formation Mechanism of Silicon Nanowires Using Chemical/Electrochemical Process. <i>IEEE Nanotechnology Magazine</i> , 2017, 16, 507-513.	1.1	7
1165	The synthesis of hybrid nanostructure comprising star-shaped GaN nanowires and Si nanoworms. <i>RSC Advances</i> , 2017, 7, 24113-24121.	1.7	4
1166	Ultralarge All-Inorganic Perovskite Bulk Single Crystal for High-Performance Visible-Infrared Dual-Modal Photodetectors. <i>Advanced Optical Materials</i> , 2017, 5, 1700157.	3.6	244
1167	Top-down fabricated tapered GaAs nanowires with sacrificial etching of the mask. <i>Nanotechnology</i> , 2017, 28, 235301.	1.3	6
1168	Two-dimensional hexagonal symmetry diffraction pattern by SiO ₂ photonic structures fabricated by hot embossing. <i>Functional Materials Letters</i> , 2017, 10, 1750031.	0.7	0
1169	One-step synthesis and size control of tin/indium (Sn/In) nanowires by surfactant-assisted chemical reduction methods in aqueous solutions. <i>Journal of Alloys and Compounds</i> , 2017, 712, 848-856.	2.8	6
1170	ZnO/TiO ₂ /Sb ₂ S ₃ Core-Shell Nanowire Heterostructure for Extremely Thin Absorber Solar Cells. <i>Journal of Physical Chemistry C</i> , 2017, 121, 9672-9680.	1.5	66
1172	Growth and optical properties of In _x Ga _{1-x} P nanowires synthesized by selective-area epitaxy. <i>Nano Research</i> , 2017, 10, 672-682.	5.8	24
1173	Towards high efficiency nanowire solar cells. <i>Nano Today</i> , 2017, 12, 31-45.	6.2	153
1174	Silicon nanowire heterostructures for advanced energy and environmental applications: a review. <i>Nanotechnology</i> , 2017, 28, 012001.	1.3	51
1175	Optical Confinements in Correlated Spectral Characteristics of Vertically Aligned Silicon Nanometric Wires Followed by a Facile Fabrication Thereof. <i>Plasmonics</i> , 2017, 12, 1297-1304.	1.8	1
1176	Tuning Band Structure of Cadmium Chalcogenide Nanoflake Arrays via Alloying for Efficient Photoelectrochemical Hydrogen Evolution. <i>Langmuir</i> , 2017, 33, 6457-6463.	1.6	6

#	ARTICLE	IF	CITATIONS
1177	Photoluminescence of pure silicon quantum dots embedded in an amorphous silica wire array. <i>Journal of Materials Chemistry C</i> , 2017, 5, 6713-6717.	2.7	10
1178	Mushrooms as Efficient Solar Steam-Generation Devices. <i>Advanced Materials</i> , 2017, 29, 1606762.	11.1	922
1179	Hierarchically self-assembled ZnO architectures: Establishing light trapping networks for effective photoelectrochemical water splitting. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 15126-15139.	3.8	29
1180	Perovskite Nanopillar Array Based Tandem Solar Cell. <i>ACS Photonics</i> , 2017, 4, 2025-2035.	3.2	24
1181	Silicon Nanowire/Polymer Hybrid Solar Cell-Supercapacitor: A Self-Charging Power Unit with a Total Efficiency of 10.5%. <i>Nano Letters</i> , 2017, 17, 4240-4247.	4.5	149
1182	Silicon Quantum Dots in Dielectric Scattering Media: Broadband Enhancement of Effective Absorption Cross Section by Light Trapping. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 19135-19142.	4.0	11
1183	Fabrication and application of indium-tin-oxide nanowire networks by polystyrene-assisted growth. <i>Scientific Reports</i> , 2017, 7, 1600.	1.6	8
1184	Spectrally selective solar absorber with sharp and temperature dependent cut-off based on semiconductor nanowire arrays. <i>Applied Physics Letters</i> , 2017, 110, 201108.	1.5	20
1185	Large-area silicon nanowire Schottky junction photodetector with tunable absorption and low junction capacitance. <i>Journal Physics D: Applied Physics</i> , 2017, 50, 215105.	1.3	12
1186	III-nitride nanowires for solar light harvesting: A review. <i>Renewable and Sustainable Energy Reviews</i> , 2017, 79, 1002-1015.	8.2	35
1187	Native Oxide Growth on Silicon Micro-Pillars. <i>Nano Hybrids and Composites</i> , 2017, 15, 1-9.	0.8	0
1188	Synthesis of uniform cadmium sulphide thin film by the homogeneous precipitation method on cadmium telluride nanorods and its application in three-dimensional heterojunction flexible solar cells. <i>Journal of Colloid and Interface Science</i> , 2017, 505, 59-66.	5.0	9
1189	Nanostructural optimization of silicon/PEDOT:PSS hybrid solar cells for performance improvement. <i>Journal Physics D: Applied Physics</i> , 2017, 50, 175105.	1.3	18
1190	Photon-trapping microstructures enable high-speed high-efficiency silicon photodiodes. <i>Nature Photonics</i> , 2017, 11, 301-308.	15.6	167
1191	Incident light angle dependence of microwalled silicon solar cell efficiency for fracture transfer printing applications. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2017, 214, 1600724.	0.8	1
1192	Alignment control and atomically-scaled heteroepitaxial interface study of GaN nanowires. <i>Nanoscale</i> , 2017, 9, 5212-5221.	2.8	21
1193	Designing Morphology in Epitaxial Silicon Nanowires: The Role of Gold, Surface Chemistry, and Phosphorus Doping. <i>ACS Nano</i> , 2017, 11, 4453-4462.	7.3	46
1194	Vertically arrays of Si-LaNiO ₃ /BiFeO ₃ /Au core-shell nano-capacitors for prominent coupled electro-optic effect. <i>Journal of Applied Physics</i> , 2017, 121, 114103.	1.1	3

#	ARTICLE	IF	CITATIONS
1195	Enhanced photoelectrochemical efficiency and stability using a conformal TiO ₂ film on a black silicon photoanode. <i>Nature Energy</i> , 2017, 2, .	19.8	217
1196	Broadband light absorber based on porous alumina structure covered with ultrathin iridium film. <i>Applied Physics Letters</i> , 2017, 110, 141103.	1.5	22
1197	Controlled synthesis of polystyrene-assisted tin-doped indium oxide nanowire networks. <i>Journal of Materials Research</i> , 2017, 32, 1647-1655.	1.2	0
1198	Nanostructured Semiconductors for Bifunctional Photocatalytic and Photoelectrochemical Energy Conversion. <i>Semiconductors and Semimetals</i> , 2017, 97, 315-347.	0.4	6
1199	Analyte-induced spectral filtering in femtosecond transient absorption spectroscopy. <i>Journal of Luminescence</i> , 2017, 187, 92-95.	1.5	1
1200	Grading absorption and enhancement in silicon nanowire arrays with thin blocks. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2017, 194, 7-16.	1.1	4
1201	Metal-Free Black Silicon for Solar-powered Hydrogen Generation. <i>Electrochimica Acta</i> , 2017, 235, 453-462.	2.6	12
1202	Low-Temperature Growth of Axial Si/Ge Nanowire Heterostructures Enabled by Trisilane. <i>Chemistry of Materials</i> , 2017, 29, 3397-3402.	3.2	18
1203	Synthesis of Si/SiO ₂ core-shell nanowire arrays and broadband anti-reflection effects in diluted Si nanowire arrays by adjusting dielectric shell thickness. <i>Nanotechnology</i> , 2017, 28, 185402.	1.3	0
1204	Light-directed growth of metal and semiconductor nanostructures. <i>Journal of Materials Chemistry C</i> , 2017, 5, 5628-5642.	2.7	19
1205	Pitch-Induced Bandgap Tuning in Self-Catalyzed Growth of Patterned GaAsSb Axial and GaAs/GaAsSb Core-shell Nanowires Using Molecular Beam Epitaxy. <i>Crystal Growth and Design</i> , 2017, 17, 730-737.	1.4	14
1206	Recent developments in III-V semiconducting nanowires for high-performance photodetectors. <i>Materials Chemistry Frontiers</i> , 2017, 1, 630-645.	3.2	55
1207	Photo-Electrical Characterization of Silicon Micropillar Arrays with Radial p/n Junctions Containing Passivation and Anti-Reflection Coatings. <i>Advanced Energy Materials</i> , 2017, 7, 1601497.	10.2	8
1208	Molecular Monolayers for Electrical Passivation and Functionalization of Silicon-Based Solar Energy Devices. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 413-421.	4.0	12
1209	Highly Efficient Solid Gear-Shaped Silicon Nanowire for Solar Energy Harvesting. <i>IEEE Photonics Technology Letters</i> , 2017, 29, 205-208.	1.3	6
1210	Three-dimensional nanostructured electrodes for efficient quantum-dot-sensitized solar cells. <i>Nano Energy</i> , 2017, 32, 130-156.	8.2	73
1211	Clean Energy Applications. , 2017, , 61-86.		1
1212	Colloidal Silicon-Germanium Nanorod Heterostructures. <i>Chemistry of Materials</i> , 2017, 29, 9786-9792.	3.2	14

#	ARTICLE	IF	CITATIONS
1213	Silicon nanowires to enhance the performance of self-powered near-infrared photodetectors with asymmetrical Schottky contacts. <i>Applied Physics Letters</i> , 2017, 111, 171103.	1.5	11
1214	Enhanced conversion efficiency in Si solar cells employing photoluminescent down-shifting CdSe/CdS core/shell quantum dots. <i>Scientific Reports</i> , 2017, 7, 14104.	1.6	44
1215	Negative Photoconductance in Heavily Doped Si Nanowire Field-Effect Transistors. <i>Nano Letters</i> , 2017, 17, 6727-6734.	4.5	69
1216	Perovskite Nanowire Extrusion. <i>Nano Letters</i> , 2017, 17, 6557-6563.	4.5	42
1217	Optical tweezing and binding at high irradiation powers on black-Si. <i>Scientific Reports</i> , 2017, 7, 12298.	1.6	29
1218	Addressing carrier extraction from optically-optimized nanopillar arrays for thin-film photovoltaics. <i>Nanoscale</i> , 2017, 9, 15707-15716.	2.8	11
1219	Self-Powered Nanoscale Photodetectors. <i>Small</i> , 2017, 13, 1701848.	5.2	227
1220	Broadband photon management of subwavelength structures surface for full-spectrum utilization of solar energy. <i>Energy Conversion and Management</i> , 2017, 152, 22-30.	4.4	11
1221	Conductive-probe atomic force microscopy as a characterization tool for nanowire-based solar cells. <i>Nano Energy</i> , 2017, 41, 566-572.	8.2	34
1222	Sunlight-thin nanophotonic monocrystalline silicon solar cells. <i>Nano Futures</i> , 2017, 1, 021001.	1.0	20
1223	Ultra-Antireflective Electrodeposited Plasmonic and PEDOT Nanocone Array Surfaces. <i>Journal of Physical Chemistry C</i> , 2017, 121, 22377-22383.	1.5	6
1224	Multiple-Patterning Nanosphere Lithography for Fabricating Periodic Three-Dimensional Hierarchical Nanostructures. <i>ACS Nano</i> , 2017, 11, 10384-10391.	7.3	83
1225	Investigation of Nanoscale Quasi Pyramid Texture for HIT Solar Cells Using n-type High Performance Multicrystalline Silicon. <i>Energy Procedia</i> , 2017, 124, 321-330.	1.8	3
1226	Texture of the Viola Flower for Light Harvesting in Photovoltaics. <i>ACS Photonics</i> , 2017, 4, 2687-2692.	3.2	43
1227	Design of nano/micro-structured surfaces for efficiently harvesting and managing full-spectrum solar energy. <i>Solar Energy</i> , 2017, 158, 504-510.	2.9	9
1228	Mapping Free-Carriers in Multijunction Silicon Nanowires Using Infrared Near-Field Optical Microscopy. <i>Nano Letters</i> , 2017, 17, 6591-6597.	4.5	29
1229	Realization of omnidirectional ultra-broadband antireflection properties via subwavelength composite structures. <i>Applied Physics B: Lasers and Optics</i> , 2017, 123, 1.	1.1	6
1230	Generating Optical Birefringence and Chirality in Silicon Nanowire Dimers. <i>ACS Photonics</i> , 2017, 4, 2265-2273.	3.2	15

#	ARTICLE	IF	CITATIONS
1231	Electrorotation and Electroorientation of Semiconductor Nanowires. <i>Langmuir</i> , 2017, 33, 8553-8561.	1.6	16
1232	Self-Powered Ultraviolet Photodetectors Driven by Built-In Electric Field. <i>Small</i> , 2017, 13, 1701687.	5.2	245
1233	Large-Scale Fabrication of Silicon Nanowires for Solar Energy Applications. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 34527-34543.	4.0	45
1234	Reconfigurable Positioning of Vertically-Oriented Nanowires Around Topographical Features in an AC Electric Field. <i>Langmuir</i> , 2017, 33, 10898-10906.	1.6	3
1235	Strong light absorption capability directed by structured profile of vertical Si nanowires. <i>Optical Materials</i> , 2017, 73, 449-458.	1.7	16
1236	Heterojunction p-Cu ₂ O/ZnO-n solar cell fabricated by spark plasma sintering. <i>Materials for Renewable and Sustainable Energy</i> , 2017, 6, 1.	1.5	2
1237	Correlating Light Absorption with Various Nanostructure Geometries in Vertically Aligned Si Nanowire Arrays. <i>ACS Photonics</i> , 2017, 4, 2587-2594.	3.2	8
1238	Optical and Surface Enhanced Raman Scattering properties of Ag modified silicon double nanocone array. <i>Scientific Reports</i> , 2017, 7, 12106.	1.6	20
1239	Light-Trapping Characteristics of Ag Nanoparticles for Enhancing the Energy Conversion Efficiency of Hybrid Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 35998-36008.	4.0	9
1240	High Speed Surface Illuminated Si Photodiode Using Microstructured Holes for Absorption Enhancements at 900-1000 nm Wavelength. <i>ACS Photonics</i> , 2017, 4, 2053-2060.	3.2	30
1241	Characteristics of Planar and Conformal Contact GaAs Core-Shell Nanowire Array Solar Cells. <i>IEEE Transactions on Electron Devices</i> , 2017, 64, 3696-3705.	1.6	2
1242	Infrared optical absorption from hybrid 3-D a-Si:H/ZnO nanowire structures. <i>Journal of Applied Physics</i> , 2017, 122, 013102.	1.1	2
1243	Theory of solar cell light trapping through a nonequilibrium Green's function formulation of Maxwell's equations. <i>Physical Review B</i> , 2017, 96, .	1.1	14
1244	Toward Highly Efficient Nanostructured Solar Cells Using Concurrent Electrical and Optical Design. <i>Advanced Energy Materials</i> , 2017, 7, 1602385.	10.2	34
1245	Localized states and quantum effect of photo-generated carriers in photovoltaic system. <i>Scientific Reports</i> , 2017, 7, 7221.	1.6	3
1246	Dielectric nanoresonators for light manipulation. <i>Physics Reports</i> , 2017, 701, 1-50.	10.3	145
1247	Lithographic sonication patterning of large area GaN nanopillar forests grown on a Si substrate. <i>Microelectronic Engineering</i> , 2017, 181, 43-46.	1.1	1
1248	Fabrication of parabolic Si nanostructures by nanosphere lithography and its application for solar cells. <i>Scientific Reports</i> , 2017, 7, 7336.	1.6	26

#	ARTICLE	IF	CITATIONS
1249	An Optically and Electrochemically Decoupled Monolithic Photoelectrochemical Cell for High-Performance Solar-Driven Water Splitting. <i>Nano Letters</i> , 2017, 17, 5416-5422.	4.5	46
1250	A systematic study of the relationship among the morphological, structural and photoelectrochemical properties of ZnO nanorods grown using the microwave chemical bath deposition method. <i>Journal of the Korean Physical Society</i> , 2017, 71, 171-177.	0.3	3
1251	Technological guidelines for the design of tandem III-V nanowire on Si solar cells from opto-electrical simulations. <i>Solar Energy Materials and Solar Cells</i> , 2017, 172, 314-323.	3.0	14
1252	Vertically aligned CdTe nanorods array for novel three-dimensional heterojunction solar cells on Ni substrates. <i>Electrochimica Acta</i> , 2017, 258, 858-865.	2.6	6
1253	Contact Selectivity Engineering in a 2 μ m Thick Ultrathin c-Si Solar Cell Using Transition-Metal Oxides Achieving an Efficiency of 10.8%. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 41863-41870.	4.0	25
1254	A Thermodynamic Model of Diameter- and Temperature-dependent Semiconductor Nanowire Growth. <i>Scientific Reports</i> , 2017, 7, 15029.	1.6	7
1255	Nano-fabrication of depth-varying amorphous silicon crescent shell array for light trapping. <i>Nanotechnology</i> , 2017, 28, 505301.	1.3	4
1256	Silicon nanostructures for solar-driven catalytic applications. <i>Nano Today</i> , 2017, 17, 96-116.	6.2	63
1257	Research on controllable preparation and antireflection properties of zigzag SiNWs arrays. <i>Integrated Ferroelectrics</i> , 2017, 182, 65-74.	0.3	3
1258	Observation of mean path length invariance in light-scattering media. <i>Science</i> , 2017, 358, 765-768.	6.0	64
1259	Impact of Nanostructuring on the Photoelectrochemical Performance of Si/Ta ₃ N ₅ Nanowire Photoanodes. <i>Journal of Physical Chemistry C</i> , 2017, 121, 27295-27302.	1.5	9
1260	Temperature and Mixing Ratio Effects in the Formation of CdSe/CdS/ZnS Quantum Dots with 4- <i>n</i> -octyl-4- <i>p</i> -Cyanobiphenyl Thin Films. <i>BioNanoScience</i> , 2017, 7, 666-671.	1.5	22
1261	Optical and electrical properties of nanostructured implanted silicon n+p junction passivated by atomic layer deposited Al ₂ O ₃ . <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2017, 93, 190-195.	1.3	6
1262	High-efficiency photon capturing in ultrathin silicon solar cells with double-sided skewed nanopyramid arrays. <i>Journal of Optics (United Kingdom)</i> , 2017, 19, 105901.	1.0	15
1263	Study on silicon nanopillars with ultralow broadband reflectivity via maskless reactive ion etching at room temperature. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2017, 223, 153-158.	1.7	7
1264	Interfacial Assembly of Photosystem II with Conducting Polymer Films toward Enhanced Photo-Bioelectrochemical Cells. <i>Advanced Materials Interfaces</i> , 2017, 4, 1600619.	1.9	25
1265	Diffraction Optics for Thin-Film Silicon Solar Cells. <i>Springer Theses</i> , 2017, , .	0.0	10
1266	Nanostructures for Enhanced Light-Trapping in Thin-Film Silicon Solar Cells. <i>Springer Theses</i> , 2017, , 11-51.	0.0	0

#	ARTICLE	IF	CITATIONS
1267	Optical characterization of double-side-textured silicon wafer based on photonic nanostructures for thin-wafer crystalline silicon solar cells. Japanese Journal of Applied Physics, 2017, 56, 04CS01.	0.8	1
1268	Hybrid black silicon solar cells textured with the interplay of copper-induced galvanic displacement. Scientific Reports, 2017, 7, 17177.	1.6	35
1269	Comparison of different etching methods on the morphology and semiconductor characters of black silicon. IOP Conference Series: Materials Science and Engineering, 2017, 250, 012015.	0.3	3
1270	Editorial: Guided-Wave Optics. Applied Sciences (Switzerland), 2017, 7, 962.	1.3	3
1271	Rapid thermal annealing treated spin-coated on doped antireflective radial junction Si nanopillar solar cell. Optics Express, 2017, 25, A200.	1.7	4
1272	Infiltrated photonic crystals for light-trapping in CuInSe ₂ nanocrystal-based solar cells. Optics Express, 2017, 25, A502.	1.7	9
1273	Sb ₂ S ₃ thickness-dependent lateral photovoltaic effect and time response observed in glass/FTO/CdS/Sb ₂ S ₃ /Au structure. Optics Express, 2017, 25, 19583.	1.7	20
1274	Nanostructured GaAs solar cells via metal-assisted chemical etching of emitter layers. Optics Express, 2017, 25, 23862.	1.7	16
1275	Absorption enhancement in thin-film silicon solar cells with a Fourier-series based periodic array. Optical Materials Express, 2017, 7, 793.	1.6	4
1276	Optical Absorption Enhancement in CdTe Thin Films by Microstructuring of the Silicon Substrate. Materials, 2017, 10, 607.	1.3	42
1277	Self-Assembled InAs Nanowires as Optical Reflectors. Nanomaterials, 2017, 7, 400.	1.9	20
1278	Extraordinary Light-Trapping Enhancement in Silicon Solar Cell Patterned with Graded Photonic Super-Crystals. Photonics, 2017, 4, 50.	0.9	8
1279	Laser Annealing to Enhance Performance of All-Laser-Based Silicon Back Contact Solar Cells. , 2017, , .		3
1280	Grand Challenges for Nanoscience and Nanotechnology in Energy and Health. Frontiers in Chemistry, 2017, 5, 80.	1.8	26
1281	Comparison of Light Trapping in Silicon Nanowire and Surface Textured Thin-Film Solar Cells. Applied Sciences (Switzerland), 2017, 7, 427.	1.3	12
1282	Enhanced Photodegradation Activity of Hydrogen-Terminated Si Nanowires Arrays with Different-Oriented Crystal Phases. Catalysts, 2017, 7, 371.	1.6	7
1283	Nanostructured Dielectric Layer for Ultrathin Crystalline Silicon Solar Cells. International Journal of Photoenergy, 2017, 2017, 1-6.	1.4	2
1284	Enhanced Light Absorptions of Pyramid Square Grating Structure for Crystalline Silicon Solar Cells. IOP Conference Series: Materials Science and Engineering, 2017, 275, 012047.	0.3	0

#	ARTICLE	IF	CITATIONS
1285	The Planar Thermophotovoltaic Selective Nearly-Perfect Absorbers/Emitters. , 2017, , .		0
1286	A study of Growth Mechanism of Fe Nanowires and Nanotube via Template-Based Electrodeposition. International Journal of Electrochemical Science, 2017, 12, 4574-4584.	0.5	9
1287	Non-close packaged monolayer of silica nanoparticles on silicon substrate using HF vapour etching. Micro and Nano Letters, 2017, 12, 656-659.	0.6	2
1288	Comparison of photoemission characteristics between square and circular wire array GaAs photocathodes. Applied Optics, 2017, 56, 8991.	0.9	3
1289	Silicon-gold core-shell nanowire array for an optically and electrically characterized refractive index sensor based on plasmonic resonance and Schottky junction. Optics Letters, 2017, 42, 1225.	1.7	21
1290	Shallow V-Shape Nanostructured Pit Arrays in Germanium Using Aqua Regia Electroless Chemical Etching. Materials, 2017, 10, 854.	1.3	6
1291	Graphene/silicon Schottky solar cells: Technical strategies for performance optimization. Optics Communications, 2018, 428, 258-268.	1.0	13
1292	Heterojunction Hybrid Solar Cells by Formation of Conformal Contacts between PEDOT:PSS and Periodic Silicon Nanopyramid Arrays. Small, 2018, 14, e1704493.	5.2	32
1293	Graphene/Semiconductor Hybrid Heterostructures for Optoelectronic Device Applications. Nano Today, 2018, 19, 41-83.	6.2	172
1294	Fabrication of Silicon Nanostructures for Application in Photonics. Semiconductors, 2018, 52, 632-635.	0.2	2
1295	Investigating Recombination and Charge Carrier Dynamics in a One-Dimensional Nanopillared Perovskite Absorber. ACS Nano, 2018, 12, 4233-4245.	7.3	44
1296	Ultra-Broadband Directional Scattering by Colloidally Lithographed High-Index Mie Resonant Oligomers and Their Energy-Harvesting Applications. ACS Applied Materials & Interfaces, 2018, 10, 16776-16782.	4.0	34
1297	Upconversion Luminescence from Ln ³⁺ (Ho ³⁺ ,Pr ³⁺) Ion-Doped BaCl ₂ Particles via NIR Light of Sun Excitation. Journal of Physical Chemistry C, 2018, 122, 9606-9610.	1.5	24
1298	Impact of one-dimensional photonic crystal back reflector in thin-film c-Si solar cells on efficiency. Applied Physics A: Materials Science and Processing, 2018, 124, 1.	1.1	5
1299	Plasmon-Enhanced Silicon Nanowire Array-Based Hybrid Heterojunction Solar Cells. Solar Rrl, 2018, 2, 1800007.	3.1	12
1300	Electrodynamic multiple-scattering method for the simulation of optical trapping atop periodic metamaterials. Journal of Modern Optics, 2018, 65, 1507-1514.	0.6	1
1301	Optimizing Photovoltaic Charge Generation of Hybrid Heterojunction Core-Shell Silicon Nanowire Arrays: An FDTD Analysis. ACS Omega, 2018, 3, 4123-4128.	1.6	11
1302	Carrier Dynamics of Nanopillar Textured Ultrathin Si Film/PEDOT:PSS Heterojunction Solar Cell. IEEE Journal of Photovoltaics, 2018, 8, 757-762.	1.5	3

#	ARTICLE	IF	CITATIONS
1303	A New Paradigm in High-Speed and High-Efficiency Silicon Photodiodes for Communicationâ€”Part I: Enhancing Photonâ€”Material Interactions via Low-Dimensional Structures. IEEE Transactions on Electron Devices, 2018, 65, 372-381.	1.6	21
1305	Fabrication of silicon nanowire based solar cells using TiO ₂ /Al ₂ O ₃ stack thin films. MRS Advances, 2018, 3, 1419-1426.	0.5	5
1306	Assessing the photovoltaic technology landscape: efficiency and energy return on investment (EROI). Energy and Environmental Science, 2018, 11, 603-608.	15.6	35
1307	Advances in Silicon Solar Cells. , 2018, , .		4
1308	Moldable biomimetic nanoscale optoelectronic platforms for simultaneous enhancement in optical absorption and charge transport. Nanoscale, 2018, 10, 3730-3737.	2.8	11
1309	Effects of nanowire size and geometry on silicon nanowire array thin film solar cells. Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics, 2018, 36, 011401.	0.6	4
1310	Full-Spectrum Solar-to-Heat Conversion Membrane with Interfacial Plasmonic Heating Ability for High-Efficiency Desalination of Seawater. ACS Applied Energy Materials, 2018, 1, 56-61.	2.5	71
1311	Role of non-uniform Ge concentration profile in enhancing the efficiency of thin-film SiGe/Si solar cells. Optik, 2018, 158, 192-198.	1.4	3
1312	Improvement in ultra-thin hydrogenated amorphous silicon solar cells with nanocrystalline silicon oxide. Solar Energy Materials and Solar Cells, 2018, 176, 167-173.	3.0	10
1313	Gate-tunable transport characteristics of Bi ₂ S ₃ nanowire transistors. Solid State Communications, 2018, 270, 135-139.	0.9	4
1314	Selfâ€”Standing Porous LiCoO ₂ Nanosheet Arrays as 3D Cathodes for Flexible Liâ€”ion Batteries. Advanced Functional Materials, 2018, 28, 1705836.	7.8	114
1315	Silicon Nanowire Solar Cells. , 2018, , 269-298.		5
1316	Si Nanowire Solar Cells: Principles, Device Types, Future Aspects, and Challenges. , 2018, , 299-329.		7
1317	Organicâ€”Inorganic Hybrid Silicon Solar. , 2018, , 205-227.		1
1318	Broadband spectral response of diamond wire sawn mc-Si solar cell with omnidirectional performance and improved appearance. Solar Energy Materials and Solar Cells, 2018, 179, 372-379.	3.0	10
1319	Wet-chemically etched silicon nanowire: Effect of etching parameters on the morphology and optical characterizations. Solar Energy, 2018, 161, 180-186.	2.9	11
1320	Fabrication of amorphous silica nanowires via oxygen plasma treatment of polymers on silicon. Journal of Micromechanics and Microengineering, 2018, 28, 024003.	1.5	2
1321	Photovoltaic Performance of a Nanowire/Quantum Dot Hybrid Nanostructure Array Solar Cell. Nanoscale Research Letters, 2018, 13, 62.	3.1	9

#	ARTICLE	IF	CITATIONS
1322	Photoconductivity, pH Sensitivity, Noise, and Channel Length Effects in Si Nanowire FET Sensors. <i>Nanoscale Research Letters</i> , 2018, 13, 87.	3.1	12
1323	In-situ visualization of solute-driven phase coexistence within individual nanorods. <i>Nature Communications</i> , 2018, 9, 1775.	5.8	19
1324	Enhanced broadband absorption in nanowire arrays with integrated Bragg reflectors. <i>Nanophotonics</i> , 2018, 7, 819-825.	2.9	11
1325	Light absorption properties of a nanowire/quantum-dot hybrid nanostructure array. <i>Optics Communications</i> , 2018, 420, 104-109.	1.0	5
1326	A simultaneous deep micromachining and surface passivation method suitable for silicon-based devices. <i>Journal of Micromechanics and Microengineering</i> , 2018, 28, 075003.	1.5	1
1327	Optoelectrical modeling of solar cells based on c-Si/a-Si:H nanowire array: focus on the electrical transport in between the nanowires. <i>Nanotechnology</i> , 2018, 29, 255401.	1.3	1
1328	Precision-Guided Nanospears for Targeted and High-Throughput Intracellular Gene Delivery. <i>ACS Nano</i> , 2018, 12, 4503-4511.	7.3	103
1329	Recent progress in Si hetero-junction solar cell: A comprehensive review. <i>Renewable and Sustainable Energy Reviews</i> , 2018, 82, 1990-2004.	8.2	17
1330	Efficient light trapping in silicon inclined nanohole arrays for photovoltaic applications. <i>Optics Communications</i> , 2018, 407, 199-203.	1.0	37
1331	Electrochemical synthesis of $\text{Cu}_n(1-x)\text{Ga}_x\text{Se}_2$ nanowires with controlled stoichiometry. <i>Materials Letters</i> , 2018, 211, 149-152.	1.3	5
1332	Circular Nanocavity in Ultrathin c-Si Solar Cell for Efficient Light Absorption. <i>Plasmonics</i> , 2018, 13, 1499-1504.	1.8	5
1333	Exciton-plasmon coupling interactions: from principle to applications. <i>Nanophotonics</i> , 2018, 7, 145-167.	2.9	164
1334	Wafer-level and highly controllable fabricated silicon nanowire transistor arrays on (111) silicon-on-insulator (SOI) wafers for highly sensitive detection in liquid and gaseous environments. <i>Nano Research</i> , 2018, 11, 1520-1529.	5.8	32
1335	Augmentation of power conversion efficiency of amorphous silicon solar cell employing poly(methyl Tj ETQq1 1 0.784314 rgBT /Overlo Materials Science, 2018, 53, 5183-5193.	1.7	8
1336	Controlled Formation of Radial Core-Shell Si/Metal Silicide Crystalline Heterostructures. <i>Nano Letters</i> , 2018, 18, 70-80.	4.5	1
1337	Effects of surface nanostructuring and impurity doping on ultrafast carrier dynamics of silicon photovoltaic cells: a pump-probe study. <i>Journal Physics D: Applied Physics</i> , 2018, 51, 024004.	1.3	1
1338	Liquid-Assisted Molten Salt Electrodeposition of Photoresponsive n-Type Silicon Films. <i>Advanced Functional Materials</i> , 2018, 28, 1703551.	7.8	27
1339	Phase controlled synthesis and cathodoluminescence properties of ZnS nanobelts synthesized by PVD. <i>Solid State Communications</i> , 2018, 269, 1-5.	0.9	3

#	ARTICLE	IF	CITATIONS
1340	Photo-Assisted Hydrogen Evolution with Reduced Graphene Oxide Catalyst on Silicon Nanowire Photocathode. Applied Sciences (Switzerland), 2018, 8, 2046.	1.3	20
1341	Optimal design of an antireflection coating structure for enhancing the energy-conversion efficiency of a silicon nanostructure solar cell. RSC Advances, 2018, 8, 34793-34807.	1.7	10
1342	Omnidirectional and effective salt-rejecting absorber with rationally designed nanoarchitecture for efficient and durable solar vapour generation. Journal of Materials Chemistry A, 2018, 6, 22976-22986.	5.2	48
1343	A Novel Nanocone Cluster Microstructure with Anti-reflection and Superhydrophobic Properties for Photovoltaic Devices. Nanoscale Research Letters, 2018, 13, 332.	3.1	7
1344	A high-responsivity subwavelength GaAs nanowire photodetector with a dipole antenna. , 2018, , .		2
1345	Light intensity and spectral dependence characteristics of silicon nanowire/PEDOT:PSS heterojunctions solar cells. Materials Today: Proceedings, 2018, 5, 23302-23310.	0.9	0
1346	Development of Textured Electrode, Index Matching Layer and Nanostructured Materials for Light Trapping inside Photovoltaic devices. Materials Today: Proceedings, 2018, 5, 23428-23433.	0.9	2
1347	Low reflecting hierarchically textured silicon by silver assisted chemical etching for potential solar cell application. Materials Today: Proceedings, 2018, 5, 23258-23267.	0.9	3
1348	Photovoltaic Performance of Pin Junction Nanocone Array Solar Cells with Enhanced Effective Optical Absorption. Nanoscale Research Letters, 2018, 13, 306.	3.1	22
1349	Controlled Synthesis of Vertically Aligned SnO ₂ Nanograin-Structured Thin Films for SnO ₂ /BiVO ₄ Core-Shell Heterostructures with Highly Enhanced Photoelectrochemical Properties. Chemistry of Materials, 2018, 30, 8501-8509.	3.2	40
1350	Solar Cells with Photonic and Plasmonic Structures. Springer Series in Optical Sciences, 2018, , 509-522.	0.5	0
1351	Enhanced photovoltaic performance of nanowire array solar cells with multiple diameters. Optics Express, 2018, 26, A974.	1.7	9
1352	Charge Transfer and Photocurrent in Interfacial Junctions between Bismuth and Graphene. Physical Review Applied, 2018, 10, .	1.5	3
1353	Plasma-etched, silicon nanowire, radial junction photovoltaic device. Journal Physics D: Applied Physics, 2018, 51, 455101.	1.3	5
1354	Light Trapping with Silicon Light Funnel Arrays. Materials, 2018, 11, 445.	1.3	14
1355	Efficient light trapping and broadband absorption of the solar spectrum in nanopillar arrays decorated with deep-subwavelength sidewall features. Nanoscale, 2018, 10, 18613-18621.	2.8	11
1356	Realization of 16.9% Efficiency on Nanowires Heterojunction Solar Cells with Dopant-Free Contact for Bifacial Polarities. Advanced Functional Materials, 2018, 28, 1805001.	7.8	18
1357	Inverse design in nanophotonics. Nature Photonics, 2018, 12, 659-670.	15.6	1,014

#	ARTICLE	IF	CITATIONS
1358	Mixed ab initio and semiempirical study of hydrogen-terminated finite germanium nanowires. <i>European Physical Journal Plus</i> , 2018, 133, 1.	1.2	3
1359	Reduction of isotropic etch for silicon nanowires created by metal assisted deep reactive ion etching. <i>International Journal of Nanotechnology</i> , 2018, 15, 93.	0.1	2
1360	Device Configurations and Future Prospects of Flexible/Stretchable Lithium-Ion Batteries. <i>Advanced Functional Materials</i> , 2018, 28, 1805596.	7.8	132
1361	Broadband absorption of the solar radiation with surface arrays of subwavelength light funnels. <i>Nano Energy</i> , 2018, 54, 447-452.	8.2	26
1362	Three-Dimensional Electrochemical Axial Lithography on Si Micro- and Nanowire Arrays. <i>Nano Letters</i> , 2018, 18, 7343-7349.	4.5	18
1363	Anti-Reflection Characteristics of Si Nanowires for Enhanced Photoluminescence from CdTe/CdS Quantum Dots. <i>Chinese Physics Letters</i> , 2018, 35, 056801.	1.3	0
1364	Multiscale in modelling and validation for solar photovoltaics. <i>EPJ Photovoltaics</i> , 2018, 9, 10.	0.8	6
1365	Photocurrent Engineering of Silicon Nanowire Field-Effect Transistors by Ultrathin Poly(3-hexylthiophene). <i>Advanced Materials Interfaces</i> , 2018, 5, 1801270.	1.9	2
1366	Dynamic Photoelectrochemical Device with Open-Circuit Potential Insensitive to Thermodynamic Voltage Loss. <i>Journal of Physical Chemistry Letters</i> , 2018, 9, 5412-5418.	2.1	13
1367	Black GaAs by Metal-Assisted Chemical Etching. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 33434-33440.	4.0	21
1368	A soft lithography method to generate arrays of microstructures onto hydrogel surfaces. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2018, 56, 1144-1157.	2.4	8
1369	Low Cost Fabrication of Si NWs/CuI Heterostructures. <i>Nanomaterials</i> , 2018, 8, 569.	1.9	17
1370	Synthesis and light absorption properties of copper sulfide nanowire arrays on different substrates. <i>Physica B: Condensed Matter</i> , 2018, 550, 26-31.	1.3	3
1371	GaAs Nanowires Grown by Catalyst Epitaxy for High Performance Photovoltaics. <i>Crystals</i> , 2018, 8, 347.	1.0	8
1372	Design of Low Power and High Speed VLSI Domino Logic Circuit. , 2018, , .		0
1373	Compact Slot-Loaded Ultra-Wideband Antenna with Stable Radiation Pattern. , 2018, , .		0
1374	Ancillary Service for Frequency Regulation based on Multi-energy Virtual Power Plant Aggregating Factory Load. , 2018, , .		1
1375	Nanostructured Antireflective Iridium Oxide Coating for Water Oxidation. <i>Journal of Physical Chemistry C</i> , 2018, 122, 12207-12214.	1.5	14

#	ARTICLE	IF	CITATIONS
1376	He-Ion Microscopy as a High-Resolution Probe for Complex Quantum Heterostructures in Core-Shell Nanowires. <i>Nano Letters</i> , 2018, 18, 3911-3919.	4.5	13
1377	Fabrication of long-ranged close-packed monolayer of silica nanospheres by spin coating. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2018, 553, 520-527.	2.3	33
1378	Porous Silicon's fractal nature revisited. <i>Superlattices and Microstructures</i> , 2018, 120, 141-147.	1.4	14
1379	Photoelectrochemical Characterisation on Surface-Inverted Black Silicon Photocathodes by Using Platinum/Palladium Co-catalysts for Solar Hydrogen Conversion. <i>ChemPlusChem</i> , 2018, 83, 651-657.	1.3	7
1380	Enhanced Performance of Ge Photodiodes via Monolithic Antireflection Texturing and Ge Self-Passivation by Inverse Metal-Assisted Chemical Etching. <i>ACS Nano</i> , 2018, 12, 6748-6755.	7.3	50
1381	Improvement in current density of nano- and micro-structured Si solar cells by cost-effective elastomeric stamp process. <i>AIP Advances</i> , 2018, 8, 035203.	0.6	0
1382	Lithography-Free Fabrication of Crystalline Silicon Nanowires Using Amorphous Silicon Substrate for Wide-Angle Energy Absorption Applications. <i>ACS Applied Nano Materials</i> , 2018, 1, 2990-2996.	2.4	7
1383	Self-assembly of silica nanoparticles by tuning substrate-adsorbate interaction. <i>AIP Conference Proceedings</i> , 2018, , .	0.3	3
1384	Large Area Cu ₂ S Particle-Stacked Nanorod Arrays by Laser Ablation in Liquid and Their Strong Structurally Enhanced and Stable Visible Photoelectric Performances. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 19027-19036.	4.0	20
1385	Low temperature solution synthesis of silicon, germanium and Si-Ge axial heterostructures in nanorod and nanowire form. <i>Chemical Communications</i> , 2018, 54, 5728-5731.	2.2	19
1386	Advanced Organic Molecular Doping Applied to Si: Influence of the Processing Conditions on the Electrical Properties. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2018, 215, 1800114.	0.8	0
1387	Two-Dimensional Modeling of Silicon Nanowires Radial Core-Shell Solar Cells. <i>Advances in Condensed Matter Physics</i> , 2018, 2018, 1-7.	0.4	0
1388	Current perspectives in engineering of viable hybrid photocathodes for solar hydrogen generation. <i>Advances in Natural Sciences: Nanoscience and Nanotechnology</i> , 2018, 9, 023001.	0.7	5
1389	Innovative approaches in thin-film photovoltaic cells. , 2018, , 595-632.		0
1390	Photovoltaic properties of lateral ultra-thin Si p-i-n structure. , 2018, , .		0
1391	Polarization-tuned chromatic electrodes using hybrid design of graphene-aluminum nanocross arrays for efficient organic solar cells. <i>Optical Materials</i> , 2018, 84, 158-165.	1.7	14
1392	Large area deposition of ordered nanoparticle layers by electrospray. <i>Colloids and Interface Science Communications</i> , 2018, 25, 16-21.	2.0	9
1393	Silicon/Perovskite Core-Shell Heterojunctions with Light-Trapping Effect for Sensitive Self-Driven Near-Infrared Photodetectors. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 27850-27857.	4.0	55

#	ARTICLE	IF	CITATIONS
1394	Oxidation of silicon nanowire can transport much more light into silicon substrate. Optics Express, 2018, 26, A19.	1.7	10
1395	Ultrathin omnidirectional, broadband visible absorbers. Journal of the Optical Society of America B: Optical Physics, 2018, 35, 1825.	0.9	16
1396	Performance improvement of ultrathin organic solar cells utilizing light-trapping aluminum-titanium nitride nanosquare arrays. Optical Materials, 2018, 84, 651-657.	1.7	19
1397	From nanoscopic to macroscopic photo-driven motion in azobenzene-containing materials. Nanophotonics, 2018, 7, 1387-1422.	2.9	143
1398	High-Performance Silicon-Compatible Large-Area UV-to-Visible Broadband Photodetector Based on Integrated Lattice-Matched Type II Se/n-Si Heterojunctions. Nano Letters, 2018, 18, 4697-4703.	4.5	212
1399	Recent developments in photonic, plasmonic and hybrid nanowire waveguides. Journal of Materials Chemistry C, 2018, 6, 11795-11816.	2.7	32
1400	Broadband Perfect Absorber Based on TiN-Nanocone Metasurface. Nanomaterials, 2018, 8, 485.	1.9	46
1401	Nanostructured Semiconductor Composites for Solar Cells. , 2018, , 353-412.		1
1402	Optimized design of silicon-based moth eye nanostructures for thin film solar cells. , 2018, , .		2
1403	Comparative Study of Furnace and Flash Lamp Annealed Silicon Thin Films Grown by Plasma Enhanced Chemical Vapor Deposition. Coatings, 2018, 8, 97.	1.2	5
1404	Evaluation of Silicon Nanonet Field Effect Transistor as Photodiodes. Proceedings (mdpi), 2018, 2, 124.	0.2	0
1405	Using HCl to Control Silver Dissolution in Metal-Assisted Chemical Etching of Silicon. Physica Status Solidi (A) Applications and Materials Science, 2018, 215, 1800135.	0.8	5
1406	High-performance solar steam generation of a paper-based carbon particle system. Applied Thermal Engineering, 2018, 142, 566-572.	3.0	71
1407	Thermoplasmonic and Photothermal Metamaterials for Solar Energy Applications. Advanced Optical Materials, 2018, 6, 1800317.	3.6	48
1408	CMOS-Compatible Silicon Nanowire Field-Effect Transistor Biosensor: Technology Development toward Commercialization. Materials, 2018, 11, 785.	1.3	85
1409	Greatly Enhanced Photovoltaic Performance of Crystalline Silicon Solar Cells via Metal Oxide. Nanomaterials, 2018, 8, 505.	1.9	6
1410	Recent Development in ITO-free Flexible Polymer Solar Cells. Polymers, 2018, 10, 5.	2.0	57
1411	Tailored Interfaces of the Bulk Silicon Nanowire/TiO ₂ Heterojunction Promoting Enhanced Photovoltaic Performances. ACS Omega, 2018, 3, 5064-5070.	1.6	7

#	ARTICLE	IF	CITATIONS
1412	Review Application of Nanostructured Black Silicon. <i>Nanoscale Research Letters</i> , 2018, 13, 110.	3.1	96
1413	Directly Probing Light Absorption Enhancement of Single Hierarchical Structures with Engineered Surface Roughness. <i>Scientific Reports</i> , 2018, 8, 12283.	1.6	6
1414	Anti-Reflectance Optimization of Secondary Nanostructured Black Silicon Grown on Micro-Structured Arrays. <i>Micromachines</i> , 2018, 9, 385.	1.4	8
1415	Surface passivation of silicon photonic devices with high surface-to-volume-ratio nanostructures. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2018, 35, 1059.	0.9	14
1416	Vertically Aligned Porous Organic Semiconductor Nanorod Array Photoanodes for Efficient Charge Utilization. <i>Nano Letters</i> , 2018, 18, 5954-5960.	4.5	52
1417	Ultrasensitive Label- and PCR-Free Genome Detection Based on Cooperative Hybridization of Silicon Nanowires Optical Biosensors. <i>ACS Sensors</i> , 2018, 3, 1690-1697.	4.0	67
1418	Rain-responsive polypyrrole-graphene/PtCo electrodes for energy harvest. <i>Electrochimica Acta</i> , 2018, 285, 139-148.	2.6	6
1419	Ultrathin mono-resonant nano photovoltaic device for broadband solar conversion. <i>Optics Express</i> , 2018, 26, A806.	1.7	6
1420	Surface Defect Passivation of Silicon Micropillars. <i>Advanced Materials Interfaces</i> , 2018, 5, 1800865.	1.9	7
1421	Rear contact silicon solar cells with a-SiC _x H based front surface passivation for near-ultraviolet radiation stability. <i>Superlattices and Microstructures</i> , 2018, 122, 111-123.	1.4	6
1422	Determining the confined optical length of high index vertical Si nanoforest arrays for photonic applications. <i>Journal of Applied Physics</i> , 2018, 123, .	1.1	6
1423	Antireflective Paraboloidal Microlens Film for Boosting Power Conversion Efficiency of Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 21950-21956.	4.0	35
1424	Light-trapping enhanced ZnO@MoS ₂ core-shell nanopillar arrays for broadband ultraviolet-visible-near infrared photodetection. <i>Journal of Materials Chemistry C</i> , 2018, 6, 7077-7084.	2.7	52
1425	Harnessing the properties of colloidal quantum dots in luminescent solar concentrators. <i>Chemical Society Reviews</i> , 2018, 47, 5866-5890.	18.7	169
1426	Uniform two-dimensional crystals of polystyrene nanospheres fabricated by a surfactant-assisted spin-coating method with polyoxyethylene tridecyl ether. <i>Scientific Reports</i> , 2019, 9, 11453.	1.6	15
1427	Evaluation of thermal conductivity characteristics in Si nanowire covered with oxide by UV Raman spectroscopy. <i>Japanese Journal of Applied Physics</i> , 2019, 58, SDDF04.	0.8	1
1428	Processing of Nanomaterials (NMs). <i>Advanced Structured Materials</i> , 2019, , 309-353.	0.3	3
1429	Nanowire Photoelectrochemistry. <i>Chemical Reviews</i> , 2019, 119, 9221-9259.	23.0	158

#	ARTICLE	IF	CITATIONS
1430	Light Trapping in Conformal Graphene/Silicon Nanoholes for High-Performance Photodetectors. ACS Applied Materials & Interfaces, 2019, 11, 30421-30429.	4.0	25
1431	Color Sensing by Optical Antennas: Approaching the Quantum Efficiency Limit. ACS Photonics, 2019, 6, 2041-2048.	3.2	12
1432	ZnO Nanowires as a Promotor of High Photoinduced Efficiency and Voltage Gain for Cathode Battery Recharging. ACS Applied Energy Materials, 2019, 2, 6254-6262.	2.5	7
1433	A water lily-inspired hierarchical design for stable and efficient solar evaporation of high-salinity brine. Science Advances, 2019, 5, eaaw7013.	4.7	335
1434	Optical absorption of composition-tunable InGaAs nanowire arrays. Nanotechnology, 2019, 30, 495703.	1.3	11
1435	Rigorous coupled-wave analysis of absorption enhancement in vertically illuminated silicon photodiodes with photon-trapping hole arrays. Nanophotonics, 2019, 8, 1747-1756.	2.9	9
1436	Light-trapping strategy for PEDOT:PSS/c-Si nanopyramid based hybrid solar cells embedded with metallic nanoparticles. Solar Energy, 2019, 190, 278-285.	2.9	42
1437	Light Confinement Effect Induced Highly Sensitive, Self-Driven Near-Infrared Photodetector and Image Sensor Based on Multilayer PdSe ₂ /Pyramid Si Heterojunction. Small, 2019, 15, e1903831.	5.2	51
1438	High performance MoO ₃ /Si heterojunction photodetectors with nanoporous pyramid Si arrays for visible light communication application. Journal of Materials Chemistry C, 2019, 7, 917-925.	2.7	40
1439	Whispering gallery modes enhance the near-infrared photoresponse of hourglass-shaped silicon nanowire photodiodes. Nature Electronics, 2019, 2, 572-579.	13.1	28
1440	Simulation of Solar Cell Absorption Enhancement via Incorporation of Plasmonic Nanoparticles. , 2019, , .		1
1441	High-efficiency solar steam generation based on blue brick-graphene inverted cone evaporator. Applied Thermal Engineering, 2019, 163, 114379.	3.0	42
1442	Optical simulation and geometrical optimization of P3HT/GaAs nanowire hybrid solar cells for maximal photocurrent generation via enhanced light absorption. Solar Energy, 2019, 194, 848-855.	2.9	33
1443	Electrodeposition of Nanoparticles and Continuous Film of CdSe on n-Si (100). Nanomaterials, 2019, 9, 1504.	1.9	16
1444	Fabrication of Silica Nanoparticle Monolayer Arrays Using an Anodic Aluminum Oxide Template. ACS Omega, 2019, 4, 14333-14339.	1.6	3
1445	Effect of isotropic pressure on structural and electronic properties of silicon system with Fd-3m space group. Journal of Physics: Conference Series, 2019, 1204, 012117.	0.3	0
1446	Determining the potential of quartz sand in the Pasir Putih Village, District of Pendolo, Regency of Poso. Journal of Physics: Conference Series, 2019, 1242, 012030.	0.3	2
1447	Light-Trapping Engineering for the Enhancements of Broadband and Spectra-Selective Photodetection by Self-Assembled Dielectric Microcavity Arrays. Nanoscale Research Letters, 2019, 14, 187.	3.1	2

#	ARTICLE	IF	CITATIONS
1448	Impact of Host Composition, Codoping, or Tridoping on Quantum-Cutting Emission of Ytterbium in Halide Perovskite Quantum Dots and Solar Cell Applications. <i>Nano Letters</i> , 2019, 19, 6904-6913.	4.5	100
1449	MoS ₂ Quantum Dot-Modified Black Silicon for Highly Efficient Photoelectrochemical Hydrogen Evolution. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 17598-17605.	3.2	17
1450	Electrostatically Doped Silicon Nanowire Arrays for Multispectral Photodetectors. <i>ACS Nano</i> , 2019, 13, 11717-11725.	7.3	24
1451	Nanostructures for Light Trapping in Thin Film Solar Cells. <i>Micromachines</i> , 2019, 10, 619.	1.4	105
1452	Graphene/Si Schottky solar cells: a review of recent advances and prospects. <i>RSC Advances</i> , 2019, 9, 863-877.	1.7	63
1453	Thin film photoelectrodes for solar water splitting. <i>Chemical Society Reviews</i> , 2019, 48, 2182-2215.	18.7	221
1454	Photoexcited Electron Lifetimes Influenced by Momentum Dispersion in Silicon Nanowires. <i>Journal of Physical Chemistry C</i> , 2019, 123, 7457-7466.	1.5	9
1455	Approaching the Yablonovitch limit with free-floating arrays of subwavelength trumpet non-imaging light concentrators driven by extraordinary low transmission. <i>Nanoscale</i> , 2019, 11, 3681-3688.	2.8	12
1456	Improved silicon/PEDOT:PSS core/shell nanowire hetero-junction for organic-inorganic hybrid solar cells. <i>Japanese Journal of Applied Physics</i> , 2019, 58, 020907.	0.8	1
1457	Investigation of opto-electric characterization of GaAs/In _{0.2} Ga _{0.8} As nanowire solar cell. <i>Materials Research Express</i> , 2019, 6, 045062.	0.8	3
1458	Ascendant bioinspired antireflective materials: Opportunities and challenges coexist. <i>Progress in Materials Science</i> , 2019, 103, 1-68.	16.0	89
1459	18.78% hierarchical black silicon solar cells achieved with the balance of light-trapping and interfacial contact. <i>Applied Surface Science</i> , 2019, 478, 725-732.	3.1	41
1460	Improved power conversion efficiency of silicon nanowire solar cells based on transition metal oxides. <i>Solar Energy Materials and Solar Cells</i> , 2019, 193, 163-168.	3.0	33
1461	Rational design of nanowire solar cells: from single nanowire to nanowire arrays. <i>Nanotechnology</i> , 2019, 30, 194002.	1.3	29
1462	GaN in different dimensionalities: Properties, synthesis, and applications. <i>Materials Science and Engineering Reports</i> , 2019, 138, 60-84.	14.8	39
1463	Design Principles for Fabrication of InP-Based Radial Junction Nanowire Solar Cells Using an Electron Selective Contact. <i>IEEE Journal of Photovoltaics</i> , 2019, 9, 980-991.	1.5	31
1464	Sulfur-Enhanced Field-Effect Passivation using (NH ₄) ₂ S Surface Treatment for Black Si Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 25140-25146.	4.0	11
1465	Spatial delocalization of absorption and emission process in silicon nanowires. <i>Journal of Luminescence</i> , 2019, 214, 116551.	1.5	1

#	ARTICLE	IF	CITATIONS
1466	Quantification of Carrier Density Gradients along Axially Doped Silicon Nanowires Using Infrared Nanoscopy. ACS Photonics, 2019, 6, 1744-1754.	3.2	25
1467	Metal-assisted chemical etching-based nanostructured silicon solar cells. , 2019, , 699-725.		3
1468	Improved power conversion efficiency in radial junction thin film solar cells based on amorphous silicon germanium alloys. Journal of Alloys and Compounds, 2019, 803, 260-264.	2.8	15
1469	Design of an ultra-thin silicon solar cell using Localized Surface Plasmonic effects of embedded paired nanoparticles. Optics Communications, 2019, 450, 216-221.	1.0	46
1470	Plasmonic enhancement for high-efficiency planar heterojunction perovskite solar cells. Journal of Power Sources, 2019, 432, 112-118.	4.0	33
1471	Hybrid Multifunctional Transparent Conductors. , 2019, , 175-194.		1
1472	Creation of 3D Textured Graphene/Si Schottky Junction Photocathode for Enhanced Photoelectrochemical Efficiency and Stability. Advanced Energy Materials, 2019, 9, 1901022.	10.2	21
1473	A review on the fabrication and applications of sub-wavelength anti-reflective surfaces based on biomimetics. Applied Spectroscopy Reviews, 2019, 54, 719-735.	3.4	16
1474	Ultralong spin lifetimes in one-dimensional semiconductor nanowires. Applied Physics Letters, 2019, 114, 202101.	1.5	10
1475	Growth of nanostructured silicon by microwave/nano-susceptors technique with low substrate temperature. Materials Science in Semiconductor Processing, 2019, 100, 22-28.	1.9	1
1476	Subwavelength nonimaging light concentrators for the harvesting of the solar radiation. Nano Energy, 2019, 61, 275-283.	8.2	29
1477	Effects of Photonic Band Structure and Unit Super-Cell Size in Graded Photonic Super-Crystal on Broadband Light Absorption in Silicon. Photonics, 2019, 6, 50.	0.9	8
1478	Enhancing the optical properties using hemisphere TiO ₂ photonic crystal as the electron acceptor for perovskite solar cell. Applied Surface Science, 2019, 487, 409-415.	3.1	25
1479	Enhancing light harvesting in planar halide perovskite film solar cells by silicon nanorods. Ceramics International, 2019, 45, 14880-14888.	2.3	3
1480	Binding energies and photoionization cross-sections of donor and acceptor impurities in inverted core/shell ellipsoidal quantum dots: Effects of magnetic field, ellipsoid anisotropy and impurity position. International Journal of Modern Physics B, 2019, 33, 1950131.	1.0	7
1481	15% Efficiency Ultrathin Silicon Solar Cells with Fluorine-Doped Titanium Oxide and Chemically Tailored Poly(3,4-ethylenedioxythiophene):Poly(styrenesulfonate) as Asymmetric Heterocontact. ACS Nano, 2019, 13, 6356-6362.	7.3	53
1482	Measured optical constants of Pd _{77.5} Cu ₆ Si _{16.5} bulk metallic glass. Optical Materials: X, 2019, 1, 100012.	0.3	1
1483	Nano-Structured Silicon: Fabrication, Optical Property, Defect States and Device Application. Materials Science Forum, 0, 947, 66-70.	0.3	0

#	ARTICLE	IF	CITATIONS
1484	Characterization of thermal transport and laser absorption properties of an individual pristine SWCNT. <i>International Communications in Heat and Mass Transfer</i> , 2019, 106, 9-14.	2.9	1
1485	Direct observation of single organic molecules grafted on the surface of a silicon nanowire. <i>Scientific Reports</i> , 2019, 9, 5647.	1.6	10
1486	Experimental and simulation studies on temporal evolution of chemically etched Si surface: Tunable light trapping and cold cathode electron emission properties. <i>Journal of Applied Physics</i> , 2019, 125, .	1.1	4
1487	Single GaAs Nanowire/Graphene Hybrid Devices Fabricated by a Position-Controlled Microtransfer and an Imprinting Technique for an Embedded Structure. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 13514-13522.	4.0	7
1488	Generation and combination of the solar cells: A current model review. <i>Energy Science and Engineering</i> , 2019, 7, 305-322.	1.9	79
1489	Enlarged Color Gamut Representation Enabled by Transferable Silicon Nanowire Arrays on Metal-Insulator-Metal Films. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 11849-11856.	4.0	18
1490	Asymmetric metasurface structures for light absorption enhancement in thin film silicon solar cell. <i>Journal of Optics (United Kingdom)</i> , 2019, 21, 045901.	1.0	12
1491	X-ray ptychography on low-dimensional hard-condensed matter materials. <i>Applied Physics Reviews</i> , 2019, 6, 011306.	5.5	20
1492	Advanced radial junction thin film photovoltaics and detectors built on standing silicon nanowires. <i>Nanotechnology</i> , 2019, 30, 302001.	1.3	13
1493	Quantitative analysis of gradient effective refractive index in silicon nanowires for broadband light trapping and anti-reflective properties. <i>Journal of Applied Physics</i> , 2019, 125, .	1.1	11
1494	Probing the photovoltaic properties of Ga-doped CdS-Cu ₂ S core-shell heterostructured nanowire devices. <i>Chemical Communications</i> , 2019, 55, 5351-5354.	2.2	6
1495	Unpacking the toolbox of two-dimensional nanostructures derived from nanosphere templates. <i>Materials Horizons</i> , 2019, 6, 1380-1408.	6.4	16
1496	Strong Cathodoluminescence and Fast Photoresponse from Embedded CH ₃ NH ₃ PbBr ₃ Nanoparticles Exhibiting High Ambient Stability. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 14917-14931.	4.0	31
1497	A quadruple-band metal-nitride nanowire artificial photosynthesis system for high efficiency photocatalytic overall solar water splitting. <i>Materials Horizons</i> , 2019, 6, 1454-1462.	6.4	38
1498	Comprehensive Study of Au Nano-Mesh as a Catalyst in the Fabrication of Silicon Nanowires Arrays by Metal-Assisted Chemical Etching. <i>Coatings</i> , 2019, 9, 149.	1.2	12
1499	Fabrication of a Silicon Nanowire Solar Cell on a Silicon-on-Insulator Substrate. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 818.	1.3	11
1500	Silicon-Compatible Photodetectors: Trends to Monolithically Integrate Photosensors with Chip Technology. <i>Advanced Functional Materials</i> , 2019, 29, 1808182.	7.8	198
1501	Integration of Molybdenum-Doped, Hydrogen-Annealed BiVO ₄ with Silicon Microwires for Photoelectrochemical Applications. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 5034-5044.	3.2	8

#	ARTICLE	IF	CITATIONS
1502	Divergence and flutter instabilities of nanobeams in moving state accounting for surface and shear effects. <i>Computers and Mathematics With Applications</i> , 2019, 77, 2764-2785.	1.4	11
1503	Nanowires for High-Efficiency, Low-Cost Solar Photovoltaics. <i>Crystals</i> , 2019, 9, 87.	1.0	59
1504	Eco-Friendly Colloidal Quantum Dot-Based Luminescent Solar Concentrators. <i>Advanced Science</i> , 2019, 6, 1801967.	5.6	93
1505	Ultraviolet patterns of flowers revealed in polymer replica "caused by surface architecture. <i>Beilstein Journal of Nanotechnology</i> , 2019, 10, 459-466.	1.5	10
1506	Nanostructured photovoltaics. <i>Nano Futures</i> , 2019, 3, 012002.	1.0	9
1507	Optical absorption beyond the Yablonovitch limit with light funnel arrays. <i>Nano Energy</i> , 2019, 59, 321-326.	8.2	18
1508	Evaluating crop phenology retrieving accuracies based on ground observations. , 2019, , .		1
1509	Attenuation Characteristic Study of Terahertz Electromagnetic Wave in a Nonuniform Magnetized Plasma Using SMM Method. , 2019, , .		0
1510	A Real-time Vehicle Detection for Traffic Surveillance System Using a Neural Decision Tree. , 2019, , .		1
1511	Characterization of Microchamber Arrays for Targeted Drug Delivery. , 2019, , .		4
1512	Application of Intelligent Algorithms in UAV Geomagnetic Navigation Modeling. , 2019, , .		0
1513	SIW Cavity-Backed U-Shaped Slot Antenna for 5G Applications. , 2019, , .		10
1514	To Experimental Imitations of Evolutional Scenarios in Local Climate Dynamics. , 2019, , .		1
1515	An Overview of Data Visualization. , 2019, , .		12
1516	Cyber Situation Awareness with Active Learning for Intrusion Detection. , 2019, , .		1
1517	Analyzing and Predicting the Popularity of Online Content Using the Weak Ties Theory. , 2019, , .		0
1518	A Patch Model Based on Numerical Solutions of Maxwell Equations for GNSS-R Land Applications. , 2019, , .		1
1519	Evaluation of Gridded CO ₂ Emissions from Night-Time Lights Compared with Geospatially-Derived Population Distributions for Vietnam, Cambodia, and Laos. , 2019, , .		1

#	ARTICLE	IF	CITATIONS
1520	Applying the stimulus-organism-response model to consumer purchasing behavior in social commerce. , 2019, , .		0
1521	Toward Optimum Resiliency: Practical Alignment of BCM and ERM Processes. , 2019, , .		1
1522	Application Research of NB-IoT Technology Based on Fog Computing in Intelligent Parking System. , 2019, , .		1
1523	Highly omnidirectional planar metamaterial perfect absorbers operating from the visible to near-infrared region. , 2019, , .		0
1524	Modeling Methodology for Determining Energy Collection Potential of Photovoltaics Applied To Curved Surfaces. , 2019, , .		1
1525	How to Improve CNN-Based 6-DoF Camera Pose Estimation. , 2019, , .		7
1526	AEx: Automated Customization of Exposed Datapath Soft-Cores. , 2019, , .		2
1527	SketchyCoreSVD: SketchySVD from Random Subsampling of the Data Matrix. , 2019, 2019, 26-35.		1
1528	Pre-Research of Updated Criteria for Recovery State Processes within Integrated Flight Preparation and Training. , 2019, , .		1
1529	Kernel Stochastic Separation Theorems and Separability Characterizations of Kernel Classifiers. , 2019, , .		5
1530	A Message Clustering Method Based on Rough Set Theory. , 2019, , .		0
1531	Hyaline: A Transparent Distributed Computing Framework for CUDA. , 2019, , .		0
1532	Artificial Neural Network based Automatic Speech Recognition Engine for Voice Controlled Micro Air Vehicles. , 2019, , .		2
1533	Wireless Signal Service Type Identification Based on Convolutional Neural Network. , 2019, , .		0
1534	Unbalanced Modelling of STATCOM and SVC in Hybrid Load Flow Method. , 2019, , .		3
1535	Big Data: Evaluation of the Basic Trends of the Russian Market. , 2019, , .		0
1537	Optimal Estimation for Linear Coupled PDE Systems. , 2019, , .		1
1538	Two-dimensional deceptive jamming mitigation algorithm for SAR imaging using frequency diverse array. Journal of Engineering, 2019, 2019, 8022-8026.	0.6	0

#	ARTICLE	IF	CITATIONS
1539	Interface Engineering to Enhance the Photoresponse of Core-Shell Structure Silicon Nanowire Photodetectors. , 2019, , .		1
1540	On the Solution of Poissonâ€™s Equation using Deep Learning. , 2019, , .		3
1541	Novel Concept of the Transistor Variation Directed Toward the Circuit Implementation of Physical Unclonable Function (PUF) and True-random-number Generator (TRNG). , 2019, , .		8
1542	Performance Analysis of Double Gate Heterojunction Tunnel Field Effect Transistor. , 2019, , .		4
1543	Current Conveyor based Novel Gyrator filter for Biomedical Sensor Applications. , 2019, , .		1
1544	Advanced Density Peak and K-means Clustering on Image Segmentation. , 2019, , .		2
1545	Comparison of Super-resolution Reconstruction Algorithms Based on Texture Feature Classification. , 2019, , .		0
1546	Towards Semantic Action Analysis via Emergent Language. , 2019, , .		3
1547	Implementation of Sobel Edge Detection algorithm and VGA display based on FPGA. , 2019, , .		7
1548	Word Recognition for Color Classification Using Convolutional Neural Network. , 2019, , .		0
1549	Global Power-rate Stability of Complex-valued Neural Networks with Delays and Impulses. , 2019, , .		0
1550	A Dynamic Map-based Framework for Real-Time Mapping of Vehicles and their Surroundings. , 2019, , .		1
1551	Coatings in Photovoltaic Solar Energy Worldwide Research. Coatings, 2019, 9, 797.	1.2	8
1552	Cost effective synthesis of semiconductor nanowires. AIP Conference Proceedings, 2019, , .	0.3	0
1553	Low-cost photodetector architectures fabricated at room-temperature using nano-engineered silicon wafer and sol-gel TiO ₂ based heterostructures. Scientific Reports, 2019, 9, 17994.	1.6	11
1554	Strong Modulations of Optical Reflectance in Tapered Coreâ€™Shell Nanowires. Materials, 2019, 12, 3572.	1.3	11
1555	Core-shell nanowire arrays based on ZnO and Cu ₂ O for water stable photocatalysts. Scientific Reports, 2019, 9, 17268.	1.6	27
1556	Stretchable and colorless freestanding microwire arrays for transparent solar cells with flexibility. Light: Science and Applications, 2019, 8, 121.	7.7	51

#	ARTICLE	IF	CITATIONS
1557	Geometry-driven carrier extraction enhancement in photovoltaic cells based on arrays of subwavelength light funnels. <i>Nanoscale Advances</i> , 2019, 1, 4755-4763.	2.2	8
1558	Photon management of full-spectrum solar energy through integrated honeycomb/cone nanostructures. <i>Optics Communications</i> , 2019, 430, 440-449.	1.0	7
1559	High-performance GaAs nanowire cathode for photon-enhanced thermionic emission solar converters. <i>Journal of Materials Science</i> , 2019, 54, 5605-5614.	1.7	49
1560	Extraction of p-n junction properties and series resistance in GaAs nanowire-based solar cells using light concentration. <i>Nanotechnology</i> , 2019, 30, 094001.	1.3	4
1561	Performance enhancement methods of an ultra-thin silicon solar cell using different shapes of back grating and angle of incidence light. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2019, 240, 1-6.	1.7	27
1562	Advances in Solar Energy: Solar Cells and Their Applications. <i>Energy, Environment, and Sustainability</i> , 2019, , 75-127.	0.6	1
1563	Integration of silicon nanowires in solar cell structure for efficiency enhancement: A review. <i>Journal of Materiomics</i> , 2019, 5, 34-48.	2.8	60
1564	Fabrication and characteristics of N-I-P structure amorphous silicon solar cells with CdS quantum dots on nanopillar array. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2019, 109, 152-155.	1.3	9
1565	Effective light polarization insensitive and omnidirectional properties of Si nanowire arrays developed on different crystallographic planes. <i>Nanotechnology</i> , 2019, 30, 124002.	1.3	14
1566	Self-Assembled Single-Crystalline GaN Having a Bimodal Meso/Macropore Structure To Enhance Photoabsorption and Photocatalytic Reactions. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 4233-4241.	4.0	11
1567	Vertical Silicon Nanowire Thermoelectric Modules with Enhanced Thermoelectric Properties. <i>Nano Letters</i> , 2019, 19, 747-755.	4.5	40
1568	Inverted bulk-heterojunction polymer solar cells using a sputter-deposited Al-doped ZnO electron transport layer. <i>Journal of Alloys and Compounds</i> , 2019, 777, 717-722.	2.8	22
1569	Systematic investigation of close-packed silica nanospheres monolayer under sintering conditions. <i>Journal of the European Ceramic Society</i> , 2019, 39, 1411-1419.	2.8	12
1570	Combined metal-assisted chemical etching and anisotropic wet etching for anti-reflection inverted pyramidal cavities on dendrite-like textured substrates. <i>Results in Physics</i> , 2019, 12, 244-249.	2.0	10
1571	Superiority of random inverted nanopyramid as efficient light trapping structure in ultrathin flexible c-Si solar cell. <i>Renewable Energy</i> , 2019, 133, 883-892.	4.3	29
1572	Synthesis and characterization of the maize-leaf like Cu ₂ O nanosheets array film via an anodic oxidation method. <i>Journal of Alloys and Compounds</i> , 2019, 773, 706-712.	2.8	12
1573	Review and assessment of photovoltaic performance of graphene/Si heterojunction solar cells. <i>Journal of Materials Science</i> , 2019, 54, 911-948.	1.7	28
1574	Broadband Metamaterial Absorbers. <i>Advanced Optical Materials</i> , 2019, 7, 1800995.	3.6	404

#	ARTICLE	IF	CITATIONS
1575	Low cost synthesis of silicon nanowires for photonic applications. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 34-40.	1.1	14
1576	Hierarchical Cu ₂ O nanowires covered by silver nanoparticles-doped carbon layer supported on Cu foam for rapid and efficient water disinfection with lower voltage. <i>Chemical Engineering Journal</i> , 2020, 382, 122855.	6.6	57
1577	Controlled etching of silica nanospheres monolayer for template application: A systematic study. <i>Applied Surface Science</i> , 2020, 500, 144050.	3.1	14
1578	Progress of Triple Cation Organometal Halide Perovskite Solar Cells. <i>Energy Technology</i> , 2020, 8, 1900804.	1.8	24
1579	Effect of Cryogenic Dry Etching on Minority Charge Carrier Lifetime in Silicon. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2020, 217, 1900534.	0.8	3
1580	Phase-junction design of MOF-derived TiO ₂ photoanodes sensitized with quantum dots for efficient hydrogen generation. <i>Applied Catalysis B: Environmental</i> , 2020, 263, 118317.	10.8	63
1581	The Geode Process: Hollow Silica Microcapsules as a High Surface Area Substrate for Semiconductor Nanowire Growth. <i>ACS Applied Nano Materials</i> , 2020, 3, 905-913.	2.4	5
1582	Controlling the visibility of embedded silicon solar cells in building-integrated photovoltaic windows using surface structure modification and metal-oxide back coating. <i>Solar Energy</i> , 2020, 197, 99-104.	2.9	10
1583	Critical review: Growth mechanisms of the self-assembling of silicon wires. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2020, 38, 010802.	0.9	6
1584	Synthesis and characterization of Zn doped WO ₃ nanoparticles: photocatalytic, antifungal and antibacterial activities evaluation. <i>Materials Research Express</i> , 2020, 7, 015407.	0.8	43
1585	Scalable fabrication of gold nanoparticles with adjustable size distribution as catalytic nuclei for the CVD growth of silicon nanowires. <i>Applied Surface Science</i> , 2020, 502, 144203.	3.1	7
1586	Vapor phase fabrication of three-dimensional arrayed Bi ₂ Te ₃ nanosheets for cost-effective solar cells. <i>Informa-Materially</i> , 2020, 2, 975-983.	8.5	20
1587	A theoretical prediction of a new silicon allotrope: tP36-Si. <i>Computational Materials Science</i> , 2020, 173, 109441.	1.4	10
1588	High Broadband Light Transmission for Solar Fuels Production Using Dielectric Optical Waveguides in TiO ₂ Nanocone Arrays. <i>Nano Letters</i> , 2020, 20, 502-508.	4.5	14
1589	Nonlinear Dark-Field Imaging of One-Dimensional Defects in Monolayer Dichalcogenides. <i>Nano Letters</i> , 2020, 20, 284-291.	4.5	34
1590	Modeling and design for low-cost multijunction solar cell via light-trapping rear texture technique: Applied in InGaP/GaAs/InGaAs triple junction. <i>Progress in Photovoltaics: Research and Applications</i> , 2020, 28, 251-265.	4.4	11
1591	Electrical characteristics of modified truncated cone nanowire for efficient light trapping. <i>Photonics and Nanostructures - Fundamentals and Applications</i> , 2020, 38, 100761.	1.0	6
1592	Investigation of optical and mechanical performance of inverted pyramid based ultrathin flexible c-Si solar cell for potential application on curved surface. <i>Applied Surface Science</i> , 2020, 504, 144588.	3.1	21

#	ARTICLE	IF	CITATIONS
1593	Performance improvement of thin-film silicon solar cells using transversal and longitudinal titanium nitride plasmonic nanogratings. <i>Optical Materials</i> , 2020, 99, 109532.	1.7	9
1594	Enlarged responsivity-ZnO honeycomb nanomaterials UV photodetectors with light trapping effect. <i>Nanotechnology</i> , 2020, 31, 105706.	1.3	10
1595	Comparative study on electronic and optical properties for composition-tunable GaAlAs and InGaAs nanowires from first-principles calculation. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2020, 117, 113843.	1.3	5
1596	Ferromagnetic Semiconducting $\text{VI}_{3\text{S}}$ Single-Chain Nanowire. <i>Journal of Physical Chemistry C</i> , 2020, 124, 2096-2103.	1.5	7
1597	Modulating Surface Roughness of Low Temperature PECVD Germanium using Multilayer Drop Casting of 2.85 nm Silicon Nanoparticles. , 2020, , .		1
1598	Excellent passivation with implied open-circuit voltage of 710 mV for p-type multi-crystalline black silicon using PECVD grown a-Si:H passivation layer. <i>Solar Energy</i> , 2020, 211, 753-758.	2.9	1
1599	Performance enhancement of Nanopyramid based Si hybrid solar cells utilizing the plasmonic properties of oxide coated Metal Nanoparticles. <i>Optical Materials</i> , 2020, 107, 110166.	1.7	16
1600	Fabrication of quasi-hexagonal Si nanostructures and its application for flexible crystalline ultrathin Si solar cells. <i>Solar Energy</i> , 2020, 208, 957-965.	2.9	14
1601	Design and simulation of ultra-thin and high-efficiency silicon-based trichromatic PIN photodiode arrays for visible light communication. <i>Optics Communications</i> , 2020, 475, 126296.	1.0	2
1602	Black-silicon-assisted photovoltaic cells for better conversion efficiencies: a review on recent research and development efforts. <i>Materials Today Energy</i> , 2020, 18, 100539.	2.5	29
1603	Heterogeneous optoelectronic characteristics of Si micropillar arrays fabricated by metal-assisted chemical etching. <i>Scientific Reports</i> , 2020, 10, 16349.	1.6	4
1604	Optical and Electrical Analysis of Core-Shell ZnO/ZnTe Micropillar Solar Cells. <i>IEEE Journal of the Electron Devices Society</i> , 2020, 8, 701-710.	1.2	2
1605	Improvement of carrier collection in Si/a-Si:H nanowire solar cells by using hybrid ITO/silver nanowires contacts. <i>Nanotechnology</i> , 2020, 31, 435408.	1.3	4
1606	Revealing the local crystallinity of single silicon core-shell nanowires using tip-enhanced Raman spectroscopy. <i>Beilstein Journal of Nanotechnology</i> , 2020, 11, 1147-1156.	1.5	4
1607	Investigating Size-Dependent Conductive Properties on Individual Si Nanowires. <i>Nanoscale Research Letters</i> , 2020, 15, 52.	3.1	8
1608	Spatioselective Deposition of Passivating and Electrocatalytic Layers on Silicon Nanowire Arrays. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 52581-52587.	4.0	8
1609	Engineering the Microstructure of Silicon Nanowires by Controlling the Shape of the Metal Catalyst and Composition of the Etchant in a Two-Step MACE Process: An In-Depth Analysis of the Growth Mechanism. <i>Langmuir</i> , 2020, 36, 9388-9398.	1.6	7
1610	Ultralow Broadband Reflectivity in Black Silicon via Synergy between Hierarchical Texture and Specific Size Au Nanoparticles. <i>Advanced Optical Materials</i> , 2020, 8, 2000668.	3.6	15

#	ARTICLE	IF	CITATIONS
1611	Towards the fabrication of third generation solar cells on amorphous, flexible and transparent substrates with well-ordered and disordered Si-nanowires/pillars. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2020, 124, 114382.	1.3	7
1612	Ink-Based Additive Nanomanufacturing of Functional Materials for Human-Integrated Smart Wearables. <i>Advanced Intelligent Systems</i> , 2020, 2, 2000117.	3.3	17
1613	Size-dependent performances in homogeneous, controllable, and large-area silicon wire array photocathode. <i>Journal of Power Sources</i> , 2020, 473, 228580.	4.0	13
1614	Probing the optimal refractive index profile of disordered silicon nanowires for photon management applications. <i>Optical Materials</i> , 2020, 109, 110241.	1.7	2
1615	Enhanced energy conversion efficiency of Al-BSF c-Si solar cell by a novel hierarchical structure composed of inverted pyramids with different sizes. <i>Solar Energy</i> , 2020, 208, 1-9.	2.9	11
1616	Silicon Nanowires and Their Impact on Cancer Detection and Monitoring. <i>ACS Applied Nano Materials</i> , 2020, 3, 8522-8536.	2.4	22
1617	Combining Photosynthesis and Photovoltaics: A Hybrid Energy-Harvesting System Using Optical Antennas. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 40261-40268.	4.0	8
1618	Engineering the optical reflectance of randomly arranged self-assembled semiconductor nanowires. <i>AIP Conference Proceedings</i> , 2020, , .	0.3	6
1619	Large-Scale Synthesis of Highly Uniform Silicon Nanowire Arrays Using Metal-Assisted Chemical Etching. <i>Chemistry of Materials</i> , 2020, 32, 9425-9434.	3.2	51
1620	Strong Omnidirectional and Broadband Absorption of the Solar Light with Arrays of Submicrometer-Scaled Compound Parabolic Light Concentrators. <i>Solar Rrl</i> , 2020, 4, 2000561.	3.1	2
1621	New Hybrid Light Harvesting Antenna Based on Silicon Nanowires and Metal Dendrimers. <i>Advanced Optical Materials</i> , 2020, 8, 2001070.	3.6	17
1622	Metal-Assisted Chemical Etching of Silicon in Oxidizing HF Solutions: Origin, Mechanism, Development, and Black Silicon Solar Cell Application. <i>Advanced Functional Materials</i> , 2020, 30, 2005744.	7.8	83
1623	Erbium emission in Er:Y2O3 decorated fractal arrays of silicon nanowires. <i>Scientific Reports</i> , 2020, 10, 12854.	1.6	15
1624	Spacer-Defined Intrinsic Multiple Patterning. <i>ACS Nano</i> , 2020, 14, 12091-12100.	7.3	10
1625	Comparative analysis of light trapping GaN nanohole and nanorod arrays for UV detectors. <i>Journal of Nanoparticle Research</i> , 2020, 22, 1.	0.8	12
1626	Optical Properties of Silicon Nano-Structures: Metal Assisted Chemical Etching and a Two-Stage Ion Implantation. <i>Silicon</i> , 2021, 13, 3865-3870.	1.8	1
1627	Relating the 3D Geometry and Photoelectrochemical Activity of WO ₃ -Loaded n-Si Nanowires: Design Rules for Photoelectrodes. <i>ACS Applied Energy Materials</i> , 2020, 3, 9628-9634.	2.5	3
1628	Design of Silicon Nanowire Array for PEDOT:PSS-Silicon Nanowire-Based Hybrid Solar Cell. <i>Energies</i> , 2020, 13, 3797.	1.6	33

#	ARTICLE	IF	CITATIONS
1629	Solution Growth of BiSI Nanorod Arrays on a Tungsten Substrate for Solar Cell Application. ACS Sustainable Chemistry and Engineering, 2020, 8, 13488-13496.	3.2	20
1630	Performance improvement of InP nanowire array solar cells by decorated nanowires and using back reflector. Optical Materials, 2020, 109, 110397.	1.7	5
1631	Electron energy-loss spectroscopy of surface plasmon activity in wrinkled gold structures. Journal of Chemical Physics, 2020, 153, 224703.	1.2	7
1632	The Fabrication of Micro-/Nano-Structural Antirefraction Coatings Based on the PDMS Film for Solar Cells Application. IOP Conference Series: Materials Science and Engineering, 2020, 774, 012117.	0.3	0
1633	Light Trapping in Single Elliptical Silicon Nanowires. Nanomaterials, 2020, 10, 2121.	1.9	6
1634	3D structured materials and devices for artificial photosynthesis. Nanotechnology, 2020, 31, 282001.	1.3	10
1635	Self-organization of various "phase-separated" nanostructures in a single chemical vapor deposition. Nano Research, 2020, 13, 1723-1732.	5.8	3
1636	Three-dimensional radial-junction ZnO nanowire/a-Si:H core-shell infrared photodiodes. Nanotechnology, 2020, 31, 35LT01.	1.3	2
1637	Recent Advancement of p- and n-Block Elements, Single Atoms, and Graphene-Based Photoelectrochemical Electrodes for Water Splitting. Advanced Energy Materials, 2020, 10, 2000280.	10.2	88
1638	Carboxylation of α,β -Unsaturated Ketones by CO_2 Fixation through Photoelectro-chemistry. ACS Applied Energy Materials, 2020, 3, 5813-5818.	2.5	21
1639	Resistance and magnetoresistance in platinum nanowire: Implications to Kohler's rule. Physica B: Condensed Matter, 2020, 591, 412239.	1.3	1
1640	Broadband transparency with all-dielectric metasurfaces engraved on silicon waveguide facets: effect of inverted and extruded features based on Babinet's principle. Nanoscale Advances, 2020, 2, 2977-2985.	2.2	7
1641	Solar Cells with High Short Circuit Currents Based on CsPbBr_3 Perovskite-Modified ZnO Nanorod Composites. ACS Applied Nano Materials, 2020, 3, 5676-5686.	2.4	11
1642	Influence of the surface stress on the size-dependent elastic behavior of silicon nanowires. Journal of Applied Physics, 2020, 127, .	1.1	3
1643	<i>In-situ</i> reflectometry to monitor locally-catalyzed initiation and growth of nanowire assemblies. Nanotechnology, 2020, 31, 335703.	1.3	1
1644	Silicon-Au nanowire resonators for high-Q multiband near-infrared wave absorption. Nanotechnology, 2020, 31, 375201.	1.3	3
1645	Influence of Si Nanowires Parameters and Ag Nanoparticles on Light Trapping in Solar Cells. , 2020, , .		0
1646	Broadband solar absorption with silicon metamaterials driven by strong proximity effects. Nanoscale Advances, 2020, 2, 1913-1920.	2.2	8

#	ARTICLE	IF	CITATIONS
1647	RGB Arrays for Micro-Light-Emitting Diode Applications Using Nanoporous GaN Embedded with Quantum Dots. ACS Applied Materials & Interfaces, 2020, 12, 30890-30895.	4.0	49
1648	Separate Power Allocation and Control Method Based on Multiple Power Channels for Wireless Power Transfer. IEEE Transactions on Power Electronics, 2020, 35, 9046-9056.	5.4	34
1649	Photocurrent improvement of an ultra-thin silicon solar cell using the localized surface plasmonic effect of clustering nanoparticles. Chinese Physics B, 2020, 29, 068401.	0.7	22
1650	Dispersion tailoring of silicon nanowire optical rectangular waveguide (SNORW). SN Applied Sciences, 2020, 2, 1.	1.5	7
1651	Morphology-Graded Silicon Nanowire Arrays via Chemical Etching: Engineering Optical Properties at the Nanoscale and Macroscale. ACS Applied Materials & Interfaces, 2020, 12, 13140-13147.	4.0	41
1652	Black GaAs: Gold-Assisted Chemical Etching for Light Trapping and Photon Recycling. Micromachines, 2020, 11, 573.	1.4	4
1653	Microfabrication of X-ray Optics by Metal Assisted Chemical Etching: A Review. Micromachines, 2020, 11, 589.	1.4	36
1654	Spatial-Tunable Au Nanoparticle Functionalized Si Nanorods Arrays for Surface Enhanced Raman Spectroscopy. Nanomaterials, 2020, 10, 1317.	1.9	5
1655	Morphologies and optical properties of black silicon by room temperature reactive ion etching. Materials Research Bulletin, 2020, 131, 110973.	2.7	20
1656	Progress in silicon microwire solar cells. Journal of Materials Chemistry A, 2020, 8, 5395-5420.	5.2	18
1657	<i>In Situ</i> Transmission Electron Microscopy Measurements of Ge Nanowire Synthesis with Liquid Metal Nanodroplets in Water. ACS Nano, 2020, 14, 2869-2879.	7.3	23
1658	CVD-Grown Carbon Nanotube Branches on Black Silicon Stems for Ultrahigh Absorbance in Wide Wavelength Range. Scientific Reports, 2020, 10, 3441.	1.6	14
1659	Metal assisted chemical etching of silicon in the gas phase: a nanofabrication platform for X-ray optics. Nanoscale Horizons, 2020, 5, 869-879.	4.1	50
1660	One-step fabrication of 1D p-NiO nanowire/n-Si heterojunction: Development of self-powered ultraviolet photodetector. Applied Surface Science, 2020, 513, 145804.	3.1	33
1661	Anti-reflection coatings of zero-index metamaterial for solar cells. AIP Advances, 2020, 10, 025010.	0.6	7
1662	A Practical Secondary Frequency Control Strategy for Virtual Synchronous Generator. IEEE Transactions on Smart Grid, 2020, 11, 2734-2736.	6.2	48
1663	An efficient and deterministic photon management using deep subwavelength features. Nano Energy, 2020, 70, 104521.	8.2	10
1664	Solar Cell Using Hourglass-Shaped Silicon Nanowires for Increased Light-Trapping Path. IEEE Journal of Photovoltaics, 2020, 10, 475-479.	1.5	13

#	ARTICLE	IF	CITATIONS
1665	Free-standing 2.7 μ m thick ultrathin crystalline silicon solar cell with efficiency above 12.0%. Nano Energy, 2020, 70, 104466.	8.2	31
1666	Opportunities for enhanced omnidirectional broadband absorption of the solar radiation using deep subwavelength structures. Nano Energy, 2020, 70, 104553.	8.2	10
1667	Microneedle structuring of Si(111) by irradiation with picosecond optical vortex pulses. Applied Physics Express, 2020, 13, 062006.	1.1	6
1668	Regulation of surface texturization through copper-assisted chemical etching for silicon solar cells. Solar Energy, 2020, 201, 461-468.	2.9	34
1669	Light-induced complex surface structuring of azobenzene-containing materials. , 2020, , 273-296.		2
1670	A Si-based InP/InGaAs nanowire array photodetector operating at telecommunication wavelength. Photonics and Nanostructures - Fundamentals and Applications, 2020, 40, 100794.	1.0	5
1671	An Optically Tunable THz Modulator Based on Nanostructures of Silicon Substrates. Sensors, 2020, 20, 2198.	2.1	1
1672	Growth of nanowire heterostructures and their optoelectronic and spintronic applications. , 2020, , 103-133.		0
1673	Improving light capture on crystalline silicon wafers. Materials Letters, 2020, 272, 127825.	1.3	5
1674	Self-catalyzed GaAs(P) nanowires and their application for solar cells. Journal Physics D: Applied Physics, 2020, 53, 233001.	1.3	6
1675	Light trapping enhancement via structure design. International Journal of Modern Physics B, 2020, 34, 2050040.	1.0	6
1676	Fabrication and Spectral Characteristics of Silicon Nanowires for Efficient Solar Energy Harvesting. Plasmonics, 2021, 16, 1-8.	1.8	4
1677	Simulation, design and optimization of Si/InP thin-film tandem solar cell by using a plasmonic back reflector structure. Indian Journal of Physics, 2021, 95, 1509-1516.	0.9	3
1678	Anti-reflection silicon with self-cleaning processed by femtosecond laser. Optics and Laser Technology, 2021, 136, 106790.	2.2	27
1679	Design and fabrication of new wide-band and wide-angle solar cell absorbing layer. Optics and Laser Technology, 2021, 134, 106588.	2.2	2
1680	Modulated 3D light absorption profile in GaN nanorod arrays. Current Applied Physics, 2021, 22, 50-54.	1.1	3
1681	A facile and green synthesis of superparamagnetic Fe ₃ O ₄ @PANI nanocomposite with a core-shell structure to increase of triplet state population and efficiency of the solar cells. Journal of Environmental Chemical Engineering, 2021, 9, 104942.	3.3	19
1682	Microscopic defects as the limiting factor in the direct transmission of nanocoatings obtained through self-assembly. Nano Select, 2021, 2, 140-145.	1.9	2

#	ARTICLE	IF	CITATIONS
1683	Photonics for Photovoltaics: Advances and Opportunities. ACS Photonics, 2021, 8, 61-70.	3.2	52
1684	An Ultrasensitive Gateless Photodetector Based on the 2D Bilayer MoS ₂ /1D Si Nanowire/OD Ag Nanoparticle Hybrid Structure. ACS Applied Materials & Interfaces, 2021, 13, 4126-4132.	4.0	19
1685	Omnidirectional and Broadband Antireflection Effect with Tapered Silicon Nanostructures Fabricated with Low-Cost and Large-Area Capable Nanosphere Lithography. Micromachines, 2021, 12, 119.	1.4	6
1686	Direct Growth of Si, Ge, and SiGe Heterostructure Nanowires Using Electroplated Zn: An Inexpensive Seeding Technique for Li Alloying Anodes. Small, 2021, 17, e2005443.	5.2	26
1687	Nanoproducts: Biomedical, Environmental, and Energy Applications. , 2021, , 1-26.		1
1688	Graphene nanoparticles-decorated silicon nanowires with tungsten oxide counter electrode for quasi-solid state hybrid solar cells. Sustainable Energy and Fuels, 2021, 5, 1874-1891.	2.5	6
1689	Solution processable in situ passivated silicon nanowires. Nanoscale, 2021, 13, 11439-11445.	2.8	3
1690	Application of Micro- and Nanotechnology in Photovoltaics. , 2021, , 481-481.		0
1691	Perovskite/Silicon Nanowire-Based Hybrid Heterojunctions for Fast and Broadband Photodetectors. Physica Status Solidi - Rapid Research Letters, 2021, 15, 2000537.	1.2	9
1692	Polyhydroxy Ester Stabilized Perovskite for Low Noise and Large Linear Dynamic Range of Self-Powered Photodetectors. Nano Letters, 2021, 21, 1500-1507.	4.5	33
1693	Nanostructure of Porous Si and Anodic SiO ₂ Surface Passivation for Improved Efficiency Porous Si Solar Cells. Nanomaterials, 2021, 11, 459.	1.9	12
1694	Design of deterministic light-trapping structures for thin silicon heterojunction solar cells. Optics Express, 2021, 29, 7410.	1.7	2
1695	Influence of nanostructure geometry on light trapping in solar cells. Applied Nanoscience (Switzerland), 0, , 1.	1.6	14
1696	Silicon Nanowires Synthesis by Metal-Assisted Chemical Etching: A Review. Nanomaterials, 2021, 11, 383.	1.9	52
1697	Broadband Absorption in Thin Films Motivated by Strong Light Bending. Advanced Photonics Research, 2021, 2, 2000120.	1.7	2
1698	FDTD-Based Optimization of Geometrical Parameters and Material Properties for GaAs-Truncated Nanopyramid Solar Cells. IEEE Transactions on Electron Devices, 2021, 68, 1135-1141.	1.6	26
1699	Near-Field Vortex Beams Diffraction on Surface Micro-Defects and Diffractive Axicons for Polarization State Recognition. Sensors, 2021, 21, 1973.	2.1	21
1700	Photonic-plasmonic mode coupling in nanopillar Ge-on-Si PIN photodiodes. Scientific Reports, 2021, 11, 5723.	1.6	5

#	ARTICLE	IF	CITATIONS
1701	Fabrication and application of nanoporous anodic aluminum oxide: a review. <i>Nanotechnology</i> , 2021, 32, 222001.	1.3	76
1702	Maximizing Absorption in Photonâ€™Trapping Ultrafast Silicon Photodetectors. <i>Advanced Photonics Research</i> , 2021, 2, 2000190.	1.7	7
1703	Engineering biomaterials to prevent post-operative infection and fibrosis. <i>Drug Delivery and Translational Research</i> , 2021, 11, 1675-1688.	3.0	17
1704	From Crystalline to Low-cost Silicon-based Solar Cells: a Review. <i>Silicon</i> , 2022, 14, 1895-1911.	1.8	52
1705	Applied electromagnetic optics simulations for nanophotonics. <i>Journal of Applied Physics</i> , 2021, 129, .	1.1	18
1706	To increase more than 10% in efficiency of perovskite solar cells by using nanoholes SnO ₂ . <i>Rare Metals</i> , 2021, 40, 2778-2784.	3.6	1
1707	Visible-infrared (0.4â€“20 μm) ultra-broadband absorber based on cascade film stacks. <i>Applied Physics Letters</i> , 2021, 118, .	1.5	13
1708	Efficiency enhancement of Si nanostructure hybrid solar cells by optimizing non-radiative energy transfer from Si quantum dots. <i>Nano Energy</i> , 2021, 82, 105728.	8.2	22
1709	Semiconductor nanowire arrays for optical sensing: a numerical insight on the impact of array periodicity and density. <i>Nanotechnology</i> , 2021, 32, 335502.	1.3	8
1710	Biosensing platforms based on silicon nanostructures: A critical review. <i>Analytica Chimica Acta</i> , 2021, 1160, 338393.	2.6	39
1711	N-Doped Carbon-Coated Cu ₇ S ₄ Nanowires on Cu Foam Supports for Water Disinfection. <i>ACS Applied Nano Materials</i> , 2021, 4, 6124-6134.	2.4	10
1712	Fabrication of Silicon Nanowires by Metal-Catalyzed Electroless Etching Method and Their Application in Solar Cell. <i>IEICE Transactions on Electronics</i> , 2021, E104.C, 180-183.	0.3	3
1713	Light trapping in thin silicon solar cells: A review on fundamentals and technologies. <i>Progress in Photovoltaics: Research and Applications</i> , 2021, 29, 1125-1137.	4.4	60
1714	Interface engineering of high performance all-inorganic perovskite solar cells via low-temperature processed TiO ₂ nanopillar arrays. <i>Nano Research</i> , 2021, 14, 3431-3438.	5.8	22
1715	Simulation of optical and mechanical performance of ultrathin sinusoidal c-Si films for highly flexible photovoltaic applications. , 2021, , .		0
1716	Single-Step Dual-Layer Photolithography for Tunable and Scalable Nanopatterning. <i>ACS Nano</i> , 2021, 15, 12180-12188.	7.3	37
1717	Analysis of Power Generation for Solar Photovoltaic Module with Various Internal Cell Spacing. <i>Sustainability</i> , 2021, 13, 6364.	1.6	7
1718	Photovoltaic performance improvement of GaAs _{1-x} Bi _x nanowire solar cells in terms of light trapping capability and efficiency. <i>Solar Energy</i> , 2021, 221, 468-475.	2.9	7

#	ARTICLE	IF	CITATIONS
1719	Robust Protection of III-V Nanowires in Water Splitting by a Thin Compact TiO ₂ Layer. ACS Applied Materials & Interfaces, 2021, 13, 30950-30958.	4.0	12
1720	Based on Ultrathin PEDOT:PSS/c-Ge Solar Cells Design and Their Photoelectric Performance. Coatings, 2021, 11, 748.	1.2	27
1721	Hot-carrier optoelectronic devices based on semiconductor nanowires. Applied Physics Reviews, 2021, 8, .	5.5	24
1722	Wrinkled Polydimethylsiloxane for Enhanced Light Trapping and Anti-Reflection in Flexible Corrugated Silicon Solar Cells. , 2021, , .		0
1723	Studies on the efficacy of alkaline and acidic etching in aluminium induced texturing of glass for solar cell application. Surfaces and Interfaces, 2021, 24, 101061.	1.5	0
1724	Modeling of nanohole silicon pin/nip photodetectors: Steady state and transient characteristics. Nanotechnology, 2021, 32, 365201.	1.3	6
1725	Custom Synthesis of ZnO Nanowires for Efficient Ambient Air-Processed Solar Cells. ACS Omega, 2021, 6, 32365-32378.	1.6	7
1726	Photonic crystal light trapping for photocatalysis. Optics Express, 2021, 29, 22376.	1.7	3
1727	Overcoming the Challenge of High Surface Recombination in Thin-Film Photovoltaic Cells Based on Subwavelength Arrays for Elevated Light Trapping. Solar Rrl, 2021, 5, 2100379.	3.1	6
1728	Mixed-dimensional van der Waals heterojunction-enhanced Raman scattering. Nano Research, 2022, 15, 637-643.	5.8	16
1729	Geometric Optimization of Bismuth Vanadate Core-Shell Nanowire Photoanodes using Atomic Layer Deposition. ACS Applied Materials & Interfaces, 2021, 13, 52063-52072.	4.0	6
1730	Epitaxial growth of peculiar GeSn and SiSn nanostructures using a Sn island array as a seed. Applied Surface Science, 2021, 553, 149572.	3.1	4
1731	Enhancement in photoelectric performance of dye-sensitized solar cells with inverted pyramid structures based on nanoimprint lithography. AIP Advances, 2021, 11, .	0.6	5
1732	Cost-Effective Fabrication of Fractal Silicon Nanowire Arrays. Nanomaterials, 2021, 11, 1972.	1.9	4
1733	Surface Nano-Patterning for the Bottom-Up Growth of III-V Semiconductor Nanowire Ordered Arrays. Nanomaterials, 2021, 11, 2079.	1.9	17
1734	Silicon nanowires covered with on-site fabricated nanowire-shape graphene for Schottky junction solar cells. Solar Energy, 2021, 224, 666-671.	2.9	6
1735	Photoelectrochemical behavior of Si nanostructures grown by chemical vapor deposition using waste-biomass sources. Journal of Solid State Chemistry, 2021, 300, 122254.	1.4	4
1736	Fabrication of Needle-Like Silicon Nanowires by Using a Nanoparticles-Assisted Bosch Process for Both High Hydrophobicity and Anti-Reflection. Micromachines, 2021, 12, 1009.	1.4	3

#	ARTICLE	IF	CITATIONS
1737	Silicon nanowires: a building block for future technologies. , 2021, , .		0
1738	Nanoarray heterojunction and its efficient solar cells without negative impact of photogenerated electric field. Communications Physics, 2021, 4, .	2.0	11
1739	Investigation the absorption efficiency of InGaP nanowire solar cells. Journal of Optics (India), 0, , 1.	0.8	0
1741	Sol-gel synthesis of silicon carbide on silicon pyramids: a promising candidate for supercapacitor electrodes. Journal of Materials Science: Materials in Electronics, 2021, 32, 22319-22329.	1.1	2
1742	Flexible Crystalline-Silicon Photovoltaics: Light Management with Surface Structures. Accounts of Materials Research, 2021, 2, 701-713.	5.9	12
1743	Length prediction of silicon nanowires (SiNWs) prepared by the MACE method using the ANN-COA-PSO algorithm for high supercapacitor applications. Journal of Physics and Chemistry of Solids, 2021, 156, 110146.	1.9	4
1744	Investigation the absorption efficiency of GaAs/InAs nanowire solar cells. Journal of Luminescence, 2021, 237, 118171.	1.5	5
1745	Pixels with add-on structures to enhance quantum efficiency in the near infrared. , 2021, , .		2
1746	Optical and electrical properties of 3D patterned hydrophobic thin film for integrated energy harvester. Surface and Coatings Technology, 2021, 422, 127532.	2.2	3
1747	Enhanced absorption and EQE of Si MSM photodiodes with integrated periodic arrays of holes. IOP Conference Series: Materials Science and Engineering, 2021, 1186, 012003.	0.3	0
1748	Enhanced optical absorption of Al _x Ga _{1-x} As nanoarrays with variable Al composition structure for solar cell applications. Materials Research Bulletin, 2021, 141, 111364.	2.7	8
1749	Efficient inclined core-shell nanowire solar cells. Optik, 2021, 248, 167974.	1.4	3
1750	Design of GaAs nanowires array based photovoltaic solar cells: Simulations of optical reflectance. Physica B: Condensed Matter, 2021, 619, 413233.	1.3	4
1751	Light absorption enhancement by incorporating nanostructured-diatomite for improving performance of polymeric photodetector. Optical Materials, 2021, 120, 111403.	1.7	5
1752	Energy management in hybrid organic-silicon nanostructured solar cells by downshifting using CdZnS/ZnS and CdZnSe/ZnS quantum dots. Nano Energy, 2021, 89, 106470.	8.2	16
1753	Advancement and challenges in MOSFET scaling. Materials Science in Semiconductor Processing, 2021, 134, 106002.	1.9	67
1754	Near-infrared detection in Si/InP core-shell radial heterojunction nanowire arrays. Journal of Alloys and Compounds, 2021, 885, 160943.	2.8	8
1755	High-performance CuS/n-Si heterojunction photodetectors prepared by e-beam evaporation of Cu films as precursor layers. Journal of Alloys and Compounds, 2021, 884, 161121.	2.8	13

#	ARTICLE	IF	CITATIONS
1756	Comparison study of optical properties of Si nanostructures: Ion implantation and MACE. AIP Conference Proceedings, 2021, , .	0.3	0
1757	Atomically Architected Silicon Pyramid Single-Crystalline Structure Supporting Epitaxial Material Growth and Characteristic Magnetism. Crystal Growth and Design, 2021, 21, 946-953.	1.4	2
1758	Light trapping in ZnO nanowires to control ultraviolet photodetection responsivity. Journal of Materials Science, 2021, 56, 5708-5716.	1.7	13
1759	Multilayered PtSe ₂ /pyramid-Si heterostructure array with light confinement effect for high-performance photodetection, image sensing and light trajectory tracking applications. Journal of Materials Chemistry C, 2021, 9, 2823-2832.	2.7	20
1760	Fabrication of polymeric grating layers and their integration into optoelectronic devices using dip-pen nanolithography. , 2021, , .		0
1761	Green and Sustainable Approaches of Nanoparticles. , 2021, , 1-21.		0
1762	Multiscale Quantum Mechanics/Electromagnetics Method for the Simulation of Photovoltaic Devices. Springer Series in Materials Science, 2021, , 693-715.	0.4	3
1763	Improved hydrogen evolution with SnS ₂ quantum dot-incorporated black Si photocathode. Dalton Transactions, 2021, 50, 13329-13336.	1.6	3
1764	Using Otsu's Method for Image Segmentation to Determine the Particle Density, Surface Coverage and Cluster Size Distribution of 3 nm Si Nanoparticles. IEEE Nanotechnology Magazine, 2021, 20, 765-774.	1.1	3
1765	Terahertz Emission Enhancement of Gallium-Arsenide-Based Photoconductive Antennas by Silicon Nanowire Coating. IEEE Transactions on Terahertz Science and Technology, 2022, 12, 36-41.	2.0	2
1766	Anisotropic silicon nanowire arrays fabricated by colloidal lithography. Nanoscale Advances, 2021, 3, 3634-3642.	2.2	19
1767	Recent advances in the Van der Waals epitaxy growth of III-V semiconductor nanowires on graphene. Nano Select, 2021, 2, 688-711.	1.9	8
1768	Phase-Shift Lithography. , 2015, , 2702-2711.		1
1770	Nanomaterials in Solar Cells. , 2016, , 1251-1270.		5
1771	3D Geometries: Enabling Optimization Toward the Inherent Limits of Thin-Film Photovoltaics. Springer Series in Materials Science, 2016, , 1-24.	0.4	4
1772	Hybrid porous silicon/silver nanostructures for the development of enhanced photovoltaic devices. Journal of Materials Science, 2020, 55, 5458-5470.	1.7	39
1773	A novel fabrication technique for high-aspect-ratio nanopillar arrays for SERS application. RSC Advances, 2020, 10, 45037-45041.	1.7	7
1774	Photonic crystal light trapping: Beyond 30% conversion efficiency for silicon photovoltaics. APL Photonics, 2020, 5, .	3.0	29

#	ARTICLE	IF	CITATIONS
1775	A study of n-doping in self-catalyzed GaAsSb nanowires using GaTe dopant source and ensemble nanowire near-infrared photodetector. <i>Nanotechnology</i> , 2020, 31, 505203.	1.3	13
1776	Large-scale preparation of 22.06% efficiency single-crystalline silicon solar cells with inverted pyramid microstructure through nanostructure rebuilding treatment. <i>Materials Research Express</i> , 2020, 7, 096203.	0.8	8
1777	Determination of indium content of GaAs/(In,Ga)As/(GaAs) core-shell(-shell) nanowires by x-ray diffraction and nano x-ray fluorescence. <i>Physical Review Materials</i> , 2018, 2, .	0.9	12
1778	Broadband angle-independent antireflection coatings on nanostructured light trapping solar cells. <i>Physical Review Materials</i> , 2018, 2, .	0.9	6
1779	Light trapping by arbitrarily thin cavities. <i>Physical Review Research</i> , 2020, 2, .	1.3	12
1780	Fabrication of polymeric photonic structures using dip-pen nanolithography. <i>Journal of Micro/Nanolithography, MEMS, and MOEMS</i> , 2020, 19, 1.	1.0	3
1781	Electrical characteristics of funnel-shaped silicon nanowire solar cells. <i>Journal of Photonics for Energy</i> , 2017, 7, 1.	0.8	14
1782	Characteristics of highly efficient star-shaped nanowires solar cell. <i>Journal of Photonics for Energy</i> , 2018, 8, 1.	0.8	18
1783	Fabrication of hierarchical moth-eye structures with durable superhydrophobic property for ultra-broadband visual and mid-infrared applications. <i>Applied Optics</i> , 2019, 58, 6706.	0.9	15
1784	Efficient volumetric method of moments for modeling plasmonic thin-film solar cells with periodic structures. <i>Optics Express</i> , 2018, 26, 25037.	1.7	23
1785	Coscinodiscus diatom inspired bi-layered photonic structures with near-perfect absorptance accompanied by tunable absorption characteristics. <i>Optics Express</i> , 2020, 28, 25007.	1.7	11
1786	Multi-layer light trapping structures for enhanced solar collection. <i>Optics Express</i> , 2020, 28, 31714.	1.7	7
1787	Optical materials for maximal nanophotonic response [Invited]. <i>Optical Materials Express</i> , 2020, 10, 1561.	1.6	14
1788	Optimal design of aperiodic, vertical silicon nanowire structures for photovoltaics. , 2011, , .		1
1789	Absorption Enhancement in Guided-Mode-Resonant Hydrogenated Amorphous Silicon Thin-Film Solar Cells. , 2011, , .		1
1790	MEASUREMENTS OF RADIATIVE PROPERTIES OF ENGINEERED MICRO-/NANOSTRUCTURES. <i>Annual Review of Heat Transfer</i> , 2013, 16, 345-396.	0.3	15
1792	CMOS-Compatible and Low-Cost Thin Film MACE Approach for Light-Emitting Si NWs Fabrication. <i>Nanomaterials</i> , 2020, 10, 966.	1.9	19
1793	Geometrical optimisation of core-shell nanowire arrays for enhanced absorption in thin crystalline silicon heterojunction solar cells. <i>Beilstein Journal of Nanotechnology</i> , 2019, 10, 322-331.	1.5	8

#	ARTICLE	IF	CITATIONS
1794	A Review of Various Nanostructures to Enhance the Efficiency of Solar-Photon-Conversions. , 2017, , 197-225.		1
1795	Nanorobot-Based Handling and Transfer of Individual Silicon Nanowires. International Journal of Intelligent Mechatronics and Robotics, 2012, 2, 34-46.	0.4	6
1796	Temperature-Dependent Raman Scattering of ZnSe Nanowires. Advances in Materials Physics and Chemistry, 2016, 06, 305-317.	0.3	13
1797	Advances in Conceptual Electronic Nanodevices based on 0D and 1D Nanomaterials. Nano-Micro Letters, 2013, 6, 1.	14.4	4
1798	Optical design of nanowire array on silicon thin film solar cell. Wuli Xuebao/Acta Physica Sinica, 2016, 65, 070201.	0.2	4
1799	Metal-Assisted Chemical Etching Using Silica Nanoparticle for the Fabrication of a Silicon Nanowire Array. Japanese Journal of Applied Physics, 2012, 51, 02BP09.	0.8	14
1800	Enhanced Conversion Efficiency for Si Nanowireâ€“Organic Hybrid Solar Cells through the Incorporation of Organic Small Molecule. Japanese Journal of Applied Physics, 2012, 51, 10NE36.	0.8	2
1801	Light Absorption in Semiconductor Nanowire Arrays with Multijunction Cell Structures. Japanese Journal of Applied Physics, 2012, 51, 11PE07.	0.8	9
1802	Photovoltaic properties of axial-junction silicon nanowire solar cells with integrated arrays. Japanese Journal of Applied Physics, 2015, 54, 08KA09.	0.8	7
1803	High-Uniform and High-Efficient Color Conversion Nanoporous GaN-Based Micro-LED Display with Embedded Quantum Dots. Nanomaterials, 2021, 11, 2696.	1.9	26
1804	Broadband and Omnidirectional Antireflection Surfaces Based on Deep Subwavelength Features for Harvesting of the Solar Energy. Solar Rrl, 2021, 5, 2100548.	3.1	8
1805	Omnidirectional and Wideband Absorption of Solar Radiation with Light Funnel Arrays Incorporated with Quasi-Nanolenses. ACS Applied Energy Materials, 0, , .	2.5	2
1806	Recent progress of efficient flexible solar cells based on nanostructures. Journal of Semiconductors, 2021, 42, 101604.	2.0	7
1807	Surface-coordinated metal-organic framework thin films (SURMOFs): From fabrication to energy applications. EnergyChem, 2021, 3, 100065.	10.1	25
1808	Optimal design of aperiodic, vertical silicon nanowire structures for photovoltaics. , 2011, , .		1
1809	Semiconductor Nanowire Heterostructures: Controlled Growth and Optoelectronic Applications. Nanoscience and Technology, 2012, , 137-166.	1.5	0
1810	Temperature tuning during the fabrication of microstructured aluminum substrates for solar cell. , 2012, , .		0
1811	Material and Doping Contrast in III/V Nanowires Probed by Kelvin Probe Force Microscopy. Nanoscience and Technology, 2012, , 185-206.	1.5	0

#	ARTICLE	IF	CITATIONS
1812	Crystalline Silicon Cells Fabricated by Different Preclean Processes. Japanese Journal of Applied Physics, 2012, 51, 10NA11.	0.8	0
1813	Inorganic Semiconductor Nanoarrays as Photoanodes for Solar Cells. , 2012, , 375-419.		0
1814	Light Trapping in Coaxial Nanowires of c-Si Cores and a-Si Shells. Springer Series in Materials Science, 2013, , 45-66.	0.4	0
1815	High-efficient solar cells with III-V nanostructures. , 2013, , .		0
1816	Nano surface two-dimensional periodic half-round grooves enhanced light absorption in silicon film solar cell. Wuli Xuebao/Acta Physica Sinica, 2013, 62, 167801.	0.2	0
1817	Thermoelectric Nanowire Arrays Response to Illumination. NATO Science for Peace and Security Series B: Physics and Biophysics, 2013, , 217-224.	0.2	0
1819	Windmill-shaped $\text{In}_x\text{Si}_{1-x}$ Nanowire Solar Cell. , 2013, , .		0
1820	Optical SHG properties of GaAs nanowires irradiated with multi-wavelength femto-second laser pulses. Wuli Xuebao/Acta Physica Sinica, 2013, 62, 076102.	0.2	2
1821	Single Crystalline $\text{In}_x\text{Ga}_{1-x}\text{As}$ Nanowires on Si (111) via VLS Method. Applied Science and Convergence Technology, 2013, 22, 105-110.	0.3	1
1824	Laser-Assisted on Demand Growth of Semiconducting Nanowires. , 2013, , .		0
1825	CHAPTER 2. Nanophotonic Light Trapping Theory for Photovoltaics. RSC Nanoscience and Nanotechnology, 2014, , 31-61.	0.2	0
1826	Electronic Properties of Si and Ge Pure and Core-Shell Nanowires from First Principle Study. , 2014, , 51-83.		0
1827	Growth of Low-dimensional ZnO Materials on Graphite Substrate. Wuli Xuebao/Journal of Inorganic Materials, 2014, 29, 103-107.	0.6	0
1828	Group IV Nanowires. Springer Series in Optical Sciences, 2015, , 223-246.	0.5	0
1829	A Review of Various Nanostructures to Enhance the Efficiency of Solar-Photon-Conversions. Advances in Environmental Engineering and Green Technologies Book Series, 2015, , 277-312.	0.3	0
1830	Thin-Film Amorphous Silicon Nanopillar Solar Cells: An Investigation of the Optical Potential. , 2017, , .		1
1832	Silicon nanowires for Li-based battery anode applications. , 2017, , 455-474.		0
1833	Silicon nanowire and nanohole arrays. , 2017, , 193-212.		0

#	ARTICLE	IF	CITATIONS
1834	Inverted silicon nanopencil arrays. , 2017, , 43-68.		0
1836	Silicon nanowires for Li-based battery anode applications. Series in Materials Science and Engineering, 2017, , 455-474.	0.1	0
1837	Amorphous silicon nanotubes. Series in Materials Science and Engineering, 2017, , 565-590.	0.1	0
1838	Impact of processing and growth conditions on the site-catalyzed patterned growth of GaAs nanowires by molecular beam epitaxy. , 2017, , .		2
1839	Si nanowires for evolutionary nanotechnology. Series in Materials Science and Engineering, 2017, , 515-536.	0.1	0
1840	Fabrication of effective photon trapping and light manipulating micro/nano structures. , 2017, , .		0
1841	Silicon nanowire and nanohole arrays. Series in Materials Science and Engineering, 2017, , 193-212.	0.1	0
1842	Inverted silicon nanopencil arrays. Series in Materials Science and Engineering, 2017, , 43-68.	0.1	0
1843	Nanowire Solar Cells: Electro-Optical Performance. Series in Optics and Optoelectronics, 2017, , 475-496.	0.0	0
1844	Effective lifetime of minority carriers in black silicon nano-textured by cones and pyramids. Semiconductor Physics, Quantum Electronics and Optoelectronics, 2017, 20, 325-329.	0.3	9
1845	Calculation of photoconductivity spectra in silicon with surfaces structured with macropores. OptoĀlelektronika I PoluprovodnikovaĀ Tehnika, 2017, 52, 123-127.	0.3	2
1846	Fabrication of Black Silicon using Laser Annealing. , 2018, , .		0
1847	Polymorphous Nano-Si and Radial Junction Solar Cells. , 2018, , 1-53.		0
1848	Random textured silicon oxide nanocones for high-performance thin silicon solar cells. , 2018, , .		0
1849	Surface enhanced Raman scattering as a sensing technique using silicon nanowires and plasmonic nanoparticles. , 2018, , .		0
1850	Simple scalable fabrication method of wide-angle black silicon surface for energy-harvesting applications. , 2018, , .		1
1851	All dielectric and plasmonic cross-grating metasurface for efficient perovskite solar cells. , 2018, , .		0
1852	Modified conical silicon nanowires for highly efficient light trapping. , 2018, , .		1

#	ARTICLE	IF	CITATIONS
1854	Studying the toxicity of molybdenum trioxide nanoparticles in male Wister rats. Journal of Occupational Health and Epidemiology, 2018, 7, 233-239.	0.1	1
1855	Effectiveness of Einsteinium Nanoparticles in Optothermal Human Cancer Cells, Tissues and Tumors Treatment under Synchrotron Radiation. Journal of Analytical Oncology, 0, 8, 43-62.	0.1	2
1856	Transparent diffraction gratings using silicon nanowire arrays embedded in flexible polymer. , 2019, , .		0
1857	Human Cancer Cells, Tissues and Tumors Treatment Using Dysprosium Nanoparticles. Asian Journal of Materials Chemistry, 2019, , 47-51.	0.2	2
1858	Enhanced Optical Absorption Achieved via Laser Induced Nano-porous Silicon Thin-Film for Photovoltaic Devices. , 2019, , .		0
1859	Germanium photodiodes on pyramidal textured surface by Metal-Assisted Chemical Etching. , 2019, , .		0
1860	High Efficiency InP Pillar Array Heterojunction Solar Cells. , 2019, , .		0
1861	The Effect of Silver-Plating Time on Silicon Nanowires Arrays Fabricated by Wet Chemical Etching Method. Optics and Photonics Journal, 2019, 09, 1-10.	0.3	4
1862	Polymorphous Nano-Si and Radial Junction Solar Cells. , 2019, , 879-931.		0
1863	Interfacing Biology Systems with Nanoelectronics for Nanodevices. Advanced Structured Materials, 2019, , 701-759.	0.3	2
1864	Characteristics of asymmetrical tapered nano-cone solar cell. , 2019, , .		1
1865	Transfer of ordered and disordered Si nanowires onto alien substrates for the fabrication of third-generation solar cells. , 2019, , .		0
1866	Shiga Toxin and Shigaâ€œLike Toxin (SLT) Time-Resolved Absorption and Resonance FTâ€œIR and Raman Biospectroscopy and Density Functional Theory (DFT) Investigation of Vibronicâ€œMode Coupling Structure in Vibrational Spectra Analysis. Annals of Biostatistics & Biometric Applications, 2019, 2, .	0.2	2
1867	Simulation on antireflection of the oxide nanosphere monolayer film. Applied Optics, 2019, 58, 4926.	0.9	3
1869	Nanostructured Black Silicon for Efficient Thin Silicon Solar Cells: Potential and Challenges. Materials Horizons, 2020, , 549-623.	0.3	5
1870	Enhanced terahertz emission of silicon nanowire-coated gallium arsenide photoconductive antenna. , 2020, , .		0
1871	Optical properties of chain inverted pyramids on silicon. Applied Optics, 2020, 59, 2065.	0.9	2
1872	Manipulations of light by ordered micro-holes in silicon substrates. Optics Express, 2020, 28, 16151.	1.7	2

#	ARTICLE	IF	CITATIONS
1873	Recent Advances in Structuring and Patterning Silicon Nanowire Arrays for Engineering Light Absorption in Three Dimensions. ACS Applied Energy Materials, 2022, 5, 5307-5317.	2.5	13
1874	Monolithic RGB Micro-Light-Emitting Diodes Fabricated with Quantum Dots Embedded inside Nanoporous GaN. ACS Applied Electronic Materials, 2021, 3, 4877-4881.	2.0	7
1875	Investigating the impact of metallic nanoparticles on performance of nanowire-based plasmonic photodetectors. IET Optoelectronics, 2020, 14, 406-410.	1.8	1
1876	Optimising the AR Engraved Structure on Light-Guide Facets for a Wide Range of Wavelengths. Optics, 2021, 2, 25-42.	0.6	0
1877	Temperature induced diameter variation of silicon nanowires <i>via</i> a liquid–solid phase transition in the Zn seed. Chemical Communications, 2021, 57, 12504-12507.	2.2	4
1878	Photovoltaic-Based Nanomaterials: Synthesis and Characterization. , 2020, , 139-158.		0
1879	Optimization of the Length of Silicon Nanowires Prepared from MACE Method Using Gene Expression Programming and Genetic Algorithm. Silicon, 0, , 1.	1.8	0
1880	Nanorobot-Based Handling and Transfer of Individual Silicon Nanowires. , 0, , 922-934.		0
1883	Depth-dependent EBIC microscopy of radial-junction Si micropillar arrays. Applied Microscopy, 2020, 50, 17.	0.8	2
1884	Nanowire-assisted microcavity in a photonic crystal waveguide and the enabled high-efficiency optical frequency conversions. Photonics Research, 2020, 8, 1734.	3.4	1
1885	Surface roughness effect on characteristics of Si nanowire solar cell. Journal of Photonics for Energy, 2020, 10, .	0.8	5
1886	Slippery Colloidal Crystal Monolayers for Sustainable Enhancement of Commercial Solar Cell Performance. ACS Applied Energy Materials, 2021, 4, 303-311.	2.5	1
1887	Radiative cooling of solar cells with scalable and high-performance nanoporous anodic aluminum oxide. Solar Energy Materials and Solar Cells, 2022, 235, 111498.	3.0	23
1888	Improving graphene/4H-SiC/graphene MSM UV photodetector sensitivity using interdigitated electrodes formalism and embedded gold plasmonic nanoparticles. Optics and Laser Technology, 2022, 148, 107683.	2.2	3
1889	Enhanced performance of triple-junction tandem organic solar cells due to the presence of plasmonic nanoparticles. Energy Science and Engineering, 2022, 10, 230-242.	1.9	1
1890	Conformal MoS ₂ /Silicon Nanowire Array Heterojunction with Enhanced Light Trapping and Effective Interface Passivation for Ultraweak Infrared Light Detection. Advanced Functional Materials, 2022, 32, 2108174.	7.8	32
1891	An efficient torrefaction Bamboo-based evaporator in interfacial solar steam generation. Solar Energy, 2021, 230, 1095-1105.	2.9	24
1892	Design and fabrication of wafer-scale highly uniform silicon nanowire arrays by metal-assisted chemical etching for antireflection films. Results in Physics, 2021, 31, 105018.	2.0	4

#	ARTICLE	IF	CITATIONS
1893	Multidimensional Tungsten Oxides for Efficient Solar Energy Conversion. <i>Small Structures</i> , 2022, 3, 2100130.	6.9	21
1894	Analysis and design of InAs nanowire array based ultra broadband perfect absorber. <i>RSC Advances</i> , 2021, 11, 37595-37603.	1.7	8
1895	Deposition copper oxide nanoparticles performance enhancement role of Si nanostructures photovoltaic properties. <i>AIP Conference Proceedings</i> , 2021, , .	0.3	1
1896	Receiver with light-trapping nanostructured coating: A possible way to achieve high-efficiency solar thermal conversion for the next-generation concentrating solar power. <i>Renewable Energy</i> , 2022, 185, 159-171.	4.3	15
1897	Design of Lighting Systems using Solar Energy Sources for Rural Outdoor use: Case Study of the Guapáin Hot Springs Tourism Project. , 2020, , .		2
1898	Glancing Angle synthesised MnO ₂ Nanowire array based fast response schottky detector. , 2020, , .		3
1899	Polarization-insensitive broadband omni-directional anti-reflection in ZnO nanoneedle array for efficient solar energy harvesting. <i>Nanoscale Advances</i> , 2022, 4, 1074-1079.	2.2	2
1901	The Infiltration of Silver Nanoparticles into Porous Silicon for Improving the Performance of Photonic Devices. <i>Nanomaterials</i> , 2022, 12, 271.	1.9	5
1902	Electrical performance of efficient quad-crescent-shaped Si nanowire solar cell. <i>Scientific Reports</i> , 2022, 12, 48.	1.6	8
1903	Characteristics of silicon nano-pillars fabricated by nano-sphere lithography and metal assisted chemical etching. <i>Materials Science in Semiconductor Processing</i> , 2022, 142, 106483.	1.9	5
1904	Sharp-edged nanoflakes array of CuO with enhanced optical and charge transport properties for Bias-Free tandem solar Water-splitting. <i>Applied Surface Science</i> , 2022, 585, 152632.	3.1	11
1905	A quasi-2D perovskite antireflection coating to boost the performance of multilayered PdTe ₂ /Ge heterostructure-based near-infrared photodetectors. <i>Journal of Materials Chemistry C</i> , 2022, 10, 6025-6035.	2.7	5
1906	Enhanced power conversion efficiency of an n-Si/PEDOT:PSS hybrid solar cell using nanostructured silicon and gold nanoparticles. <i>RSC Advances</i> , 2022, 12, 10514-10521.	1.7	12
1907	Biomimetic advances in photovoltaics with potential aerospace applications. , 2022, , 291-329.		1
1908	A comparative analysis of silicon (Si) and indium phosphide nanostructure based solar cells. <i>Materials Today: Proceedings</i> , 2022, 58, 692-695.	0.9	1
1909	Light Harvesting in Silicon Nanowires Solar Cells by Using Graphene Layer and Plasmonic Nanoparticles. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 2519.	1.3	11
1910	Early Stages of Aluminum-Doped Zinc Oxide Growth on Silicon Nanowires. <i>Nanomaterials</i> , 2022, 12, 772.	1.9	1
1911	Improved omnidirectional polarisation-insensitive optical absorption and photoelectrochemical water splitting using aperiodic and tapered slanted, kinked and straight silicon nanowires. <i>International Journal of Energy Research</i> , 2022, 46, 9281-9292.	2.2	6

#	ARTICLE	IF	CITATIONS
1912	Effect of Surface Morphology Changes on Optical Properties of Silicon Nanowire Arrays. <i>Sensors</i> , 2022, 22, 2454.	2.1	3
1913	Particle swarm optimization of GaAs-AlGaAs nanowire photonic crystals as two-dimensional diffraction gratings for light trapping. <i>Nano Express</i> , 2022, 3, 021001.	1.2	11
1914	Performance Improvement of Graphene/Silicon Solar Cells via Inverted Pyramid Texturation Array. <i>Silicon</i> , 2022, 14, 10485-10493.	1.8	1
1915	Advances in Self-Powered Ultraviolet Photodetectors Based on P-N Heterojunction Low-Dimensional Nanostructures. <i>Nanomaterials</i> , 2022, 12, 910.	1.9	22
1917	Ultra-thin broadband solar absorber based on stadium-shaped silicon nanowire arrays. <i>Frontiers of Optoelectronics</i> , 2022, 15, 1.	1.9	8
1918	Solar water purification with photocatalytic nanocomposite filter based on TiO ₂ nanowires and carbon nanotubes. <i>Npj Clean Water</i> , 2022, 5, .	3.1	13
1919	A Review on the Effects of ZnO Nanowire Morphology on the Performance of Interpenetrating Bulk Heterojunction Quantum Dot Solar Cells. <i>Nanomaterials</i> , 2022, 12, 114.	1.9	5
1920	Numerical study of plasmonic absorption enhancement in silicon substrate with Ag/Au nanoparticle array. <i>Nanoscience and Technology</i> , 2022, , .	0.6	0
1921	A Study on the Effects of Gallium Droplet Consumption and Post Growth Annealing on Te-Doped GaAs Nanowire Properties Grown by Self-Catalyzed Molecular Beam Epitaxy. <i>Catalysts</i> , 2022, 12, 451.	1.6	1
1922	The effect of dopant on light trapping characteristics in random silicon nanowires for solar cell applications. <i>Physica B: Condensed Matter</i> , 2022, 638, 413953.	1.3	9
1923	CHAPTER 11. CIGS and CIS Nanomaterials for Solar Cells. <i>RSC Nanoscience and Nanotechnology</i> , 0, , 367-392.	0.2	1
1928	Nanoproducts: Biomedical, Environmental, and Energy Applications. , 2022, , 1097-1122.		0
1929	Green and Sustainable Approaches of Nanoparticles. , 2022, , 1433-1453.		0
1930	High-Efficiency Crystalline Silicon-Based Solar Cells Using Textured TiO ₂ Layer and Plasmonic Nanoparticles. <i>Nanomaterials</i> , 2022, 12, 1589.	1.9	5
1931	Analytical prediction for quasi-TE mode in silicon nanowire optical rectangular waveguide. <i>Journal of Computational Electronics</i> , 0, , 1.	1.3	0
1932	Light Trapping of Inclined Si Nanowires for Efficient Inorganic/Organic Hybrid Solar Cells. <i>Nanomaterials</i> , 2022, 12, 1821.	1.9	2
1933	Photonic Nanostructures Mimicking Floral Epidermis for High Efficiency Perovskite Solar Cells with Excellent Ultraviolet Light Stability. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
1934	Bottom-up and Top-down Strategies for Fabrication of Silicon Nanowires. , 2022, 02, 69-82.		0

#	ARTICLE	IF	CITATIONS
1935	Photocurrent Enhancement with Arrays of Silicon Light Nanotowers for Photovoltaic Applications. ACS Applied Nano Materials, 0, , .	2.4	1
1936	Multispectral Optical Confusion System: Visible to Infrared Coloration with Fractal Nanostructures. ACS Applied Materials & Interfaces, 2022, 14, 28337-28347.	4.0	11
1937	Optical Metasurfaces for Energy Conversion. Chemical Reviews, 2022, 122, 15082-15176.	23.0	52
1938	Silicon Nanowire-Based Room-Temperature Multi-environment Ammonia Detection. ACS Applied Nano Materials, 2022, 5, 9940-9949.	2.4	8
1939	Effect of p-type doping on the electronic characteristics of negative electron affinity Al _{0.5} Ga _{0.5} N nanowire photocathodes. Journal of Materials Research and Technology, 2022, 19, 2402-2409.	2.6	1
1940	Design optimization and efficiency enhancement of axial junction nanowire solar cells utilizing a forward scattering mechanism. RSC Advances, 2022, 12, 19359-19374.	1.7	0
1941	Solution-Processed Inorganic Sb ₂ S ₃ Nanorods Semiconductor Heterojunction by Low Toxic and Environmentally Friendly Solvent for Efficient Solar Cells. IEEE Electron Device Letters, 2022, 43, 1503-1506.	2.2	1
1942	Chemically Triggered Metamorphosis of Colloidal Bilayer Sheets into Nanomazes and Their Conversion into Silicon and Plasmonic Optical Nanomazes. Advanced Materials Interfaces, 0, , 2200228.	1.9	0
1943	Mixed-Dimensional Anti-ambipolar Phototransistors Based on 1D GaAsSb/2D MoS ₂ Heterojunctions. ACS Nano, 2022, 16, 11036-11048.	7.3	24
1944	Photo-assisted decoration of Ag-Pt nanoparticles on Si photocathodes for reducing overpotential toward enhanced photoelectrochemical water splitting. Science China Materials, 2022, 65, 3033-3042.	3.5	4
1945	Broadband Low Reflection Surfaces with Silicon Nanopillar Hexagonal Arrays for Energy Harvesting in Photovoltaics. Silicon, 0, , .	1.8	0
1946	Near Infrared Absorption Enhancement and Crosstalk Reduction of Photodiode in CMOS Indirect Time ofFlight Sensor. Applied Optics, 0, , .	0.9	0
1947	Performance Investigation of a Proposed Flipped npn Microstructure Silicon Solar Cell Using TCAD Simulation. Crystals, 2022, 12, 959.	1.0	0
1948	Surface Dual Composite Nanostructure for Improving Visible Light Absorption in Thin Silicon Films. IEEE Photonics Journal, 2022, 14, 1-7.	1.0	0
1949	The laser beams formation with an extended light focal segment by subwavelength silicon microaxicons. , 2022, , .		0
1950	Micro/Nanostructures for Light Trapping in Monocrystalline Silicon Solar Cells. Journal of Nanomaterials, 2022, 2022, 1-40.	1.5	8
1951	Erbium-Doped WS ₂ with Down- and Up-Conversion Photoluminescence Integrated on Silicon for Heterojunction Infrared Photodetection. Advanced Materials Interfaces, 2022, 9, .	1.9	12
1952	Photonic nanostructures mimicking floral epidermis for perovskite solar cells. Cell Reports Physical Science, 2022, 3, 101019.	2.8	3

#	ARTICLE	IF	CITATIONS
1953	Engineering the nanostructures of solution proceed In_2Se_3 films with enhanced near-infrared absorption for photoelectrochemical water splitting. Journal Physics D: Applied Physics, 2022, 55, 434004.	1.3	5
1954	Technology and Applications of Micro-LEDs: Their Characteristics, Fabrication, Advancement, and Challenges. ACS Photonics, 2022, 9, 2905-2930.	3.2	30
1955	Design and analysis of multi-layer silicon nanoparticle solar cells. Scientific Reports, 2022, 12, .	1.6	13
1956	Metal Halide Perovskite Nanowires: Synthesis, Integration, Properties, and Applications in Optoelectronics. Advanced Energy Materials, 2023, 13, .	10.2	18
1957	Performance Enhancement of Inclined Core-Shell Nanowire Solar Cells Using Multivariable Optimization. Solar Energy, 2022, 243, 443-453.	2.9	4
1958	Light-Trapping Electrode for the Efficiency Enhancement of Bifacial Perovskite Solar Cells. Nanomaterials, 2022, 12, 3210.	1.9	10
1959	Light Trapping in Conformal CuO/Si Pyramids Heterojunction for Self-Powered Broadband Photodetection. IEEE Photonics Technology Letters, 2022, 34, 1163-1166.	1.3	2
1960	Comparison between One-Dimensional and Three-Dimensional Optical Modelling of Ordered Black Silicon Nanostructures Using Effective Medium Approach. Solid State Phenomena, 0, 336, 75-80.	0.3	1
1961	Performance Improvement of npn Solar Cell Microstructure by TCAD Simulation: Role of Emitter Contact and ARC. Energies, 2022, 15, 7179.	1.6	1
1962	Molecular-Modified Photocathodes for Applications in Artificial Photosynthesis and Solar-to-Fuel Technologies. Chemical Reviews, 2022, 122, 16051-16109.	23.0	32
1963	Theoretical modeling and ultra-thin design for multi-junction solar cells with a light-trapping front surface and its application to InGaP/GaAs/InGaAs 3-junction. Optics Express, 2022, 30, 35202.	1.7	0
1964	Design Simulation and Optimization of Germanium-Based Solar Cells with Micro-Nano Cross-Cone Absorption Structure. Coatings, 2022, 12, 1653.	1.2	5
1965	Fabrication of a Periodic Inverse Micropyramid (PIMP) $\text{Si/In}_2\text{Se}_3$ Heterojunction Photodetector Array for RGB Image Sensing Application. Advanced Materials Technologies, 2023, 8, .	3.0	5
1966	In Situ Growth of PbS Nanoparticles without Organic Linker on ZnO Nanostructures via Successive Ionic Layer Adsorption and Reaction (SILAR). Coatings, 2022, 12, 1486.	1.2	2
1967	Finite-difference time-domain study of Si nanorod arrays with UV and green light. Journal of the Korean Physical Society, 0, , .	0.3	1
1968	Silicon nanowires obtained by metal-assisted chemical etching for photonic applications. Radiation Effects and Defects in Solids, 0, , 1-14.	0.4	0
1969	Fabrication of a tailorable polystyrene nanoscale mesh of honeycomb morphology using nano sphere lithography. Thin Solid Films, 2022, 763, 139567.	0.8	3
1970	Broadband absorption of modified conical nanowires for photovoltaic applications. Optik, 2022, 271, 170245.	1.4	0

#	ARTICLE	IF	CITATIONS
1971	Three-Dimensional Nanopillar Arrays-Based Efficient and Flexible Perovskite Solar Cells with Enhanced Stability. <i>Nano Letters</i> , 2022, 22, 9586-9595.	4.5	12
1972	Performance Improvement of Graded Bandgap Solar Cell via Optimization of Energy Levels Alignment in Si Quantum Dot, TiO ₂ Nanoparticles, and Porous Si. <i>Photonics</i> , 2022, 9, 843.	0.9	4
1973	Broadband nanoplasmonic photodetector fabricated in ambient condition. <i>Nano Express</i> , 0, , .	1.2	0
1974	Future Prospects of Luminescent Silicon Nanowires Biosensors. <i>Biosensors</i> , 2022, 12, 1052.	2.3	2
1975	Features of the Optical Vortices Diffraction on Silicon Ring Gratings. <i>Optical Memory and Neural Networks (Information Optics)</i> , 2022, 31, 55-66.	0.4	3
1976	The comparison of the optical vortices focusing by silicon diffraction axicons and ring gratings with variable relief heights using high-performance computer systems. , 2022, , .		0
1977	Light-Driven Polymer-Based All-Solid-State Lithium-Sulfur Battery Operating at Room Temperature. <i>Advanced Functional Materials</i> , 2023, 33, .	7.8	10
1980	Effect of Cuprous Oxide Nanocubes and Antimony Nanorods on the Performance of Silicon Nanowire-Based Quasi-Solid-State Solar Cell. <i>ACS Omega</i> , 2022, 7, 46311-46324.	1.6	1
1981	Ultrathin Broadband Metasurface Superabsorbers from a van der Waals Semimetal. <i>Advanced Optical Materials</i> , 2023, 11, .	3.6	2
1982	Optical and Electrical Properties of Low-Dimensional Crystalline Materials: A Review. <i>Crystals</i> , 2023, 13, 108.	1.0	3
1983	Advances in silicon nanowire applications in energy generation, storage, sensing, and electronics: a review. <i>Nanotechnology</i> , 2023, 34, 182001.	1.3	15
1985	Simulation of Thin-Film Cells With a Multiscale Quantum-Mechanical/Electromagnetic Method. <i>IEEE Journal on Multiscale and Multiphysics Computational Techniques</i> , 2023, 8, 71-81.	1.4	1
1986	Mediation of Interface Dipoles on SiO ₂ /Si Nanowire Based Inorganic/Organic Hybrid Photodetectors with Enhanced Wavelength-Selective Sensing Performances. <i>Advanced Materials Interfaces</i> , 2023, 10, .	1.9	2
1987	Smart nanomaterials and three-dimensional printing for flexible solar cell applications. , 2023, , 389-411.		1
1988	Inverse design of GaAs nanowire array solar cell structures with nonuniform diameters. <i>Optics Communications</i> , 2023, 536, 129374.	1.0	0
1989	Theoretical research and simulation of GaAs nanowire arrays in reflection-type photon-enhanced thermionic emission solar converters. <i>Solar Energy</i> , 2023, 251, 295-305.	2.9	3
1990	Optical and electrical characteristics of highly efficient flower-shaped silicon nanowires solar cell. <i>Optical and Quantum Electronics</i> , 2023, 55, .	1.5	1
1991	Progress in group-IV semiconductor nanowires based photonic devices. <i>Applied Physics A: Materials Science and Processing</i> , 2023, 129, .	1.1	1

#	ARTICLE	IF	CITATIONS
1992	One-dimensional III-nitrides: towards ultrahigh efficiency, ultrahigh stability artificial photosynthesis. <i>Journal of Materials Chemistry A</i> , 2023, 11, 5427-5459.	5.2	5
1993	Plasmonic induced light trapping enhancement in silicon nanowires hybrid solar cell using indium tin oxide nanoparticles. <i>Semiconductor Science and Technology</i> , 2023, 38, 055002.	1.0	0
1995	Optical performance analysis of InP nanostructures for photovoltaic applications. <i>RSC Advances</i> , 2023, 13, 9878-9891.	1.7	10
1996	Preparation and Gas-Sensitive Properties of Fe_2O_3 Nano-Arrays Grown in Situ and Non-Situ. <i>Optoelectronics</i> , 2023, 13, 29-35.	0.0	0
1997	Rational and key strategies toward enhancing the performance of graphene/silicon solar cells. <i>Materials Advances</i> , 2023, 4, 1876-1899.	2.6	1
1998	Betavoltaic Nuclear Battery: A Review of Recent Progress and Challenges as an Alternative Energy Source. <i>Journal of Physical Chemistry C</i> , 2023, 127, 7565-7579.	1.5	2
1999	Modelling the optical characteristics of cylindrical and rough nanowires with silver nanoparticles. <i>Lithuanian Journal of Physics</i> , 2023, 63, .	0.1	0
2013	Novel high entropy alloy (AgAlCuNiTi) hybridized MoS ₂ /Si nanowires heterostructure with plasmonic enhanced photocatalytic activity. , 2023, , .		0
2018	NANOPATTERNED SILICON PHOTOVOLTAIC CELLS OPTIMIZED FOR NARROWBAND SELECTIVE REFLECTIVITY. , 2023, , .		0
2021	Advances in solar energy harvesting integrated by van der Waals graphene heterojunctions. <i>RSC Advances</i> , 2023, 13, 31273-31291.	1.7	1
2022	Fabrication of Silicon Nanowire Arrays by MACE for Effective Light Trapping. <i>Springer Proceedings in Materials</i> , 2024, , 415-421.	0.1	0
2025	Bayesian Optimization of Light Grating for High Performance Single-Photon Avalanche Diodes. , 2023, , .		0
2028	ZnO Nanoflake-Decorated Si Nanowire Photodiode with Enhanced Responsivity. , 2023, , .		0
2038	Silicon young modulus using first principle approach. <i>AIP Conference Proceedings</i> , 2023, , .	0.3	0