

CITATION REPORT

List of articles citing

Ethics in the authorship and publishing of scientific articles

DOI: 10.1016/j.ijcard.2010.07.030

International Journal of Cardiology, 2010, 144, 1-2.

Source: <https://exaly.com/paper-pdf/49483701/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
758	Revelation of Brugada electrocardiographic pattern during a febrile state associated with acute myocardial infarction. <i>International Journal of Cardiology</i> , 2010 , 144, e1-4	3.2	4
757	Did death hinder the process of justice? Carlos Chagas and the Nobel Prize of 1935. <i>International Journal of Cardiology</i> , 2011 , 147, 172-3	3.2	6
756	Multi-Link Vision stent vs. first-generation drug-eluting stents: systematic review and meta-analysis. 2011 , 104, 1025-34		5
755	Papillary muscle late enhancement on MRI. <i>International Journal of Cardiology</i> , 2011 , 146, 112-3	3.2	
754	Quality of coronary arterial 320-slice computed tomography images compared with 16-slice computed tomography images in subjects with chronic atrial fibrillation. <i>International Journal of Cardiology</i> , 2011 , 149, e90-e93	3.2	25
753	Alternatives to chronic warfarin therapy for the prevention of stroke in patients with atrial fibrillation. <i>International Journal of Cardiology</i> , 2011 , 150, 4-11	3.2	30
752	Case report: Arrhythmia <i>Deux</i> : a poisonous salad for two. <i>International Journal of Cardiology</i> , 2011 , 152, e37-9	3.2	1
751	Chronic formoterol administration reduces cardiac mitochondrial protein synthesis and oxidative capacity in mice. <i>International Journal of Cardiology</i> , 2011 , 146, 270-2	3.2	11
750	Role of angiotensin-converting enzyme inhibitors in visceral angioedema. <i>International Journal of Cardiology</i> , 2011 , 148, 377-9	3.2	5
749	The small intestine: a critical linkage in pathophysiology of cardiac cachexia. <i>International Journal of Cardiology</i> , 2011 , 146, 277-8	3.2	16
748	Relation between red blood cell distribution width and mortality after acute myocardial infarction. <i>International Journal of Cardiology</i> , 2011 , 146, 278-80	3.2	42
747	Normalization of automatic plaque quantification in cardiac computed tomography (CCT). <i>International Journal of Cardiology</i> , 2011 , 146, 282-90	3.2	8
746	Cardiac magnetic resonance imaging of mucopolysaccharidosis type II cardiomyopathy. <i>International Journal of Cardiology</i> , 2011 , 147, 170-1	3.2	2
745	Recurrent Takotsubo cardiomyopathy presenting with different morphologic patterns. <i>International Journal of Cardiology</i> , 2011 , 148, 379-81	3.2	11
744	Abnormal coagulation and platelet profile in patients with obstructive sleep apnea syndrome. <i>International Journal of Cardiology</i> , 2011 , 146, 423-5	3.2	11
743	Carbamylated low-density lipoprotein increases reactive oxygen species (ROS) and apoptosis via lectin-like oxidized LDL receptor (LOX-1) mediated pathway in human umbilical vein endothelial cells. <i>International Journal of Cardiology</i> , 2011 , 146, 428-30	3.2	10
742	Myocardial infarction following a bee sting: an example of Type II Kounis syndrome. <i>International Journal of Cardiology</i> , 2011 , 148, 382-4	3.2	10

741	A cluster of black holes and multiple plaque ruptures on optical coherence tomography 13 years after bare-metal stent implantation. <i>International Journal of Cardiology</i> , 2011, 152, e47-8	3.2	
740	The influence of inflammation outweighing the metabolic syndrome on cardiovascular risk and mortality. <i>International Journal of Cardiology</i> , 2011, 146, 431	3.2	5
739	Intestinal barrier function in patients with acute myocardial infarction and the therapeutic effect of glutamine. <i>International Journal of Cardiology</i> , 2011, 146, 432-3	3.2	6
738	Effects of simvastatin therapy on circulating adipocytokines in patients with hypercholesterolemia. <i>International Journal of Cardiology</i> , 2011, 146, 434-7	3.2	17
737	Obstructive sleep apnea may increase the risk of stroke in AF patients: refining the CHADS2 score. <i>International Journal of Cardiology</i> , 2011, 146, 131-3	3.2	28
736	Outcomes of high dose statin loading therapy. <i>International Journal of Cardiology</i> , 2011, 146, 437-8	3.2	
735	Posttraumatic stress in implantable cardioverter defibrillator patients: the role of pre-implantation distress and shocks. <i>International Journal of Cardiology</i> , 2011, 146, 438-9	3.2	39
734	Renal dysfunction in syndrome Y. <i>International Journal of Cardiology</i> , 2011, 146, 440	3.2	
733	The time for a new strong functional parameter in heart failure: the VE/VCO2 slope. <i>International Journal of Cardiology</i> , 2011, 147, 189-90	3.2	16
732	Cholesterol, vitamin D and cardiovascular prevention in HIV patients treated with antiretroviral therapy. <i>International Journal of Cardiology</i> , 2011, 146, 441-2	3.2	2
731	Preconditioning, postconditioning, stunning and hibernation: towards an integrated insight into the mechanisms of hypoperfusion/reperfusion. <i>International Journal of Cardiology</i> , 2011, 146, 442-3	3.2	4
730	Weekend versus weekday hospital admissions for acute heart failure. <i>International Journal of Cardiology</i> , 2011, 146, 444-7	3.2	10
729	Five year two center retrospective analysis of patients with toxic digoxin serum concentration. <i>International Journal of Cardiology</i> , 2011, 146, 447-8	3.2	3
728	ACTH deficiency and PGI(2) therapy in chronic thromboembolic pulmonary hypertension. <i>International Journal of Cardiology</i> , 2011, 146, 449-50	3.2	4
727	Yentl syndrome in Croatia: younger male patients from capital were favoured for PCI. <i>International Journal of Cardiology</i> , 2011, 146, 450-2	3.2	
726	Epicardial fat thickness and coronary artery disease correlate independently of obesity. <i>International Journal of Cardiology</i> , 2011, 146, 452-4	3.2	96
725	Significance of postprocedural cardiac biomarker elevations in patients with elective stent implantation. <i>International Journal of Cardiology</i> , 2011, 146, 454-5	3.2	1
724	Titanium-nitride-oxide-coated bioactive stents: a novel evolution of stent technology. <i>International Journal of Cardiology</i> , 2011, 146, 456	3.2	1

723	ST/T wave changes during acute coronary syndrome presentation in patients with the coronary slow flow phenomenon. <i>International Journal of Cardiology</i> , 2011 , 146, 457-8	3.2	21
722	Effects of sildenafil in combination with angiotensin-converting enzyme inhibitor on limiting infarct expansion in a porcine model of acute myocardial infarction. <i>International Journal of Cardiology</i> , 2011 , 146, 459-60	3.2	5
721	Serum intact parathyroid hormone levels independently predict exercise capacity in stable heart failure patients. <i>International Journal of Cardiology</i> , 2011 , 146, 462-4	3.2	3
720	Cardiac syndrome X. <i>International Journal of Cardiology</i> , 2011 , 146, 111-112	3.2	
719	Torsade de pointes, QT interval prolongation and renal disease. <i>International Journal of Cardiology</i> , 2011 , 149, 241-242	3.2	6
718	Incidence and predictors of microvascular dysfunction assessed by the index of microcirculatory resistance following primary PCI for ST-elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2011 , 146, 465-7	3.2	7
717	Chronotropic incompetence: an obscure cause of heart failure symptoms in survivors of critical diseases?. <i>International Journal of Cardiology</i> , 2011 , 147, 171-2	3.2	2
716	Usefulness of leads V7, V8, and V9 ST elevation to diagnose isolated posterior myocardial infarction. <i>International Journal of Cardiology</i> , 2011 , 146, 467-9	3.2	15
715	Analysis of left main coronary artery and branching geometry by coronary CT angiography. <i>International Journal of Cardiology</i> , 2011 , 146, 469-70	3.2	1
714	The usefulness of troponin testing in the diagnostics of non-thrombotic pulmonary embolism. <i>International Journal of Cardiology</i> , 2011 , 149, 259-260	3.2	3
713	Duration and magnitude of the effect of a single statin tablet in primary prevention of cardiovascular events. <i>International Journal of Cardiology</i> , 2011 , 149, 102-7	3.2	4
712	A systematic review of the effectiveness of oral health promotion activities among patients with cardiovascular disease. <i>International Journal of Cardiology</i> , 2011 , 151, 261-7	3.2	29
711	Meta-analysis of the combination of warfarin and dual antiplatelet therapy after coronary stenting in patients with indications for chronic oral anticoagulation. <i>International Journal of Cardiology</i> , 2011 , 148, 96-101	3.2	54
710	Less than "straight" anginal symptoms. <i>International Journal of Cardiology</i> , 2011 , 148, 385-6	3.2	3
709	Rare combination of congenital aplasia of the right pulmonary veins, left ventricular noncompaction, partial membranous obstruction of left-sided pulmonary veins and secundum atrial septal defect. <i>International Journal of Cardiology</i> , 2011 , 152, e49-51	3.2	5
708	High risk closure of a large secundum ASD causing platypnea-orthodeoxia. <i>International Journal of Cardiology</i> , 2011 , 152, e52-4	3.2	1
707	A patient with moderate hypertriglyceridemia resistant to β fatty acid. <i>International Journal of Cardiology</i> , 2011 , 152, e55	3.2	
706	Visual loss due to cardiac calcified amorphous tumor: a case report and brief review of the literature. <i>International Journal of Cardiology</i> , 2011 , 152, e56-7	3.2	21

705	Postpartum cardiomyopathy complicated with upper-extremity deep vein thrombosis and pulmonary embolism. <i>International Journal of Cardiology</i> , 2011 , 152, e58-60	3.2	
704	Fetal and maternal microchimerism: a boost for mom and baby?. <i>International Journal of Cardiology</i> , 2011 , 147, 347-8	3.2	2
703	Monocyte trans-endothelial migration augments subsequent transmigratory activity with increased PECAM-1 and decreased VE-cadherin at endothelial junctions. <i>International Journal of Cardiology</i> , 2011 , 149, 232-239	3.2	21
702	Management of hypertension in liver transplant patients. <i>International Journal of Cardiology</i> , 2011 , 152, 4-6	3.2	18
701	Feasibility and safety of transulnar access for performing rotational atherectomy. <i>International Journal of Cardiology</i> , 2011 , 147, 285-6	3.2	4
700	A possible association between takotsubo cardiomyopathy and treatment with flecainide. <i>International Journal of Cardiology</i> , 2011 , 147, 173-5	3.2	5
699	Brachial artery flow mediated assessment: a tool to predict the response to chronic PDE5 inhibition with tadalafil in patients with erectile dysfunction. <i>International Journal of Cardiology</i> , 2011 , 146, 471-2	3.2	
698	Why does takotsubo ("broken heart syndrome") affect more females than males?. <i>International Journal of Cardiology</i> , 2011 , 147, 175-6	3.2	15
697	Antigen carbohydrate 125 in heart failure: not just a surrogate for serosal effusions?. <i>International Journal of Cardiology</i> , 2011 , 146, 473-4	3.2	16
696	Takotsubo syndrome associated with seizures: an underestimated cause of sudden death in epilepsy?. <i>International Journal of Cardiology</i> , 2011 , 146, 475-9	3.2	26
695	Chlamydia pneumoniae in coronary atherosclerotic plaques and coronary instability. <i>International Journal of Cardiology</i> , 2011 , 147, 176-8	3.2	4
694	Increased platelet residual activity in patients treated with acetosalicylic acid is associated with increased tissue factor and decreased tissue factor pathway inhibitor plasma levels. <i>International Journal of Cardiology</i> , 2011 , 146, 479-81	3.2	4
693	Cardiac rehabilitation in multicultural populations. <i>International Journal of Cardiology</i> , 2011 , 148, 129-30	3.2	1
692	Comparative analysis of coronary artery disease assessed by coronary CT angiography between patients with type 2 diabetes mellitus and non-diabetic patients. <i>International Journal of Cardiology</i> , 2011 , 147, 178-81	3.2	7
691	Bone mineral density: a potential determinant of atherosclerotic plaque morphology in established coronary artery disease?. <i>International Journal of Cardiology</i> , 2011 , 147, 448	3.2	
690	Development of the pulmonary vein. <i>International Journal of Cardiology</i> , 2011 , 147, 182	3.2	8
689	Ischemic strokes after ablation of typical atrial flutter. <i>International Journal of Cardiology</i> , 2011 , 147, 183-4	3.2	5
688	Is vitamin D deficiency a risk factor for ischemic heart disease in patients with established cardiovascular disease? 10-year follow-up of the Nova Scotia Health Survey. <i>International Journal of Cardiology</i> , 2011 , 148, 387-9	3.2	16

687	Brain natriuretic peptide and tumour markers in the diagnosis of non-malignant pericardial effusion. <i>International Journal of Cardiology</i> , 2011 , 146, 481-3	3.2	1
686	Comparison of adenosine magnetic resonance perfusion imaging with invasive coronary flow reserve and fractional flow reserve in patients with suspected coronary artery disease. <i>International Journal of Cardiology</i> , 2011 , 147, 184-6	3.2	12
685	The small intestine in cardiac cachexia: a forgotten player of the game. <i>International Journal of Cardiology</i> , 2011 , 147, 186-7	3.2	1
684	Angiotensin-(1-7): a new therapeutic strategy in the management of atrial fibrillation. <i>International Journal of Cardiology</i> , 2011 , 147, 287-8	3.2	1
683	Significant intimal hyperplasia regression between 6 and 18 months following Genous Endothelial progenitor cell capturing stent placement. <i>International Journal of Cardiology</i> , 2011 , 147, 289-91	3.2	6
682	Long term outcome of routine early versus late transfer for coronary angiography following presumably successful thrombolysis for ST-segment elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2011 , 147, 292-3	3.2	
681	Book Review. <i>International Journal of Cardiology</i> , 2011 , 151, 225	3.2	
680	Risk estimation approach in Chagas disease is still needed. <i>International Journal of Cardiology</i> , 2011 , 147, 294-6	3.2	13
679	99mTc-MAA lung scan can be an alternative in detection and follow-up of patent foramen ovale. <i>International Journal of Cardiology</i> , 2011 , 147, 296-8	3.2	
678	Poor outcome after recurrent acute myocardial infarction: a plea for optimal secondary prevention. <i>International Journal of Cardiology</i> , 2011 , 147, 298-300	3.2	5
677	HIV infection is not associated with echocardiographic signs of cardiomyopathy or pulmonary hypertension among pregnant Ugandan women. <i>International Journal of Cardiology</i> , 2011 , 147, 300-2	3.2	6
676	Swinging without feeling. <i>International Journal of Cardiology</i> , 2011 , 148, 389-91	3.2	3
675	Cardiac ion channel mutations in the sudden infant death syndrome. <i>International Journal of Cardiology</i> , 2011 , 152, 162-70	3.2	65
674	Optimising management of hypertension in primary care: the Valsartan Intensified Primary Care Reduction of Blood Pressure (Viper-Bp) study. <i>International Journal of Cardiology</i> , 2011 , 153, 317-22	3.2	10
673	Carotid plaque to predict the presence of coronary artery stenosis in a patient with extremely low LDL-C. <i>International Journal of Cardiology</i> , 2011 , 153, e3-4	3.2	
672	Diagnosis of IgG4-related systemic disease by cytology of large pericardial effusion with fine needle aspiration. <i>International Journal of Cardiology</i> , 2011 , 148, 392-3	3.2	9
671	Lymphocyte activation and apoptotic process in acute coronary syndromes. <i>International Journal of Cardiology</i> , 2011 , 147, 449-50	3.2	1
670	Case report: Chest pain, intermittent left bundle branch block and negative T waves. <i>International Journal of Cardiology</i> , 2011 , 147, 302-4	3.2	3

669	Partial least squares analysis of the association between metabolic factors and left ventricular mass among Taiwanese adolescents. <i>International Journal of Cardiology</i> , 2011 , 147, 305-6	3.2	2
668	One year clinical outcomes in patients with chronic kidney disease treated by percutaneous coronary intervention with drug-eluting stent. <i>International Journal of Cardiology</i> , 2011 , 147, 307	3.2	2
667	Interval training does not decrease oxidative stress in the heart of mice. <i>International Journal of Cardiology</i> , 2011 , 147, 308-9	3.2	3
666	Tako-tsubo cardiomyopathy after administration of intravenous epinephrine during an anaphylactic reaction. <i>International Journal of Cardiology</i> , 2011 , 147, 309-11	3.2	25
665	Serial BNP assay in monitoring exercise tolerance in patients with diastolic dysfunction. <i>International Journal of Cardiology</i> , 2011 , 147, 312-3	3.2	4
664	Levosimendan improves pro/anti-inflammatory cytokines imbalance in male patients with advanced heart failure. A randomized, double-blind, placebo-controlled study. <i>International Journal of Cardiology</i> , 2011 , 147, 314-5	3.2	3
663	Beta blocker therapy modifies circadian rhythm acute myocardial infarction. <i>International Journal of Cardiology</i> , 2011 , 147, 316-7	3.2	6
662	Management of congestive heart failure in St. Elizabeth Catholic General Hospital Shisong, cardiac centre. <i>International Journal of Cardiology</i> , 2011 , 147, 318-9	3.2	
661	Copeptin (C-terminal provasopressin): a promising marker of arrhythmogenesis in arrhythmia prone subjects?. <i>International Journal of Cardiology</i> , 2011 , 148, 105	3.2	17
660	Silent ischemia normalized for coronary collateral function in patients with and without diabetes mellitus. <i>International Journal of Cardiology</i> , 2011 , 147, 319-21	3.2	1
659	The rate-corrected QT interval calculated from 24-hour Holter recordings may serve as a significant arrhythmia risk stratifier in heart failure patients. <i>International Journal of Cardiology</i> , 2011 , 147, 321-3	3.2	16
658	Hypolipidemic potential of <i>Lepidogrammitis drymoglossoides</i> in high-fat diet fed mice. <i>International Journal of Cardiology</i> , 2011 , 147, 323-5	3.2	1
657	Prognostic value of NT-pro BNP, left ventricular inotropic reserve and cardiopulmonary exercise test in patients with non-ischemic dilated cardiomyopathy. <i>International Journal of Cardiology</i> , 2011 , 147, 326-8	3.2	3
656	Forgotten indices of ambulatory blood pressure profile. <i>International Journal of Cardiology</i> , 2011 , 147, 451	3.2	
655	Migraine from microembolism of noncompaction?. <i>International Journal of Cardiology</i> , 2011 , 152, e61-2	3.2	
654	Insulation of the phrenic nerve as an alternative to left ventricular lead repositioning in cardiac resynchronization therapy. <i>International Journal of Cardiology</i> , 2011 , 147, 328-9	3.2	4
653	Letter to the editor: Weekend versus weekday hospital admissions for acute heart failure. <i>International Journal of Cardiology</i> , 2011 , 147, 330	3.2	1
652	Decreased intralymphocytic magnesium content is associated with diastolic heart dysfunction in patients with essential hypertension. <i>International Journal of Cardiology</i> , 2011 , 147, 331-4	3.2	3

651	Plasma active matrix metalloproteinase 9 associated to diastolic dysfunction in patients with coronary artery disease. <i>International Journal of Cardiology</i> , 2011 , 147, 336-8	3.2	5
650	Osteoprotegerin is associated with markers of atherosclerosis and body fat mass in type 2 diabetes patients. <i>International Journal of Cardiology</i> , 2011 , 147, 335-6	3.2	10
649	Comparison of different body habitus between patients with mitral valve prolapse and normal populations in young Taiwanese females. <i>International Journal of Cardiology</i> , 2011 , 147, 338-40	3.2	
648	Statin dilemma in the management of chronic heart failure. <i>International Journal of Cardiology</i> , 2011 , 147, 452-3	3.2	1
647	A tale of two coronaries. <i>International Journal of Cardiology</i> , 2011 , 152, e63-4	3.2	
646	Combined antiplatelet therapy and oral anticoagulation: is a balance between thromboembolism and bleeding possible?. <i>International Journal of Cardiology</i> , 2011 , 148, 1-3	3.2	4
645	Efficacy of pharmacological treatment and genetic characterization in early diagnosed patients affected by long QT syndrome with impaired AV conduction. <i>International Journal of Cardiology</i> , 2011 , 149, 109-13	3.2	6
644	Predictors, moderators and mediators for the effectiveness of pexelizumab treatment in patients undergoing primary coronary revascularization. <i>International Journal of Cardiology</i> , 2011 , 147, 340-1	3.2	3
643	Alpine "P" waves in a case of restrictive cardiomyopathy. <i>International Journal of Cardiology</i> , 2011 , 153, e5-6	3.2	3
642	CA-125 and heart failure. <i>International Journal of Cardiology</i> , 2011 , 147, 453-4	3.2	4
641	Comparison between low-dose multidetector computed coronary angiography and myocardial perfusion imaging test in patients with intermediate pre-test likelihood of coronary artery disease. <i>International Journal of Cardiology</i> , 2011 , 147, 454-7	3.2	5
640	Systemic amyloidosis presenting as constrictive pericarditis in a young adult. <i>International Journal of Cardiology</i> , 2011 , 153, e7-9	3.2	2
639	Cardiogenic shock due to unprotected left main coronary artery thrombosis in the era of mechanical circulatory support. <i>International Journal of Cardiology</i> , 2011 , 148, 394-6	3.2	5
638	Prognostic significance of aortic stiffness index in acromegaly--results from a 4-year follow-up. <i>International Journal of Cardiology</i> , 2011 , 147, 457-9	3.2	4
637	Chronotropic incompetence or tachycardiomyopathy as trigger of myocardial dysfunction in critically ill patients?. <i>International Journal of Cardiology</i> , 2011 , 147, 460-1	3.2	
636	Malondialdehyde-modified LDL to HDL-cholesterol ratio reflects endothelial damage. <i>International Journal of Cardiology</i> , 2011 , 147, 461-3	3.2	10
635	Peripartum and other cardiomyopathies in a Nigerian adult population. <i>International Journal of Cardiology</i> , 2011 , 147, 342-3	3.2	6
634	How to figure out the surname of a Chinese author. <i>International Journal of Cardiology</i> , 2011 , 148, 259-60.2		2

633	The development of the pulmonary vein revisited. <i>International Journal of Cardiology</i> , 2011 , 147, 463-4	3.2	4
632	Diabetes epidemic in China and its economic impact. <i>International Journal of Cardiology</i> , 2011 , 149, 1-3	3.2	21
631	Weight loss in women with metabolic syndrome. <i>International Journal of Cardiology</i> , 2011 , 147, 464-5	3.2	
630	CA-125 and heart failure: DIIvu continues. <i>International Journal of Cardiology</i> , 2011 , 147, 344-5	3.2	2
629	Twelve-month clinical outcomes of everolimus-eluting stent as compared to paclitaxel- and sirolimus-eluting stent in patients undergoing percutaneous coronary interventions. A meta-analysis of randomized clinical trials. <i>International Journal of Cardiology</i> , 2011 , 150, 84-9	3.2	30
628	Acute myocardial infarction late following stent implantation: Incidence, mechanisms and clinical presentation. <i>International Journal of Cardiology</i> , 2011 , 152, 295-301	3.2	2
627	Central pulse pressure and augmentation index in asymptomatic bicuspid aortic valve disease. <i>International Journal of Cardiology</i> , 2011 , 147, 466-8	3.2	10
626	Myocarditis and cardiac channelopathies: a deadly association?. <i>International Journal of Cardiology</i> , 2011 , 147, 468-70	3.2	11
625	Multiple myocardial crypts on cardiac CT angiography in a symptomatic patient with troponin elevation. <i>International Journal of Cardiology</i> , 2011 , 153, e10-1	3.2	
624	Heme oxygenase 1 regulates the maturation process and inflammatory response in oxLDL-stimulated dendritic cells. <i>International Journal of Cardiology</i> , 2011 , 148, 106-8	3.2	
623	Recurrent focal cardio-myocyte necrosis in severe aortic regurgitation. <i>International Journal of Cardiology</i> , 2011 , 148, 396-7	3.2	1
622	Echocardiographic assessment of acute hemodynamic response during optimization of resynchronization pace-maker using different pacing modalities and atrioventricular delays. <i>International Journal of Cardiology</i> , 2011 , 147, 470-1	3.2	1
621	Bosentan improves systemic sclerosis-related peripheral circulation insufficiency. <i>International Journal of Cardiology</i> , 2011 , 147, 472-5	3.2	0
620	Association between cardiovascular risk factors and the presence of coronary plaque in a zero or low coronary artery calcium score. <i>International Journal of Cardiology</i> , 2011 , 147, 475-7	3.2	8
619	Azathioprine in isolated recurrent pericarditis: a single centre experience. <i>International Journal of Cardiology</i> , 2011 , 147, 477-8	3.2	83
618	Gender difference in obesity management among Iranian patients with metabolic syndrome. <i>International Journal of Cardiology</i> , 2011 , 148, 109-10	3.2	2
617	MiR-204 regulate cardiomyocyte autophagy induced by hypoxia-reoxygenation through LC3-II. <i>International Journal of Cardiology</i> , 2011 , 148, 110-2	3.2	51
616	Association between acute infections and risk of acute coronary syndrome: a meta-analysis. <i>International Journal of Cardiology</i> , 2011 , 147, 479-82	3.2	24

615	Left ventricular hypertrabeculation/noncompaction associated with severe anemia, delusion, and polyneuropathy. <i>International Journal of Cardiology</i> , 2011 , 153, e12-4	3.2	1
614	Different effects of rosuvastatin and simvastatin on myocardial high-energy phosphate metabolism. <i>International Journal of Cardiology</i> , 2011 , 148, 112-4	3.2	2
613	Is echo-guided optimization of biventricular devices time practical?. <i>International Journal of Cardiology</i> , 2011 , 148, 114-5	3.2	1
612	Plasma BNP and renal failure as prognostic factors of mid-term clinical outcome in congestive heart failure patients. <i>International Journal of Cardiology</i> , 2011 , 149, 114-5	3.2	7
611	And what about epidermal growth factor (EGF) as the bridge between survivin and cardiac remodelling?. <i>International Journal of Cardiology</i> , 2011 , 148, 116	3.2	6
610	Increased plasma lipoprotein-associated phospholipase A2 (Lp-PLA2) levels are related to good collateral development in patients with isolated left coronary artery disease. <i>International Journal of Cardiology</i> , 2011 , 148, 117-9	3.2	3
609	Weekend versus weekday acute hospital admissions for heart failure. <i>International Journal of Cardiology</i> , 2011 , 148, 119	3.2	
608	Rare and atypical forms of Tako-Tsubo cardiomyopathy diagnosed by contrast-echocardiography during subarachnoid haemorrhage: confirming the appropriateness of the new Tako-Tsubo classification. <i>International Journal of Cardiology</i> , 2011 , 149, 115-7	3.2	8
607	Evidence for non-ischemic scarring in patients with ventricular ectopy. <i>International Journal of Cardiology</i> , 2011 , 147, 482-4	3.2	6
606	Successful treatment of coronary artery steal with an Amplatzer Vascular Plug 4. <i>International Journal of Cardiology</i> , 2011 , 149, 117-8	3.2	1
605	Cardiac devices and neuromuscular disorders in left ventricular noncompaction. <i>International Journal of Cardiology</i> , 2011 , 148, 120-3	3.2	7
604	Clinical outcomes of patients with intramyocardial bridging diagnosed by multi-detector cardiac computed tomography. <i>International Journal of Cardiology</i> , 2011 , 148, 123-5	3.2	9
603	A "strange cough": 3D-echocardiography for diagnosis of late tricuspid valve endocarditis in a former drug addict with septic pulmonary emboli. <i>International Journal of Cardiology</i> , 2011 , 153, e15-8	3.2	4
602	Diagnostic value of mitral and tricuspid annular excursion in the diagnostics of acute pulmonary embolism patients with chronic heart failure. <i>International Journal of Cardiology</i> , 2011 , 149, 118-9	3.2	5
601	Refractory coronary spastic angina may induce sudden cardiac death even in young patients under appropriate medication. <i>International Journal of Cardiology</i> , 2011 , 153, e19-21	3.2	2
600	Acute hemodynamic effects of adaptive servo ventilation in patients with pulmonary hypertension. <i>International Journal of Cardiology</i> , 2011 , 148, 125-7	3.2	1
599	Lower frequency of non-target lesion intervention in post-successful percutaneous coronary intervention patients with an LDL to HDL cholesterol ratio below 1.5. <i>International Journal of Cardiology</i> , 2011 , 149, 120-2	3.2	13
598	Left coronary artery receiving collateral circulation from an anomalous originating right coronary artery. Clinical and procedural implications of a rare case report. <i>International Journal of Cardiology</i> , 2011 , 153, e22-3	3.2	1

597	Clinical course of patients with chronic systolic heart failure due to the association of Chagas disease and systemic arterial hypertension. <i>International Journal of Cardiology</i> , 2011 , 149, 122-4	3.2	6
596	Separate dosing of clopidogrel and omeprazole may improve platelet inhibition on dual antiplatelet therapy. <i>International Journal of Cardiology</i> , 2011 , 149, 124-5	3.2	5
595	Prognostic value of significant and non-significant coronary artery stenosis detection using MDCT for major adverse cardiac events. <i>International Journal of Cardiology</i> , 2011 , 149, 126-8	3.2	4
594	The impact of percutaneous implantation of aortic valve prosthesis in the treatment of severe aortic stenosis. <i>International Journal of Cardiology</i> , 2011 , 149, 128-30	3.2	3
593	Serial coronary angiographic findings of drug-eluting stents implanted in a chronic totally occluded lesion. <i>International Journal of Cardiology</i> , 2011 , 153, e29-31	3.2	1
592	Do we need to be an Einstein to figure out what the acronym in the EINSTEIN study stands for?. <i>International Journal of Cardiology</i> , 2011 , 149, 145-146	3.2	0
591	Rationale and design for a cardiovascular screening and prevention study with tele-cardiology in Mediterranean Italy: the CAPITAL study (CARDiovascular Prevention wIth Telecardiology in ApuLia). <i>International Journal of Cardiology</i> , 2011 , 149, 130-3	3.2	11
590	Should tissue Doppler echocardiography be used to improve prediction of mortality risk in patients with Chagas cardiomyopathy?. <i>International Journal of Cardiology</i> , 2011 , 149, 134-5	3.2	2
589	Factors influencing the time-point of acute myocardial infarction in winter tourists. <i>International Journal of Cardiology</i> , 2011 , 149, 136-7	3.2	1
588	Stress ECG utilization in the evaluation of patients with chest pain: the real practice in Hungary with 10 million inhabitants. <i>International Journal of Cardiology</i> , 2011 , 149, 137-9	3.2	2
587	Heart failure with preserved ejection fraction: a precursor of heart failure with reduced ejection fraction or a distinct syndrome?. <i>International Journal of Cardiology</i> , 2011 , 149, 139-40	3.2	3
586	3-Dimensional reconstruction of a bifurcation lesion with double wire after implantation of a second generation everolimus-eluting bioresorbable vascular scaffold. <i>International Journal of Cardiology</i> , 2011 , 153, e43-5	3.2	17
585	Recovery from long lasting life-threatening ventricular arrhythmia associated with fulminant myocarditis. <i>International Journal of Cardiology</i> , 2011 , 153, e41-2	3.2	
584	Prostate-specific antigen kallikrein is not a marker of non-ST elevation acute coronary syndrome. <i>International Journal of Cardiology</i> , 2011 , 149, 141-2	3.2	5
583	Combination of direct and adjusted indirect comparisons of sirolimus- versus paclitaxel-eluting stents for ST-segment elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2011 , 149, 142-4	3.2	
582	Infant mortality, cancer, and cardiovascular disease mortality: an ecological analysis for 47 prefectures of Japan. <i>International Journal of Cardiology</i> , 2011 , 149, 242-243	3.2	1
581	Intramyocardial coronary aneurysm: a distinct clinical entity. <i>International Journal of Cardiology</i> , 2011 , 153, e39-40	3.2	2
580	Endovascular repair of graft limb occlusion after endovascular repair for abdominal aortic aneurysm using 0.014-inch guidewire and coronary balloon. <i>International Journal of Cardiology</i> , 2011 , 153, e37-8	3.2	3

579	Comparability in coronary artery calcium scores on CT scan between two community-based cohort studies. <i>International Journal of Cardiology</i> , 2011 , 149, 244-245	3.2	7
578	Cardiac cachexia and gastrointestinal system. <i>International Journal of Cardiology</i> , 2011 , 149, 245-246	3.2	0
577	Acute viral hepatitis A presented with myopericarditis. <i>International Journal of Cardiology</i> , 2011 , 153, e34-6	3.2	5
576	Intravascular misplacement of vascular closure device causing femoral artery obstruction. <i>International Journal of Cardiology</i> , 2011 , 153, e32-3	3.2	1
575	Wanted! 8000 heart patients: identification of adult patients with a congenital heart defect lost to follow-up. <i>International Journal of Cardiology</i> , 2011 , 149, 246-247	3.2	19
574	Clinical profile and predictors of in-hospital outcome in patients with heart failure: the FADOI "CONFINE" Study. <i>International Journal of Cardiology</i> , 2011 , 152, 88-94	3.2	33
573	Does patent foramen ovale closure have an anti-arrhythmic effect? A meta-analysis. <i>International Journal of Cardiology</i> , 2011 , 153, 4-9	3.2	12
572	Usefulness of index of microcirculatory resistance to detect microvascular dysfunction as a potential mechanism of stress-induced cardiomyopathy (Tako-tsubo syndrome). <i>International Journal of Cardiology</i> , 2011 , 153, e51-3	3.2	13
571	Detection of left ventricular systolic dysfunction using a newly developed, laptop based, impedance cardiographic index. <i>International Journal of Cardiology</i> , 2011 , 149, 248-250	3.2	5
570	Impact of dialysis modality on the appropriateness of left ventricular mass in patients with end-stage renal disease. <i>International Journal of Cardiology</i> , 2011 , 149, 250-252	3.2	11
569	Association between high-sensitivity cardiac troponin T and predicted cardiovascular risks in a community-based population. <i>International Journal of Cardiology</i> , 2011 , 149, 253-256	3.2	6
568	Cardiopulmonary exercise testing abnormalities: a universal indicator of declining left ventricular function during exertion. <i>International Journal of Cardiology</i> , 2011 , 153, e59-61	3.2	
567	Sudden cardiac death caused by the administration of a β agonist for asthma attack. <i>International Journal of Cardiology</i> , 2011 , 153, e56-8	3.2	2
566	Predictive value of plasma Nt-proBNP and body mass index for recurrence of atrial fibrillation after cardioversion. <i>International Journal of Cardiology</i> , 2011 , 149, 257-259	3.2	14
565	An unusual catecholaminergic polymorphic ventricular tachycardia not inducible at stress test. <i>International Journal of Cardiology</i> , 2011 , 153, e54-5	3.2	1
564	Is inflammation linked to thrombogenesis in atrial fibrillation?. <i>International Journal of Cardiology</i> , 2011 , 149, 260-261	3.2	13
563	Extensive atherosclerosis: a potential predictor of metastatic behavior of malignant tumors?. <i>International Journal of Cardiology</i> , 2011 , 149, 262	3.2	1
562	Acupuncture treatment for cardiac arrhythmias: a systematic review of randomized controlled trials. <i>International Journal of Cardiology</i> , 2011 , 149, 263-265	3.2	16

561	How to explain the reduced cardiovascular mortality in the ticagrelor arm of the PLATO trial?. <i>International Journal of Cardiology</i> , 2011 , 149, 265-267	3.2	9
560	Implantable cardioverter-defibrillator storm: an unusual adverse effect of β agonists. <i>International Journal of Cardiology</i> , 2011 , 153, e65-7	3.2	1
559	Reduction in coronary heart disease with atorvastatin independent of low-density lipoprotein cholesterol. <i>International Journal of Cardiology</i> , 2011 , 149, 267-269	3.2	
558	Assessment of progression of coronary atherosclerosis using multidetector computed tomography angiography (MDCT). <i>International Journal of Cardiology</i> , 2011 , 149, 270-274	3.2	10
557	Impact of combination of calcium-channel blockers with clopidogrel on clinical outcomes in patients with coronary artery disease. <i>International Journal of Cardiology</i> , 2011 , 149, 274-276	3.2	4
556	Brain-derived neurotrophic factor is up regulated in chronic Chagas disease. <i>International Journal of Cardiology</i> , 2011 , 149, 277-278	3.2	7
555	Right atrial flutter isthmus ablation is feasible and results in acute clinical improvement in patients with persistent atrial flutter and severe pulmonary arterial hypertension. <i>International Journal of Cardiology</i> , 2011 , 149, 279-280	3.2	29
554	Obstructive sleep apnea and major depressive disorder in cardiovascular disease. <i>International Journal of Cardiology</i> , 2011 , 149, 283-284	3.2	4
553	Severe lasting coronary spasm detected by multi-detector row computed tomography. <i>International Journal of Cardiology</i> , 2011 , 153, e62-4	3.2	7
552	Heart rate recovery identifies high risk heart failure patients with intermediate peak oxygen consumption values. <i>International Journal of Cardiology</i> , 2011 , 149, 284-285	3.2	2
551	A case of coronary hypersensitivity (Kounis) syndrome associated with mid-ventricular ballooning pattern, intracoronary thrombosis and troponin elevation. <i>International Journal of Cardiology</i> , 2011 , 149, 377-8	3.2	8
550	Biomarkers of myocardial injury as surrogate end-points for remote ischemic conditioning trials. <i>International Journal of Cardiology</i> , 2011 , 149, 379	3.2	3
549	Is monitoring milrinone therapy useful in advanced heart failure?. <i>International Journal of Cardiology</i> , 2011 , 149, 380-1	3.2	6
548	Melatonin: Still a forgotten antioxidant. <i>International Journal of Cardiology</i> , 2011 , 149, 382	3.2	9
547	Acute coronary syndromes in the setting of acute infections: is there an overdiagnosis with overtreatment?. <i>International Journal of Cardiology</i> , 2011 , 149, 383	3.2	3
546	Epinephrine for acute decompensated heart failure and low output state: friend or foe?. <i>International Journal of Cardiology</i> , 2011 , 149, 384-5	3.2	7
545	Supra-annular aortic replacement in Behçet's disease: a new surgical modification to prevent valve detachment. <i>International Journal of Cardiology</i> , 2011 , 149, 385-6	3.2	3
544	What else does the JUPITER trial add regarding C-reactive protein and cardiovascular disease?. <i>International Journal of Cardiology</i> , 2011 , 149, 387	3.2	2

543	The specter of publication bias: adjustment for publication bias in the evidence on cardiac death associated with passive smoking in nonsmoking women. <i>International Journal of Cardiology</i> , 2011 , 149, 388-9	3.2	1
542	Mechanisms, treatment and course of paravalvular aortic regurgitation after percutaneous implantation of the CoreValve aortic prosthesis. <i>International Journal of Cardiology</i> , 2011 , 149, 389-92	3.2	14
541	Revascularization strategies for stable multivessel and unprotected left main coronary artery disease: from BARI to SYNTAX. <i>International Journal of Cardiology</i> , 2011 , 153, 126-34	3.2	5
540	Prostate-specific antigen kallikrein and non-ST elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2011 , 149, 392-3	3.2	1
539	Evolution of the strength of recommendations in guidelines for the management of atrial fibrillation. <i>International Journal of Cardiology</i> , 2011 , 149, 394-5	3.2	1
538	Myeloperoxidase in the acute coronary syndrome: equal concentrations at any time of day?. <i>International Journal of Cardiology</i> , 2011 , 150, 206-7	3.2	3
537	Laser "explosion" technique for treatment of unexpanded coronary stent. <i>International Journal of Cardiology</i> , 2011 , 149, 395-7	3.2	6
536	Cadherins in potential link between atherosclerosis and cancer. <i>International Journal of Cardiology</i> , 2011 , 149, 397	3.2	
535	Takotsubo-like cardiomyopathy in pheochromocytoma. <i>International Journal of Cardiology</i> , 2011 , 153, 241-8	3.2	94
534	Sheathless transulnar versus standard femoral arterial access for percutaneous coronary intervention on bifurcation lesions. <i>International Journal of Cardiology</i> , 2011 , 149, 398-400	3.2	7
533	Self-reported teenage body size and heart failure in adults \geq 5years of age. <i>International Journal of Cardiology</i> , 2011 , 149, 401-2	3.2	
532	Percutaneous coronary intervention versus medical therapy for stable coronary artery disease: meta-regression analysis of mortality and morbidity against stent use. <i>International Journal of Cardiology</i> , 2011 , 150, 90-2	3.2	1
531	Role of real time-3D transesophageal echocardiography in evaluating the atheromatous burden of thoracic aorta in patients with heterozygous familial hypercholesterolemia: comparison with 2D transesophageal study. <i>International Journal of Cardiology</i> , 2011 , 150, 92-3	3.2	5
530	Implantable cardioverter-defibrillator therapy for primary prevention of sudden cardiac death in patients with severe Chagas cardiomyopathy. <i>International Journal of Cardiology</i> , 2011 , 150, 94-5	3.2	14
529	Remote ischemic conditioning--the unknown. <i>International Journal of Cardiology</i> , 2011 , 150, 96	3.2	1
528	Prognostic role of hemodynamic evaluation at rest and at maximum workload in patients with idiopathic dilated cardiomyopathy. <i>International Journal of Cardiology</i> , 2011 , 150, 97-9	3.2	
527	Different clinical outcomes of acute kidney injury according to acute kidney injury network criteria in patients between ST elevation and non-ST elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2011 , 150, 99-101	3.2	14
526	Meta-analysis of everolimus-eluting stent as compared to sirolimus-eluting stent in patients undergoing percutaneous coronary interventions: an update. <i>International Journal of Cardiology</i> , 2011 , 150, 101-3	3.2	2

525	Sex differences with respect to clinical characteristics, treatment, and long-term outcomes in patients with heart failure. <i>International Journal of Cardiology</i> , 2011 , 150, 338-9	3.2	11
524	Effectiveness of balloon aortic valvuloplasty is greater in patients with impaired left ventricular function. <i>International Journal of Cardiology</i> , 2011 , 150, 103-5	3.2	5
523	Acupuncture anesthesia for open heart surgery in contemporary China. <i>International Journal of Cardiology</i> , 2011 , 150, 12-6	3.2	27
522	Acupuncture anesthesia for open heart surgery: past, present and future. <i>International Journal of Cardiology</i> , 2011 , 150, 1-3	3.2	11
521	Coronary heart disease and stroke attributable to major risk factors is similar in Argentina and the United States: the Coronary Heart Disease Policy Model. <i>International Journal of Cardiology</i> , 2011 , 150, 332-7	3.2	14
520	Fluvastatin reduces the high mobility group box 1 protein expression in hyperlipidemia. <i>International Journal of Cardiology</i> , 2011 , 150, 105-7	3.2	9
519	Melatonin and myocardial protection. <i>International Journal of Cardiology</i> , 2011 , 150, 207	3.2	2
518	The large clinical statin trials. <i>International Journal of Cardiology</i> , 2011 , 150, 108-11	3.2	2
517	Burden of acute myocardial infarction. <i>International Journal of Cardiology</i> , 2011 , 150, 111-2	3.2	15
516	The negative inotropic effects of homocysteine were prevented by matrine via the regulating intracellular calcium level. <i>International Journal of Cardiology</i> , 2011 , 150, 113-5	3.2	15
515	A post-hoc analysis of the CUSTOMIZE Registry on the differential impact of EuroSCORE and SYNTAX score in left main patients with intermediate Global Risk. <i>International Journal of Cardiology</i> , 2011 , 150, 116-7	3.2	3
514	Feasibility and limitation of coronary plaque volumetry by contrast-enhanced 64-row multi-detector computed tomography. <i>International Journal of Cardiology</i> , 2011 , 150, 118-20	3.2	4
513	Correlation of cardiovascular risk scores with myocardial high-energy phosphate metabolism. <i>International Journal of Cardiology</i> , 2011 , 150, 208-10	3.2	4
512	Mast cell activation disorders presenting with cerebral vasospasm-related symptoms: a "Kounis-like" syndrome?. <i>International Journal of Cardiology</i> , 2011 , 150, 210-1	3.2	27
511	Everolimus- versus first generation drug-eluting stents: the never-ending story of searching for a winner in the "limus family". <i>International Journal of Cardiology</i> , 2011 , 150, 212	3.2	
510	Dilated cardiomyopathy with centronuclear myopathy in a young male. <i>International Journal of Cardiology</i> , 2011 , 150, 213-6	3.2	4
509	A case of hypertrophic cardiomyopathy with mid-ventricular obstruction (MVO) -- dramatic long-term improvement with a DDD pacemaker as assessed by diastolic paradoxical jet flow velocity. <i>International Journal of Cardiology</i> , 2011 , 150, 217-9	3.2	1
508	Arrhythmogenic potential of oxidative stress in atrial myocytes. <i>International Journal of Cardiology</i> , 2011 , 150, 219-21	3.2	1

507	PI3K/Akt signaling pathway involved in cardioprotection of preconditioning with high mobility group box 1 protein during myocardial ischemia and reperfusion. <i>International Journal of Cardiology</i> , 2011, 150, 222-3	3.2	19
506	Importance of understanding pre-analytical variability in biomarker development. <i>International Journal of Cardiology</i> , 2011, 150, 223-4	3.2	3
505	Authors' Reply (Should tissue Doppler echocardiography be used to improve prediction of mortality risk in patients with Chagas cardiomyopathy?). <i>International Journal of Cardiology</i> , 2011, 150, 224-5	3.2	
504	Surviving acute myocardial infarction (IMA): a match ruled by insulin and mitochondria?. <i>International Journal of Cardiology</i> , 2011, 150, 226	3.2	
503	Postnatal regression of hypertrophic cardiomyopathy in infants of diabetic mothers: a crosstalk between Hox genes and epidermal growth factor (EGF) gene polymorphism?. <i>International Journal of Cardiology</i> , 2011, 150, 340	3.2	2
502	Short-term effect of pitavastatin on the reactive hyperemic index in post-menopausal women with high levels in serum LDL-cholesterol. <i>International Journal of Cardiology</i> , 2011, 150, 227-8	3.2	1
501	A meta-analysis of randomized trials of triple versus dual antiplatelet therapy after stent-based percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2011, 150, 228-30	3.2	8
500	Clopidogrel up-titration versus standard dose in patients with high residual platelet reactivity after percutaneous coronary intervention: a single-center pilot randomised study. <i>International Journal of Cardiology</i> , 2011, 150, 231-2	3.2	6
499	Continuous renal replacement therapy: should the cardiologist be able to manage it out of intensive care units?. <i>International Journal of Cardiology</i> , 2011, 150, 233-5	3.2	0
498	Contrast transthoracic echocardiography versus transcranial Doppler for patent foramen ovale detection. <i>International Journal of Cardiology</i> , 2011, 150, 235-7	3.2	1
497	Toward the nature of ventricular fibrillation from electrophysiological point of view. <i>International Journal of Cardiology</i> , 2011, 150, 237-8	3.2	
496	A meta-analysis of randomized trials and adjusted observational studies of drug-eluting stents versus coronary artery bypass grafting for unprotected left main coronary artery disease. <i>International Journal of Cardiology</i> , 2011, 150, 341-3	3.2	2
495	Correlation of NT-proBNP, proANP and novel biomarkers: copeptin and proadrenomedullin with LVEF and NYHA in patients with ischemic CHF, non-ischemic CHF and arterial hypertension. <i>International Journal of Cardiology</i> , 2011, 150, 343-4	3.2	8
494	A call for adult congenital heart disease patient participation in cardiac rehabilitation. <i>International Journal of Cardiology</i> , 2011, 150, 345-6	3.2	19
493	Weight loss in diabetic obese women in comparison to non-diabetic women. <i>International Journal of Cardiology</i> , 2011, 150, 347-8	3.2	
492	An unusual complication of a Takotsubo cardiomyopathy: a not so benign disease?. <i>International Journal of Cardiology</i> , 2011, 150, 348-9	3.2	1
491	Effects of thoracic epidural blockade on mortality of patients with idiopathic dilated cardiomyopathy and heart failure. <i>International Journal of Cardiology</i> , 2011, 150, 350-1	3.2	6
490	A meta-analysis of first-generation drug-eluting vs bare-metal stents for coronary chronic total occlusion: effect of length of follow-up on clinical outcome. <i>International Journal of Cardiology</i> , 2011, 150, 351-4	3.2	11

489	Long-term retention of aerobic fitness improvements following participation in cardiac rehabilitation. <i>International Journal of Cardiology</i> , 2011 , 150, 355-6	3.2	5
488	Heart rate variability in the frequency domain in chronic Chagas disease: correlation of autonomic dysfunction with variables of daily clinical practice. <i>International Journal of Cardiology</i> , 2011 , 150, 357-8	3.2	8
487	Seizure-induced Takotsubo syndrome is more frequent than reported. <i>International Journal of Cardiology</i> , 2011 , 150, 359-60	3.2	14
486	C-reactive protein is released in the coronary circulation and causes endothelial dysfunction in patients with acute coronary syndromes. <i>International Journal of Cardiology</i> , 2011 , 152, 7-12	3.2	33
485	Mortality by cerebro-/cardio-vascular disease among middle-aged residents in Japan. <i>International Journal of Cardiology</i> , 2011 , 150, 360-1	3.2	
484	Galectin-3 in heart failure: high levels are associated with all-cause mortality. <i>International Journal of Cardiology</i> , 2011 , 150, 361-4	3.2	65
483	Anti-platelet treatments in acute coronary syndrome: simplified network meta-analysis. <i>International Journal of Cardiology</i> , 2011 , 150, 364-7	3.2	12
482	Intracoronary stem cell injection improves left ventricular remodeling after acute myocardial infarction: an updated meta-analysis of randomized trials. <i>International Journal of Cardiology</i> , 2011 , 151, 226-8	3.2	4
481	An updated meta-analysis of randomized controlled trials of everolimus- versus paclitaxel-eluting stents. <i>International Journal of Cardiology</i> , 2011 , 151, 354-5	3.2	6
480	Elastic properties of the ascending aorta in patients with rheumatoid arthritis. <i>International Journal of Cardiology</i> , 2011 , 150, 368-9	3.2	7
479	Antigen carbohydrate 125 in heart failure: a promising clinical tool. <i>International Journal of Cardiology</i> , 2011 , 150, 369-70	3.2	5
478	Effects of vascular nitric oxide pathway on vascular smooth muscle cell proliferation. <i>International Journal of Cardiology</i> , 2011 , 150, 370-2	3.2	5
477	Clonidine therapy in patients with heart failure improves exercise efficiency, functional class and symptoms. <i>International Journal of Cardiology</i> , 2011 , 150, 372-3	3.2	4
476	Is four fatal for the Chinese?. <i>International Journal of Cardiology</i> , 2011 , 150, 373-4	3.2	
475	Multi- versus single-vessel percutaneous coronary intervention for ST-elevation myocardial infarction with multi-vessel disease. <i>International Journal of Cardiology</i> , 2011 , 152, 97-9	3.2	3
474	The human heart: application of the golden ratio and angle. <i>International Journal of Cardiology</i> , 2011 , 150, 239-42	3.2	31
473	3-dimensional optical frequency domain imaging for the evaluation of primary percutaneous coronary intervention in ST-segment elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2011 , 151, 103-5	3.2	10
472	Analysis and classification of heart sounds with mechanical prosthetic heart valves based on Hilbert-Huang transform. <i>International Journal of Cardiology</i> , 2011 , 151, 126-7	3.2	5

471	Letter to editor: clinical profile and predictors of in-hospital outcome in patients with heart failure. <i>International Journal of Cardiology</i> , 2011 , 152, 116; author reply 117	3.2	1
470	Agreement between adjusted indirect comparison and simplified network meta-analyses on prasugrel and ticagrelor (Reply to Passaro et al. - Int J Cardiol 2011). <i>International Journal of Cardiology</i> , 2011 , 151, 228-9	3.2	5
469	Coronary artery spasm progressing to acute myocardial infarction in patients with systemic inflammatory disease: a potential association with Kounis syndrome. <i>International Journal of Cardiology</i> , 2011 , 151, 1-2	3.2	23
468	Intravenous amiodarone facilitates electrical cardioversion in patients with persistent atrial fibrillation pre-treated with oral amiodarone. <i>International Journal of Cardiology</i> , 2011 , 151, 230-1	3.2	1
467	Outcomes of furosemide-mannitol infusion in hospitalized patients with heart failure: an observational single-center cohort study of 122 patients. <i>International Journal of Cardiology</i> , 2011 , 151, 232-4	3.2	5
466	Epicardial fat thickness correlates with ApoB/ApoA1 ratio, coronary calcium and carotid intima media thickness in asymptomatic subjects. <i>International Journal of Cardiology</i> , 2011 , 151, 234-6	3.2	16
465	Matrix metalloproteinases, tissue inhibitors of metalloproteinases, and heart failure outcomes. <i>International Journal of Cardiology</i> , 2011 , 151, 237-9	3.2	4
464	Isolated right ventricular infarction as a cause for anterior (V1-V3) ST elevation - review of publications since 2006 and re-appraisal of direct vs reciprocal ST changes. <i>International Journal of Cardiology</i> , 2011 , 151, 239-41	3.2	9
463	Serum carbohydrate antigen 125 has prognostic significance in heart failure, but no implications on treatment. <i>International Journal of Cardiology</i> , 2011 , 151, 241	3.2	
462	Critical infarct size to induce ventricular remodeling, cardiac dysfunction and heart failure in rats. <i>International Journal of Cardiology</i> , 2011 , 151, 242-3	3.2	28
461	Short QT and dilated cardiomyopathy. A phenotype with a good prognosis?. <i>International Journal of Cardiology</i> , 2011 , 151, 356-7	3.2	
460	Assessment of the effects of the A3872G polymorphism on the C-reactive protein gene in patients with diabetes mellitus type 2. <i>International Journal of Cardiology</i> , 2011 , 151, 243-5	3.2	4
459	Anticoagulation in patients with stroke with infective endocarditis. <i>International Journal of Cardiology</i> , 2011 , 151, 246	3.2	1
458	Ischemia-modified albumin: we are ready for use in the emergency room?. <i>International Journal of Cardiology</i> , 2011 , 151, 247	3.2	
457	Daytime sleepiness does not predict sleep apnoea in patients with coronary artery disease. <i>International Journal of Cardiology</i> , 2011 , 151, 248-50	3.2	9
456	The prognostic impact of glycated hemoglobin in diabetic ST-elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2011 , 151, 250-2	3.2	10
455	Takotsubo syndrome associated with seizures: the visible part of the iceberg?. <i>International Journal of Cardiology</i> , 2011 , 151, 252	3.2	2
454	Computer-based analysis to optimize prosthesis sizing during aortic valve surgery. <i>International Journal of Cardiology</i> , 2011 , 151, 253-4	3.2	2

453	Oral health and the heart - does HIV infection open a pathophysiological gateway?. <i>International Journal of Cardiology</i> , 2011 , 151, 254-7	3.2	
452	Speckle tracking echocardiography in childhood myocarditis: spontaneous reversal of severe left ventricular rotational abnormalities during follow-up. <i>International Journal of Cardiology</i> , 2011 , 151, 257-60	3.2	2
451	Dynamic assessment of normal aortic valve throughout the cardiac cycle with dual-source computed tomography. <i>International Journal of Cardiology</i> , 2011 , 151, 358-60	3.2	2
450	Redefinition of myocardial infarction: impact on incidence, management and prognosis in Québec subpopulation. <i>International Journal of Cardiology</i> , 2011 , 151, 361-3	3.2	
449	Statins and contrast-induced nephropathy: issues requiring further investigation. <i>International Journal of Cardiology</i> , 2011 , 151, 364	3.2	4
448	Mitral stenosis acute pulmonary edema and rheumatic fever pneumonitis: a hypothesis to an old enigma. <i>International Journal of Cardiology</i> , 2011 , 151, 365-6	3.2	1
447	The metabolic syndrome, smoking, inflammatory markers and obesity. <i>International Journal of Cardiology</i> , 2011 , 151, 367-8; author reply 373-4	3.2	5
446	Effect of Carvedilol, Ivabradine or their combination on exercise capacity in patients with Heart Failure (the CARVIVA HF trial). <i>International Journal of Cardiology</i> , 2011 , 151, 218-24	3.2	89
445	Advanced echocardiographic imaging to predict exercise capacity in relatively healthy women. <i>International Journal of Cardiology</i> , 2011 , 151, 369-71	3.2	
444	A multiple combined treatment in an adult patient with Eisenmenger's syndrome. <i>International Journal of Cardiology</i> , 2011 , 151, 372-3	3.2	
443	C-reactive protein, smoking and the metabolic syndrome. <i>International Journal of Cardiology</i> , 2011 , 151, 373-374	3.2	1
442	Geometric patterns of left ventricular hypertrophy and electrocardiography. <i>International Journal of Cardiology</i> , 2011 , 151, 374-5	3.2	
441	Troponin rise in healthy subjects during exercise test. <i>International Journal of Cardiology</i> , 2011 , 151, 375-6	3.2	19
440	A meta-analysis of randomized trials for effects of atorvastatin on renal function in chronic kidney disease. <i>International Journal of Cardiology</i> , 2011 , 152, 242-4	3.2	11
439	Impaired endothelial function in medical personnel working sequential night shifts. <i>International Journal of Cardiology</i> , 2011 , 151, 377-8	3.2	10
438	Is telomerase the final downstream effector of the escape of cardiomyocytes from the point-of-no-return of apoptosis in infants of diabetic mothers?. <i>International Journal of Cardiology</i> , 2011 , 151, 378-9	3.2	2
437	Hypertrophic cardiomyopathy or storage cardiomyopathy? Role of genetics to predict outcome. <i>International Journal of Cardiology</i> , 2011 , 151, 380-1	3.2	
436	Anti-tumor necrosis factor α treatment with adalimumab improves significantly endothelial function and decreases inflammatory process in patients with chronic psoriasis. <i>International Journal of Cardiology</i> , 2011 , 151, 382-3	3.2	39

435	Is there any memory effect of blood pressure lowering in diabetes?. <i>International Journal of Cardiology</i> , 2011 , 151, 384-5	3.2	2
434	Effect of eptifibatide on platelet-mediated inflammation in acute coronary syndromes. <i>International Journal of Cardiology</i> , 2011 , 151, 385-7	3.2	3
433	Procollagen type III amino terminal peptide (PIIP) is associated with left ventricular diastolic dysfunction in obstructive sleep apnoea. <i>International Journal of Cardiology</i> , 2011 , 151, 387-8	3.2	4
432	Plasma asymmetric dimethylarginine predicts death and major adverse cardiovascular events in individuals referred for coronary angiography. <i>International Journal of Cardiology</i> , 2011 , 153, 135-40	3.2	60
431	A non-invasive method to calculate parameters of non-linear end-systolic pressure-volume relation. <i>International Journal of Cardiology</i> , 2011 , 151, 389-91	3.2	2
430	Ethics, vanity and publications. <i>International Journal of Cardiology</i> , 2011 , 151, 391-2	3.2	
429	Atrial cardiomyopathy--a not yet classified cardiomyopathy?. <i>International Journal of Cardiology</i> , 2011 , 151, 394-6	3.2	3
428	Sahaja yoga: a unique adjunctive approach for the management of cardiac arrhythmias?. <i>International Journal of Cardiology</i> , 2011 , 152, 99-100	3.2	4
427	Antioxidant supplementation does not attenuate exercise-induced cardiac troponin release. <i>International Journal of Cardiology</i> , 2011 , 152, 101-2	3.2	4
426	Diagnostic value of standard and extended ECG leads for the detection of acute myocardial infarction as compared to contrast-enhanced magnetic resonance imaging. <i>International Journal of Cardiology</i> , 2011 , 152, 103-5	3.2	2
425	Involvement of bone morphogenetic protein-binding endothelial regulator in aortic valve stenosis. <i>International Journal of Cardiology</i> , 2011 , 152, 107-9	3.2	
424	Effects of heart failure status on electrocardiogram precordial leads and their value for monitoring body fluid changes in heart failure patients. <i>International Journal of Cardiology</i> , 2011 , 152, 113-5	3.2	3
423	Impaired myocardial deformation detected by speckle-tracking echocardiography in patients with myotonic dystrophy type 1. <i>International Journal of Cardiology</i> , 2011 , 152, 375-6	3.2	14
422	Simulation of electrocardiographic manifestation of healed infarctions using a 3D realistic rabbit ventricular model. <i>International Journal of Cardiology</i> , 2011 , 152, 121-3	3.2	3
421	Transient loss of consciousness in young adults. <i>International Journal of Cardiology</i> , 2011 , 152, 139-43	3.2	11
420	Aminoterminal natriuretic peptides and cardiovascular risk in an Italian male adult cohort. <i>International Journal of Cardiology</i> , 2011 , 152, 245-6	3.2	9
419	Effects of the Ala379Val polymorphism of lipoprotein-associated phospholipase A2 on thrombosis and inflammation in hypertensive patients. <i>International Journal of Cardiology</i> , 2011 , 152, 247-9	3.2	3
418	Implantable loop recorders in myotonic dystrophy 1. <i>International Journal of Cardiology</i> , 2011 , 152, 249-51	3.2	9

417	Multidetector computed tomography vs multiplane transesophageal echocardiography in detecting atrial thrombi in patients candidate to radiofrequency ablation of atrial fibrillation. <i>International Journal of Cardiology</i> , 2011 , 152, 251-4	3.2	16
416	Accumulation of cardiovascular risks in Japanese women with abnormal glucose and mild to moderate hypercholesterolemia. <i>International Journal of Cardiology</i> , 2011 , 152, 254-6	3.2	
415	Lipid-soluble vitamin C palmitate and protection of human high-density lipoprotein from hypochlorite-mediated oxidation. <i>International Journal of Cardiology</i> , 2011 , 152, 256-7	3.2	2
414	Percutaneous catheter-based cryoablation of the renal artery is effective for sympathetic denervation in a sheep model. <i>International Journal of Cardiology</i> , 2011 , 152, 268-70	3.2	22
413	Professor Xin-fang Wang from China is the Father of Modern Echocardiography. <i>International Journal of Cardiology</i> , 2011 , 152, 155-61	3.2	2
412	A classification of bifurcation restenosis. <i>International Journal of Cardiology</i> , 2011 , 152, 385-6	3.2	
411	Platelet-derived chemokines, PF-4 and RANTES, are significantly increased in hemodynamically significant degenerative aortic stenosis. <i>International Journal of Cardiology</i> , 2011 , 152, 273-5	3.2	1
410	Statins, cholesterol depletion and risk of incident diabetes. <i>International Journal of Cardiology</i> , 2011 , 152, 275-6	3.2	3
409	Changes in endothelial function in healthy volunteers during soccer World Cup 2010 games. <i>International Journal of Cardiology</i> , 2011 , 152, 395-6	3.2	2
408	The short to mid-term effect of bone marrow derived cell transfer on diastolic function after acute myocardial infarction. <i>International Journal of Cardiology</i> , 2011 , 153, 87-8	3.2	1
407	β -adrenergic receptor genotype influences the effect of nonselective vs. selective β -blockade on baroreflex function in chronic heart failure. <i>International Journal of Cardiology</i> , 2011 , 153, 230-2	3.2	3
406	Statement on authorship and publishing ethics in the International Journal of Cardiology. <i>International Journal of Cardiology</i> , 2011 , 153, 239-40	3.2	283
405	Effect of statin therapy on contrast-induced nephropathy after coronary angiography: a meta-analysis. <i>International Journal of Cardiology</i> , 2011 , 151, 348-53	3.2	45
404	Biology of mitral valve prolapse: the harvest is big, but the workers are few. <i>International Journal of Cardiology</i> , 2011 , 151, 129-35	3.2	12
403	Variability of ventricular repolarization during hypoglycemia. <i>International Journal of Cardiology</i> , 2011 , 149, 285-286	3.2	1
402	Percutaneous coronary intervention in Takayasu's arteritis. <i>International Journal of Cardiology</i> , 2011 , 151, 231-2	3.2	4
401	Admission glucose level and in-hospital outcomes in diabetic and non-diabetic patients with ST-elevation acute myocardial infarction. 2011 , 50, 2471-5		16
400	Increase of plasma IL-9 and decrease of plasma IL-5, IL-7, and IFN- γ in patients with chronic heart failure. 2011 , 9, 28		51

399	Determinants of preformed collateral vessels in the human heart without coronary artery disease. 2011 , 118, 198-206			28
398	Closure of persistent foramen ovale with the BioSTAR biodegradable PFO closure device: feasibility and long-term outcome. 2011 , 45, 267-72			8
397	Use of intravenous morphine for acute decompensated heart failure in patients with and without acute coronary syndromes. 2011 , 13, 76-80			43
396	Carotid intima-media thickness determined vascular age and the Framingham Risk Score. 2011 , 10, 173-9			10
395	Mitral leaflet separation index in assessing the severity of mitral stenosis. 2011 , 2011, 768097			4
394	A risk prediction index for amiodarone-induced thyrotoxicosis in adults with congenital heart disease. 2012 , 2012, 210529			13
393	Overexpression of apolipoprotein B attenuates pathologic cardiac remodeling and hypertrophy in response to catecholamines and after myocardial infarction in mice. 2012 , 72, 230-6			1
392	Effectiveness of everolimus-eluting stents in the treatment of drug-eluting stent versus bare-metal stent restenosis. 2012 , 23, 492-6			9
391	WITHDRAWN: Enhanced cardio-renal protective effects of valsartan in high-risk hypertensive patients with chronic kidney disease: A sub-analysis of KYOTO HEART Study. <i>International Journal of Cardiology</i> , 2012 ,	3.2		1
390	WITHDRAWN: Cardio-cerebrovascular protective effects of valsartan in high-risk hypertensive patients with overweight/obesity: A post-hoc analysis of the KYOTO HEART Study. <i>International Journal of Cardiology</i> , 2012 ,	3.2		3
389	Anatomic properties of coronary arteries are correlated to the corrected thrombolysis in myocardial infarction frame count in the coronary slow flow phenomenon. 2012 , 23, 174-80			7
388	Brugada phenocopy: new terminology and proposed classification. 2012 , 17, 299-314			160
387	Hypervolemia rather than arterial calcification and extracoronary atherosclerosis is the main determinant of pulse pressure in hemodialysis patients. 2012 , 44, 1203-10			3
386	Serum levels of pigment epithelium-derived factor, a novel marker of insulin resistance, are independently associated with fasting apolipoprotein B48 levels in humans. 2012 , 45, 1404-8			6
385	Serum levels of pigment epithelium-derived factor (PEDF) are independently associated with procollagen III N-terminal peptide levels in patients with nonalcoholic fatty liver disease. 2012 , 45, 1554-7			3
384	Clinical utility of different estimates of renal function for predicting mortality in chronic heart failure. <i>International Journal of Cardiology</i> , 2012 , 157, 24-30	3.2		7
383	A parametric model of the role of nutritional services within the health care system, in relation to cardiovascular disease risk among older individuals. <i>International Journal of Cardiology</i> , 2012 , 155, 110-4 ^{3.2}			9
382	Obesity paradox in elderly patients with cardiovascular diseases. <i>International Journal of Cardiology</i> , 2012 , 155, 56-65	3.2		76

381	Non-triggered Takotsubo-syndrome in metabolic myopathy. <i>International Journal of Cardiology</i> , 2012 , 154, e16-8	3.2	2
380	Distinguishing incomplete right bundle branch block in patients with arrhythmogenic right ventricular cardiomyopathy from normal variants: a potential role of Fontaine leads and Holter monitoring?. <i>International Journal of Cardiology</i> , 2012 , 157, 148-50	3.2	1
379	Effects of a short-term exercise training on serum factors involved in ventricular remodelling in chronic heart failure patients. <i>International Journal of Cardiology</i> , 2012 , 155, 409-13	3.2	24
378	Irradiation reduces the reactivity of extracellular matrix proteins in intravascular brachytherapy (IVBT), resulting in decreased platelet adhesion. <i>International Journal of Cardiology</i> , 2012 , 156, 283-8	3.2	6
377	Urinary asymmetric dimethylarginine (ADMA) is a predictor of mortality risk in patients with coronary artery disease. <i>International Journal of Cardiology</i> , 2012 , 156, 289-94	3.2	30
376	Myocardial delayed enhancement in paucisymptomatic nonischemic dilated cardiomyopathy. <i>International Journal of Cardiology</i> , 2012 , 157, 43-7	3.2	43
375	Evaluation of the peri-strut low intensity area following sirolimus- and paclitaxel-eluting stents implantation: insights from an optical coherence tomography study in humans. <i>International Journal of Cardiology</i> , 2012 , 157, 38-42	3.2	45
374	Dobutamine-induced changes of left atrial two-dimensional deformation predict clinical and neurohumoral improvement after levosimendan treatment in patients with acutely decompensated chronic heart failure. <i>International Journal of Cardiology</i> , 2012 , 157, 31-7	3.2	4
373	Positive predictive value of computed tomography coronary angiography in clinical practice. <i>International Journal of Cardiology</i> , 2012 , 156, 315-9	3.2	10
372	Transmurality of scar influences the effect of a hybrid-intervention with autologous bone marrow cell injection and aortocoronary bypass surgery (MNC/CABG) in patients after myocardial infarction. <i>International Journal of Cardiology</i> , 2012 , 156, 303-8	3.2	6
371	Flat-panel versus 64-channel computed tomography for in vivo quantitative characterization of aortic atherosclerotic plaques. <i>International Journal of Cardiology</i> , 2012 , 156, 295-302	3.2	1
370	Factors associated with surgery for active endocarditis in congenital heart disease. <i>International Journal of Cardiology</i> , 2012 , 157, 59-62	3.2	15
369	Echocardiography for assessment of regional and global right ventricular systolic function in adults with repaired tetralogy of Fallot. <i>International Journal of Cardiology</i> , 2012 , 157, 53-8	3.2	20
368	Chronotropic incompetence and survival in chronic heart failure. <i>International Journal of Cardiology</i> , 2012 , 157, 48-52	3.2	27
367	The N-terminal pro-B-type natriuretic peptide as a predictor of disease progression in patients with pericardial effusion. <i>International Journal of Cardiology</i> , 2012 , 157, 192-6	3.2	2
366	Duty-cycled unipolar/bipolar versus conventional radiofrequency ablation in paroxysmal and persistent atrial fibrillation. <i>International Journal of Cardiology</i> , 2012 , 157, 185-91	3.2	23
365	Duration of preceding hypertension is associated with prolonged length of ICU stay. <i>International Journal of Cardiology</i> , 2012 , 157, 180-4	3.2	1
364	Tanshinone IIA prevents doxorubicin-induced cardiomyocyte apoptosis through Akt-dependent pathway. <i>International Journal of Cardiology</i> , 2012 , 157, 174-9	3.2	52

363	Non-red blood cell transfusion as a risk factor for mortality following percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2012 , 157, 169-73	3.2	6
362	Telemedicine for diagnosing and managing paroxysmal atrial fibrillation in outpatients. The phone in the pocket. <i>International Journal of Cardiology</i> , 2012 , 157, 91-5	3.2	12
361	Risk of bleeding after prehospital administration of high dose tirofiban for ST elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2012 , 157, 86-90	3.2	4
360	Studies on bacterial endotoxin and intestinal absorption function in patients with chronic heart failure. <i>International Journal of Cardiology</i> , 2012 , 157, 80-5	3.2	134
359	Intra-individual variability of high-sensitivity C-reactive protein in Chinese general population. <i>International Journal of Cardiology</i> , 2012 , 157, 75-9	3.2	49
358	Structure and process measures of quality of care in adult congenital heart disease patients: a pan-Canadian study. <i>International Journal of Cardiology</i> , 2012 , 157, 70-4	3.2	35
357	Socioeconomic risk factor aggregation and long-term incidence of ischemic stroke in patients after first acute myocardial infarction. <i>International Journal of Cardiology</i> , 2012 , 157, 324-9	3.2	4
356	Atrial tachyarrhythmias late after Fontan operation are related to increase in mortality and hospitalization. <i>International Journal of Cardiology</i> , 2012 , 157, 221-6	3.2	53
355	Circadian variation in coronary flow velocity reserve and its relation to β -sympathetic activity in humans. <i>International Journal of Cardiology</i> , 2012 , 157, 216-20	3.2	7
354	Mitral annular longitudinal function preservation after mitral valve repair: the MARTE study. <i>International Journal of Cardiology</i> , 2012 , 157, 212-5	3.2	15
353	The Ghent Marfan Trial--a randomized, double-blind placebo controlled trial with losartan in Marfan patients treated with β blockers. <i>International Journal of Cardiology</i> , 2012 , 157, 354-8	3.2	51
352	Underestimation of aortic valve area in calcified aortic valve disease: effects of left ventricular outflow tract ellipticity. <i>International Journal of Cardiology</i> , 2012 , 157, 347-53	3.2	39
351	An optical coherence tomography study of two new generation stents with biodegradable polymer carrier, eluting paclitaxel vs. biolimus-A9. <i>International Journal of Cardiology</i> , 2012 , 157, 341-6	3.2	19
350	Is danshen (<i>Salvia miltiorrhiza</i>) dripping pill more effective than isosorbide dinitrate in treating angina pectoris? A systematic review of randomized controlled trials. <i>International Journal of Cardiology</i> , 2012 , 157, 330-40	3.2	78
349	Association between retinal microcirculation and aortic stiffness in hypertensive patients. <i>International Journal of Cardiology</i> , 2012 , 157, 370-3	3.2	18
348	Left atrial remodeling and reduced atrial pump function after chronic right ventricular apical pacing in patients with preserved ejection fraction. <i>International Journal of Cardiology</i> , 2012 , 157, 364-9	3.2	14
347	Risk of atrial fibrillation according to the initial presentation of a preexcitation syndrome. <i>International Journal of Cardiology</i> , 2012 , 157, 359-63	3.2	9
346	Incidence, predictors and outcome of upper gastrointestinal bleeding in patients with acute coronary syndromes. <i>International Journal of Cardiology</i> , 2012 , 157, 386-90	3.2	23

345	Effect of gender on repeated coronary artery revascularization after intra-coronary stenting: a meta-analysis. <i>International Journal of Cardiology</i> , 2012 , 157, 381-5	3.2	7
344	The EFFect of high-dose Clopidogrel treatment in patients with clopidogrel resistance (the EFFICIENT trial). <i>International Journal of Cardiology</i> , 2012 , 157, 374-80	3.2	46
343	Trends in inflammatory biomarkers during atrial fibrillation ablation across different catheter ablation strategies. <i>International Journal of Cardiology</i> , 2012 , 158, 33-8	3.2	19
342	Epicardial adipose tissue is an independent predictor of coronary atherosclerotic burden. <i>International Journal of Cardiology</i> , 2012 , 158, 26-32	3.2	115
341	Late microvascular obstruction after acute myocardial infarction: relation with cardiac and inflammatory markers. <i>International Journal of Cardiology</i> , 2012 , 157, 391-6	3.2	46
340	Experiences of air travel in patients with chronic heart failure. <i>International Journal of Cardiology</i> , 2012 , 158, 66-70	3.2	15
339	Effects of exercise and antioxidant supplementation on endothelial gene expression. <i>International Journal of Cardiology</i> , 2012 , 158, 59-65	3.2	11
338	Rosiglitazone suppresses lipopolysaccharide-induced matrix metalloproteinase-2 activity in rat aortic endothelial cells via Ras-MEK1/2 signaling. <i>International Journal of Cardiology</i> , 2012 , 158, 54-8	3.2	11
337	EBSA activates caveolin-1 via PI3K/ERK1/2 and lysosomal degradation pathway and contributes to EPC proliferation. <i>International Journal of Cardiology</i> , 2012 , 158, 46-53	3.2	11
336	Routine early invasive strategy and in-hospital mortality in women with non-ST-elevation myocardial infarction: results from the Berlin Myocardial Infarction Registry (BMIR). <i>International Journal of Cardiology</i> , 2012 , 158, 78-82	3.2	5
335	Impact of increased transmitral gradients after undersized annuloplasty for chronic ischemic mitral regurgitation. <i>International Journal of Cardiology</i> , 2012 , 158, 71-7	3.2	18
334	Effect of myocardial protection of intracoronary adenosine and nicorandil injection in patients undergoing non-urgent percutaneous coronary intervention: a randomized controlled trial. <i>International Journal of Cardiology</i> , 2012 , 158, 88-92	3.2	22
333	Long-term clinical and angiographic outcomes of patients with sirolimus-eluting stent fracture. <i>International Journal of Cardiology</i> , 2012 , 158, 83-7	3.2	4
332	Expression of B-type natriuretic peptide forms in ischemic human hearts. <i>International Journal of Cardiology</i> , 2012 , 158, 199-204	3.2	5
331	The decline in coronary heart disease mortality is slowing in young adults (Australia 1976-2006): a time trend analysis. <i>International Journal of Cardiology</i> , 2012 , 158, 193-8	3.2	49
330	Elevated risk factors but low burden of heart disease in urban African primary care patients: a fundamental role for primary prevention. <i>International Journal of Cardiology</i> , 2012 , 158, 205-10	3.2	18
329	Predicting heart failure mortality in frail seniors: comparing the NYHA functional classification with the Resident Assessment Instrument (RAI) 2.0. <i>International Journal of Cardiology</i> , 2012 , 155, 75-80	3.2	28
328	Vitamin D deficiency is associated with significant coronary stenoses in asymptomatic African American chronic cocaine users. <i>International Journal of Cardiology</i> , 2012 , 158, 211-6	3.2	23

327	Updated evidence on early statin therapy for acute coronary syndromes: meta-analysis of 18 randomized trials involving over 14,000 patients. <i>International Journal of Cardiology</i> , 2012 , 158, 93-100	3.2	20
326	Direct monitoring of mitochondrial calcium levels in cultured cardiac myocytes using a novel fluorescent indicator protein, GCaMP2-mt. <i>International Journal of Cardiology</i> , 2012 , 158, 225-34	3.2	14
325	Asymmetric dimethylarginine and vascular indices of atherosclerosis in patients after coarctation of aorta repair. <i>International Journal of Cardiology</i> , 2012 , 158, 364-9	3.2	9
324	Exercise capacity and ventricular function in patients treated for isolated pulmonary valve stenosis or tetralogy of Fallot. <i>International Journal of Cardiology</i> , 2012 , 158, 359-63	3.2	11
323	Gender influence on dose saving allowed by prospective-triggered 64-slice multidetector computed tomography coronary angiography as compared with retrospective-gated mode. <i>International Journal of Cardiology</i> , 2012 , 158, 253-9	3.2	6
322	Coronary revascularization does not decrease cardiac events in patients with stable ischemic heart disease but might do in those who showed moderate to severe ischemia. <i>International Journal of Cardiology</i> , 2012 , 158, 246-52	3.2	36
321	Differences in coronary plaque composition with aging measured by coronary computed tomography angiography. <i>International Journal of Cardiology</i> , 2012 , 158, 240-5	3.2	15
320	Evaluation of aortic root for definition of prosthesis size by magnetic resonance imaging and cardiac computed tomography: implications for transcatheter aortic valve implantation. <i>International Journal of Cardiology</i> , 2012 , 158, 353-8	3.2	80
319	Association between brachial-ankle pulse wave velocity and occult coronary artery disease detected by multi-detector computed tomography. <i>International Journal of Cardiology</i> , 2012 , 157, 227-32	3.2	44
318	Aortic and left ventricular remodeling in patients with bicuspid aortic valve without significant valvular dysfunction: a prospective study. <i>International Journal of Cardiology</i> , 2012 , 158, 347-52	3.2	40
317	UnStEADyNess in elderly: unexplained syncope induced by tachycardia in elderly with AV nodal disease and LV diastolic dysfunction. <i>International Journal of Cardiology</i> , 2012 , 155, 87-9	3.2	
316	Post-interventional three-dimensional dark blood MRI in the adult with congenital heart disease. <i>International Journal of Cardiology</i> , 2012 , 158, 267-71	3.2	4
315	Electrocardiographic intricacies clarified by echocardiography--should the electrocardiogram be interpreted echocardiographically?. <i>International Journal of Cardiology</i> , 2012 , 158, 260-6	3.2	1
314	Impact of out-stent plaque volume on in-stent intimal hyperplasia: results from serial volumetric analysis with high-gain intravascular ultrasound. <i>International Journal of Cardiology</i> , 2012 , 158, 235-9	3.2	6
313	High spatial resolution myocardial perfusion imaging during high dose dobutamine/atropine stress magnetic resonance using k-t SENSE. <i>International Journal of Cardiology</i> , 2012 , 158, 411-6	3.2	16
312	Trends in long-term cardiovascular mortality and morbidity in men and women with heart failure of ischemic versus non-ischemic aetiology in Western Australia between 1990 and 2005. <i>International Journal of Cardiology</i> , 2012 , 158, 405-10	3.2	24
311	Pleiotropic effects of ezetimibe/simvastatin vs. high dose simvastatin. <i>International Journal of Cardiology</i> , 2012 , 158, 400-4	3.2	31
310	Regional and global ventricular systolic function in isolated ventricular non-compaction: pathophysiological insights from magnetic resonance imaging. <i>International Journal of Cardiology</i> , 2012 , 158, 394-9	3.2	17

309	The sedentary heart: physical inactivity is associated with cardiac atrophy in adults with an intellectual disability. <i>International Journal of Cardiology</i> , 2012 , 158, 387-93	3.2	11
308	Reversibility of the endothelial dysfunction after CPAP therapy in OSAS patients. <i>International Journal of Cardiology</i> , 2012 , 158, 383-6	3.2	47
307	Prostate-specific antigen levels in hypertensive patients suffering from a non-ST elevation myocardial infarction or a new-onset atrial fibrillation. <i>International Journal of Cardiology</i> , 2012 , 158, 380-2	3.2	13
306	Effect of intensive lipid-lowering treatment compared to moderate lipid-lowering treatment with rosuvastatin on endothelial function in high risk patients. <i>International Journal of Cardiology</i> , 2012 , 158, 376-9	3.2	10
305	Coronary artery calcium detection using flat panel digital cinefluoroscopy: comparison to coronary artery calcium score assessed with multiple detector computerized tomography. <i>International Journal of Cardiology</i> , 2012 , 158, 370-5	3.2	2
304	Acute glucose dysmetabolism in the elderly with ST elevation myocardial infarction submitted to mechanical revascularization. <i>International Journal of Cardiology</i> , 2012 , 155, 66-9	3.2	8
303	Device therapy in patients with heart failure and advanced age: too much too late?. <i>International Journal of Cardiology</i> , 2012 , 155, 52-5	3.2	9
302	Cardiac resynchronization therapy in the elderly: a realistic option for an increasing population?. <i>International Journal of Cardiology</i> , 2012 , 155, 49-51	3.2	15
301	The role of echocardiography in the evaluation and management of aortic stenosis in the older adult. <i>International Journal of Cardiology</i> , 2012 , 155, 39-48	3.2	4
300	Efficacy of ACE inhibitors in chronic heart failure with preserved ejection fraction--a meta analysis of 7 prospective clinical studies. <i>International Journal of Cardiology</i> , 2012 , 155, 33-8	3.2	39
299	S100A8/A9 complex as a new biomarker in prediction of mortality in elderly patients with severe heart failure. <i>International Journal of Cardiology</i> , 2012 , 155, 26-32	3.2	29
298	Prognostic values of NTpro BNP/BNP ratio in comparison with NTpro BNP or BNP alone in elderly patients with chronic heart failure in a 2-year follow up. <i>International Journal of Cardiology</i> , 2012 , 155, 1-5	3.2	29
297	Hypertension in the elderly: where are we?. <i>International Journal of Cardiology</i> , 2012 , 155, 6-8	3.2	1
296	Interleukin-6-deficient mice resist development of experimental autoimmune cardiomyopathy induced by immunization of α -adrenergic receptor. <i>International Journal of Cardiology</i> , 2012 , 155, 20-5	3.2	8
295	Inverted mitral inflow pattern in echocardiography among the elderly--a marker of non-cardiovascular mortality and cognitive dysfunction. <i>International Journal of Cardiology</i> , 2012 , 155, 70-4	3.2	3
294	Aging and arterial-cardiac interactions in the elderly. <i>International Journal of Cardiology</i> , 2012 , 155, 14-9	3.2	23
293	Cardiovascular manifestations of Takayasu arteritis and their relationship to the disease activity: analysis of 204 Korean patients at a single center. <i>International Journal of Cardiology</i> , 2012 , 159, 14-20	3.2	106
292	Distinguishing focal fibrotic lesions and non-fibrotic lesions in hypertrophic cardiomyopathy by assessment of regional myocardial strain using two-dimensional speckle tracking echocardiography: comparison with multislice CT. <i>International Journal of Cardiology</i> , 2012 , 158, 423-32	3.2	29

291	Antigen carbohydrate 125 and brain natriuretic peptide serial measurements for risk stratification following an episode of acute heart failure. <i>International Journal of Cardiology</i> , 2012 , 159, 21-8	3.2	35
290	C-reactive protein and transesophageal echocardiographic markers of thromboembolism in patients with atrial fibrillation. <i>International Journal of Cardiology</i> , 2012 , 159, 40-6	3.2	26
289	Overexpression of endothelin-1 and endothelin receptors in the pulmonary arteries of failed Fontan patients. <i>International Journal of Cardiology</i> , 2012 , 159, 34-9	3.2	34
288	Myocardial hypertrophy after pulmonary regurgitation and valve implantation in pigs. <i>International Journal of Cardiology</i> , 2012 , 159, 29-33	3.2	13
287	B-type natriuretic peptide at the early stage of univentricular circulation reflects inadequate adaptation to volume overload. <i>International Journal of Cardiology</i> , 2012 , 159, 88-93	3.2	5
286	Pro-apoptotic effects of imatinib on PDGF-stimulated pulmonary artery smooth muscle cells from patients with idiopathic pulmonary arterial hypertension. <i>International Journal of Cardiology</i> , 2012 , 159, 100-6	3.2	40
285	Prevalence of comorbidities and associated cardiac diseases in patients with valve aortic stenosis. Potential implications for the decision-making process. <i>International Journal of Cardiology</i> , 2012 , 159, 94-9	3.2	54
284	Differential clinical characteristics and outcome predictors of acute heart failure in elderly patients. <i>International Journal of Cardiology</i> , 2012 , 155, 81-6	3.2	24
283	A case for assessment of oscillatory breathing during cardiopulmonary exercise test in risk stratification of elderly patients with chronic heart failure. <i>International Journal of Cardiology</i> , 2012 , 155, 115-9	3.2	10
282	Pharmacist directed home medication reviews in patients with chronic heart failure: a randomised clinical trial. <i>International Journal of Cardiology</i> , 2012 , 159, 139-43	3.2	41
281	Exercise capacity, arrhythmic risk profile, and pulmonary function is not influenced by intracoronary injection of bone marrow stem cells in patients with acute myocardial infarction. <i>International Journal of Cardiology</i> , 2012 , 159, 134-8	3.2	4
280	Impact of body composition, fat distribution and sustained weight loss on cardiac function in obesity. <i>International Journal of Cardiology</i> , 2012 , 159, 128-33	3.2	37
279	Characterization of myofibroblasts in chronic thromboembolic pulmonary hypertension. <i>International Journal of Cardiology</i> , 2012 , 159, 119-27	3.2	28
278	Ca ²⁺ /calmodulin-dependent protein kinase inhibition suppresses post-ischemic arrhythmogenesis and mediates sinus bradycardic recovery in reperfusion. <i>International Journal of Cardiology</i> , 2012 , 159, 112-8	3.2	27
277	Metabolic syndrome and insulin resistance are associated with abnormal left ventricular diastolic function and structure independent of blood pressure and fasting plasma glucose level. <i>International Journal of Cardiology</i> , 2012 , 159, 107-11	3.2	47
276	Pocket related complications in 163 patients receiving anticoagulation or dual antiplatelet therapy: D-Stat Hemostat versus standard of care. <i>International Journal of Cardiology</i> , 2012 , 159, 177-80	3.2	20
275	Relationship between microcirculatory dysfunction and resolution of ST-segment elevation in the early phase after primary angioplasty in patients with ST-segment elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2012 , 159, 144-9	3.2	5
274	Combining magnetic resonance viability variables better predicts improvement of myocardial function prior to percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2012 , 159, 192-7	3.2	39

273	Prolonged total isovolumic time is related to reduced long-axis functional recovery following valve replacement surgery for severe aortic stenosis. <i>International Journal of Cardiology</i> , 2012 , 159, 187-91	3.2	4
272	Prevalence of computed tomographic angiography-verified high-risk plaques and significant luminal stenosis in patients with zero coronary calcium score. <i>International Journal of Cardiology</i> , 2012 , 158, 272-8	3.2	27
271	Assessment of the structural remodeling of the left atrium by 64-multislice cardiac CT: comparative studies in controls and patients with atrial fibrillation. <i>International Journal of Cardiology</i> , 2012 , 159, 181-6	3.2	15
270	Increased microvolt T-wave alternans in patients with repaired tetralogy of Fallot. <i>International Journal of Cardiology</i> , 2012 , 159, 220-4	3.2	9
269	Could ADMA levels in young adults born preterm predict an early endothelial dysfunction?. <i>International Journal of Cardiology</i> , 2012 , 159, 217-9	3.2	18
268	Neurohormonal activity and vascular properties late after aortic coarctation repair. <i>International Journal of Cardiology</i> , 2012 , 159, 211-6	3.2	14
267	Long-term prognosis of patients with acute myocardial infarction in the era of acute revascularization (from the Heart Institute of Japan Acute Myocardial Infarction [HIJAMI] registry). <i>International Journal of Cardiology</i> , 2012 , 159, 205-10	3.2	15
266	Influence of updated guidelines on short- and long-term mortality in patients with non-ST-segment elevation acute coronary syndrome (NSTE-ACS). <i>International Journal of Cardiology</i> , 2012 , 159, 198-204	3.2	13
265	Transapical mitral valve-in-valve implant: an alternative for high risk and multiple reoperative rheumatic patients. <i>International Journal of Cardiology</i> , 2012 , 154, e6-7	3.2	17
264	Incidence and predictors of left bundle branch block after transcatheter aortic valve implantation. <i>International Journal of Cardiology</i> , 2012 , 160, 26-30	3.2	67
263	Furosemide induces mortality in a rat model of chronic heart failure. <i>International Journal of Cardiology</i> , 2012 , 160, 20-5	3.2	8
262	Impact of heart failure on in-hospital outcomes of acute coronary syndrome patients in China - results from the Bridging the Gap on CHD Secondary Prevention in China (BRIG) project. <i>International Journal of Cardiology</i> , 2012 , 160, 15-9	3.2	13
261	Comparison of three different regimens of intermittent inotrope infusions for end stage heart failure. <i>International Journal of Cardiology</i> , 2012 , 159, 225-9	3.2	46
260	An angiographically-documented rapidly growing left main coronary pseudoaneurysm treated by extracorporeal membrane oxygenator-assisted stent grafting without bypass surgery. <i>International Journal of Cardiology</i> , 2012 , 154, e8-10	3.2	1
259	Left ventricular torsional mechanics and diastolic function in congenital heart block with right ventricular pacing. <i>International Journal of Cardiology</i> , 2012 , 160, 31-5	3.2	5
258	Labour force participation and the influence of having CVD on income poverty of older workers. <i>International Journal of Cardiology</i> , 2012 , 156, 80-3	3.2	18
257	MR-based analysis of regional cardiac function in relation to cellular integrity in Fabry disease. <i>International Journal of Cardiology</i> , 2012 , 160, 53-8	3.2	13
256	"Angiographic late catch-up" phenomenon after sirolimus-eluting stent implantation. <i>International Journal of Cardiology</i> , 2012 , 160, 48-52	3.2	21

255	Degeneration of capsaicin sensitive sensory nerves enhances myocardial injury in acute myocardial infarction in rats. <i>International Journal of Cardiology</i> , 2012 , 160, 41-7	3.2	26
254	Use of the oral platelet inhibitors dipyridamole and acetylsalicylic acid is associated with increased risk of fracture. <i>International Journal of Cardiology</i> , 2012 , 160, 36-40	3.2	21
253	Markers of inflammation in relation to long-term cardiovascular mortality in patients with lower-extremity peripheral arterial disease. <i>International Journal of Cardiology</i> , 2012 , 160, 89-94	3.2	27
252	New pulmonary vein Doppler echocardiographic index predicts significant interatrial shunting in secundum atrial septal defect. <i>International Journal of Cardiology</i> , 2012 , 160, 59-65	3.2	10
251	Preserved muscle protein metabolism in obese patients with chronic heart failure. <i>International Journal of Cardiology</i> , 2012 , 160, 102-8	3.2	23
250	Upregulation of heme oxygenase-1 expression by hydroxysafflor yellow A conferring protection from anoxia/reoxygenation-induced apoptosis in H9c2 cardiomyocytes. <i>International Journal of Cardiology</i> , 2012 , 160, 95-101	3.2	77
249	Cardiac fibroma mimicking hypertrophic cardiomyopathy: role of magnetic resonance imaging in the differential diagnosis. <i>International Journal of Cardiology</i> , 2012 , 154, e11-3	3.2	4
248	A high maintenance dose increases the inhibitory response to clopidogrel in patients with high on-treatment residual platelet reactivity. <i>International Journal of Cardiology</i> , 2012 , 160, 109-13	3.2	13
247	A spontaneous, double-blind, double-dummy cross-over study on the effects of daily vardenafil on arterial stiffness in patients with vasculogenic erectile dysfunction. <i>International Journal of Cardiology</i> , 2012 , 160, 187-91	3.2	7
246	Comparison of the safety between first- and second-generation drug eluting stents: meta-analysis from 19 randomized trials and 16,924 patients. <i>International Journal of Cardiology</i> , 2012 , 160, 181-6	3.2	8
245	Early repolarization and markers of ventricular arrhythmogenesis in patients referred to ambulatory 24-hour ECG recording. <i>International Journal of Cardiology</i> , 2012 , 160, 175-80	3.2	8
244	Association of ischemic stroke to coronary artery disease using computed tomography coronary angiography. <i>International Journal of Cardiology</i> , 2012 , 160, 171-4	3.2	14
243	The left heart after pulmonary valve replacement in adults late after tetralogy of Fallot repair. <i>International Journal of Cardiology</i> , 2012 , 160, 165-70	3.2	43
242	Up-regulation of calcitonin gene-related peptide protects streptozotocin-induced diabetic hearts from ischemia/reperfusion injury. <i>International Journal of Cardiology</i> , 2012 , 156, 192-8	3.2	21
241	Plaque volume derived from three-dimensional reconstruction of coronary angiography predicts the fractional flow reserve. <i>International Journal of Cardiology</i> , 2012 , 160, 140-4	3.2	8
240	Gender differences in cardiac rehabilitation programs from the Italian survey on cardiac rehabilitation (ISYDE-2008). <i>International Journal of Cardiology</i> , 2012 , 160, 133-9	3.2	15
239	Gender differences in acute myocardial infarction, twenty-five years registration. <i>International Journal of Cardiology</i> , 2012 , 160, 127-32	3.2	15
238	Comparison of image characteristics of plaques in culprit coronary arteries by 64 slice CT and intravascular ultrasound in acute coronary syndromes. <i>International Journal of Cardiology</i> , 2012 , 160, 119-26	3.2	15

237	Myocardial extraction of intracellular magnesium and atrial fibrillation after coronary surgery. <i>International Journal of Cardiology</i> , 2012 , 160, 114-8	3.2	6
236	A randomised controlled trial of the effect of high concentration oxygen on myocardial ischaemia during exercise. <i>International Journal of Cardiology</i> , 2012 , 160, 201-5	3.2	5
235	Red blood cell distribution width predicts new-onset anemia in heart failure patients. <i>International Journal of Cardiology</i> , 2012 , 160, 196-200	3.2	28
234	Evaluation of myocarditis in a pediatric population using cardiovascular magnetic resonance and endomyocardial biopsy. <i>International Journal of Cardiology</i> , 2012 , 160, 192-5	3.2	16
233	Association between epicardial adipose tissue volume and characteristics of non-calcified plaques assessed by coronary computed tomographic angiography. <i>International Journal of Cardiology</i> , 2012 , 161, 45-9	3.2	73
232	Gender-related differences in presentation, treatment and long-term outcome in patients with first-diagnosed atrial fibrillation and structurally normal heart: the Belgrade atrial fibrillation study. <i>International Journal of Cardiology</i> , 2012 , 161, 39-44	3.2	57
231	Improved cardiac survival, freedom from MACE and angina-related quality of life after successful percutaneous recanalization of coronary artery chronic total occlusions. <i>International Journal of Cardiology</i> , 2012 , 161, 31-8	3.2	86
230	New index improves detection of pulmonary hypertension in comparison with other cardiac magnetic resonance indices. <i>International Journal of Cardiology</i> , 2012 , 161, 25-30	3.2	22
229	Secondary prevention in coronary artery disease. Achieved goals and possibilities for improvements. <i>International Journal of Cardiology</i> , 2012 , 161, 18-24	3.2	12
228	Clinical outcomes of adult survivors of pulmonary atresia with intact ventricular septum. <i>International Journal of Cardiology</i> , 2012 , 161, 13-7	3.2	25
227	Uhl's anomaly. <i>International Journal of Cardiology</i> , 2012 , 154, e36-7	3.2	7
226	Kounis syndrome during general anaesthesia and administration of adrenaline. <i>International Journal of Cardiology</i> , 2012 , 154, e34-5	3.2	7
225	Radiation skin injury caused by percutaneous coronary intervention, report of 3 cases. <i>International Journal of Cardiology</i> , 2012 , 154, e31-3	3.2	14
224	Catheter-based radiofrequency ablation therapy of the renal sympathetic-nerve system for drug resistant hypertension in a patient with end-stage renal disease. <i>International Journal of Cardiology</i> , 2012 , 154, e29-30	3.2	13
223	Switching patients from warfarin to dabigatran therapy: to RE-LY or not to rely. <i>International Journal of Cardiology</i> , 2012 , 154, e27-8	3.2	1
222	Cardiovascular involvement in Erdheim-Chester disease. <i>International Journal of Cardiology</i> , 2012 , 154, e24-6	3.2	12
221	Cardiac magnetic resonance can early assess the presence and severity of heart involvement in Naxos disease. <i>International Journal of Cardiology</i> , 2012 , 154, e19-20	3.2	11
220	Bone marrow-derived mesenchymal stem cells protected rat cardiomyocytes from premature senescence. <i>International Journal of Cardiology</i> , 2012 , 154, 180-2	3.2	7

219	Right ventricular ejection fraction . <i>International Journal of Cardiology</i> , 2012 , 155, 120-5	3.2	14
218	Eosinophilic responses to stent implantation and the risk of Kounis hypersensitivity associated coronary syndrome. <i>International Journal of Cardiology</i> , 2012 , 156, 125-32	3.2	42
217	Subclinical atherosclerosis in a community-based elderly cohort: the Korean Longitudinal Study on Health and Aging. <i>International Journal of Cardiology</i> , 2012 , 155, 126-33	3.2	26
216	Exercise as a beneficial adjunct therapy during Doxorubicin treatment--role of mitochondria in cardioprotection. <i>International Journal of Cardiology</i> , 2012 , 156, 4-10	3.2	38
215	A randomized, controlled, multi-center trial comparing the safety and efficacy of zotarolimus-eluting and paclitaxel-eluting stents in de novo lesions in coronary arteries: final results of the ZoMaxx II trial. <i>International Journal of Cardiology</i> , 2012 , 157, 96-101	3.2	4
214	Current pathophysiological concepts and management of pulmonary hypertension. <i>International Journal of Cardiology</i> , 2012 , 155, 350-61	3.2	43
213	Soluble epoxide hydrolase and ischemic cardiomyopathy. <i>International Journal of Cardiology</i> , 2012 , 155, 181-7	3.2	15
212	Management of cardiac myxoma during pregnancy: a case series and review of the literature. <i>International Journal of Cardiology</i> , 2012 , 155, 177-80	3.2	18
211	Evidence for a role of advanced glycation end products in atrial fibrillation. <i>International Journal of Cardiology</i> , 2012 , 157, 397-402	3.2	35
210	Ultrafiltration for acute decompensated heart failure: financial implications. <i>International Journal of Cardiology</i> , 2012 , 154, 246-9	3.2	10
209	An alternative approach to understanding the pathophysiological mechanisms of chronic heart failure. <i>International Journal of Cardiology</i> , 2012 , 154, 102-10	3.2	29
208	Adipose tissue-derived stem cells embedded with eNOS restore cardiac function in acute myocardial infarction model. <i>International Journal of Cardiology</i> , 2012 , 154, 2-8	3.2	20
207	Coconut left atrium. <i>International Journal of Cardiology</i> , 2012 , 154, e42-4	3.2	5
206	Transcatheter intervention following bosentan-iloprost treatment in a patient with patent ductus arteriosus and pulmonary hypertension. <i>International Journal of Cardiology</i> , 2012 , 154, e40-1	3.2	4
205	Urinary retention and heart failure: one of the many precipitating causes of decompensation. <i>International Journal of Cardiology</i> , 2012 , 154, e38-9	3.2	2
204	Cardioprotection of Asperosaponin X on experimental myocardial ischemia injury. <i>International Journal of Cardiology</i> , 2012 , 155, 430-6	3.2	22
203	Adjunctive balloon dilatation after stent deployment: beneficial or deleterious?. <i>International Journal of Cardiology</i> , 2012 , 157, 3-7	3.2	5
202	Antiarrhythmic drugs for the maintenance of sinus rhythm: risks and benefits. <i>International Journal of Cardiology</i> , 2012 , 155, 362-71	3.2	51

201	Pulmonary hypertension in left heart disease: a review. <i>International Journal of Cardiology</i> , 2012 , 156, 253-8	3.2	7
200	Dynamic modulation of coronary arterio-venous communications. <i>International Journal of Cardiology</i> , 2012 , 154, e45-6	3.2	
199	Sinus venosus defect (SVD) identified in zebrafish Glut1 morphants by video imaging. <i>International Journal of Cardiology</i> , 2012 , 154, e60-1	3.2	
198	Repeated sudden cardiac death in coronary spasm: is IVUS helpful to decide treatment strategy?. <i>International Journal of Cardiology</i> , 2012 , 154, e57-9	3.2	4
197	Rescue extracorporeal life support as a bridge to reflection in fulminant stress-induced cardiomyopathy. <i>International Journal of Cardiology</i> , 2012 , 154, e54-6	3.2	19
196	Usefulness of tissue characterization by cardiac magnetic resonance imaging as a complementary method for evaluation of cardiac malignant lymphoma. <i>International Journal of Cardiology</i> , 2012 , 154, e52-3	3.2	1
195	Regression of non-compaction in left ventricular non-compaction cardiomyopathy by cardiac contractility modulation. <i>International Journal of Cardiology</i> , 2012 , 154, e50-1	3.2	2
194	A systematic review of factors predicting door to balloon time in ST-segment elevation myocardial infarction treated with percutaneous intervention. <i>International Journal of Cardiology</i> , 2012 , 157, 8-23	3.2	50
193	Hyperuricemia and increased risk of ischemic heart disease in a large Chinese cohort. <i>International Journal of Cardiology</i> , 2012 , 154, 316-21	3.2	57
192	Cardiac rupture in a patient with an acute myocardial infarction and extensive fatty infiltration of the heart ("adipositas cordis"). <i>International Journal of Cardiology</i> , 2012 , 154, e62-4	3.2	6
191	Circulating biomarkers with preventive, diagnostic and prognostic implications in cardiovascular diseases. <i>International Journal of Cardiology</i> , 2012 , 157, 160-8	3.2	63
190	Coronary malformation with multiple fistulae. <i>International Journal of Cardiology</i> , 2012 , 155, e7-8	3.2	1
189	Myocardial infiltration in Gaucher's disease detected by cardiac MRI. <i>International Journal of Cardiology</i> , 2012 , 155, e5-6	3.2	6
188	Left ventricular noncompaction presenting as peripartum cardiomyopathy. <i>International Journal of Cardiology</i> , 2012 , 154, e65-6	3.2	12
187	Male breast uptake of 99m-Tc sestamibi in myocardial perfusion imaging. <i>International Journal of Cardiology</i> , 2012 , 155, e22-3	3.2	4
186	Atrial fibrillation, arrhythmia burden and thrombogenesis. <i>International Journal of Cardiology</i> , 2012 , 157, 318-23	3.2	23
185	Left ventricular non-compaction benefit from cardiac resynchronization therapy. <i>International Journal of Cardiology</i> , 2012 , 155, e9-10	3.2	2
184	Cardiovascular manifestations of mucopolysaccharidosis type VI (Maroteaux-Lamy syndrome). <i>International Journal of Cardiology</i> , 2012 , 158, 6-11	3.2	37

183	Coronary perforation during conventional time domain optical coherence tomography. <i>International Journal of Cardiology</i> , 2012 , 155, e14-5	3.2	
182	Aminorex poisoning in cocaine abusers. <i>International Journal of Cardiology</i> , 2012 , 158, 344-6	3.2	33
181	The pathophysiology of heart failure with preserved ejection fraction: from molecular mechanisms to exercise haemodynamics. <i>International Journal of Cardiology</i> , 2012 , 158, 337-43	3.2	38
180	Pathophysiology of contrast-induced nephropathy. <i>International Journal of Cardiology</i> , 2012 , 158, 186-92	3.2	124
179	Erythrocyte aggregation as a cause of slow flow in patients of acute coronary syndromes. <i>International Journal of Cardiology</i> , 2012 , 154, 322-7	3.2	17
178	The meaning of hypokalemia in heart failure. <i>International Journal of Cardiology</i> , 2012 , 158, 12-7	3.2	48
177	A simple echo-Doppler sign to assess improved myocardial performance after transcatheter aortic valve implantation. <i>International Journal of Cardiology</i> , 2012 , 155, e16-7	3.2	1
176	Recurrent takotsubo cardiomyopathy precipitated by myasthenic crisis. <i>International Journal of Cardiology</i> , 2012 , 155, e11-2	3.2	19
175	Fusion of optical coherence tomography and coronary angiography - in vivo assessment of shear stress in plaque rupture. <i>International Journal of Cardiology</i> , 2012 , 155, e24-6	3.2	15
174	A conceptual paradigm of heart failure and systems biology approach. <i>International Journal of Cardiology</i> , 2012 , 159, 5-13	3.2	9
173	Levosimendan: molecular mechanisms and clinical implications: consensus of experts on the mechanisms of action of levosimendan. <i>International Journal of Cardiology</i> , 2012 , 159, 82-7	3.2	209
172	The prevalence of cardiac dysfunction and the correlation with poor functioning among the very elderly. <i>International Journal of Cardiology</i> , 2012 , 155, 134-43	3.2	27
171	Elective Impella Recover LP 5.0 utilization for postcardiotomy low-output syndrome after aortic valve replacement. <i>International Journal of Cardiology</i> , 2012 , 155, e27-8	3.2	2
170	Without a quadripolar left ventricular lead you don't succeed: a challenging case of phrenic nerve stimulation. <i>International Journal of Cardiology</i> , 2012 , 155, e37-8	3.2	7
169	Managing the underestimated risk of statin-associated myopathy. <i>International Journal of Cardiology</i> , 2012 , 159, 169-76	3.2	72
168	Kounis Syndrome induced by intravenous administration of piperacillin/tazobactam: a case report. <i>International Journal of Cardiology</i> , 2012 , 155, e42-4	3.2	9
167	Increased end diastolic wall stress precedes left ventricular hypertrophy in dilative heart failure--use of the volume-based wall stress index. <i>International Journal of Cardiology</i> , 2012 , 157, 233-8	3.2	44
166	Myocardial iron homeostasis in advanced chronic heart failure patients. <i>International Journal of Cardiology</i> , 2012 , 159, 47-52	3.2	47

165	Thiazolidinediones can prevent new onset atrial fibrillation in patients with non-insulin dependent diabetes. <i>International Journal of Cardiology</i> , 2012 , 156, 199-202	3.2	66
164	Quality of life following percutaneous mitral valve repair with the MitraClip System. <i>International Journal of Cardiology</i> , 2012 , 155, 194-200	3.2	39
163	Paclitaxel coated balloons for coronary artery interventions: a comprehensive review of preclinical and clinical data. <i>International Journal of Cardiology</i> , 2012 , 161, 4-12	3.2	73
162	Caveats to aggressive lowering of lipids by specific statins. <i>International Journal of Cardiology</i> , 2012 , 154, 97-101	3.2	19
161	Potential mechanisms of the acute coronary syndrome presentation in patients with the coronary slow flow phenomenon - insight from a plasma proteomic approach. <i>International Journal of Cardiology</i> , 2012 , 156, 84-91	3.2	21
160	Special features of right bundle branch block in patients with arrhythmogenic right ventricular cardiomyopathy/dysplasia. <i>International Journal of Cardiology</i> , 2012 , 157, 102-3	3.2	11
159	Gender difference in cardiovascular risk factors in the elderly with cardiovascular disease in the last stage of lifespan: the PROTEGER study. <i>International Journal of Cardiology</i> , 2012 , 155, 144-8	3.2	9
158	Takotsubo cardiomyopathy has a unique cardiac biomarker profile: NT-proBNP/myoglobin and NT-proBNP/troponin T ratios for the differential diagnosis of acute coronary syndromes and stress induced cardiomyopathy. <i>International Journal of Cardiology</i> , 2012 , 154, 328-32	3.2	66
157	Relation between high-sensitivity C-reactive protein and cardiovascular and renal markers in a middle-income country in the African region. <i>International Journal of Cardiology</i> , 2012 , 156, 203-8	3.2	6
156	Disturbed left atrial mechanical function in paroxysmal atrial fibrillation: a speckle tracking study. <i>International Journal of Cardiology</i> , 2012 , 155, 437-41	3.2	35
155	Improving in-hospital mortality in elderly patients after acute coronary syndrome--a nationwide analysis of 97,220 patients in Taiwan during 2004-2008. <i>International Journal of Cardiology</i> , 2012 , 155, 149-54	3.2	15
154	Increasing dosage of statins in patients with coronary heart disease in China: a note of caution. <i>International Journal of Cardiology</i> , 2012 , 154, 1	3.2	12
153	Doppler peak-plateau morphology in pulmonary regurgitation flow with respiratory changes of its profile revealing hemodynamic features of restrictive cardiomyopathy. <i>International Journal of Cardiology</i> , 2012 , 158, e35-7	3.2	1
152	Novel markers of cerebral embolism in the course of infective endocarditis. <i>International Journal of Cardiology</i> , 2012 , 154, 90-2	3.2	7
151	Long-term course of stemi complicated by a moderate to severe pericardial effusion. Frequency of left ventricular pseudoaneurysm. <i>International Journal of Cardiology</i> , 2012 , 154, 212-4	3.2	
150	Ambulatory blood pressure is associated with subclinical atherosclerosis in spinal cord injury subjects. <i>International Journal of Cardiology</i> , 2012 , 154, 89-90	3.2	6
149	Hypertensive crisis: comparison between diabetics and non-diabetics. <i>International Journal of Cardiology</i> , 2012 , 154, 198-200	3.2	6
148	Impact of diabetes mellitus on plaque vulnerability and clinical outcome in patients with acute myocardial infarction with plaque rupture. <i>International Journal of Cardiology</i> , 2012 , 154, 197-8	3.2	2

147	Carotid stenting improves cognitive function in asymptomatic cerebral ischemia. <i>International Journal of Cardiology</i> , 2012 , 157, 104-7	3.2	36
146	Autonomic activation during sleep and new-onset ambulatory hypertension in the elderly. <i>International Journal of Cardiology</i> , 2012 , 155, 155-9	3.2	3
145	Effects of nebivolol or irbesartan in combination with hydrochlorothiazide on vascular functions in newly-diagnosed hypertensive patients: the NINFE (Nebivololo, Irbesartan Nella Funzione Endoteliale) study. <i>International Journal of Cardiology</i> , 2012 , 155, 279-84	3.2	31
144	Beneficial effects of statin treatment on coronary microvascular dysfunction and left ventricular remodeling in patients with acute myocardial infarction. <i>International Journal of Cardiology</i> , 2012 , 155, 442-7	3.2	13
143	Is target dose the treatment target? Uptitrating beta-blockers for heart failure in the elderly. <i>International Journal of Cardiology</i> , 2012 , 155, 160-6	3.2	15
142	Does hypoxia directly regulate the natriuretic peptide system?. <i>International Journal of Cardiology</i> , 2012 , 154, 372	3.2	4
141	Left ventricular dynamic gradient and pericardial effusion. A life threatening combination in patients with apical ballooning syndrome. <i>International Journal of Cardiology</i> , 2012 , 154, 370-2	3.2	1
140	Acute heart failure in patients with diabetes mellitus: clinical characteristics and predictors of in-hospital mortality. <i>International Journal of Cardiology</i> , 2012 , 157, 108-13	3.2	41
139	Pure coronary ectasia differs from atherosclerosis: morphological and risk factors analysis. <i>International Journal of Cardiology</i> , 2012 , 155, 321-3	3.2	11
138	The beneficial effects of nebivolol on endothelial functions in arterial hypertension. <i>International Journal of Cardiology</i> , 2012 , 155, 320-1	3.2	1
137	Do surgical procedures affect EuroSCOREs performance? The role of tricuspid valve surgery. <i>International Journal of Cardiology</i> , 2012 , 155, 338-40	3.2	1
136	Association of interleukin-6 circulating levels with coronary artery disease: a meta-analysis implementing mendelian randomization approach. <i>International Journal of Cardiology</i> , 2012 , 157, 243-52 ^{3,2}	3.2	42
135	Correlation between kidney function and near-infrared spectroscopy derived lipid-core burden index score of a non-intervened coronary artery segment. <i>International Journal of Cardiology</i> , 2012 , 156, 226-8	3.2	4
134	Glycemic improvement normalizes myocardial microvascular reserve in type 2 diabetes. <i>International Journal of Cardiology</i> , 2012 , 156, 245-7	3.2	6
133	Ambrisentan for pulmonary arterial hypertension: long term effects on clinical status, exercise capacity and haemodynamics. <i>International Journal of Cardiology</i> , 2012 , 156, 244-5	3.2	7
132	Frequency, determinants and outcome of elevated troponin in acute ischemic stroke patients. <i>International Journal of Cardiology</i> , 2012 , 157, 239-42	3.2	62
131	The influence of renal function on the prognostic value of NT-pro brain natriuretic peptide in ST-elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2012 , 156, 333-5	3.2	2
130	Young girl with apical ballooning heart syndrome. <i>International Journal of Cardiology</i> , 2012 , 161, e4-6	3.2	10

129	Endocarditis due to a stealthy bug. <i>International Journal of Cardiology</i> , 2012 , 160, e54-5	3.2	1
128	Real-time CartoSound imaging of the esophagus: a comparison to computed tomography. <i>International Journal of Cardiology</i> , 2012 , 157, 260-2	3.2	4
127	Additive impact of diabetes mellitus on patients with metabolic syndrome and acute ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2012 , 157, 283-5	3.2	3
126	Beneficial effect of digitoxin for heart failure from noncompaction in myotonic dystrophy 1. <i>International Journal of Cardiology</i> , 2012 , 160, e50-1	3.2	6
125	Subclinical and clinical presentation of Kounis syndrome: another cause of troponin elevation?. <i>International Journal of Cardiology</i> , 2012 , 157, 258-60	3.2	2
124	Diagnosis of cardiac tumors: contribution of non-invasive cardiac imaging in routine practice. <i>International Journal of Cardiology</i> , 2012 , 157, 298-300	3.2	4
123	Comparable effects of pioglitazone and perindopril on circulating endothelial progenitor cells, inflammatory process and oxidative stress in patients with diabetes mellitus. <i>International Journal of Cardiology</i> , 2012 , 157, 413-5	3.2	8
122	Relaxin-2 may offer therapeutic advantages in end-stage heart failure. <i>International Journal of Cardiology</i> , 2012 , 157, 432-3	3.2	3
121	Increased dietary calcium intake is not associated with coronary artery calcification. <i>International Journal of Cardiology</i> , 2012 , 157, 429-31	3.2	7
120	Detection of perfusion abnormalities on coronary angiograms in hypertension by myocardium selective densitometric perfusion assessments. <i>International Journal of Cardiology</i> , 2012 , 157, 428-9	3.2	1
119	Alternative ways to assess left atrial function in noncompaction cardiomyopathy by three-dimensional speckle-tracking echocardiography: (a case from the MAGYAR-Path study). <i>International Journal of Cardiology</i> , 2012 , 158, 105-7	3.2	9
118	Response letter to Mdiponectin and arterial stiffness in hypertensive patients. <i>International Journal of Cardiology</i> , 2012 , 157, 437	3.2	
117	The importance of atrial fibrillation/flutter as a cause of ischemic stroke. <i>International Journal of Cardiology</i> , 2012 , 158, 143-4	3.2	7
116	Effectiveness of statin therapy for elderly acute myocardial infarction patients with normal levels of low-density lipoprotein cholesterol. <i>International Journal of Cardiology</i> , 2012 , 158, 139-43	3.2	3
115	Dolichocarotids and dilated cardiomyopathy: is there a relationship?. <i>International Journal of Cardiology</i> , 2012 , 158, 123-5	3.2	6
114	Cardiac troponin I reduces hypoxia/reoxygenation-induced myocardial cell injury in vitro. <i>International Journal of Cardiology</i> , 2012 , 158, 120-2	3.2	2
113	Biodegradable polymer versus permanent polymer sirolimus-eluting stents in unselected patients with ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2012 , 158, 118-20	3.2	1
112	Triggering of supraventricular premature beats. The impact of acute and chronic risk factors. <i>International Journal of Cardiology</i> , 2012 , 158, 112-7	3.2	8

111	Atrial fibrillation as a consequence of tuberculous pericardial effusion. <i>International Journal of Cardiology</i> , 2012 , 158, 152-4	3.2	7
110	Hyperthyroidism induced autoimmune myocarditis. Evaluation by cardiovascular magnetic resonance and endomyocardial biopsy. <i>International Journal of Cardiology</i> , 2012 , 158, 166-8	3.2	14
109	African Americans have the highest risk of in-hospital mortality with atrial fibrillation related hospitalizations among all racial/ethnic groups: a nationwide analysis. <i>International Journal of Cardiology</i> , 2012 , 158, 165-6	3.2	11
108	Serum pigment epithelium-derived factor levels are independently associated with decreased number of circulating endothelial progenitor cells in healthy non-smokers. <i>International Journal of Cardiology</i> , 2012 , 158, 310-2	3.2	2
107	Low vitamin D levels are related to left ventricular concentric remodelling in men of different ethnic groups with varying cardiovascular risk. <i>International Journal of Cardiology</i> , 2012 , 158, 444-7	3.2	5
106	Association between Lipoprotein (a) level on admission and the incidence of subsequent cardiovascular events in patients with acute coronary syndrome. <i>International Journal of Cardiology</i> , 2012 , 158, 464-6	3.2	11
105	Adiponectin is inversely associated with ratio of serum levels of AGEs to sRAGE and vascular inflammation. <i>International Journal of Cardiology</i> , 2012 , 158, 461-2	3.2	25
104	Is there a need for adjusting the results of the recent meta-analysis on the novel oral anticoagulants in atrial fibrillation to the baseline CHADS ₂ score?. <i>International Journal of Cardiology</i> , 2012 , 159, 161-2	3.2	3
103	Hypertensive left ventricular hypertrophy is highly arrhythmogenic--compelling indication for some β blockers?. <i>International Journal of Cardiology</i> , 2012 , 159, 160-1	3.2	2
102	Incidence of atrial fibrillation and prevalence of intermittent pre-excitation in asymptomatic Wolff-Parkinson-White patients: a meta-analysis. <i>International Journal of Cardiology</i> , 2012 , 160, 75-7	3.2	12
101	Acquired, familial noncompaction and eccentric hypertrophic cardiomyopathy associated with metabolic myopathy and epilepsy. <i>International Journal of Cardiology</i> , 2012 , 160, 73-5	3.2	11
100	Impact of rate control during atrial fibrillation on the proarrhythmic and antiarrhythmic effects of biventricular pacing. <i>International Journal of Cardiology</i> , 2012 , 159, 162-3	3.2	2
99	Mast cell-related disorders presenting with Kounis syndrome. <i>International Journal of Cardiology</i> , 2012 , 161, 56-8	3.2	22
98	Effects of renin-angiotensin system blockades on cardiovascular outcomes in patients with diabetes mellitus: A systematic review and meta-analysis. 2012 , 96, 68-75		20
97	Drug-eluting stents perform better than bare metal stents in small coronary vessels: a meta-analysis of randomised and observational clinical studies with mid-term follow up. <i>International Journal of Cardiology</i> , 2012 , 161, 73-82	3.2	25
96	HIV infection and cocaine use induce endothelial damage and dysfunction in African Americans. <i>International Journal of Cardiology</i> , 2012 , 161, 83-7	3.2	10
95	Quantification of collateral artery growth by automated fluorescent microsphere perfusion. <i>International Journal of Cardiology</i> , 2012 , 161, 88-92	3.2	
94	Enhanced protection against pulmonary hypertension with sildenafil and endothelial progenitor cell in rats. <i>International Journal of Cardiology</i> , 2012 , 162, 45-58	3.2	27

93	Baseline characteristics, quality of care, and outcomes of younger and older Medicare beneficiaries hospitalized with heart failure: findings from the Alabama Heart Failure Project. <i>International Journal of Cardiology</i> , 2012 , 162, 39-44	3.2	22
92	Aggressive revascularization of acute internal carotid artery occlusion in patients with NIHSS>20 and poor collateral circulation: preliminary report. <i>International Journal of Cardiology</i> , 2012 , 161, 97-102	3.2	3
91	Improved insulin sensitivity by the angiotensin receptor antagonist irbesartan in patients with systolic heart failure: a randomized double-blinded placebo-controlled study. <i>International Journal of Cardiology</i> , 2012 , 161, 137-42	3.2	11
90	Analysis of liver metabolism in a rat model of heart failure. <i>International Journal of Cardiology</i> , 2012 , 161, 130-6	3.2	29
89	Telemedicine in heart failure: pre-specified and exploratory subgroup analyses from the TIM-HF trial. <i>International Journal of Cardiology</i> , 2012 , 161, 143-50	3.2	70
88	Inverse relation of body weight and weight change with mortality and morbidity in patients with type 2 diabetes and cardiovascular co-morbidity: an analysis of the PROactive study population. <i>International Journal of Cardiology</i> , 2012 , 162, 20-6	3.2	139
87	Association of Marfan syndrome and bicuspid aortic valve: frequency and outcome. <i>International Journal of Cardiology</i> , 2012 , 155, 324-5	3.2	37
86	Copeptin as a prognostic factor for major adverse cardiovascular events in patients with coronary artery disease. <i>International Journal of Cardiology</i> , 2012 , 162, 27-32	3.2	39
85	A new indication for digoxin: to enable introduction and dose-escalation of β -blocker therapy in severe heart failure. <i>International Journal of Cardiology</i> , 2012 , 158, 154-5	3.2	4
84	Left ventricular hypertrabeculation/non-compaction in a Duchenne/Becker muscular dystrophy carrier with epilepsy. <i>International Journal of Cardiology</i> , 2012 , 162, e3-5	3.2	6
83	Progression of neurological and cardiovascular disease in left ventricular hypertrabeculation/noncompaction. <i>International Journal of Cardiology</i> , 2012 , 162, e18-20	3.2	1
82	Health-related quality of life and anemia in hospitalized patients with heart failure. <i>International Journal of Cardiology</i> , 2012 , 161, 151-5	3.2	14
81	Cardiac biomarkers predict outcome after hospitalisation for an acute exacerbation of chronic obstructive pulmonary disease. <i>International Journal of Cardiology</i> , 2012 , 161, 156-9	3.2	50
80	Increasing CHADS ₂ scores may attenuate the benefit of novel oral anticoagulants versus warfarin in reducing intracranial bleeding. <i>International Journal of Cardiology</i> , 2012 , 161, 176-7	3.2	4
79	The turtle still wins the rabbit?. <i>International Journal of Cardiology</i> , 2012 , 161, 113-5	3.2	3
78	Thrombolysis in myocardial infarction (TIMI) risk score and gender in the era of primary PCI--is there a difference?. <i>International Journal of Cardiology</i> , 2012 , 161, 117-8	3.2	2
77	Two-dimensional speckle-tracking echocardiography is more accurate than tissue Doppler imaging in assessing regional atrial deformation: a study in patients after transcatheter atrial septal defect closure. <i>International Journal of Cardiology</i> , 2012 , 162, 64-5	3.2	6
76	Progression of myocardial fibrosis assessed with cardiac magnetic resonance in hypertrophic cardiomyopathy. 2012 , 60, 922-9		100

75	Serum proteomics in patients with diagnosis of abdominal aortic aneurysm. 2012 , 21, 283-90		14
74	Aged garlic extract and coenzyme Q10 have favorable effect on inflammatory markers and coronary atherosclerosis progression: A randomized clinical trial. 2012 , 3, 185-90		47
73	Betaine and secondary events in an acute coronary syndrome cohort. 2012 , 7, e37883		45
72	Genetic variations in E-selectin and ICAM-1: relation to atherosclerosis. 2012 , 18, CR381-9		16
71	Novel SCN5A mutation associated with idiopathic ventricular fibrillation due to subclinical Brugada syndrome. 2012 , 2, 1		
70	Massive pulmonary embolism with ST-elevation in the inferior leads and other interesting ECG findings. 2012 , 3,		
69	Association between QRS duration and obstructive sleep apnea. 2012 , 8, 649-54		21
68	Kidney dysfunction and deterioration of ejection fraction pose independent risk factors for mortality in implantable cardioverter-defibrillator recipients for primary prevention. 2012 , 35, 575-9		8
67	The new oral adenosine A1 receptor agonist capadenoson in male patients with stable angina. 2012 , 101, 585-91		34
66	The diagnostic utility of transthoracic echocardiography for the diagnosis of infective endocarditis in the real world of the Italian Registry on Infective Endocarditis. 2013 , 30, 871-9		7
65	Dosage of statin, cardiovascular comorbidities, and risk of atrial fibrillation: a nationwide population-based cohort study. <i>International Journal of Cardiology</i> , 2013 , 168, 1131-6	3.2	14
64	Peripheral muscle microcirculatory alterations in patients with pulmonary arterial hypertension: a pilot study. 2013 , 58, 2134-41		42
63	Cryoenergy is effective in the treatment of resistant hypertension in non-responders to radiofrequency renal denervation. <i>International Journal of Cardiology</i> , 2013 , 167, 588-90	3.2	14
62	Protective effects of nebivolol against anthracycline-induced cardiomyopathy: a randomized control study. <i>International Journal of Cardiology</i> , 2013 , 167, 2306-10	3.2	219
61	The risk of resting heart rate on vascular events and mortality in vascular patients. <i>International Journal of Cardiology</i> , 2013 , 168, 1410-5	3.2	22
60	Mortality from ischaemic heart disease by country, region, and age: statistics from World Health Organisation and United Nations. <i>International Journal of Cardiology</i> , 2013 , 168, 934-45	3.2	55 ^o
59	Clinical predictors of in-hospital death and early surgery for infective endocarditis: results of CARDiac Disease REGistration (CADRE), a nation-wide survey in Japan. <i>International Journal of Cardiology</i> , 2013 , 167, 2688-94	3.2	23
58	Myocardial oxidative stress in patients with active infective endocarditis. <i>International Journal of Cardiology</i> , 2013 , 167, 270-6	3.2	14

57	An original model to predict Intensive Care Unit length-of stay after cardiac surgery in a competing risk framework. <i>International Journal of Cardiology</i> , 2013 , 168, 219-25	3.2	14
56	Effects of atorvastatin and rosuvastatin on renal function: a meta-analysis. <i>International Journal of Cardiology</i> , 2013 , 167, 2482-9	3.2	29
55	Persistent superior exercise performance and quality of life long-term after arterial switch operation compared to that after atrial redirection. <i>International Journal of Cardiology</i> , 2013 , 166, 381-4	3.2	20
54	Diagnostic potential of circulating miR-499-5p in elderly patients with acute non ST-elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2013 , 167, 531-6	3.2	179
53	Benefits of combined aerobic/resistance/inspiratory training in patients with chronic heart failure. A complete exercise model? A prospective randomised study. <i>International Journal of Cardiology</i> , 2013 , 167, 1967-72	3.2	46
52	Static magnetic fields increase cardiomyocyte differentiation of Flk-1+ cells derived from mouse embryonic stem cells via Ca ²⁺ influx and ROS production. <i>International Journal of Cardiology</i> , 2013 , 167, 798-808	3.2	32
51	NOX2 up-regulation is associated with artery dysfunction in patients with peripheral artery disease. <i>International Journal of Cardiology</i> , 2013 , 165, 184-92	3.2	45
50	Correlation of syncopal burden with anxiety symptoms score in recurrent vasovagal syncope. <i>International Journal of Cardiology</i> , 2013 , 166, 266-7	3.2	5
49	Thrombolysis in myocardial infarction (TIMI) risk score remains relevant in the era of field triage of patients with ST elevation myocardial infarction treated with primary percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2013 , 166, 255-7	3.2	
48	The economic burden of type 2 diabetes mellitus in rural southwest China. <i>International Journal of Cardiology</i> , 2013 , 165, 273-7	3.2	25
47	Cohort study on radioactive iodine-induced hypothyroidism: implications for GravesN ophthalmopathy and optimal timing for thyroid hormone assessment. <i>Thyroid</i> , 2013 , 23, 620-5	6.2	42
46	Rapid bedside identification of high-risk population in heart failure with reduced ejection fraction by acoustic cardiography. <i>International Journal of Cardiology</i> , 2013 , 168, 1881-6	3.2	10
45	Impact of ischemic time on post-infarction left ventricular function in ST-elevation myocardial infarction treated with primary percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2013 , 165, 523-7	3.2	3
44	Effect of psychosocial interventions on quality of life in patients with chronic heart failure: a meta-analysis of randomized controlled trials. <i>Journal of Cardiac Failure</i> , 2013 , 19, 125-34	3.3	45
43	Stress cardiomyopathy (tako-tsubo) triggered by nervous system diseases: a systematic review of the reported cases. <i>International Journal of Cardiology</i> , 2013 , 167, 2441-8	3.2	58
42	The prognostic impact of in-hospital worsening of renal function in patients with acute coronary syndrome. <i>International Journal of Cardiology</i> , 2013 , 167, 866-70	3.2	19
41	Effect of autologous bone marrow mononuclear cells transplantation in diabetic patients with ST-segment elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2013 , 167, 537-47	3.2	10
40	A Poiseuille-based coronary angiographic index for prediction of fractional flow reserve. <i>International Journal of Cardiology</i> , 2013 , 167, 862-5	3.2	9

39	The novel DPP-4 inhibitors linagliptin and BI 14361 reduce infarct size after myocardial ischemia/reperfusion in rats. <i>International Journal of Cardiology</i> , 2013 , 167, 87-93	3.2	61
38	Incidence rates and predictors of major and minor depression in patients with heart failure. <i>International Journal of Cardiology</i> , 2013 , 167, 502-7	3.2	47
37	Sirolimus-eluting stents reduce long-term mortality compared with bare metal stents in ST-segment elevation myocardial infarction: a meta-analysis of randomized controlled trials. <i>International Journal of Cardiology</i> , 2013 , 167, 162-7	3.2	3
36	Attenuating heat-induced cellular autophagy, apoptosis and damage in H9c2 cardiomyocytes by pre-inducing HSP70 with heat shock preconditioning. <i>International Journal of Hyperthermia</i> , 2013 , 29, 239-47	3.7	27
35	Efficacy and safety of intensified antiplatelet therapy on the basis of platelet reactivity testing in patients after percutaneous coronary intervention: systematic review and meta-analysis. <i>International Journal of Cardiology</i> , 2013 , 167, 2140-8	3.2	102
34	Novel oral anticoagulants versus warfarin in non-valvular atrial fibrillation: a meta-analysis of 50,578 patients. <i>International Journal of Cardiology</i> , 2013 , 167, 1237-41	3.2	68
33	Association of cardiorespiratory fitness with characteristics of coronary plaque: assessment using integrated backscatter intravascular ultrasound and optical coherence tomography. <i>International Journal of Cardiology</i> , 2013 , 162, 123-8	3.2	18
32	Quality of life improvement at midterm follow-up after transcatheter aortic valve implantation. <i>International Journal of Cardiology</i> , 2013 , 162, 117-22	3.2	29
31	Tissue plasminogen activator enhances mobilization of endothelial progenitor cells and angiogenesis in murine limb ischemia. <i>International Journal of Cardiology</i> , 2013 , 168, 226-36	3.2	23
30	Scientific writing and plagiarism. <i>Archives of Pharmacy Practice</i> , 2013 , 4, 137	0	
29	Predictive factors and clinical effect of optimized cardiac resynchronization therapy. <i>Experimental and Therapeutic Medicine</i> , 2013 , 5, 355-361	2.1	4
28	The impact of actual and perceived disease severity on pre-operative psychological well-being and illness behaviour in adult congenital heart disease patients. <i>Cardiology in the Young</i> , 2014 , 24, 275-82	1	17
27	Serum asymmetric dimethylarginine levels are independently associated with procollagen III N-terminal peptide in nonalcoholic fatty liver disease patients. <i>Clinical and Experimental Medicine</i> , 2014 , 14, 45-51	4.9	1
26	High platelet reactivity is associated with vascular function in patients after percutaneous coronary intervention receiving clopidogrel. <i>International Journal of Cardiology</i> , 2014 , 177, 192-6	3.2	9
25	Rapid slowing of the atrial fibrillatory rate after administration of AZD7009 predicts conversion of atrial fibrillation. <i>Journal of Electrocardiology</i> , 2014 , 47, 316-23	1.4	6
24	Purinergic profile of fainting divers is different from patients with vasovagal syncope. <i>International Journal of Cardiology</i> , 2014 , 174, 741-3	3.2	4
23	Plagiarism. 2015 , 203-211		
22	Preface. 2015 , ix-xix		

21	In-hospital outcomes and long-term mortality according to sex and management strategy in acute myocardial infarction. Insights from the French ST-elevation and non-ST-elevation Myocardial Infarction (FAST-MI) 2005 Registry. <i>International Journal of Cardiology</i> , 2015 , 201, 265-70	3.2	28
20	Can we predict agitation in patients with suicide attempts in the emergency department?. <i>African Health Sciences</i> , 2016 , 16, 831-837	1.1	2
19	Apolipoprotein E Gene Variants and Risk of Coronary Heart Disease: A Meta-Analysis. <i>BioMed Research International</i> , 2016 , 2016, 3912175	3	37
18	Quantifying Research Integrity. <i>Synthesis Lectures on Information Concepts, Retrieval, and Services</i> , 2016 , 8, 1-141	1.7	2
17	Low-frequency and very low-intensity ultrasound decreases blood pressure in hypertensive subjects with type 2 diabetes. <i>International Journal of Cardiology</i> , 2016 , 215, 147-9	3.2	4
16	Do randomized clinical trial selection criteria reflect levels of risk as observed in a general population of acute myocardial infarction survivors? The PEGASUS trial in the light of the FAST-MI 2005 registry. <i>International Journal of Cardiology</i> , 2016 , 223, 604-610	3.2	10
15	Effects of carvedilol on ventricular remodeling and the expression of β -adrenergic receptor in a diabetic rat model subjected myocardial infarction. <i>International Journal of Cardiology</i> , 2016 , 222, 178-184	3.2	7
14	Resistant hypertension: Comparison of unifocal versus multifocal radiofrequency ablation for renal denervation up to 24months follow-up. <i>International Journal of Cardiology</i> , 2016 , 223, 31-33	3.2	
13	The ethics of multiple authorship: power, performativity and the gift economy. <i>Studies in Higher Education</i> , 2017 , 42, 1194-1210	2.6	46
12	Low-frequency and low-intensity ultrasound irradiation to the forearm improves an index of arterial stiffness in subjects with type 2 diabetes and hypertension. <i>IJC Heart and Vasculature</i> , 2017 , 16, 4-6	2.4	1
11	Lack of evidence of lower 30-day all-cause readmission in Medicare beneficiaries with heart failure and reduced ejection fraction discharged on spironolactone. <i>International Journal of Cardiology</i> , 2017 , 227, 462-466	3.2	13
10	Outcomes of 4838 patients requiring temporary transvenous cardiac pacing: A statewide cohort study. <i>International Journal of Cardiology</i> , 2018 , 271, 98-104	3.2	13
9	Cyanobacterial Bioenergy and Biofuels Science and Technology: A Scientometric Overview. 2019 , 419-442		1
8	A Network Pharmacology Approach to Investigate the Active Compounds and Mechanisms of Musk for Ischemic Stroke. <i>Evidence-based Complementary and Alternative Medicine</i> , 2020 , 2020, 4063180	2.3	9
7	Three challenges to contemporaneous taxonomy from a lichen-mycological perspective. <i>Megataxa</i> , 2020 , 1, 78-103	3.8	13
6	Outcomes of 16,436 patients requiring isolated aortic valve surgery: A statewide cohort study. <i>International Journal of Cardiology</i> , 2021 , 326, 55-61	3.2	0
5	Comments on convenience authorship. <i>Anais Da Academia Brasileira De Ciencias</i> , 2021 , 93, e2021933	1.4	
4	Connected Mental Health: Systematic Mapping Study. <i>Journal of Medical Internet Research</i> , 2020 , 22, e19950	7.6	8

- 3 A surgical case of apical aneurysm without hypertrophic cardiomyopathy. *Annals of Thoracic and Cardiovascular Surgery*, **2012**, 18, 266-7 1.8 1
- 2 Bibliography. **2015**, 243-260
- 1 Ethical Considerations of Biomedical Product Development. *Learning Materials in Biosciences*, **2020**, 131-151