

Active tectonics in the Sierra Nevada (Betic Cordillera, S) geomorphic indexes and drainage pattern analysis

Geomorphology

119, 74-87

DOI: [10.1016/j.geomorph.2010.02.020](https://doi.org/10.1016/j.geomorph.2010.02.020)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Basin and river profile morphometry: A new index with a high potential for relative dating of tectonic uplift. <i>Geomorphology</i> , 2011, 126, 97-107.	1.1	54
2	Quantitative morphotectonics of the Pliocene to Quaternary Auletta basin, southern Italy. <i>Geomorphology</i> , 2011, 134, 326-343.	1.1	26
3	Deciphering tectonic and erosion-driven exhumation of the Nevado-Filábride Complex (Betic Tj ETQq0 0 0 rgBT /Overlock 10 Tf	0.9	42
4	Long- to short-term denudation rates in the southern Apennines: geomorphological markers and chronological constraints. <i>Geologica Carpathica</i> , 2011, 62, 27-41.	0.2	31
5	Tectonic geomorphology of the Spida- High Ranges, western Anatolia. <i>Geomorphology</i> , 2012, 173-174, 128-140.	1.1	54
6	Geomorphic analysis of the Sierra Cabrera, an active pop-up in the constrictional domain of conjugate strike-slip faults: The Palomares and Polopos fault zones (eastern Betics, SE Spain). <i>Tectonophysics</i> , 2012, 580, 27-42.	0.9	46
7	Geomorphic evidence of active tectonics in the Sierra Alhamilla (eastern Betics, SE Spain). <i>Geomorphology</i> , 2012, 145-146, 90-106.	1.1	94
8	Active tectonics in the central and eastern Betic Cordillera through morphotectonic analysis: the case of Sierra Nevada and Sierra Alhamilla. <i>Journal of Iberian Geology</i> , 2012, 38, .	0.7	31
9	Climate, river network, and vegetation cover relationships across a climate gradient and their potential for predicting effects of decadal-scale climate change. <i>Journal of Hydrology</i> , 2013, 488, 101-109.	2.3	17
10	A quantitative analysis of relative tectonic activity classes of Kali river basin, southwest coast of India. <i>Arabian Journal of Geosciences</i> , 2013, 6, 4729-4742.	0.6	5
11	Mountain front migration and drainage captures related to fault segment linkage and growth: The Polopos transpressive fault zone (southeastern Betics, SE Spain). <i>Journal of Structural Geology</i> , 2013, 46, 76-91.	1.0	19
12	DEM and GIS analysis of geomorphic indices for evaluating recent uplift of the northeastern margin of the Tibetan Plateau, China. <i>Geomorphology</i> , 2013, 190, 61-72.	1.1	64
13	DEM and GIS analysis of sub-watersheds to evaluate relative tectonic activity. A case study of the North-south axis (Central Tunisia). <i>Earth Science Informatics</i> , 2013, 6, 187-198.	1.6	11
14	Environmental conditions and geomorphologic changes during the Middle-Upper Paleolithic in the southern Iberian Peninsula. <i>Geomorphology</i> , 2013, 180-181, 205-216.	1.1	15
15	Morphotectonic segmentation and spatial variability of neotectonic activity along the Narmada-Son Fault, Western India: Remote sensing and GIS analysis. <i>Geomorphology</i> , 2013, 180-181, 292-306.	1.1	43
16	Strain and stress fields along the Gibraltar Orogenic Arc: Constraints on active geodynamics. <i>Gondwana Research</i> , 2013, 23, 1071-1088.	3.0	51
17	DEM-Based Analysis of Interactions between Tectonics and Landscapes in the Ore Mountains and Eger Rift (East Germany and NW Czech Republic). <i>Remote Sensing</i> , 2014, 6, 7971-8001.	1.8	82
18	Morphotectonic features of the Tamaro River basin, Southern Apennines, Italy. <i>Rendiconti Lincei</i> , 2014, 25, 217-229.	1.0	5

#	ARTICLE	IF	CITATIONS
19	Six thousand years of coastline evolution in the Guadalfeo deltaic system (southern Iberian) Tj ETQq0 0 0 rgBT /Overlock 10 Tf,50 742 T	1.1	39
20	Spatial analysis of stream length-gradient (SL) index for detecting hillslope processes: A case of the CAjllago River headwaters (Central Pyrenees, Spain). <i>Geomorphology</i> , 2014, 214, 183-197.	1.1	56
21	The influence of surface and tectonic processes on landscape evolution of the Iberian Chain (Spain): Quantitative geomorphological analysis and geochronology. <i>Geomorphology</i> , 2014, 206, 37-57.	1.1	69
22	GIS-based morpho-tectonic studies of Alaknanda river basin: a precursor for hazard zonation. <i>Natural Hazards</i> , 2014, 71, 1433-1452.	1.6	51
23	Tectonic activity revealed by morphostructural analysis: Development of the Sierra de la Candelaria range, northwestern Argentina. <i>Journal of South American Earth Sciences</i> , 2014, 56, 376-395.	0.6	9
24	Impact of wind erosion on detecting active tectonics from geomorphic indexes in extremely arid areas: a case study from the Hero Range, Qaidam Basin, NW China. <i>Geomorphology</i> , 2014, 224, 39-54.	1.1	18
25	Study of relief changes related to active doming in the eastern Moroccan Rif (Morocco) using geomorphological indices. <i>Journal of African Earth Sciences</i> , 2014, 100, 493-509.	0.9	12
26	Constraints for the recent tectonics of the El Salvador Fault Zone, Central America Volcanic Arc, from morphotectonic analysis. <i>Tectonophysics</i> , 2014, 623, 1-13.	0.9	18
27	Denudation rates and tectonic geomorphology of the Spanish Betic Cordillera. <i>Earth and Planetary Science Letters</i> , 2014, 390, 19-30.	1.8	35
28	Recent tectonic activity of the Gafsa fault through morphometric analysis: Southern Atlas of Tunisia. <i>Quaternary International</i> , 2014, 338, 99-112.	0.7	28
29	Slab rupture and delamination under the Betics and Rif constrained from receiver functions. <i>Tectonophysics</i> , 2015, 663, 225-237.	0.9	90
30	DEM and GIS analysis of the stream gradient index for evaluating effects of active tectonics: Tula basin, north Tibet, China. , 2015, , .		2
31	The role of strain partitioning on intermontane basin inception and isolation, External Western Gibraltar Arc. <i>Journal of Geodynamics</i> , 2015, 92, 1-17.	0.7	24
32	Relief and drainage evolution during the exhumation of the Sierra Nevada (SE Spain): Is denudation keeping pace with uplift?. <i>Tectonophysics</i> , 2015, 663, 19-32.	0.9	53
33	Quaternary landscape evolution driven by slab-pull mechanisms in the Granada Basin (Central Betics). <i>Tectonophysics</i> , 2015, 663, 5-18.	0.9	10
34	Active shallow extension in central and eastern Betic Cordillera from CGPS data. <i>Tectonophysics</i> , 2015, 663, 290-301.	0.9	33
35	The summit erosion surfaces of the inner Betic Cordillera: Their value as tools for reconstructing the chronology of topographic growth in southern Spain. <i>Geomorphology</i> , 2015, 233, 92-111.	1.1	16
36	GIS Based Quantitative Geomorphic Analysis of Fluvial System and Implications on the Effectiveness of River Basin Environmental Management. <i>Springer Earth System Sciences</i> , 2015, , 201-225.	0.1	4

#	ARTICLE	IF	CITATIONS
37	From extension to transpression: Quaternary reorganization of an extensional-related drainage network by the Alhama de Murcia strike-slip fault (eastern Betics). <i>Tectonophysics</i> , 2015, 663, 33-47.	0.9	20
38	Assessment of the relative tectonic activity in the Bailongjiang Basin: insights from DEM-derived geomorphic indices. <i>Environmental Earth Sciences</i> , 2015, 74, 5143-5153.	1.3	18
39	Tectonic geomorphology of High Zagros Ranges, SW Iran: an initiative towards seismic hazard assessment. <i>Environmental Earth Sciences</i> , 2015, 74, 3007-3017.	1.3	12
40	Continental subduction, intracrustal shortening, and coeval upper-crustal extension: P-T evolution of subducted south Iberian paleomargin metapelites (Betics, SE Spain). <i>Tectonophysics</i> , 2015, 663, 122-139.	0.9	37
41	GIS-Based analysis of relative tectonic activity along the kazerun fault zone, zagros mountains, iran: insights from data mining of Geomorphic Data. <i>Journal of Earth Science (Wuhan, China)</i> , 2015, 26, 712-723.	1.1	12
42	Tectonic analysis of the Honaz Fault (western Anatolia) using geomorphic indices and the regional implications. <i>Geodinamica Acta</i> , 2015, 27, 110-129.	2.2	43
43	Tectonic controls of the North Anatolian Fault System (NAFS) on the geomorphic evolution of the alluvial fans and fan catchments in Erzincan pull-apart basin; Turkey. <i>Journal of Asian Earth Sciences</i> , 2015, 98, 116-125.	1.0	15
44	Appraisal of relative tectonic activity along the Kazerun Fault Zone, Zagros Mountains, Iran: insight from spatial analysis of geomorphic indices. <i>Geological Journal</i> , 2015, 50, 783-798.	0.6	16
45	Changes in dip and frictional properties of the basal detachment controlling orogenic wedge propagation and frontal collapse: The external central Betics case. <i>Tectonics</i> , 2016, 35, 3028-3049.	1.3	23
46	Geomorphometric evidence of an active pop-up structure along the sabzpushan fault zone, Zagros mountains, SW Iran. <i>Journal of Earth Science (Wuhan, China)</i> , 2016, 27, 945-954.	1.1	11
47	The role of continental margins in the final stages of arc formation: Constraints from teleseismic tomography of the Gibraltar and Calabrian Arc (Western Mediterranean). <i>Tectonophysics</i> , 2016, 677-678, 135-152.	0.9	9
48	GIS-based evaluation of geomorphic response to tectonic activity in Makran Mountain Range, SE of Iran. <i>Geosciences Journal</i> , 2016, 20, 921-934.	0.6	13
49	Mineralogical evidence for lamproite magma mixing and storage at mantle depths: Socovos fault lamproites, SE Spain. <i>Lithos</i> , 2016, 266-267, 182-201.	0.6	18
50	Active tectonics evaluation from geomorphic indices for the central and the southern Longmenshan range on the Eastern Tibetan Plateau, China. <i>Tectonics</i> , 2016, 35, 1812-1826.	1.3	27
51	Evaluation of the relative tectonic activity in the eastern Lake Van basin, East Turkey. <i>Geomorphology</i> , 2016, 270, 9-21.	1.1	32
52	Late Pleistocene–Holocene uplift driven terrace formation and climate-tectonic interplay from a seismically active intraplate setting: An example from Kachchh, Western India. <i>Journal of Asian Earth Sciences</i> , 2016, 124, 55-67.	1.0	24
53	Active tectonic deformation along rejuvenated faults in tropical Borneo: Inferences obtained from tectono-geomorphic evaluation. <i>Geomorphology</i> , 2016, 267, 1-15.	1.1	44
54	Active segmentation assessment of the tectonically active South Wagad Fault in Kachchh, Western Peninsular India. <i>Geomorphology</i> , 2016, 253, 491-507.	1.1	67

#	ARTICLE	IF	CITATIONS
55	Landscape response to recent tectonic deformation in the SW Pannonian Basin: Evidence from DEM-based morphometric analysis of the Bilogora Mt. area, NE Croatia. <i>Geomorphology</i> , 2016, 263, 132-155.	1.1	42
56	Spatial variations in tectonic activity along the Kachchh Mainland Fault, Kachchh, western India: implications in seismic hazard assessment. <i>Natural Hazards</i> , 2016, 82, 947-961.	1.6	27
57	Geomorphologic fluvial markers reveal transient landscape evolution in tectonically quiescent southern Peninsular India. <i>Geological Journal</i> , 2017, 52, 681-702.	0.6	15
58	Neogene exhumation and relief evolution in the eastern Betics (SE Spain): Insights from the Sierra de Gador. <i>Terra Nova</i> , 2017, 29, 91-97.	0.9	23
59	Geomorphologic proxies for bedrock rivers: A case study from the Rwenzori Mountains, East African Rift system. <i>Geomorphology</i> , 2017, 285, 374-398.	1.1	22
60	The Padul normal fault activity constrained by GPS data: Brittle extension orthogonal to folding in the central Betic Cordillera. <i>Tectonophysics</i> , 2017, 712-713, 64-71.	0.9	10
61	Architecture and tectono-stratigraphic evolution of the intramontane Baza Basin (Betics, SE-Spain): Constraints from seismic imaging. <i>Tectonophysics</i> , 2017, 709, 69-84.	0.9	19
62	Tectonic geomorphology of the KemalpaÅya Basin and surrounding horsts, southwestern part of the Gediz Graben, Western Anatolia. <i>Geodinamica Acta</i> , 2017, 29, 70-90.	2.2	18
63	Late Quaternary alluvial fan terraces: Langshan, Inner Mongolia, China. <i>Geomorphology</i> , 2017, 286, 34-44.	1.1	5
64	QMorphoStream: processing tools in QGIS environment for the quantitative geomorphic analysis of watersheds and river networks. <i>Earth Science Informatics</i> , 2017, 10, 257-268.	1.6	9
65	Latest extension of the Laujar fault in a convergence setting (Sierra Nevada, Betic Cordillera). <i>Journal of Geodynamics</i> , 2017, 104, 15-26.	0.7	6
66	Strain partitioning and relief segmentation in arcuate fold-and-thrust belts: a case study from the western Betics. <i>Journal of Iberian Geology</i> , 2017, 43, 497-518.	0.7	13
67	Data on morphotectonic indices of Dashtekhak district, Iran. <i>Data in Brief</i> , 2017, 14, 782-788.	0.5	11
68	Evaluation of relative tectonic perturbations of the Kashmir Basin, Northwest Himalaya, India: An integrated morphological approach. <i>Journal of Asian Earth Sciences</i> , 2017, 148, 153-172.	1.0	31
69	Late Miocene vertical movements in the Sierra Nevada and Granada Basin linking zone (Betic) Tj ETQq0 0 0 rgBT /Overlock 1Q Tf 50 182	0.7	1
70	SwathProfiler and NProfiler: Two new ArcGIS Add-ins for the automatic extraction of swath and normalized river profiles. <i>Computers and Geosciences</i> , 2017, 104, 135-150.	2.0	78
71	Fluvial archives, a valuable record of vertical crustal deformation. <i>Quaternary Science Reviews</i> , 2017, 166, 10-37.	1.4	62
72	Geomorphologic indices and relative tectonic uplift in the Guerrero sector of the Mexican forearc. <i>Geoscience Frontiers</i> , 2017, 8, 885-902.	4.3	55

#	ARTICLE	IF	CITATIONS
73	Tectonic geomorphology in parts of Koyna region, Maharashtra. Journal of the Geological Society of India, 2017, 90, 738-741.	0.5	2
74	Active tectonic deformation along reactivated faults in Binta basin in Kumaun Himalaya of north India: Inferences from tectono-geomorphic evaluation. Zeitschrift für Geomorphologie, 2017, 61, 159-180.	0.3	42
75	Landslide-hazard mapping through multi-technique activity assessment: an example from the Betic Cordillera (southern Spain). Landslides, 2017, 14, 1975-1991.	2.7	12
76	The development and evolution of landform based on neotectonic movement: The Sancha river catchment in the southwestern China. Journal of Earth System Science, 2018, 127, 1.	0.6	3
77	Tectonic footprints and landscape evaluation along Kulur River valley, Kumaun Lesser Himalaya, India. Journal of Asian Earth Sciences, 2018, 162, 121-136.	1.0	13
78	Quantitative analysis of relative tectonic activity in the Acıgözü fault, SW Turkey. Arabian Journal of Geosciences, 2018, 11, 1.	0.6	12
79	Formulation of the conceptual model for the tectonic geomorphological evolution of an area: Five main rivers of Greece as a case study. Catena, 2018, 167, 60-77.	2.2	7
80	Tectono-geomorphic indices of the Erin basin, NE Kashmir valley, India. Journal of Asian Earth Sciences, 2018, 151, 16-30.	1.0	15
81	Geomorphic evidence of Quaternary tectonics within an underlap fault zone of southern Apennines, Italy. Geomorphology, 2018, 303, 172-190.	1.1	26
82	Morphotectonic analysis and GNSS observations for assessment of relative tectonic activity in Alaknanda basin of Garhwal Himalaya, India. Geomorphology, 2018, 301, 108-120.	1.1	46
83	Tectonics, lithology and climate controls of morphometric parameters of the Edea - Eseka region (SW Tj ETQq0 0 0 rgBT /Overlock 10 T Sciences, 2018, 138, 219-232.	0.9	14
84	Evolution of Drainage in Response to Brittle - Ductile Dynamics and Surface Processes in Kachchh Rift Basin, Western India. , 0, , .		11
85	Fuzzy cognitive mapping vs. statistic approach of geomorphological analysis of active faults: Preliminary results from a case study within the Corinth Graben, Greece. IFAC-PapersOnLine, 2018, 51, 372-377.	0.5	4
86	Assessment of morphometric parameters for the development of Relative Active Tectonic Index and its significant for seismic hazard study: an integrated geoinformatic approach. Environmental Earth Sciences, 2018, 77, 1.	1.3	16
87	Morphotectonic Appraisal of Yamuna River Basin in Headwater Region: A Relative Active Tectonics Purview. Journal of the Geological Society of India, 2018, 92, 346-356.	0.5	5
88	Geomorphic evidences of tectonic instability during the Late Quaternary Period along southern Saurashtra, western India. Arabian Journal of Geosciences, 2018, 11, 1.	0.6	5
89	Geomorphological signatures of the evolution of active normal faults along the Langshan Mountains, North China. Geodinamica Acta, 2018, 30, 163-182.	2.2	21
90	The role of intraplate strike-slip faults in shaping the surrounding morphology: The Ovacık Fault (eastern Turkey) as a case study. Geomorphology, 2018, 321, 129-145.	1.1	16

#	ARTICLE	IF	CITATIONS
91	Geomorphic evidence for active tectonic deformation in the coastal part of Eastern Black Sea, Eastern Pontides, Turkey. <i>Geodinamica Acta</i> , 2018, 30, 249-264.	2.2	22
92	Relative tectonic activity assessment and kinematic analysis of the North Bozgush fault Zone, NW Iran. <i>Journal of Asian Earth Sciences</i> , 2018, 164, 219-236.	1.0	15
93	Treatise on the tectonic geomorphology of active faults: The significance of using a universal digital elevation model. <i>Journal of Structural Geology</i> , 2018, 116, 241-252.	1.0	43
94	Identification of Geomorphic Anomaly and Morphotectonic Signature to Study the Seismotectonic Activity and Its Impact on Infrastructure Development Through Integrated Remote Sensing and GIS Techniques. <i>Lecture Notes in Civil Engineering</i> , 2019, , 611-627.	0.3	0
95	Comparative Evaluation of Active Tectonics in Parts of the Frontal Region of NW Himalaya, India by Geomorphic Analysis and Geophysical Investigation. <i>Journal of the Geological Society of India</i> , 2019, 94, 197-205.	0.5	5
96	Relative Assessment of Tectonic Activity along the Seismically Active Katrol Hill Fault, Kachchh, Western India. <i>Journal of the Geological Society of India</i> , 2019, 94, 179-187.	0.5	10
97	Assessment of active tectonics from geomorphic indices and morphometric parameters in part of Ganga basin. <i>Journal of Mountain Science</i> , 2019, 16, 1943-1961.	0.8	39
98	Quantitative analysis of the drainage and morphometric characteristics of the Palar River basin, Southern Peninsular India; using bAd calculator (bearing azimuth and drainage) and GIS. , 2019, 3, 295-307.		24
99	Tectono-morphological evolution of the Cauvery, Vaigai, and Thamirabarani River basins: Implications on timing, stratigraphic markers, relative roles of intrinsic and extrinsic factors, and transience of Southern Indian landscape. <i>Geological Journal</i> , 2019, 54, 2870-2911.	0.6	18
100	An assessment of geomorphometric anomalies and their significance on the seismotectonic activity through geoinformatics. <i>Journal of Earth System Science</i> , 2019, 128, 1.	0.6	9
101	Active tectonic deformation of the Shillong plateau, India: Inferences from river profiles and stream-gradients. <i>Journal of Asian Earth Sciences</i> , 2019, 181, 103904.	1.0	9
102	Geomorphometry-based detection of enhanced erosional signal in polygenetic medium-altitude mountain relief and its tectonic interpretation, the Sudetes (Central Europe). <i>Geomorphology</i> , 2019, 341, 115-129.	1.1	12
103	Drainage Pattern and its Bearing on Relative Active Tectonics of a Region: A Study in the Son Valley, Central India. <i>Journal of the Geological Society of India</i> , 2019, 93, 693-703.	0.5	8
104	Evaluation of relative tectonic activity along the Priene-Sazlı Fault (Sazlıke Basin, southwest Anatolia): Insights from geomorphic indices and drainage analysis. <i>Journal of Mountain Science</i> , 2019, 16, 909-923.	0.8	21
105	Tectonic implication of geomorphometric analyses along the Saravan Fault: evidence of a difference in tectonic movements between the Sistan Suture Zone and Makran Mountain Belt. <i>Journal of Mountain Science</i> , 2019, 16, 1023-1034.	0.8	5
106	Geomorphic and tectonic implications of the endorheic to exorheic transition of the Ebro River system in northeast Iberia. <i>Quaternary Research</i> , 2019, 91, 472-492.	1.0	18
107	How Much Nubia-Eurasia Convergence Is Accommodated by the NE End of the Eastern Betic Shear Zone (SE Spain)? Constraints From GPS Velocities. <i>Tectonics</i> , 2019, 38, 1824-1839.	1.3	27
108	Geomorphic evolution and neotectonics of the Qianhe River Basin on the southwest margin of the Ordos Block, North China. <i>Journal of Asian Earth Sciences</i> , 2019, 176, 184-195.	1.0	22

#	ARTICLE	IF	CITATIONS
109	Neogene Epeirogeny of Iberia. <i>Geochemistry, Geophysics, Geosystems</i> , 2019, 20, 1138-1163.	1.0	21
110	Morphotectonic analysis of the Sali River basin, Bankura district, West Bengal. <i>Arabian Journal of Geosciences</i> , 2019, 12, 1.	0.6	10
111	Geomorphologic index validation by DINSAR technique in the Andean orogenic front (32° - 33° S). <i>Quaternary International</i> , 2019, 512, 35-44.	0.7	1
112	Asymmetrical river valleys and their tectonic significance in the Maxianshan area, NE Tibetan Plateau. <i>Geomorphology</i> , 2019, 329, 70-80.	1.1	3
113	Dynamic and geomorphic characterizations of the Mocoa debris flow (March 31, 2017, Putumayo) Tj ETQq0 0 0 rgBTj/Overlock 10 Tf 50	2.7	25
114	Morphotectonic Analysis of the Himalayan Frontal Region of Northwest Himalaya in the Light of Geomorphic Signatures of Active Tectonics. , 2019, , 17-35.		5
115	Geomorphic characteristics of landscape development and formation of lakes in the zone of Munsiri Thrust, Garhwal Himalaya, Uttarakhand, India. <i>Quaternary International</i> , 2019, 507, 233-248.	0.7	10
116	Neotectonics in the South American passive margin: Evidence of Late Quaternary uplifting in the northern Paraíba Basin (NE Brazil). <i>Geomorphology</i> , 2019, 325, 1-16.	1.1	12
117	Morphotectonics in a low tectonic rate area: Analysis of the southern Portuguese Atlantic coastal region. <i>Geomorphology</i> , 2019, 326, 132-151.	1.1	16
118	Late Quaternary deformation in parts of the Belt of Schuppen of Dimapur and Peren districts, Nagaland, NE India. <i>Geological Journal</i> , 2020, 55, 457-476.	0.6	6
119	Evaluation of neotectonic variability along major Himalayan thrusts within the Kali River basin using geomorphic markers, Central Kumaun Himalaya, India. <i>Geological Journal</i> , 2020, 55, 821-844.	0.6	20
120	Active Landscapes of Iberia. <i>Regional Geology Reviews</i> , 2020, , 77-124.	1.2	2
122	Influence of Tectonics and Morphometric Features on the Landslide Distribution: A Case Study from the Mesima Basin (Calabria, South Italy). <i>Journal of Earth Science (Wuhan, China)</i> , 2020, 31, 393-409.	1.1	38
123	Tectonic geomorphology of the Serranía de San Lucas (Central Cordillera): Regional implications for active tectonics and drainage rearrangement in the Northern Andes. <i>Geomorphology</i> , 2020, 349, 106914.	1.1	16
124	Regional relative tectonic activity of structures in the Pampean flat slab segment of Argentina from 30 to 32°S. <i>Geomorphology</i> , 2020, 350, 106908.	1.1	14
125	Active tectonics and drainage evolution in the Tunisian Atlas driven by interaction between crustal shortening and mantle dynamics. <i>Geomorphology</i> , 2020, 351, 106954.	1.1	21
126	Geomorphic indices and longitudinal profile of the Daba Shan, northeastern Sichuan Basin: Evidence for the late Cenozoic eastward growth of the Tibetan Plateau. <i>Geomorphology</i> , 2020, 353, 107031.	1.1	23
127	Along-strike variations in recent tectonic activity in the Santander Massif: New insights on landscape evolution in the Northern Andes. <i>Journal of South American Earth Sciences</i> , 2020, 98, 102472.	0.6	9

#	ARTICLE	IF	CITATIONS
128	Impact of tectonics on drainage network evolution of Suru basin, Kargil N/w Himalaya, Jammu and Kashmir, India. Environmental Earth Sciences, 2020, 79, 1.	1.3	7
129	Topographic Fingerprint of Deep Mantle Subduction. Journal of Geophysical Research: Solid Earth, 2020, 125, e2019JB017962.	1.4	9
130	Evolution of the Edeaa€Eseka geomorphic units: A 'natural laboratory' of a prototype active rifting crossa€cutting the Southern Cameroon (West African) passive margin. Geological Journal, 2020, 55, 4864-4888.	0.6	9
131	Quantitative analysis of relative active tectonics using geomorphic indices in Band-Golestan basin, northeastern Iran. Spatial Information Research, 2020, 28, 419-429.	1.3	4
132	Assessment of tectonic control on the development of low mountains moderate relief in the Outer Carpathians (Southern Poland). Journal of Mountain Science, 2020, 17, 2297-2320.	0.8	1
133	Morphometry and Morphostructural Studies of the Parts of Gola River and Kalsa River Basins, Chanphi-Okhalkanda Region, Kumaun Lesser Himalaya, India. Geotectonics, 2020, 54, 410-427.	0.2	8
134	Survey of active tectonic: the influence of river morphotectonic in Aras Basin. Arabian Journal of Geosciences, 2020, 13, 1.	0.6	4
135	Geological Signatures of Tectonic Instability along the North Cambay Basin during the Late Holocene Period, North Gujarat, India. Journal of the Geological Society of India, 2020, 96, 584-590.	0.5	3
136	Active fault segmentation in Northern Tunisia. Journal of Structural Geology, 2020, 139, 104146.	1.0	13
137	Soil erosion and flood hazard zonation using morphometric and morphotectonic parameters in Upper Alaknanda river basin. Natural Hazards, 2020, 103, 3263-3301.	1.6	17
138	Quantitative assessment of the drainage morphometric characteristics of Chaohu Lake Basin from SRTM DEM Data: a GIS-based approach. , 2022, 6, 174-187.		12
139	GIS-based approach for the measurement of variability in tectonomorphic signatures using DEM's data: a case study from the Habo Dome in the Kachchh area, India. Environmental Earth Sciences, 2020, 79, 1.	1.3	4
140	Koyna-Warna Shallow Seismic Region, India: Is there Any Geomorphic Expression of Active Tectonics?. Journal of the Geological Society of India, 2020, 96, 217-231.	0.5	14
141	Recent tectonic activity in Central Alborz Mountain, Iran: morphometric analysis and knickpoint identification. Journal of Mountain Science, 2020, 17, 3137-3161.	0.8	1
142	Morpho-lithostructural analysis of Ala River basin for flood risk assessment: geospatial techniques intervention. Earth Science Informatics, 2020, 13, 773-794.	1.6	7
143	Evaluation of active tectonics using geomorphic indices in a mountainous basin of Iran. Earth and Environmental Science Transactions of the Royal Society of Edinburgh, 2020, 111, 109-117.	0.3	5
144	Geomorphic signatures of active tectonics in Subansiri River Basin, eastern Himalayas. Journal of Mountain Science, 2020, 17, 1523-1540.	0.8	7
145	Active tectonics influences in the Satluj river basin in and around Rampur, Himachal Himalaya, India. Arabian Journal of Geosciences, 2020, 13, 1.	0.6	7

#	ARTICLE	IF	CITATIONS
146	Morphometry of drainage basins and stream networks as an indicator of active fold growth (Gorm) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.1	26
147	Evidences of neotectonic activity along Goriganga River, Higher Central Kumaun Himalaya, India. Geological Journal, 2020, 55, 6123-6146.	0.6	34
148	DEM-derived geomorphic indices for assessment of tectonic activity at the Dara anticlinal oil structure within the Zagros fold-thrust belt, southwestern Iran. Arabian Journal of Geosciences, 2020, 13, 1.	0.6	9
149	Evaluation of tectonic activity using morphometric indices: case study of the Tatra Mts. (Western) Tj ETQq1 1 0.784314 rgBT /Overlock 23	1.3	23
150	Active tectonics in the Moulay Idriss Massif (South Rifian Ridges, NW Morocco): New insights from geomorphic indices and drainage pattern analysis. Journal of African Earth Sciences, 2020, 167, 103833.	0.9	23
151	â€“Multivariate statistical analysis of relationship between tectonic activity and drainage behavior in Qorveh-Dehgolan basin Kurdistan, Iranâ€™. Geocarto International, 2021, 36, 540-562.	1.7	7
152	Tectonic versus rock-controlled mountain fronts â€“ Geomorphometric and geostatistical approach (Sowie Mts., Central Europe). Geomorphology, 2021, 373, 107485.	1.1	15
153	Studying active fault-related folding on tectonically inverted orogens: A case study at the YariguÃ±es Range in the Colombian Northern Andes. Geomorphology, 2021, 375, 107515.	1.1	10
154	Provenance analysis of Jurassic basins along<scp>Chalingâ€“Chenzhouâ€“Linwu</scp>Fault, South China: Implications for palaeogeographic reconstruction and Mesozoic tectonic transition. Geological Journal, 2021, 56, 2656-2675.	0.6	3
155	Drainage Pattern at Kaligesing Area, Purworejo District, Central Java. E3S Web of Conferences, 2021, 232, 03014.	0.2	0
156	Evaluation of Active Tectonics and Geomorphic Indices in Siwalik Basin Around Dikrong River, Eastern Himalaya. Journal of Scientific Research, 2021, 65, 11-22.	0.1	1
157	Lithostructural controls in Douala-Buea Region landscape (SW Cameroon margin): Insights from morphometric analysis. Journal of Mountain Science, 2021, 18, 68-87.	0.8	8
158	Tectonic Geomorphology of Mountain Fronts. , 2021, , 376-376.		0
159	Drainage Development During Mountain Building. , 2021, , .		0
160	Geomorphic expression of the Lenglong Ling area, eastern Qilian Shan, and its coupling relationship with the deep structures. Geological Journal, 2021, 56, 3448-3459.	0.6	1
161	Some geomorphic indices in the North Central Vietnam. Geosciences Journal, 0, , 1.	0.6	1
162	Assessment of tectonic activity based on the geomorphic indices in the middle reaches of the upstream of Jinsha River, China. Geological Journal, 2021, 56, 3974-3991.	0.6	7
163	Morpho-tectonic assessment of Central Northern escarpment of Peninsular India, based on tectonically sensitive geomorphic indices. Physical Geography, 2022, 43, 753-783.	0.6	9

#	ARTICLE	IF	CITATIONS
164	Late Quaternary tectono-geomorphic forcing vis-a-vis topographic evolution of Indus catchment, Ladakh, India. <i>Catena</i> , 2021, 199, 105103.	2.2	7
165	The Scenic Beauty of Geosites and Its Relation to Their Scientific Value and Geoscience Knowledge of Tourists: A Case Study from Southeastern Spain. <i>Land</i> , 2021, 10, 460.	1.2	14
166	A tectono-geomorphological perspective of micro-earthquake swarm activity prone areas around Bhavnagar and Jamnagar in Saurashtra, western India. <i>Quaternary International</i> , 2021, 585, 111-133.	0.7	3
167	Assessment of relative tectonic activity using morphotectonic analysis in the Central High Atlas, Demnate Region, Morocco. <i>Arabian Journal of Geosciences</i> , 2021, 14, 1.	0.6	4
168	Geomorphological responses of rivers to active tectonics along the Siwalik Hills, Midwestern Nepalese Himalaya. <i>Journal of Mountain Science</i> , 2021, 18, 1268-1294.	0.8	10
169	Appraisal of Tectonic-Geomorphic Features in the Hindu Kush-Himalayas. <i>Earth and Space Science</i> , 2021, 8, e2020EA001386.	1.1	2
170	Görme'de Fay ve Morfometrik ve Kinematik Analizi ve Batı Anadolu'daki Sismotektonik Anlamı. <i>Türkiye Jeoloji Bülteni / Geological Bulletin of Turkey</i> , 0, .	0.0	0
171	Impact of long term uplift on stream networks in tectonically active Northern Hill Range, Kachchh palaeo-rift basin, western India. <i>Journal of Mountain Science</i> , 2021, 18, 1609-1629.	0.8	6
172	Analysis of tectonic deformation on channel morphology through quantitative geomorphic indices and DEM derived drainage system. <i>Proceedings of the Indian National Science Academy</i> , 2021, 87, 283-301.	0.5	1
173	Straight to Low-Sinuosity Drainage Systems in a Variscan-Type Orogen: Constraints from Tectonics, Lithology and Climate. <i>Minerals (Basel, Switzerland)</i> , 2021, 11, 933.	0.8	6
174	Geomorphological and Statistical Assessment of Tilt-Block Tectonics in the Garhwal Synform: Implications for the Active Tectonics, Garhwal Lesser Himalaya, India. <i>Geosciences (Switzerland)</i> , 2021, 11, 345.	1.0	2
175	Neotectonic Landform Development and Associated Mass Movements along Eastern Ramganga Valley in the Kumaun Himalaya, India. <i>Geotectonics</i> , 2021, 55, 543-562.	0.2	7
176	Madograms help to quantify mountain frontal zones: An approach towards comparative spatial analysis of complex landforms. <i>Transactions in GIS</i> , 2021, 25, 2333-2360.	1.0	2
177	Long-term slip rate estimation for Erciș Fault in East Anatolian Compressive Tectonic Block from geologic and geomorphologic field evidence. <i>Geological Journal</i> , 2021, 56, 5290-5310.	0.6	6
178	Role of Climate and Topography on Hydrological Characteristics of the Bharathapuzha Basin in the Tectonically Quiescent Western Ghats, India. <i>Journal of the Geological Society of India</i> , 2021, 97, 1087-1096.	0.5	0
179	Morphoneotectonics of the Abruzzo Periadriatic Area (Central Italy): Morphometric Analysis and Morphological Evidence of Tectonics Features. <i>Geosciences (Switzerland)</i> , 2021, 11, 397.	1.0	10
180	Evaluation of basin morphometric indices and tectonic implications in sedimentary landscape, Central India: A remote sensing and GIS approach. <i>Environmental Earth Sciences</i> , 2021, 80, 1.	1.3	5
181	Geomorphic analysis and quaternary neotectonic deformation in the eastern Babors chain, Bejaia, Algeria. <i>Journal of African Earth Sciences</i> , 2022, 185, 104387.	0.9	1

#	ARTICLE	IF	CITATIONS
182	Tectonic geomorphology of an active slow-moving, intrabasinal fault: The Galera Fault (Guadix-Baza) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.1	5
183	Fractal analysis of valley sections in geological formations of arid areas. , 2022, , 21-36.		0
185	Karacasu Fayları'nın (GB Tırkkiye) Güreceli Tektonik Aktivitesinin Jeomorfik İndislerle İncelenmesi. Gırmıhane İcniversitesi Fen Bilimleri Enstitısı Dergisi, 0, , .	0.0	6
186	BAŞKALE HAVZASINDA HAVZA GELİŞİMİNİN JEOMORFOMETRİK ANALİZLERLE İNCELENMESİ. Fırat İcniversitesi Sosyal Bilimler Dergisi, 2019, 29, 19-38.	0.1	5
187	Gülmarmara Fayları'nın Morfotektonik Evriminin CBS Tabanlı Yöntemlerle Araştırılması, Gediz Grabeni, Batı Anadolu. Tırkkiye Jeoloji Bülteni / Geological Bulletin of Turkey, 0, , 1-28.	0.0	2
188	SANEBEL YARMA VADİSİ VE İEVRESİNDE (PERVAR) NEOTEKTONİZMİNİN JEOMORFOLOJİK PEYZAJA ETKİSİ: TEKTONO-JEOMORFOLOJİK İZLENİMLER. International Journal of Geography and Geography Education, 2020, , 367-395.	0.1	3
189	Aktif Fayların Tanınmasında Jeomorfik Belirteçlerin Rolü: Balıkgölü Fay Zonu İrneği. Jeomorfolojik Araştırmalar Dergisi, 0, , .	0.6	3
191	IDENTIFICATION OF GEOMORPHIC SIGNATURES OF NEOTECTONIC ACTIVITY USING DEM IN THE PRECAMBRIAN TERRAIN OF WESTERN GHATS, INDIA. International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives, 0, XXXIX-B8, 215-220.	0.2	6
192	Identification of tectonically active areas using DEM: a quantitative morphometric analysis of Mt. Medvednica, NW Croatia. Geological Quarterly, 2014, 58, .	0.1	13
193	Geodynamic evolution of a wide plate boundary in the Western Mediterranean, near-field versus far-field interactions. Bulletin - Societe Geologique De France, 2021, 192, 48.	0.9	29
194	Demarcation of zones of neotectonic activity around regional faults: Morphometric analysis from the Wagad Highland, Kachchh, India. Journal of Earth System Science, 2021, 130, 1.	0.6	1
195	Zastosowanie ArcNEO do oceny przejawów neotektoniki na przykładzie zlewni górnej Wieprza (Roztocze, Ąródkowo-wschodnia Polska). Landform Analysis, 0, 24, 11-22.	0.0	1
197	Wskaźniki morfometryczne w geomorfologii tektonicznej. Landform Analysis, 0, 30, 3-20.	0.0	0
198	Assessment of Beshagard Mountain Tectonic Activity (South of Jazmurian Depration) Application IRAT Index. Open Journal of Geology, 2017, 07, 295-319.	0.1	1
199	Role of Quaternary Tectonic and Climatic Factors on the Geomorphological Changes of Meshkin Shahr Depression Alluvial Fans. Geographical Researches Quarterly Journal, 2019, 34, 281-292.	0.0	0
201	Using morphometric and geomorphic indices to assess Western São Francisco Craton neotectonic traces. Revista Do Departamento De Geografia, 0, 41, e184588.	0.0	0
202	Paleoseismological Studies. , 2021, , .		2
203	Geomorphic expressions of active tectonics across the Indo-Burma Range. Journal of Asian Earth Sciences, 2022, 223, 105008.	1.0	10

#	ARTICLE	IF	CITATIONS
204	Malatya FayÄ±'nÄ±n morfometrik Ä¶zellikleri. TÄ¼rk CoÄŸrafya Dergisi, 0, , .	0.2	1
205	Late Quaternary landscape evolution of Peninsular India: A review based on fluvial archives. , 2022, , 441-456.		0
206	Morpho-tectonic Assessment of the Abu-Dabbab Area, Eastern Desert, Egypt: Insights from Remote Sensing and Geospatial Analysis. ISPRS International Journal of Geo-Information, 2021, 10, 784.	1.4	12
207	Analysis of confluence angle of drainages and its relation to morphometric properties of drainage basins in the Zagros Simply Folded Belt, Iran. Geomorphology, 2022, 400, 108091.	1.1	1
208	Morphometric and kinematic analysis of southern margin of the KÄ¼Å¼ Menderes Graben and its tectonic implications in western Anatolia. Arabian Journal of Geosciences, 2022, 15, 1.	0.6	2
209	Distribution of neotectonic variability between the Kachchh Mainland Fault and Vigodi Fault, Northwestern Mainland Kachchh, Western India. Quaternary Science Advances, 2022, 6, 100047.	1.1	4
210	Tectonic and structural influences on the Dulung River system in the southwestern fringe of Bengal Basin. Arabian Journal of Geosciences, 2022, 15, 1.	0.6	1
211	The role of fault reactivation in the geomorphological evolution of coastal landforms on passive continental margins: Evidence from a tectonic estuary in southern Brazil. Geomorphology, 2022, 402, 108132.	1.1	4
212	Prediction of river damming susceptibility by landslides based on a logistic regression model and InSAR techniques: A case study of the Bailong River Basin, China. Engineering Geology, 2022, 299, 106562.	2.9	17
213	An integrated assessment of the geomorphic evolution of the Garhwal synform: Implications for the relative tectonic activity in the southern part of the Garhwal Himalaya. Journal of Earth System Science, 2022, 131, 1.	0.6	3
214	Secondary faulting plays a key role in regulating the Cenozoic crustal deformation in the northeastern <scp>Qinghaiâ€Tibet</scp> Plateau. Terra Nova, 0, , .	0.9	5
215	Segmentation of the active Liugao Fault, NE Tibetan Plateau as revealed by DEM-derived geomorphic indices. Geosystems and Geoenvironment, 2022, 1, 100056.	1.7	4
216	The roles of partial melting of metasomatised mantle, magma mixing at continental crust level and fractionation in calc-alkaline minette genesis, SE Spain. International Geology Review, 2024, 66, 463-503.	1.1	0
217	Assessment of the geomorphic indices in relation to tectonics along selected sectors of Borpani River Basin, Assam using Cartosat DEM data. Geosystems and Geoenvironment, 2022, 1, 100068.	1.7	11
218	Geomorphologic Evolution and Morphometric Analysis of the Upper Basin (GÄ¼zelsu) of the Engil River (Van). Anemon MuÄŸ Alparslan Äcniversitesi Sosyal Bilimler Dergisi, 0, , .	0.1	0
219	The Western Cameroon Highland margin: Is there any geomorphometric evidence of active tectonics?. Geological Journal, 2022, 57, 2960-2981.	0.6	2
220	Active tectonics and landform evolution in the Longxian-Baoji Fault Zone, Northeast Tibet, China, determined using combined ridge and stream profiles. Geomorphology, 2022, 410, 108279.	1.1	3
221	Geospatial assessment of active tectonics using SRTM DEM-based morphometric approach for Meghalaya, India. All Earth, 2022, 34, 39-54.	0.8	13

#	ARTICLE	IF	CITATIONS
224	A neotectonic statistical assessment through watershed geomorphic analysis: a case study in the Greater Zab River Basin, Turkeyâ€“Iraq. Environmental Earth Sciences, 2022, 81, .	1.3	2
225	Estimating the long-term slip rate of active normal faults: The case of the Paganica Fault (Central) Tj ETQq1 1 0.784314 rgBT JOverloc 1.1	1.1	2
226	Relative tectonic activity assessment of the Northern Sumatran Fault using geomorphic indices. Frontiers in Earth Science, 0, 10, .	0.8	1
227	Post-orogenic transients and relict landforms of the Bafoussam - Mamfe region (West-Cameroon) Tj ETQq1 1 0.784314 rgBT JOverloc 0.8	0.8	3
228	Late quaternary evolution of lower Kaveri and adjoining river basins in Tamil Nadu, Southern India: A combined approach using remote sensing and optical dating of fluvial records. Environmental Challenges, 2022, 9, 100595.	2.0	1
230	Landscape response to deformation in the Sabalan area, NW Iran: Inferred from quantitative morphological and structural analysis. Earth and Environmental Science Transactions of the Royal Society of Edinburgh, 2022, 113, 227-252.	0.3	1
231	Seismo-tectonic and morphological study of the north-east Himalaya. Geosciences Journal, 2023, 27, 1-21.	0.6	1
232	A Novel Method to Identify Radial Drainage Based on Morphological Features. Water (Switzerland), 2022, 14, 2820.	1.2	0
233	Evolution of terminal fans in the Indo-Gangetic foreland basin: A process-response model. Geomorphology, 2022, 419, 108483.	1.1	3
234	ANALYSIS OF GENERAL MORPOTECTONIC DYNAMICS OF THE ELBISTAN BASIN BY GEOMORPHOMETRIC INDICES. BingÄ¼l Äœniversitesi Sosyal Bilimler EnstitÄ¼sÄ¼ Dergisi, 2022, , 618-639.	0.1	1
235	Quantitative Analysis of Tectonic Geomorphology Research Based on Web of Science from 1981 to 2021. Remote Sensing, 2022, 14, 5227.	1.8	4
236	Geomorphic Analysis of Baghain River, Yamuna Basin, and its Implication for Drainage Characteristic and Tectonics using Remote Sensing and GIS Techniques. Journal of the Geological Society of India, 2022, 98, 1573-1584.	0.5	4
237	Identification of faults with seismic hazard potential based on morphotectonic analysis, Kerman city (Southeastern Iran). Earth Sciences Research Journal, 2022, 26, 23-38.	0.4	0
238	Towards quantifying the relative tectonic activity in the Trans-Yamuna segment of NW Himalaya. Geocarto International, 2023, 38, .	1.7	2
239	Morphometric Analysis toward Mapping Relative Tectonic Activity of Lebanon. Papers in Applied Geography, 2023, 9, 214-229.	0.8	0
240	Evaluation of neotectonic activity using watershed geomorphic analysis: A case study in the west of Dokan Lake, Kurdistan Region, Iraq. Heliyon, 2023, 9, e13187.	1.4	1
241	Evaluation of tectonic activity in the Kopongo area, southwestern Cameroon: insights from geomorphic indices, remote sensing, and GIS. Arabian Journal of Geosciences, 2023, 16, .	0.6	2
242	Active tectonic assessment of the SW Cameroon Atlantic Coast using morphometric and geomorphic approaches. Arabian Journal of Geosciences, 2023, 16, .	0.6	2

#	ARTICLE	IF	CITATIONS
243	Deciphering complexity of block-faulted topography – Insights from morphometric variables, drainage patterns and river profiles (Orlickie-Bystrzyckie Mountains Block, Central Europe). <i>Geomorphology</i> , 2023, 427, 108621.	1.1	1
244	Growth history and linkage pattern of fault-related folds deciphered from geomorphic analysis: A case study from the Dalan Anticline, Zagros Mountains, SW Iran. <i>Journal of African Earth Sciences</i> , 2023, 202, 104927.	0.9	1
245	Analyzing drainage basin orientation and its relationship to active fold growth (Handun anticline, Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.1	2
246	Using Spatial Autocorrelation for the Hypsometric Integral to Differentiate Geology and Neotectonics: A Case Study in Bailongjiang Drainage Basin (Eastern Tibet Plateau). <i>Journal of the Geological Society of India</i> , 2023, 99, 273-280.	0.5	0
247	Morphometric analysis of Chapeco river basin: Searching for vestigial trace of neotectonic on a basaltic landscape at southern Brazil. <i>Journal of South American Earth Sciences</i> , 2023, 124, 104271.	0.6	0
249	Tectono-geomorphic anomaly and its significance for monitoring seismotectonic activity in Lower Tista sub-basin, India, using geoinformatics. <i>Physical Geography</i> , 2024, 45, 125-159.	0.6	0
250	Machine Learning-Based Assessment of Watershed Morphometry in Makran. <i>Land</i> , 2023, 12, 776.	1.2	6
251	Assessment of tectonic activity using geomorphic indices along major faults in SE Korea. <i>Journal of the Geological Society of Korea</i> , 2023, 59, 916-917.	0.3	0