

CITATION REPORT

List of articles citing

Silane coupling agents used for natural fiber/polymer composites: A review

DOI: 10.1016/j.compositesa.2010.03.005
Composites Part A: Applied Science and Manufacturing, 2010, 41, 806-819.

Source: <https://exaly.com/paper-pdf/49520182/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1493	Effects of chemical modification of wood particles with glutaraldehyde and 1,3-dimethylol-4,5-dihydroxyethyleneurea on properties of the resulting polypropylene composites. 2010 , 70, 2003-2011		61
1492	Study on Application of Modified Polyethylene in Preparation of Wood-Plastic Composites. 2010 , 150-151, 379-385		
1491	A review of bast fibres and their composites. Part 1 –Fibres as reinforcements. <i>Composites Part A: Applied Science and Manufacturing</i> , 2010 , 41, 1329-1335	8.4	430
1490	Natural Fibre-Reinforced Polymer Composites and Nanocomposites for Automotive Applications. 2011 , 661-700		24
1489	Natural Fiber-Based Composite Building Materials. 2011 , 701-720		7
1488	Pineapple Leaf Fibers and PALF-Reinforced Polymer Composites. 2011 , 325-343		13
1487	Study of Vinyltrimethoxysilane Modified Wood Flour/HDPE Composites. 2011 , 183-185, 2148-2153		
1486	Amine-based nanofibrillated cellulose as adsorbent for CO ₂ capture from air. 2011 , 45, 9101-8		303
1485	Transcrystallization behavior at the poly(lactic acid)/sisal fibre biocomposite interface. <i>Composites Part A: Applied Science and Manufacturing</i> , 2011 , 42, 66-74	8.4	98
1484	Effects of fiber surface chemistry and size on the structure and properties of poly(vinyl alcohol) composite films reinforced with electrospun fibers. <i>Composites Part A: Applied Science and Manufacturing</i> , 2011 , 42, 1100-1109	8.4	38
1483	Silicon, silica and its surface patterning/activation with alkoxy- and amino-silanes for nanomedical applications. 2011 , 6, 281-300		28
1482	Cellulose-Based Bio- and Nanocomposites: A Review. 2011 , 2011, 1-35		367
1481	Silanization with APTES for Controlling the Interactions Between Stainless Steel and Biocomponents: Reality vs Expectation. 2011 ,		4
1480	Post-buckling failure in multi-delaminated composite wind turbine blade materials. 2011 , 32, 5106-5112		16
1479	Biofibers. 2011 , 323-365		9
1478	Flame retardant diglycidylphenylphosphate and diglycidyl ether of bisphenol-A resins containing Borassus fruit fiber composites. 2011 , 46, 5176-5183		13
1477	Cellulose fiber-reinforced polylactic acid. 2011 , 32, 976-985		100

1476	UV-Irradiation Cured Organic-inorganic Hybrid Nanocomposite Initiated by Ethoxysilane-modified Multifunctional Polymeric Photoinitiator through Sol-gel Process. 2011 , 29, 1961-1968	4
1475	Hybrid polymer networks of unsaturated polyester-urethane as composite matrices for jute reinforcement. 2011 , 122, 1206-1218	10
1474	Hyaluronic acid hydrogel particles with tunable charges as potential drug delivery devices. 2011 , 84, 1306-1313	53
1473	Cellulosic/synthetic fibre reinforced polymer hybrid composites: A review. 2011 , 86, 1-18	848
1472	Characterization of polyester composites from recycled polyethylene terephthalate reinforced with empty fruit bunch fibers. 2011 , 32, 4493-4501	54
1471	Influence of chemical treatments on adhesion properties of hemp fibres. 2011 , 356, 303-10	63
1470	Mechanical properties of HDPE/textile fibers composites. 2011 , 10, 2040-2045	20
1469	Mechanical and Interfacial Properties of Hydrolyzed Kevlar Fiber Reinforced Wood Flour/HDPE Composites. 2011 , 221, 27-31	3
1468	Natural fibers for biocomposites. 2011 , 36, 711-715	6
1467	Effect of Alkali and Silane Treatment on the Thermal Stability of Hemp Fibers as Reinforcement in Composite Structures. 2011 , 415-417, 666-670	3
1466	Effects of Coupling Agents on the Mechanical Properties of the Calcium Carbonate-Plastic Composite Packaging Materials. 2012 , 200, 321-324	1
1465	Effect of Fibre Size on the Tensile Properties of Oil Palm Empty Fruit Bunch Fibre Composites. 2012 , 576, 280-283	6
1464	Properties and Antimicrobial Activity of Nanosilver Deposited Cotton Fabric Coated with Methacryloxypropyl Trimethoxysilane. 2012 , 20, 77-88	7
1463	Reinforcement of Natural Rubber with Core-Shell Structure Silica-Poly(Methyl Methacrylate) Nanoparticles. 2012 , 2012, 1-9	5
1462	Evaluation of mechanical behavior of chemically modified Borassus fruit short fiber/unsaturated polyester composites. 2012 , 46, 2987-2998	35
1461	Mechanical and thermal properties and water absorption of jute fiber reinforced poly(butylene succinate) biodegradable composites. 2012 , 21, 241-258	56
1460	Physical and mechanical properties of Pandanus amaryllifolius fiber reinforced low density polyethylene composite for packaging application. 2012 ,	1
1459	Effects of thermal treatment and maleic anhydride-grafted polyethylene on the interfacial shear stress between cotton stalk and high-density polyethylene. 2012 ,	

1458	Effect of Silane Coupling Agent on the Curing, Tensile, Thermal, and Swelling Properties of EPDM/Mica Composites. 2012 , 626, 641-651		1
1457	Effect of Chemical Treatment on Mechanical and Water-Sorption Properties Coconut Fiber-Unsaturated Polyester from Recycled PET. 2012 , 2012, 1-8		32
1456	Silane-treated lignocellulosic fibers as reinforcement material in polylactic acid biocomposites. 2012 , 25, 1005-1022		23
1455	A comparative study of air-dry and water swollen flax and cotton fibres. 2012 , 2, 2868		10
1454	Bacteria-repulsive polyglycerol surfaces by grafting polymerization onto aminopropylated surfaces. 2012 , 28, 15916-21		22
1453	Monolayer formation of octyltrimethoxysilane and 7-octenyltrimethoxysilane on silicon (100) covered with native oxide. 2012 , 258, 3191-3196		5
1452	Effect of surface modification on carbon fiber and its reinforced phenolic matrix composite. 2012 , 259, 288-293		117
1451	Grafting effects of polypropylene/polyethylene blends with maleic anhydride on the properties of the resulting wood-plastic composites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2012 , 43, 150-157	8.4	106
1450	Critical review of recent publications on use of natural composites in infrastructure. <i>Composites Part A: Applied Science and Manufacturing</i> , 2012 , 43, 1419-1429	8.4	831
1449	Biocomposites based on polycaprolactone reinforced with alfa fibre mats. <i>Composites Part A: Applied Science and Manufacturing</i> , 2012 , 43, 742-747	8.4	16
1448	Structures and performances of simultaneous ultrasound and alkali treated oil palm empty fruit bunch fiber reinforced poly(lactic acid) composites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2012 , 43, 1921-1929	8.4	69
1447	Critical factors on manufacturing processes of natural fibre composites. 2012 , 43, 3549-3562		344
1446	An investigation of hydroxyl end-terminated polydimethylsiloxane (PDMS) in exterior oil-in-water (O/W) emulsion treatments. 2012 , 37, 283-290		4
1445	Natural Composites: Fiber Modification. 2012 , 1		
1444	Influence of Rare-earth Coupling Agent on Non-isothermal Crystallization Behaviour of Wood Flour/Polypropylene Composites. 2012 , 20, 781-790		
1443	Novel antimicrobial polyethylene composites prepared by metallocenic in situ polymerization with TiO ₂ -based nanoparticles. 2012 , 50, 4055-4062		31
1442	Adsorption of glycidoxypropyl-trimethoxy-silane on α and β phases of titanium alloy Ti-6Al-4V-Zr. 2012 , 44, 863-869		4
1441	Influence of natural fibers on the mechanical properties and biodegradation of poly(lactic acid) and poly(ϵ -caprolactone) composites: A review. 2012 , 33, 1045-1053		54

1440	Effect of fiber modification with a novel compatibilizer on the mechanical properties and water absorption of hemp-fiber-reinforced unsaturated polyester composites. 2012 , 52, 1342-1347	15
1439	Preparation and characterization of bamboo fibers coated with urushiol-ferric and its composite with polypropylene. 2012 , 125, 439-447	5
1438	Isothermal crystallization kinetics of Kevlar fiber-reinforced wood flour/high-density polyethylene composites. 2012 , 126, E2-E9	8
1437	Interfacial compatibility of wood flour/polypropylene composites by stress relaxation method. 2012 , 126, E89-E95	19
1436	Synthesis of polylactide-graft-glycidyl methacrylate graft copolymer and its application as a coupling agent in polylactide/bamboo flour biocomposites. 2012 , 125, E622-E627	32
1435	Mechanical and thermal properties of coconut shell powder filled polylactic acid biocomposites: effects of the filler content and silane coupling agent. 2012 , 19, 1	89
1434	Surface-modification of cellulose nanowhiskers and their use as nanoreinforcers into polylactide: A sustainably-integrated approach. 2012 , 72, 544-549	187
1433	To improve impact damage response of single and multi-delaminated FRP composites using natural Flax yarn. 2012 , 36, 865-873	26
1432	Mechanical properties of high density polyethylene reinforced with chemically modified coir fibers: Impact of chemical treatments. 2012 , 37, 379-383	124
1431	Effect of natural stitched composites on the crashworthiness of box structures. 2012 , 39, 484-494	17
1430	Antibacterial activity of SiO ₂ /hydroxypropyl cellulose hybrid materials containing silver nanoparticles. 2012 , 32, 1241-1246	41
1429	Curing characteristics and mechanical properties of rattan-powder-filled natural rubber composites as a function of filler loading and silane coupling agent. 2012 , 123, 2805-2811	22
1428	Effect of hybridization and compatibilization on the mechanical properties of recycled polypropylene-hemp composites. 2012 , 124, 2494-2500	30
1427	Defects in natural fibres: their origin, characteristics and implications for natural fibre-reinforced composites. 2012 , 47, 599-609	106
1426	Thermal and rheological effects of sepiolite in linear low-density polyethylene/starch blend. 2013 , 127, 1330-1337	15
1425	Effects of surface modification of self-healing poly(melamine-urea-formaldehyde) microcapsules on the properties of unsaturated polyester composites. 2013 , 127, 3954-3961	39
1424	Effect of Fiber Surface Treatments on Thermo-Mechanical Behavior of Poly(Lactic Acid)/Phormium Tenax Composites. 2013 , 21, 881-891	18
1423	Effect of (3-aminopropyl)trimethoxysilane on mechanical properties of PLA/PBAT blend reinforced kenaf fiber. 2013 , 22, 101-108	19

1422	A review of wood thermal pretreatments to improve wood composite properties. 2013 , 47, 1285-1319	129
1421	Mechanical and thermal properties of compatibilized polypropylene reinforced by woven doum. 2013 , 130, n/a-n/a	6
1420	Thermal and fire behavior of natural fibers/PBS biocomposites. 2013 , 98, 87-95	120
1419	Effect of curau fiber content on the properties of poly(hydroxybutyrate-co-valerate) composites. 2013 , 34, 450-456	18
1418	Preparation of soft woodâplastic composites. 2013 , 130, 39-46	4
1417	Impact damage response of natural stitched single lap-joint in composite structures. 2013 , 51, 552-560	21
1416	Matrix modification with silane coupling agent for carbon fiber reinforced epoxy composites. 2013 , 14, 759-766	41
1415	Preparation of new polymer nanocomposites based on chiral poly(amide-imide)/surface-modified ZnO nanoparticles containing 4,4'-methylene bis(3-chloro-2,6-diethylaniline) linkages via ultrasonication-assisted process. 2013 , 70, 2137-2149	9
1414	Characterization of organo-montmorillonite (OMMT) modified wood flour and properties of its composites with poly(lactic acid). <i>Composites Part A: Applied Science and Manufacturing</i> , 2013 , 51, 33-42 ^{8.4}	52
1413	Banana fiber/chemically functionalized polypropylene composites with in-situ fiber/matrix interfacial adhesion by Palsule process. 2013 , 20, 309-329	18
1412	Crystallization behavior of organo-nanoclay treated and untreated kraft fiberâHDPE composites. 2013 , 54, 180-187	33
1411	Polyurethane composites in situ molecularly reinforced by supramolecular nanofibrillar aggregates of sorbitol derivatives. 2013 , 79, 58-63	15
1410	Surface modification of coconut shell powder filled polylactic acid biocomposites. 2013 , 26, 809-819	47
1409	Enhancement of the Mechanical Properties of Basalt Fiber-Wood-Plastic Composites via Maleic Anhydride Grafted High-Density Polyethylene (MAPE) Addition. 2013 , 6, 2483-2496	34
1408	Biofiber-Reinforced Thermoplastic Composites. 2013 , 239-288	2
1407	Surface Treatment and Characterization of Natural Fibers: Effects on the Properties of Biocomposites. 2013 , 133-177	8
1406	Design and characterization of cellulose fibers with hierarchical structure for polymer reinforcement. 2013 , 20, 2765-2778	15
1405	Modification and characterization of carbon black with mercaptopropyltrimethoxysilane. 2013 , 286, 142-148	37

1404	Mechanical Property of Surface Modified Natural Fiber Reinforced PLA Biocomposites. 2013 , 34, 664-672	51
1403	The influence of nanosilica functionalization on the properties of hybrid nanocomposites. 2013 , 25, 61-69	4
1402	The effect of different kinds of nanosilica on practical properties of plywood. 2013 , 10, 118-124	1
1401	Tensile and interfacial properties of unidirectional flax/glass fiber reinforced hybrid composites. 2013 , 88, 172-177	222
1400	Enhancement of the gas barrier property of polymers by DLC coating with organosilane interlayer. 2013 , 35, 7-13	30
1399	The Effect of Methylene Diphenyl Diisocyanate on the Nonisothermal Properties of Polylactic Acid/Elaeis guineensis Fibres Biocomposites. 2013 , 594-595, 823-827	
1398	. 2013 ,	
1397	Effect of Carbon Black/Silica Hybrid Filler on Thermal Properties, Fatigue Life, and Natural Weathering of SBR/Recycled NBR Blends. 2013 , 62, 252-259	23
1396	Water-repellent all-cellulose nanocomposite using silane coupling treatment. 2013 , 27, 1324-1334	25
1395	Tensile and impact properties of polypropylene/microcrystalline cellulose treated with different coupling agents. 2013 , 20, 497-506	14
1394	Natural fiber reinforced poly(vinyl chloride) composites: A review. 2013 , 32, 330-356	53
1393	Surface modification of cotton nanocrystals with a silane agent. 2013 , 20, 217-226	80
1392	Cellulose nanocomposites based on silane reinforced 3-butynoate-substituted zirconium-oxocluster copolymers: Mechanical, thermal and hydrophobic properties. 2013 , 76, 173-180	5
1391	Potential materials for food packaging from nanoclay/natural fibres filled hybrid composites. 2013 , 46, 391-410	399
1390	Helium plasma treatment of ethanol-pretreated ramie fabrics for improving the mechanical properties of ramie/polypropylene composites. 2013 , 51, 299-305	30
1389	Thermal stability of organofunctional polysiloxanes. 2013 , 565, 114-123	29
1388	On the static and dynamic properties of flax and Cordenka epoxy composites. 2013 , 80, 31-38	58
1387	Design of novel soft magnetic composites based on Fe/resin modified with silica. 2013 , 101, 37-40	45

1386	A review on the degradability of polymeric composites based on natural fibres. 2013 , 47, 424-442	793
1385	Effect of surface modification of bamboo cellulose fibers on mechanical properties of cellulose/epoxy composites. 2013 , 51, 28-34	202
1384	Bioinspired antimicrobial and biocompatible bacterial cellulose membranes obtained by surface functionalization with aminoalkyl groups. 2013 , 5, 3290-7	175
1383	Fracture and impact properties of short discrete jute fibre-reinforced cementitious composites. 2013 , 49, 35-47	87
1382	Superhydrophobic surfaces fabricated from nano- and microstructured cellulose stearyl esters. 2013 , 49, 4962-4	37
1381	Potential of using polyester reinforced coconut fiber composites derived from recycling polyethylene terephthalate (PET) waste. 2013 , 14, 584-590	30
1380	Superhydrophobic dual-sized filler epoxy composite coatings. 2013 , 225, 66-74	24
1379	Celluloses microfibrils (CMF) reinforced poly (ethylene-co-vinyl acetate) (EVA) composites: Dynamic mechanical, gamma and thermal ageing studies. 2013 , 228, 1214-1222	42
1378	Recent Progress in the Replication of Hierarchical Biological Tissues. 2013 , 23, 4408-4422	31
1377	Effects of hydrophobation treatments of wood particles with an amino alkylsiloxane co-oligomer on properties of the ensuing polypropylene composites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2013 , 44, 32-39	8.4 18
1376	Tensile and structural characterization of alkali treated Borassus fruit fine fibers. 2013 , 44, 433-438	185
1375	Characterization and Analysis of Silane Treatment on the Morphological and Absorption Properties of Banana Fibers. 2013 , 821-822, 144-148	
1374	Enhanced Catalytic Properties of Palladium Nanoparticles Deposited on a Silanized Ceramic Membrane Support with a Flow-Through Method. 2013 , 52, 14099-14106	20
1373	Effects of surface modifications on the interfacial bonding of flax/Epoxypropylene composites. 2013 , 20, 483-496	15
1372	Optimal performances of ultrasound treated kenaf fiber reinforced recycled polypropylene composites as demonstrated by response surface method. 2013 , 128, 2847-2856	20
1371	Cellulose Nanofibrils. 2013 , 1, 195-211	126
1370	Influence of Chemical Treatments on Properties of Flax Fiber Reinforced Composites. 2013 , 773, 450-454	1
1369	Tensile Properties of Aminosilane Treated Rice Husk/ Recycled PVC Composite. 2013 , 812, 151-156	2

1368	Technical Properties of Some Plant Fibres Compared with Glass Fibre. 2013 , 11, 11-26	2
1367	Recent Development of Flax Fibres and Their Reinforced Composites Based on Different Polymeric Matrices. 2013 , 6, 5171-5198	146
1366	The Effect of Alkaline Treatment on Water Absorption and Tensile Properties of Non-Woven Kenaf Polyester Composite. 2013 , 812, 258-262	10
1365	Simultaneous effects of coupling agent and flame retardant on empty fruit bunch fiber/polypropylene composites. 2013 , 32, 1268-1284	9
1364	Recent developments of kenaf fibre reinforced thermoset composites: review. 2013 , 17, s2-s11	12
1363	Effect of Fiber Surface Modification with Different Functional Groups Silane Agents on Mechanical Properties of Hemps/Polypropylene Composites. 2013 , 470, 23-26	6
1362	The Effect of Surface Treatment on Composites of Water Hyacinth Natural Fiber Reinforced Epoxy Resin. 2013 , 651, 480-485	1
1361	Study of Mechanical Properties of Composite Material Based on Polypropylene and Vietnamese Rice Husk Filler. 2013 , 2013, 1-6	11
1360	Functionalization of sodium titanate nanoribbons with silanes and their use in the reinforcement of epoxy nanocomposites. 2013 , 34, 1382-1388	5
1359	Effect of Alkali Treatment on the Properties of Century Fiber. 2013 , 10, 282-296	80
1358	Physico-chemical, Tensile, and Thermal Characterization of Napier Grass (Native African) Fiber Strands. 2013 , 18, 303-314	79
1357	Influence of Surface Flour Treatment on the Thermal, Structural and Morphological Properties of Polypropylene/ Spartium Junceum Flour Composites. 2013 , 52, 175-181	4
1356	Properties of coconut shell powder-filled polylactic acid eco-composites: Effect of maleic acid. 2013 , 53, 1109-1116	51
1355	Effect of coupling agents on the properties of bamboo fiber-reinforced unsaturated polyester resin composites. 2013 , 20, 343-353	30
1354	Synthesis of silane functionalized sodium titanate nanotubes and their influence on thermal and mechanical properties of epoxy nanocomposite. 2013 , 210, 2284-2291	7
1353	Shear Strength of Single Lap Joint Aluminium-Thermoplastic Natural Rubber (Al-TPNR) Laminated Composite. 2013 , 423, 012041	1
1352	Natural Fibre Bio-Composites Incorporating Poly(Lactic Acid). 2013 ,	15
1351	Characterization of Laccase-Treated Kenaf Fibre Reinforced Recycled Polypropylene Composites. 2013 , 8,	21

1350	The influence of chemical surface modification of kenaf fiber using hydrogen peroxide on the mechanical properties of biodegradable kenaf fiber/poly(lactic acid) composites. 2014 , 19, 2957-68	83
1349	Effect of Silane Coupling Agent on Physical Properties of Polypropylene Membrane Reinforced by Native Superfine down Powder. 2014 , 22, 509-518	3
1348	Effects of Complex Flame Retardant on the Thermal Decomposition of Natural Fiber. 2014 , 9,	7
1347	Microwave-Assisted Modification of Cellulose as a Compatibilizer for Pla and Mcc Biocomposite Film: Effects of Side Chain Length and Content on Mechanical and Thermal Properties. 2014 , 22, 613-624	6
1346	Development of Biocomposites from Cocoa Pod Husk and Polypropylene: Effect of Filler Content and 3-Aminopropyltriethoxysilane. 2014 , 5, 139-156	4
1345	Applications of Lightweight Composites in Automotive Industries. 2014 , 143-158	11
1344	A Systematic Study of the Catalytic Behavior at Enzymeâ€Metal-Oxide Nanointerfaces. 2014 , 04, 1450005	12
1343	Improved thermomechanical properties of carbon fiber reinforced epoxy composite using amino functionalized XDCNT. 2014 , 131, n/a-n/a	12
1342	Evaluation of Combined Treatments of Natural Fibers: Kenaf, Abaca and Oil Palm Fibers Using Micromechanical and SEM Methods. 2014 , 912-914, 1932-1939	5
1341	Acoustic Emission on Adhesively Bonded Single-Lap Joints of Composite Laminate during Tensile Test. 2014 , 912-914, 441-444	
1340	Mechanical and Thermal Stability Properties of Modified Rice Straw Fiber Blend with Polycaprolactone Composite. 2014 , 2014, 1-9	8
1339	The Influence of Silane Coupling Agent on Glued Spruce Wood Using Epoxy Adhesive. 2014 , 897, 99-102	
1338	Revalorisation of Posidonia Oceanica as Reinforcement in Polyethylene/Maleic Anhydride Grafted Polyethylene Composites. 2014 , 2, 66-76	18
1337	Comparative study on different coupling agents used as surfactants: effect on dispersion properties of TiN nanoparticles. 2014 , 9, 441-445	2
1336	Simultaneous optimization of the mechanical properties of postconsumer natural fiber/plastic composites: Phase compatibilization and quality/cost ratio. 2014 , 35, 730-746	16
1335	Hybrid Vegetable/Glass Fiber Composites. 2014 , 63-81	1
1334	Mechanical Behavior of Biocomposites Under Different Operating Environments. 2014 , 417-431	2
1333	Fracture Mechanism of Wood-Plastic Composites (WPCS): Observation and Analysis. 2014 , 385-415	

1332	Study on the Mechanical Properties of the Latex-Mycelium Composite. 2014 , 507, 415-420	12
1331	Synthesis, Characterization and Silanization Spinel ZnAl _{1.9} Eu _{0.1} O ₄ . 2014 , 805, 100-105	
1330	Functionalization ZnAl _{1.9} Eu _{0.1} O ₄ /SiO ₂ Nanoparticles Using Chitosan. 2014 , 805, 111-115	
1329	Effect of woody biomass surface free energy on the mechanical properties and interface of wood/polypropylene composites. 2014 , 28, 215-224	8
1328	Scratch resistance enhancement of 3-glycidyloxypropyltrimethoxysilane coating incorporated with silver nanoparticles. 2014 , 30, 177-182	3
1327	Effect of viscose fabric modification on the mechanical and water absorption properties of composites prepared through vacuum infusion. 2014 , 33, 1416-1429	11
1326	Characterization of alkali-treated kenaf fibre-reinforced recycled polypropylene composites. 2014 , 27, 909-932	29
1325	Effect of Two-Step Treatments on Interfacial and Mechanical Properties of Sugarcane Rind Fiber/Natural Latex Biodegradable Composites. 2014 , 789, 106-111	1
1324	ZnAl _{1.9} Eu _{0.1} O ₄ Nanoparticles Functionalized with Methylmethacrylate and Ethylenediamine Monomer Mixtures. 2014 , 805, 106-110	
1323	A design of gradient interphase reinforced by silanized graphene oxide and its effect on carbon fiber/epoxy interface. 2014 , 145, 186-196	107
1322	Effect of maleic anhydride on dielectric properties of natural fiber composite. 2014 , 72, 156-160	20
1321	Preparation and characterization of new mouldable cellulose-AESO biocomposites. 2014 , 21, 1769-1780	5
1320	Effect of silane treatment on microstructure of sisal fibers. 2014 , 292, 806-812	126
1319	Synthesis and characterization of organic-organic hybrid composites from poly(acrylic acid)-[3-(trimethoxysilyl)propyl methacrylate]-Al ₂ O ₃ . 2014 , 57, 1-7	21
1318	Preparation and characterization of montmorillonite modified with 3-aminopropyltriethoxysilane. 2014 , 87, 46-51	94
1317	Aluminum-doped zinc oxide powders: synthesis, properties and application. 2014 , 25, 678-692	11
1316	Wool fibres functionalised with a silane-based coupling agent for reinforced polypropylene composites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2014 , 61, 51-59	8.4 37
1315	Wood fibres as reinforcements in natural fibre composites: structure, properties, processing and applications. 2014 , 3-65	41

1314	Recycled polymers in natural fibre-reinforced polymer composites. 2014 , 103-114	19
1313	Improvement of ternary recycled polymer blend reinforced with date palm fibre. 2014 , 60, 532-539	50
1312	Water absorption and hydrothermal performance of PHBV/sisal biocomposites. 2014 , 108, 166-174	41
1311	The response of natural fibre composites to impact damage: a case study. 2014 , 345-364	
1310	An overview of mechanical properties and durability of glass-fibre reinforced recycled mixed plastic waste composites. 2014 , 62, 98-112	52
1309	Quaternary Ammonium-based Composite Particles for Antibacterial Finishing of Cotton-based Textiles. 2014 , 30, 19-29	25
1308	Novel high-strength, micro fibrillated cellulose-reinforced polypropylene composites using a cationic polymer as compatibilizer. 2014 , 21, 507-518	59
1307	Cementitious Materials Reinforcement Using <i>Angustifolia kunth</i> Bamboo Fiber Covered with Nanostructured Manganese Oxide. 2014 , 53, 8452-8463	7
1306	Cellulose-Based Biotemplated Silica Structuring. 2014 , 16, 699-712	15
1305	Study of the interface in natural fibres reinforced poly(lactic acid) biocomposites modified by optimized organosilane treatments. 2014 , 52, 481-494	99
1304	Flax fibre reinforced PLA/TPS biocomposites flame retarded with multifunctional additive system. 2014 , 106, 63-73	76
1303	Influence of silane surface modification of veneer on interfacial adhesion of wood-plastic plywood. 2014 , 288, 682-689	62
1302	Progress Report on Natural Fiber Reinforced Composites. 2014 , 299, 9-26	533
1301	Polyethylene and polypropylene hybrid composites based on nano silicon dioxide and different flax structures. 2014 , 27, 1428-1447	14
1300	Mechanical and interfacial properties of phenolic composites reinforced with treated cellulose fibers. 2014 , 54, 2228-2238	11
1299	Mechanical Properties, Water Absorption, and Chemical Resistance of Napier Grass Fiber Strand-Reinforced Epoxy Resin Composites. 2014 , 19, 693-708	26
1298	Surface modification of aramid fibers by bio-inspired poly(dopamine) and epoxy functionalized silane grafting. 2014 , 6, 21730-8	252
1297	Studies on the properties of polypropylene/(waste tire dust)/kenaf (PP/WTD/KNF) composites with addition of phthalic anhydride (PA) as a function of KNF loading. 2014 , 20, 193-200	4

1296	Mechanical and Impact Properties of PLA/2 2 Twill and 4 4 Hopsack Weave Flax Textile Composites Produced by the Interval Hot Pressing Technique. 2014 , 50, 387-394	6
1295	Synthesis and Modifications of Epoxy Resins and Their Composites: A Review. 2014 , 53, 1723-1758	122
1294	Synthesis and characterization of soy polyol-based polyurethane nanocomposites reinforced with silylated palygorskite. 2014 , 101, 246-252	28
1293	Hybrid green nanocomposites of poly(lactic acid) reinforced with banana fibre and nanoclay. 2014 , 33, 1717-1732	22
1292	Effect of Surface Treatment on the Properties of Pineapple Leaf Fibers Reinforced Polyamide 6 Composites. 2014 , 56, 406-413	66
1291	A comparison of various ionic surfactant modifiers used in in situ synthesis of organo-montmorillonite inside wood flour. 2014 , 62, 387-394	10
1290	Thermal cycling effect of dicalcium phosphate-reinforced composites on auto-mineralized dental resin. 2014 , 45, 359-68	5
1289	The potential of yeast as eco-filler for waterborne polyurethane and its reinforcing mechanism. 2014 , 60, 6-13	5
1288	Helium plasma treatment voltage effect on adhesion of ramie fibers to polybutylene succinate. 2014 , 61, 16-22	15
1287	UV-cured cellulose nanofiber composites with moisture durable oxygen barrier properties. 2014 , 131, n/a-n/a	21
1286	Durable defense: robust and varied attachment of non-leaching poly"-onium" bactericidal coatings to reactive and inert surfaces. 2014 , 50, 9433-42	27
1285	A comprehensive study of soft magnetic materials based on FeSi spheres and polymeric resin modified by silica nanorods. 2014 , 147, 649-660	32
1284	Preparation and characterization of cellulose nanofibers (CNFs) from microcrystalline cellulose (MCC) and CNF/polyamide 6 composites. 2014 , 22, 738-745	34
1283	Effect of Fiber Treatment on Stress-Strain Behavior of Kenaf Fibers Reinforced Thermoplastic Polyurethane Composites. 2014 , 575, 46-49	2
1282	Effect of surface treatments on natural cork: surface energy, adhesion, and acoustic insulation. 2014 , 48, 207-224	35
1281	Carbonate hydroxyapatite functionalization: a comparative study towards (bio)molecules fixation. 2014 , 4, 20130040	41
1280	Preparation of PPO-silica mixed matrix membranes by in-situ sol-gel method for H ₂ /CO ₂ separation. 2014 , 39, 17178-17190	34
1279	Effect of silane coupling agent on the curing, tensile, thermal, and swelling properties of ethylene-propylene-diene monomer rubber (EPDM)/mica composites. 2014 , 20, 116-121	5

1278	Review: Raw Natural Fiber-Based Polymer Composites. 2014 , 19, 256-271		524
1277	Adhesion and Surface Issues in Biocomposites and Bionanocomposites. 2014 , 2, 173-225		7
1276	Effects of humidity conditions at fabrication on the interfacial shear strength of flax/unsaturated polyester composites. 2014 , 60, 186-192		44
1275	The effects of the chemical composition of titanate nanotubes and solvent type on 3-aminopropyltriethoxysilane grafting efficiency. 2014 , 301, 315-322		37
1274	Wide spectral response and enhanced photocatalytic activity of TiO ₂ continuous fibers modified with aminosilane coupling agents. 2014 , 599, 40-48		18
1273	Damage to flax fibre slivers under monotonic uniaxial tensile loading. <i>Composites Part A: Applied Science and Manufacturing</i> , 2014 , 64, 107-114	8.4	13
1272	The surface modification of TiN nano-particles using macromolecular coupling agents, and their resulting dispersibility. 2014 , 301, 79-84		15
1271	Enhancing the thermal and mechanical properties of epoxy resins by addition of a hyperbranched aromatic polyamide grown on microcrystalline cellulose fibers. 2014 , 4, 14928		53
1270	Novel extraction techniques, chemical and mechanical characterisation of Agave americana L. natural fibres. 2014 , 66, 194-203		111
1269	Use of Py-GC/MS and PCFC to characterize the surface modification of flax fibres. 2014 , 105, 122-130		18
1268	Influence of coupling agent in compatibility of post-consumer HDPE in thermoplastic composites reinforced with eucalyptus fiber. 2014 , 17, 203-209		38
1267	Mechanical properties of recycled Kraft paper residue polyester composites. 2014 , 17, 888-892		3
1266	Testing and Characterization of Natural Fiber-Reinforced Composites. 2015 , 175-198		
1265	Bioinspired, roughness-induced, water and oil super-philic and super-phobic coatings prepared by adaptable layer-by-layer technique. 2015 , 5, 14030		95
1264	Surface Modification of Natural Fiber Composites and their Potential Applications. 2015 , 370-400		6
1263	Morphology, Mechanical and Thermal Properties of PBT-TiO ₂ Polymer Nanocomposite. 2015 , 30, 01012		3
1262	Study of Vibration Absorbers Using Epoxy Reinforced Natural Fibers. 2015 , 786, 174-178		1
1261	The Effects of Coupling Agents on the Mechanical and Thermal Properties of Eucalyptus Flour/HDPE Composite. 2015 , 30, 01011		2

1260	Mechanical Properties of Silane Treated Glass Nanofiber-Epoxy Resin Interphase Using Molecular Dynamics Simulation. 2015 ,	
1259	Surface Modification of Natural Fibers for Reinforcement in Polymeric Composites. 2015 , 224-237	7
1258	Effect of maleated compatibilizer on anisotropic mechanical properties, thermo-oxidative stability and morphology of styrenic based thermoplastic elastomer reinforced with alkali-treated pineapple leaf fiber. 2015 , 19, 388-411	8
1257	Experimental investigation of the influence of the compounding process and the composite composition on the mechanical properties of a short flax fiber reinforced polypropylene composite. 2015 , 36, 2282-2290	6
1256	Optimization of the silane treatment of cellulosic fibers from eucalyptus wood using response surface methodology. 2015 , 132, n/a-n/a	14
1255	Polypropylene reinforced with nanocrystalline cellulose: Coupling agent optimization. 2015 , 132, n/a-n/a	16
1254	Effect of jute yarn on the mechanical behavior of concrete composites. 2015 , 4, 731	13
1253	Long jute fiber-reinforced polypropylene composite: Effects of jute fiber bundle and glass fiber hybridization. 2015 , 132, n/a-n/a	23
1252	Polypropylene composites reinforced with untreated and chemically treated coir: Effect of the presence of compatibilizer. 2015 , 55, 2050-2057	14
1251	Nano-crystalline cellulose, chemical blowing agent, and mold temperature effect on morphological, physical/mechanical properties of polypropylene. 2015 , 132, n/a-n/a	24
1250	Modification of eucalyptus pulp fiber using silane coupling agents with aliphatic side chains of different length. 2015 , 55, 1273-1280	10
1249	Controlled Silylation of Nanofibrillated Cellulose in Water: Reinforcement of a Model Polydimethylsiloxane Network. 2015 , 8, 2681-90	43
1248	Properties of silanized nypa fruticans filled polylactic acid/recycled low density polyethylene biocomposites. 2015 , 55, 1733-1740	1
1247	Effect of hydrothermally synthesized titanium nanotubes on the behaviour of polypropylene for antimicrobial applications. 2015 , 64, 1442-1450	9
1246	Investigation on Mechanical Properties of Occ Fiber-Hdpe Composite Containing Different Types of Coupling Agents. 2015 , 23, 29-36	1
1245	Effect of 3-Aminopropyltrimethoxysilane on Chemically Modified Oil Palm Mesocarp Fiber/Poly(butylene succinate) Biocomposite. 2015 , 10,	3
1244	Silane Modified Wood Flour Blended with Poly(lactic acid) and its Effects on Composite Performance. 2015 , 10,	10
1243	Avaliaço das propriedades mecnicas e morfolgicas de compsitos de PEAD com prde Pinus taeda e alumina calcinada. 2015 , 25, 408-413	3

1242	Hydrothermal Synthesis and Hydrophilic Performance of Silica Modified Titanium Surfaces. 2015 , 749, 449-452	
1241	Design and Analysis of Automobile Bonnet Using Natural Flax Composite Structure. 2015 , 752-753, 674-677	
1240	Revisiting the Challenges in Fabricating Uniform Coatings with Polyfunctional Molecules on High Surface Energy Materials. 2015 , 5, 1002-1018	15
1239	A Review on Natural Fiber Reinforced Polymer Composite and Its Applications. 2015 , 2015, 1-15	703
1238	Response Surface Methodology for the Optimization of Preparation of Biocomposites Based on Poly(lactic acid) and Durian Peel Cellulose. 2015 , 2015, 293609	13
1237	Water Absorption Behaviour and Its Effect on the Mechanical Properties of Flax Fibre Reinforced Bioepoxy Composites. 2015 , 2015, 1-10	116
1236	Effect of Processing Conditions on Tensile Properties of Green Composites of Castor Oil Cake Starch-Plant Fibers. 2015 , 05,	6
1235	Chiral nanocomposites based on thermally stable poly(amide-imide) having S-valine groups and Fe ₂ O ₃ nanoparticles. 2015 , 18, 583-591	
1234	Preparation, characterization and application of a novel silane-bridged polyaniline/cotton fiber composite. 2015 , 204, 10-16	11
1233	Coupling pattern and efficacy of organofunctional silanes in wood flour-filled polypropylene or polyethylene composites. 2015 , 49, 677-684	13
1232	Development of natural fibre reinforced flame retarded epoxy resin composites. 2015 , 119, 68-76	64
1231	Effect of solution casting temperature on properties of nafion composite membrane with surface modified mordenite for direct methanol fuel cell. 2015 , 271, 63-73	20
1230	Mechanical reprocessing of polyolefin waste: A review. 2015 , 55, 2899-2909	71
1229	Influence of hydroxylation on fabrication of PVC/CaSO ₄ composite. 2015 , 357, 2320-2326	9
1228	Effect of Soaking Time in Alkali Solution on the Interfacial Shear Strength of Cantala Fiber/Recycled HDPE Composites. 2015 , 827, 375-380	2
1227	New type of thermoplastic bio composite: nature of the interface on the ultimate properties and water absorption. 2015 , 5, 97536-97546	20
1226	Mechanical Properties of Short Fiber and Non-Woven Kenaf Reinforced Polypropylene Composites: Effects of Oil Palm Shell Powder Addition. 2015 , 815, 111-115	3
1225	ATR-FTIR Analysis on Polymorphism of PVDF/MgO Nanocomposite Thin Films. 2015 , 1134, 39-43	2

1224	Hemp fibre as alternative to glass fibre in sheet moulding compound. Part 2—Impact properties. 2015 , 44, 291-298	6
1223	Processing and characterization of polyethylene-based composites. 2015 , 1, 63-79	44
1222	Bio-inspired functional wood-based materials —hybrids and replicates. 2015 , 60, 431-450	69
1221	Chemical adhesion of silicone elastomers on primed metal surfaces: A comprehensive survey of open and patent literatures. 2015 , 80, 120-141	46
1220	Effect of surface silanization of carbon fiber on mechanical properties of carbon fiber reinforced polyurethane composites. 2015 , 110, 87-94	122
1219	A Review of Natural Fibers Used in Biocomposites: Plant, Animal and Regenerated Cellulose Fibers. 2015 , 55, 107-162	339
1218	Development and characterization of flax fiber reinforced biocomposite using flaxseed oil-based bio-resin. 2015 , 132, n/a-n/a	10
1217	Improving the accessibility of hemp fibres using caustic to swell the macrostructure for enzymatic enhancement. 2015 , 67, 74-80	10
1216	Properties and application of polyimide-based composites by blending surface functionalized boron nitride nanoplates. 2015 , 132, n/a-n/a	18
1215	Highly durable carbon-supported Pt catalysts prepared by hydrosilane-assisted nanoparticle deposition and surface functionalization. 2015 , 51, 5883-6	12
1214	Effects of zirconaluminate coupling agent on mechanical properties, rheological behavior and thermal stability of bamboo powder/polypropylene foaming composites. 2015 , 73, 199-207	13
1213	Lignocellulosic fibre mediated rubber composites: An overview. 2015 , 76, 180-191	71
1212	Improving mechanical properties of novel flax/tannin composites through different chemical treatments. 2015 , 67, 346-354	23
1211	Synthesis of Cellulose-Based Macromolecular Coupling Agent and its Utilization in Poly (butylene succinate)/Wood Flour Composites. 2015 , 54, 639-646	6
1210	One-Step in Situ Modification of Halloysite Nanotubes: Augmentation in Polymer—Filler Interface Adhesion in Nanocomposites. 2015 , 54, 6698-6712	28
1209	Effect of clay silylation on curing and mechanical and thermal properties of unsaturated polyester/montmorillonite nanocomposites. 2015 , 87, 9-15	25
1208	Recent development in the synthesis of polymer nanocomposites based on nano-alumina. 2015 , 51, 74-93	126
1207	The use of polypropylene in bamboo fibre composites and their mechanical properties —A review. 2015 , 34, 1347-1356	36

1206	The influence of 3-methacryloxypropyltrimethoxysilane on thermostability, tensile behavior and water resistance of polyvinyl acetate/clay nanocomposite. 2015 , 57, 522-529		3
1205	Bacteriostatic photocatalytic properties of cotton modified with TiO ₂ and TiO ₂ /aminopropyltriethoxysilane. 2015 , 22, 3441-3463		18
1204	Effect of Chemical Treatment and Fiber Loading on Mechanical Properties of Borassus (Toddy Palm) Fiber/Epoxy Composites. 2015 , 20, 612-626		40
1203	Effect of chemical treatments on flax fibre reinforced polypropylene composites on tensile and dome forming behaviour. 2015 , 16, 6202-16		5
1202	Review on hygroscopic aging of cellulose fibres and their biocomposites. 2015 , 131, 337-54		102
1201	Polypropylene/Wood Flour Composites Prepared by Solid State Shear Milling. 2015 , 1094, 96-99		
1200	Establishing a new Forming Limit Curve for a flax fibre reinforced polypropylene composite through stretch forming experiments. <i>Composites Part A: Applied Science and Manufacturing</i> , 2015 , 77, 114-123	8.4	20
1199	Draw your assay: Fabrication of low-cost paper-based diagnostic and multi-well test zones by drawing on a paper. 2015 , 144, 289-93		46
1198	Commingled composites of polypropylene/coir-sisal yarn: effect of chemical treatments on thermal and tensile properties. 2015 , 15, 169-177		16
1197	Study of Mechanical Properties of Jute-Banana-Glass Fiber Reinforced Epoxy Composites under Various Post Curing Temperature. 2015 , 766-767, 211-215		6
1196	Water as a morphological probe to study polymer-filler interfaces: an original application of thermoporosimetry. 2015 , 17, 18751-60		5
1195	Ultra-high-molecular-weight polyethylene fiber reinforced dental composites: Effect of fiber surface treatment on mechanical properties of the composites. 2015 , 31, 1022-9		38
1194	Grafting of nano-TiO ₂ onto flax fibers and the enhancement of the mechanical properties of the flax fiber and flax fiber/epoxy composite. <i>Composites Part A: Applied Science and Manufacturing</i> , 2015 , 76, 172-180	8.4	68
1193	Silk as a reinforcement in polymer matrix composites. 2015 , 143-170		3
1192	Mechanically durable, superomniphobic coatings prepared by layer-by-layer technique for self-cleaning and anti-smudge. 2015 , 456, 210-8		51
1191	Different coupling agents in wood-polypropylene composites containing recycled mineral wool: A comparison of the effects. 2015 , 34, 879-895		12
1190	Processing and Mechanical Property Evaluation of Flax-Glass Fiber Reinforced Polymer Composites. 2015 , 766-767, 144-149		13
1189	Surface modification of silk fibroin fibers with poly(methyl methacrylate) and poly(tributylsilyl methacrylate) via RAFT polymerization for marine antifouling applications. 2015 , 51, 233-41		20

1188	High performance composite coatings on plastics: UV-curable cycloaliphatic epoxy resins reinforced by graphene or graphene derivatives. 2015 , 272, 322-336	24
1187	Study of the water repellency of the modified silica films using different organoalkoxysilanes. 2015 , 119, 845-852	9
1186	Mechanical, Electromagnetic, and X-ray Shielding Characterization of a 3D Printable TungstenâPolycarbonate Polymer Matrix Composite for Space-Based Applications. 2015 , 44, 2598-2607	59
1185	Wear resistance and friction behavior of thermoset matrix reinforced with Musaceae fiber bundles. 2015 , 87, 57-64	34
1184	The thermo-oxidative stability and flammability of wood/polypropylene composites. 2015 , 119, 1955-1962	23
1183	Effects of polyarylene sulfide sulfone on the mechanical properties of glass fiber cloth-reinforced polyphenylene sulfide composites. 2015 , 27, 145-152	9
1182	Antibacterial coatings on titanium surfaces: a comparison study between in vitro single-species and multispecies biofilm. 2015 , 7, 5992-6001	44
1181	Click chemistry route to covalently link cellulose and clay. 2015 , 22, 1615-1624	14
1180	Mechanical properties optimization of resin mineral composite for machine tool bed. 2015 , 34, 329-340	6
1179	Mechanical performance of polyethylene (PE)-based biocomposites. 2015 , 237-256	4
1178	Characterization of Physical, Mechanical and Chemical Properties of Quiscal Fibres: The Influence of Atmospheric DBD Plasma Treatment. 2015 , 35, 863-878	22
1177	Reprint of 'Draw your assay: Fabrication of low-cost paper-based diagnostic and multi-well test zones by drawing on a paper'. 2015 , 145, 73-7	9
1176	Mechanical Properties and Water Absorption Behavior of Polypropylene / Ijuk Fiber Composite by Using Silane Treatment. 2015 , 2, 573-578	44
1175	Lignin as coupling agent in EPDM rubber: thermal and mechanical properties. 2015 , 72, 2389-2398	13
1174	Soy protein isolate-based films cross-linked by epoxidized soybean oil. 2015 , 5, 82765-82771	37
1173	Performance of biomass filled polyolefin composites. 2015 , 257-301	0
1172	Enzymatically degradable and flexible bio-nanocomposites derived from PHBV and PBAT blend: assessing thermal, morphological, mechanical, and biodegradation properties. 2015 , 293, 2921-2930	18
1171	Bio-nanocomposites from Natural Fibre Derivatives: Manufacturing and Properties. 2015 , 233-265	5

1170	The effects of corn zein protein coupling agent on mechanical properties of flax fiber reinforced composites. 2015 , 77, 232-238	20
1169	Effect of compatibilizer on the properties of PBS/lignin composites prepared via a vane extruder. 2015 , 35, 829-837	6
1168	Recent Developments in Biocomposites Reinforced with Natural Biofillers from Food Waste. 2015 , 54, 87-99	16
1167	Stable carboxylic acid derivatized alkoxy silanes. 2015 , 51, 2339-41	18
1166	Adhesion analysis of non-woven natural fibres in unsaturated polyester resin. 2015 , 118, 1067-1078	5
1165	Grafting of silane and graphene oxide onto PBO fibers: Multifunctional interphase for fiber/polymer matrix composites with simultaneously improved interfacial and atomic oxygen resistant properties. 2015 , 106, 32-38	85
1164	Effect of silver-supported materials on the mechanical and antibacterial properties of reinforced acrylic resin composites. 2015 , 65, 1245-1252	30
1163	The use of oil palm biomass (OPB) fibers as reinforcements in composites. 2015 , 342-382	2
1162	Chemical functionalization of composite surfaces for improved structural bonded repairs. 2015 , 69, 296-303	22
1161	Development of slate fiber reinforced high density polyethylene composites for injection molding. 2015 , 69, 460-466	20
1160	Composites from chicken feathers quill and recycled polypropylene. 2015 , 49, 275-283	42
1159	Surface modification of silicon dioxide, silicon nitride and titanium oxynitride for lactate dehydrogenase immobilization. 2015 , 67, 134-8	40
1158	Effect of fiber loading on the properties of treated cellulose fiber-reinforced phenolic composites. 2015 , 68, 185-192	62
1157	Influence of compatibilizing system on morphology, thermal and mechanical properties of high flow polypropylene reinforced with short hemp fibers. 2015 , 69, 286-295	46
1156	Increase in stability of cellulase immobilized on functionalized magnetic nanospheres. 2015 , 375, 117-123	52
1155	Effect of unmodified rice straw on the properties of rice straw/polycaprolactone composites. 2015 , 41, 6371-6384	4
1154	One-step green treatment of hemp fiber used in polypropylene composites. 2016 , 37, 385-390	9
1153	Effects of Surface Modification on the Mechanical Properties of Flax/EPolypropylene Composites. 2016 , 9,	39

1152	Erosion Resistance and Interface Properties of Epoxy Composite Filled with Graded Silicon Carbide. 2016 , 24, 161-166	3
1151	Extraction and Hydrophobic Modification of Cotton Stalk Bark Fiber. 2016 , 2016, 1-6	3
1150	Hybrid Composites from Wheat Straw, Inorganic Filler, and Recycled Polypropylene: Morphology and Mechanical and Thermal Expansion Performance. 2016 , 2016, 1-12	15
1149	Effect of Aminosilane Modification on Nanocrystalline Cellulose Properties. 2016 , 2016, 1-8	32
1148	Functionalization of Cellulose Nanocrystals in Choline Lactate Ionic Liquid. 2016 , 9,	14
1147	Quantitative and Qualitative Analysis of Surface Modified Cellulose Utilizing TGA-MS. 2016 , 9,	44
1146	Residual Tensile Property of Plain Woven Jute Fiber/Poly(Lactic Acid) Green Composites during Thermal Cycling. 2016 , 9,	3
1145	Improvement of atomic oxygen erosion resistance of carbon fiber and carbon fiber/epoxy composite interface with a silane coupling agent. 2016 , 109, 171-178	42
1144	Effects of surface-functionalized aluminum nitride on thermal, electrical, and mechanical behaviors of polyarylene ether nitrile-based composites. 2016 , 37, 3033-3041	8
1143	Effects of alkali and alkali/silane treatments of corn fibers on mechanical and thermal properties of its composites with polylactic acid. 2016 , 37, 3499-3507	23
1142	Crosslinking of fibers via azide-alkyne click chemistry: Synthesis and characterization. 2016 , 133,	10
1141	Study on adhesion strength, thermal creep resistance, and light transmittance of ethylene-polypropylene copolymer grafted with silane for photovoltaic application. 2016 , 133, n/a-n/a	
1140	The flame-retardance polylactide nanocomposites with nano attapulgite coated by resorcinol bis(diphenyl phosphate). 2016 , 22, 506-513	6
1139	Crosslinked Continuous Glass Fiber-Reinforced Toughened Polypropylene Composites . 2016 , 18, 409-416	12
1138	Rheological behavior and mechanical properties of wood flour/high density polyethylene blends: Effects of esterification of wood with citric acid. 2016 , 37, 553-560	14
1137	Polyvinyl butyral chemically modified with a silane agent in the molten state. 2016 , 56, 971-979	5
1136	Silicone-modified graphene oxide fillers via the Piers-Rubinsztajn reaction. 2016 , 54, 2379-2385	12
1135	Hot-Press-Assisted Adhesions between Polyimide Films and Titanium Plates Utilizing Coating Layers of Silane Coupling Agents. 2016 , 32, 12344-12351	12

1134	Self-Healing Concept for Damaged Composite Structure of Automobile Bonnet. 2016 , 65, 01001	
1133	Characterization of novel <i>Passiflora foetida</i> natural fibers for paper board industry. 2016 , 152808371668292	12
1132	Influence of additional coupling agent on the mechanical properties of polyester/glass cantala roxb based composites. 2016 ,	1
1131	Potential Use of Paddy Straw as Filler in Poly Lactic Acid/Paddy Straw Powder Biocomposite: Thermal and Thermal Properties. 2016 , 19, 757-762	18
1130	Utilization of Polyvinyl Alcohol on Properties of Recycled Polypropylene/Peanut Shell Powder Composites. 2016 , 19, 763-769	11
1129	Influence of hemp fibers with modified surface on polypropylene composites. 2016 , 37, 137-146	56
1128	Novel eco-friendly commingled polypropylene/banana fiber composite: studies on thermal and mechanical properties. 2016 , 73, 2987-3005	6
1127	Long-term tensile properties of natural fibre-reinforced polymer composites: Comparison of flax and glass fibres. 2016 , 95, 82-95	57
1126	Improvement of adhesion strength of self-adhesive silicone rubber on thermoplastic substrates â Comparison of an atmospheric pressure plasma jet (APPJ) and a Pyrosil® flame. 2016 , 66, 65-72	21
1125	The Effect of 3-aminopropyltrimethoxysilane (AMEO) as a Coupling Agent on Curing and Mechanical Properties of Natural Rubber/Palm Kernel Shell Powder Composites. 2016 , 19, 327-334	10
1124	Utilization of agricultural and forest industry waste and residues in natural fiber-polymer composites: A review. 2016 , 54, 62-73	258
1123	Effect of green coupling agent from waste oil fatty acid on the properties of polypropylene/cocoa pod husk composites. 2016 , 73, 3465-3484	14
1122	Synthesis of high dispersible hydrophilic poly(ethylene glycol)/vinyl silane grafted silica nanoparticles to fabricate protein repellent polyethylene nanocomposite. 2016 , 81, 86-97	16
1121	Nanoclay and Natural Fibers Based Hybrid Composites: Mechanical, Morphological, Thermal and Rheological Properties. 2016 , 29-49	10
1120	Composite materials with bast fibres: Structural, technical, and environmental properties. 2016 , 83, 1-23	74
1119	Simple and Sensitive Paper-Based Device Coupling Electrochemical Sample Pretreatment and Colorimetric Detection. 2016 , 88, 5145-51	56
1118	Processing of Functionalized and Pristine Carbon Nanotube Epoxy Composites with Silane-Treated Glass Fiber. 2016 , 31, 2044-2056	14
1117	Evaluation of kinetics and transport mechanism of solvents through natural rubber composites containing organically modified gadolinium oxide. 2016 , 45, 216-223	5

1116	Dopamine and silane functionalized barium titanate with improved electromechanical properties for silicone dielectric elastomers. 2016 , 6, 90172-90183	20
1115	Surface modification of poly (4,4'-oxydiphenylene pyromellitimide) (Kapton) by alkali solution and its applications to atomic oxygen protective coating. 2016 , 112, 418-425	13
1114	Surface Modification of Natural Fibers: A Review. 2016 , 155, 285-288	116
1113	All-cellulose composites with ultra-high mechanical properties prepared through using straw cellulose fiber. 2016 , 6, 93428-93435	10
1112	Functionalized nonporous silica nanoparticles as carriers for Pt(iv) anticancer prodrugs. 2016 , 45, 17233-17240	13
1111	Natural-Fiber-Reinforced Polymer Composites. 2016 , 101-125	
1110	Influence of Surface Treatment of Fillers on Mechanical, Surface, and Water Sorption Behavior of Natural-Fiber-Reinforced Polypropylene Composites. 2016 , 157-179	
1109	Recruiting physisorbed water in surface polymerization for bio-inspired materials of tunable hydrophobicity. 2016 , 4, 14729-14738	31
1108	Thermal insulating particle boards reinforced with coconut leaf sheaths. 2016 , 4, 31-40	4
1107	Effect of surface modification on nano-diamond particles for surface and thermal property of UV-curable hybrid coating. 2016 , 101, 468-476	14
1106	Recent Developments in Surface Modification of Natural Fibers for Their Use in Biocomposites. 2016 , 80-117	5
1105	Bleached extruder chemi-mechanical pulp fiber-PLA composites: Comparison of mechanical, thermal, and rheological properties with those of wood flour-PLA bio-composites. 2016 , 133,	18
1104	Nanoclay Modification and Functionalization for Nanocomposites Development: Effect on the Structural, Morphological, Mechanical and Rheological Properties. 2016 , 1-34	4
1103	Surface modification of magnesium hydroxide sulfate hydrate whiskers using a silane coupling agent by dry process. 2016 , 390, 25-30	31
1102	Improved electromechanical properties of NBR dielectric composites by poly(dopamine) and silane surface functionalized TiO ₂ nanoparticles. 2016 , 4, 7724-7734	37
1101	A Novel Chemical Composition to Consolidate the Loose Sand Formation in the Oil Field. 2016 ,	0
1100	Mechanical properties of wood flour/poly (lactic acid) composites coupled with waterborne silane-polyacrylate copolymer emulsion. 2016 , 70, 439-447	10
1099	Tensile and flexural properties of polylactic acid-based hybrid green composites reinforced by kenaf, bamboo and coir fibers. 2016 , 94, 562-573	194

1098	Synthesis of polyethylene/coir dust hybrid filler via in situ polymerization with zirconocene/MAO catalyst for use in natural rubber biocomposites. 2016 , 25, 841-848	7
1097	Influence of UV aging on the rheological properties of bitumen modified with surface organic layered double hydroxides. 2016 , 123, 574-580	43
1096	Influence of alkali and Si-based treatments on the physical and chemical characteristics of miscanthus stem fragments. 2016 , 91, 6-14	11
1095	Silanated nano ZnO hybrid embedded PMMA polymer coatings on cotton fabrics for near-IR reflective, antifungal cool-textiles. 2016 , 40, 7210-7221	24
1094	Titania Nanocrystal Surface Functionalization through Silane Chemistry for Low Temperature Deposition on Polymers. 2016 , 8, 29759-29769	7
1093	Silanization induced inherent strain in graphene based filler influencing mechanical properties of polycarbonate urethane nanocomposite membranes. 2016 , 6, 104235-104245	4
1092	Nacre-mimetic epoxy matrix composites reinforced by two-dimensional glass reinforcements. 2016 , 6, 33184-33196	2
1091	Durability of bond between concrete beams and FRP composites made of flax and glass fibers. 2016 , 126, 800-811	19
1090	Reactive Extrusion Strategies to Fabricate Magnetite-Polyethylene Nanocomposites with Enhanced Mechanical and Magnetic Hyperthermia Properties. 2016 , 301, 1525-1536	7
1089	Effect of silanecoupling agent on properties of biocomposites based on poly(lactic acid)and durian rind cellulose. 2016 , 137, 012006	2
1088	Effect of filler loading and coconut oil coupling agent on properties of low-density polyethylene and palm kernel shell eco-composites. 2016 , 22, 200-205	15
1087	Processing and properties of antibacterial silver nanoparticle-loaded hemp hurd/poly(lactic acid) biocomposites. 2016 , 100, 10-18	33
1086	Interface and bonding mechanisms of plant fibre composites: An overview. 2016 , 101, 31-45	208
1085	Integration of Peroxide-Cured Rubber/Rubber Through Covalent Grafting of a Thiol-Linked Molecular Layer. 2016 , 55, 6792-6800	2
1084	Surface modification of magnesium hydroxide using vinyltriethoxysilane by dry process. 2016 , 382, 56-62	33
1083	Modifying glass fiber surface with grafting acrylamide by UV-grafting copolymerization for preparation of glass fiber reinforced PVDF composite membrane. 2016 , 39, 208-217	20
1082	Nano-TiO ₂ coatings on aluminum surfaces by aerosol flame synthesis. 2016 , 609, 53-61	8
1081	Upgrading poly(butylene succinate)/wood fiber composites by esterified lignin. 2016 , 23, 873-885	7

1080	Silane bonded graphene aerogels with tunable functionality and reversible compressibility. 2016 , 107, 573-582	70
1079	Different kinds of transcristallinity developed from glass fiber/isotactic polypropylene/nucleation agents composite by microinjection molding. 2016 , 27, 1220-1227	8
1078	Silane Coupling Agents. 2016 , 1-15	1
1077	Admicellar Polymerization and Its Application in Textiles. 2016 , 35, 307-325	12
1076	Effect of silane coupling agent on the structure and mechanical properties of nano-dispersed clay filled styrene butadiene rubber. 2016 , 37, 890-896	19
1075	Fabrication and characterization of bionanocomposites based on poly (lactic acid), banana fiber and nanoclay. 2016 , 20, 187-201	5
1074	Agrowaste-based composites from cocoa pod husk and polypropylene: Effect of filler content and chemical treatment. 2016 , 29, 1332-1351	16
1073	The effects of different chemical treatment methods on the mechanical and thermal properties of textile fiber reinforced polymer composites. 2016 , 50, 3817-3830	31
1072	Critical materials and processing challenges affecting the interface and functional performance of wood polymer composites (WPCs). 2016 , 171, 290-302	40
1071	Recycled HDPE reinforced with sol-gel silica modified wood sawdust. 2016 , 76, 28-39	38
1070	Effect of Silane Treated Electrospun SiO ₂ Nanofibers Interleaving on Mode I Fracture Toughness of Glass Epoxy Composites. 2016 ,	
1069	American Process: Production of Low Cost Nanocellulose for Renewable, Advanced Materials Applications. 2016 , 267-302	41
1068	The effectiveness of m-TMI-grafted-PP as a coupling agent for wood polymer composites. 2016 , 50, 3515-3524	40
1067	Interfacial properties and impact toughness of methylphenylsilicone resin composites by chemically grafting POSS and tetraethylenepentamine onto carbon fibers. <i>Composites Part A: Applied Science and Manufacturing</i> , 2016 , 84, 1-8	8.4 58
1066	Surface modification in inorganic filler of mixed matrix membrane for enhancing the gas separation performance. 2016 , 32,	33
1065	Surface modification to produce hydrophobic nano-silica particles using sodium dodecyl sulfate as a modifier. 2016 , 364, 103-109	54
1064	Recent developments in sugar palm (<i>Arenga pinnata</i>) based biocomposites and their potential industrial applications: A review. 2016 , 54, 533-549	111
1063	Hydrothermal ageing mechanisms of unidirectional flax fabric reinforced epoxy composites. 2016 , 126, 144-158	35

1062	Structural studies of TiO ₂ /wood coatings prepared by hydrothermal deposition of rutile particles from TiCl ₄ aqueous solutions on spruce (<i>Picea Abies</i>) wood. 2016 , 372, 125-138	25
1061	Press molding of a Si/HDPE hybrid lens substrate and evaluation of its infrared optical properties. 2016 , 43, 429-438	14
1060	Unique roles of aminosilane in developing anti-fouling thin film composite (TFC) membranes for pressure retarded osmosis (PRO). 2016 , 389, 119-128	33
1059	Improving the flame retardancy and mechanical properties of poly(lactic acid) with a novel nanorod-shaped hybrid flame retardant. 2016 , 6, 14852-14858	15
1058	In-situ modification of cellulose nanofibrils by organosilanes during spray drying. 2016 , 93, 129-135	18
1057	New Insight into the Interfacial Enhancement of Polypropylene Glass Fiber Composites via a Compatibilizer: The Role of Injection Screw Temperature. 2016 , 55, 138-148	8
1056	Investigation of the structural and mechanical properties of polypropylene-based carbon fiber nanocomposites by experimental measurement and molecular dynamics simulation. 2016 , 115, 1-10	22
1055	Effect of surface treatment of jute fibers on the interfacial adhesion in poly(lactic acid)/jute fiber biocomposites. 2016 , 17, 266-274	43
1054	Thermal properties of poly(methyl methacrylate-co-butyl acrylate-co-acrylic acid) modified with divinyl benzene and vinyltrimethoxysilane. 2016 , 53, 82-87	2
1053	Modeling, Fabrication, and Characterization of Superoleophobic/Philic Surfaces. 2016 , 243-325	
1052	Mechanical and chemical resistance of composite materials with addition of anaerobic digestate. 2016 , 92, 259-264	10
1051	Effect of wool fibers on thermal and dielectric properties of Alfa fibers reinforced polyester composite. 2016 , 170, 312-318	13
1050	Influence of hierarchical micro-micro patterning and chemical modifications on adhesion between aluminum and epoxy. 2016 , 66, 128-137	19
1049	A review on modification methods to cellulose-based adsorbents to improve adsorption capacity. 2016 , 91, 156-73	582
1048	Surface modification of an organic hessian substrate leads to shifts in bacterial biofilm community composition and abundance. 2016 , 219, 90-7	4
1047	Effects of Modifier Type on Properties of in Situ Organo-Montmorillonite Modified Wood Flour/Poly(lactic acid) Composites. 2016 , 8, 161-8	31
1046	Processing and Characterization of Natural Polymers. 2016 , 19-61	4
1045	Effect of cellulose nanowhiskers functionalization with polyaniline for epoxy coatings. 2016 , 364, 124-132	33

1044	Mechanical and thermal behaviour of bamboo flour-reinforced XLPE composites. 2016 , 124, 701-708	9
1043	A Review on Roselle Fiber and Its Composites. 2016 , 13, 10-41	47
1042	A thermochemical approach to enhance hydrophobicity of SiC/SiO ₂ powder using 3-glycidyloxypropyltrimethoxysilane and octylphenol polyoxyethylene ether (7). 2016 , 360, 45-51	12
1041	Synthesis and characterization of triethoxyvinylsilane surface modified layered double hydroxides and application in improving UV aging resistance of bitumen. 2016 , 120, 1-8	33
1040	Primary process to fabricate functional groups on acrylonitrile-butadiene rubber surface during peroxide curing. 2016 , 287, 657-664	5
1039	Surface properties of in situ organo-montmorillonite modified wood flour and the influence on mechanical properties of composites with polypropylene. 2016 , 361, 234-241	20
1038	Enhanced surface free energy of polyimide fibers by alkali treatment and its interfacial adhesion behavior to epoxy resins. 2016 , 23, 145-155	19
1037	Preparation and performance of silica/SBR masterbatches with high silica loading by latex compounding method. 2016 , 85, 130-139	50
1036	Effect of the type of fiber (coconut, eucalyptus, or pine) and compatibilizer on the properties of extruded composites of recycled high density polyethylene. 2016 , 50, 45-56	10
1035	Studies on Mechanical Properties and Morphology of Sisal Pulp Reinforced Phenolic Composites. 2016 , 35, 353-360	1
1034	Extraction, modification, and characterization of natural ligno-cellulosic fiber strands from napier grass. 2016 , 21, 18-28	41
1033	Mechanical characterization of scalable cellulose nano-fiber based composites made using liquid composite molding process. 2016 , 84, 277-284	53
1032	Graphene reinforced UV-curable epoxy resins: Design, manufacture and material performance. 2016 , 90, 414-424	27
1031	A review of recent developments in natural fibre composites and their mechanical performance. <i>Composites Part A: Applied Science and Manufacturing</i> , 2016 , 83, 98-112	8.4 1642
1030	Torque rheological properties of polypropylene/cocoa pod husk composites. 2017 , 30, 1217-1227	15
1029	Modification of pineapple leaf fiber surfaces with silane and isocyanate for reinforcing thermoplastic. 2017 , 30, 1344-1360	17
1028	Moisture absorption behavior of hybrid bionanocomposites of polylactic acid and evaluation of physicochemical properties. 2017 , 30, 521-544	3
1027	Hybrid silica micro and PDDA/nanoparticles-reinforced carbon fibre composites. 2017 , 51, 783-795	6

1026	Microstructure and fractography of multiwalled carbon nanotube reinforced unsaturated polyester nanocomposites. 2017 , 38, E462-E471	21
1025	Characterization of microwave-treated oil palm empty fruit bunch/glass fibre/polypropylene composites. 2017 , 30, 986-1002	17
1024	Upgrading brewer's spent grain as functional filler in polypropylene matrix. 2017 , 38, 40-47	4
1023	Influence of nanoclay and graft copolymer on the thermal and flammability properties of poly(lactic acid)/banana fiber biocomposites. 2017 , 23, E81-E91	8
1022	Alteration of the refractive index of polyacrylate and poly(styrene-co-acrylate) films via molecular structure modification. 2017 , 74, 857-872	4
1021	Unsaturated polyester-toughened epoxy composites: Effect of sisal fiber on thermal and dynamic mechanical properties. 2017 , 23, 188-199	10
1020	Effect of glass fiber surface treatment on the mechanical strength of glass fiber reinforced resin mineral composite for machine tool bed. 2017 , 38, 1559-1570	2
1019	Effect of fiber chemical treatment of nonwoven coconut fiber/epoxy composites adhesion obtained by RTM process. 2017 , 38, 2518-2527	8
1018	Dielectric properties of castor oil derived polymer filled with sol-gel derived strontium barium niobate (Sr _{0.3} Ba _{0.7} Nb ₂ O ₆) ferroelectric powder. 2017 , 38, 2119-2127	
1017	Evaluation of Kraft lignin as natural compatibilizer in wood flour/polypropylene composites. 2017 , 38, 2387-2394	10
1016	Wettability and interfacial characterization of alkaline treated kenaf fiber-unsaturated polyester composites fabricated by resin transfer molding. 2017 , 38, 507-515	23
1015	Bacterial cellulose-assisted de-lignified wheat straw-PVA based bio-composites with novel characteristics. 2017 , 161, 244-252	29
1014	The influences of silanes on interfacial adhesion and surface properties of nanocellulose film coating on glass and aluminum substrates. 2017 , 320, 70-81	37
1013	Wetting analysis and surface characterization of flax fibers modified with zirconia by sol-gel method. 2017 , 313, 407-416	17
1012	Curing studies and mechanical properties of glass fiber reinforced composites based on silanized clay minerals. 2017 , 138, 89-99	17
1011	Preparation of value added composite boards using finished leather waste and plant fibersâwaste utilization effort in Ethiopia. 2017 , 19, 1285-1296	14
1010	Preparation and characterization of spherical β -cyclodextrin/ureaâformaldehyde microcapsules modified by nano-titanium oxide. 2017 , 7, 7857-7863	12
1009	Effect of silanized-chitosan on flammability, mechanical, water absorption and biodegradability properties of pseudo-stem banana fiber and montmorillonite filled waste polypropylene biocomposite. 2017 , 172, 012063	2

1008	Effect of variable aminoalkyl chains on chemical grafting of cellulose nanofiber and their antimicrobial activity. 2017 , 75, 760-768	44
1007	Lantana Fiber-Filled Polypropylene Composite. 2017 , 343-351	2
1006	Butyric anhydride modified lignin and its oil-water interfacial properties. 2017 , 165, 55-64	14
1005	Silanization of boron nitride nanosheets (BNNSs) through microfluidization and their use for producing thermally conductive and electrically insulating polymer nanocomposites. 2017 , 249, 98-107	41
1004	Application of methyltrimethoxysilane to increase dimensional stability of waterlogged wood. 2017 , 25, 149-156	34
1003	Fine tuning of SAP properties via epoxy-silane surface modification. 2017 , 28, 1132-1147	21
1002	Prediction of the tensile strength of unidirectional carbon fiber composites considering the interfacial shear strength. 2017 , 168, 92-103	28
1001	Effect of sisal fiber filler on thermal properties of bio-based polyurethane composites. 2017 , 130, 113-122	27
1000	Effect of Compound Surface Treatment on the Performance of Poly(butylene succinate)/Chemithermomechanical Pulp Fiber Composites. 2017 , 56, 1225-1235	3
999	Extraction and Characterization of Physicochemical and Tensile Properties of Aegle Marmelos fiber. 2017 , 4, 3158-3165	5
998	Adsorption affinity and selectivity of 3-ureidopropyltriethoxysilane grafted oil palm empty fruit bunches towards mercury ions. 2017 , 24, 15167-15181	8
997	On the mixed mode I/II fracture properties of jute fiber-reinforced concrete. 2017 , 148, 512-520	69
996	Facile and cost-effective preparation of PVA/modified calcium carbonate nanocomposites via ultrasonic irradiation: Application in adsorption of heavy metal and oxygen permeation property. 2017 , 39, 430-438	40
995	Estimation of the surface interaction mechanism of ZnO nanoparticles modified with organosilane groups by Raman Spectroscopy. 2017 , 43, 11838-11847	53
994	Improved mechanical properties of carbon fiber-reinforced epoxy composites by growing carbon black on carbon fiber surface. 2017 , 149, 75-80	68
993	Bonding Nafion [®] with polydimethylsiloxane: A versatile approach towards ion-exchange membrane microfluidic devices. 2017 , 537, 310-314	3
992	Plant fibre based bio-composites: Sustainable and renewable green materials. 2017 , 79, 558-584	323
991	Effect of TEMPO oxidation of flax fibers on the grafting efficiency of silane coupling agents. 2017 , 52, 10624-10636	10

- 990 Sorption capacity of hydrophobic cellulose cryogels silanized by two different methods. **2017**, 24, 3421-3431 31
- 989 Relevant factors for the eco-design of polylactide/sisal biocomposites to control biodegradation in soil in an end-of-life scenario. **2017**, 143, 9-19 32
- 988 Hybrid joining of polyamide and hydrogenated acrylonitrile butadiene rubber through heat-resistant functional layer of silane coupling agent. **2017**, 412, 121-130 9
- 987 Physical structure and mechanical properties of polyamide/bamboo composites. **2017**, 129, 1463-1469 10
- 986 High temperature and pressurized steaming/silane coupling co-modification for wood fibers and its effect on the properties of wood fiber/HDPE composites. **2017**, 25, 141-150 5
- 985 Improved interfacial shear strength of carbon fiber/polyphenylene sulfide composites by graphene. **2017**, 29, 913-921 11
- 984 Experimental characterization of short flax fiber mat composites: tensile and flexural properties and damage analysis using acoustic emission. **2017**, 52, 6567-6580 26
- 983 Coconut shell powder reinforced thermoplastic polyurethane/natural rubber blend-composites: effect of silane coupling agents on the mechanical and thermal properties of the composites. **2017**, 52, 6712-6725 38
- 982 A novel label free immunosensor based on single-use ITO-PET electrodes for detection MAGE1 protein. **2017**, 792, 31-38 13
- 981 Progress on nanocrystalline cellulose biocomposites. **2017**, 112, 9-21 43
- 980 Nacre-mimetic bulk lamellar composites reinforced with high aspect ratio glass flakes. **2016**, 12, 016002 1
- 979 High removal efficacy of Hg(II) and MeHg(II) ions from aqueous solution by organoalkoxysilane-grafted lignocellulosic waste biomass. **2017**, 171, 19-30 27
- 978 Scope of using jute fiber for the reinforcement of concrete material. **2017**, 2, 43
- 977 Investigation of bulk and in situ mechanical properties of coupling agents treated wood plastic composites. **2017**, 58, 292-299 24
- 976 Effects of surface modification methods on mechanical and interfacial properties of high-density polyethylene-bonded wood veneer composites. **2017**, 63, 65-73 26
- 975 Understanding the reinforcing behaviors of polyaniline-modified carbonyl iron particles in magnetorheological elastomer based on polyurethane/epoxy resin IPNs matrix. **2017**, 139, 36-46 75
- 974 Role of Atomic Layer Functionalization in Building Scalable Bottom-Up Assembly of Ultra-Low Density Multifunctional Three-Dimensional Nanostructures. **2017**, 11, 806-813 12
- 973 Effect of surface modification on morphological, mechanical and thermal conductivity of hemp fiber: Characterization of the interface of hemp ðPolyurethane composite. **2017**, 10, 550-559 48

972	Processing torque and thermal properties of kenaf (KNF) filled linear low-density polyethylene/poly (vinyl alcohol) (LLDPE/PVOH) composites with addition of 3-(trimethoxysilyl)propyl methacrylate. 2017,	0
971	Thermo-oxidative stability and remarkable improvement in mechanical performance for styrenic-based elastomer composites contributed from silane-treated pineapple leaf fiber and compatibilizer. 2017, 21, 252-277	3
970	Bio-based coatings for reducing water sorption in natural fibre reinforced composites. 2017, 7, 13335	23
969	Mechanical property evaluation of woven jute fiber based polymer composites. 2017, 21, 278-296	4
968	Surface grafting of bamboo fibers with 1,2-epoxy-4-vinylcyclohexane for reinforcing unsaturated polyester. 2017, 24, 5505-5514	16
967	8 Injection moulding of plant fibre composites. 2017, 420-439	2
966	Application of vinyltrimethoxy silane as moisture scavenger for the high reactive 2k polyurethane coatings: Physicochemical and kinetic studies. 2017, 244, 226-232	3
965	Biodegradable Composites: Properties and Uses. 2017, 215-250	
964	Multivalent Adhesion and Friction Dynamics Depend on Attachment Flexibility. 2017, 121, 15888-15896	7
963	In situ reactive interfacial compatibilization of polylactide/sisal fiber biocomposites via melt-blending with an epoxy-functionalized terpolymer elastomer. 2017, 7, 32399-32412	21
962	Macro- and nanodimensional plant fiber reinforcements for cementitious composites. 2017, 343-382	9
961	Bio-Based Fillers for Environmentally Friendly Composites. 2017, 243-270	4
960	Effects of lignin on the volume shrinkage and mechanical properties of a styrene/unsaturated polyester/lignin ternary composite system. 2017, 130, 167-173	23
959	PU foam derived from renewable sources: Perspective on properties enhancement: An overview. 2017, 95, 255-274	73
958	Design and Manufacturing of Sustainable Composites. 2017, 533-601	
957	Impact of Chemical Treatment and the Manufacturing Process on Mechanical, Thermal, and Rheological Properties of Natural Fibers-Based Composites. 2017, 225-252	10
956	Surface Functionalization Through Vapor-Phase-Assisted Surface Polymerization (VASP) on Natural Materials from Agricultural By-Products. 2017, 355-377	
955	Silane Coupling Agents Used in Natural Fiber/Plastic Composites. 2017, 407-430	5

954	Structural properties of rice husk and its polymer matrix composites: An overview. 2017 , 473-490	8
953	Influence of initial fiber length on the mechanical and tribological properties of hemp fiber reinforced plants-derived polyamide 1010 biomass composites. 2017 ,	2
952	The effect of alkali treatment under various conditions on physical properties of kenaf fiber. 2017 , 914, 012030	35
951	Hydrosilylation and Related Reactions of Silicon Compounds. 2017 , 569-620	7
950	Tensile properties of compressed moulded Napier/glass fibre reinforced epoxy composites. 2017 , 908, 012013	3
949	Silane Modification of the Flax/Epoxy System Interface. 2017 , 200, 448-456	10
948	Preparation and characterization of thermally conductive polymer composites containing silanized nanodiamonds. 2017 , 651, 180-188	4
947	The modification of EPDM with trimethoxysilyl-modified polybutadiene. 2017 , 74, 4715-4728	2
946	Structural, thermal and physico-chemical properties of high density polyethylene/natural rubber/modified cassava starch blends. 2017 , 26, 149-159	8
945	Effect of soaking corrosion on flexural properties of carbon fiber reinforced epoxy syntactic foams. 2017 , 18, 971-978	3
944	Synthesis and characterization of water-sensitive core-shell type microspheres for water shut-off in the oil field. 2017 , 90, 310-323	8
943	Fire-retardant recyclable and biobased polymer composites. 2017 , 117-146	3
942	Grafting of polyethylenimine onto cellulose nanofibers for interfacial enhancement in their epoxy nanocomposites. 2017 , 157, 1419-1425	40
941	Performance characteristics of polyethylene/old corrugated container composites reinforced with carbon nanotubes. 2017 , 51, 2665-2673	2
940	Improvement of form accuracy and surface integrity of Si-HDPE hybrid micro-lens arrays in press molding. 2017 , 47, 469-479	9
939	Morphological examination of highly porous polylactic acid/Bioglass scaffolds produced via nonsolvent induced phase separation. 2017 , 105, 2433-2442	17
938	Thermal properties and crystallinity of PCL/PBSA/cellulose nanocrystals grafted with PCL chains. 2017 , 134,	17
937	Investigation on the synergistic effect of γ -aminopropyltriethoxysilane and polyethylene-grafted glycidylmethacrylate on the properties of high-density polyethylene/poplar wood flour composites and their synergistic mechanism. 2017 , 51, 955-964	

936	Producing aerogels from silanized cellulose nanofiber suspension. 2017 , 24, 769-779	52
935	Hydrolysis of Biopolymers in Near-Critical and Subcritical Water. 2017 , 69-107	7
934	Chitin- and Shell-Based Benzoxazines. 2017 , 499-521	2
933	Functional Groups at Polymer Surface and Their Reactions. 2017 , 135-172	
932	Biomass-based composites from different sources: Properties, characterization, and transforming biomass with ionic liquids. 2017 , 45-76	4
931	Polypropylene (PP)-Based Biocomposites and Bionanocomposites: State-of-the-Art, New Challenges and Opportunities. 2017 , 1-22	1
930	Interfacial Modification of Polypropylene-Based Biocomposites and Bionanocomposites. 2017 , 315-347	
929	The structure and properties of eucalyptus fiber/phenolic foam composites under N-(aminoethyl)-aminopropyl trimethoxy silane pretreatments. 2017 , 19, 116-121	5
928	Study on Effect of Surface Treating Method on Mechanical Behavior of Three Plant Fiber Reinforced Polypropylene Composites. 2017 , 25, 93-102	5
927	Effect of Aminosilane Concentrations on the Properties of Poly(Lactic Acid)/Kenaf-Derived Cellulose Composites. 2017 , 25, 63-76	5
926	Interfacial and Mechanical Properties of Continuous Fiber-Reinforced PP via Pre Impregnated Winding. 2017 , 25, 23-28	4
925	Key issues in reinforcement involving nanocellulose. 2017 , 401-425	2
924	The use of nanotechnology for fibre-reinforced polymer composites. 2017 , 277-297	4
923	Effect of Silane Coupling Agent on Tribological Properties of Hemp Fiber-Reinforced Plant-Derived Polyamide 1010 Biomass Composites. 2017 , 10,	32
922	Effects of Matrix Modification on the Mechanical Properties of Wood?Polypropylene Composites. 2017 , 9,	9
921	Green hybrid composites from cellulose nanocrystal. 2017 , 65-99	3
920	Surface modification of fibers and sizing operations. 2017 , 81-98	
919	Recent innovations in biocomposite products. 2017 , 275-306	4

918	Sol-Gel Applications in Textile Finishing Processes. 2017 ,	4
917	Effects of Fiber Surface Treatments on the Properties of Wood Fiber-Phenolic Foam Composites. 2017 , 12,	9
916	Thermomechanical Properties of Jute/Bamboo Cellulose Composite and Its Hybrid Composites: The Effects of Treatment and Fiber Loading. 2017 , 2017, 1-10	27
915	Polyurethane-Based Biocomposites. 2017 , 525-546	1
914	Performances of FRP core rod-HTV SIR sheath interface in a water environment. 2017 , 24, 3024-3030	12
913	Chemical and Photochemical Routes Toward Tailor-Made Polymer-Clay Nanocomposites. 2017 , 145-197	2
912	A comprehensive review on surface modification, structure interface and bonding mechanism of plant cellulose fiber reinforced polymer based composites. 2018 , 25, 629-667	63
911	Experimental Study on Mechanical Properties of Natural Fiber Reinforced Polymer Composite Materials for Wind Turbine Blades. 2018 , 5, 2588-2596	34
910	Comparison of six WPCs made of organo-montmorillonite-modified fibers of four trees, moso bamboo and wheat straw and poly(lactic acid) (PLA). 2018 , 72, 735-744	9
909	Effects of incorporating titanate nanotubes on the mechanical properties of polyamide 11. 2018 , 68, 238-247	5
908	Mechanical properties of chemically modified Sansevieria trifasciata/natural rubber/high density polyethylene (STF/NR/HDPE) composites: Effect of silane coupling agent. 2018 ,	
907	Influences of surface modification of nano-silica by silane coupling agents on the thermal and frictional properties of cyanate ester resin. 2018 , 9, 886-896	27
906	Modification of poly(benzimidazole-amide) nanocomposites by the incorporation of amine-functionalized ZnO nanoparticles: Thermal and morphological characterization. 2018 , 29, 1834-1842	3
905	Effect of silane functionalization on properties of polypropylene/clay nanocomposites. 2018 , 146, 106-115	79
904	Fabrication of reversible thermoresponsive thin films on wood surfaces with hydrophobic performance. 2018 , 119, 15-22	12
903	Impact of curing time on ageing and degradation of phenol-urea-formaldehyde binder. 2018 , 152, 86-94	11
902	Acoustic properties of biodegradable composite micro-perforated panel (BC-MPP) made from kenaf fibre and polylactic acid (PLA). 2018 , 138, 179-187	26
901	The effects of silane coupling agents on the mechanical properties of basalt fiber reinforced poly(butylene terephthalate) composites. 2018 , 146, 145-154	53

900	Mechanical properties and flame retardancy of surface modified magnesium oxysulfate (5Mg(OH)2[MgSO4·3H2O] whisker for polypropylene composites. 2018 , 4, 149-156	2
899	Effect of interface on composites made from DREF spun hybrid yarn with low twisted core flax yarn. <i>Composites Part A: Applied Science and Manufacturing</i> , 2018 , 107, 260-270	8.4 10
898	Thermoelectric and mechanical properties of PLA/Bi0.5Sb1.5Te3 composite wires used for 3D printing. 2018 , 157, 1-9	36
897	Modification of the Interface/Interphase in Natural Fibre Reinforced Composites: Treatments and Processes. 2018 , 35-70	7
896	Characterization of the Fibre Modifications and Localization of the Functionalization Molecules. 2018 , 71-100	0
895	Hydrothermally treated wood as reinforcing filler for natural rubber bio-composites. 2018 , 25, 1	13
894	Surface modification of magnesium hydroxide particles using silane coupling agent by dry process. 2018 , 50, 277-283	9
893	Pretreatments of Natural Fibers for Polymer Composite Materials. 2018 , 137-175	3
892	Lignocellulosic Fibres Reinforced Thermoset Composites: Preparation, Characterization, Mechanical and Rheological Properties. 2018 , 215-270	8
891	Chemical and physical interaction between silane coupling agent with long arms and silica and its effect on silica/natural rubber composites. 2018 , 135, 200-210	56
890	Polymer composites with functionalized natural fibers. 2018 , 157-186	14
889	An overview of structural-functional-integrated composites based on the hierarchical microstructures of plant fibers. 2018 , 1, 231-246	27
888	Development of multifunctional cotton fabrics using difunctional polysiloxanes. 2018 , 25, 1483-1497	12
887	Sandwich-structured wood flour/HDPE composite panels: Reinforcement using a linear low-density polyethylene core layer. 2018 , 164, 489-496	22
886	Preparation and origin of thermally resistant biobased epoxy resin with low internal stress and good UV resistance based on SiO2 hybridized cellulose for light emitting diode encapsulation. 2018 , 447, 315-324	16
885	Evaluation of the mechanical properties of chemically modified chicken feather fibres reinforced high density polyethylene composites. 2018 , 12, 56-63	18
884	Modification of hemp shiv properties using water-repellent sol-gel coatings. 2018 , 86, 187-197	13
883	Multifunctional Composite Ecomaterials and Their Impact on Sustainability. 2018 , 1-31	

882	Mechanical and thermal characterization of polyester composite containing treated wood flour from Palm oil biomass. 2018 , 39, 1200-1211	10
881	Torque rheological properties of agro-waste-based polypropylene composites: Effect of filler content and green coupling agent. 2018 , 24, E30-E35	7
880	Synthesis and functional features of wood fiber-polypropylene materials: Based on wood fibers with assembling nano-coating via adopting simple in situ-hydrothermal mechanism. 2018 , 39, 5-13	4
879	Modification of bamboo fibers/bio-based epoxy interface by nano-reinforced coatings. 2018 , 39, 1534-1542	9
878	The effects of chemical treatment on the structural and thermal, physical, and mechanical and morphological properties of roselle fiber-reinforced vinyl ester composites. 2018 , 39, 274-287	52
877	Impact of delignification on mechanical, morphological, and thermal properties of wood sawdust reinforced unsaturated polyester composites. 2018 , 24, 185-191	6
876	Hydrophobic treatment of natural fibers and their compositesâA review. 2018 , 47, 2153-2183	192
875	Green coupling agent for agro-waste based thermoplastic composites. 2018 , 39, 2441-2450	12
874	Polycarbonate/TiO2 nanofibers nanocomposite: Preparation and properties. 2018 , 39, E780-E790	7
873	A new amino silane coupling agent for old corrugated container fibers/high density polyethylene composites. 2018 , 39, 2054-2064	4
872	Investigation on wear behaviors and worn surface morphology of surface treated palmyra fruit fiber/polyester composites to appraise the effects of fiber surface treatments. 2018 , 39, 2029-2035	5
871	Static and Dynamic Mechanical Properties of Poly (vinyl chloride) and Waste Rice Husk Ash Composites Compatibilized with �aminopropyltrimethoxysilane. 2018 , 10, 287-292	7
870	Modification of epoxy resin by silane-coupling agent to improve tensile properties of viscose fabric composites. 2018 , 75, 167-195	23
869	Influence of Distinct Environment on the Mechanical Characteristics of Arhar Fiber Polymer Composites. 2018 , 10, 825-830	12
868	Enhancement of interface performance between shape memory alloy fiber and polymer matrix using silane coupling agent KH550 and Al2O3 nanoparticles. 2018 , 39, 3040-3047	15
867	Glycidyl methacrylate-compatibilized poly(lactic acid)/hemp hurd biocomposites: Processing, crystallization, and thermo-mechanical response. 2018 , 34, 387-397	34
866	Effect of water ageing on the load-unload cyclic behaviour of flax fibre-reinforced thermoplastic and thermosetting composites. 2018 , 183, 309-319	56
865	The effects of surface modification of ground calcium carbonate powdery fillers on the properties of PVC. 2018 , 75, 1123-1139	7

864	Effect of Alkali and Silane Treatments on Mechanical and Interfacial Bonding Strength of Sugar Palm Fibers with Thermoplastic Polyurethane. 2018 , 15, 251-261	60
863	Silane coupling agent for enhanced epoxy-iron oxide nanocomposite. 2018 , 7, 21-28	17
862	The Effect of Silane Treated Fibre Loading on Mechanical Properties of Pineapple Leaf/Kenaf Fibre Filler Phenolic Composites. 2018 , 26, 1520-1527	67
861	Effect of sodium bicarbonate treatment on mechanical properties of flax-reinforced epoxy composite materials. 2018 , 52, 1061-1072	59
860	Hydrophobicity of hemp shiv treated with sol-gel coatings. 2018 , 434, 850-860	22
859	Advances in Natural Fibre Reinforced Thermoplastic Composite Manufacturing: Effect of Interface and Hybrid Yarn Structure on Composite Properties. 2018 , 99-117	2
858	A technical review on epoxy-clay nanocomposites: Structure, properties, and their applications in fiber reinforced composites. 2018 , 135, 1-24	145
857	Effect of polyphenylene sulfide containing amino unit on thermal and mechanical properties of polyphenylene sulfide/glass fiber composites. 2018 , 135, 45804	6
856	Impact of surface adaptation and Acacia nilotica biofiller on static and dynamic properties of sisal fiber composite. 2018 , 23, 99-112	22
855	The reinforcement efficacy of nano- and microscale silica for extruded wood flour/HDPE composites: the effects of dispersion patterns and interfacial modification. 2018 , 53, 1899-1910	19
854	Surface modification and characterization of basalt fibers as potential reinforcement of concretes. 2018 , 427, 1248-1256	39
853	Influence of filler loading and palm oil-based green coupling agent on torque rheological properties of polypropylene/cocoa pod husk composites. 2018 , 37, 2246-2252	8
852	Enhanced Charpy impact strength of epoxy resin modified with vinyl-terminated polydimethylsiloxane. 2018 , 135, 45720	15
851	Investigation on Physicomechanical, Thermal, and Morphological of Dipodal Silane-Modified Walnut Shell Powder-Filled Polyurethane Green Composites and Their Application for Removal of Heavy Metal Ions from Water. 2018 , 57, 1197-1208	8
850	Progress in the research and applications of natural fiber-reinforced polymer matrix composites. 2018 , 25, 835-846	24
849	Synthesis and properties of electrical conductive and antibacterial siloxane-modified carbon fiber/epoxy nanocomposites. 2018 , 67, 951-960	1
848	Effect of Rice Husk Treatment with Hot Water on Mechanical Performance in Poly(hydroxybutyrate)/Rice Husk Biocomposite. 2018 , 26, 2632-2639	8
847	Composites of Wood and Biodegradable Thermoplastics: A Review. 2018 , 58, 444-494	89

846	Chemically Functionalized Plant Fibers and Carbon Nanotubes for High Compatibility and Reinforcement in Poly(lactic acid) Composite. 2018 , 26, 1962-1968	5
845	Fiber from DDGS and Corn Grain as Alternative Fillers in Polymer Composites with High Density Polyethylene from Bio-based and Petroleum Sources. 2018 , 26, 2311-2322	5
844	Effect of fiber treatment on flexural properties of natural fiber reinforced composites: A review. 2018 , 27, 775-783	152
843	Polyethylene green composites modified with post agricultural waste filler: thermo-mechanical and damping properties. 2018 , 25, 287-299	21
842	Grafting of phosphorus flame retardants on flax fabrics: Comparison between two routes. 2018 , 147, 25-34	20
841	Influence of silane-modified Vinyl ester on the properties of Abaca fiber reinforced composites. 2018 , 37, 1970-1978	10
840	The Effect of EAPS Coupling Agent on High Density Polyethylene/Acrylonitrile-Butadiene Rubber/Palm Pressed Fibre Composites. 2018 , 24, E71-E76	1
839	Effect of in situ reactive interfacial compatibilization on structure and properties of polylactide/sisal fiber biocomposites. 2018 , 39, E174-E187	8
838	Reinforcement of Silicon-Containing Arylacetylene/Quartz Fiber composites by poly(imide-co-siloxane) macromolecular coupling agent. 2018 , 397, 012018	0
837	The effect of eco-degradant on properties corn stalk filled low density polyethylene biocomposites. 2018 ,	
836	Effect of Surface Functionalization on the Dielectric Properties of Polypropylene Aluminium Nitride Nanocomposites. 2018 ,	2
835	Natural Fibers and Biopolymers Characterization: A Future Potential Composite Material. 2018 , 68, 33-50	43
834	Enhanced Interfacial Shear Strength and Critical Energy Release Rate in Single Glass Fiber-Crosslinked Polypropylene Model Microcomposites. 2018 , 11,	3
833	. 2018 ,	2
832	Sugarcane Bagasse As Potentially Low-Cost Biosorbent. 2018 ,	1
831	Surface functionalisation of microfibrillated cellulose (MFC) of cocoa pod husk with EMethacryloxypropyltrimethoxysilane (MPS). 2018 , 5, 22000-22009	3
830	Flexural and Impact Properties of A New Bulletproof Vest Insert Plate Design Using Kenaf Fibre Embedded With X-Ray Films. 2018 , 5, 11193-11197	4
829	Influence of pre-grafted pyrrole-based silane on the electrodeposition and chemical properties of polypyrrole films. 2018 , 246, 220-229	3

828	Properties of Renewable Biocomposite from Poly(butylene succinate) and Teakwood Sawdust before and after Accelerated Weathering Condition. 2018 , 15, 1075-1086	2
827	Fabrication and corrosion property of novel 3-aminopropyltriethoxy-modified calcium phosphate/poly(lactic acid) composite coating on AZ60 Mg alloy. 2018 , 124, 1	6
826	Impact of Silanization on the Structure, Dispersion Properties, and Biodegradability of Nanocellulose as a Nanocomposite Filler. 2018 , 1, 7025-7038	24
825	Adaptable Fabrication Techniques for Mechanically Durable Superliquiphobic/philic Surfaces. 2018 , 327-427	
824	A Sustained Release Anchored Biocide System Utilizing the Honeycomb Cellular Structure of Expanded Perlite.. 2018 , 1, 1959-1971	5
823	Environmental durability of externally natural fabrics reinforced polymer concrete. 2018 , 459, 012020	2
822	Synthesis and application of a novel dicyanide-containing silane coupling agent. 2018 , 397, 012021	0
821	Direct Dehydrogenative Coupling of Alcohols with Hydrosilanes Promoted by Sodium tri(sec-butyl)borohydride. 2018 , 8, 618	8
820	Hemicellulose and lignin removal on typha fiber by alkali treatment. 2018 , 352, 012019	11
819	Maleated polyethylene as a compatibilizing agent in cannabis indica stemâflour-reinforced composite materials. 2018 , 27, 819-827	5
818	Mechanical properties and microstructure of metakaolin-based geopolymer compound-modified by polyacrylic emulsion and polypropylene fibers. 2018 , 190, 680-690	13
817	Reactive extrusion of bio-based polymer blends and composites âCurrent trends and future developments. 2018 , 12, 24-57	72
816	Effects of Extractives on Dimensional Stability, Dynamic Mechanical Properties, Creep, and Stress Relaxation of Rice Straw/High-Density Polyethylene Composites. 2018 , 10,	9
815	The effect of epoxy resin on wood-plastic composites. 2018 , 47, 369-376	1
814	Biological effectiveness of archaeological oak wood treated with methyltrimethoxysilane and PEG against Brown-rot fungi and moulds. 2018 , 134, 110-116	9
813	The Effects of Different Rice Husk Loading and Size on The Properties of Standard Malaysian Rubber / Rice Husk Composites. 2018 , 1019, 012091	
812	Polyethersulfone Membranes Prepared with 3-Aminopropyltriethoxysilane Modified Alumina Nanoparticles for Cu(II) Removal from Water. 2018 , 3, 10154-10162	16
811	Durable superhydrophobic and underwater superoleophobic cotton fabrics growing zinc oxide nanoarrays for application in separation of heavy/light oil and water mixtures as need. 2018 , 559, 115-126	35

810	Increasing the hydrophobicity of filter medium particles for oily water treatment using coupling agents. 2018 , 4, e00809	10
809	Effects of water, alkali solution and temperature ageing on water absorption, morphology and mechanical properties of natural FRP composites: Plant-based jute vs. mineral-based basalt. 2018 , 153, 398-412	50
808	Cellulose nanocrystals functionalized with amino-silane and epoxy-poly(ethylene glycol) for reinforcement and flexibilization of poly(lactic acid): material preparation and compatibility mechanism. 2018 , 25, 6447-6463	26
807	Enhanced Electrorheological Response of Cellulose: A Double Effect of Modification by Urea-Terminated Silane. 2018 , 10,	3
806	Mechanical properties of poly(3-hydroxybutyrate-co-3-hydroxyvalerate)/wood flour composites: Effect of interface modifiers. 2018 , 135, 46828	16
805	Strength shear test for adhesive joints between dissimilar materials obtained by multicomponent injection. 2018 , 86, 22-28	6
804	Preparation of High Mechanical Performance Nano-Fe ₃ O ₄ /Wood Fiber Binderless Composite Boards for Electromagnetic Absorption via a Facile and Green Method. 2018 , 8,	20
803	Ionic PMMA/nanosilica interfaces from grafting ionic liquids under supercritical CO ₂ conditions. 2018 , 109, 82-92	4
802	Superficial modification by alkalization of cellulose Fibres obtained from Figue leaf. 2018 , 437, 012015	2
801	Adsorption of Cu(ii), Zn(ii), and Pb(ii) from aqueous single and binary metal solutions by regenerated cellulose and sodium alginate chemically modified with polyethyleneimine.. 2018 , 8, 18723-18733	54
800	Cellulose Mineralization as a Route for Novel Functional Materials. 2018 , 28, 1705042	32
799	1.11 Natural Fibers. 2018 , 269-294	2
798	Micro-configuration controlled interfacial adhesion by grafting graphene oxide onto carbon fibers. <i>Composites Part A: Applied Science and Manufacturing</i> , 2018 , 111, 83-93	8.4 22
797	Formation of contact active antimicrobial surfaces by covalent grafting of quaternary ammonium compounds. 2018 , 169, 195-205	54
796	Constructing a Multiple Covalent Interface and Isolating a Dispersed Structure in Silica/Rubber Nanocomposites with Excellent Dynamic Performance. 2018 , 10, 19922-19931	35
795	Synthesis and characterization of amine-modified spherical nanocellulose aerogels. 2018 , 53, 13304-13315	21
794	Recent Advances in Polyethylene-Based Biocomposites. 2018 , 71-96	4
793	Conversion of an industrial waste to an oil sorbent by coupling with functional silanes. 2018 , 196, 1052-1064	16

792	Superabsorbent Aerogels from Cellulose Nanofibril Hydrogels. 2018 , 1-26		1
791	Investigation of modified water glass as adhesive for wood and particleboard: mechanical, thermal and flame retardant properties. 2018 , 76, 1427-1434		4
790	Influence of different surface treatments on the interfacial adhesion of graphene oxide/carbon fiber/epoxy composites. 2018 , 458, 996-1005		66
789	Mussel-Inspired Polydopamine as a Green, Efficient, and Stable Platform to Functionalize Bamboo Fiber with Amino-Terminated Alkyl for High Performance Poly(butylene succinate) Composites. 2018 , 10,		16
788	Surface modification techniques of biodegradable and biocompatible polymers. 2018 , 33-54		5
787	Ionic liquids for the preparation of biopolymer materials for drug/gene delivery: a review. 2018 , 20, 4169-4200	69	
786	Research on hydrophobicity treatment of aluminum nitride powder and the fabrication and characterization of AlN/PTFE composite substrates. 2018 , 29, 14890-14896		4
785	A high strength green nanocomposites based on wood veneer nanocrystalline cellulose and epoxy resin polymer. 2018 , 368, 012007		2
784	The effect of pulverisation process to kenaf fibre physical properties. 2018 ,		1
783	A facile approach of developing micro crystalline cellulose reinforced cementitious composites with improved microstructure and mechanical performance. 2018 , 338, 654-663		11
782	Improvement of cellulose acetate dimensional stability by chemical crosslinking with cellulose nanocrystals. <i>Composites Part A: Applied Science and Manufacturing</i> , 2018 , 113, 105-113	8.4	6
781	Microbiological Sensing Technologies: A Review. 2018 , 5,		25
780	Biotemplating Principles. 2018 , 17-51		1
779	Inflorescence type morphology and mirrorâ€œhistâ€œackle pattern in tensile fractograph of MWCNT/PBT nano-composites. 2018 , 109, 561-568		6
778	Interface Bond Improvement of Sisal Fibre Reinforced Polylactide Composites with Added Epoxy Oligomer. 2018 , 11,		18
777	Molecular Dynamics Study of an Amorphous Polyethylene/Silica Interface with Shear Tests. 2018 , 11,		17
776	Magnesium Oxide Nanoparticles: Dielectric Properties, Surface Functionalization and Improvement of Epoxy-Based Composites Insulating Properties. 2018 , 8,		45
775	Silica Modified by Alcohol Polyoxyethylene Ether and Silane Coupling Agent Together to Achieve High Performance Rubber Composites Using the Latex Compounding Method. 2017 , 10,		290

774	Block Copolymer Elastomer with Graphite Filler: Effect of Processing Conditions and Silane Coupling Agent on the Composite Properties. 2018 , 10,	10
773	Suitability of Different Variants of Polyethylene Glycol Impregnation for the Dimensional Stabilization of Oak Wood. 2018 , 10,	14
772	Revealing the Interface Structure and Bonding Mechanism of Coupling Agent Treated WPC. 2018 , 10,	29
771	Surface modification of natural fibers. 2018 , 115-155	13
770	Dissimilar Materials Bonding Using Epoxy Monolith. 2018 , 3, 7532-7541	8
769	Surface modification of polyimide fibers by novel alkaline solvent hydrolysis to form high-performance fiber-reinforced composites. 2018 , 135, 46595	6
768	Silane coatings of metallic biomaterials for biomedical implants: A preliminary review. 2018 , 106, 2901-2918	9
767	Investigation of hydrophobic coatings on cellulose-fiber substrates with in-situ polymerization of silane/siloxane mixtures. 2018 , 86, 13-21	12
766	Influences of VTMS/SiO ₂ ratios on the contact angle and morphology of modified super-hydrophobic silicon dioxide material by vinyl trimethoxy silane. 2018 , 10, 891-902	12
765	The oscillatory adsorption of self-assembled organosilane films on aluminium oxide surfaces. 2018 , 50, 813-818	5
764	A novel surface treatment for bamboo flour and its effect on the dimensional stability and mechanical properties of high density polyethylene/bamboo flour composites. 2018 , 186, 1220-1227	20
763	A Novel Study on Thermal Stability of Camphor Soot Reinforced Coir Fibers. 2018 , 19, 1567-1575	6
762	Rheological and mechanical properties of polylactide nanocomposites reinforced with the cellulose nanofibers with various surface treatments. 2018 , 25, 3955-3971	34
761	Potential of natural fiber/biomass filler-reinforced polymer composites in aerospace applications. 2018 , 253-268	19
760	Effect of fibre treatment using fluorosilane on Sansevieria Trifasciata/Polypropylene composite. 2018 ,	1
759	Toward Sustainable Multifunctional Coatings Containing Nanocellulose in a Hybrid Glass Matrix. 2018 , 12, 5495-5503	20
758	Mechanical, thermal, and burning properties of viscose fabric composites: Influence of epoxy resin modification. 2018 , 135, 46673	5
757	The Influence of Additives on the Interfacial Bonding Mechanisms Between Natural Fibre and Biopolymer Composites. 2018 , 26, 851-863	20

756	Sepiolite as replacement of short glass fibre in polyamide composites for injection moulding applications. 2018 , 162, 129-137	7
755	Mechanical, dynamic, and thermomechanical properties of coir/pineapple leaf fiber reinforced polylactic acid hybrid biocomposites. 2019 , 40, 2000-2011	47
754	Universal approach of cellulose fibres chemical modification result analysis via commonly used techniques. 2019 , 76, 2147-2162	11
753	Development of novel building composites based on hemp and multi-functional silica matrix. 2019 , 156, 266-273	21
752	Synthesis of DOPO-g-GPTS modified wood fiber and its effects on the properties of composite phenolic foams. 2019 , 136, 46917	8
751	Incorporating graphene oxide to improve the performance of Nafion-mordenite composite membranes for a direct methanol fuel cell. 2019 , 44, 362-378	38
750	Comparison of different natural fiber treatments: a literature review. 2019 , 16, 629-642	83
749	Analysis of Mechanical and Thermal Behavior of Sisal Fiber Composites: Review. 2019 , 17-26	1
748	Surface modification of ramie fibers with silanized CNTs through a simple spray-coating method. 2019 , 26, 8165-8178	11
747	Unsaturated Polyester Microcomposites. 2019 , 67-100	3
746	Fabrication and tribological investigation of Coconut coir/Banana fiber/Glass fiber reinforced hybrid polymer matrix composites- A Taguchi approach. 2019 , 6, 105345	4
745	Preparation and Application of Chemically Bonded Silica Supported Calix[4]arene as Reinforced Filler in NR/BR Blend Based Rubber Compounds. 2019 , 92, 809-816	1
744	Fabrication of an antireflection structure on an aspherical lens using a UV-curable inorganic-organic hybrid polymer. 2019 , 58, SDDJ03	3
743	Biocomposite foams from poly(lactic acid) and rubber wood sawdust: Mechanical properties, cytotoxicity, and in vitro degradation. 2019 , 136, 48259	5
742	Injection-molded parts of fully bio-based polyamide 1010 strengthened with waste derived slate fibers pretreated with glycidyl- and amino-silane coupling agents. 2019 , 77, 105875	15
741	Development of Structure in Hexadecyltrimethoxysilane Adsorbed on Silica. 2019 , 123, 19005-19012	5
740	Synthesis of siloxane-containing benzoxazine and its synergistic effect on flame retardancy of polyoxymethylene. 2019 , 30, 2686-2694	14
739	Tensile, physical and morphological properties of oil palm empty fruit bunch/sugarcane bagasse fibre reinforced phenolic hybrid composites. 2019 , 8, 3466-3474	43

738	Green Polymer Composites Based on Polylactic Acid (PLA) and Fibers. 2019 , 29-54	2
737	Modifying wood veneer with silane coupling agent for decorating wood fiber/high-density polyethylene composite. 2019 , 224, 691-699	25
736	Contribution of surface treatments by esterification and silanization in reinforcing the composites based on Pine cone and Spartium junceum flours and polypropylene. 2019 , 33, 2405-2429	4
735	Effect of Hygrothermal Aging and Surface Treatment on the Dynamic Mechanical Behavior of Flax Fiber Reinforced Composites. 2019 , 12,	10
734	Synthesis and characterization of the microcellular injection molded PA6/flax and the PA6/graphene nanocomposites. 2019 , 542, 012067	4
733	Antibacterial Cotton Fabrics Coated by Biodegradable Cationic Silicone Softeners. 2019 , 22, 1429-1443	4
732	Characterization of flexible Poly(vinyl butyral)/wood flour composites. 2019 , 175, 107118	11
731	Sample preparation method to improve the efficiency of high-throughput single-molecule force spectroscopy. 2019 , 5, 176-183	0
730	Effect of vinyl silane modification on thermal and mechanical properties of starch-polyvinyl alcohol blend. 2019 , 22, 159-163	2
729	Resistance of Injection Molded Wood-Polypropylene Composites against Basidiomycetes According to EN 15534-1: New Insights on the Test Procedure, Structural Alterations, and Impact of Wood Source. 2019 , 7, 92	1
728	Designing novel epoxy-terminated polybutadiene to construct chemical interface between nanosilica and rubbers with green nature. 2019 , 178, 107451	13
727	N-Silylated Benzothiazolium Dye as a Coupling Agent for Polylactic Acid/Date Palm Fiber Bio-composites. 2019 , 27, 2974-2987	17
726	Nitrile-butadiene rubber composites with improved electromechanical properties obtained by modification of BaTiO ₃ with co-deposited catechol/polyamine and silane grafting. 2019 , 183, 121813	11
725	Understanding kinetics and thermodynamics of the interactions between amitriptyline or eosin yellow and aminosilane-modified cellulose. 2019 , 225, 115246	5
724	Cuprous Oxide Based Chemiresistive Electronic Nose for Discrimination of Volatile Organic Compounds. 2019 , 4, 3051-3055	10
723	An easy-processing organic-inorganic self-lubricating composite coating with high corrosion resistance. 2019 , 137, 105377	3
722	Enhanced Actuation Strains of Rubber Composites by Combined Covalent and Noncovalent Modification of TiO ₂ Nanoparticles. 2019 , 58, 19890-19898	8
721	Strengthening and Toughening of Polylactide/Sisal Fiber Biocomposites via in-situ Reaction with Epoxy-Functionalized Oligomer and Poly (butylene-adipate-terephthalate). 2019 , 11,	5

720	Sustainability of surface treatment of natural fibre in composite formation: challenges of environment-friendly option. 2019 , 105, 3183-3195	16
719	Influence of Silicon-Containing Compounds on Adhesives for and Adhesion to Wood and Lignocellulosic Materials: A Critical Review. 2019 , 25-76	1
718	Using Sustainable Oil Shale Waste Powder Treated with Silane Coupling Agent for Enriching the Performance of Asphalt and Asphalt Mixture. 2019 , 11, 4857	4
717	Hydrolyzed wheat protein as a self-assembled reinforcing filler in synthetic isoprene rubber vulcanizates. 2019 , 141, 111815	1
716	Chemical modification of hemp fibres by plasma treatment for eco-composites based on biodegradable polyester. 2019 , 54, 14367-14377	8
715	Controlled Release of Phosphate Fertilizer Using Silica Microcapsules. 2019 , 48, 658-661	1
714	The role of the filler surface chemistry on the dielectric and thermal properties of polypropylene aluminium nitride nanocomposites. 2019 , 26, 1009-1017	4
713	Mechanical properties of short basalt fibre reinforced polypropylene and the effect of fibre sizing on adhesion. 2019 , 176, 107260	26
712	Thermal and thermo-mechanical properties of polypropylene composites using yerba mate residues as reinforcing filler. 2019 , 140, 111696	17
711	Effects of Fiber Surface Grafting with Nano-Clay on the Hydrothermal Ageing Behaviors of Flax Fiber/Epoxy Composite Plates. 2019 , 11,	12
710	Hydrophobic Gas Transfer Membranes for Wastewater Treatment and Resource Recovery. 2019 , 53, 11618-11635	36
709	Strengthened cellulosic gels by the chemical gelation of cellulose via crosslinking with TEOS. 2019 , 26, 9819-9829	8
708	Natural Fibers as Sustainable and Renewable Resource for Development of Eco-Friendly Composites: A Comprehensive Review. 2019 , 6,	233
707	Quantitatively Characterizing the Chemical Composition of Tailored Bagasse Fiber and Its Effect on the Thermal and Mechanical Properties of Polylactic Acid-Based Composites. 2019 , 11,	17
706	From multi-functional siloxane-based cyclic carbonates to hybrid polyhydroxyurethane thermosets. 2019 , 120, 109280	15
705	NIR-Triggered Theranostic BiS Light Transducer for On-Demand NO Release and Synergistic Gas/Photothermal Combination Therapy of Tumors.. 2019 , 2, 4769-4776	6
704	Friction and wear properties of recycled natural fiber reinforced plant-derived polyamide 1010 biomass composites. 2019 ,	2
703	Synthesis of interpenetrating polymer networks using silicone polymer with silanol residue. 2019 , 137, 21-26	0

702	Effect of nanoclay grafting onto flax fibers on the interfacial shear strength and mechanical properties of flax/epoxy composites. 2019 , 40, 3482-3492	20
701	Effects of hybridization and interface modification on mechanical properties of wood flour/polymer composites reinforced by glass fibers. 2019 , 40, 3601-3610	4
700	Novel approach for silane treatment of flax fiber to improve the interfacial adhesion in flax/bio epoxy composites. 2019 , 53, 2229-2238	32
699	The Oscillatory Adsorption of Organosilane Films on Aluminium Oxide: Film Morphology using Auger Electron Spectromicroscopy. 2019 , 475, 999-1002	4
698	Nanofibrillated Cellulose-Based Nanocomposites. 2019 , 67-86	3
697	Transport properties of 3D printed polymer nanocomposites for potential thermoelectric applications. 2019 , 125, 1	9
696	Vegetable oil-based epoxy resins and their composites with bio-based hardener: a short review. 2019 , 58, 1311-1326	31
695	Silylation of TEMPO oxidized nanocellulose from oil palm empty fruit bunch by 3-aminopropyltriethoxysilane. 2019 , 135, 106-112	20
694	Characterization of KH-560-Modified Jute Fabric/Epoxy Laminated Composites: Surface Structure, and Thermal and Mechanical Properties. 2019 , 11,	14
693	Review on mechanical properties evaluation of pineapple leaf fibre (PALF) reinforced polymer composites. 2019 , 174, 106927	106
692	Alumina-Coated Graphene Oxide Microspheres as Enhanced Antioxidative and Electrically Insulating Fillers for Thermal Interface Materials with High Thermal Conductivity. 2019 , 1, 1330-1335	12
691	The pull-out behavior of chemically treated lignocellulosic fibers/polymeric matrix interface (LF/PM): A review. 2019 , 174, 107059	22
690	Catalyzed Reaction of Cellulose and Lignin with Methyltrimethoxysilane-FT-IR, C NMR and Si NMR Studies. 2019 , 12,	9
689	The role of the filler surface chemistry on the dielectric and thermal properties of polypropylene aluminium nitride nanocomposites. 2019 , 26, 1009-1017	5
688	Additive manufacturing of natural fiber reinforced polymer composites: Processing and prospects. 2019 , 174, 106956	181
687	Preparation of a novel composite based polyester nonwovens with high mechanical resistance and wash fastness properties. 2019 , 577, 604-612	2
686	Value-added composite bioproducts reinforced with regionally significant agricultural residues. <i>Composites Part A: Applied Science and Manufacturing</i> , 2019 , 124, 105441	8.4 12
685	Review of Functional Properties of Natural Fiber-Reinforced Polymer Composites: Thermal Insulation, Biodegradation and Vibration Damping Properties. 2019 , 28, 525-543	23

684	Mechanical Properties and Wettability of Bagasse-reinforced Composite. 2019 , 34, 312-316	3
683	Effects of sol-gel modification on the interfacial and mechanical properties of sisal fiber reinforced polypropylene composites. 2019 , 137, 89-97	26
682	Preparation and studies of pigeon pea stalk/polypropylene composites with and without compatibilizer. 2019 , 27, 337-346	5
681	Manufacture of Hybrid Natural/Synthetic Fiber Woven Textiles for Use in Technical Biocomposites with Maximum Biobased Content. 2019 , 3, 43	5
680	Effect of Hot-Alkali Treatment on the Structure Composition of Jute Fabrics and Mechanical Properties of Laminated Composites. 2019 , 12,	26
679	Superhydrophobic Melamine-Formaldehyde Sponge Functionalized by Coupling Agent-βocyanate Siloxane as Efficient Absorbents for Oil and Organic Solvents. 2019 , 6, 1900025	15
678	Other treatment. 2019 , 179-225	
677	Interface Characterization Between Polyethylene/ Silica in Engineered Cementitious Composites by Molecular Dynamics Simulation. 2019 , 24,	16
676	Study on UV-protection and hydrophobic properties of cotton fabric functionalized by graphene oxide and silane coupling agent. 2019 , 48, 237-242	4
675	Recycled-Oil-Based Polyurethane Modified with Organic Silicone for Controllable Release of Coated Fertilizer. 2019 , 11,	11
674	Physical and Chemical Modifications of Plant Fibres for Reinforcement in Cementitious Composites. 2019 , 2019, 1-18	30
673	Mechanical Behavior of Epoxy-Based Green Composites. 2019 , 81-90	2
672	Critical Review of the Parameters Affecting the Effectiveness of Moisture Absorption Treatments Used for Natural Composites. 2019 , 3, 27	45
671	Reliable Natural-Fibre Augmented Biodegraded Polymer Composites. 2019 , 961-975	
670	O-Metalation of silanols and POSS silanols over Amberlyst-15 catalyst: A facile route to unsymmetrical siloxanes, borasiloxanes and gemasiloxanes. 2019 , 490, 261-266	13
669	Wear behavior of hollow glass beads (HGB) reinforced nitrile butadiene rubber: Effects of silane coupling agent and filler content. 2019 , 19, 366-373	12
668	Effect of addition of PP-g-MA on the tribological properties of hemp fiber reinforced plant-derived Polyamide1010 biomass composites. 2019 ,	2
667	Development of Date Pit-Polystyrene Thermoplastic Heat Insulator Material: Physical and Thermal Properties. 2019 , 2019, 1-10	13

666	Antibacterial application of covalently immobilized photosensitizers on a surface. 2019 , 172, 34-42	10
665	Maleinized Linseed Oil as Epoxy Resin Hardener for Composites with High Bio Content Obtained from Linen Byproducts. 2019 , 11,	24
664	Thermal and mechanical properties of chemically treated oil palm fiber filled acrylonitrile butadiene styrene composites. 2019 , 50, 240-247	4
663	Improved Current Sensor for Water Diffusion Testing of Composite Insulators. 2019 , 19,	1
662	The effect of surface treatment on the creep behavior of flax fiber reinforced composites under hygrothermal aging conditions. 2019 , 208, 220-227	26
661	Recyclable CNT-coupled cotton fabrics for low-cost and efficient desalination of seawater under sunlight. 2019 , 462, 29-38	71
660	The three-dimensional heterostructure synthesis of ZnO/cellulosic fibers and its application for rubber composites. 2019 , 177, 10-17	25
659	Resilient hemp shiv aggregates with engineered hygroscopic properties for the building industry. 2019 , 212, 247-253	3
658	Effect of glut palmitate (GP) salt on the properties of sepiolite filled ethylene propylene diene monomer (EPDM) composites. 2019 ,	1
657	Engineering Lignocellulose Fibers with Higher Thermal Stability through Natural Fiber Welding. 2019 , 304, 1900042	6
656	Keratin based thermoplastic biocomposites: a review. 2019 , 18, 299-316	18
655	A highly transparent polymer coating on the glass with broadband antireflection, antifogging and antifouling properties. 2019 , 6, 075319	3
654	The influence of natural and synthetic fibers on mixed mode I/II fracture behavior of cement concrete materials. 2019 , 46, 1081-1089	6
653	An Overview on Plant Fiber Technology: An Interdisciplinary Approach. 2019 , 977-999	1
652	Nanoscale toughening of carbon fiber-reinforced epoxy composites through different surface treatments. 2019 , 59, 625-632	9
651	Surface modification of banana fibers using organosilanes: an IGC insight. 2019 , 26, 3643-3654	8
650	Tribological performance evaluation of newly synthesized silane treated shell powders in friction composites. 2019 , 6, 065317	11
649	Catalytic MOF-loaded cellulose sponge for rapid degradation of chemical warfare agents simulant. 2019 , 213, 184-191	36

648	Study of the surfactants role in natural fibres reinforced composites for structural applications. 2019 , 577, 012182	
647	The Role of SDS Surfactant in The Synthesis of Polymer Hybrid Latex Poly-(St-co-BA-co-MMA) with OMMT as Filler via Mini-Emulsion Polymerization. 2019 , 515, 012059	1
646	Mechanical Characterization of the Natural Fiber Reinforced Polystyrene Composite. 2019 , 969, 152-156	
645	Coatings and surfaces with hydrophobic and anti-icing properties. 2019 , 257-269	3
644	Improving the properties of straw biomass rattan by corn starch. 2019 , 10, 659-667	2
643	Preparation and Characterization of Hybrid Nanocomposites for Dental Applications. 2019 , 9, 1381	7
642	Rheological and Dynamic Mechanical Properties of Abutilon Natural Straw and Polylactic Acid Biocomposites. 2019 , 2019, 1-8	23
641	Isotactic Polybutene-1/Bamboo Powder Composites with Excellent Properties at Initial Stage of Molding. 2019 , 11,	3
640	Synthesis and Characterization of Aminosilane Grafted Cellulose Nanocrystal Modified Formaldehyde-Free Decorative Paper and its CO Adsorption Capacity. 2019 , 11,	5
639	Effect of alkali and silane surface treatments on the mechanical and physical behaviors of date palm seed-filled thermoplastic polyurethane eco-composites. 2019 , 089270571989090	4
638	An easy and innovative one-step in situ synthesis strategy of silica nanoparticles decorated by graphene oxide particles through covalent linkages. 2019 , 6, 1250g4	1
637	Modification of activated carbon with a silane coupling agent under ultrasonic conditions for the advanced treatment of wastewater with dressing chemicals. 2019 , 135, 67-76	5
636	Highly dispersible laser activate particles via surface modification for laser direct structuring and electroless plating application. 2019 , 53, 1377-1386	0
635	Ultralight, hydrophobic, anisotropic bamboo-derived cellulose nanofibrils aerogels with excellent shape recovery via freeze-casting. 2019 , 208, 232-240	39
634	Flax (<i>Linum usitatissimum</i> L.) fibre reinforced polymer composite materials: A review on preparation, properties and prospects. 2019 , 102, 109-166	97
633	Preparation of High-Strength Sustainable Lignocellulose Gels and Their Applications for Antiultraviolet Weathering and Dye Removal. 2019 , 7, 2998-3009	41
632	Hybrid polyurethane and silane sized carbon fibre/epoxy composites with enhanced impact resistance. <i>Composites Part A: Applied Science and Manufacturing</i> , 2019 , 118, 49-56	8.4 21
631	Reinforcement of wood flour/HDPE composite with a copolyester of p-hydroxy benzoic acid and 2-hydroxy-6-naphthoic acid. 2019 , 136, 47338	1

630	A study on adsorption isotherm and kinetics of petroleum by cellulose cryogels. 2019 , 26, 1231-1246	14
629	A Bioinspired, Highly Transparent Surface with Dry-Style Antifogging, Antifrosting, Antifouling, and Moisture Self-Cleaning Properties. 2019 , 40, e1800708	23
628	Surface modification of natural fibers in polymer composites. 2019 , 3-41	44
627	Rheological and mechanical properties of polypropylene composites containing microfibrillated cellulose (MFC) with improved compatibility through surface silylation. 2019 , 26, 1085-1097	11
626	Effect of bamboo fibers with different coupling agents on the properties of poly(hydroxybutyrate-co-valerate) biocomposites. 2019 , 136, 47533	10
625	Fluorescence study of the hydrolytic degradation process of the polysiloxane coatings of basalt fibers. 2019 , 475, 754-761	4
624	Superabsorbent Aerogels from Cellulose Nanofibril Hydrogels. 2019 , 575-600	
623	Cereal straw and their physical modifications with hydrophilic and hydrophobic silica – The influence of functional hybrid material on natural rubber biocomposites. 2019 , 112, 176-185	6
622	Hydrolysis kinetics of silane coupling agents studied by near-infrared spectroscopy plus partial least squares model. 2019 , 194, 803-811	3
621	Nanocellulose-Block Copolymer Films for the Removal of Emerging Organic Contaminants from Aqueous Solutions. 2019 , 12,	10
620	Alfa fiber/polypropylene composites: Influence of fiber extraction method and chemical treatments. 2019 , 136, 47392	11
619	Review of electrochemical properties of hybrid coating systems on Mg with plasma electrolytic oxidation process as pretreatment. 2019 , 14, 262-295	57
618	Effect of chemical treatment on the thermal properties of hybrid natural fiber-reinforced composites. 2019 , 136, 47154	72
617	Understanding interfacial interactions of polydopamine and glass fiber and their enhancement mechanisms in epoxy-based laminates. <i>Composites Part A: Applied Science and Manufacturing</i> , 2019 , 116, 62-71	8.4 26
616	Corrosion detection for natural/synthetic/textiles fiber polymer composites. 2019 , 93-112	5
615	Preparation and characterization of surface grafting polymer of ZrO ₂ membrane and ZrO ₂ powder. 2019 , 471, 394-402	13
614	Prediction of Interfacial Debonding in Fiber-Reinforced Composite Laminates. 2019 , 40, 1828-1841	16
613	Effects of impulse-cyclone drying and silane modification on the properties of wood fiber/HDPE composite material. 2019 , 207, 343-351	12

612	Fabrication of superhydrophobic titanium dioxide coating on AISI 316L stainless steel by electrophoretic deposition and using trimethoxy(propyl)silane modification. 2019 , 35, 456-465	14
611	Evaluation of the effects of decay and weathering in cellulose-reinforced fiber composites. 2019 , 173-210	5
610	Sisal fiber reinforced high density polyethylene pre-preg for potential application in filament winding. 2019 , 159, 369-377	23
609	Mechanical behavior of carbon/natural fiber-based hybrid composites. 2019 , 103-122	8
608	Effects of coupling agents on the properties of an NR/SBR matrix and its adhesion to continuous basalt fiber cords. 2019 , 136, 47098	7
607	Highly improved mechanical and dielectric properties of paper-based composites with polyimide chopped fiber functionalized by ethylenediamine. 2019 , 31, 852-860	2
606	Double-Layer Surface Modification of Polyamide Denture Base Material by Functionalized Sol-Gel Based Silica for Adhesion Improvement. 2019 , 28, 701-708	
605	Natural fiber reinforced polylactic acid composites: A review. 2019 , 40, 446-463	170
604	Natural cellulose fiber-reinforced polyamide 6 thermoplastic composites prepared via in situ anionic ring-opening polymerization. 2019 , 40, 1104-1116	9
603	Thermal analysis, statistical predicting, and optimization of the flexural properties of natural fiber biocomposites using BoxâBehnken experimental design. 2019 , 16, 987-1005	11
602	Mechanical Property, Wear Characteristics, Machining and Moisture Absorption Studies on Vinyl Ester Composites â Review. 2019 , 11, 2455-2470	11
601	The overview on the use of natural fibers reinforced composites for food packaging. 2019 , 16, 1189-1200	20
600	Optimizing torque rheometry parameters for assessing the rheological characteristics and extrusion processability of wood plastic composites. 2019 , 32, 123-140	12
599	Mechanical reinforcement and creep resistance of coextruded wood flour/polyethylene composites by shell-layer treatment with nano- and micro-SiO2 particles. 2019 , 40, 1576-1584	13
598	Synthesis, characterization, and functionalization of ZnO nanoparticles by N-(trimethoxysilylpropyl) ethylenediamine triacetic acid (TMSEDTA): Investigation of the interactions between Phloroglucinol and ZnO@TMSEDTA. 2019 , 12, 4340-4347	32
597	The effect of alkalineâsilane treatment of rubberwood flour for water absorption and mechanical properties of plastic composites. 2020 , 33, 599-613	4
596	The Influences of Fibre Parameters on the Tensile and Flexural Response of Lightweight Thermoplastic Kenaf Fibre Reinforced Metal Composites. 2020 , 17, 966-978	3
595	Mechanical, morphological, and thermogravimetric analysis of alkali-treated Cordia-Dichotoma natural fiber composites. 2020 , 17, 759-768	35

594	A Comparative Study of the Mechanical Properties of Jute Fiber and Yarn Reinforced Concrete Composites. 2020 , 17, 676-687	16
593	The effects of fiber silane modification on the mechanical performance of chopped basalt fiber/ABS composites. 2020 , 33, 1449-1465	12
592	Effect of surface treatment of natural reinforcement on thermal and mechanical properties of vinyl ester/polyurethane interpenetrating polymer network-based biocomposites. 2020 , 52, 29-52	4
591	Expansion inhibition of steel slag in asphalt mixture by a surface water isolation structure. 2020 , 21, 2215-2229	20
590	Thermal and mechanical properties of chemical modification on sugarcane bagasse mixed with polypropylene and recycle acrylonitrile butadiene rubber composite. 2020 , 33, 1533-1554	11
589	A review of the tensile and fatigue responses of cellulosic fibre-reinforced polymer composites. 2020 , 27, 645-660	21
588	A NOVEL STUDY ON SURFACE MODIFICATION OF PALMYRA FIBERS FOR ENHANCING MECHANICAL AND THERMAL PROPERTIES. 2020 , 27, 1950104	3
587	A review on the properties of natural fibres and its bio-composites: Effect of alkali treatment. 2020 , 234, 198-217	21
586	Tannic acid functionalization of bamboo micron fibres: Its capability to toughen epoxy based biocomposites. 2020 , 243, 122112	2
585	Effect of MMT Clay on Mechanical, Thermal and Barrier Properties of Treated Aloe Vera Fiber/PLA-Hybrid Biocomposites. 2020 , 12, 1751-1760	27
584	Photocatalytic, antibacterial, and deodorization activity of recycled triacetate cellulose nanocomposites. 2020 , 240, 122260	12
583	Morphological, physical, and mechanical properties of silanized wood-polymer composite. 2020 , 54, 1403-1412	3
582	Natural fibers as reinforcement additives for geopolymers – A review of potential eco-friendly applications to the construction industry. 2020 , 23, e00132	45
581	High-strength, lightweight, co-extruded wood flour-polyvinyl chloride/lumber composites: Effects of wood content in shell layer on mechanical properties, creep resistance, and dimensional stability. 2020 , 244, 118860	14
580	Experimental investigation of mechanical and morphological properties of flax fiber reinforced epoxy composites incorporating SiC and Al ₂ O ₃ . 2020 , 27, 2249-2253	8
579	Modified hemp fibers intended for fiber-reinforced polymer composites used in structural applications – A review. I. Methods of modification. 2020 , 41, 5-31	35
578	Fabrication of superhydrophobic and UV-resistant surface on cotton fabric via layer-by-layer assembly of silica-based UV absorber. 2020 , 41, 1703-1710	11
577	Effect of surface treatments on interfacial properties of natural intralaminar hybrid composites. 2020 , 41, 314-325	38

576	Milkweed floss fiber/PLA composites: effect of alkaline and epoxy-silanol surface modifications on their mechanical properties. 2020 , 27, 495-513	6
575	Mechanical and biodegradation properties of bamboo fiber-reinforced starch/polypropylene biodegradable composites. 2020 , 137, 48694	9
574	Polyester-supported Chitosan-Poly(vinylidene fluoride)-Inorganic-Oxide-Nanoparticles Composites with Improved Flame Retardancy and Thermal Stability. 2020 , 38, 84-91	7
573	Towards hemp fabrics for high-performance composites: Influence of weave pattern and features. 2020 , 181, 107582	22
572	Effect of particle type and its surface characteristics on the mechanical properties of particle-filled polymer composite for precision machine tools. 2020 , 41, 972-981	6
571	Improvement of adhesion performance between modified phenolic and stainless steels by titanate coupling agent treatment. 2020 , 34, 782-791	2
570	Properties and development of hydrogels. 2020 , 3-16	1
569	Mutual intercropping-inspired co-silanzation to graft well-oriented organosilane as adhesion promotion nanolayer for flexible conductors. 2020 , 83, 90-99	11
568	Interface treatment and performance study on fiber tube reinforced polyvinylidene fluoride hollow fiber membranes. 2020 , 111, 1054-1063	6
567	Versatile grafted microcrystalline cellulose with ionic liquid as new Losartan-controlled release material. 2020 , 124, 109490	6
566	Composites for wastewater purification: A review. 2020 , 246, 125788	42
565	The influence of silane surface modification on microcrystalline cellulose characteristics. 2020 , 230, 115595	35
564	Improvement of interfacial adhesion and mechanical properties of sisal fiber-reinforced poly(lactic acid) composites with added bisoxazoline. 2020 , 41, 1841-1852	4
563	Highly Loaded Cellulose/Poly (butylene succinate) Sustainable Composites for Woody-Like Advanced Materials Application. 2019 , 25,	22
562	Investigation of the interfacial bonding between flax/wool twine and various cementitious matrices in mortar composites. 2020 , 239, 117833	23
561	The Effect of Filler Loading and Silane Treatment on Kenaf Core Reinforced Polyurethane Composites: Mechanical and Thermal Properties. 2020 , 28, 517-531	11
560	Effect of surface modification of ferroelectric ceramic component on the properties of PZT-type/epoxy piezoelectric composite with spiral structure. 2020 , 820, 153362	3
559	Poly(butylene succinate) biocomposite modified by amino functionalized ramie fiber fabric towards exceptional mechanical performance and biodegradability. 2020 , 146, 104443	13

558	Phosphorus-Containing Fluoropolymers: State of the Art and Applications. 2020 , 12, 38-59	19
557	Soy protein isolate-based polyamides as wood adhesives. 2020 , 54, 89-102	16
556	Effect of silanized sisal fiber on thermo-mechanical properties of reinforced epoxy composites. 2020 , 54, 2037-2050	4
555	Rheological Interference of Amine and Silane-Based Antistripping Agents on Crumb Rubber-Modified Binder. 2020 , 32, 04019347	3
554	Chemical functionalization of nano fibrillated cellulose by glycidyl silane coupling agents: A grafted silane network characterization study. 2020 , 165, 1773-1782	8
553	Effect of silane treatment on mechanical properties and thermal behavior of bamboo fibers reinforced polypropylene composites. 2020 , 15, 155892502095819	10
552	Towards industrial-scale production of cellulose nanocomposites using melt processing: A critical review on structure-processing-property relationships. 2020 , 201, 108297	19
551	PLA Composites Reinforced with Flax and Jute Fibers-A Review of Recent Trends, Processing Parameters and Mechanical Properties. 2020 , 12,	38
550	Evolution of Network Structure and Mechanical Properties in Autonomous-Strengthening Dental Adhesive. 2020 , 12,	4
549	A novel approach to fabricate fully biodegradable poly(butylene succinate) biocomposites using a paper-manufacturing and compression molding method. <i>Composites Part A: Applied Science and Manufacturing</i> , 2020 , 139, 106117	8.4 2
548	The manufacture and characterisation of short banana fibre-reinforced polymer composites. 2020 , 1-11	4
547	Performance enhancement of rubber composites using VOC-Free interfacial silica coupling agent. 2020 , 202, 108301	20
546	Comparison of LDPE/corn stalk with eco degradant and LDPE/corn stalk with MAPE: Influence of coupling agent and compatibiliser on mechanical properties. 2020 , 31, 360-365	0
545	Preparation of Hexamethyldisilazanomethacryloxyphenyl ketone (HDMK) and its copolymerization in the presence of acrylates. 2020 , 49, 19-25	
544	Effect of filler loading and size on the mechanical and morphological behaviour of natural fibre-reinforced polystyrene composites. 2020 , 1-13	5
543	Chemical Modification of Figue Fiber by Alkalization and Esterification Utilizing Figue Fiber Dust as Residue of the Fiquera Industry. 2020 , 1-9	
542	High-density polyethylene/asphaltene composites: Thermal, mechanical and morphological properties. 2020 , 096739112097457	1
541	Surface Amination of Silica Nanoparticles Using Tris(hydroxymethyl)aminomethane. 2020 , 59, 21383-21392	2

540	Water absorption behavior of cellulosic fibres polymer composites: A review on its effects and remedies. 2020 , 152808372097442	6
539	Investigation of nanomechanical and morphological properties of silane-modified halloysite clay nanotubes reinforced polycaprolactone bio-composite nanofibers by atomic force microscopy. 2020 , 92, 106877	10
538	Fabrication of silane-grafted graphene oxide and its effect on the structural, thermal, mechanical, and hysteretic behavior of polyurethane. 2020 , 10, 19152	3
537	Advanced polymeric composites via commingling for critical engineering applications. 2020 , 91, 106774	6
536	Recent advancements of plant-based natural fiber reinforced composites and their applications. 2020 , 200, 108254	114
535	Preparation of Microcrystalline Cellulose from Bagasse Bleached Pulp Reinforced Polylactic Acid Composite Films. 2020 , 22, 1138-1147	2
534	Optimization of design variables for carbon/glass hybrid composites laminates using the Taguchi Technique. 2020 , 17, 309-323	0
533	Surface Structure of Epoxy Treated Semantan Bamboo (<i>Gigantochloa scortechinii</i>). 2020 , 899, 193-205	
532	Preparation and characterization of natural fiber filled polystyrene composite using in situ polymerisation technique. 2020 , 1-11	2
531	Simple catalytic approach to highly regioselective synthesis of monofunctionalized disiloxanes decorated with metalloids. 2020 , 390, 103-108	2
530	The effects of sol-gel coatings doped with zinc salts and zinc oxide nanopowders on multifunctional performance of linen fabric. 2020 , 27, 8385-8403	6
529	Improving adhesion and moisture permeability of UV/heat dual-curable adhesives using organic-inorganic hybrid resin. 2020 , 704, 97-103	1
528	A Review on Natural Fiber-Reinforced Geopolymer and Cement-Based Composites. 2020 , 13,	25
527	Physicochemical and Thermal Properties of Lignocellulosic Fiber from <i>Gigantochloa Scortechinii</i> Bamboo: Effect of Steam Explosion Treatment. 2020 , 21, 2186-2194	6
526	Recent advances in chemical surface modification of metal oxide nanoparticles with silane coupling agents: A review. 2020 , 286, 102298	34
525	Layer-by-Layer nanostructured interphase produces mechanically strong and flame retardant bio-composites. 2020 , 200, 108310	20
524	Reactive Silicones as Multifacetic Materials. 2020 , 207-233	
523	Hydrophilic surfaces from simple dip-coating method: amphiphilic block copolymers with zwitterionic group form antifouling coatings under atmospheric conditions. 2020 , 1, 2737-2744	3

522	Understanding the Toughening Mechanism of Silane Coupling Agents in the Interfacial Bonding in Steel Fiber-Reinforced Cementitious Composites. 2020 , 12, 44163-44171	17
521	Utilization of Chemically Modified Novel Urena Lobata Fibers as Reinforcement in Polymer Composites – An Experimental Study. 2020 , 1-11	4
520	Surface modification of Momordica angustisepala fiber using temperature-activated amino-functionalized alkali-silane treatment. 2020 , 109, 1397-1407	1
519	Review of recent advances in the biodegradability of polyhydroxyalkanoate (PHA) bioplastics and their composites. 2020 , 22, 5519-5558	188
518	Evidences of interphase formation and concomitant change in the dielectric properties of epoxy-alumina nanocomposites. 2020 , 91, 106802	5
517	Monomer Selection for In Situ Polymerization Infusion Manufacture of Natural-Fiber Reinforced Thermoplastic-Matrix Marine Composites. 2020 , 12,	6
516	The Investigation of the Silica-Reinforced Rubber Polymers with the Methoxy Type Silane Coupling Agents. 2020 , 12,	8
515	The Effect Of Filler Content and Chemical Modification On The Properties Of Poly(Lactic Acid)/Pandanus Amaryllifolius Biocomposite Films. 2020 , 957, 012010	
514	Cellulose Modification for Improved Compatibility with the Polymer Matrix: Mechanical Characterization of the Composite Material. 2020 , 13,	12
513	Thermogravimetry and Interfacial Characterization of Alkaline Treated Cantala fiber/Microcrystalline Cellulose-Composite. 2020 , 27, 85-92	3
512	Chemically Functionalized Cellulose Nanofibrils for Improving Triboelectric Charge Density of a Triboelectric Nanogenerator. 2020 , 8, 18678-18685	23
511	Investigation of Mechanical Properties of Jute Fiber Reinforced Low Density Polyethylene Composites. 2020 , 1-18	11
510	Study on the Interfacial Shear Strength of a Polyamide 66/Epoxy Resin Composite. 2020 , 1622, 012002	
509	Micromechanical Model and Thermal Properties of Dry-Friction Hybrid Polymer Composite Clutch Facings. 2020 , 13,	6
508	Laccase-Enzyme Treated Flax Fibre for Use in Natural Fibre Epoxy Composites. 2020 , 13,	4
507	Morphological, Thermal and Mechanical Properties of Poly(Lactic Acid)/Cellulose/ Nano-Clay Composite. 2020 , 856, 331-338	1
506	Plant-Based Natural Fibre Reinforced Composites: A Review on Fabrication, Properties and Applications. 2020 , 10, 973	30
505	Silane-Functionalized Sheep Wool Fibers from Dairy Industry Waste for the Development of Plasticized PLA Composites with Maleinized Linseed Oil for Injection-Molded Parts. 2020 , 12,	6

504	Nanofibrillated Bacterial Cellulose Modified with (3-Aminopropyl)trimethoxysilane under Aqueous Conditions: Applications to Poly(methyl methacrylate) Fiber-Reinforced Nanocomposites. 2020 , 5, 29561-29569	5
503	Modification of nanosilica particles with hydrophobic modifier bis[3-(triethoxysilyl)propyl]tetrasulfide by using micro-injection in aqueous solutions. 2020 , 599, 124852	4
502	Preparation and study of fireproof materials with high-waterproof performance. 2020 , 60, 1474-1481	3
501	Study of Mechanical and Thermomechanical Properties of Vinyl Ester/Polyurethane Interpenetrating Polymer Network Based Hybrid Composites. 2020 , 21, 1096-1114	5
500	Mechanical & Interfacial Properties of Bamboo Lamella-PP Composites –Effect of Lamella Treatment. 2020 , 21, 1086-1095	4
499	Potential Natural Fiber Polymeric Nanobiocomposites: A Review. 2020 , 12,	82
498	Clean plasma modification for recycling waste plastic bags: From improving interfacial adhesion with wood towards fabricating formaldehyde-free plywood. 2020 , 269, 122196	12
497	Studies on durability of sustainable biobased composites: a review.. 2020 , 10, 17955-17999	56
496	Advanced analytics of elastic adhesive bonds by means of in situ computed tomography. 2020 , 234, 465-476	0
495	Silylation of Alcohols, Phenols, and Silanols with Alkynylsilanes –An Efficient Route to Silyl Ethers and Unsymmetrical Siloxanes. 2020 , 2020, 4042-4049	8
494	Controlling interfacial interactions in LDPE/flax fibre biocomposites by a combined chemical and radiation-induced grafting approach. 2020 , 27, 6333-6351	2
493	Interfacial reinforcement in bioceramic/biopolymer composite bone scaffold: The role of coupling agent. 2020 , 193, 111083	44
492	Bond strength and computational analysis for silane coupling treatments on the adhesion of resin block for CAD/CAM crowns. 2020 , 39, 844-854	1
491	Properties and economics evaluation of utilization of oil shale waste as an alternative environmentally-friendly building materials in pavement engineering. 2020 , 259, 119698	8
490	MXene-hybridized silane films for metal anticorrosion and antibacterial applications. 2020 , 527, 146915	29
489	All-Cellulose Composites: A Review of Recent Studies on Structure, Properties and Applications. 2020 , 25,	34
488	Effect of fiber hybridization and montmorillonite clay on properties of treated kenaf/aloe vera fiber reinforced PLA hybrid nanobiocomposite. 2020 , 27, 6977-6993	16
487	Effect of silanization on mechanical and tribological properties of kenaf-carbon and kenaf-glass hybrid polymer composites. 2020 , 26, 2094-2098	4

486	A catalyst- and additive-free synthesis of alkoxyhydrosiloxanes from silanols and alkoxyhydrosilanes. 2020 , 56, 8218-8221	5
485	Recent advances in the shaping of metal-organic frameworks. 2020 , 7, 2840-2866	36
484	Alkali treated coir/pineapple leaf fibres reinforced PLA hybrid composites: Evaluation of mechanical, morphological, thermal and physical properties. 2020 , 14, 717-730	44
483	Influence of MgO-Lignin Dual Component Additives on Selected Properties of Low Density Polyethylene. 2020 , 12,	6
482	Flexible and Hydrophilic Copolyamide Thin-Film Composites on Hollow Fiber Membranes for Enhanced Nanofiltration Performance. 2020 , 12, 28624-28634	4
481	Preparation of short CF/GF reinforced PEEK composite filaments and their comprehensive properties evaluation for FDM-3D printing. 2020 , 198, 108175	59
480	Superiority of Cellulose Non-Solvent Chemical Modification over Solvent-Involving Treatment: Solution for Green Chemistry (Part I). 2020 , 13,	6
479	Enhanced interfacial strength of hierarchical fiberglass composites through an aramid nanofiber interphase. 2020 , 192, 108109	14
478	Bio-based textile coatings and composites. 2020 , 357-402	2
477	The Construction of a Hydrophilic Inorganic Layer Enables Mechanochemically Robust Super Antifouling UHMWPE Composite Membrane Surfaces. 2020 , 12,	7
476	Design of functional composite and all-inorganic nanostructured materials via infiltration of polymer templates with inorganic precursors. 2020 , 8, 10604-10627	12
475	Economically Competitive Biodegradable PBAT/Lignin Composites: Effect of Lignin Methylation and Compatibilizer. 2020 , 8, 5338-5346	47
474	The Effect of Processing Route Parameters on Tensile Properties of Pandanus Tectorius Fibers. 2020 , 1471, 012057	0
473	Poly(lactic acid) based biocomposite films reinforced with silanized nanocrystalline cellulose. 2020 , 162, 1109-1117	29
472	A Direct Silanization Protocol for Dialdehyde Cellulose. 2020 , 25,	9
471	Effect of fiber modified by alkali/polyvinyl alcohol coating treatment on properties of sisal fiber plastic composites. 2020 , 39, 880-889	4
470	Dynamic and environmental performance of eco-friendly ultra-high performance concrete containing waste cathode ray tube glass as a substitution of river sand. 2020 , 162, 105021	24
469	Superiority of Cellulose Non-Solvent Chemical Modification over Solvent-Involving Treatment: Application in Polymer Composite (part II). 2020 , 13,	9

468	Development in Additive Methods in Aramid Fiber Surface Modification to Increase Fiber-Matrix Adhesion: A Review. 2020 , 10, 556		9
467	Effect of silane coupling agent modified zeolite warm mix additives on properties of asphalt. 2020 , 259, 119713		4
466	Dissimilar friction stir welding of pure Ti and carbon fibre reinforced plastic. 2020 , 25, 600-608		10
465	The influence of alkali treatment on date seeds powder reinforced LLDPE composites: Flexural properties and impact strength. 2020 ,		
464	Improvement of White Spruce Wood Dimensional Stability by Organosilanes Sol-Gel Impregnation and Heat Treatment. 2020 , 13,		6
463	Highly stretchable strain sensor with wide linear region via hydrogen bond-assisted dual-mode cooperative conductive network for gait detection. 2020 , 191, 108070		5
462	Bio-resourced furan resin as a sustainable alternative to petroleum-based phenolic resin for making GFR polymer composites. 2020 , 29, 287-299		10
461	Multifunctional composite nanofibers with shape memory and piezoelectric properties for energy harvesting. 2020 , 31, 956-966		7
460	Effect of amino-, mercapto-silane coupling as a molecular bridge of polyvinyl chloride ion-selective membrane on silicon nitride for nitrate ISFET sensors. 2020 , 59, SIIJ10		2
459	Micro-nanoparticles magnetic trap: Toward high sensitivity and rapid microfluidic continuous flow enzyme immunoassay. 2020 , 14, 014111		3
458	An Investigation on the Interfacial Adhesion between Amine Functionalized Luffa Fiber and Epoxy Resin and Its Effect on Thermal and Mechanical Properties of Their Composites. 2020 , 1-16		15
457	Effect of functional mineral additive on processability and material properties of wood-fiber reinforced poly(lactic acid) (PLA) composites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2020 , 132, 105827	8.4	17
456	Preparation and properties of silane coupling agent modified zeolite as warm mix additive. 2020 , 244, 118408		10
455	Nano- and microcellulose-based adsorption materials in water treatment. 2020 , 1-83		0
454	Selective recovery of rare-earth elements from diluted aqueous streams using N- and O-coordination ligand-grafted organic-inorganic hybrid composites. 2020 , 565-664		
453	Durable Moisture-wicking and Fast-dry Polyester Fabric Prepared by UV-induced Click Reaction. 2020 , 21, 111-118		5
452	Surface modification of kapok fibers by cold plasma surface treatment. 2020 , 9, 2467-2476		28
451	Novel chapter in hybrid materials: One-pot synthesis of purely organosilane fibers. 2020 , 190, 122234		3

450	Compatibilities and properties of poly lactide/poly (methyl acrylate) grafted chicken feather composite: Effects of graft chain length. 2020 , 137, 48981	4
449	Determining the optimum conditions for silane treated rubberwood flour-recycled polypropylene composites using response surface methodology. 2020 , 24, 100971	2
448	Interface modification and the influence on damage development of flax fibre Æpoxy composites when subjected to hygroscopic cycling. 2020 , 31, S273-S279	7
447	Comparison of Mechanical Performance and Life Cycle Cost of Natural and Synthetic Fiber-Reinforced Cementitious Composites. 2020 , 32, 04020150	3
446	Preparation of UV curable organic/inorganic hybrid coatings-a review. 2020 , 145, 105685	23
445	Multiscale investigation on tensile properties of ultra-high performance concrete with silane coupling agent modified steel fibers. 2020 , 111, 103638	29
444	Wood-Derived Carbon with Selectively Introduced C=O Groups toward Stable and High Capacity Anodes for Sodium Storage. 2020 , 12, 27499-27507	33
443	Alkali and Silane Treatments towards Exemplary Mechanical Properties of Kenaf and Pineapple Leaf Fibre-reinforced Composites. 2020 , 17, 380-392	30
442	A two-step combination strategy for significantly enhancing the interfacial adhesion of CF/PPS composites: The liquid-phase oxidation followed by grafting of silane coupling agent. 2020 , 191, 107966	27
441	Low dielectric loss and high breakdown strength photosensitive high-k composites containing perfluoroalkylsilane treated BaTiO ₃ nanoparticles. 2020 , 192, 108013	13
440	Controlling the size of silica nanoparticles in filler nanomatrix structure of natural rubber. 2020 , 195, 122444	9
439	Preparation of PVA Fluorescent Gel and Luminescence of Europium Sensitized by Terbium (III). 2020 , 12,	2
438	Nano-BN encapsulated micro-AlN as fillers for epoxy composites with high thermal conductivity and sufficient dielectric breakdown strength. 2020 , 27, 528-534	18
437	Stretchable conductor based on carbon nanotube/carbon black silicone rubber nanocomposites with highly mechanical, electrical properties and strain sensitivity. 2020 , 191, 107979	39
436	Influence of coupling agent on altering the reinforcing efficiency of natural fibre-incorporated polymers ÆA review. 2020 , 39, 520-544	26
435	Thermal Welding by the Third Phase Between Polymers: A Review for Ultrasonic Weld Technology Developments. 2020 , 12,	8
434	PVC/rice straw/SDBS-modified graphene oxide sustainable Nanocomposites: Melt mixing process and electrical insulation characteristics. <i>Composites Part A: Applied Science and Manufacturing</i> , 2020 , 134, 105902	8.4 14
433	Natural fibres as promising environmental-friendly reinforcements for polymer composites. 2021 , 29, 277-300	9

432	Characterization of Hazelnut, Pistachio, and Apricot Kernel Shell Particles and Analysis of Their Composite Properties. 2021 , 18, 1054-1068	6
431	Analysing Flammability Characteristics of Green Biocomposites: An Overview. 2021 , 57, 31-67	20
430	Effects of FDM-3D printing parameters on mechanical properties and microstructure of CF/PEEK and GF/PEEK. 2021 , 34, 236-246	33
429	Advancements in multi-scale filler reinforced epoxy nanocomposites for improved impact strength: A review. 2021 , 46, 281-329	9
428	Effect of water absorption on the mechanical properties of bamboo/glass-reinforced polybenzoxazine hybrid composite. 2021 , 29, 3-14	5
427	Development of date pitâpolystyrene thermoplastic heat insulator material: Mechanical properties. 2021 , 34, 472-489	8
426	Comparative study of effect of different coupling agent on mechanical properties and water absorption on wheat straw-reinforced polystyrene composites. 2021 , 34, 433-450	8
425	Stepwise 3D-spatio-temporal magnesium cationic niche: Nanocomposite scaffold mediated microenvironment for modulating intramembranous ossification. 2021 , 6, 503-519	10
424	The Potentials of Corn Waste Lignocellulosic Fibre as an Improved Reinforced Bioplastic Composites. 2021 , 29, 363-381	15
423	Tensile and morphological properties of nanocrystalline cellulose and nanofibrillated cellulose reinforced PLA bionanocomposites: A review. 2021 , 61, 22-38	7
422	Review on the performances, foaming and injection molding simulation of natural fiber composites. 2021 , 42, 1305-1324	13
421	Recent studies on modified cellulose/nanocellulose epoxy composites: A systematic review. 2021 , 255, 117366	20
420	Chemical modification of natural fibres to epoxy laminate for lightweight constructions. <i>Composites Part A: Applied Science and Manufacturing</i> , 2021 , 140, 106171	8.4 8
419	Silicone stressed response of crayfish (<i>Procambarus clarkii</i>) in antioxidant enzyme activity and related gene expression. 2021 , 274, 115836	5
418	Modification of pineapple leaf fibers with aminosilanes as adsorbents for HS removal. 2021 , 266, 129000	2
417	Improving the mechanical performance of biocomposite plaster/ Washingtonian filifira fibres using the RSM method. 2021 , 33, 101840	19
416	Wettability and hydrolytic stability of 3-aminopropylsilane coupling agent and phenol-urea-formaldehyde binder on silicate surfaces and fibers. 2021 , 183, 109431	4
415	Highly porous nanocoatings tailored for inverse nanoparticle-polymer composites. 2021 , 2, 271-292	2

414	Inner defects elimination and significant reinforcement of rice straw/high-density polyethylene composites by extractives removal process. 2021 , 138, 50137	2
413	The effect of mechanical crimp on the basic properties of jute yarn. 2021 , 46, 425-432	2
412	Polysiloxane Cross-Linked Mechanically Stable MXene-Based Lithium Host for Ultrastable Lithium Metal Anodes with Ultrahigh Current Densities and Capacities. 2021 , 31, 2008044	18
411	Recent progress in using hybrid silicon polymer composites for wastewater treatment. 2021 , 263, 128380	11
410	Natural fibers for sustainable additive manufacturing: A state of the art review. 2021 , 37, 3087-3090	6
409	Wood flour-high density polyethylene composites: Influence of silanization and esterification on mechanical properties. 2021 , 138, 50197	4
408	Diazonium Modification of Inorganic and Organic Fillers for the Design of Robust Composites: A Review. 2021 , 31, 1-21	12
407	Covalent surface functionalization of nonwoven fabrics with controlled hydrophobicity, water absorption, and pH regulation properties. 2021 , 138, 49820	1
406	Mechanical behavior of K-geopolymers reinforced with silane-coated basalt fibers. 2021 , 104, 437-447	5
405	Interface chemistry of atomic-scale structures for building bioinspired 3D light-weight and porous architectures. 2021 , 115-141	
404	Hierarchical Vegetal Fiber Reinforced Composites. 2021 , 379-412	1
403	Sustainable Product Packaging Using Vegetables Fibres and Its Composite. 2021 , 275-302	
402	Observation of a Chemical Softener's Effects on Stem-Specific Lignocellulosic & Brassica napus (Type: Canola) (Cultivar: HYHEAR 3) Fiber Quality. 2021 , 07, 112-130	
401	The bright side of cellulosic hibiscus sabdariffa fibres: towards sustainable materials from the macro- to nano-scale. 2021 , 2, 4945-4965	7
400	Enhancement of biocomposites properties using different dispersing agents. 2021 , 36, 41-46	2
399	Characterization and Properties of Pp/Nbr/Kenaf Composites with Epoxy Resin Compatibilizer. 2021 , 801-809	
398	Mechanical Properties of Prosopis Juliflora Fiber Reinforced Concrete. 1-14	3
397	Propolis and Organosilanes as Innovative Hybrid Modifiers in Wood-Based Polymer Composites. 2021 , 14,	9

- 396 Flexural strength of hybrid composite resin epoxy reinforced stinging nettle fiber with silane chemical treatment. **2021**, 8, 185-199 2
- 395 Property Improvements of Wood and Wood-Plastic Composites. **2021**, 67-92
- 394 Green Fiber Thermoplastic Composites. **2021**, 35-62
- 393 Comprehensive investigation of mechanical and thermal properties of vetiver grass and red mud reinforced hybrid composites. 1-11 1
- 392 Treatment of hemp fibres for use in rotational moulding. **2021**, 28, 1 4
- 391 Synthesis and Application of Cellulose-Polyethyleneimine Composites and Nanocomposites: A Concise Review. **2021**, 14, 11
- 390 Investigation on the Brittle and Ductile Behavior of Bamboo Nano Fiber Reinforced Polypropylene Nanocomposites. **2021**, 83-105
- 389 Compatibility of Natural Fiber and Hydrophobic Matrix in Composite Modification. **2021**, 3489-3507
- 388 Chapter 2:Surface Engineering of Boron Nitride Nanoplatelets for Thermal Conductivity Enhancement of Polymers. **2021**, 52-98
- 387 Utilization of polymer chemical admixtures for surface treatment and modification of cellulose fibres in cement-based composites: a review. **2021**, 28, 1241-1266 7
- 386 Biobased superhydrophobic coating enabled by nanoparticle assembly. **2021**, 3, 4037-4047 0
- 385 Chapter 3:Inorganic-Organic Hybrids: Mimicking Native Bone. **2021**, 134-179
- 384 Mechanical, adhesion and corrosive properties of unsaturated polyester-graphene coating treated with silane coupling agent on metal substrate. **2021**, 1
- 383 Properties of Fiber-Matrix Interfaces of Natural Fiber Composites. **2021**, 94-116
- 382 A Review of the Physical and Thermal Properties of Roselle Fiber-Reinforced Polymer Hybrid Composites. **2021**, 271-283
- 381 Progress in Biodegradable Flame Retardant Nano-Biocomposites. **2021**, 13, 7
- 380 Date Seeds Fiber Reinforced Low-Density Polyethylene: Effect of Stearic Acid on its Mechanical and Morphological Characteristics. 1021, 290-298
- 379 Vulcanization of chlorinated polyethylene / chloroprene rubber compounds at lower temperatures in the presence of reactive silanes. **2021**, 138, 50544 3

378	Characterization of Biobased Composites. 2021 , 39-52	1
377	Development and characterization of chemical and fire resistant jute/unsaturated polyester composites. 1-10	7
376	Natural/Synthetic Fiber-Reinforced Bioepoxy Composites. 2021 , 73-116	
375	CEMENT COMPOSITES REINFORCED WITH TEOS-TREATED WOOD FIBRES. 2021 , 55, 141-147	
374	Interactions between Different Organosilicons and Archaeological Waterlogged Wood Evaluated by Infrared Spectroscopy. 2021 , 12, 268	6
373	Poly(lactic acid)/flax composites: effect of surface modification and thermal treatment on interfacial adhesion, crystallization, microstructure, and mechanical properties. 1-20	3
372	Lithium Metal Electrode with Increased Air Stability and Robust Solid Electrolyte Interphase Realized by Silane Coupling Agent Modification. 2021 , 33, e2008133	40
371	The Manufacturing Process of Recycled Polymer Composites reinforced with Natural Fibers – Systematic Literature Review. 2021 , 1808, 012001	
370	Bond strengths of three-step etch-and-rinse adhesives to silane contaminated dentin. 2021 , 40, 385-392	0
369	Micro- and Nanoscale Structure Formation in Epoxy-Clay Nanocomposites. 61-82	
368	Self-Loomotive Soft Actuator Based on Asymmetric Microstructural TiCT MXene Film Driven by Natural Sunlight Fluctuation. 2021 , 15, 5294-5306	27
367	Manufacturing of Natural Fiber-Reinforced Recycled Polymer – Systematic Literature Review. 2021 , 1808, 012005	
366	A study about silane modification and interfacial ultraviolet aging of hemp fiber reinforced polypropylene composites. 2021 , 42, 2544-2555	2
365	Environmental impact and effect of chemical treatment on bio fiber based polymer composites. 2021 , 49, 3418-3418	2
364	Long Fiber-Reinforced Epoxy Composites. 2021 , 83-96	1
363	Date pits based nanomaterials for thermal insulation applications-Towards energy efficient buildings in Qatar. 2021 , 16, e0247608	2
362	A Review on Coir fibre Reinforced Composites with Different Matrix. 2021 , 7,	11
361	Experimental evaluation of bamboo fiber/particulate coconut shell hybrid PVC composite. 2021 , 11, 5465	8

360	Characterization of expanded polystyrene and its composites by supercritical carbon dioxide foaming approach. 2021 , 28, 1081	3
359	Impact of Silane Treatment on Characterization of Ipomoea Staphylina Plant Fiber Reinforced Epoxy Composites. 1-12	16
358	Superhydrophobic silane-based surface coatings on metal surface with nanoparticles hybridization to enhance anticorrosion efficiency, wearing resistance and antimicrobial ability. 2021 , 410, 126966	10
357	Manufacturing and Characterization of Hybrid Composites with Basalt and Flax Fabrics and a Partially Bio-based Epoxy Resin. 2021 , 22, 751-763	1
356	The Effects of Different Chemical Treatment Methods and Maleic Anhydride Grafted Polyethylene on the Mechanical and Thermal Properties of Alpinia galanga Fiber Reinforced Polyethylene Composites. 1025, 69-76	
355	Preparation of QDs@SiO-PEG-LMPET and its influence on crystallization and luminescence of polyethylene terephthalate. 2021 , 32,	1
354	Impact of Alkali and Silane Treatment on Hemp/PLA Composites' Performance: From Micro to Macro Scale. 2021 , 13,	4
353	Effect of surface treatment on mechanical, physical and morphological properties of oil palm/bagasse fiber reinforced phenolic hybrid composites for wall thermal insulation application. 2021 , 276, 122239	16
352	Effect of poly(methylhydrogen)siloxane modification on adjusting mechanical properties of bamboo flour-reinforced HDPE composites. 2021 , 28, 5463	3
351	The Challenges and Future Perspective of Woven Kenaf Reinforcement in Thermoset Polymer Composites in Malaysia: A Review. 2021 , 13,	15
350	Characterization of interfacial strength in natural fibre ãpolyolefin composites at different temperatures. 1-22	4
349	Construction of compatible interface of straw/magnesium oxychloride lightweight composites by coupling agents. 2021 , 281, 122600	3
348	Organofunktionelle Silane als Haftvermittler.	
347	Wear behavior of polyamide 11 reinforced with titanate nanotubes. 089270572110133	1
346	Affixing poly(methyl methacrylate-co-acrylic acid) nanospheres with trimethoxyvinylsilane on silicon solar module to enhance its power conversion efficiency. 2021 , 56, 12364-12382	1
345	Investigation of mechanical property of eco-friendly natural filler (ground nut, saw dust and hybrid shell) reinforced epoxy based composite. 2021 , 1116, 012032	
344	Physical and Mechanical Properties of Natural Leaf Fiber-Reinforced Epoxy Polyester Composites. 2021 , 13,	15
343	Highly Hydrophobic Organosilane-Functionalized Cellulose: A Promising Filler for Thermoplastic Composites. 2021 , 14,	3

342	Polypropylene-based nanocomposites for HVDC cable insulation. 2021 , 4, 84-97	2
341	Physical and mechanical properties of bamboo/flax fibre reinforced epoxy composite water absorption behaviour and high-temperature conditions. 2021 , 50, 415-424	1
340	Recent Advances in Multi-Scale Experimental Analysis to Assess the Role of Compatibilizers in Cellulosic Filler-Reinforced Plastic Composites. 2021 , 5, 138	1
339	Facile biosynthesis of synthetic crystalline cellulose nanoribbon from maltodextrin through a minimized two-enzyme phosphorylase cascade and its application in emulsion. 2021 , 332, 54-60	0
338	Optimizing glass-ceramic bonding incorporating new silane technology in an experimental universal adhesive formulation. 2021 , 37, 894-904	4
337	Selective hydrosilylation of allyl chloride with trichlorosilane. 2021 , 4,	0
336	Mussel-inspired reinforcement of a biodegradable aliphatic polyester with bamboo fibers. 2021 , 296, 126587	8
335	Fabrication of polymer electrolyte via lithium salt-induced surface-initiated radical polymerization for lithium metal batteries. 2021 , 626, 119210	2
334	Opportunity of Non-Wood Forest Products in Biocomposites.	0
333	Fabrication and characterization of biodegradable KH560 crosslinked chitin hydrogels with high toughness and good biocompatibility. 2021 , 259, 117707	8
332	Valorization of Date Palm Waste for Plastic Reinforcement: Macro and Micromechanics of Flexural Strength. 2021 , 13,	5
331	Thermal Properties of Olive Pomace Filled Linear Low Density Polyethylene Bio-Composites. 2021 , 60, 957-969	0
330	Polyaniline and magnetite on curaua fibers for molecular interface improvement with a cement matrix. 2021 , 1233, 130101	1
329	Chemical Modification of Banana Trunk Fibers for the Production of Green Composites. 2021 , 13,	2
328	Mechanical and Tribological Characteristics of Industrial Waste and Agro Waste Based Hybrid Composites. 2021 , 163-174	
327	Investigation on Mechanical Properties of Surface-Treated Natural Fibers-Reinforced Polymer Composites. 2021 , 135-162	
326	Effectiveness of Silanization and Plasma Treatment in the Improvement of Selected Flax Fibers' Properties. 2021 , 14,	4
325	Mechanical Properties of Bio-Composites Based on Epoxy Resin and Nanocellulose Fibres. 2021 , 14,	6

324	Space Charge Behavior of Quantum Dot-Doped Polystyrene Polymers. 2021 , 28, 753-761	2
323	Fabrication of poly(3-hydroxybutyrate-co-4-hydroxybutyrate) biocomposite reinforced wood fiber modified with mixed coupling agents CS-201 and KH550. 2021 , 164, 113352	3
322	Effect of different surface treatments on polypropylene composites reinforced with yerba mate fibers: Physical, mechanical, chemical, and morphological properties. 2021 , 138, 51350	1
321	Effect of adding different silane coupling agents on metal friction and wear in mixing process. 2021 , 138, 51408	2
320	Study on the silica-polymer hybrid coated SrAl ₂ O ₄ :Eu ²⁺ , Dy ³⁺ phosphor as a photoluminescence pigment in a waterborne UV acrylic coating. 2021 , 13, 1230-1242	7
319	Preparation of graphene/Al composites with a lamellar structure by silane cross-linking graphene oxide. 2021 , 13, 2433-2441	4
318	Enhancing thermal and dynamic-mechanical properties of epoxy reinforced by amino-functionalized microcrystalline cellulose. 2021 , 138, 51329	3
317	Electron beam mediated synthesis of photoluminescent organosilicon nanoparticles in TX-100 micellar medium and their prospective applications. 2021 , 334, 116072	2
316	Development of terpene based sorbents via emulsion templating: Synthesis and swelling behavior. 2021 , 164, 104912	1
315	Polyester fabric with moisture management properties using a sol-gel technique for activewear. 2021 , 28, 1	
314	A review of coextruded wood-plastic composites. 2021 , 42, 4174-4186	6
313	Contribution to a Circular Economy Model: From Lignocellulosic Wastes from the Extraction of Vegetable Oils to the Development of a New Composite. 2021 , 13,	2
312	Effect of silane coupling agent on compatibility interface and properties of wheat straw/polylactic acid composites. 2021 , 182, 2108-2116	6
311	Characterization of interfacial properties between fibre and polymer matrix in composite materials – A critical review. 2021 , 13, 1441-1484	13
310	Effect of Hemp Fiber Surface Treatment on the Moisture/Water Resistance and Reaction to Fire of Reinforced PLA Composites. 2021 , 14,	6
309	Getting Environmentally Friendly and High Added-Value Products from Lignocellulosic Waste.	
308	Effect of regular and core shell nanoparticles on tuning the electrical properties of polypropylene for high voltage insulation. 2021 , 60, 095001	0
307	Influence of Liquid Type, Filler and Coupling Agent on the Interface Resistivity Between Silicone Rubber and Fiber Reinforced Plastic. 2021 , 28, 1207-1215	3

306	Preparation and performance of a kitchen waste oil-modified polyvinyl alcohol-grafted urea slow-release fertilizer. 2022 , 139, 51484	0
305	Siloxane-Starch-Based Hydrophobic Coating for Multiple Recyclable Cellulosic Materials. 2021 , 14,	1
304	Response surface methodology approach to optimize the functionalization process on Agave americana fibre. 2021 , 28, 10065-10075	
303	A Critical Review on Natural Fibers Modifications by Graft Copolymerization for Wastewater Treatment. 1	1
302	Preparation of cellulose-based fluorescent materials as coating pigment by use of DMSO/DBU/CO ₂ system. 2021 , 28, 10373	1
301	Additives used in natural fibre reinforced polymer composites-a review. 2021 ,	2
300	Waste office paper filled polylactic acid composite filaments for 3D printing. 2021 , 221, 108998	13
299	An investigation into mechanical properties of jute-polyester laminates for numerical prediction of strength and failure. 2021 , 42, 5975	0
298	Mechanism-guided elaboration of ternary Au@Ti ₃ Si sites to boost propylene oxide formation. 2021 , 1, 885-895	4
297	Highly efficient purification of emerging pollutants and bacteria in natural water by g-C ₃ N ₄ -sheltered fibers containing TiO ₂ . 2021 , 559, 149839	5
296	Combining trace Pt with surface silylation to boost Au/uncalcined TS-1 catalyzed propylene epoxidation with H ₂ and O ₂ . e17416	0
295	Natural fiber reinforced composites: Sustainable materials for emerging applications. 2021 , 11, 100263	39
294	Thermochemical compatibilization of reclaimed tire rubber/ poly(ethylene-co-vinyl acetate) blend using electron beam irradiation and amine-based chemical. 2021 , 28, 1	2
293	Effect of silane coupling treatments on mechanical properties of epoxy based high-strength carbon fiber regular (2 × 2) braided fabric composites.	1
292	Wetting mechanism and interfacial bonding performance of bamboo fiber reinforced epoxy resin composites. 2021 , 213, 108951	9
291	Recent advances in nanocellulose-based different biomaterials: types, properties, and emerging applications. 2021 , 14, 2601-2623	24
290	Markedly improved hydrophobicity of cellulose film via a simple one-step aminosilane-assisted ball milling. 2022 , 275, 118701	2
289	Enhanced mechanical properties of porous silicone composites prepared by silane surface functionalization of hollow silica particles. 1-11	0

288	ZnO-Impregnated Polyacrylonitrile Nanofiber Filters against Various Phases of Air Pollutants. 2021 , 11,		0
287	The Viscoelastic Behaviour of Waterlogged Archaeological Wood Treated with Methyltrimethoxysilane. 2021 , 14,		4
286	Reinforcement ability of lignocellulosic components in biocomposites and their 3D printed applications – A review. 2021 , 6, 100171		2
285	Effects of chlorinated polypropylene based-adhesives on the bonding performance of an epoxy core rod and polyolefin sheath for composite insulators. 2021 , 110, 102954		1
284	Quasi-static and low-velocity impact responses of polypropylene random copolymer composites with adjustable crystalline structures. 2021 , 224, 109139		2
283	Tailoring flexible interphases in bamboo fiber-reinforced linear low-density polyethylene composites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2021 , 150, 106606	8.4	3
282	Ecofriendly biopolymers and composites: Preparation and their applications in water-treatment. 2021 , 52, 107815		24
281	Cellulose bionanocomposites for sustainable planet and people: A global snapshot of preparation, properties, and applications. 2021 , 2, 100065		7
280	Moisture management of polypropylene non-woven fabric using microcrystalline cellulose through surface modification. 2021 , 6, 100151		1
279	Apple pomace pretreated with hydrochloric acid exhibited better adherence with the corn starch during extrusion expansion. 2021 , 2, 100089		1
278	Enhanced surface coverage of anchoring quaternary ammonium salts (AQAS) on oxygen-plasma treated quartz substrates. 2021 , 630, 127530		0
277	Silane-treated BaTiO ceramic powders for multilayer ceramic capacitor with enhanced dielectric properties. 2022 , 286, 131734		1
276	Molecular interaction of Asphalt-Aggregate interface modified by silane coupling agents at dry and wet conditions. 2022 , 572, 151365		4
275	Water Hyacinth (<i>Eichhornia Crassipes</i>) Natural Fiber Composite Properties – Review. 2021 , 183-193		1
274	Identification of Vegetable Fiber Origin. 2021 , 351-377		
273	Eco-friendly composites and nanocomposites. 2021 , 105-120		
272	Wood Treatments and Interfacial Bonding in Wood-Plastic Composites. 2021 , 43-65		
271	Surface treatments in fiber-reinforced composites. 2021 , 47-81		1

270	Industrial and biomedical applications of fiber reinforced composites. 2021 , 753-783	2
269	Investigation on effects of fiber loading of mechanical properties of banana/sisal hybrid composite. 2021 , 45, 7829-7837	1
268	The characterization and properties of low linear density polyethylene (LLDPE)/ acrylonitrile butadiene rubber (NBR)/ palm press fiber (PPF) with �aminopropyltriethoxysilane coupling agent. 2021 ,	
267	Observation of a Chemical Softener� Effects on Stem-Specific Lignocellulosic &i&t;Brassica napus&i&t; (Type: Canola) (Cultivar: HYHEAR 3) Fiber Quality. 2021 , 09, 112-130	
266	Chemical Modifications of Continuous Aramid Fiber for Wood Flour/High-Density-Polyethylene Composites with Improved Interfacial Bonding. 2021 , 13,	2
265	Processing and characterization of pineapple fiber reinforced recycled polyethylene composites. 2021 , 44, 2153-2157	3
264	Interfacial technology for enhancement in steel fiber reinforced cementitious composite from nano to macroscale. 2021 , 10, 636-652	4
263	Polyethylene Composites with Lignocellulosic Material. 117-161	3
262	Reinforcing Potential of Enzymatically Modified Natural Fibers. 40-79	1
261	Polymer Nanocomposites. 339-369	1
260	Green Biocomposites for Structural Applications. 2017 , 1-27	15
259	Environmental Friendly Thermoplastic Composite Laminates Reinforced with Jute Fabric. 2018 , 119-126	1
258	Potential Use of Cellulose Fibre Composites in Marine Environment�A Review. 2018 , 25-55	6
257	Effects of Water Ageing on the Mechanical Properties of Flax and Glass Fibre Composites: Degradation and Reversibility. 2016 , 183-196	4
256	Effect of water on the breakdown and dielectric response of polypropylene/nano-aluminium nitride composites. 2020 , 55, 8900-8916	4
255	Characterization and Wrinkle Resistance Enhancement by Sol-Gel Method of Various Pretreated Linen Fabrics. 2020 , 21, 82-89	6
254	Surface Modification of Flax Fibers with Isocyanate and Its Effects on Fiber/Epoxy Interfacial Properties. 2020 , 21, 2888-2895	5
253	A multi-defense strategy: Enhancing bactericidal activity of a medical grade polymer with a nitric oxide donor and surface-immobilized quaternary ammonium compound. 2017 , 58, 421-431	66

252	Advanced hybrid nanomaterials for biomedical applications. 2020 , 114, 100686	54
251	Corrosion resistance of the anodization/glycidoxypropyltrimethoxysilane composite coating on 6061 aluminum alloy. 2020 , 403, 126433	5
250	Recent Advancements in Corrosion Protection of Magnesium Alloys by Silane-Based Sol-Gel Coatings. 2020 , 59, 19840-19857	9
249	Adhesion Behavior of Catechol-Incorporated Silicone Elastomer on Metal Surface. 2020 , 2, 2444-2451	9
248	Enhancement of the properties of hybrid woods polymer composites by chemical pre-treatments. 2021 , 235, 828-841	1
247	Introduction to Natural Fiber Composites. 2015 , 1-34	3
246	Alternative Solutions for Reinforcement of Thermoplastic Composites. 2015 , 65-92	5
245	Enhancement of the physical and mechanical properties of wood using a novel organo-montmorillonite/hyperbranched polyacrylate emulsion. 2021 , 75, 545-554	3
244	Enhanced flexural properties of aramid fiber/epoxy composites by graphene oxide. 2019 , 8, 484-492	11
243	Developments in Flame-Retardant Bio-composite Material Production. 2019 , 8, 20180025	1
242	THERMAL CONDUCTIVITY and TENSILE PROPERTIES OF HOLLOW GLASS MICROSPHERE / POLYPROPYLENE COMPOSITES. 1-1	1
241	Experimental study on mechanical behavior of natural hybrid composites filled with ground nut shell ash. 2019 , 23, 218-227	8
240	A novel DOPO-g-KH550 modification wood fibers and its effects on the properties of composite phenolic foams. 2018 , 20, 47-53	9
239	Effet d'un nouvel agent de couplage PVC-G-MA sur les propriétés physiques et diélectriques des composites PVC/ALFA. 2011 , 36, 125-137	2
238	Recent Advances in Polymer Nanocomposites Based on Polyethylene and Polyvinylchloride for Power Cables. 2020 , 14,	15
237	Potential biodegradable matrices and fiber treatment for green composites: A review. 2019 , 6, 119-138	21
236	Hydrophobization of Cellulose Nanofibrils by Silylation under an Aqueous System. 2018 , 50, 72-77	1
235	Long-term durability and ecotoxicity of biocomposites in marine environments: a review.. 2021 , 11, 32917-32941	51

- 234 Surface Modification of Cellulose with Silanes for Adhesive Application: Review. **2021**, 11, 11-30 1
- 233 Synthesis Strategies for Si-Based Advanced Materials and Their Applications. **2021**, 831-866
- 232 Silane-coupled kenaf fiber filled thermoplastic elastomer based on recycled high density polyethylene/natural rubber blends. **2021**, 31,
- 231 Accelerated ageing of surface modified flax fiber reinforced composites. **2021**, 6, 100198 1
- 230 Review on Microstructural and Ion-Conductivity Properties of Biodegradable Starch-Based Solid Polymer Electrolyte Membranes. 2100170 1
- 229 Flame-Retardant Silanized Boron Nitride Nanosheet-Infused Superhydrophobic Sponges for Oil/Water Separation. 4
- 228 Effect of Surface Treatment on the Mechanical Performance of Unidirectional Enset Fiber Reinforced Polypropylene Composite. 1-14 1
- 227 Thermal Properties of Hemp-High Density Polyethylene Composites: Effect of Two Different Chemical Treatments. 375-382 1
- 226 Comparative Studies of Crushing Behavior of Various Fiber Reinforced Skin Polyurethane Foam Cored Composite Sandwich Structures. 387-394
- 225 Mechanical and Other Related Properties of Tropical Natural Fibre Composites. **2014**, 53-74
- 224 Effect of Silane Coupling Agent on Thermal Stability and Adhesion Properties of DGEBA Epoxy Resin. **2014**, 38, 787-790
- 223 Shear Strength of Single Lap Joint Aluminium-Thermoplastic Natural Rubber (Al-TPNR) Laminated Composite. **2015**, 159-171 0
- 222 Adhesion and Surface Issues in Biocomposites and Bionanocomposites. 169-217
- 221 Polyethylene-Based Blends, Composites and Nanocomposites: State-of-the-Art, New Challenges and Opportunities. 1-19 1
- 220 Unidirectional Cordena Fibre-Reinforced Furan Resin Full Biocomposite: Properties and Influence of High Fibre Mass Fraction. **2015**, 2015, 1-8 2
- 219 Matrices for Natural Fiber Composites. **2015**, 93-126
- 218 Materials Science of Rubber. **2018**, 55-124
- 217 Ceramic Waste-Based Natural Rubber Composites: An Exciting Way for Improving Mechanical Properties. **2018**, 4, 576-582

216	The Effect of Modifier on Properties of Bamboo Powder/High-Density Polyethylene Composites. 2019 , 69, 313-321	1
215	Multifunctional Composite Ecomaterials and Their Impact on Sustainability. 2019 , 3193-3222	
214	A Review on Materials for Orthotic Devices. 2019 , 208-229	
213	Study on Infrared Transmittance of Si-Polymer Hybrid Structure Press Molded Using a Coupling Agent. 2019 , 13, 817-824	
212	A Short Review: Manufacturing problems and Solutions of Natural Fiber Reinforced Composites. 2019 , 68-77	
211	Cross-Linkable Bio and Mineral Fillers for Reactive Polymer Composites: Processing and Characterization. 2020 , 135-163	0
210	Evaluaci3n t3mica de material compuesto de cemento portland reforzado con agregado fino de CBC y FO tratada con Silano. 2020 , 21, 1-11	1
209	Potential of oxalic acid leached natural palygorskite-rich clay as multidimensional nanofiller to improve polypropylene. 2021 , 396, 456-456	2
208	Development of nanocellulose-titanium dioxide-(3-aminopropyl) trimethoxysilane (NCC-TiO ₂ -APTMS) particles and their application in superhydrophilic self-cleaning coatings. 1	0
207	Graphene Oxide Nanoplatelets Grafted Jute Fibers Reinforced PP Composites. 2020 , 21, 2896-2906	2
206	Mechanical properties and water absorption behaviour of pineapple leaf fibre reinforced polymer composites. 1-16	6
205	Crystallization and Dynamic Mechanical Behavior of Coir Fiber Reinforced Poly(Butylene Succinate) Biocomposites. 2022 , 10, 1039-1048	0
204	Simultaneously enhancing the strength and toughness of short fiber reinforced thermoplastic composites by fiber cross-linking. 2022 , 217, 109076	4
203	Recycling of natural fiber composites: Challenges and opportunities. 2022 , 177, 105962	11
202	Compatibility of Natural Fiber and Hydrophobic Matrix in Composite Modification. 2020 , 1-20	
201	Biopolymer Nanocomposite Based Food Packaging. 2020 , 177-188	
200	INFLUENCE OF PANDANUS TECTORIUS LEAF FIBER ON MECHANICAL PROPERTIES AND MORPHOLOGY OF POLYPROPYLENE COMPOSITE. 2020 , 12,	
199	Effect of Fiber Content and Silane Treatment on the Mechanical Properties of Recycled Acrylonitrile-Butadiene-Styrene Fiber Composites. 2021 , 3, 1258-1270	1

198	Thermal Stability Investigation of Synthesized Epoxy-Polyurethane/Silica Nanocomposites. 1	2
197	Interfacial dynamics analysis in starch nanocrystal/ poly (butyl methacrylate) nanocomposites: Impact of the reinforcement's functionalization. 2021 , 348, 118033	0
196	Morphology and structure of bacterial cellulose film after ionic liquid treatment. 2020 , 1595, 012028	1
195	The Effect of Physical Aging on the Mechanical Properties of Raw, Treated and Compatibilized Coir Fibers-Based Polyisoprene Bio-Composites. 2020 , 35, 429-439	
194	Effective Young's Modulus Estimation of Natural Fibers through Micromechanical Models: The Case of Henequen Fibers Reinforced-PP Composites. 2021 , 13,	2
193	Flexural and Dynamic Mechanical Properties of Alkali-Treated Coir/Pineapple Leaf Fibres Reinforced Polylactic Acid Hybrid Biocomposites. 2021 , 18, 1430	12
192	Improving Thermal Stability and Hydrophobicity of Rutile-TiO ₂ Nanoparticles for Oil-Impregnated Paper Application. 2021 , 14, 7964	1
191	The effect of chemically treated all-cellulose composites (ACCs) with dodecyltriethoxysilane (DTES) solution on the structural-property relationship. 2021 , 1192, 012002	
190	Recent developments of lignocellulosic natural fiber reinforced hybrid thermosetting composites for high-end structural applications: a review. 2021 , 28, 1	2
189	Polyurethane Foam Composites Reinforced with Renewable Fillers for Cryogenic Insulation. 2021 , 13,	3
188	Surface modification of recycled coir fibers with hybrid coating and its effect on the properties of ABS composites.	0
187	3D printing of layered ceramic/carbon fiber composite with improved toughness. 2021 , 50, 102543	0
186	Dispersing Silica Fume in Cementitious Materials by Silane Copolymerized Polycarboxylate Superplasticizer: On the Role of Dispersion Effectiveness as a Function of Silane Concentration.	
185	Charge transport and space charge dynamics in EPDM/2D-nanoclay composite dielectrics. 2022 , 219, 109241	3
184	Particle-resin systems for additive manufacturing of rigid and elastic magnetic polymeric composites. 2022 , 51, 102587	0
183	Spray deposition of vinyl tris(2-methoxyethoxy) silane-doped Ti ₃ C ₂ T MXene hole transporting layer for planar perovskite solar cells. 2022 , 900, 163372	1
182	Enhancement of Dielectric Properties of Photosensitive Composites Based on Perfluorosilane-modified BaTiO ₃ Nanoparticles. 2020 ,	
181	Hybrid Nanostructures for Biomedical Applications. 2022 , 275-301	

180	Promoters for Improved Adhesion Strength between Addition-Cured Liquid Silicone Rubber and Low-Melting-Point Thermoplastic Polyurethanes.. 2022 , 15,	0
179	Significant Applications of Composite and Natural Materials for Vibration and Noise Control: A Review. 2022 , 211-220	1
178	A Review on the Effect of Various Chemical Treatments on the Mechanical Properties of Renewable Fiber-Reinforced Composites. 2022 , 2022, 1-24	0
177	Environmentally Significant Cellulose Fiber Reinforced Polymer Matrix Composites. 2022 , 93-132	
176	Joining behavior of natural fiber reinforced polymer composites. 2022 , 33-63	1
175	Amphipathic anionic surfactant modified hydrophilic polyethylene glycol-nanosilica composite as effective viscosifier and filtration control agent for water-based drilling muds. 2022 , 15, 103741	2
174	The effect of surface treatments and graphene-based modifications on mechanical properties of natural jute fiber composites: A review.. 2022 , 25, 103597	6
173	Organosilane compounds for tunable recycling of waste superabsorbent polymer fine particles. 1	
172	Hybrid Nonisocyanate Polyurethanes (H-NIPUs): A Pathway towards a Broad Range of Novel Materials. 2100437	3
171	Influence of Seawater Ageing on the Physical and Mechanical Properties of the Natural Fiber-Reinforced Composites. 2022 , 335-355	
170	Surface modification of the cellulose nanocrystals through vinyl silane grafting.. 2022 , 200, 397-408	1
169	Reinforcing Poly(methyl methacrylate) with Bacterial Cellulose Nanofibers Chemically Modified with Methacryloyl Groups.. 2022 , 12,	2
168	The effect of number of chemical bonds on intrinsic adhesive strength of a silane coupling agent with metals: A first-principles study. 2022 , 37, 923	0
167	Recent Progress in Flax Fiber-Based Functional Composites. 2022 , 4, 171	0
166	Effect of silane treatment on tensile strength, moisture absorption and thermal property of unidirectional woven mat enset fibers reinforced polypropylene composite. 1-21	1
165	The effects of surface treatment on creep and dynamic mechanical behavior of flax fiber reinforced composites under hygrothermal aging conditions. 2022 , 203-242	0
164	Flexural and Impact Properties of Flax/Kevlar and Jute/Carbon Hybrid Fibers-Reinforced PLA Nanocomposites for Aircraft Interior Applications. 2022 , 341-366	
163	Influence of silane modification on the properties of natural fibers and its effect on biocomposites. 2022 , 67-93	0

162	Miscellaneous Study on Epoxy/Synthetic/Natural Fiber Hybrid Composites. 2022 , 1-29	
161	Chemical Treatments for Modification of the Surface Morphology of Coir Fiber: A Review. 1-22	
160	Morphological, Structural and Thermal Properties of Silane-treated Date Palm Fibers. 1-11	0
159	Sustainable Manufacture of Natural Fibre Reinforced Epoxy Resin Composites with Coupling Agent in the Hardener. 2022 , 6, 97	2
158	Strategies for the enhancement of adhesion between carbon fibers and polyolefin matrices. 1-16	1
157	Surface modification of bio-based composites via silane treatment: a short review. 1-16	0
156	Effect of surface treatment of cotton fibers on the durability of polylactic acid/cotton-fiber biocomposites. 1-17	1
155	Grafting amount and structural characteristics of microcrystalline cellulose functionalized with different aminosilane contents. 2022 , 29, 3209	1
154	Process and mechanisms of multi-stage water sorptivity in hydrophobic geopolymers incorporating polydimethylsiloxane. 2022 , 128, 104460	3
153	Improvement of mechanical properties and water resistance of bio-based thermal insulation material via silane treatment. 2022 , 346, 131242	2
152	Dispersing silica fume in cementitious materials by silane copolymerized polycarboxylate Superplasticizer: On the role of dispersion effectiveness as a function of silane concentration. 2022 , 326, 126832	2
151	Coating performance, durability and anti-corrosion mechanism of organic modified geopolymer composite for marine concrete protection. 2022 , 129, 104495	0
150	Sodium alginate coating on biodegradable high-purity magnesium with a hydroxide/silane transition layer for corrosion retardation. 2022 , 642, 128647	0
149	Nanocomposites for future electronics device Packaging: A fundamental study of interfacial connecting mechanisms and optimal conditions of silane coupling agents for Polydopamine-Graphene fillers in epoxy polymers. 2022 , 439, 135621	3
148	Cellulosic fibres-based epoxy composites: From bioresources to a circular economy. 2022 , 182, 114895	5
147	Characterization of the UV-aging and antimicrobial resistance of cellulose / ethylene-norbornene composites.. 2022 , 289, 119459	0
146	Desirable bonding interactions between organo-functional triazinedithiol groups and heavy metal ions for significantly improved adsorption or dispersion property. 2022 , 442, 136220	0
145	Water Sorption and Solvent Sorption Techniques of Epoxy/Synthetic/Natural Fiber Composites. 2022 , 1-30	

144	Micromechanical Tests on Natural Fibre Composites with Enzymatically Enhanced FibreâMatrix Adhesion. 2022 , 4, 1	
143	Epoxyorganosilane Finishing Compositions for Fibrous Fillers of Thermosetting and Thermoplastic Binders.. 2021 , 14,	
142	Surface Modification of Commingled Flax/PP and Flax/PLA Fibres by Silane or Atmospheric Argon Plasma Exposure to Improve FibreâMatrix Adhesion in Composites. 2022 , 10, 2	2
141	Investigation of flexural properties of epoxy composite by utilizing graphene nanofillers and natural hemp fibre reinforcement. 2022 , 30, 096739112210936	
140	Natural fiber-reinforced nanocomposites in automotive industry. 2022 , 85-103	1
139	Hybrid Materials Based on Nanoparticles Functionalized with Alkylsilanes Covalently Anchored to Epoxy Matrices.. 2022 , 14,	0
138	Cellulose nanofiber assisted dispersion of hydrophobic SiO nanoparticles in water and its superhydrophobic coating.. 2022 , 290, 119504	0
137	Microfibrous cyclodextrin boosts flame retardancy of poly(lactic acid) II - phosphorous silane treatment further enhances the effectivity. 2022 , 200, 109938	0
136	An organic-inorganic hybrid strategy to fabricate highly dispersed Fe ₂ C in porous N-Doped carbon for oxygen reduction reaction and rechargeable zinc-air battery. 2022 , 195, 123-130	0
135	Extraction and modification of natural plant fibersâA comprehensive review. 2022 , 25-50	0
134	Magnetic functionalization of poly(N -isopropylacrylamide) hydrogels for sensor applications.	0
133	Morphology, Structure, and Mechanical Properties of New Natural Cellulose Fiber Reinforcement from Waru (Hibiscus Tiliaceus) Bark. 1-13	1
132	The influences of silane coupling agents on the heat and moisture resistance of basalt fibre-reinforced composites.	0
131	Advancement in hemp fibre polymer composites: a comprehensive review. 2022 ,	1
130	Characterization of prickly pear short fiber and red onion peel biocarbon nanosheets toughened epoxy composites.	2
129	A silanized MCNT/TPU-based flexible strain sensor with high stretchability for deformation monitoring of elastomeric isolators for bridges. 2022 , 338, 127664	0
128	Effect of silane-treated pine wood fiber (PWF) on thermal and mechanical properties of partially biobased composite foams. 2022 , 8, 100278	
127	Starch-Silane Structure and Its Influence on the Hydrophobic Properties of Paper. 2022 , 27, 3136	1

126	A review on basalt fibre reinforced polymeric composite materials. 2022,	5
125	Novel compatibilizers and plasticizers developed from epoxidized and maleinized chia oil in composites based on PLA and chia seed flour. 2022, 173, 111289	2
124	Modification of Fibres and Matrices in Natural Fibre Reinforced Polymer Composites: A Comprehensive Review. 2100862	1
123	"A NEW PEACH PALM FIBER MAT FOR POLYURETHANE MATRIX COMPOSITES: BEHAVIOR TO UV-ACCELERATED WEATHERING ". 2022, 56, 341-352	0
122	Improvement of UV-curable ink adhesion onto melamine faced board using dual silane treatments. 1-19	
121	Investigation of Efficient Alkali Treatment and the Effect of Flame Retardant on the Mechanical and Fire Performance of Frost-Retted Hemp Fiber Reinforced PLA. 2022, 14, 2280	0
120	Hybridization effect of functionalized microcrystalline cellulose and liquid acrylonitrile butadiene rubber on epoxy. 002199832211070	0
119	Epoxy Biocomposites. 69-98	
118	The Effect of Different Dosages of TESPT on Metal Friction and Metal Wear in the Mixing Process. 2022, 14, 2314	0
117	Surface properties of alkylsilane treated date palm fiber. 2022, 12,	1
116	Application of Dual Silane Coupling Agent-Assisted Surface-Modified Quartz Powder in Epoxy Matrix for Performance Enhancement. 2022, 12, 784	
115	Flexible all-organic composites with ultrahigh energy storage density for wearable electronics. 2022,	
114	Electrode-customized separator membranes based on self-assembled chiral nematic liquid crystalline cellulose nanocrystals as a natural material strategy for sustainable Li-metal batteries. 2022, 50, 783-791	1
113	Green adhesivesâPast, present, and future outlook. 2022, 341-372	
112	Applications of green composites for sustainable development. 2022, 43-53	
111	A novel high-efficient P/N/Si-containing APP-based flame retardant with a silane coupling agent in its molecular structure for epoxy resin. 2022,	0
110	Characteristics of polypropylene biocomposites: effect of chemical treatment to produce cellulose microparticle. 2022, 29, 6733-6743	
109	Mechanical properties of sugar palm lignocellulosic fibre reinforced polymer composites: a review. 2022, 29, 6493-6516	2

108	Application of nanomaterials in waterborne coatings: A review. 2022 ,	0
107	Parameters Influencing Moisture Diffusion in Epoxy-Based Materials during Hygrothermal Ageing— Review by Statistical Analysis. 2022 , 14, 2832	1
106	Hydrogels reinforced by electrospun nanofibrous yarns designed for tissue engineering applications: mechanical and cellular properties. 1-13	
105	Bending and Crack Evolution Behaviors of Cemented Soil Reinforced with Surface Modified PVA Fiber. 2022 , 15, 4799	0
104	Comparative thermal analysis of coal fuels, biomass, fly ash and polyamide. 2022 , 124840	1
103	Multiscale Modeling and Characterization of Radical-Initiated Modification of Molten Polyolefins.	
102	A comprehensive review of the polyolefin composites and their properties. 2022 , 8, e09932	0
101	Electroless copper plating mechanism of mesophase pitch-based carbon fibers by the grafting modification of silane couple agents. 2022 , 32, 104053	0
100	Surface treatment to improve water repellence and compatibility of natural fiber with polymer matrix: Recent advancement. 2022 , 107707	3
99	A state-of-the-art review on potential applications of natural fiber-reinforced polymer composite filled with inorganic nanoparticle. 2022 , 100298	0
98	Miscellaneous Study on Epoxy/Synthetic/Natural Fiber Hybrid Composites. 2022 , 1029-1057	
97	Application of organosilanes in titanium-containing organic-inorganic hybrid coatings. 2022 , 57, 13845-13870	
96	Effect of fiber surface treatments in HDPE-henequen short fiber-reinforced composites: Static characterization and fatigue.	
95	Chitin Nanocomposite Based on Plasticized Poly(lactic acid)/Poly(3-hydroxybutyrate) (PLA/PHB) Blends as Fully Biodegradable Packaging Materials. 2022 , 14, 3177	0
94	Thermal characterization and hygrothermal aging of lignocellulosic Agave Cantala fiber reinforced polylactide composites.	1
93	Recent developments in composite reinforcement using date palm fibers for improved performance through physical and chemical modifications. 1-18	
92	Exploration of novel fiber-metal laminates sandwich structures with cellulosic ramie woven core.	
91	Reaction-Based Scalable Inorganic Patterning on Rigid and Soft Substrates for Photovoltaic Roofs with Minimal Optical Loss and Sustainable Sunlight-Driven-Cleaning Windows. 2022 , 14, 38339-38350	

- 90 Application of selected chemical modification agents on banana fibre for enhanced composite production. **2022**, 5, 100131 ○
- 89 Enhancement of critical-sized bone defect regeneration by magnesium oxide-reinforced 3D scaffold with improved osteogenic and angiogenic properties. **2023**, 135, 186-198 1
- 88 Mechanical properties and interface improvement of bamboo cellulose nanofibers reinforced autoclaved aerated concrete. **2022**, 134, 104760 ○
- 87 Surface chemistry of alkali-activated materials and how to modify it. **2022**, 113-140 ○
- 86 Introduction to natural fiber composites. **2022**, 1-13 ○
- 85 Chemical Modifications of Natural Fiber Surface and Their Effects. **2022**, 39-64 1
- 84 Reducing Hydrophilic Characteristics of Kraft Paper Insulation by Reinforcing With Surface Modified Rutile-TiO₂ Nanoparticles. **2022**, 10, 102237-102246 ○
- 83 Water Sorption and Solvent Sorption Techniques of Epoxy/Synthetic/Natural Fiber Composites. **2022**, 999-1028 ○
- 82 Progress in flame-retardant sustainable fiber/polymer composites. **2022**, 419-449 ○
- 81 Preparation and Catalytic Performance of Supramolecular Ionic Liquid Catalyst. **2022**, 95, 430-435 ○
- 80 Surface Modification of Cellulose Microfibrils with Silane Agent for Eco-Friendly Hydrophobic Coatings. **2022**, 95, 379-386 ○
- 79 Competition of hydrolysis, self-polymerization and graft coupling for n-dodecyltrimethoxysilane modified Al₂O₃ under non-catalytic conditions. **2023**, 607, 154985 ○
- 78 Effect of Water Absorption on Mechanical Properties of Treated and Untreated Hemp Fiber Reinforced Polyester Composites. ○
- 77 Wood Sawdust Plus Silylated Styrene Composites with Low Water Absorption. **2022**, 16, 377-386 ○
- 76 Progress in absorption of environmental carbon dioxide using nanoparticles and membrane technology. ○
- 75 Influence of Alkali and Silane Treatment on the Physico-Mechanical Properties of *Grewia serrulata* Fibres. **2022**, 50, 325-337 ○
- 74 Agglomeration-Free and Air-Inert Garnet for Upgrading PEO/Garnet Composite Solid State Electrolyte. **2022**, 8, 141 ○
- 73 Thermoset nanocomposites reinforced by vinyl-functionalized halloysite. ○

72	Interfacial Behaviors of Basalt Fiber-Reinforced Polymeric Composites: A Short Review.	1
71	Covalent functionalization of MXenes for tribological purposes - a critical review. 2022 , 102792	0
70	Polyamide-6/cellulose nanocomposites: Influence of fiber treatment and screw rotation on nanofibrillation of jute during extrusion process.	0
69	Synergistic reinforcement mechanism of basalt fiber/cellulose nanocrystals/polypropylene composites. 2022 , 11, 3020-3030	0
68	Mechanical Properties and Equilibrium Swelling Characteristics of Some Polymer Composites Based on Ethylene Propylene Diene Terpolymer (EPDM) Reinforced with Hemp Fibers. 2022 , 15, 6838	0
67	Characterisation of Nanoclay and Spelt Husk Microfiller-Modified Polypropylene Composites. 2022 , 14, 4332	0
66	Continuous Fiber Reinforced Composites. 2022 , 479-544	0
65	Recycled Multi-Material Packaging Reinforced with Flax Fibres: Thermal and Mechanical Behaviour. 2022 , 14, 4423	1
64	Biocomposites with Epoxy Resin Matrix Modified with Ingredients of Natural Origin. 2022 , 15, 7167	0
63	Influence of pretreated sugarcane bagasse fiber by steam explosion, soaking with caustic soda, and addition of coupling agent into polylactic acid biocomposites. 002199832211362	0
62	Short Fiber Reinforced Composites. 2022 , 185-367	0
61	Valorization of Potential Post-Consumer Polyethylene (PE) Plastics Waste and Ethiopian Indigenous Highland Bamboo (EHB) for Wood Plastic Composite (WPC): Experimental Evaluation and Characterization. 2022 , 10, 85	0
60	Processing household plastics for recycling âA review. 2022 , 6, 100158	1
59	A strong and biodegradable wood particles-based bioplastic modified by synergistically dynamic cross-linking with tannic acid and Fe ³⁺ . 2022 , 247, 110349	0
58	Influence of Physical Modification of the Adhesive Composition on the Strength Properties of Aerospace Aluminum Alloy Sheet Adhesive Joints. 2022 , 15, 7799	2
57	Effective Tensile Strength Estimation of Natural Fibers through Micromechanical Models: The Case of Henequen Fiber Reinforced-PP Composites. 2022 , 14, 4890	0
56	Design and fabrication of nano textured superhydrophobic and anti-corrosive silane-grafted ZnO/bio-based polyurethane bilayer coating. 2022 , 451, 129036	0
55	Green and facile method for valorization of lignin to high-performance degradable thermosets. 2022 , 24, 9659-9667	0

- 54 A mini-review on the dielectric properties of cellulose and nanocellulose-based materials as electronic components. **2023**, 303, 120449 ○
- 53 Thermal properties of coir fiber-reinforced polymer composites. **2022**, 191-220 ○
- 52 Effect of a Thermal Catalyst on Organosilanes Treatment to Improve Durability and Stability of Canadian Wood. **2022**, 12, 1867 ○
- 51 Silane treated starch dispersed PBAT/PHBV-based composites: Improved barrier performance for single-use plastic alternatives. **2022**, 1 ○
- 50 Investigation of Mechanical Characterisation and Thermal Performance of Hybrid Natural Fiber Composites for Automotive Applications. **2022**, 23, 3505-3515 1
- 49 Analyzing the Design Parameters and Their Influence on the Tensile Strength of Composite Layers using Taguchi Technique. **2022**, ○
- 48 In Situ Synthesis of CuO/Cu₂O Nanoparticle-Coating Nanoporous Alumina Membranes with Photocatalytic Activity under Visible Light Radiation. **2023**, 13, 179 1
- 47 Effect of Wood Dust Fibre Treatments Reinforcement on the Properties of Recycled Polypropylene Composite (r-WoPPC) Filament for Fused Deposition Modelling (FDM). **2023**, 16, 479 ○
- 46 Sorption properties of paper treated with silane-modified starch. ○
- 45 Dynamic mechanical properties and ageing studies of coir-sisal yarn reinforced polypropylene commingled composites. **2023**, 31, 096739112211501 ○
- 44 Mechanical Properties of a Bone-like Bioceramic-Epoxy-Based Composite Material with Nanocellulose Fibers. **2023**, 16, 739 ○
- 43 Creep and stress relaxation behavior of functionalized microcrystalline cellulose/epoxy composites. ○
- 42 Metakaolin-based geopolymer composites modified by epoxy resin and silane: Mechanical properties and organic-inorganic interaction mechanism. **2023**, 232, 106767 ○
- 41 Introduction: A journey to the tribological behavior of polymeric materials. **2023**, 1-16 ○
- 40 Processing technologies of polymer composites and fundamental issues related to polylactide composites processing. **2023**, 25-67 ○
- 39 Influence of epoxy functional silane on the crosslinking process of eucalyptus wood panels using formaldehyde-free acrylate adhesives. 1-19 ○
- 38 Improving bonding strength of Al/CFRTP hybrid joint through modifying friction spot joining tools. **2023**, 254, 110588 ○
- 37 Effect of heat treatment on properties and interfacial compatibility of poplar veneer/polyethylene film composite plywood. **2023**, 122, 108006 ○

- 36 Bonding property between fiber and cementitious matrix: A critical review. **2023**, 378, 131169 ○
- 35 Hollow self-floating microspheres capture cobalt (Co²⁺)/nickel (Ni²⁺) ions from the acidic leachate of spent lithium-ion battery cathodes. **2023**, 465, 142950 ○
- 34 Molecular dynamics simulation study on the hydrophobic mechanism of ettringite nanoporous channels modified by silane and silane/graphene oxide. **2023**, 623, 156975 ○
- 33 Modification of Epoxy Compositions by the Application of Various Fillers of Natural Origin. **2023**, 16, 3149 ○
- 32 Mechanical, thermo-mechanical and biodegradation behaviour of surface-silanized nettle fabric-reinforced poly(lactic acid) composites. **2023**, 297, 127381 ○
- 31 Robust and Scalable In Vitro Surface Mineralization of Inert Polymers with a Rationally Designed Molecular Bridge. **2023**, 15, 8730-8741 ○
- 30 Performance-based natural rubber composites reinforced with jute fibers and nano-silica: thermal, morphological, and mechanical studies with statistical optimization. **2023**, 32, 609-619 ○
- 29 Recent advances in the hybridization of cellulose and semiconductors: Design, fabrication and emerging multidimensional applications: A review. **2023**, 233, 123551 ○
- 28 Fabrication of untreated and silane-treated carboxylated cellulose nanocrystals and their reinforcement in natural rubber biocomposites. **2023**, 13, ○
- 27 Functional Olive Pit Powders: The Role of the Bio-Based Filler in Reducing the Water Uptake Phenomena of the Waterborne Paint. **2023**, 13, 442 1
- 26 Utilization of Mechanically Recycled Carbon Fibers in Vinyl Ester Composites. **2023**, 15, 1016 ○
- 25 Mathematical and simulation based investigation towards deformation behaviour of bombyx mori moth silk /vinyl ester reinforced laminated composite. 1-12 ○
- 24 Biocomposites: Prospects and Manifold Applications for Human and Environmental Sustainability. **2023**, 12, 037002 ○
- 23 An underwater stable superhydrophobic surface for robust ultra-long-lasting biofouling resistance. **2023**, 462, 142091 ○
- 22 Effect of bio-fibers and inorganic fillers reinforcement on mechanical and thermal characteristics on carbon-kevlar-basalt-innega fiber bio/ synthetic epoxy hybrid composites. **2023**, 23, 5440-5458 ○
- 21 Environment-tolerant ionic hydrogel-elastomer hybrids with robust interfaces, high transparence, and biocompatibility for a mechanical-thermal multimode sensor. ○
- 20 Optimization of piezoelectric polymer composites and 3D printing parameters for flexible tactile sensors. **2023**, 67, 103470 ○
- 19 Modulating Surface Chemistry of Al Powders for Elastomeric Composites with Applications in Electronic Cooling. **2023**, 10, ○

- 18 Experimental study on evaluation and optimization of heavy metals adsorption on a novel amidoximated silane functionalized *Luffa cylindrica*. **2023**, 13, ○
- 17 Investigation of the effect of matrix-interface formed with silane-based coupling agents on physico-chemical behavior and flow distance of dental composites. **2023**, 378, 121600 ○
- 16 Preparation and Closed-Loop Recycling of Ultra-High-Filled Wood Flour/Dynamic Polyurethane Composites. **2023**, 15, 1418 ○
- 15 Effect of silica nanoparticles and modified silica nanoparticles on the mechanical and swelling properties of EPDM/SBR blend nanocomposites. ○
- 14 Utilization of functionalized silane coatings for enhanced mechanical properties of hydroxyapatite filler. ○
- 13 Fabrication of Advanced Cellulosic Triboelectric Materials via Dielectric Modulation. ○
- 12 Synthesis and fabrication of acrylic acid treated rattan fiber epoxy composite. **2023**, ○
- 11 Graphene-based 2D materials: recent progress in corrosion inhibition. **2023**, 159-186 ○
- 10 Hyaluronic acid-modified yeast β -glucan particles delivering doxorubicin for treatment of breast cancer. **2023**, 120907 ○
- 9 Synthesis of multifunctional rubber chemicals 2-propanol, 1-(2-benzothiazolylthio)-3-[3-(triethoxysilyl) propoxy] silane and its application in natural rubber/silica composites. ○
- 8 Investigation on the effect of silane coupling agent treatment of steel fibers on the durability of UHPC. **2023**, 23, ○
- 7 Hydrophobic, Sustainable, High-Barrier Regenerated Cellulose Film via a Simple One-Step Silylation Reaction. **2023**, 15, 1901 ○
- 6 Investigation of Mechanical, Tribological, and Electrical Properties of Silk Reinforced Polymeric Composite. **2023**, 2023, 1-12 ○
- 5 An experimental study using 3-aminopropylmethyldiethoxysilane (APMDS) to improve biocompatibility of NR latex film. ○
- 4 Modified Halpin-Tsai model for predicting the mechanical properties of polymer composites reinforced with different cross-sectional fibers. **2023**, ○
- 3 Using maturity method to predict compressive strength of acrylic polymer concrete containing TMPTMA or silane additives at sub-zero curing temperatures. **2023**, 101597 ○
- 2 Thermogravimetric analysis of flax, jute, and UHMWPE fibers and their composites with melamine and phenol formaldehyde resins. **2023**, 10, ○
- 1 Efficacy of natural fibre reinforced biodegradable composite towards industrial products – An extensive review. **2023**, ○

